## VCAP\_SERVICES & User provided services

Quiz 11 | 5 Questions



Skip Quiz

You have a Sybase database that you would like to use from your Bluemix application

- simply bind to the Sybase database instance
- you cannot use external services in Bluemix apps
- 3 create a user provided service

You have a Sybase database that you would like to use from your Bluemix application

simply bind to the Sybase database instance

you cannot use external services in Bluemix apps

 create a user provided service use the cf cups command to create the user provided service
 Good job, please continue to the next question. cf cups command needs the credentials to be provided in

- 1 XML format
- 2 Name-Value pairs
- 3 JSON format

cf cups command needs the credentials to be provided in

XML format

Name-Value pairs

JSON format
 Good job, please continue to the next question.

The cf cups -l option is for specifying


1 syslog url

2 log level

3 log file name

4 syslog credentials

The cf cups -l option is for specifying



Go to Dashbo

A managed service instance always populate the environment VCAP\_SERVICES document

1 True

2 False

A managed service instance always populate the environment VCAP\_SERVICES document

True

False
 Some services are value adds and may not be bindable
 Good job, please continue to the next question.

Special SDK or libraries are needed to get the credentials/connection information for the bound service instances

1 True

2 False

Special SDK or libraries are needed to get the credentials/connection information for the bound service instances

> This was discussed in Lecture 23: User provided services and VCAP\_SERVICES

× True

Please try again.

False
 Credential/Connection information becomes available in the VCAP\_SERVICES environment variable.



## Great job! You are ready to move on to the next lecture.

You got 4 out of 5 correct on the first attempt.

## What you know

You have a Sybase database that you would like to use from your Bluemix application

cf cups command needs the credentials to be provided in

The cf cups -l option is for specifying

A managed service instance always populate the environment VCAP\_SERVICES docu...

## What you should review

Special SDK or libraries are needed to get the credentials/connection information for...

Lecture 23: User provided services and VCAP\_SERVICES