



IBM Bluemix Development & Certification

Summary decks for a course that covers the A to Z of IBM Bluemix.

For more information visit:
<http://www.acloudfan.com>

raj@acloudfan.com

1. Intro to Docker Containers
2. IBM Containers
3. Virtual Servers

PS: Certification practice test questions NOT included in the summary decks

Discounted access to the courses:



<https://www.udemy.com/ibm-bluemix/?couponCode=BLUE100>

Coupon Code = **BLUE100**



<https://www.udemy.com/rest-api/?couponCode=REST100>

Coupon Code = **REST100**

PS:


- For latest coupons & courses please visit: <http://www.acloudfan.com>
- Enter to **WIN Free access** – please visit: <http://www.acloudfan.com/win-free-access>



Introduction to Docker Containers

What is *Container*?


- A standard way of packaging the application & all its dependencies



- Container addresses issue of *Dependency Hell*
- Linux containers have been around for a while but *Docker* has simplified their use

VM versus Docker runtime

- Virtual Machine* (VM) abstracts underlying servers (aka. Bare metal)
- Docker* abstracts application from the underlying operating system



Benefits of Docker Containers

Accelerated
Delivery

Environment
Consistencies

Scalability

Portability

Developer
Empowerment

Compute
Efficiencies

Sharing



Docker image

- **Image** is a read-only template that are used to create containers
- Images are the basis for containers
- Images are built via templates referred to as **Dockerfile**
- Images are managed in registries. **DockerHub** is a public registry.


Docker Registries




- Registries are the distribution component of Docker
- The [Docker Hub](https://hub.docker.com) is a cloud-based registry service for building and shipping application or service containers
 - Image Discovery
 - Distribution & Change Management
 - User & Team collaboration

<https://hub.docker.com>

Containers, Images, Registry



Docker Toolbox



Dockerfile

- Use ***DockerHub://tomcat:latest*** as the base image

```
FROM tomcat:latest
```

- ADD : tomcat-users.xml to the image

Create *tomcat-users.xml* to enable management of Tomcat container

```
ADD ./tomcat-users.xml /usr/local/tomcat/conf/tomcat-users.xml
```

- ADD : application war file to the image

```
ADD ./target/DockerSample.war /usr/local/tomcat/webapps/DockerSample.war
```



Summary

- Docker toolbox installed on local machine sets up multiple tools
- Docker-machine used for creating docker hosts
- Dockerfile has commands for creating images
- Image is created locally using the *docker build* command
- To run a container you need to set the environment variable and then issue the *docker run* command



IBM Containers

IBM Containers

- IBM containers is Bluemix runtime that leverages Docker technology
 - Existing images may be used as-is
 - Automatic validation of images for vulnerabilities
 - Can be configured as container groups for auto-scaling & auto recovery
 - Monitoring & log consolidation
 - IBM Container Extension (ice) *OR* CF ic Plugin for management; same commands as *Docker* client



IBM Image Registry



Each organization has a private registry

- Existing images may be pushed as-is
- Created the first time a container is created
<https://registry.ng.bluemix.net/{namespace}/>
- Users within the organization can access the images
- Maximum of 25 images allowed in the registry

Storage Volume

- Storage volumes persist data for containers


```
cf ic volume create VOLNAME
```

```
ice volume create VOLNAME
```


- Allocated per space
- Not affected by the updates made to images
- Lifecycle is independent of the lifecycle of the container
- Storage volume added to containers with ADD in *Dockerfile*

Scaling Container Group Vs Single Container

- Scaling container group option for high availability & recovery
- Single container may be setup with a public IP address



Summary




Virtual Servers


Virtual Machine (VM)

- A self-contained operating environment that behaves as if it is a separate computer
- Multiple Virtual Machine (VM) instances share the common underlying physical hardware (a.k.a. bare metal)
 - More efficient use of the hardware
 - Cost effectiveness
 - Self provisioning

Virtualization



IBM Bluemix VM – Astronaut's view



VM setup & management tools

- VM can be setup & managed using

- Bluemix console/UI



- OpenStack client



<<< Horizon UI Supported

- SSH to VM


- On Windows use **Putty**



Security Group



- Sets up the allowed inbound & outbound traffic



- *default* = No inbound traffic from outside the private network
- *allow_ssh* (22) , *allow_https* (443), *allow_rdp* (3389), *allow_all*




VM Logging & Monitoring



- By default Logging is NOT enabled
 - Need to install & enable Bluemix *logstash* forwarder agent
- By default Monitoring is enabled
 - CPU
 - Memory
 - Network
 - Graphite based monitoring dashboard



IBM VM Creation



 **openstack**
CLOUD SOFTWARE

raj@acloudfan.com

<http://www.acloudfan.com>



IBM VM Storage

