



Shell Edit View Profiles Toolbelt Window Help



KTerm Shell Edit View Profiles Toolbelt Window Help

```
Using actionview 4.1.5
Using rack 1.5.2
Using rack-test 0.6.2
Using actionpack 4.1.5
Using mime-types 1.25.1
Using polyglot 0.3.5
Using treetop 1.4.15
Using actionmailer 4.1.5
Using activemodel 4.1.5
Using activemodel 4.1.5
Using arel 5.0.1.20140414130214
Using activerecord 4.1.5
Using bundler 1.7.2
Using coffee-script-source 1.8.0
Using execjs 2.2.1
Using coffee-script 2.3.0
Using thor 0.19.1
Using railties 4.1.5
Using multi_json 1.10.1
Using hike 1.2.3
Using multi_json 1.10.1
Using jquery-rails 3.1.2
Using tilt 1.4.1
Using sprockets 2.11.0
Using sprockets-rails 2.1.4
Using rails 4.1.5
Using rails 4.1.5
Using soss 3.2.19
Using soss 3.2.19
Using soss-rails 4.0.3
           0.0.9
           Using sass 3.2.19
 Using sass 3.2.19
Using sass-rails 4.0.3
Using spring 1.1.3
Using sqlite3 1.3.9
Using turbolinks 2.3.0
Using uglifier 2.5.3
Your bundle is complete!
Use 'bundle show [gemname]' to see where a bundled gem is installed.

run bundle exec spring binstub --all

bin/rails: spring inserted

bin/rails: spring inserted
[demo]$
```































