

Video 1.4

Identifying REST Resources



In this Video, we are going to take a look at...

- Collection
- Element
- Procedure

Collection

- A collection is a group of elements with the same representation



A Collection's Interface


- A collection's endpoint, or HTTP URL path, ends with the collection's name

A Collection's Interface

- Collection endpoints support the following HTTP methods
 - GET
 - List the collection's elements
 - POST
 - Insert an element to the collection
 - PUT
 - Replace the entire collection with another collection
 - DELETE
 - Delete the entire collection

GET a Collection

GET /notes



Notes

Chicken

Beef

200 OK

Content - Type: application/json

```
[  
  {"id": "1", "content": "Chicken"},  
  {"id": "2", "content": "Beef"},  
]
```


POST to a Collection

```
POST /notes
{
  "content": "Ham"
}
```





```
201 Created
{
  "id": "3",
  "content": "Ham"
}
```




PUT a Collection

PUT /notes

```
[  
  {"id": "100", "content": "Potato"},  
  {"id": "101", "content": "Salad"}  
]
```





200 OK




DELETE a Collection

DELETE /notes



DELETE a Collection

DELETE /notes



200 OK

Notes

Element

- An element represents a single entity



An Element's Interface

- An element's endpoint, or HTTP URL path, ends with the element's ID
 - /events/12345
 - /user-500/messages/16

An Element's Interface

- Element endpoints support the following HTTP methods
 - GET
 - Get the element
 - PUT
 - Update the element
 - DELETE
 - Remove the element from the collection

Remote Procedures

- Remote procedures do not have a standard for naming their endpoints

Remote Procedures

- Remote procedures do not have a standard for naming their endpoints
- Rules of thumb:
 - Use verbs that describe the procedure that is being executed. For example, /search or /reply

Remote Procedures

- Remote procedures do not have a standard for naming their endpoints
- Rules of thumb:
 - Use verbs that describe the procedure that is being executed. For example, /search or /reply
 - Use GET for safe procedures and POST, PUT, or DELETE for unsafe procedures

Next Video

Properties of RESTful APIs