#### Web Development with Node.js and MongoDB

Andrew Marcinkevičius

Video 2.3

The Event Loop



## In this Video, we are going to take a look at...

- The Call Stack
- The Event Loop
- The EventEmitter



#### The Call Stack

- Last-In First-Out data structure
- Helpful for debugging
- Programs crash on stack overflow
- Composed of stack frames
- Stack frame: arguments, return address, and local variables
- Avoid too many function calls



```
FOLDERS
                                        01-call-stack.js
'use strict';
 ▶ □ 1
 ¥ 1 ≥ 2
                                        function foo(x, y) {
   ▶ □ 2.1

▶ □ 2.2
                                             let localVariable = 4;
   ₩ 🔁 2.3
                                             let sum = x + y;
      1 01-call-stack.js
                                    6
      3 02-call-stack-overflow.js
                                             return sum;
      3 03-set-timeout.js
                                    8
      3 04-event-emitter-module.js
                                   9
      3 05-add-listener.js
                                        function bar(baz) {
      3 06-emit-event.js
                                             console.log(baz);
                                  11
      3 07-remove-listener.js
                                  12
      3 08-multiple-same-listener.js
                                             let results = foo(2, 5);
                                  13
      🖰 09-new-remove-events.js
      10-extending-event-emitter.js
                                  14
      11-require-custom-emitter.js
                                             console.log(results);
                                  15

▶ □ 2.4
                                  16

▶ □ 2.5

                                  17
                                             return results;
 ▶ 🗀 3
                                  18

▶ □ 4
                                  19
 ▶ □ 5
                                       bar('foobar');
 ▶ □ 6
                                  21
 ▶ □ 7
                                       console.log('done');
 ▶ □ 8
                                  23
   export-environment-variables.sh
▶ □ scripts
```



Unix

UTF-8

ifdattic at ifdattic-mbp13 in ~/projects/nodejs-mongodb-video-course/code/2/2.3 on master [!]
\$ node-debug 01-c



```
ifdattic at ifdattic-mbp13 in ~/projects/nodejs-mongodb-video-course/code/2/2.3 on master [!]
$ node-debug 01-call-stack.js
Node Inspector is now available from http://127.0.0.1:8080/?ws=127.0.0.1:8080&port=5858
Debugging `01-call-stack.js`

Debugger listening on port 5858
No browser matching [chrome,chromium,opera] found in the system! If this is not true, submit a bug report on https://github.com/benderjs/browser-launcher2
```

Please open the URL manually in Chrome/Chromium/Opera or similar browser




```
ifdattic at ifdattic-mbp13 in ~/projects/nodejs-mongodb-video-course/code/2/2.3 on master [!]
$ node-debug 01-call-stack.js
Node Inspector is now available from http://127.0.0.1:8080/?ws=127.0.0.1:8080&port=5858
Debugging `01-call-stack.js`


Debugger listening on port 5858
No browser matching [chrome,chromium,opera] found in the system! If this is not true, submit a bug report on https://github.com
```

/benderjs/browser-launcher2 Please open the URL manually in Chrome/Chromium/Opera or similar browser



















Console Search Emulation Rendering


{} Line 8, Column 16



sum: undefined

\* this:

x: 2



Console Search Emulation Rendering


{} Line 8, Column 16




O1-call-stack.js:15

01-call-stack.js:17


01-call-stack.js:22


























2:33 /8:14

15 1x 15

scrape

he Event Loop

Node Inspector - file:///Us ×

紐


Province ORA Add Bookmark

```
ifdattic at ifdattic-mbp13 in ~/projects/nodejs-mongodb-video-course/code/2/2.3 on master [!]
$ node-debug 02-call-stack-overflow.js
Node Inspector is now available from http://127.0.0.1:8080/?ws=127.0.0.1:8080&port=5858
Debugging `02-call-stack-overflow.js`


Debugger listening on port 5858
No browser matching [chrome,chromium,opera] found in the system! If this is not true, submit a bug report on https://github.com
```

/benderjs/browser-launcher2 Please open the URL manually in Chrome/Chromium/Opera or similar browser

















```
ifdattic at ifdattic-mbp13 in ~/projects/nodejs-mongodb-video-course/code/2/2.3 on master [!]
$ node-debug 02-call-stack-overflow.js
Node Inspector is now available from http://127.0.0.1:8080/?ws=127.0.0.1:8080&port=5858
Debugging `02-call-stack-overflow.js`
Debugger listening on port 5858
No browser matching [chrome,chromium,opera] found in the system! If this is not true, submit a bug report on https://github.com
/benderjs/browser-launcher2
Please open the URL manually in Chrome/Chromium/Opera or similar browser
/Users/ifdattic/projects/nodejs-mongodb-video-course/code/2/2.3/02-call-stack-overflow.js:1
function foo() {
RangeError: Maximum call stack size exceeded
    at foo (/Users/ifdattic/projects/nodejs-mongodb-video-course/code/2/2.3/02-call-stack-overflow.js:1:13)
    at foo (/Users/ifdattic/projects/nodejs-mongodb-video-course/code/2/2.3/02-call-stack-overflow.js:2:12)
   at foo (/Users/ifdattic/projects/nodejs-mongodb-video-course/code/2/2.3/02-call-stack-overflow.js:2:12)
   at foo (/Users/ifdattic/projects/nodejs-mongodb-video-course/code/2/2.3/02-call-stack-overflow.js:2:12)
    at foo (/Users/ifdattic/projects/nodejs-mongodb-video-course/code/2/2.3/02-call-stack-overflow.js:2:12)
   at foo (/Users/ifdattic/projects/nodejs-mongodb-video-course/code/2/2.3/02-call-stack-overflow.js:2:12)
    at foo (/Users/ifdattic/projects/nodejs-mongodb-video-course/code/2/2.3/02-call-stack-overflow.js:2:12)
   at foo (/Users/ifdattic/projects/nodejs-mongodb-video-course/code/2/2.3/02-call-stack-overflow.js:2:12)
   at foo (/Users/ifdattic/projects/nodejs-mongodb-video-course/code/2/2.3/02-call-stack-overflow.js:2:12)
    at foo (/Users/ifdattic/projects/nodejs-mongodb-video-course/code/2/2.3/02-call-stack-overflow.js:2:12)
ifdattic at ifdattic-mbp13 in ~/projects/nodejs-mongodb-video-course/code/2/2.3 on master [!]
```



# The Event Loop





# The Event Loop


- Single thread
- Quick execution
- Separate processes




### The Event Loop

setTimeout(callback, delay[, arg][, ...])












[PACKT]













#### The EventEmitter

- Generic wrapper
- Execute functions on events
- Functions => listeners



```
T 62
  - D 2.1
  ▶ □ 2.2
   v 🗁 2.3
      25 01-calf-stack.js
       (h 02-call-stack-overflow.js
       Ch D3-set-timeout is
       [] 04-event-emitter-module.js
      In 06-emit-event.js
      (h 07-remove-listener.js
       3 08-multiple-same-listener is
       19 09-new-remove-events.js
       15 10-extending-event-emitter/s
       (5 11-require-custom-emitter.js

□ 2.4

  □ 2.5
 ► C3 3
 B 13 4
 H (35
 P [3-6
 ▶ □ 7
 B 138
   A export-environment-variables.sh
Scripts
```

```
const eventEmitter = new events.EventEmitter();
 ח
    eventEmitter_addListener('newMail', function (subject) {
        console.log(subject);
 8
 9
        console.log('Notifying of new mail!');
10
   });
11
    eventEmitter.on('newMail', function () {
13
        console.log('Adding mail to list view');
14
    });
15
```



```
FOLDERS
▼ 🕞 code
 ▶ □ 1
  ¥ 1 ≥ 2
   ▶ □ 2.1

▶ □ 2.2
   ₹ 2.3
        1 01-call-stack.js
        3 02-call-stack-overflow.js
        3 03-set-timeout.js
        3 04-event-emitter-module.js
        19 05-add-listener.js
        3 06-emit-event.js
        3 07-remove-listener.js
        3 08-multiple-same-listener.js
        3 09-new-remove-events.js
        10-extending-event-emitter.js
        11-require-custom-emitter.js

▶ □ 2.4

▶ □ 2.5

▶ □ 3

▶ □ 4
  ▶ □ 5
  ▶ □ 6
 ▶ □ 7
 ▶ □ 8
    n export-environment-variables.sh
▶ ☐ scripts
```

```
05-add-listener.js ×
    'use strict';
    const events = require('events');
    const eventEmitter = new events.EventEmitter();
    eventEmitter.addListener('newMail', function (subject) {
        console.log(subject);
 8
 9
        console.log('Notifying of new mail!');
10
   });
11
    eventEmitter.on('newMail', function () {
13
        console.log('Adding mail to list view');
14
    });
15
    // eventEmitter.once('newMail', function () {
           console.log('I happen only once');
18
   // });
19
```



Unix

```
■ 🕒 code
► Co 1
 T 62
  = D 2.1

    □ 2.2

   v 🗁 2.3
       En 01-calf-stack.js
       Th 02-call-stack-overflow.js
       Ch 03-set-timeout js
       [h 04-event-emitter-module.js
       In 06-emit-event.js
       [] 07-remove-listener.js
       19 08-multiple-same-listener is
       19 09-new-remove-events.js
       15: 10-extending-event-emitter.js
       [3 11-require-custom-emitter.js

    □ 2.4

  □ 2.5
 ► C13
 > 13 A
 F (35
 N 13 6
 ► E17
 F (2) 8
   🖺 export-environment-variables.sh
Scripts
```

```
15
    eventEmitter.once('newMail', function () {
16
        console.log('I happen only once');
17
18
   });
19
```



```
· 🕒 code
T 632
  □ 2.1
  ▶ □ 2.2
  v 🗁 23
      In 01-call-stack.js
      (h 02-call-stack-overflow.js.
       Ch D3-set-timeout is
      [] 04-event-emitter-module.js
      (3) 05-add-listener.js
      [] 07-remove-listener.js
       3 08-multiple-same-listener is
       13 09-new-remove-events.js
       15 10-extending-event-emitter.js
       (§ 11-require-custom-emitter.js

□ 2.4

  □ 2.5
 ► C3 3
B 13 A
F [35
▶ <u>□</u> 6
▶ □ 7
P (2) 8
  R export-environment-variables.sh
```

```
const eventEmitter = new events.EventEmitter();
   eventEmitter.emit('newMail');
21
   eventEmitter.emit('newMail', 'Congratulations on progress');
23
```



Scripts

ifdattic at ifdattic-mbp13 in ~/projects/nodejs-mongodb-video-course/code/2/2.3 on master [!]
\$ node



```
ifdattic at ifdattic-mbp13 in ~/projects/nodejs-mongodb-video-course/code/2/2.3 on master [!]
$ node 06-emit-event.js
Argument provided: undefined
Notifying of new mail!
Adding mail to list view
I happen only once
Argument provided: Congratulations on progress
Notifying of new mail!
Adding mail to list view

ifdattic at ifdattic-mbp13 in ~/projects/nodejs-mongodb-video-course/code/2/2.3 on master [!]
```



```
€ code

    Eq.1

 162
  □ 2.1
  ▶ □ 2.2
   v 🗁 2.3
       Ch 0.1-call-stack.js
       (h 02-call-stack-overflow.js
       Ch 03-set-timeout.js
       [h: 04-event-emitter-module.js
       [] 05-add-listener.js
       13 06-emit-event is
       In 08-multiple-same-listener is
       19 09-new-remove-events.js
       15 10-extending-event-emitter is
       (§ 11-require-custom-emitter.js
  h 🗀 2.4
   □ 2.5
 ► C13
 ▶ □ 4
 F (35
▶ □ 6
b 157
 P 138
   A export-environment-variables.sh
Scripts
```

```
const eventEmitter = new events.EventEmitter();
17
    eventEmitter.removeListener('newMail', notify);
18
19
```



```
€ code
F (2)
 T 62
  - D 2.1

    □ 2.2

   ♥ 🗁 2.3
       55 01-calf-stack.js
       [] 02-call-stack-overflow.js
       Ch 03-set-timeout js
      [h 04-event-emitter-module.js
       [9 05-add-listener.js
       13 06-emit-event.js
      [3] 08-multiple-same-listener ja
       [3 09-new-remove-events.js
       15 10-extending-event-emitter's
       [] 11-require-custom-emitter is
  · 1 2.4
  □ 2.5
 上白ま
 B 13 4
 F (35
N 55 6
F 🗀 7
P (38
   The export-environment-variables sh
- C scripts
```

```
const eventEmitter = new events.EventEmitter();
21
   eventEmitter.removeAllListeners('newMail');
23
```



```
FOLDERS
                                    07-remove-listener.js
'use strict';
 ▶ □ 1
 ¥ 2 2
                                   const events = require('events');

▶ □ 2.1

▶ □ 2.2
                                   const eventEmitter = new events.EventEmitter();
  ₩ 🗁 2.3
      3 01-call-stack.js
                                   function notify() {
      3 02-call-stack-overflow.js
                                        console.log('Notifying of new mail!');
      3 03-set-timeout.js
                                8
      3 04-event-emitter-module.js
      3 05-add-listener.js
                                   eventEmitter.addListener('newMail', notify);
      3 06-emit-event.js
                              11
      □ 07-remove-listener.js
                                   eventEmitter.on('newMail', function () {
      3 08-multiple-same-listener.js
                                        console.log('Adding mail to list view');
      3 09-new-remove-events.js
                              13
      3 10-extending-event-emitter.js
                               14
                                   });
      11-require-custom-emitter.js
                              15

▶ □ 2.4
                                    // console.log(eventEmitter.listeners('newMail'));

▶ □ 2.5

                              17

▶ □ 3
                                   eventEmitter.removeListener('newMail', notify);

▶ □ 4
                              19
 ▶ □ 5
                                   // console.log(eventEmitter.listeners('newMail'));
 ▶ □ 6
                              21
 ▶ □ 7
                                   eventEmitter.removeAllListeners('newMail');
 ▶ □ 8
                              23
   export-environment-variables.sh
                                    // console.log(eventEmitter.listeners('newMail'));
▶ ☐ scripts
                              24
                              25
```



19 Words, Line 22, Column 1

```
≥ code
T 62
  P [] 7.1
  ▶ □ 2.2
   v 🗁 2.3
       Ch 01-call-stack.js
       (h 02-call-stack-overflow.js
       Ch D3-set-timeout is
       [5 04-event-emitter-module.js
       [] 05-add-listener.js
       19 06-emit-event.js
       13 08-multiple-same-listener.is
       19 09-new-remove-events.js
       15 10-extending-event-emitter is
       (§ 11-require-custom-emitter.js
   · 1 2.4

□ 2.5

 F [] 4
 B 10 A
 F (35
 N 536
 F 137
 · 🗀 8
   A export-environment-variables.sh
Scripts
```

```
15
    // console.log(eventEmitter.listeners('newMail'));
16
17
    eventEmitter.removeListener('newMail', notify);
18
19
    // console.log(eventEmitter.listeners('newMail'));
21
    eventEmitter.removeAllListeners('newMail');
22
23
    // console.log(eventEmitter.listeners('newMail'));
24
25
```



```
FOLDERS
                                    07-remove-listener.js ×
'use strict';
 ▶ □ 1
 V 2 2
                                   const events = require('events');

▶ □ 2.1

▶ □ 2.2
                                   const eventEmitter = new events.EventEmitter();
  ₩ 🗁 2.3
      3 01-call-stack.js
                                   function notify() {
      3 02-call-stack-overflow.js
                                        console.log('Notifying of new mail!');
      3 03-set-timeout.js
                                8
      3 04-event-emitter-module.js
                                9
      3 05-add-listener.js
                                   eventEmitter.addListener('newMail', notify);
      3 06-emit-event.js
                              11
      ☼ 07-remove-listener.js
                                   eventEmitter.on('newMail', function () {
      3 08-multiple-same-listener.js
                                        console.log('Adding mail to list view');
                              13
      3 09-new-remove-events.js
      10-extending-event-emitter.js
                              14
                                   });
      11-require-custom-emitter.js
                              15

▶ □ 2.4
                                   console.log(eventEmitter.listeners('newMail'));
                              16

▶ □ 2.5

                              17
 ▶ □ 3
                                   eventEmitter.removeListener('newMail', notify);

► □ 4
                              19
 ▶ □ 5
                                   console.log(eventEmitter.listeners('newMail'));
 ▶ □ 6
                              21
 ▶ □ 7
                                   eventEmitter.removeAllListeners('newMail');
 ▶ □ 8
   export-environment-variables.sh
                              23
                                   console.log(eventEmitter.listeners('newMail'));
Scripts
                              24
                              25
```



```
≥ code
 T 6 2
  = D 2.1
  ▶ □ 2.2
   v 🗁 2.3
       Ch 01-call-stack.js
       (h 02-call-stack-overflow.js
       Ch D3-set-timeout is
       [5 04-event-emitter-module.js
       13 05-add-listener.js
      19 06-emit-event.js
       (2) 07-remove-listener is
       Pa 09-new-remove-events.js
       15 10-extending-event-emitter is
       (5 11-require-custom-emitter.js
   · 1 2.4
   □ 2.5
 ► C3 3
 B 10 A
 H (35
 ▶ □ 6
 ► D 7
 P 138
   A export-environment-variables.sh
Scripts
```

```
const eventEmitter = new events.EventEmitter();
      eventEmitter.addListener('newMail', notify);
    // eventEmitter.addListener('newMail', notify);
      eventEmitter.addListener('newMail', notify);
12
```



```
≥ code
 T 62
  = D 2.1
  ▶ □ 2.2
   v 🗁 2.3
       Ch 01-call-stack.js
       (h 02-call-stack-overflow.js
       Di 03-set-timeout js
       [5 04-event-emitter-module.js
      In U5-add-listener.js
      19 06-emit-event.js
       (2) 07-remove-listener is
       Ph 09-new-remove-events.js
       15 10-extending-event-emitter is
       (5 11-require-custom-emitter.js
   · 1 2.4
   □ 2.5
 ► C3 3
 B 10 A
 H (35
 ▶ □ 6
 ► D 7
 P 138
   A export-environment-variables.sh
Scripts
```

```
const eventEmitter = new events.EventEmitter();
    eventEmitter.addListener('newMail', notify);
   eventEmitter.addListener('newMail', notify);
    eventEmitter.addListener('newMail', notify);
12
```



```
□ B code
 P [3]
 T 632
  - D 2.1

    □ 2.2

   y 55 2.3
       Th 01-call-stack.js
       (h 02-call-stack-overflow.js.
       Di 03-set-timeoutus
       [h 04-event-emitter-module.js
       [] 05-add-listener.js
       In 06-emit-event is
       Ct 07-remove-listener is
       (3 09-new-remove-events.js
       15: 10-extending-event-emitter is
       [] 11-require-custom-emitter.js
  ₽ □ 2.4
  □ 2.5
 b 自3
 F (3.5
 ▶ □ 6
 ► E37
 □ 8
   A export-environment-variables sh
Scripts
```

```
const eventEmitter = new events.EventEmitter();
15
   eventEmitter.removeListener('newMail', notify);
16
17
```



```
FOLDERS
▶ □ 1
 V 2 2
   ▶ □ 2.1

▶ □ 2.2
   ₩ 🗁 2.3
        3 01-call-stack.js
        3 02-call-stack-overflow.js
        3 03-set-timeout.js
        3 04-event-emitter-module.js
        3 05-add-listener.js
        3 06-emit-event.js
        3 07-remove-listener.js
        3 08-multiple-same-listener.js
        3 09-new-remove-events.js
        10-extending-event-emitter.js
        11-require-custom-emitter.js
   ▶ □ 2.4

▶ □ 2.5

□ 3

▶ □ 4
 ▶ □ 5
 ▶ □ 6
 ▶ □ 7
 ▶ □ 8
    export-environment-variables.sh
▶ ☐ scripts
```

```
08-multiple-same-listener.js
    'use strict';
    const events = require('events');
    const eventEmitter = new events.EventEmitter();
    function notify() {
        console.log('Notifying of new mail!');
 8
    eventEmitter.addListener('newMail', notify);
    eventEmitter.addListener('newMail', notify);
    eventEmitter.addListener('newMail', notify);
13
    console.log(eventEmitter.listeners('newMail'));
15
    eventEmitter.removeListener('newMail', notify);
16
17
18
    console.log(eventEmitter.listeners('newMail'));
19
    console.log(eventEmitter.getMaxListeners());
21
```





ifdattic at ifdattic-mbp13 in ~/projects/nodejs-mongodb-video-course/code/2/2.3 on master [!]



```
FOLDERS
                                      10-extending-event-emitter.js ×
♥ → code
                                      'use strict';
 ▶ □ 1
 V 2 2
                                     const util = require('util');
  ▶ □ 2.1

▶ □ 2.2
                                     const EventEmitter = require('events').EventEmitter;
  ₩ 🔁 2.3
      3 01-call-stack.js
                                     // const Box = function () {
      3 02-call-stack-overflow.js
                                              let self = this;
      3 03-set-timeout.js
                                  8
      3 04-event-emitter-module.js
                                              EventEmitter.call(this);
                                     //
      3 05-add-listener.js
                                10
      3 06-emit-event.js
                                              setTimeout(function () {
      3 07-remove-listener.js
                                                    self.emit('newMail');
      3 08-multiple-same-listener.js
                                              });
      3 09-new-remove-events.js
                                13
      10-extending-event-emitter.js
                                14
      11-require-custom-emitter.js
                                              self.on('delete', function (id) {
                                15
  ▶ □ 2.4
                                                    console.log('Deleting mail with id: ' + id);

▶ □ 2.5

                                              });
                                17
 ▶ □ 3
                                     // };
                                18

▶ □ 4
                                19
 ₽ □ 5
                                     // util.inherits(Box, EventEmitter);
 ▶ □ 6
                                21
 ▶ □ 7
                                     // module.exports = Box;
 ▶ □ 8
   export-environment-variables.sh
                                23
Scripts
```



```
FOLDERS
▶ □ 1
 ¥ 1 ≥ 2
   ▶ □ 2.1

▶ □ 2.2
   ₹ 2.3
        3 01-call-stack.js
        3 02-call-stack-overflow.js
        3 03-set-timeout.js
        3 04-event-emitter-module.js
        3 05-add-listener.js
        3 06-emit-event.js
        3 07-remove-listener.js
        3 08-multiple-same-listener.js
        3 09-new-remove-events.js
        10-extending-event-emitter.js
        11-require-custom-emitter.js

▶ □ 2.4

▶ □ 2.5

□ 3

▶ □ 4
 ▶ □ 5
 ▶ 🗀 6
 ▶ □ 7
 ▶ □ 8
    export-environment-variables.sh
▶ ☐ scripts
```

```
10-extending-event-emitter.js ×
    'use strict';
    const util = require('util');
    const EventEmitter = require('events').EventEmitter;
    const Box = function () {
        let self = this;
 8
        EventEmitter.call(this);
 9
10
           setTimeout(function () {
11
                self.emit('newMail');
           });
13
14
           self.on('delete', function (id) {
15
    //
                console.log('Deleting mail with id: ' + id);
16
           });
17
18
    };
19
    util inherits(Box, EventEmitter);
21
    module.exports = Box;
23
```



```
T 62
  = D 2.1

    □ 2.2

  v 🗁 2.3
      Th 01-call-stack.js
      (h 02-call-stack-overflow.js
      Ch. 03-set-timeoutus
      [h 04-event-emitter-module.js
      Th 05-add-listener is
      En 06-emit-event.js
      (3) 07-remove-listener is
      3 08-multiple-same-listener is
      19 09-new-remove-events.js
      [5 11-require-custom-emitter.js
  · 1 24
  □ 2.5
 ► C13
B 13 4
F (35
P 536
► D 7
P 138
  R export-environment-variables.sh
```

```
10
11
            setTimeout(function () {
    //
    11
                self.emit('newMail');
12
13
           });
14
            self.on('delete', function (id) {
15
                console.log('Deleting mail with id: ' + id);
16
            });
17
119
```



Scripts

```
FOLDERS
                                     10-extending-event-emitter.js ×
'use strict';
 ▶ □ 1
 ¥ 1 ≥ 2
                                     const util = require('util');
  ▶ □ 2.1

▶ □ 2.2
                                     const EventEmitter = require('events').EventEmitter;
  ₹ 2.3
      1 01-call-stack.js
                                     const Box = function () {
      3 02-call-stack-overflow.js
                                          let self = this;
      3 03-set-timeout.js
                                 8
      3 04-event-emitter-module.js
                                          EventEmitter.call(this);
                                 9
      3 05-add-listener.js
                                10
      3 06-emit-event.js
                                          setTimeout(function () {
                                11
      3 07-remove-listener.js
                                                self.emit('newMail');
                                12
      3 08-multiple-same-listener.js
                                13
                                          });
      3 09-new-remove-events.js
      10-extending-event-emitter.js
                                14
      11-require-custom-emitter.js
                                          self.on('delete', function (id) {
                                15

▶ □ 2.4
                                               console.log('Deleting mail with id: ' + id);
                                16

▶ □ 2.5

                                17
                                          });

□ 3
                              118
 ▶ □ 4
                                19
 ₽ □ 5
                                     util inherits(Box, EventEmitter);
 ▶ □ 6
                                21
 ▶ □ 7
                                     module.exports = Box;
 ▶ □ 8
                                23
   export-environment-variables.sh
▶ ☐ scripts
```



```
FOLDERS
                                            11-require-custom-emitter.js ×
'use strict';
 ▶ □ 1
 ¥ 1 ≥ 2

▶ □ 2.1

► □ 2.2
   ₩ 🗁 2.3
                                           const box = new Box();
       1 01-call-stack.js
                                       6
       3 02-call-stack-overflow.js
       3 03-set-timeout.js
                                       8
       3 04-event-emitter-module.js
                                           });
       3 05-add-listener.js
                                     10
       3 06-emit-event.js
                                           box.emit('newMail');
       3 07-remove-listener.js
                                     12
       3 08-multiple-same-listener.js
                                           box.emit('delete', 5);
       🕒 09-new-remove-events.js
                                     13
       10-extending-event-emitter.js
                                     14
       11-require-custom-emitter.js
   ▶ □ 2.4

▶ □ 2.5

 ▶ 🗀 3

▶ □ 4
 ▶ □ 5
 ▶ □ 6
 ▶ □ 7
 ▶ □ 8
    export-environment-variables.sh
```

```
const Box = require('./10-extending-event-emitter');
box.on('newMail', function () {
    console.log('Notifying of new mail');
```



▶ ☐ scripts

```
$ node 11-require-custom-emitter.js
Notifying of new mail
Deleting mail with id: 5
Notifying of new mail

ifdattic at ifdattic-mbp13 in ~/projects/nodejs-mongodb-video-course/code/2/2.3 on master [!]

$ \[
\begin{align*}
\begi
```

ifdattic at ifdattic-mbp13 in ~/projects/nodejs-mongodb-video-course/code/2/2.3 on master [!]



## Next Video

Working with Streams

