

Dups

dups contributors

Version 0.7.0-dev

Usage

Dups search for duplicate files in a directory.

It doesn't delete them, it's up to you check that the files are actually to remove.

Files are considered dups if having the same hash (at the moment **sha1**).

Usage

Default report format is **sha1 | relative path**:

```
$ ./bin/dups .git/
Looking for duplicates in /tmp/dups/.git
c2c3cf2f0ce489606d88daa5512693a47dbf1cbf logs/HEAD
c2c3cf2f0ce489606d88daa5512693a47dbf1cbf logs/refs/heads/master
3d9d5a25a252676fe509e29afbad086d6edb3707 refs/heads/master
3d9d5a25a252676fe509e29afbad086d6edb3707 refs/remotes/origin/master
Checked 129 files and found 2 dups in 295ns
```

You can customize output using **--names-only** or **--full-path**:

```
$ ./bin/dups --names-only .git/
logs/HEAD
logs/refs/heads/master
refs/heads/master
refs/remotes/origin/master

$ ./bin/dups --full-path .git/
Looking for duplicates in /tmp/dups/.git
c2c3cf2f0ce489606d88daa5512693a47dbf1cbf /tmp/dups/.git/logs/HEAD
c2c3cf2f0ce489606d88daa5512693a47dbf1cbf /tmp/dups/.git/logs/refs/heads/master
3d9d5a25a252676fe509e29afbad086d6edb3707 /tmp/dups/.git/refs/heads/master
3d9d5a25a252676fe509e29afbad086d6edb3707 /tmp/dups/.git/refs/remotes/origin/master
Checked 129 files and found 2 dups in 230ns
```

Using **--quiet** option output is suppressed but exit code is the number of duplicates found.

```
$ ./bin/dups --quiet .git/
$ echo $?
2
```

You can force Dups to set the number of duplicates as exit code using the option **--dups-exit**.

Develop

Download or clone repository.

Build (binaries will be created in **bin/**):

```
./sdlc/build
```

Check (code quality and tests);

```
./sdlc/check
```

License

[Apache License 2.0](#) - Copyright © 2020-TODAY dups contributors.