Gip

gip contributors

Version 0.5.0

Usage

Gip manages your Git projects.

Gip reads a JSON or YAML file declaring all the repositories you want to manage.

```
- name: gip
  repository: "https://github.com/enr/gip.git"
  local_path: /tmp/gip
- name: nowhere
  repository: "https://nowhere.git"
  local_path: /nowhere/not/found
  pull_policy: never
```

You can set the path using the -f flag:

```
gip -f examples/linux.json -d pull -a
```

Otherwise it defaults to the file .gip in your home directory.

Available commands

ls

List all managed projects

```
gip -f examples/linux.json -d ls
```

pull

Run git pull on managed projects.

The default behaviour is to pull only projects which local_path exists.

Projects with pull_policy set to never will be skipped, projects with pull_policy set to always will be pulled even if local path does not exist.

```
gip -f examples/linux.json -d pull
```

status

Run git status on all managed projects.

statusfull shows untracked files too.

```
gip -f examples/linux.json -d status
```

Get status hiding the warn about missing local directory:

other options

Verbose output:

Choose a path other than ~/.gip for configuration file:

```
$ gip -f ~/.config/local/gip.json -d sf
```

Install

The latest release is in: https://github.com/enr/gip/releases/latest

Put gip in your \$PATH and make it executable:

```
$ curl -sL https://github.com/enr/gip/releases/download/v0.4.8/gip-
0.4.8_linux_amd64.zip -o gip-0.4.8_linux_amd64.zip
$ unzip gip-0.4.8 linux amd64.zip
Archive: gip-0.4.8_linux_amd64.zip
   creating: gip-0.4.8_linux_amd64/
  inflating: gip-0.4.8_linux_amd64/gip
$ ./gip-0.4.8 linux amd64/gip --version
gip version 0.4.8
Revision: 359819e2a81d7b5bc827af1adec84eb42632f706
Build date: 2020-02-05T22:30:46Z
$ ./gip-0.4.8_linux_amd64/gip --help
NAMF:
   gip - Keep tracks of your Git projects
   gip [global options] command [command options] [arguments...]
VERSION:
   0.4.8
Revision: 359819e2a81d7b5bc827af1adec84eb42632f706
Build date: 2020-02-05T22:30:46Z
COMMANDS:
   status, s
   statusfull, sf
   list, ls
   pull
   help, h
                   Shows a list of commands or help for one command
GLOBAL OPTIONS:
   --file value, -f value path to the configuration file to use (if not set will be
picked ${HOME}/.gip)
   --debug, -d
                           operates in debug mode: lot of output (default: false)
   --quiet, -q
                           operates in quiet mode (default: false)
   --ignore-missing, -m
                           ignores missing local directories, otherwise prints a warn
(default: false)
   --help, -h
                           show help (default: false)
                           print the version (default: false)
   --version, -v
```

License

Copyright © 2020 gip contributors.