Evaluation results

There are three levels of importance in pitfalls according to their impact on the ontology:

- Critical It is crucial to correct the pitfall. Otherwise, it could affect the ontology consistency, reasoning, applicability, etc.
- Important Though not critical for ontology function, it is important to correct this type of pitfall.
- Minor It is not really a problem, but by correcting it we will make the ontology nicer.

Pitfalls detected:

Results for P07: Merging different concepts in the same class. 1 case — 1 case — Minor

A class whose name refers to two or more different concepts is created.

• This pitfall appears in the following elements:
› http://www.cidoc-crm.org/cidoc-crm/E29_Design_or_Procedure

Results for P11: Missing domain or range in properties. — 5 cases — Important

Object and/or datatype properties without domain or range (or none of them) are included in the ontology.

• This pitfall appears in the following elements:
› http://www.w3.org/2004/02/skos/core#inScheme
› http://purl.org/dc/terms/created
› http://purl.org/dc/terms/issued
› http://schema.org/pagination
› https://w3id.org/lso/intro/beta202506#R44_hasWording

• **Tip:** Solving this pitfall may lead to new results for other pitfalls and suggestions. We encourage you to solve all cases when needed and see what else you can get from OOPS!

Results for P13: Inverse relationships not explicitly declared. — 2 cases — Minor

This pitfall appears when any relationship (except for those that are defined as symmetric properties using owl:SymmetricProperty) does not have an inverse relationship (owl:inverseOf) defined within the ontology.

• This pitfall appears in the following elements:
› http://www.w3.org/2004/02/skos/core#inScheme
› http://www.w3.org/ns/prov#wasAttributedTo

Results for P22: Using different naming conventions in the ontology. — Ontology* — Minor

The ontology elements are not named following the same convention (for example CamelCase or use of delimiters as "-" or "_") . Some notions about naming conventions are provided in [2].

*This pitfall applies to the ontology in general instead of specific elements.

Suggestions or warnings:

SUGGESTION: symmetric or transitive object properties| 6 cases

The domain and range axioms are equal for each of the following object properties. Could they be symmetric or transitive?
› | http://www.cidoc-crm.org/cidoc-crm/P130_shows_features_of
› | http://iflastandards.info/ns/lrm/lrmoo/R76_is_derivative_of
› | http://iflastandards.info/ns/lrm/lrmoo/R76i_has_derivative
› | http://www.cidoc-crm.org/cidoc-crm/P130i_features_are_also_found_on

According to the highest importance level of pitfall found in your ontology the conformace bagde suggested is "Important pitfalls" (see below). You can use the following HTML code to insert the badge within your ontology documentation:




```
<p>
<a href="http://oops.linkeddata.es">
<img src="http://oops.linkeddata.es/resource/image/oops_important.png"
alt="Important pitfalls were found" height="69.6" width="100" /></a>
</p>
```

References

[1] Aguado-De Cea, G., Montiel-Ponsoda, E., Poveda-Villalón, M., and Giraldo-Pasmin, O.X. (2015).

[2] Noy, N. F., McGuinness, D. L., et al. (2001).

[3] Gómez-Pérez, A. (1999).

[4] Montiel-Ponsoda, E., Vila Suero, D., Villazón-Terrazas, B., Dunsire, G., Escolano Rodríguez, E., Gómez-Pérez, A. (2011).

[5] Vrandecic, D. (2010).

[6] Gómez-Pérez, A. (2004).

[7] Rector, A., Drummond, N., Horridge, M., Rogers, J., Knublauch, H., Stevens, R., Wang, H., and Wroe, C. (2004).

[8] Hogan, A., Harth, A., Passant, A., Decker, S., and Polleres, A. (2010).

[9] Archer, P., Goedertier, S., and Loutas, N. (2012).

[10] Bernes-Lee Tim. (2006).

[11] Heath, T. and Bizer, C. (2011).

[12] Vatant, B. (2012).

Enter your ontology to scan:

Enter a URI:

Example: http://oops.linkeddata.es/example/swc_2009-05-09.rdf

```
<?xml version="1.0"?>
<rdf:RDF xmlns="https://w3id.org/desmos/"
    xml:base="https://w3id.org/desmos/"
    xmlns:crm="http://www.cidoc-crm.org/cidoc-crm/"
    xmlns:owl="http://www.w3.org/2002/07/owl#"
    xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
    xmlns:xml="http://www.w3.org/XML/1998/namespace"
    xmlns:xsd="http://www.w3.org/2001/XMLSchema#"
```

Uncheck this checkbox if you don't want us to keep a copy of your ontology.

Scan

Advanced evaluation

How to cite OOPS!

Poveda-Villalón, María, Asunción Gómez-Pérez, and Mari Carmen Suárez-Figueroa. "OOPS!(Ontology Pitfall Scanner!): An on-line tool for ontology evaluation." International Journal on Semantic Web and Information Systems (IJSWIS) 10.2 (2014): 7-34.

BibTex:

```
@article{poveda2014oops,
title={{OOPS! (OntOlogy Pitfall Scanner!): An On-line Tool for Ontology Evaluation}},
author={Poveda-Villal{\'o}n, Mar{\'i}a and G{\'o}mez-P{\'e}rez, Asunci{\'o}n and Su{\'a}rez-Figueroa, Mari Ca
journal={International Journal on Semantic Web and Information Systems (IJSWIS)},
volume={10},
number={2},
pages={7--34},
year={2014},
publisher={IGI Global}
}
```

Ontology Engineering Group

Escuela Técnica Superior de Ingenieros Informáticos

POLITÉCNICA

Univ Polit de M

María Poveda

Contact email: oops(at)delicias.dia.fi.upm.es. Latest revision April 2021