Activity on Database Connectivity:

Objective: To practice database connectivity using php programming language.

Note: The exercise would require the student to install XAMPP to be able to run the activity.

Instructions:

1. Using either mySQL or mariaDB Create a database and name it **webdbx.**
2. Create a table following the specifications shown below:

```
MariaDB [webdbx]> describe users;
+--------------+--------------+------+-----+---------+-------+
| Field        | Type         | Null | Key | Default | Extra |
+--------------+--------------+------+-----+---------+-------+
| userID       | int(11)      | NO   | PRI | NULL    |       |
| userName     | varchar(50)  | NO   |     | NULL    |       |
| userPassword | varchar(200) | NO   |     | NULL    |       |
| userAddress  | varchar(100) | NO   |     | NULL    |       |
| userBirthday | date         | NO   |     | NULL    |       |
| userMobile   | varchar(20)  | NO   |     | NULL    |       |
| userEmail    | varchar(50)  | NO   |     | NULL    |       |
+--------------+--------------+------+-----+---------+-------+
7 rows in set (0.017 sec)
```

3. Create a folder inside the httdocs folder on XAMPP and name the folder **ipt** 4. Using a notepad type the file shown below inside the **ipt** folder and save it under the name **userregistration.html**

```
<!DOCTYPE html>
<html>
	<head>
		<title>User Registration Form</title>
		<script>
		function validateForm() {
 var userID = document.getElementById("userID").value;
 var userName = document.getElementById("userName").value;
 var userPassword = document.getElementById("userPassword").value;
 var userAddress = document.getElementById("userAddress").value;
 var userBirthday = document.getElementById("userBirthday").value;
 var userMobile = document.getElementById("userMobile").value;
 var userEmail = document.getElementById("userEmail").value;

 if (userID == "" || userName == "" || userAddress == "" || userMobile == "" || userEmail == "" || userPassword == ""  ||
```

```
 userBirthday == "") {
 alert("All fields must be filled out");
 return false;
 }

 // Compute age
 var birthDate = new Date(userBirthday);
 var today = new Date();

 var age = today.getFullYear() - birthDate.getFullYear();

 var monthDifference = today.getMonth() - birthDate.getMonth();

 if (
 monthDifference < 0 ||
 (monthDifference === 0 && today.getDate() < birthDate.getDate())
 ) {
 age--;
 }

 // Check if age is below 18
 if (age < 18) {
 alert("You must be 18 years old or above");
 return false;
 }
 return true;
 }
                </script>
        </head>
        <body>
        <form action="registration.php" method="post" onsubmit= "return validateForm();">
        <table style="width:45%;margin-left:auto;margin-right:auto;border-style:ridge">
        <tr>
                <th colspan="2">New User Registration Form</th>
        </tr>
        <tr>
                <td>User ID</td>
                 <td><input type="text" name="userID" id="userID" style="width:6cm;height:1cm;font
family:helvetica"></td>
        </tr>
        <tr>
                <td>User Name</td>
                <td><input type="text" name="userName" id="userName" style="width:6cm;height:1cm;font
family:helvetica"></td>
        </tr>
        <tr>
                <td>User Password</td>
                <td><input type="password" name="userPassword" id="userPassword"
style="width:6cm;height:1cm;font-family:helvetica"></td>
        </tr>
        <tr>
                <td>User Address</td>
                <td><input type="text" name="userAddress" id="userAddress" style="width:6cm;height:1cm;font
```

```
family:helvetica"></td>
        </tr>
        <tr>
                <td>User Birthday</td>
                <td><input type="date" name="userBirthday" id="userBirthday" style="width:6cm;height:1cm;font
family:helvetica"></td>
        </tr>
        <tr>
                <td>User Mobile</td>
                <td><input type="text" name="userMobile" id="userMobile" style="width:6cm;height:1cm;font
family:helvetica"></td>
        </tr>
        <tr>
                <td>User Email</td>
                <td><input type="email" name="userEmail" id="userEmail" style="width:6cm;height:1cm;font
family:helvetica"></td>
        </tr>
        <tr>
                <td><input type="submit" value="Submit" style="width:6cm;height:1cm;background
color:blue;color:yellow"></td>
                        <td><input type="reset" value="Clear" style="width:6cm;height:1cm;background
color:blue;color:yellow"></td>
        </tr>
        </table>
        </form>
        </body>
        </html>
```

5. Also type file shown below inside the ipt folder and save it under the name **registration.php**

```
<?php

 //recieve data from the form
 $userID = $_POST['userID'];
 $userName = $_POST['userName'];
 $userPassword = $_POST['userPassword'];
 $userAddress = $_POST['userAddress'];
 $userBirthday = $_POST['userBirthday'];
 $userMobile = $_POST['userMobile'];
 $userEmail = $_POST['userEmail'];

 $hashedPassword = password_hash($userPassword, PASSWORD_DEFAULT);

 //this part of the script would connect to the server

 $conn = @mysqli_connect("localhost", "addUserName", "addPassword", "webdbx") or die ("Server is down, please try
again later");
```

```
$qry = "Insert into users(userID, userName, userPassword, userAddress, userBirthday, userMobile, userEmail) values (?, ?, ?, ?, ?, ?, ?)";

if($stmt = $conn->prepare($qry)){

$stmt->bind_param("isssss",$userID, $userName, $hashedPassword, $userAddress, $userBirthday, $userMobile, $userEmail);


$stmt->execute();

echo "<h3>Record was successfully saved</h3>";
} else {
echo "<h3>Error: ".$qry."<br>".$conn->error;
}
$stmt->close();
$conn->close();
?>
</body>
</html>
```

6. To test the program follow these steps:

a. Locate the file apache_start inside the XAMPP folder to run the web server.

b. Make sure that mySQL server or MariaDB server are running and type following address to the browser: **http://localhost/ipt/userregistration.html** the result should look something like this:



7. Test the program by typing a new user using the form shown above.