

Command	Description
• <code>apropos whatis</code>	Show commands pertinent to string. See also <a href="#">threadsafe</a>
• <code>man -t ascii   ps2pdf - &gt; ascii.pdf</code>	make a pdf of a manual page
<code>which command</code>	Show full path name of command
<code>time command</code>	See how long a command takes
• <code>time cat</code>	Start stopwatch. Ctrl-d to stop. See also <a href="#">sw</a>
<b>dir navigation</b>	
• <code>cd -</code>	Go to previous directory
• <code>cd</code>	Go to \$HOME directory
<code>(cd dir &amp;&amp; command)</code>	Go to dir, execute command and return to current dir
• <code>pushd .</code>	Put current dir on stack so you can <b>popd</b> back to it
<b>file searching</b>	
• <code>alias l='ls -l --color=auto'</code>	quick dir listing. See also <a href="#">l</a>
• <code>ls -lrt</code>	List files by date. See also <a href="#">newest</a> and <a href="#">find_mm_yyyy</a>
• <code>ls /usr/bin   pr -T9 -W\$COLUMNS</code>	Print in 9 columns to width of terminal
<code>find -name '*.ch'   xargs grep -E 'expr'</code>	Search 'expr' in this dir and below. See also <a href="#">findrepo</a>
<code>find -type f -print0   xargs -r0 grep -F 'example'</code>	Search all regular files for 'example' in this dir and below
<code>find -maxdepth 1 -type f   xargs grep -F 'example'</code>	Search all regular files for 'example' in this dir
<code>find -maxdepth 1 -type d   while read dir; do echo \$dir; echo cmd2; done</code>	Process each item with multiple commands (in while loop)
• <code>find -type f ! -perm -444</code>	Find files not readable by all (useful for web site)
• <code>find -type d ! -perm -111</code>	Find dirs not accessible by all (useful for web site)
• <code>locate -r 'file[^\.]*\.txt'</code>	Search cached index for names. This re is like <code>glob *file*.txt</code>
• <code>look reference</code>	Quickly search (sorted) dictionary for prefix
• <code>grep --color reference /usr/share/dict/words</code>	Highlight occurrences of regular expression in dictionary
<b>archives and compression</b>	

<code>gpg -c file</code>	Encrypt file
<code>gpg file.gpg</code>	Decrypt file
<code>tar -c dir/   bzip2 &gt; dir.tar.bz2</code>	Make compressed archive of dir/
<code>bzip2 -dc dir.tar.bz2   tar -x</code>	Extract archive (use gzip instead of bzip2 for tar.gz files)
<code>tar -c dir/   gzip   gpg -c   ssh user@remote 'dd of=dir.tar.gz.gpg'</code>	Make encrypted archive of dir/ on remote machine
<code>find dir/ -name '*.txt'   tar -c --files-from=-   bzip2 &gt; dir_txt.tar.bz2</code>	Make archive of subset of dir/ and below
<code>find dir/ -name '*.txt'   xargs cp -a --target-directory=dir_txt/ --parents</code>	Make copy of subset of dir/ and below
<code>( tar -c /dir/to/copy )   ( cd /where/to/ &amp;&amp; tar -x -p )</code>	Copy (with permissions) copy/ dir to /where/to/ dir
<code>( cd /dir/to/copy &amp;&amp; tar -c . )   ( cd /where/to/ &amp;&amp; tar -x -p )</code>	Copy (with permissions) contents of copy/ dir to /where/to/
<code>( tar -c /dir/to/copy )   ssh -C user@remote 'cd /where/to/ &amp;&amp; tar -x -p'</code>	Copy (with permissions) copy/ dir to remote:/where/to/ dir
<code>dd bs=1M if=/dev/sda   gzip   ssh user@remote 'dd of=sda.gz'</code>	Backup harddisk to remote machine
<b>rsync</b> (Network efficient file copier: Use the --dry-run option for testing)	
<code>rsync -P rsync://rsync.server.com/path/to/file file</code>	Only get diffs. Do multiple times for troublesome downloads
<code>rsync --bwlimit=1000 fromfile tofile</code>	Locally copy with rate limit. It's like nice for I/O
<code>rsync -az -e ssh --delete ~/public_html/ remote.com:~/public_html'</code>	Mirror web site (using compression and encryption)
<code>rsync -auz -e ssh remote:/dir/ . &amp;&amp; rsync -auz -e ssh . remote:/dir/</code>	Synchronize current directory with remote one
<b>ssh</b> (Secure SHell)	
<code>ssh \$USER@\$HOST command</code>	Run command on \$HOST as \$USER (default command=shell)
• <code>ssh -f -Y \$USER@\$HOSTNAME xeyes</code>	Run GUI command on \$HOSTNAME as \$USER
<code>scp -p -r \$USER@\$HOST: file dir/</code>	Copy with permissions to \$USER's home directory on \$HOST
<code>scp -c arcfour \$USER@\$LANHOST: bigfile</code>	Use faster crypto for local LAN. This might saturate GigE
<code>ssh -g -L 8080:localhost:80 root@\$HOST</code>	Forward connections to \$HOSTNAME:8080 out to \$HOST:80
<code>ssh -R 1434:imap:143 root@\$HOST</code>	Forward connections from \$HOST:1434 in to imap:143
<code>ssh-copy-id \$USER@\$HOST</code>	Install public key for \$USER@\$HOST for password-less log in

<b>wget</b> (multi purpose download tool)	
• (cd dir/ && wget -nd -pHEKk <a href="http://www.pixelbeat.org/cmdline.html">http://www.pixelbeat.org/cmdline.html</a> )	Store local browsable version of a page to the current dir
wget -c <a href="http://www.example.com/large.file">http://www.example.com/large.file</a>	Continue downloading a partially downloaded file
wget -r -nd -np -l1 -A '*.jpg' <a href="http://www.example.com/dir/">http://www.example.com/dir/</a>	Download a set of files to the current directory
wget ftp://remote/file[1-9].iso/	FTP supports globbing directly
• wget -q -O- <a href="http://www.pixelbeat.org/timeline.html">http://www.pixelbeat.org/timeline.html</a>   grep 'a href'   head	Process output directly
echo 'wget url'   at 01:00	Download url at 1AM to current dir
wget --limit-rate=20k url	Do a low priority download (limit to 20KB/s in this case)
wget -nv --spider --force-html -i bookmarks.html	Check links in a file
wget --mirror <a href="http://www.example.com/">http://www.example.com/</a>	Efficiently update a local copy of a site (handy from cron)
<b>networking</b> (Note ifconfig, route, mii-tool, nslookup commands are <a href="#">obsolete</a> )	
<u>eth</u> tool eth0	Show status of ethernet interface eth0
ethtool --change eth0 autoneg off speed 100 duplex full	Manually set ethernet interface speed
<u>iw</u> dev wlan0 link	Show link status of wireless interface wlan0
iw dev wlan0 set bitrates legacy-2.4 1	Manually set wireless interface speed
• iw dev wlan0 scan	List wireless networks in range
• <u>ip</u> link show	List network interfaces
ip link set dev eth0 name wan	Rename interface eth0 to wan
ip link set dev eth0 up	Bring interface eth0 up (or down)
• ip addr show	List addresses for interfaces
ip addr add 1.2.3.4/24 brd + dev eth0	Add (or del) ip and mask (255.255.255.0)
• ip route show	List routing table
ip route add default via 1.2.3.254	Set default gateway to 1.2.3.254
• ss -tupl	List internet services on a system
• ss -tup	List active connections to/from system
• host pixelbeat.org	Lookup DNS ip address for name or vice versa
• hostname -i	Lookup local ip address (equivalent to host `hostname`)
• whois pixelbeat.org	Lookup whois info for hostname or ip address

<b>windows networking</b> (Note samba is the package that provides all this windows specific networking support)	
• smbtree	Find windows machines. See also findsmb
nmblookup -A 1.2.3.4	Find the windows (netbios) name associated with ip address
smbclient -L windows_box	List shares on windows machine or samba server
mount -t smbfs -o fmask=666,guest //windows_box/share /mnt/share	Mount a windows share
echo 'message'   smbclient -M windows_box	Send popup to windows machine (off by default in XP sp2)
<b>text manipulation</b> (Note sed uses stdin and stdout. Newer versions support inplace editing with the -i option)	
sed 's/string1/string2/g'	Replace string1 with string2
sed 's/^(.*)1/12/g'	Modify anystring1 to anystring2
sed '/^ *#/d; /^ *\$/d'	Remove comments and blank lines
sed ':a; \\\\$/N; s\\\\$/n//; ta'	Concatenate lines with trailing \
sed 's/[ \t]*\$//'	Remove trailing spaces from lines
sed 's/([`"\$\])\\1/g'	Escape shell metacharacters active within double quotes
• seq 10   sed 's/^/ /; s/ *\({7,\})/1/'	Right align numbers
• seq 10   sed p   paste - -	Duplicate a column
sed -n '1000{p;q}'	Print 1000th line
sed -n '10,20p;20q'	Print lines 10 to 20
sed -n 's/.*<title> \(.*\) </title> .*/1/ip;T;q'	Extract title from HTML web page
sed -i 42d ~/.ssh/known_hosts	Delete a particular line
sort -t. -k1,1n -k2,2n -k3,3n -k4,4n	Sort IPV4 ip addresses
• echo 'Test'   tr '[:lower:]' '[:upper:]'	Case conversion
• tr -dc '[:print:]' < /dev/urandom	Filter non printable characters
• tr -s '[:blank:]' '\t' </proc/diskstats   cut -f4	cut fields separated by blanks
• history   wc -l	Count lines
• seq 10   paste -s -d ' '	Concatenate and separate line items to a single line
<b>set operations</b> (Note you can <a href="#">export LANG=C</a> for speed. Also these assume no duplicate lines within a file)	
sort -u file1 file2	<u>Union</u> of unsorted files
sort file1 file2   uniq -d	<u>Intersection</u> of unsorted files
sort file1 file1 file2   uniq -u	<u>Difference</u> of unsorted files
sort file1 file2   uniq -u	<u>Symmetric Difference</u> of unsorted files

<code>join -t'\0' -a1 -a2 file1 file2</code>	Union of sorted files
<code>join -t'\0' file1 file2</code>	Intersection of sorted files
<code>join -t'\0' -v2 file1 file2</code>	Difference of sorted files
<code>join -t'\0' -v1 -v2 file1 file2</code>	Symmetric Difference of sorted files
<b>math</b>	
• <code>echo '(1 + sqrt(5))/2'   bc -l</code>	Quick math (Calculate $\phi$ ). See also <a href="#">bc</a>
• <code>seq -f '4/%g' 1 2 99999   paste -sd-+   bc -l</code>	Calculate $\pi$ the unix way
• <code>echo 'pad=20; min=64; (100*10^6)/((pad+min)*8)'   bc</code>	More complex (int) e.g. This shows max FastE packet rate
• <code>echo 'pad=20; min=64; print (100E6)/((pad+min)*8)'   python</code>	Python handles scientific notation
• <code>echo 'pad=20; plot [64:1518] (100*10**6)/((pad+x)*8)'   gnuplot -persist</code>	Plot FastE packet rate vs packet size
• <code>echo 'obase=16; ibase=10; 64206'   bc</code>	Base conversion (decimal to hexadecimal)
• <code>echo \$((0x2dec))</code>	Base conversion (hex to dec) ((shell arithmetic expansion))
• <code>units -t '100m/9.58s' 'miles/hour'</code>	Unit conversion (metric to imperial)
• <code>units -t '500GB' 'GiB'</code>	Unit conversion (SI to IEC prefixes). See also <a href="#">numfmt</a>
• <code>units -t '1 googol'</code>	Definition lookup
• <code>seq 100   paste -s -d+   bc</code>	Add a column of numbers. See also <a href="#">add</a> and <a href="#">funcpy</a>
<b>calendar</b>	
• <code>cal -3</code>	Display a calendar
• <code>cal 9 1752</code>	Display a calendar for a particular month year
• <code>date -d fri</code>	What date is it this friday. See also <a href="#">day</a>
• <code>[ \$(date -d '12:00 today +1 day' +%d) = '01' ]    exit</code>	exit a script unless it's the last day of the month
• <code>date --date='25 Dec' +%A</code>	What day does xmas fall on, this year
• <code>date --date='@2147483647'</code>	Convert seconds since the epoch (1970-01-01 UTC) to date
• <code>TZ='America/Los_Angeles' date</code>	What time is it on west coast of US (use tzselect to find TZ)
• <code>date --date='TZ="America/Los_Angeles" 09:00 next Fri'</code>	What's the local time for 9AM next Friday on west coast US
<b>locales</b>	
• <code>printf "%d\n" 1234</code>	Print number with thousands grouping appropriate to locale

• BLOCK_SIZE=\`1 ls -l	Use locale thousands grouping in ls. See also <a href="#">1</a>
• echo "I live in `locale territory`"	Extract info from locale database
• LANG=en_IE.utf8 locale int_prefix	Lookup locale info for specific country. See also <a href="#">ccodes</a>
• locale -kc \$(locale   sed -n 's/(LC_{4,}\)=.*\1/p')   less	List fields available in locale database
<b>recode</b> (Obsoletes iconv, dos2unix, unix2dos)	
• recode -l   less	Show available conversions (aliases on each line)
recode windows-1252.. file_to_change.txt	Windows "ansi" to local charset (auto does CRLF conversion)
recode utf-8/CRLF.. file_to_change.txt	Windows utf8 to local charset
recode iso-8859-15..utf8 file_to_change.txt	Latin9 (western europe) to utf8
recode ../b64 < file.txt > file.b64	Base64 encode
recode /qp.. < file.qp > file.txt	Quoted printable decode
recode ../HTML < file.txt > file.html	Text to HTML
• recode -lf windows-1252   grep euro	Lookup <a href="#">table of characters</a>
• echo -n 0x80   recode latin-9/x1..dump	Show what a code represents in latin-9 charmap
• echo -n 0x20AC   recode ucs-2/x2..latin-9/x	Show latin-9 encoding
• echo -n 0x20AC   recode ucs-2/x2..utf-8/x	Show utf-8 encoding
<b>CDs</b>	
gzip < /dev/cdrom > cdrom.iso.gz	Save copy of data cdrom
mkisofs -V LABEL -r dir   gzip > cdrom.iso.gz	Create cdrom image from contents of dir
mount -o loop cdrom.iso /mnt/dir	Mount the cdrom image at /mnt/dir (read only)
wodim dev=/dev/cdrom blank=fast	Clear a CDRW
gzip -dc cdrom.iso.gz   wodim -tao dev=/dev/cdrom -v -data -	Burn cdrom image (use --prcap to confirm dev)
cdparanoia -B	Rip audio tracks from CD to wav files in current dir
wodim -v dev=/dev/cdrom -audio -pad *.wav	Make audio CD from all wavs in current dir (see also cdrdao)
oggenc --tracknum=\$track track.cdda.wav -o track.ogg	Make ogg file from wav file
<b>disk space</b> (See also <a href="#">FSlint</a> )	
• ls -lSr	Show files by size, biggest last
• du -s *   sort -k1,1rn   head	Show top disk users in current dir. See also <a href="#">dutop</a>
• du -hs /home/*   sort -k1,1h	Sort paths by easy to interpret disk usage

• <code>df -h</code>	Show free space on mounted filesystems
• <code>df -i</code>	Show free inodes on mounted filesystems
• <code>fdisk -l</code>	Show disks partitions sizes and types (run as root)
• <code>rpm -q -a --qf '%10{SIZE}\t%{NAME}\n'   sort -k1,1n</code>	List all <a href="#">packages</a> by installed size (Bytes) on rpm distros
• <code>dpkg-query -W -f='\${Installed-Size;10}\t\${Package}\n'   sort -k1,1n</code>	List all <a href="#">packages</a> by installed size (KBytes) on deb distros
• <code>dd bs=1 seek=2TB if=/dev/null of=ext3.test</code>	Create a large test file (taking no space). See also <a href="#">truncate</a>
• <code>&gt; file</code>	truncate data of file or create an empty file
<b>monitoring/debugging</b>	
• <code>tail -f /var/log/messages</code>	<a href="#">Monitor messages</a> in a log file
• <code>strace -c ls &gt;/dev/null</code>	Summarise/profile system calls made by command
• <code>strace -f -e open ls &gt;/dev/null</code>	List system calls made by command
• <code>strace -f -e trace=write -e write=1,2 ls &gt;/dev/null</code>	Monitor what's written to stdout and stderr
• <code>ltrace -f -e getenv ls &gt;/dev/null</code>	List library calls made by command
• <code>lsop -p \$\$</code>	List paths that process id has open
• <code>lsop ~</code>	List processes that have specified path open
• <code>tcpdump not port 22</code>	Show network traffic except ssh. See also <a href="#">tcpdump_not_me</a>
• <code>ps -e -o pid,args --forest</code>	List processes in a hierarchy
• <code>ps -e -o pcpu,cpu,nice,state,cputime,args --sort pcpu   sed '/^ 0.0 /d'</code>	List processes by % cpu usage
• <code>ps -e -orss=,args=   sort -b -k1,1n   pr -TW\$COLUMNS</code>	List processes by mem (KB) usage. See also <a href="#">ps_mem.py</a>
• <code>ps -C firefox-bin -L -o pid,tid,pcpu,state</code>	List all threads for a particular process
• <code>ps -p 1,\$\$ -o etime=</code>	List elapsed wall time for particular process IDs
• <code>watch -n.1 pstree -Uacp \$\$</code>	Display a changing process subtree
• <code>last reboot</code>	Show system reboot history
• <code>free -m</code>	Show amount of (remaining) RAM (-m displays in MB)
• <code>watch -n.1 'cat /proc/interrupts'</code>	Watch changeable data continuously

• <code>udevadm monitor</code>	Monitor udev events to help configure rules
<b>system information</b> (see also <a href="#">sysinfo</a> ) ('#' means root access is required)	
• <code>uname -a</code>	Show kernel version and system architecture
• <code>head -n1 /etc/issue</code>	Show name and version of distribution
• <code>cat /proc/partitions</code>	Show all partitions registered on the system
• <code>grep MemTotal /proc/meminfo</code>	Show RAM total seen by the system
• <code>grep "model name" /proc/cpuinfo</code>	Show CPU(s) info
• <code>lspci -tv</code>	Show PCI info
• <code>lsusb -tv</code>	Show USB info
• <code>mount   column -t</code>	List mounted filesystems on the system (and align output)
• <code>grep -F capacity: /proc/acpi/battery/BAT0/info</code>	Show state of cells in laptop battery
# <code>dmidecode -q   less</code>	Display SMBIOS/DMI information
# <code>smartctl -A /dev/sda   grep Power_On_Hours</code>	How long has this disk (system) been powered on in total
# <code>hdparm -i /dev/sda</code>	Show info about disk sda
# <code>hdparm -tT /dev/sda</code>	Do a read speed test on disk sda
# <code>badblocks -s /dev/sda</code>	Test for unreadable blocks on disk sda
<b>interactive</b> (see also <a href="#">linux keyboard shortcuts</a> )	
• <a href="#">readline</a>	Line editor used by bash, python, bc, gnuplot, ...
• <a href="#">screen</a>	Virtual terminals with detach capability, ...
• <a href="#">mc</a>	Powerful file manager that can browse rpm, tar, ftp, ssh, ...
• <a href="#">gnuplot</a>	Interactive/scriptable graphing
• <code>links</code>	Web browser
• <code>xdg-open .</code>	open a file or url with the registered desktop application

© Jan 7 2008