Modules

Python packages



SoftUni Team

Technical Trainers

Software University

SoftUni

Software University

http://softuni.bg

Table of Contents

Have a Question?

Software University

sli.do

#python-advanced

What are modules?

What are modules ?

- Simply put, a **module** is a file consisting of Python code
  - They are stored in **packages**
  - A **package** is a collection of Python modules
- Why use modules ?
  - Keep Python files short and simple
  - Reuse code across multiple files by importing

Built-in Modules

Definition

- The Python interpreter has a number of **built-in** modules
- They are pre-installed and we can call them at any given time
- In order to call them we use the keyword - **import**

```
import random
fruits = ["apple", "banana", "cherry"]

random.choice(fruits)
random.shuffle(fruits)
```

Different Ways to Import

```
import random as module_name
module_name.randint(1, 10)
```

```
from random import choice as gimme_one, shuffle as mix
gimme_one(["coke", "steak", "chips"])
mix(["coke", "steak", "chips"])
```

```
from math import *
sqrt(pi)
```

Problem: Calculate Logarithm

- Write a program that prints the calculated logarithm of any given number
- You will receive **2** inputs
  - The number (integer)
  - The base (if it is the word "natural" find the natural logarithm)
- Format the result up to the 2nd decimal digit and print it

```
10
natural
```

```
2.30
```

Solution: Calculate Logarithm

```
from math import log
number = int(input())
base = input()
if base == "natural":
    print(f"{log(number):.2f}")
else:
    print(f"{log(number, int(base)):.2f}")
```

External Modules

PIP

Package Management System (PIP)

- External modules are downloaded from the internet by using **pip**
- In PyCharm you have **pip** already installed, so you can jump straight to installing them





Requirements files

- A **Requirements file** is just a list of pip install arguments placed in a file
- You should **not rely** on the items in the file being **installed** by pip in **any particular order**

```
### example-requirements.txt ###
numpy
matplotlib
django == 3.0.1

# Refer to other requirements files #
-r other-requirements.txt
```

Requirements files – common uses

- There are **4 common uses** of Requirements files:
  - hold the result from pip freeze
  - force pip to properly resolve dependencies
  - force pip to install an alternate version of a sub-dependency
  - override a dependency with a local patch that lives in version control

Some External Modules

- Termcolor

```
from termcolor import colored
text = colored('Hello World!', 'red', attrs=['bold', 'underline'])
print(text)   # Hello World!
```

- PyFiglet

```
from pyfiglet import figlet_format
text =figlet_format("Python",font="isometric1")
print(text)
```

Problem: ASCII Art

- Using the **pyfiglet** package, write a program that **encrypts given words** by using the characters: "-|_/\()" to structure the word

```
from pyfiglet import figlet_format

def print_art(msg):
    ascii_art = figlet_format(msg)
    print(ascii_art)

msg = input("What would you like to print? ")
print_art(msg)
```

Custom Modules

Creating a module (Through PyCharm)

- Any **.py** file can be imported and used as a module
- In PyCharm there is a separate option to create a package(module)



The __init__ file in a module

- You can make **any folder** a **module** by just adding an `__init__` file in the folder
- The file **can be empty**



Problem: Triangle

- Create a module for printing a triangle
- You will receive an integer number which is the size of the triangle





Solution: Triangle

```
def print_triangle(size):
    for row in range(1, size + 2):
        print(*[col for col in range(1, row)])
    for row in range(size, 0, -1):
        print(*[col for col in range(1, row)])
```

```
from triangle import *

size = int(input())
print_triangle(size)
```

Practice

Live Exercise in Class (Lab)

Summary

- A **module** is a file consisting of Python code
- There are a couple of ways to **import** a module:

```
import <module_name>
from <module_name> import <module_attribute>
import <module_name> as <custom_name>
```

- Modules make our code short, simple and reusable

Questions?

SoftUni

Software University

SoftUni Svetlina

SoftUni Creative

SoftUni Digital

SoftUni Foundation

SoftUni Kids

SoftUni Diamond Partners

Software University

SCHWARZ

LIDL

Kaufland

SCHWARZ Produktion

prezero

Coca-Cola HBC Bulgaria

POKERSTARS | CAREERS

Postbank

Решения за твоето утре

AMBITIONED

DXC TECHNOLOGY

SOFTWARE GROUP

Bosch.IO

INDEAVR

Serving the high achievers

DRAFT KINGS

PHAR VISION

SmartIT

createX

SUPER HOSTING .BG

Educational Partners

Software University



Trainings @ Software University (SoftUni)

- Software University – High-Quality Education, Profession and Job for Software Developers
  - softuni.bg, softuni.org
- Software University Foundation
  - softuni.foundation
- Software University @ Facebook
  - facebook.com/SoftwareUniversity
- Software University Forums
  - forum.softuni.bg

License

- This course (slides, examples, demos, exercises, homework, documents, videos, and other assets) is **copyrighted content**
- Unauthorized copy, reproduction, or use is illegal
- © SoftUni – https://about.softuni.bg
- © Software University – https://softuni.bg