EPC-302A

Fanless Industrial PC — 8x8 GPIO 12V/24V

Overview

Fanless Industrial PC powered by Intel 12th Gen Core with 8x8 Digital GPIO (12V/24V). Suited for embedded Sensor / Actuator control applications.

Key Highlights

- Intel Core 12th Gen i3 / i5 / i7
- 8x DI / 8x DO Digital GPIO (12V/24V)
- 5x RS-232 serial
- Dual Intel I210 Gigabit Ethernet

At a Glance

CPU	12th Gen Core i3 / i5 / i7	**Memory**	8-32 GB DDR5
Storage	M.2 NVMe + mSATA	**GPIO**	8x DI / 8x DO (12V/24V)
Serial	5x RS-232	**Ethernet**	2x Intel I210 Gigabit

Technical Specifications

Complete specification matrix for EPC-302A.

System Core	
CPU	Intel Core 12th Gen i3 / i5 / i7
Memory	8-32 GB DDR5
Storage	M.2 NVMe + mSATA

GPIO / I/O	
GPIO	8x DI / 8x DO Digital (12V/24V)
USB	2x USB 2.0 + 4x USB 3.0
Serial	5x RS-232
Display	HDMI + VGA
Ethernet	2x Intel I210 Gigabit LAN

Power	
DC Input	9-36V DC wide-range

Application Scenarios

Deployment scenarios where EPC-302A delivers strong ROI.

◆ Sensor / Actuator Hub	◆ Embedded Control
◆ Industrial Robotics	◆ Test Equipment

Why ENT GROUP

- Industrial-grade motherboard with 0.5% annual failure rate
- 1-year standard warranty, extendable to 3 years
- Tailored BIOS / OEM branding for OEM customers
- B2B platform: instant quotes, tax invoices, credit terms

Get an Automated B2B Quote in 4 Hours

Source through ENT GROUP's B2B Industrial Platform - tax invoices, credit terms, and delivery handled end-to-end. Contact our team or request a quote at www.entgroup.co.th