KD43B Series

43" PCAP Floor-Stand Self-service Kiosk — Interchangeable Front Panel

Industry-first replaceable front panel: add Printer / Scanner / Fingerprint / NFC on demand

KD43B is a 43-inch PCAP floor-stand touch kiosk built from powder-coated steel with a Unibody design tilted 45° for ergonomic touch interaction. Its standout feature is the **industry-first replaceable front panel** — swap the front bezel in minutes to add a Receipt Printer, Scanner, Fingerprint Reader, NFC or Card Reader as your application evolves. The same chassis is offered in three configurations: (1) **Touch Monitor** — display only; (2) **Windows / Linux PC** with Intel Celeron J6412 / Core i5-8th / Core i7-10th; (3) **Android PC** with Rockchip RK3568 / RK3288 / RK3588. Ideal for Retail Self-checkout, Banking, Exhibition Wayfinding, Hospital Check-in and QSR Self-order.

43"	1920×1080	45°	10-pt	57 kg
Display Size	FHD (4K opt.)	Ergonomic Tilt	PCAP Touch	Floor-stand

KEY FEATURES

- Industry-first replaceable front panel — swap in minutes
- Lockable rear panel — easy maintenance, secure access
- Industrial-grade PSU — 7×24H stable operation
- Optional pre-drilled holes for permanent floor mounting
- Unibody design tilted 45° — ergonomic for standing or seated use
- Powder-coated steel housing — anti-rust and scratch resistant
- 30,000-hour LED backlight lifetime
- Customizable: body shape, colors, logo integration

ENT Group Co., Ltd.
70/5 Moo 4, Metro Biztown, Chaengwattana 2, Khlong Phra Udom, Pak Kret, Nonthaburi 11120, Thailand
Tel: 02-045-6104, 095-739-1053 | Fax: 02-045-6105 | Email: Sales@entgroup.co.th | Tax ID: 0135558013167

THREE CONFIGURATIONS

KD43B — Touch Monitor

Display only (no internal PC)

Floor-stand kiosk with PCAP touch panel only. Connect to an external PC, Mini PC or media player via HDMI + USB Touch. Ideal for customers with existing POS / Signage Player infrastructure.

- PCAP 10-point touch + Mohs class 7 glass
- Brightness 300 cd/m² + 30,000-hr LED
- USB 2.0 + Power Socket for external PC
- Plug-and-play with Windows / Linux / macOS

KD43B — Windows / Linux PC

All-in-One Kiosk PC (Intel x86)

All-in-One floor-stand kiosk with Intel x86 inside. Selectable CPU — Celeron J6412 (Entry), Core i5-8th (Mid), Core i7-10th (High). Pre-installed Windows 10/11 or Linux. Full POS / KIOSK / ERP software support.

- Celeron J6412 / Core i5-8th / Core i7-10th
- DDR4-2666 RAM 4–16 GB + mSATA 128–512 GB
- Pre-install Windows 10 / 11 / Linux
- Gigabit RJ45 + Wi-Fi 802.11ac + ALC269

KD43B — Android PC

All-in-One Kiosk PC (Rockchip ARM)

All-in-One floor-stand kiosk with Rockchip ARM inside. Selectable CPU — RK3568 / RK3288 / RK3588. Pre-installed Android 9 / 11 / 12. Power consumption under 115 W — ideal for energy-efficient Self-service Kiosks and Digital Signage.

- Rockchip RK3568 / RK3288 / RK3588
- RAM 2–8 GB + eMMC 16–128 GB
- Pre-install Android 9 / 11 / 12
- Wi-Fi 802.11ac

ENT Group Co., Ltd.
70/5 Moo 4, Metro Biztown, Chaengwattana 2, Khlong Phra Udom, Pak Kret, Nonthaburi 11120, Thailand
Tel: 02-045-6104, 095-739-1053 | Fax: 02-045-6105 | Email: Sales@entgroup.co.th | Tax ID: 0135558013167

TECHNICAL SPECIFICATIONS

PC System (Windows / Linux x86)

CPU (selectable)	Intel Celeron® J6412 / Core™ i5-8th Gen / Core™ i7-10th Gen
Graphics	Intel® UHD Graphics / Iris® Plus 645 / UHD Graphics
Audio	HD Audio: ALC269
Memory (RAM)	DDR4-2666 SODIMM 4 GB / 8 GB / 16 GB
Storage	mSATA SSD 128 GB / 256 GB / 512 GB
Network	10/100/1000M RJ45 + Wi-Fi 802.11 a/b/g/n/ac
Operating System	Windows 10 / 11 or Linux (pre-installed)

Android System (Rockchip ARM)

CPU (selectable)	Rockchip RK3568 / RK3288 / RK3588
Graphics	ARM G52 2EE / Mali-T864 / Mali-G610
Memory (RAM)	4 GB (4 G opt.) / 2 GB / 4 GB (8 G opt.)
Storage	eMMC 32 GB / 16 GB / 64–128 GB
Network	10/100M or Gigabit RJ45 + Wi-Fi 802.11 a/b/g/n/ac
Operating System	Android 11 / Android 9 / Android 12

LCD Panel

Display Size	43 inches
Resolution	1920 × 1080 FHD (4K Optional)
Aspect Ratio	16 : 9
Active Display Area	944.07 × 532.27 mm
Colors	16.7 M
Brightness	300 cd/m²
Contrast Ratio	1200 : 1
Viewing Angle (H/V)	175° / 175°
Backlight Lifetime	LED 30,000 hours
Refresh Rate	60 Hz

Touch Panel

Technology	PCAP (Projected Capacitive)
Response Time	< 5 ms
Touch Points	10-point standard
Touch Recognition	> 1.5 mm
Scanning Frequency	200 Hz
Scanning Accuracy	4096 × 4096
Working Voltage	180 mA / DC +5 V ±5%
Surface	Mohs class 7 explosion-proof glass

ENT Group Co., Ltd.
70/5 Moo 4, Metro Biztown, Chaengwattana 2, Khlong Phra Udom, Pak Kret, Nonthaburi 11120, Thailand
Tel: 02-045-6104, 095-739-1053 | Fax: 02-045-6105 | Email: Sales@entgroup.co.th | Tax ID: 0135558013167

ENVIRONMENT, POWER & DIMENSIONS

Environment & Power

Operating Temperature	0 °C to 50 °C
Operating Humidity	0% to 80%
Storage Temperature	-5 °C to 60 °C
Storage Humidity	10% to 85%
Power Input	110–240 V AC, 50/60 Hz
Power Output	DC 12 V 4 A
Standby Power	≤ 0.5 W
Overall Power	Android < 115 W / x86 < 140 W

Dimensions & Weight

Unit Dimensions (W × H × D)	65 × 187.15 × 45 cm
Carton Dimensions (W × H × D)	75 × 196.5 × 55 cm
Net Weight	57 kg
Gross Weight	65 kg
Mounting	Floor stand (optional pre-drilled bolts)

I/O Ports



- Power Socket × 1
- USB 2.0 × 2
- RJ45 × 1 (Gigabit)
- Wi-Fi Antenna × 1

RECOMMENDED APPLICATIONS

Retail Self-checkout / QSR Kiosk	Self-order and self-payment kiosks. Swap the front panel to add Receipt Printer + Card Reader without replacing the cabinet.
Banking / ATM Lobby	Customer-service kiosks and mini-bank counters. Add Fingerprint + Passport Scanner panels for KYC verification.
Exhibition / Wayfinding	Information kiosks for trade shows, malls and office buildings — intuitive UI requires no staff training.
Healthcare / Hospital Check-in	Patient registration kiosks. Mohs 7 explosion-proof glass withstands disinfectant cleaning without scratching — safe and hygienic.

ENT Group Co., Ltd.
70/5 Moo 4, Metro Biztown, Chaengwattana 2, Khlong Phra Udom, Pak Kret, Nonthaburi 11120, Thailand
Tel: 02-045-6104, 095-739-1053 | Fax: 02-045-6105 | Email: Sales@entgroup.co.th | Tax ID: 0135558013167

CONNECT & ORDER

How to order — B2B Quotation Workflow. ENT Group operates as a B2B procurement platform. Add items to your cart on entgroup.co.th, our sales team will review your request and respond with a formal quotation (PDF). This is not an online checkout — pricing, lead time and delivery terms are tailored to each project.

View Product Page

Scan to view KD43B Series, full specs & accessories
entgroup.co.th/products/displays-43/kd43b

Add LINE Official

Chat with our sales team for quotations & support
LINE ID: @entgroup

Get a Tailored Quotation

Scan either QR code to connect with ENT Group instantly. Our B2B sales team will prepare a quotation tailored to your project — including volume pricing, customization, installation and warranty terms.

Tel 02-045-6104, 095-739-1053
Email Sales@entgroup.co.th
Web www.entgroup.co.th

ENT Group Co., Ltd.
70/5 Moo 4, Metro Biztown, Chaengwattana 2, Khlong Phra Udom, Pak Kret, Nonthaburi 11120, Thailand
Tel: 02-045-6104, 095-739-1053 | Fax: 02-045-6105 | Email: Sales@entgroup.co.th | Tax ID: 0135558013167