RZ65B-X86 Series

65" 4K UHD Infrared Touch All-in-One — Windows / Linux (OPS Intel x86)

All-in-One with selectable OPS CPU: i3-4th / i5-10th / i7-11th Gen.

RZ65B Touch PC is a 65-inch Infrared touch All-in-One with an integrated OPS-form-factor Intel x86 PC, available in three CPU tiers: **Entry** (Intel® Core™ i3-4th Gen), **Mid** (Intel® Core™ i5-10th Gen) or **High** (Intel® Core™ i7-11th Gen). Pre-installed Windows 10 / 11 or Linux. Same industrial chassis as the Monitor / ARM variants — full aluminum alloy frame, IP65 surface, Mohs class 7 explosion-proof glass, designed for 24/7 commercial use. Suitable for boardrooms, classrooms, lobby kiosks and public information points.

65"	4K UHD	OPS	Win	5000:1
Display Size	3840 × 2160	i3 / i5 / i7	10/11 or Linux	Contrast Ratio

KEY FEATURES

- 65-inch industrial LCD — 50,000-hour extended life
- Full aluminum alloy frame — premium chassis
- Mohs class 7 explosion-proof glass
- High contrast ratio 5000:1 — sharper visuals
- Integrated OPS x86 PC — three CPU tiers
- Gigabit RJ45 + Wi-Fi 802.11 a/b/g/n/ac
- Industry-leading ultra-narrow screen bezel
- Surface IP65 waterproof — front panel
- Infrared 20-point touch — 200 Hz / 32767×32767 accuracy
- Mounting: Wall / Floor stand / Embedded
- Pre-installed Windows 10/11 or Linux

ENT Group Co., Ltd.
70/5 Moo 4, Metro Biztown, Chaengwattana 2, Khlong Phra Udom, Pak Kret, Nonthaburi 11120, Thailand
Tel: 02-045-6104, 095-739-1053 | Fax: 02-045-6105 | Email: Sales@entgroup.co.th | Tax ID: 0135558013167

THREE CONFIGURATIONS

RZ65B-X86 — Entry

OPS Intel® Core™ i3-4th Gen

Entry-tier All-in-One for signage, info-points and basic interactive use. With Intel HD Graphics 4600.

- CPU: OPS Intel® Core™ i3-4th Gen
- RAM: 4 GB (Kingston)
- Storage: 128 GB SSD (Seagate)
- Graphics: Intel® HD Graphics 4600

RZ65B-X86 — Mid

OPS Intel® Core™ i5-10th Gen

Mid-tier All-in-One for interactive lessons, conferences and multi-window workflows. Intel UHD Graphics 630.

- CPU: OPS Intel® Core™ i5-10th Gen
- RAM: 8 GB (Kingston)
- Storage: 256 GB SSD (Seagate)
- Graphics: Intel® UHD Graphics 630



RZ65B-X86 — High

OPS Intel® Core™ i7-11th Gen

High-tier All-in-One for demanding applications — 4K media playback, real-time analytics and multi-display setups. Intel Iris® Xe Graphics.

- CPU: OPS Intel® Core™ i7-11th Gen
- RAM: 16 GB (Kingston)
- Storage: 512 GB SSD (Seagate)
- Graphics: Intel® Iris® Xe Graphics

ENT Group Co., Ltd.
70/5 Moo 4, Metro Biztown, Chaengwattana 2, Khlong Phra Udom, Pak Kret, Nonthaburi 11120, Thailand
Tel: 02-045-6104, 095-739-1053 | Fax: 02-045-6105 | Email: Sales@entgroup.co.th | Tax ID: 0135558013167

TECHNICAL SPECIFICATIONS

PC System (OPS Intel x86)

CPU (selectable)	OPS Intel® Core™ i3-4th Gen / i5-10th Gen / i7-11th Gen
Graphics	Intel® HD Graphics 4600 / UHD Graphics 630 / Iris® Xe Graphics
Memory (RAM)	Kingston 4 / 8 / 16 GB
Storage	Seagate SSD 128 / 256 / 512 GB
Network	10/100/1000 Mbps RJ45 + Wi-Fi 802.11 a/b/g/n/ac
Audio	HD Audio: ALC269
Operating System	Windows 10 / 11 or Linux (pre-installed)

LCD Panel

Display Size	65 inches
Resolution	3840 × 2160 (4K UHD)
Aspect Ratio	16 : 9
Active Display Area	1428.5 × 803.5 mm
Colors	16.7 M
Brightness	350 cd/m²
Contrast Ratio	5000 : 1
Viewing Angle (H/V)	178° / 178°
Backlight Lifetime	LED 50,000 hours
Refresh Rate	4K @ 30 Hz

Touch Panel

Technology	Infrared (IR)
Response Time	< 5 ms
Touch Points	20-point standard
Touch Recognition Time	≤ 15 ms
Scanning Frequency	200 Hz
Scanning Accuracy	32767 × 32767
Working Voltage / Current	DC +5 V ± 5% / 180 mA
Surface Hardness	Mohs class 7 explosion-proof glass

ENT Group Co., Ltd.
70/5 Moo 4, Metro Biztown, Chaengwattana 2, Khlong Phra Udom, Pak Kret, Nonthaburi 11120, Thailand
Tel: 02-045-6104, 095-739-1053 | Fax: 02-045-6105 | Email: Sales@entgroup.co.th | Tax ID: 0135558013167

ENVIRONMENT, POWER & DIMENSIONS

Environment & Power

Operating Temperature	0 °C to 50 °C
Operating Humidity	10% to 80%
Storage Temperature	–5 °C to 60 °C
Storage Humidity	10% to 85%
Power Input	110–240 V AC, 50/60 Hz
Power Output	DC 12 V / 5 A
Standby Power	≤ 0.5 W
Overall Power Consumption	< 185 W

Dimensions & Weight

Machine Dimensions (L×W×H)	1485 × 888 × 83 mm
Package Dimensions (L×W×H)	1605 × 1010 × 195 mm
Net Weight	32.0 kg
Gross Weight	38.0 kg
Surface Protection	IP65 (front)
Mounting	Wall mount / Floor stand / Embedded

I/O Ports



- RJ45 (Gigabit) × 1
- USB × 4
- HDMI out × 1
- VGA × 1
- MIC × 1
- Wi-Fi antenna × 1
- DC 12 V Power Socket × 1
- Optional: extend USB (max 6) / RS232 × 2

RECOMMENDED APPLICATIONS

Conference & Boardroom	Wireless screen sharing, remote conferencing and whiteboarding.
Smart Classroom	Interactive lessons, e-learning and lecture capture.
Information Kiosk	Wayfinding, info-points, lobby and reception desks.
Digital Signage	Dynamic in-store signage, menu boards and exhibition display.
Public Self-Service	Government counters, hospital queue, library check-in.

ENT Group Co., Ltd.
70/5 Moo 4, Metro Biztown, Chaengwattana 2, Khlong Phra Udom, Pak Kret, Nonthaburi 11120, Thailand
Tel: 02-045-6104, 095-739-1053 | Fax: 02-045-6105 | Email: Sales@entgroup.co.th | Tax ID: 0135558013167

CONNECT & ORDER

How to order — B2B Quotation Workflow. ENT Group operates as a B2B procurement platform. Add items to your cart on entgroup.co.th, our sales team will review your request and respond with a formal quotation (PDF). This is not an online checkout — pricing, lead time and delivery terms are tailored to each project.

View Product Page

Scan to view RZ65B-X86 Series, full specs & accessories
entgroup.co.th/products/displays-65/rz65b

Add LINE Official

Chat with our sales team for quotations & support
LINE ID: @entgroup

Get a Tailored Quotation

Scan either QR code to connect with ENT Group instantly. Our B2B sales team will prepare a quotation tailored to your project — including volume pricing, customization, installation and warranty terms.

Tel 02-045-6104, 095-739-1053
Email Sales@entgroup.co.th
Web www.entgroup.co.th

ENT Group Co., Ltd.
70/5 Moo 4, Metro Biztown, Chaengwattana 2, Khlong Phra Udom, Pak Kret, Nonthaburi 11120, Thailand
Tel: 02-045-6104, 095-739-1053 | Fax: 02-045-6105 | Email: Sales@entgroup.co.th | Tax ID: 0135558013167