B1

BONUS 1

Reduced Mobility Exercises

100 activities adapted for wheelchair users, bedside patients, and those requiring full assisted standing support.

100 Activities | 4 Sections | Wheelchair & Bedside | Fully Adapted

SENIOR ACTIVITY VAULT · PROFESSIONAL EDITION



SECTION 1

Wheelchair Upper Body

Seated arm exercises, resistance band work, shoulder mobility, and propulsion training adapted for wheelchair users.

- Arm raises and curls
- Band rows and presses
- Trunk rotation and stretch
- Grip and propulsion work



Seated Arm Raises

★ Independent

Raise both arms overhead from a wheelchair to maintain shoulder range of motion.

1. Sit tall in wheelchair, feet on footrests.
2. Raise both arms forward and up to overhead.
3. Hold 3 seconds.
4. Lower slowly; repeat 12 times.

Wheelchair Push-Up

★★ Assisted

Press up from wheelchair armrests to strengthen triceps and shoulders.

1. Place hands on armrests firmly.
2. Straighten elbows to lift body slightly off seat.
3. Hold 3 seconds.
4. Lower slowly; repeat 8 times.

Shoulder Shrug and Roll

★ Independent

Shrug and roll shoulders to release upper trapezius tension.

1. Sit upright; raise both shoulders toward ears.
2. Roll shoulders backward in a circle.
3. Complete 5 rolls.
4. Reverse direction; 5 rolls forward.

Band Pull-Apart

★★ Assisted

Stretch a band across the chest to strengthen posterior shoulders.

1. Hold band in both hands at shoulder height, arms extended.
2. Pull hands apart, stretching band.
3. Hold 2 seconds at full stretch.
4. Return slowly; 12 reps.

Chest Press Seated

★★ Assisted

Press arms forward against resistance to maintain chest strength.

1. Loop band around wheelchair push handles.
2. Hold ends, elbows bent at 90°.
3. Press hands forward until extended.
4. Return slowly; 12 reps.

Elbow Flexion Curl

★ Independent

Curl forearms upward against a light resistance band to maintain bicep strength.

1. Step on band (or pin under wheel); hold each end.
2. Curl both hands to shoulders.
3. Lower slowly.
4. 15 reps.

Lateral Arm Raise

★ Independent

Raise arms out to the sides to shoulder height to maintain deltoid strength.

1. Hold 0.5 kg weight or bottle in each hand.
2. Raise both arms out to sides to shoulder level.
3. Hold 2 seconds.
4. Lower slowly; 12 reps.

Trunk Rotation Seated

★ Independent

Rotate the torso from side to side to maintain spinal mobility.

1. Sit tall, arms crossed on chest.
2. Rotate torso right; hold 5 seconds.
3. Rotate left; hold 5 seconds.
4. 10 rotations each side.

Shoulder External Rotation

★★ Assisted

Rotate forearms outward against resistance to protect the rotator cuff.

1. Elbows at sides, bent 90°; hold band in both hands.
2. Rotate forearms outward keeping elbows still.
3. Hold 2 seconds.
4. Return; 12 reps.

Wrist Extension Stretch

★ Independent

Extend and flex the wrist to maintain forearm flexibility.

1. Hold right arm extended, palm down.
2. Gently flex wrist up with left hand.
3. Hold 20 seconds.
4. Flex wrist down; hold 20 seconds; switch.

Overhead Tricep Extension

★★ Assisted

Extend a band overhead to strengthen the triceps from a seated position.

1. Hold one end of band overhead; pin other end under wheel.
2. Extend elbow until arm straight overhead.
3. Lower slowly.
4. 10 reps each arm.

Seated Row

★★ Assisted

Row a band to the body to strengthen back muscles.

1. Loop band around door handle; hold one end each hand.
2. Pull elbows back until hands at chest.
3. Squeeze shoulder blades.
4. Return slowly; 12 reps.

Front Arm Punch

★ Independent

Alternate punching arms forward to build functional pushing strength.

1. Sit tall, hands in loose fists at shoulders.
2. Punch right arm forward; return.
3. Punch left arm forward; return.
4. Alternate for 30 seconds.

Neck Retraction

★ Independent

Draw the chin backward to strengthen deep cervical flexors and improve posture.

1. Sit tall, eyes level.
2. Draw chin straight back.
3. Hold 5 seconds.
4. Release; repeat 10 times.

Shoulder Blade Squeeze

★ Independent

Squeeze shoulder blades together to strengthen postural back muscles.

1. Sit tall, arms at sides.
2. Squeeze both shoulder blades toward spine.
3. Hold 5 seconds.
4. Release; repeat 15 times.

Wheelchair Lap Circuit

★★ Assisted

Complete a full lap of a large room using only arms to propel.

1. Begin at starting point in the room.
2. Propel wheelchair using arms for one full lap.
3. Rest 1 minute.
4. Complete 3 laps.

Towel Chest Stretch

★ Independent

Pull a towel behind the back to open the chest and shoulders.

1. Hold towel in right hand behind back; left hand grabs lower end.
2. Gently pull down with left hand.
3. Feel stretch across right shoulder.
4. Hold 20 seconds; switch sides.

Seated Side Bend

★ Independent

Lean to one side to stretch the lateral trunk and improve lateral mobility.

1. Sit tall; left hand on armrest.
2. Raise right arm and lean right.
3. Hold 20 seconds; feel left side stretch.
4. Switch; 3 times each.

Upper Back Cat Arch

★ Independent

Round and arch the upper back while seated to mobilise the thoracic spine.

1. Sit tall, hands on knees.
2. Round upper back, chin to chest.
3. Hold 5 seconds.
4. Arch chest forward; hold 5 seconds; repeat 10×.

Grip Balls

★ Independent

Squeeze a soft ball in each hand to maintain grip strength for wheelchair propulsion.

1. Hold a soft foam ball in each hand.
2. Squeeze firmly for 5 seconds.
3. Release completely.
4. Repeat 15 times each hand.

Diagonal Band Reach

★★ Assisted

Reach diagonally with a band to combine shoulder and trunk activation.

1. Pin band under wheel; hold in right hand.
2. Reach right arm diagonally up-left.
3. Return; 10 reps.
4. Switch to left arm diagonal right.

Head Circles

★ Independent

Slowly circle the head to mobilise the cervical spine.

1. Sit tall; lower chin to chest.
2. Circle head slowly right (half circle only — do not tilt backward).
3. Return to centre.
4. 5 circles each direction.

Seated Chest Fly

★★ Assisted

Open arms wide against resistance to work chest and anterior deltoid.

1. Hold band in both hands in front, arms crossed.
2. Open arms wide to sides.
3. Hold 2 seconds.
4. Return; 12 reps.

Finger Extension Exercise

★ Independent

Open fingers wide against a rubber band to strengthen finger extensors.

1. Wrap a rubber band around all fingers.
2. Spread fingers apart against band resistance.
3. Hold 3 seconds.
4. Release; 15 reps each hand.

Supported Lateral Raise

★★ Assisted

Raise one arm laterally while stabilising with the other to challenge balance and shoulder strength.

1. Right hand grips armrest for support.
2. Left arm raises to shoulder height.
3. Hold 2 seconds.
4. Lower slowly; 10 reps each side.



SECTION 2

Bedside Activities

In-bed exercises, pillow exercises, ankle and foot work, and supported repositioning techniques for very low mobility patients.

- Ankle pumps and circles
- Isometric quad and glute
- Bridging and heel slides
- Supported arm mobility



Ankle Pumps

★ Independent

Pump the feet up and down rhythmically to improve circulation and prevent clots.

1. Lie on back or sit up in bed.
2. Flex both feet hard toward you.
3. Point toes away.
4. Repeat rhythmically 20 times.

Ankle Circles Lying

★ Independent

Circle the ankles to maintain joint mobility and promote blood flow.

1. Lie on back, legs extended.
2. Circle right ankle clockwise 10 times.
3. Circle counterclockwise 10 times.
4. Switch to left ankle.

Lying Quad Contraction

★ Independent

Tighten the quadriceps while lying flat to maintain muscle activity without movement.

1. Lie flat on back, legs straight.
2. Tighten right thigh muscles, pressing knee to bed.
3. Hold 5 seconds.
4. Release; 15 reps each leg.

Heel Slide

★ Independent

Slide the heel up toward the buttock to maintain hip and knee flexion range.

1. Lie flat on back.
2. Slowly slide right heel up toward buttock, bending knee.
3. Hold 5 seconds.
4. Slide back down; 12 reps each leg.

Knee to Chest Pull

★ Independent

Draw the knee toward the chest to gently stretch the lower back and hip.

1. Lie on back; bend right knee.
2. Draw right knee to chest with both hands.
3. Hold 25 seconds.
4. Lower; switch legs; repeat 3 times.

Supine Hip Abduction

★ Independent

Slide one leg out to the side along the bed to work hip abductors.

1. Lie flat, legs together.
2. Slide right leg out to side as far as comfortable.
3. Hold 3 seconds.
4. Slide back; 12 reps each leg.

Bridging

★★ Assisted

Raise the hips off the bed to strengthen glutes and improve transfer ability.

1. Lie on back, knees bent, feet flat on bed.
2. Press heels into bed and lift hips.
3. Hold 5 seconds.
4. Lower slowly; 12 reps.

In-Bed Arm Raises

★ Independent

Raise both arms overhead while lying to maintain shoulder mobility.

1. Lie on back, arms at sides.
2. Raise both arms up and back overhead.
3. Hold 5 seconds.
4. Return slowly; 10 reps.

Supine Leg Raise

★★ Assisted

Lift one straight leg to strengthen the hip flexors while lying on back.

1. Lie flat, left leg bent, right leg straight.
2. Raise right leg to height of left knee.
3. Hold 3 seconds.
4. Lower slowly; 12 reps each leg.

Diagonal Arm-Leg Reach

★★ Assisted

Extend opposite arm and leg simultaneously to activate core and trunk stability.

1. Lie on back on mat.
2. Extend right arm back and left leg forward simultaneously.
3. Hold 5 seconds.
4. Return; switch sides; 10 reps.

Pillow Squeeze

★ Independent

Squeeze a pillow between the knees to activate inner thigh and pelvic floor muscles.

1. Lie on back, knees bent.
2. Place pillow between knees.
3. Squeeze knees together on pillow.
4. Hold 5 seconds; 15 reps.

Seated Bed Marching

★ Independent

March in place while seated on the bed to warm up hip flexors.

1. Sit on edge of bed, feet flat.
2. Lift right knee, hold 2 seconds.
3. Lower; lift left knee.
4. Alternate 20 marches.

Supine Shoulder Press

★ Independent

Press arms upward from lying position to maintain chest and shoulder strength.

1. Lie on back; hold water bottle in each hand at shoulder level.
2. Press both arms toward ceiling.
3. Hold 2 seconds.
4. Lower slowly; 12 reps.

Hip Internal Rotation Lying

★ Independent

Roll the leg inward while lying to maintain hip rotation range.

1. Lie flat, legs straight.
2. Roll right leg inward (toes toward left).
3. Hold 5 seconds.
4. Return; 10 reps each leg.

Side-Lying Hip Lift

★★ Assisted

Lift the hip from a side-lying position to challenge lateral stabilisers.

1. Lie on left side on mat, legs straight.
2. Lift right hip upward, creating a lateral arc.
3. Hold 3 seconds.
4. Lower; 10 reps each side.

Bed Edge Hip Hinge

★ Independent

Hinge forward from seated bed position to gently stretch hamstrings.

1. Sit on bed edge, feet flat.
2. Lean forward from hips with flat back.
3. Hold 20 seconds.
4. Return upright.

Supine Trunk Rotation

★ Independent

Rotate bent knees side to side on the bed to mobilise the lumbar spine.

1. Lie on back, knees bent together.
2. Lower knees slowly right; hold 10 seconds.
3. Return to centre; lower left.
4. 10 rotations each side.

Seated Foot Alphabet

★ Independent

Trace the alphabet with one foot while seated to mobilise ankle and maintain focus.

1. Sit on bed, right foot lifted.
2. Trace A–Z slowly with big toe.
3. Switch foot.
4. Discuss which letters were hardest.

Prone Hip Extension

★★ Assisted

Lie face down and lift one leg to strengthen gluteus maximus.

1. Lie face down on mat/bed, forehead on hands.
2. Lift right leg 10 cm, knee straight.
3. Hold 5 seconds.
4. Lower; 10 reps each leg.

Long-Sitting Hamstring Stretch

★ Independent

Sit upright with legs extended and reach forward to stretch hamstrings.

1. Sit on bed, both legs extended.
2. Sit tall, then lean forward from hips.
3. Hold 25 seconds.
4. Return upright.

Supported Neck Stretch

★ Independent

Use hand support on headboard to gently tilt the neck for a safe stretch.

1. Lie with head supported on pillow.
2. Gently tilt right ear toward right shoulder.
3. Hold 20 seconds.
4. Return to neutral; repeat left.

Wrist Circles Lying

★ Independent

Circle wrists while lying to improve circulation and maintain fine motor readiness.

1. Lie on back, arms resting on bed.
2. Circle both wrists clockwise 10 times.
3. Circle counterclockwise 10 times.
4. Shake hands gently.

Foot Tapping

★ Independent

Tap feet alternately on the floor while seated on the bed to improve lower limb activity.

1. Sit on bed edge, feet flat.
2. Tap right foot firmly on floor, then left.
3. Alternate rhythmically for 30 seconds.
4. Rest; repeat 3 sets.

Isometric Quad Press

★ Independent

Press the back of the knee firmly down into the bed to activate the quadriceps.

1. Lie flat, roll a small towel under right knee.
2. Press knee down onto towel, tightening quad.
3. Hold 5 seconds.
4. Release; 15 reps each leg.

Seated Reach and Stretch

★ Independent

Reach in multiple directions from seated bed position to maintain trunk mobility.

1. Sit on bed edge.
2. Reach right arm high and across body left.
3. Hold 10 seconds.
4. Reach left arm right; alternate 5 times each.



SECTION 3

Assisted Standing

Supported weight bearing, parallel bar work, sit-to-stand progressions, and stepping practice with full or partial therapist assistance.

- Bar stand and step tap
- Supported gait patterns
- Progressive weight bearing
- Balance at bars



Supported Weight Bearing

★★★ Supported

Stand with full support from a therapist and parallel bars to begin weight-bearing rehabilitation.

1. Therapist stands close; participant holds both rails.
2. Slowly transfer weight to feet.
3. Hold standing 10 seconds.
4. Sit back controlled; repeat 5 times.

Bar Work Knee Bend

★★★ Supported

Perform shallow knee bends holding parallel bars to begin loaded standing exercise.

1. Hold parallel bars firmly at hip height.
2. Bend knees 15 degrees slowly.
3. Hold 3 seconds.
4. Straighten; repeat 10 times.

Sit to Stand Progression

★★★ Supported

Progress through stages of sit-to-stand with decreasing assistance.

1. Therapist supports under arms; patient stands.
2. Session 2: patient uses rails, therapist guides.
3. Session 3: patient uses chair, therapist supervises.
4. Session 4: independent with chair.

Step Tap at Bar

★★★ Supported

Tap one foot on a low step while holding bars to begin weight shifting.

1. Stand at parallel bars; step block in front.
2. Tap right foot onto block and return.
3. Alternate feet; 10 taps each.
4. Progress by lifting foot higher.

Side Step at Bar

★★★ Supported

Step sideways along parallel bars to improve lateral mobility.

1. Hold bar with both hands.
2. Step right foot right.
3. Bring left foot to meet it.
4. Continue 3 metres right; reverse.

Forward Walk at Bar

★★★ Supported

Walk the length of parallel bars with supervision to restore gait pattern.

1. Start at one end, holding bar.
2. Step right foot forward.
3. Bring left foot forward.
4. Walk to end; turn; walk back.

Standing Hip Flex at Bar

★★★ Supported

Lift one knee while standing at parallel bars to practise single-leg stance.

1. Hold bar firmly; stand upright.
2. Lift right knee to hip level.
3. Hold 5 seconds.
4. Lower; 8 reps each leg.

Bar Toe Raise

★★ Assisted

Rise onto toes while holding bars to strengthen calves in a safe standing position.

1. Hold bars; stand feet shoulder-width.
2. Rise onto toes slowly.
3. Hold 2 seconds.
4. Lower; 15 reps.

Supported Marching

★★★ Supported

March with high knees while holding bars for full supported gait rehabilitation.

1. Stand at parallel bars.
2. Lift right knee to hip; lower.
3. Lift left knee; lower.
4. March 30 seconds.

Bar Balance Stand

★★★ Supported

Release bar grip momentarily to practise independent standing balance.

1. Hold bars; stand tall.
2. Release both hands for 3 seconds.
3. Re-grip; rest.
4. Progress to 5 and then 10 seconds.

Heel-Toe Rock at Bar

★★ Assisted

Rock from heels to toes while holding bars to improve ankle range and balance.

1. Hold bar firmly; stand upright.
2. Rock back onto heels.
3. Rock forward onto toes.
4. Alternate 10 cycles.

Forward Lean at Bar

★★★ Supported

Lean forward while holding bars to practise weight shifting for gait initiation.

1. Stand upright at bar.
2. Lean body forward from ankles.
3. Feel weight shift to toes.
4. Return; 8 reps.

One-Hand Bar Stand

★★★ Supported

Progress from two-hand to one-hand bar grip to increase balance challenge.

1. Hold bar with both hands; stand steady.
2. Release one hand; hold for 5 seconds.
3. Re-grip; switch hands.
4. Progress to 10 and 15 seconds.

Standing Arm Reach at Bar

★★★ Supported

Reach one arm overhead while holding bar with other to combine standing balance and shoulder mobility.

1. Hold bar with left hand.
2. Raise right arm to overhead.
3. Hold 5 seconds.
4. Lower; 8 reps each arm.

Weight Shift Side at Bar

★★ Assisted

Shift weight side to side while holding bars to practise lateral balance.

1. Hold bar; stand feet shoulder-width.
2. Shift weight to right; hold 5 seconds.
3. Shift weight to left; hold 5 seconds.
4. Alternate 10 times.

Backwards Walk at Bar

★★★ Supported

Walk backward along parallel bars to build posterior chain strength and proprioception.

1. Hold bar; face end of bars.
2. Step one foot backward.
3. Bring other foot back.
4. Walk 3 metres; reverse.

Supported Stance Perturbation

★★★ Supported

Receive gentle perturbations while standing at bars to practise reactive balance.

1. Stand at bars, lightly holding.
2. Therapist applies gentle sideways push.
3. Participant recovers without gripping bar.
4. 8 perturbations.

Bar Clock Reach

★★★ Supported

Reach the free foot to clock positions while holding bar to build dynamic standing balance.

1. Hold bar with both hands; stand on left leg.
2. Tap right foot to 12 o'clock.
3. Tap to 3 o'clock, then 6.
4. Repeat 5 full clocks; switch leg.

Stepping Over Bar

★★★ Supported

Step over a low obstacle placed at parallel bars to practise high-step balance.

1. Place foam noodle across bars 10 cm high.
2. Holding bar, step right leg over noodle.
3. Bring left leg over.
4. Turn; step back; 5 crossings.

Supported Tandem Stand

★★★ Supported

Hold one bar and attempt tandem stance for a higher balance challenge.

1. Hold one rail lightly.
2. Step right foot in front of left, heel to toes.
3. Hold 10 seconds.
4. Switch foot position; 3 holds each.

Standing Reach Table

★★★ Supported

Reach across a table while standing beside it to practise dynamic weight shifting.

1. Stand beside a table, right hand resting on it.
2. Reach left arm across table to touch far side.
3. Return; 8 reps.
4. Switch sides.

Stair Step Hold

★★★ Supported

Hold single-leg stance on a stair step with rail support to build step-up confidence.

1. Stand at base of stair, holding rail.
2. Step right foot onto step.
3. Hold weight on right leg 5 seconds.
4. Step down; 8 reps each leg.

Assisted Hip Side Kick

★★★ Supported

Kick the leg to the side while holding bars with therapist spotting.

1. Hold bars firmly; therapist spots at hip.
2. Lift right leg to side 20 cm.
3. Hold 3 seconds.
4. Lower; 8 reps each leg.

Resistance Band Standing

★★★ Supported

Perform standing leg presses against a resistance band to increase progressive loading.

1. Stand at bar; therapist holds band at one ankle.
2. Press ankle backward against band.
3. Hold 3 seconds.
4. Release; 10 reps each leg.

Transfer Practice

★★★ Supported

Practise transferring from chair to standing and back to build safe functional transfers.

1. Sit at front of chair with hand on bar.
2. Push to standing, pause 5 seconds.
3. Lower back to chair slowly.
4. Repeat 8 times; progress to less bar use.



SECTION 4

Sensory & Fine Motor

Texture activities, object manipulation, sensory stimulation, and hand dexterity exercises for those with limited active movement.

- Texture and tactile tasks
- Pincer and grip exercises
- Fine motor coordination
- Sensory discrimination



✋

Texture Bag Exploration

★ Independent

Reach into a bag and identify objects by touch alone to stimulate tactile perception.

1. Fill a bag with 10 everyday textured objects.
2. Participant reaches in and identifies by touch.
3. Describe texture before naming object.
4. Score 1 per correct identification.

✋

Object Manipulation

★ Independent

Handle a variety of everyday objects to maintain fine motor dexterity.

1. Provide 10 objects: pen, coin, button, key, etc.
2. Pick up each with dominant hand.
3. Transfer to non-dominant hand.
4. Return to table; time the round.

✋

Sensory Bin Sorting

★ Independent

Sort small objects hidden in rice or sand by shape and size.

1. Fill shallow bin with dried rice.
2. Hide 10 mixed small objects.
3. Participant finds objects by feel.
4. Sort into groups by shape.

✋

Pincer Grip Practice

★ Independent

Pick up small objects with a precise pincer grip to maintain finger strength.

1. Scatter 20 small items (coins, beads) on table.
2. Use only thumb and index finger to pick each up.
3. Place in a small cup.
4. Time the task; repeat.

✋

Clay Rolling

★ Independent

Roll modelling clay into balls and snakes to improve bilateral hand strength.

1. Give a tennis-ball sized piece of clay.
2. Roll into a ball with both palms.
3. Roll into a snake shape on table.
4. Repeat; vary thickness.

✋

Peg Board Threading

★ Independent

Thread laces through peg board holes to practise bilateral hand coordination.

1. Provide a board with large holes and thick laces.
2. Thread lace in and out of holes.
3. Aim for 5 rows in 5 minutes.
4. Reverse threading direction.

✋

Butter Spreading

★ Independent

Spread butter on bread with a knife to practise functional wrist and forearm movement.

1. Provide bread and soft butter.
2. Hold bread with non-dominant hand.
3. Spread butter evenly with a round-edged knife.
4. Repeat 5 times; enjoy the bread!

✋

Tactile Discrimination

★★ Assisted

Identify which finger is being lightly touched with eyes closed.

1. Participant closes eyes.
2. Therapist lightly touches one finger.
3. Participant names the finger.
4. 20 trials; score accuracy.

✋

Vibration Awareness

★★ Assisted

Distinguish vibrating versus non-vibrating objects by touch to assess vibration sense.

1. Therapist holds vibrating tuning fork near hand.
2. Ask: do you feel the vibration?
3. Move to different points on hand and wrist.
4. Compare dominant and non-dominant.

Hot and Cold Discrimination

★★ Assisted

Distinguish warm and cool objects to assess thermal sensation safely.

1. Prepare two cups: one with warm (not hot) water, one with cool water.
2. Wrap cups in cloth; ask participant to feel and report warm or cool.
3. Test 10 times; alternate cups.
4. Discuss any areas of reduced sensation.

Rubber Band Extension

★ Independent

Extend fingers against a rubber band wrapped around them to build extensor strength.

1. Wrap rubber band around fingers.
2. Spread fingers against resistance.
3. Hold 3 seconds.
4. Release; 15 reps each hand.

Coin Transfer

★ Independent

Transfer coins from one pile to another using different grip patterns.

1. Place 10 coins in a pile.
2. Pick up with pincer grip; place in second pile.
3. Repeat using lateral pinch.
4. Switch hands; time each trial.

✋

Paper Tearing

★ Independent

Tear newspaper into strips to build bilateral grasp and tearing strength.

1. Provide several sheets of newspaper.
2. Tear into strips 2 cm wide.
3. Use both hands; vary strip length.
4. Count strips completed in 2 minutes.

✋

Putty Squeezing

★★ Assisted

Squeeze and mould therapy putty to progressively strengthen intrinsic hand muscles.

1. Hold a tennis-ball size of therapy putty.
2. Squeeze fully with all fingers.
3. Hold 5 seconds.
4. Mould into different shapes; 10 reps.

✋

Scarf Fold

★ Independent

Fold and unfold a fabric scarf to practise bilateral fine coordination.

1. Lay a scarf flat on table.
2. Fold in half; crease.
3. Fold in quarters; crease.
4. Unfold completely; repeat 5 times.

✋

Button Board

★ Independent

Button and unbutton a practice board to maintain the functional dexterity needed for dressing.

1. Use a dressing practice board or an old shirt.
2. Button all buttons from bottom to top.
3. Unbutton from top to bottom.
4. Repeat 5 times; time each trial.

✋

Zipper Practice

★ Independent

Open and close a large-zip practice item to maintain the functional skill of managing zips.

1. Provide a zip pouch or practice board with a large zip.
2. Zip closed using dominant hand.
3. Unzip fully.
4. Repeat with non-dominant hand; 10 times each.

✋

Knot Tying

★★ Assisted

Tie and untie simple knots in a thick rope to build hand strength and dexterity.

1. Provide a 60 cm length of thick cord.
2. Tie an overhand knot.
3. Untie the knot.
4. Repeat 10 times; try with weaker hand.

✋

Sticky Note Peeling

★ Independent

Peel and place sticky notes with precision to practise pinch and placement accuracy.

1. Provide a pad of sticky notes.
2. Peel one note using a fine pinch.
3. Place it precisely on a marked spot.
4. Repeat 15 times; alternate hands.

✋

Finger Opposition

★ Independent

Touch each finger to the thumb in sequence to maintain fine motor coordination.

1. Hold hand in front; extend fingers.
2. Touch index finger to thumb.
3. Middle, then ring, then little finger.
4. Repeat in reverse; 10 full sequences.

✋

Sticker Placement

★ Independent

Peel and place small stickers on target dots to practise eye-hand precision.

1. Provide a sheet of target dots and small stickers.
2. Peel sticker carefully.
3. Place on target dot precisely.
4. 20 stickers; score accuracy.

✋

Putty Pinch Rolls

★★ Assisted

Roll a small piece of putty between thumb and fingers to build pinch strength.

1. Take a small piece of putty.
2. Roll between thumb and each finger in turn.
3. Create a thin roll shape.
4. Flatten and repeat; 3 minutes.

✋

Card Turning

★ Independent

Turn playing cards face up one at a time to practise wrist and finger coordination.

1. Spread a deck face down on table.
2. Turn each card face up using only fingertips.
3. Time a full deck.
4. Repeat with non-dominant hand.

✋

Liquid Pouring

★★ Assisted

Pour water from one container to another without spilling to practise controlled wrist movement.

1. Provide two 250 ml cups, one filled halfway.
2. Pour water from one to other slowly.
3. Pour back without spilling.
4. Time each pour; track improvement.

✋

Bead Threading

★★ Assisted

Thread large beads onto a cord to build sustained fine motor concentration.

1. Provide 20 large beads and a cord with a stiff end.
2. Thread each bead one at a time.
3. Time the task.
4. Progress to smaller beads.