

AIR & SURFACE CLEAN ROOM

For your protection, this area is treated with safe hydro-peroxide molecules to reduce harmful germs, virus, bacteria, mold, allergens and odors











Hall of Fame Inductee





DON'T RISK SICK!

PROACTIVE "CLEANROOM" PROTECTION

CORONAVIRUS (CLASS)

FLU * MRSA * NOROVIRUS * MOLD

GERMS * ALLERGENS * DUST * BACTERIA

ALL PROVEN 99.9999% KILL RATE ON SURFACES AND IN AIR!



Professional Protection

MOST POWERFUL AIR + SURFACE CLEANING
TECHNOLOGY EVER DISCOVERED!
Just \$1,499 Order Today!



Turns humidity into safe hydro-peroxide molecules

Highly Effective + Safe for people and pets

Originally Developed by NASA
We own exclusive world-wide rights
to this life saving technology





NEW! AIR & SURFACE PRO



Protects up to 3,000 Sq. Ft. NO FILTERS—No Ozone SAVE MONEY!

3 Year Warranty 30 Day Money Back Guarantee!

Eliminates Dust

Cleans Air & Surfaces!

Testing Data Available – Order Today — Very High Demand -- Limited Supply

SAVE MONEY and IMPROVE HEALTH! Toxin Free Air and Surfaces, Smells Like Fresh Air

Recommended by Hundreds of Doctors and used By Professional Athletes For Optimum Physical and Mental Performance and Protection

ACTIVEPURE® TECHNOLOGY TESTING - Complying with FDA Protocols in a FDA Certified Compliant Laboratory

Net Log Reduction Of MS2 Bacteriophage Virus Bioaerosol COVID-19 SURROGATE

RNA Virus > OVER 99.9999% REDUCTION OF MS2 BACTERIOPHAGE VIRUS IN ONLY 60 MINUTES!












Hall of Fame Inductee

Results based on laboratory testing

Scientific testing has demonstrated the use of ActivePure® Technology to substantially reduce airborne and surface contaminants. Field results may vary based on environmental conditions. These results have not been certified by the FDA.



2020 test results as surrogate for coronavirus class using new Activepure cell in AIR & SURFACE PRO

ACTIVEPURE® TECHNOLOGY TESTING - Complying with FDA Protocols in a FDA Certified Compliant Laboratory

Net Log Reduction Of Staphylococcus Epidermidis Bioaerosol

Sectoria Sec












Hall of Fame Inductee

Results based on laboratory testing

Scientific testing has demonstrated the use of ActivePure® Technology to substantially reduce airborne and surface contaminants. Field results may vary based on environmental conditions. These results have not been certified by the FDA.



INSTALLATIONS

- Homes
- Hospitals
- Doctors Offices
- Nursing Homes
- Professional Sports Facilities
- Hotels
- Businesses
- Schools
- Liberty Bell
- Ground Zero Museum


















Hospital Operating Room

Before and After Results Using ActivePure Technology circa 2018








Results from first generation ActivePure, current AIR & SURFACE PRO version is up to 8x increased effectiveness



Bacteria Test Results: Pediatric Therapy Office




Medical Facilities

Before and After Results




>80% Reduction in Flu Related Dismissals

(ActivePure Technology installed in Indiana school)



>80% Reduction in Preschool Sick Days

(ActivePure Technology installed in Pennsylvania preschool)



Over 80% Reduction In Flu & Sick Days!

Before and After Results Using ActivePure Technology







AIR & SURFACE PRO

Benefits

- Our patented ActivePure® Technology destroys over 99% of all surface and airborne contaminants
- Reduces airborne contaminants and allergens that can trigger asthma and allergy symptoms
- Freshens air and removes odors in otherwise stale-prone environments
- Removes dirt and dust from the air to make cleaning easier
- Portable, no installation required
- Destroys VOCs, smoke and odors

How it works

- Our proprietary ActivePure® Technology uses light waves and a catalytic process to produce super oxide ions and hydro peroxides that destroy contaminants in the air and on surfaces
- Features a high intensity UVC light that makes use of the same oxidation and ionizing properties of light as naturally occurring sunlight
- Certified Space Technology continuously protects and purifies the environment
- Proven effective in independent studies against bacteria, viruses, mold and fungi in the air and on surfaces

Unique Features

- Patent-pending ActivePure® Cell design
- Digital display with blue back-lighting
- Area size setting
- Cleaning reminder
- 5 fan speeds
- Multi-point Bi-polar Ionization cycle time between positive and negative ions is 20 seconds
- Pre-filter
- HFPA Filter.
- Ozone Free



Specifications

Electrical	43 Watts Max; Positive & Negative Ion Generation
Input Voltage	100 ~ 240 VAC; 50/60 Hz external power supply
Nominal Airflow Rate	40-60 CFM Fan, Washable electrostatic lint screen
Dimensions	11.75" H x 9.5" W x 10" D
Weight	7.6 lbs
Operating Temperature	34°F – 100°F
Recommended Treatment Space	500 sq. ft. to 3,000 sq. ft.
Warranty	3 year limited

Meets California ozone emissions limit. CARB Certified.







of Fame Inductee





