



PRODUCT  
DATASHEET '25-26'

# ADVANCE ANALYTIK

REVOLUTIONIZING ONLINE MONITORING SOLUTIONS



## **VizSens-NH4N**

**Ammonia Nitrogen (NH<sub>4</sub>-N) Sensor**

[www.advanceanalytik.com](http://www.advanceanalytik.com)

[sales@advanceanalytik.com](mailto:sales@advanceanalytik.com)

# VizSens-NH4N

## Ammonia Nitrogen Sensor

The VizSens-NH4N is a highly accurate and reliable sensor designed for measuring Ammonia Nitrogen (NH<sub>4</sub>-N) levels in water. With a pH range of 4- 10 and a precision of  $\pm 0.1$ , it ensures precise and consistent readings. Operating up to 10 meters underwater with IP68 protection, it's suitable for various environmental applications. Compatible controllers, the VizSens-NH4N supports RS-485 and MODBUS protocol for seamless integration and data transmission.



### Product Features


- **Digital Sensor:** Delivers accurate and precise NH<sub>4</sub>-N measurements.
- **RS-485 Output:** Supports data transmission using the MODBUS protocol.
- **Eco-Friendly:** Reagent-free, reducing pollution and promoting environmental sustainability.
- **Automatic Compensation:** Compensates for pH and temperature for enhanced accuracy.



# VizSens-NH4N

## Technical Specifications

| Basic Specifications   |                                                 |
|------------------------|-------------------------------------------------|
| pH Range               | 5-10                                            |
| pH Accuracy            | ±0.1                                            |
| pH Resolution          | 0.01                                            |
| Ammonia Nitrogen Range | 0.1-3000mg/L NH4-N                              |
| Accuracy               | ±5% of the measured value or ±0.2mg/L           |
| Resolution             | 0.01 mg/L                                       |
| Protection Level       | IP68/NEMA6P;                                    |
| Repeatability          | ±5% or ±0.2mg/L                                 |
| Operating Parameters   |                                                 |
| Deepest Depth          | Up to 10 meters underwater                      |
| Temperature Range      | 0 ~ 50°C                                        |
| Probe Cable Length     | 5 meters (default), customizable                |
| Housing Material       | Polyoxymethylene (An Engineering Thermoplastic) |





# APPLICATIONS



## **Aquaculture Industry**

Monitor NH<sub>4</sub>N levels in fish tanks, ensuring optimal aquatic conditions.



## **Wastewater Treatment**

Detect NH<sub>4</sub>N concentrations in effluents, contributing to water quality management.



## **Environmental Monitoring**

Assess NH<sub>4</sub>N levels in natural water bodies, supporting ecological health evaluation.



## **Agricultural Water Management**

Monitor NH<sub>4</sub>N in irrigation runoff to prevent soil and water contamination.




## **Research Institutions**

Conduct NH<sub>4</sub>N studies to understand nutrient cycles and environmental impacts.



## **Industrial Processing**

Control NH<sub>4</sub>N levels in manufacturing wastewater to meet regulatory requirements.



### **Note -**

*This data sheet serves as general information about the VizSens-NH<sub>4</sub>N. For specific technical details, installation guidelines, and troubleshooting assistance, please refer to the official user manual provided with the product.*

*For inquiries and detailed technical information, please contact [sales@advanceanalytik.com](mailto:sales@advanceanalytik.com).*



# LET'S CONNECT !

Let's work together to find a solution that works for you



## Contact Us :

+36 70328 6862

1132, Budapest Váci ut 16 Faz 12. ajto

<https://advanceanalytik.com>

[sales@advanceanalytik.com](mailto:sales@advanceanalytik.com)

