



PRODUCT
DATASHEET '25-26'

ADVANCE ANALYTIK

REVOLUTIONIZING ONLINE MONITORING SOLUTIONS



VizSens-RCL (D)

Digital Residual Chlorine Online sensor

www.advanceanalytik.com

sales@advanceanalytik.com

VizSens-RCL (D)

Overview

The VizSens RCL (D) digital residual chlorine/chlorine dioxide sensor employs advanced constant voltage technology to accurately measure residual chlorine and chlorine dioxide levels in water. By maintaining a stable potential between the polarized and reference electrodes, the sensor detects variations in current intensity generated by different measured components. The system then analyzes these current signals to determine the precise concentration of the target substance.



Product Features


- Easy to clean and replace.
- The electrode operates without requiring membrane or reagent replacement, ensuring simple maintenance and long-term stability, reliability, and accuracy.
- Designed with power supply and output isolation for enhanced electrical safety.
- Built-in protection circuit for the power supply and communication chip, offering strong anti-interference capability.
- Advanced protection circuitry enables reliable performance without additional isolation equipment.
- RS-485 transmission interface with MODBUS-RTU communication protocol enables two-way communication and remote command reception.



VizSens-RCL (D)

Technical Specifications

PARAMETER	SPECIFICATION
Principle	Constant voltage method
Measurement Range	0-2 mg/L, 0-20 mg/L (optional)
Calibration	Two-point calibration
Temperature Compensation	Manual or automatic temperature compensation
Temperature Coefficient	2%/°C
Power Supply	12V DC
Communication Protocol	MODBUS RS485
Flow Rate	30 - 60 L/h
Operating Temperature	0-50°C (Non-freezing)
Electrode Dimensions	Dia. 13.5mm x L 178.5mm
Mounting Dimensions	PG13.5
Electrode Materials	316L Stainless Steel Shell
Cable Length	Standard 5M cable



APPLICATIONS



Water Treatment Plants
For monitoring water quality in treatment processes and ensuring compliance with regulatory standards.



Swimming Pools and Spas
Ensures proper chlorination levels for safe and hygienic water quality in recreational facilities.



Food and Beverage Industry
Monitors chlorine and chlorine dioxide levels in water used for food and beverage production, ensuring compliance with safety and quality standards.



Industrial Processes
Controls and maintains residual chlorine and chlorine dioxide concentrations in industrial processes, preventing microbial growth and maintaining product integrity.



Quality Assurance
Ensures consistent product quality by monitoring turbidity in various industrial processes requiring precise control.



Research and Development
Supports studies related to water quality and contamination by providing reliable data on residual chlorine and chlorine dioxide levels in natural water bodies.



Note -

This data sheet serves as general information about the VizSens-RCL (D). For specific technical details, installation guidelines, and troubleshooting assistance, please refer to the official user manual provided with the product.

For inquiries and detailed technical information, please contact sales@advanceanalytik.com.



LET'S CONNECT !

Let's work together to find a solution that works for you



Contact Us :

+36 70328 6862

1132, Budapest Váci ut 16 Faz 12. ajto

<https://advanceanalytik.com>

sales@advanceanalytik.com

