




VizSens-OIW

Oil in Water Sensor




www.advanceanalytik.com

**ADVANCE
ANALYTIK**

VizSens-OIW

Oil in Water Sensor

The VizSens-OIW is an advanced oil in water sensor utilizing ultraviolet fluorescence technology. It excels in precision and versatility, with a wide detection range from 0 to 50ppm and an impressive 3% precision. Designed for efficient monitoring of oil levels in water, even in the presence of suspended solids, this sensor integrates seamlessly with compatible controllers like AAD-IC- 100-4 and AAD- IMC-100-12. Its rugged construction, IP68 protection, and optional self-cleaning brush ensure dependable performance across various industrial applications.



Product Features

- Digital Sensor: Delivers accurate and precise oil detection measurements.
- RS-485 Output: Supports data transmission using the MODBUS protocol.
- Automatic Cleaning Brush: Eliminates the impact of oil on measurements.
- Optical and Electronic Filtering Techniques: Eliminate ambient light effects on readings.
- Unaffected by Suspended Solids: Reliable performance even in challenging environments.




VizSens-OIW

Technical Specifications

Basic Specifications	
Precision	3%
Product	Oil in water sensor / Self-cleaning oil in water sensor
Principle	Ultraviolet fluorescence method
Range	0-50ppm
Protection Level	IP68
Sensor Interface	Supports RS-485, MODBUS protocol
Assembly	Input type
Power Information	DC 5~12V, current <50mA (when not cleaned)
Size	Φ45*175.8 mm
Probe Cable Length	5 meters (default), customizable
Basic Specifications	
Resolution	3%
Detection Limit	0.1ppm
Housing Material	SS316 / titanium a
Self-Cleaning Brush	No / Available
Optical Window	Tailored to the actual oil sample
Compatible Controllers	Model AADOIW-800 / AADOIWSC-800
Air Pressure Compensation	Optical fiber



APPLICATIONS



Industrial Manufacturing

Monitor oil levels in cooling systems and lubrication circuits for efficient machinery operation.



Wastewater Treatment

Detect oil contamination in water discharges, ensuring compliance with environmental regulations.



Oil Refineries

Maintain water purity by tracking oil presence in cooling and water treatment systems.



Marine Applications

Monitor bilge water for oil leakage prevention in marine vessels.




Power Plants

Control oil leaks and contamination in water circulating systems for enhanced efficiency.



Chemical Processing

Ensure process water purity by monitoring oil content in chemical manufacturing.



Note -

This data sheet serves as general information about the VizSens-OIW. For specific technical details, installation guidelines, and troubleshooting assistance, please refer to the official user manual provided with the product.

For inquiries and detailed technical information, please contact info@advanceanalytik.com.

ADVANCE ANALYTIK



Advance Analytik KFT
1132, Budapest Váci ut 16
Faz 12. ajtó
+36 70 328 6862
sales@advanceanalytik.com



www.advanceanalytik.com