

# Ch36

<input checked="" type="checkbox"/> Publish	<input checked="" type="checkbox"/>
≡ Client	Inspur
≡ Doc	ux1315
⊕ Visibility	public
≡ Title	TH-Ux13 / TH-Ux15 — High-Agility Multi-Purpose UAV Platform
≡ Description	For industrial inspection, public safety, emergency response, perimeter protection and FPV-style close-quarter operations

**FPV drone**  
**TH-Ux10/Ux13AI**

Fully Autonomous Identification, Locking, and Attack  
Small, High Mobility, Low Cost

Application Scenarios: Environmental Monitoring, Target Tracking, Drone Training

**TH-Ux13 / TH-Ux15 — High-Agility Multi-Purpose UAV Platform**

## One-Pager (English Version)

*Professional sales copy for power utilities, public security, industrial inspection & complex FPV missions*

---

## TH-Ux13 / Ux15 — Enhanced Multi-Role UAV Platform

**High Mobility · Anti-Interference · FPV + EO/IR Payload Options · Close-Range Precision Ops**

The TH-Ux13 / TH-Ux15 platform delivers **extreme agility, strong penetration in high-interference environments, and multiple payload configurations.**

It is designed for **industrial inspection, public safety, emergency response, perimeter protection, and FPV-style close-quarter operations.**

---

## CORE HIGHLIGHTS (Platform-Level Capabilities)

- **High-performance propulsion:** stronger thrust & stability than Ux10
  - **Excellent anti-interference capability,** optional AI jamming-resilient module
  - **Supports multiple payloads:**
    - EO/IR gimbal
    - FPV camera module
    - Tactical wide-angle camera
    - Situational-awareness sensor kits
  - **Fast maneuvering** for tight-space operations
  - **Harsh-environment survivability:** wind, dust, electromagnetic interference
  - **Quick deployment (< 30 seconds)**
  - **Ideal for fleet deployment** with low maintenance cost
- 

## DIFFERENCE BETWEEN Ux13 AND Ux15

Feature	TH-Ux13	TH-Ux15
<b>Propulsion Power</b>	High-power	Ultra-high-power (max agility)
<b>Endurance</b>	Medium (20–28 min)	Slightly lower (18–25 min) due to stronger thrust
<b>Payload Compatibility</b>	EO/IR, FPV	EO/IR, FPV, additional tactical sensors
<b>Typical Missions</b>	Inspection, security, FPV entry	High-stress FPV maneuvers, tunnel ops, rapid tactical response

简单理解：

**Ux13 = 高性能工业版本**

**Ux15 = 更强推力 + 极限 FPV 机构动作 + 特种任务能力**

## KEY APPLICATION SCENARIOS

### 1. Industrial Inspection (Close-range / Complex Structures)

- Thermal anomaly detection
- Structure inspection for factories, chemical plants, ports
- Internal/external inspection of confined areas

**Value:** Operates where larger UAVs cannot reach; perfect for chemical plants, refineries, mining facilities.

### 2. Power Grid & Substation Close-Proximity Operations

- Inspection inside metal-dense or GNSS-degraded environments
- Identify insulator defects, conductor issues, corrosion
- Penetrate complex high-EMI zones

**Value:** Solves the problem of “无法靠近” for large drones.

### 3. Public Security / Law Enforcement / Urban Patrol

- Crowd monitoring
- Target following
- Night-time thermal surveillance

**Value:** Fast response + strong resistance to signal interference.

---

### 4. Emergency Response / Disaster Recon

- Indoor entry (collapsed sites)
- Rapid FPV access to dangerous zones
- Thermal search for missing persons

**Value:** Reach places human rescuers cannot enter safely.

---

### 5. FPV Tactical / Confined-Space Operations

- High-speed maneuvering
- Entry through windows, corridors, tunnels
- Ideal for industrial & government tactical teams

**Value:** Superior agility + reinforced frame + powerful propulsion.

---

## SPECIFICATIONS (Typical Configuration)

Item	TH-Ux13	TH-Ux15
<b>Weight Class</b>	~1.5–2.0 kg	~1.8–2.3 kg
<b>Endurance</b>	20–28 min	18–25 min
<b>Max Speed</b>	~22–27 m/s	~25–30 m/s
<b>Payload Options</b>	EO/IR, FPV, wide-angle	EO/IR, FPV, tactical add-ons
<b>Control Range</b>	10–15 km	10–15 km
<b>Anti-Interference</b>	Strong	Enhanced (AI module recommended)
<b>Wind Resistance</b>	Level 5–6	Level 6+

Item	TH-Ux13	TH-Ux15
Deployment Time	< 30 seconds	< 30 seconds

## PACKAGE CONFIGURATION (Example)

### TH-Ux13 / Ux15 Multi-Mission Kit

- TH-Ux13 or TH-Ux15 UAV × 1
- EO/IR micro gimbal or FPV tactical camera × 1
- Professional digital video link × 1
- 2–4 batteries (mission-dependent)
- Rugged portable controller × 1
- Optional upgrades:
  - AI anti-jamming module
  - Command center SDK integration
  - FPV tactical training package
  - Night ops enhancement kit

## TH-Ux13 / TH-Ux15 多用途高机动无人机—— 页纸 (中文正式版)

### TH-Ux13 / TH-Ux15 — 高性能多用途无人机平台

强推力 · 高机动 · 多载荷适配 · 抗干扰能力卓越

TH-Ux13 / TH-Ux15 是一款为 工业巡检、警用安防、应急救援、周界巡逻、FPV 精细操作 设计的高性能无人机平台。

具备 双光吊舱、FPV 套件、AI 抗干扰组件 等多项扩展能力。

## 核心亮点（平台级能力）

- **更强推力系统**：比 Ux10 更高的机动性与抗风性能
- **AI 抗干扰模块（可选）**：适应电力站、城市核心区、金属密集环境
- **多载荷扩展能力**：
  - EO/IR 双光吊舱
  - FPV 套件
  - 战术广角相机
  - 环境感知传感器
- **极强机动性**：适合内部空间、隧道、走廊等复杂环境
- **轻量化、高可靠、快速部署 (<30 秒)**
- **可形成无人机队列系统，方便大规模部署**

## Ux13 与 Ux15 的区别

特性	TH-Ux13	TH-Ux15
推力	高推力	超高推力（极限机动）
续航	更长（20–28 分钟）	略短（18–25 分钟）
载荷支持	吊舱 / FPV	吊舱 / FPV / 战术拓展
任务定位	工业巡检、警用安防、FPV	特种作业、极限 FPV、隧道作业

总结：

**Ux13 = 工业巡检高性能版**

**Ux15 = 推力最大、机动性最强的 FPV / 特种任务版**

## 典型应用场景

### 1. 工业设施近距巡检

- 化工厂、冶炼厂、仓储、港口

- 热成像检查、泄漏识别、结构损伤检测

\*\*价值：\*\*可进入狭窄空间，替代人工进入危险区域。

---

## 2. 输电线路 / 变电站近距离巡检

- 在金属密集、干扰强环境保持稳定
- 靠近绝缘子、金具等关键部位

\*\*价值：\*\*是大型无人机难以完成的特种巡检任务。

---

## 3. 公安 / 城市安防 / 夜间巡逻

- 热成像侦察
- 人车跟踪
- 大型活动安保

\*\*价值：\*\*快速反应 + 抗干扰，更适合复杂城市作业。

---

## 4. 应急救援 / 灾害现场

- 进入倒塌建筑、密闭环境
- 搜索失踪人员
- 快速态势感知

\*\*价值：\*\*人无法进入的地方由无人机先行。

---

## 5. FPV 精细作业 / 隧道 / 走廊作业

- 极限机动穿越
- 高速 FPV
- 隧道内部检查

\*\*价值：\*\*UX15 特别适用于此类高难度环境。

---

## 关键参数

项目	TH-Ux13	TH-Ux15
重量级别	1.5–2.0 kg	1.8–2.3 kg
续航	20–28 分钟	18–25 分钟
最大速度	22–27 m/s	25–30 m/s
载荷选择	双光吊舱 / FPV	双光 / FPV / 战术扩展
控制距离	10–15 km	10–15 km
抗干扰能力	强	更强
抗风	5–6 级	≥6 级
部署时间	< 30 秒	< 30 秒

## 典型套装（示例）

### TH-Ux13 / Ux15 多用途作业套装

- Ux13 / Ux15 无人机 ×1
- 双光吊舱或 FPV 战术镜头 ×1
- 工业内置图传系统 ×1
- 电池 2–4 块
- 地面站 / 遥控器 ×1
- 可选：
  - AI 抗干扰模块
  - 指挥中心 SDK
  - FPV 战术训练课程
  - 工业巡检软件工具包