

	FORMAT TUGAS LAPORAN PRAKTIKUM		
A. Mata Praktikum	Workshop Sistem Infornasi Web Framework		**Foto 3x4**
B. Dosen Pengampu	Khen Dedes,S Tr.Kom.,M.T.		
C. Pokok Bahasan	Membuat REST API di Laravel		
D. Nama Lengkap	Eny hawu haba		
E. NIM	E44253390	**NILAI**	
F. Golongan / Kelas	B		
G. Minggu / Pertemuan	7/3		

H. Kode Program



*) Jangan mengubah format, hanya boleh mengisi pada bagian putih


Open Editors
prod...
product-app
resources.yaml
app
Http
Controllers
Api
AuthController....
BookController...
AuthController.p...
CartController.p...
checjoutcantroll...
checkoutcontroll...
Controller.php
ProductControll...
StrukController....
StrulController.p...
Middleware
admin.php
AdminMiddlewa...
Models
authController.php
Book.php
product.php
User.php
Providers
AppServiceProvid...
bootstrap
cache
app.php
providers.php
config
app.php
app > Models > User.php > User
<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Foundation\Auth\User as Authenticatable;
use Illuminate\Notifications\Notifiable;
use Laravel\Sanctum\HasApiTokens;
class User extends Authenticatable
{
use HasApiTokens, HasFactory, Notifiable;
protected $fillable = [
'name',
'email',
'password',
];
protected $hidden = [
'password',
'remember_token',
];
}
Problems
Debug Console
Terminal
Ports
Terminal
d you like to run all pending database migrations? (
yes/no) [yes]:
> yes
INFO Nothing to migrate.
INFO API scaffolding installed. Please add the [
Laravel\Sanctum\HasApiTokens] trait to your User mod
el.
php
powershel


Open Editors
product-app
.postman
resources.yaml
app
Http
Controllers
Api
AuthController....
BookController...
AuthController.p...
CartController.p...
checjoutcantroll...
checkoutcontroll...
Controller.php
ProductControll...
StrukController....
StrulController.p...
Middleware
admin.php
AdminMiddlewa...
Models
authController.php
Book.php
product.php
User.php
Providers
AppServiceProvid...
bootstrap
cache
app.php
providers.php
config
app.php
Outline
app > Http > Controllers > Api > AuthController.php > AuthController
use App\Models\User;
class AuthController extends Controller
{
public function login(Request $request)
{
$request->validate([
'email' => 'required|email',
'password' => 'required',
]);
$user = User::where(
'email',
$request->email
)->first();
if (!$user || !Hash::check(
$request->password,
$user->password
)) {
return response()->json([
'message' => 'Invalid credentials'
], 401);
}
$token = $user->createToken('auth_token')->plain
return response()->json([
'access_token' => $token,
'token_type' => 'Bearer',
]);
}
public function logout(Request $request)
{
$request->user()
->currentAccessToken()
->delete();
return response()->json([
Activate Windows

```php
<?php

use Illuminate\Foundation\Application;
use Illuminate\Foundation\Configuration\Exceptions;
use Illuminate\Foundation\Configuration\Middleware;

return Application::configure(basePath: dirname(__DIR__))
    ->withRouting(
        web: __DIR__.'/../routes/web.php',
        api: __DIR__.'/../routes/api.php',
        commands: __DIR__.'/../routes/console.php',
        health: '/up',
    )
    ->withMiddleware(function (Middleware $middleware) {
        // TAMBAHKAN KODE SANCTUM DI SINI
        $middleware->appendToGroup('api', [
            \Laravel\Sanctum\Http\Middleware\EnsureFront
            'throttle:api',
            \Illuminate\Routing\Middleware\SubstituteBin
        ]);
    })
    ->withExceptions(function (Exceptions $exceptions) {
        //
    })->create();
```

```php
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Route;
use App\Http\Controllers\AuthController;

// 1. Route untuk Login (Bisa diakses publik tanpa token)
Route::post('/login', [AuthController::class, 'login']);

// 2. Route yang dilindungi oleh Sanctum (Harus pakai to
Route::middleware('auth:sanctum')->group(function () {

    // Mengambil data profil user yang sedang login
    Route::get('/user', function (Request $request) {
        return $request->user();
    });

    // Melakukan logout dan menghapus token API
    Route::post('/logout', [AuthController::class, 'logo

});
```

Problems Debug Console **Terminal** Ports

Terminal

```
sword' => bcrypt('rahasia123')]);

= App\Models\User {#8004
    name: "Admin Tugas",
    email: "tugas@test.com",
    #password: "\$2y\$12\$FLAI89a/nZllVvy2P1LTOOfBRt
luwm9BGIFLzYidfxg1yCWa74z2W",
    updated_at: "2026-10-23 01:37:47",
    created_at: "2026-10-23 01:37:47",
    id: 2,
  }

>
```

php
powershe
powershe
php

```php
<?php


use Illuminate\Foundation\Application;
use Illuminate\Foundation\Configuration\Exceptions;
use Illuminate\Foundation\Configuration\Middleware;


return Application::configure(basePath: dirname(__DIR__))
    ->withRouting(
        web: __DIR__.'/../routes/web.php',
        api: __DIR__.'/../routes/api.php',
        commands: __DIR__.'/../routes/console.php',
        health: '/up',
    )
    ->withMiddleware(function (Middleware $middleware) {
        // TAMBAHKAN KODE SANCTUM DI SINI
        $middleware->appendToGroup('api', [
            \Laravel\Sanctum\Http\Middleware\EnsureFrontendRequ
            'throttle:api',
            \Illuminate\Routing\Middleware\SubstituteBindings::
        ]);
    })
    ->withExceptions(function (Exceptions $exceptions) {
        //
    })->create();
```

GitHub Repository / URL Project	

I. Tangkapan Layar

Masukkan screenshot hasil praktikum





J. Penjelasan

Jelaskan secara singkat langkah-langkah dari tugas praktikum yang dikerjakan

Pada praktikum ini, dilakukan implementasi autentikasi API menggunakan Laravel Sanctum. Sanctum digunakan untuk mengamankan API dengan sistem token sehingga pengguna harus melakukan login terlebih dahulu untuk mendapatkan akses.

Tahapan yang dilakukan yaitu menginstal Sanctum, mengatur middleware, membuat controller autentikasi, serta mengatur route API untuk login, melihat data pengguna, dan logout.

Pengujian dilakukan menggunakan Postman. Pada proses login, sistem berhasil menghasilkan access token. Token tersebut digunakan untuk mengakses endpoint /api/user. Setelah itu, proses logout dilakukan untuk menghapus token yang digunakan sehingga pengguna tidak dapat mengakses API menggunakan token tersebut lagi.

K. Kesimpulan

Beri kesimpulan dari laporan praktikum yang dikerjakan

Berdasarkan praktikum yang telah dilakukan, Laravel Sanctum berhasil diterapkan untuk autentikasi API. Pengujian menggunakan Postman menunjukkan bahwa proses login, mendapatkan data pengguna, dan logout dapat berjalan dengan baik.
Dengan menggunakan Sanctum, API dapat memberikan akses kepada pengguna yang telah terautentikasi sehingga keamanan aplikasi menjadi lebih terjaga.