

Regular perturbations of ODEs and eigenvalue problems

Please hand in questions 1 and 3 on Thursday 13 November 2025 at 12pm

1. Obtain a two-term expansion when $\epsilon \ll 1$ for the solution of

$$\frac{df}{dt} - f = \epsilon f^2 e^{-t}, \quad f(0) = 1.$$

2. Obtain a two-term expansion when $\epsilon \ll 1$ for the solution of

$$\frac{d^2f}{dt^2} + f = \epsilon \frac{df}{dt}, \quad f(0) = 1, \quad \frac{df}{dt}(0) = \frac{\epsilon}{2}.$$

Compare this expansion with that obtained by expanding the exact solution.

3. (a) The distance x of a projectile from the Earth at time t is governed by the following equation and initial conditions

$$\ddot{x} = \frac{-1}{(1 + \epsilon x)^2}, \quad x(0) = 0, \quad \dot{x}(0) = 1.$$

Here $\epsilon = V^2/(gR)$ where V is the initial speed upward, g is the gravitational acceleration and R is the Earth's radius (distance has been non-dimensionalised by V^2/g and time by V/g). Find the time taken for the projectile to reach its maximum height correct to order ϵ . (Optional: to order ϵ^2 .) (Remark: two expansions in ϵ have to be carried out, first for $x(t, \epsilon)$ and then for the time to reach the maximum height $t_m(\epsilon)$.)

- (b) If, instead of incorporating variations in g , we include air resistance effects, the problem to be solved is

$$\ddot{x} + \beta \dot{x} = -1, \quad x(0) = 0, \quad \dot{x}(0) = 1$$

where $0 < \beta \ll 1$ is the ratio of air resistance at speed V to gravitational force. What now is the time for the projectile to reach its maximum height? (just find the leading correction.)

4. Consider the eigenvalue problem

$$y'' + \lambda(1 + \epsilon x)y = 0, \quad x \in [0, \pi], \quad y(0) = y(\pi) = 0$$

where $0 < \epsilon \ll 1$. Determine the first order correction to the unperturbed eigenvalues given by $\epsilon = 0$.

¹©University of Bristol 2025

This material is copyright of the University of Bristol unless explicitly stated. It is provided exclusively for educational purposes at the University of Bristol and is to be downloaded or copied for your private study only.

5. Estimate the eigenvalues and eigenvectors of the matrix

$$\begin{bmatrix} 1 & 1 - \epsilon \\ \epsilon - 1 & 1 \end{bmatrix}$$

for $\epsilon \ll 1$. Compare your results with the exact solution.