

NEW & EXPERIENCED ELECTION OFFICER TRAINING

**For the June 2021
Primary Election**

CLASS NOTES

- ★ **Review these slides and notes at your own pace.**
- ★ **At the end, you must complete a quiz to receive credit for the class.**

- ★ **Class topics:**
 1. Basic Information
 2. Acceptable IDs
 3. Opening Procedures
 4. During the Day:
 - Poll Pads
 - ExpressVote
 - DS200 Scanners
 5. Closing Procedures
 6. Conclusion/Quiz

NEW AND NOTABLE FOR JUNE 2021

- **New Poll Pad software**
- **Absentee ballot drop-off boxes are permanent**
- **Minor updates to acceptable IDs**
- **Continue to observe safety procedures for COVID-19**

Contingency Response Plan for COVID-19

- ★ **We are implementing measures similar to what we did in 2020, which were well-received by more than 95% of all officers according to post-election surveys.**
- ★ **You will receive more information about the final Contingency Response Plan for COVID-19 closer to election day.**

Contingency Response Plan for COVID-19

1. Provide each polling place with face masks, face shields, gloves, disinfecting wipes, and hand sanitizer for election officers. (You may bring and wear your own face mask.)
2. Provide each polling place with clear acrylic “sneeze guards” to place at each check-in table and other areas.
3. Require all election officers to wear a face mask or face shield at all times in the voting area.
4. Limit the number of voters in the voting room.
5. Require voters to maintain a 6-foot distance from each other and from election officers.
6. Provide all training online.
7. If any election officer is ill before election day, we will replace them immediately.
8. If any election officer appears ill on election day, we will send them home immediately.

BASIC INFORMATION

GUIDING PRINCIPLES

INTEGRITY

We will uphold the highest standards in the conduct of the election.

NEUTRALITY

We will treat all voters in a fair and unbiased manner.

ACCURACY

We will strive for perfection in every part of the election process.

TRANSPARENCY

Nothing we do is secret except the voter's ballot.

BASIC INFORMATION

WORKING HOURS:

5:00 AM until
dismissed by the Chief.

WHAT TO BRING:

*Food, medicine,
something to read.*

COMPENSATION:

\$175 for a full
day of service.

WHAT TO WEAR:

*Business casual.
Wear layers.*

DURING THE DAY:

*No political comments.
You cannot leave the precinct.*

TIMELINE

PRE-ELECTION

- Complete training
- Vote absentee!
- Call from Chief
- Initial setup day before election

DURING THE DAY

- Arrive by 5:00 AM
- Assist with setup
- Help voters
- Refer issues to Chief
- Assist with closing
- **Sign required forms!**

POST-ELECTION

- If you forget to sign a required form, you **MUST** come to the office within 2 days
- Post-election survey
- Look for payment **4-6 weeks** after election day

CHIEF & ASSISTANT CHIEF

WORK TOGETHER AS A TEAM TO
MANAGE THE PRECINCT



ELECTION OFFICERS

HELP VOTERS WITH CHECK-IN AND
DIRECT VOTERS TO MARK & CAST BALLOTS

HIGH SCHOOL PAGES

ONLY SERVE IN NOVEMBER ELECTIONS
MAY NOT OPERATE VOTING EQUIPMENT



SPECIAL POSITIONS FOR THIS ELECTION



PPE SPECIALIST

RECEIVES ADDITIONAL TRAINING,
RESPONSIBLE FOR PPE, MAINTAINS SOCIAL
DISTANCING, AND SANITIZES SURFACES




SPECIAL POSITIONS FOR THIS ELECTION

ABSENTEE BALLOT COLLECTORS

IMMEDIATELY AFTER POLLS CLOSE,
DELIVER BALLOTS FROM DROP-OFF BOX
TO OFFICE OF ELECTIONS





POLL PAD

ELECTRONIC POLLBOOK USED FOR VOTER LOOKUP & CHECK-IN

EXPRESSVOTE

ADA-COMPLIANT BALLOT MARKING DEVICE



DS200 DIGITAL SCANNER

BALLOT VOTING DEVICE

ELECTION OFFICER ROLES

VOTER INFORMATION OFFICER

Greet voters, remind them to have ID ready

VOTING MACHINE OFFICER

Maintain line, monitor privacy, provide guidance

POLLBOOK OFFICERS

Check-in voters on Poll Pads

VOTING BOOTH OFFICER

Direct voters to open voting booths


BALLOT OFFICER

Issue ballot, instruct how to mark

DROP-OFF BOX OFFICER

Monitor absentee ballot drop-off box

VOTING ROOM LAYOUT



POLLING PLACE ETIQUETTE

ALWAYS

- ✓ Always be professional, welcoming, and kind.
- ✓ Always ask before offering assistance. Never assume!
- ✓ Always be mindful of your verbal & nonverbal communication.

NEVER

- ✗ Never tell a voter that they cannot vote.
- ✗ Never touch a voter without their permission.
- ✗ Never discuss political topics.

INSIDE THE POLLING PLACE

POLL WATCHERS

- Authorized representatives of a party or of a candidate allowed in a polling place.
- Send to the Chief!

NEWS MEDIA & INTERVIEWS

- Permitted, with restrictions.
- Send to the Chief!

ELECTRONIC DEVICES

- Voters are allowed to use personal electronic devices, such as cell phones.
- However, must not impede privacy of other voters.
- Selfies are allowed! 
(But MUST ask for permission to take photos that include other voters.)

OUTSIDE THE POLLING PLACE



ACCEPTABLE IDs

YOU DON'T NEED TO MEMORIZE EVERYTHING!

On election day, you will have a one-page list of all acceptable IDs that you can check any time.



* VIRGINIA *
DEPARTMENT *of* ELECTIONS

Voter Identification

All voters casting a ballot in-person will be asked to show one form of identification. Any voter who does not present acceptable identification may instead sign a statement, subject to felony penalties, that he is the named registered voter who he claims to be. Any voter who does not present acceptable identification and does not sign this statement must vote a provisional ballot.

Identification	Is Accepted?
Valid* Photo ID	Yes, if issued by an employer; the U.S. or Virginia government; a high school located in Virginia; or a college or university located in the U.S.
Government-issued ID card from a federal, VA, or local political subdivision	Yes
Valid DMV-issued ID card	Yes
Valid Tribal enrollment or other tribal ID	Yes, if issued by one of the 11 tribes recognized by VA**
Valid U.S. passport or passport card	Yes
Valid employee ID card containing a photograph issued by voter's employer in ordinary course of business (public or private employer)	Yes
U.S. Military ID	Yes
Nursing home resident ID	Yes, if issued by government facility
Voter ID card issued by the Department of Elections	Yes
Valid student ID issued by a public or private school of higher education located in the U.S.	Yes
Valid student ID issued by a public high school in VA	Yes
Valid student ID issued by a private high school in VA	Yes
Valid Virginia driver's license	Yes
Voter confirmation documents	Yes
Current utility bill, bank statement, government check, or paycheck containing the name and address of the voter	Yes
Any other current government document containing the name and address of the voter	Yes
Signed ID Confirmation Statement	Yes


ACCEPTABLE IDs

- Virginia driver's license
- US Passport
- Virginia voter ID card
- Voter confirmation documents
- Other government IDs
- Employer ID (with photo)
- Virginia high school ID
- Virginia college/university ID
- United States college/university ID (**NEW:** with photo)
- A copy of a current utility bill, bank statement, government check, paycheck, or other government document containing the name and address of the voter

WHICH IDs ARE NOT ACCEPTED?

NOT ACCEPTED

- **NEW:** Driver privilege cards (for non-citizens)
- Out-of-state driver's license
- Foreign passport
- Credit card
- Costco card
- Membership card from private organization




VIRGINIA DRIVER'S LICENSE



UNITED STATES PASSPORT



WORK ID (with photo)



VIRGINIA IDENTIFICATION CARD

**All of these
IDs are
acceptable...**



VIRGINIA COLLEGE ID



VIRGINIA VOTER ID



UNITED STATES FEDERAL ID



VIRGINIA GOVERNMENT ID



RETURN SERVICE REQUESTED

John Doe
123 Main Street
Baltimore, MD 21224

Statement Ending 09/21/2020

Page 1 of 4

Managing Your Accounts

Primary Branch	Canton
Phone Number	443-673-4800
Online Banking	HowardBank.com
Telephone Banking	1-877-627-2705
Mailing Address	3311 Boston Street Baltimore, MD 21224

Summary of Accounts

Account Type	Account Number	Ending Balance
HOWARD RELATIONSHIP CHECKING	300XXXXX4101	\$5,684.22

HOWARD RELATIONSHIP CHECKING-XXXXXX4101

Primary Checking

Account Summary

Date	Description	Amount
09/01/2018	Beginning Balance	\$18,805.47
3-Credit(s) This Period		\$4,293.20
30 Debit(s) This Period		\$17,414.45
09/21/2018	Ending Balance	\$5,684.22

Account Activity

Trans Date	Description	Debits	Credits	Balance
09/01/2018	Beginning Balance			\$18,805.47
09/04/2018	Signature POS Debit 09/01 MD BALTIMORE GIANT FOOD INC 518 OF 07/1582	\$57.48		\$18,747.99
09/04/2018	WALMART CASHIER 1000XXXXX79	\$1,088.60		\$17,659.39
09/05/2018	HME WARRANTY #0024736045253349	\$42.99		\$17,616.40
09/05/2018	SAMS CLUB MC ONLINE PAY CXF420104256POS	\$4,671.42		\$12,945.98
09/05/2018	DISCOVER BANK ET TRANSFER	\$8,213.00		\$3,831.98
09/05/2018	BALTIMORE GAS & ELECTRIC FMT	\$160.75		\$3,671.23
09/05/2018	ATM WINGATE RD 09/01 MD BALTIMORE	\$170.00		\$3,501.23
09/05/2018	DRY CLOTHES II CO CONS CP BC5198	\$195.00		\$3,306.23
09/07/2018	DEP-POSIT			\$3,959.48
09/07/2018	TARGET ONLINE PMT	\$68.59		\$3,870.89
09/07/2018	ATM WINGATE RD 09/01 MD BALTIMORE '10/101	\$180.00		\$3,690.89
09/07/2018	Signature POS Debit 09/01 MD BALTIMORE GIANT FOOD I	\$70.11		\$3,620.78
09/07/2018	L A FITNESS	\$12.98		\$3,607.80
09/07/2018	AT&T MOBILITY ONLINE PMT	\$116.22		\$3,491.58
09/07/2018	AT&T MOBILITY ONLINE PMT	\$116.22		\$3,375.36
09/07/2018	DIRECT DEP	\$3,036.30		\$7,131.63
09/07/2018	Signature POS Debit 09/01 MD BALTIMORE GIANT	\$19.86		\$7,111.87
09/17/2018	ATM WINGATE RD 09/15 WW INWOOD MARTINSBURG INWOOD	\$400.00		\$6,711.87
09/17/2018	Signature POS Debit 09/16 MD BALTIMORE GIANT	\$14.06		\$6,697.81



BANK STATEMENT
(with name & address)

Fairfax Water

8570 EXECUTIVE PARK AVENUE
FAIRFAX, VA 22031
www.fairfaxwater.org

Bill Date 11/01/2020
Payment Due Date 12/01/2020

1 11

LAWRENCE DANFORTH
1200 HOLDEN ST
FAIRFAX, VA 22030

QUARTERLY BILL 0000300987654

Amount Due	\$235.49
Amount Due if Received After 12/01/2020	\$244.66
Amount Enclosed	\$

Make payable to Fairfax Water

Account Number 0000300987654
Service Address 1200 HOLDEN ST

FAIRFAX WATER
PO BOX 71076
CHARLOTTE NC 28272-1076

040423130523130000007100000000710000003050414510

UTILITY BILL
(with name & address)

**And all of
these
are
acceptable
too!**



Your payment would be about

\$3,000 a month

at full retirement age

RAVE UDISHI
456 ANYWHERE AVENUE
FAIRFAX, VA 22080-1234

November 1, 2020

Your Social Security Statement

Your Social Security Statement tells you about how much you or your family would receive in disability, survivor, or retirement benefits. It also includes our record of your lifetime earnings. Check out your earnings history, and let us know right away if you find an error. This is important because we base your benefits on our record of your lifetime earnings.

Social Security benefits are not intended to be your only source of income when you retire. On average, Social Security will replace about 40 percent of your annual pre-retirement earnings. You will need other savings, investments, pensions, or retirement accounts to make sure you have enough money to live comfortably when you retire.

To view your Statement online anytime, create a [my Social Security account](#) at ssaccount.ssa.gov/mysocialsecurity.

Carolyn W. Colvin
Acting Commissioner



Follow the Social Security Administration at these social media sites.




GOVERNMENT DOCUMENT
(with name & address)



GOVERNMENT CHECK
(with name & address)

DIGITAL COPIES OF SOME IDs ARE ACCEPTABLE

- For some IDs, a voter can show you an electronic version, such as on a cell phone.
- An electronic form of the following documents is acceptable for voting purposes: **a current utility bill, bank statement, government check, paycheck, or other government document** containing the name and address of the voter.




BANK STATEMENT
(with name & address)



GOVERNMENT DOCUMENT
(with name & address)

ABOUT PHOTOS...



- **Previously, all IDs required a photo.**
- **Now, only some IDs still require a photo:**
 - **Employer ID**
 - **NEW: College/University ID from outside Virginia**
- **NEVER** ask a voter to remove their face mask or religious face covering to verify their identity.



ABOUT ADDRESSES...

You should
DISREGARD the
address on a
voter's ID.

Instead, always use
the address the
voter provides
orally or in writing
during check-in.



ABOUT EXPIRATION DATES...

- **For most IDs:**
 - *If there is no expiration date listed, it can be accepted.*
 - *If there is an expiration date listed, it must not be expired more than 12 months.*
- **Driver's licenses may be accepted regardless of their expiration date.**
 - § 24.2-643: "*The expiration date on a Virginia driver's license shall not be considered when determining the validity of the driver's license offered for purposes of this section.*"
- **A utility bill, bank statement, government check, paycheck, or other government document must not be more than 12 months old.**

WHAT IF VOTER HAS NO ACCEPTABLE ID?

CALL THE CHIEF!

The Chief will offer 3 options:

- **OPTION 1:** Voter can sign an **ID Confirmation Statement** and vote normally.
- **OPTION 2:** Voter can cast a **Provisional Ballot**.
- **OPTION 3:** Voter can return with a valid ID.

ID CONFIRMATION STATEMENT

Commonwealth of Virginia

Place in Envelope #8

ID Confirmation Statement - § 24.2-643 of the Code of Virginia

A Officer of Election:

Precinct No./Name: 100 PATRIOT Date: 12/1/21 O of E Initials: RKU

B Affirmation of Voter:

If you do not complete this statement or show acceptable ID, you will be required to vote a provisional ballot in this election.

Subject to penalty of law, I do hereby affirm that I am the identical person I represent myself to be.

Signature of voter: Vicky Voter Date: 12/1/21

Printed name of voter: Vicky Voter

Birth Year (optional) 1 9 9 9 Last 4 digits of Social Security # (optional) 1 2 3 4

WARNING: Making a materially false statement on this form constitutes the crime of election fraud, which is punishable under Virginia law as a felony. Violators may be sentenced to up to 10 years in prison and/or fined up to \$2,500. §24.2-1016

ADDITIONAL NOTES

**A voter's name on their ID
does NOT have to exactly match
how it appears on the Poll Pad.**


**If a voter offers an approved form of ID, you
may not ask for their driver's license instead.**

(It's against the law!)



**A 17-year-old may register and vote in a
primary election if they will be 18 years old by
the date of the November general election.**

**When in doubt,
send voter to the
Chief or Assistant Chief!**

WHICH OF THESE IDs IS ACCEPTABLE?



WHICH OF THESE IDs IS ACCEPTABLE?



TRICK QUESTION: Both!

**Remember, you should disregard
the expiration date on driver's licenses.**

OPENING PROCEDURES

BEFORE ELECTION DAY

★ **Vote absentee**

★ **Respond to calls or emails from Chief**

★ **Help setup voting room, including:**

✓ Arrange tables

✓ Post indoor signs

✓ Assemble privacy booths

✓ Setup acrylic sneeze guards

✓ Setup Absentee Ballot Drop-Off Box

ELECTION MORNING

- **At 5:00 AM, the Chief will swear-in all officers**
- **From 5:00 AM to 6:00 AM, the Chief will divide you into teams to complete the following tasks:**
 - Open and setup Poll Pads
 - Open and setup ExpressVote
 - Open and setup DS200 scanners
 - Open and count ballots
 - Post all signs and mark 40-Foot Prohibited Area

OATH AND COMPENSATION SHEET

RETURN IN #2 BLUE POUCH – COMPENSATION SHEET			
PRECINCT: 100 PATRIOT (SAMPLE)			
County of Fairfax – General and Special Elections – November 3, 2020			
#6 / Election Officer			
LAST NAME:	EMAIL 1:	Is your address the same as it was 6 months ago?	
FIRST NAME:	EMAIL 2:	<input type="checkbox"/> Yes	<input type="checkbox"/> No
RESIDENTIAL ADDRESS (if you have a separate mailing address, write both below):	PHONE – HOME:	Do you wish to be paid? (Some officers choose to volunteer and waive payment.)	
	PHONE – CELL:	<input type="checkbox"/> Yes	<input type="checkbox"/> No
	PHONE – WORK:		
NOTES (optional):	Which shift are you assigned to work today?	<input type="checkbox"/> Full day <input type="checkbox"/> Half-day (AM) <input type="checkbox"/> Half-day (PM)	
Signature: 			
#7 / Election Officer			
LAST NAME:	EMAIL 1:	Is your address the same as it was 6 months ago?	
FIRST NAME:	EMAIL 2:	<input type="checkbox"/> Yes	<input type="checkbox"/> No
RESIDENTIAL ADDRESS (if you have a separate mailing address, write both below):	PHONE – HOME:	Do you wish to be paid? (Some officers choose to volunteer and waive payment.)	
	PHONE – CELL:	<input type="checkbox"/> Yes	<input type="checkbox"/> No
	PHONE – WORK:		
NOTES (optional):	Which shift are you assigned to work today?	<input type="checkbox"/> Full day <input type="checkbox"/> Half-day (AM) <input type="checkbox"/> Half-day (PM)	
Signature: 			
#8 / Election Officer			
LAST NAME:	EMAIL 1:	Is your address the same as it was 6 months ago?	
FIRST NAME:	EMAIL 2:	<input type="checkbox"/> Yes	<input type="checkbox"/> No
RESIDENTIAL ADDRESS (if you have a separate mailing address, write both below):	PHONE – HOME:	Do you wish to be paid? (Some officers choose to volunteer and waive payment.)	
	PHONE – CELL:	<input type="checkbox"/> Yes	<input type="checkbox"/> No
	PHONE – WORK:		
NOTES (optional):	Which shift are you assigned to work today?	<input type="checkbox"/> Full day <input type="checkbox"/> Half-day (AM) <input type="checkbox"/> Half-day (PM)	
Signature: 			

POST SIGNS

- There are a number of signs that must be posted inside and outside of the polling place.
- Make sure to also mark the 40-foot Prohibited Area outside the polling place building.



ONE-PAGE EQUIPMENT GUIDES

- The Chief will have one-page guides for the Poll Pads, DS200 scanners, and ExpressVote.
- They will have all the information you need for setup.

openingprocedures

Mobile Hotspot Precincts

Verify the green seal securing the Poll Pad Case and its supplies from the Poll Pad Case. Plug the Power Cord into the Adapter, and verify the Poll Pad is connected to the Sync Drive. Press the Power button. After the device powers on, verify the signal shows at least 2 bars of service.

Steps for setting up the Mobile Hotspot

Remove the Mobile Hotspot and its supplies from the Poll Pad Case. Plug the Power Cord into the Adapter, and verify the Poll Pad is connected to the Sync Drive. Press the Power button. After the device powers on, verify the signal shows at least 2 bars of service.

Quick Tips & Actions

- The IMPORT password is used to update the voter file on the Poll Pad. It is used to unlock the device.
- Enter practices requires one Sync Drive. Use this device to update the voter file on EVERY Poll Pad.
- Once the voter file has been updated, verify the Last Imported field (at the top of the Poll Pad) displays the current date/time.
- Poll Pad recycling may go in/out during the day. To ensure this does not happen, setup the Poll Pad with 20% of free memory.

Troubleshooting

Poll Pad app does not launch

An Outdated Voter File message displays when a poll pad connects to a sync drive. Verify the voter file is imported into the Sync Drive and follow the steps for importing the voter file (steps 6-7).

Voter file failed to import

If the voter file fails to import precinct information (location, number of voters, etc.), reset the Poll Pad by holding the Power button for 10 seconds until the screen turns black and an Apple logo appears. After the device resets, re-import the voter file.

REPEAT ON EVERY POLL PAD

www.fairfaxcounty.gov/elections | elect@fairfaxcounty.gov | 703-324-4735

ExpressVote

**EXPRESSVOTE MARKING DEVICE
OPENING PROCEDURES**

Remove blue padded carrying case (ExpressVote and device peripherals are media-based from voting machine cart). Place case on an accessible table and provide a chair for voters.

Unlock and open the Poll Pad Case. If wireless verified, cut the seal and place it inside of the #7 Orange Pouch.

Remove ExpressVote, headphones and keypad from rear compartment of black padded carrying case. Remove power cord from side compartment of case; then return case to voting machine cart.

Plug power cord into power strip, then into AC outlet. Plug other end of power cord into power connection port on back of ExpressVote. Insert cord until you hear a click to ensure cord is secure.

Lift out and extend the metal prop bar on back of ExpressVote. Position device so that it rests in an upright position at a slight angle.

Open Access Door on left side of ExpressVote with black keypad. Verify keypad is plugged into the keypad port. Place headphones and keypad on table as they are accessible for voters.

Verify mode switch is set to Voter, then flip power switch to On. ExpressVote powers on and boots up (device takes approximately three minutes to fully power on).

After the system initializes, enter Election Security Code. Work as a team: one officer enters code as other officer watches screen to avoid inadvertent entries. Touch Accept.

Verify precinct number/name on screen is correct and unit is receiving power. Touch OK. Place keypad cord as it threads through circular opening at top of Access Door. Close and lock door.

Place a privacy booth around ExpressVote and position screen so it is facing away from public view. ExpressVote is now ready for use.

On the Poll Pad, press and hold the Power button then the Sync Drive button. Once the Poll Pad powers on and the Sync Drive, insert the Sync Drive into the Lightning Connector. Verify the battery indicator turns green and a Charge icon appears.

REPEAT ON EVERY POLL PAD

www.fairfaxcounty.gov/elections | elect@fairfaxcounty.gov | 703-324-4735

Opening Procedures

General Reminders

Setup the DS200 as a team. A team of two election officers should work together to setup the DS200 on election morning. This includes inspecting the exterior of the equipment as well as verifying the scanner type or number of registered voters. Each precinct requires one DS200, irrespective of the election type or number of registered voters. If the precinct requires additional scanners, perform steps 1-8 for each device.

Auxiliary Compartment

Verify the Auxiliary Compartment is empty. The Auxiliary Compartment is accessed from the top and bottom of the Ballot Box. Once the DS200 is set up, the Auxiliary Compartment is used for setting up the DS200, election officers should unlock and open the compartment and verify it is empty.

Quick Tips & Actions

- Blue Ballot Security Case is used to store scanned ballots. Make sure both lids are open once it is placed in the Ballot Box.
- Leave the Power Cord Compartment open while the DS200 is powered on. Doing so helps ventilate the scanner.
- One election officer performs all scanner setup as another watches.
- Two election officers should confirm the voter file and precinct numbers are zero before signing the Zero Totals Report.

Troubleshooting

Electronically cast ballot code was entered incorrectly. When a precinct enters an incorrect Electronic Casting Code 3 times, the DS200 automatically powers off. If this occurs, remove the red barcode seal, then open the Access Door and press the Power button. Once the scanner successfully restarts, contact the office the instructions on how to reset the code.

Verify (1) the election and precinct number/name are correct and (2) the DS200 is charging. Once the DS200 is charged, print the Zeros Totals Report, then sign the tape and attach it to the DS200.

Verify the Public Counter is zero and the Protective Counter matches the Machine Configuration Form.

DS200

OPEN THE AUXILIARY COMPARTMENT 1ST

OPEN THE BALLOT COMPARTMENT 2ND

OPEN THE BALLOT SECURITY CASE 3RD

OPEN THE POWER CORD COMPARTMENT 4TH

OPEN THE ACCESS DOOR 5TH

POWER ON THE DS200 6TH

ENTER THE ELECTION SECURITY CODE 7TH

PRINT THE ZEROS TOTALS REPORT 8TH

ATTACH THE TAPE TO THE DS200 9TH

DETACH THE DS200 FROM THE BALLOT BOX 10TH

DETACH THE DS200 FROM THE POWER CORD 11TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 12TH

DETACH THE DS200 FROM THE POWER CORD 13TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 14TH

DETACH THE DS200 FROM THE POWER CORD 15TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 16TH

DETACH THE DS200 FROM THE POWER CORD 17TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 18TH

DETACH THE DS200 FROM THE POWER CORD 19TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 20TH

DETACH THE DS200 FROM THE POWER CORD 21ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 22ND

DETACH THE DS200 FROM THE POWER CORD 23RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 24TH

DETACH THE DS200 FROM THE POWER CORD 25TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 26TH

DETACH THE DS200 FROM THE POWER CORD 27TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 28TH

DETACH THE DS200 FROM THE POWER CORD 29TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 30TH

DETACH THE DS200 FROM THE POWER CORD 31ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 32ND

DETACH THE DS200 FROM THE POWER CORD 33RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 34TH

DETACH THE DS200 FROM THE POWER CORD 35TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 36TH

DETACH THE DS200 FROM THE POWER CORD 37TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 38TH

DETACH THE DS200 FROM THE POWER CORD 39TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 40TH

DETACH THE DS200 FROM THE POWER CORD 41ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 42ND

DETACH THE DS200 FROM THE POWER CORD 43RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 44TH

DETACH THE DS200 FROM THE POWER CORD 45TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 46TH

DETACH THE DS200 FROM THE POWER CORD 47TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 48TH

DETACH THE DS200 FROM THE POWER CORD 49TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 50TH

DETACH THE DS200 FROM THE POWER CORD 51ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 52ND

DETACH THE DS200 FROM THE POWER CORD 53RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 54TH

DETACH THE DS200 FROM THE POWER CORD 55TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 56TH

DETACH THE DS200 FROM THE POWER CORD 57TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 58TH

DETACH THE DS200 FROM THE POWER CORD 59TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 60TH

DETACH THE DS200 FROM THE POWER CORD 61ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 62ND

DETACH THE DS200 FROM THE POWER CORD 63RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 64TH

DETACH THE DS200 FROM THE POWER CORD 65TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 66TH

DETACH THE DS200 FROM THE POWER CORD 67TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 68TH

DETACH THE DS200 FROM THE POWER CORD 69TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 70TH

DETACH THE DS200 FROM THE POWER CORD 71ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 72ND

DETACH THE DS200 FROM THE POWER CORD 73RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 74TH

DETACH THE DS200 FROM THE POWER CORD 75TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 76TH

DETACH THE DS200 FROM THE POWER CORD 77TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 78TH

DETACH THE DS200 FROM THE POWER CORD 79TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 80TH

DETACH THE DS200 FROM THE POWER CORD 81ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 82ND

DETACH THE DS200 FROM THE POWER CORD 83RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 84TH

DETACH THE DS200 FROM THE POWER CORD 85TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 86TH

DETACH THE DS200 FROM THE POWER CORD 87TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 88TH

DETACH THE DS200 FROM THE POWER CORD 89TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 90TH

DETACH THE DS200 FROM THE POWER CORD 91ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 92ND

DETACH THE DS200 FROM THE POWER CORD 93RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 94TH

DETACH THE DS200 FROM THE POWER CORD 95TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 96TH

DETACH THE DS200 FROM THE POWER CORD 97TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 98TH

DETACH THE DS200 FROM THE POWER CORD 99TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 100TH

DETACH THE DS200 FROM THE POWER CORD 101ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 102ND

DETACH THE DS200 FROM THE POWER CORD 103RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 104TH

DETACH THE DS200 FROM THE POWER CORD 105TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 106TH

DETACH THE DS200 FROM THE POWER CORD 107TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 108TH

DETACH THE DS200 FROM THE POWER CORD 109TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 110TH

DETACH THE DS200 FROM THE POWER CORD 111TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 112TH

DETACH THE DS200 FROM THE POWER CORD 113TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 114TH

DETACH THE DS200 FROM THE POWER CORD 115TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 116TH

DETACH THE DS200 FROM THE POWER CORD 117TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 118TH

DETACH THE DS200 FROM THE POWER CORD 119TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 120TH

DETACH THE DS200 FROM THE POWER CORD 121ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 122ND

DETACH THE DS200 FROM THE POWER CORD 123RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 124TH

DETACH THE DS200 FROM THE POWER CORD 125TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 126TH

DETACH THE DS200 FROM THE POWER CORD 127TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 128TH

DETACH THE DS200 FROM THE POWER CORD 129TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 130TH

DETACH THE DS200 FROM THE POWER CORD 131ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 132ND

DETACH THE DS200 FROM THE POWER CORD 133RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 134TH

DETACH THE DS200 FROM THE POWER CORD 135TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 136TH

DETACH THE DS200 FROM THE POWER CORD 137TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 138TH

DETACH THE DS200 FROM THE POWER CORD 139TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 140TH

DETACH THE DS200 FROM THE POWER CORD 141ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 142ND

DETACH THE DS200 FROM THE POWER CORD 143RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 144TH

DETACH THE DS200 FROM THE POWER CORD 145TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 146TH

DETACH THE DS200 FROM THE POWER CORD 147TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 148TH

DETACH THE DS200 FROM THE POWER CORD 149TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 150TH

DETACH THE DS200 FROM THE POWER CORD 151ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 152ND

DETACH THE DS200 FROM THE POWER CORD 153RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 154TH

DETACH THE DS200 FROM THE POWER CORD 155TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 156TH

DETACH THE DS200 FROM THE POWER CORD 157TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 158TH

DETACH THE DS200 FROM THE POWER CORD 159TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 160TH

DETACH THE DS200 FROM THE POWER CORD 161ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 162ND

DETACH THE DS200 FROM THE POWER CORD 163RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 164TH

DETACH THE DS200 FROM THE POWER CORD 165TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 166TH

DETACH THE DS200 FROM THE POWER CORD 167TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 168TH

DETACH THE DS200 FROM THE POWER CORD 169TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 170TH

DETACH THE DS200 FROM THE POWER CORD 171ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 172ND

DETACH THE DS200 FROM THE POWER CORD 173RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 174TH

DETACH THE DS200 FROM THE POWER CORD 175TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 176TH

DETACH THE DS200 FROM THE POWER CORD 177TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 178TH

DETACH THE DS200 FROM THE POWER CORD 179TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 180TH

DETACH THE DS200 FROM THE POWER CORD 181ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 182ND

DETACH THE DS200 FROM THE POWER CORD 183RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 184TH

DETACH THE DS200 FROM THE POWER CORD 185TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 186TH

DETACH THE DS200 FROM THE POWER CORD 187TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 188TH

DETACH THE DS200 FROM THE POWER CORD 189TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 190TH

DETACH THE DS200 FROM THE POWER CORD 191ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 192ND

DETACH THE DS200 FROM THE POWER CORD 193RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 194TH

DETACH THE DS200 FROM THE POWER CORD 195TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 196TH

DETACH THE DS200 FROM THE POWER CORD 197TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 198TH

DETACH THE DS200 FROM THE POWER CORD 199TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 200TH

DETACH THE DS200 FROM THE POWER CORD 201ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 202ND

DETACH THE DS200 FROM THE POWER CORD 203RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 204TH

DETACH THE DS200 FROM THE POWER CORD 205TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 206TH

DETACH THE DS200 FROM THE POWER CORD 207TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 208TH

DETACH THE DS200 FROM THE POWER CORD 209TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 210TH

DETACH THE DS200 FROM THE POWER CORD 211ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 212ND

DETACH THE DS200 FROM THE POWER CORD 213RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 214TH

DETACH THE DS200 FROM THE POWER CORD 215TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 216TH

DETACH THE DS200 FROM THE POWER CORD 217TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 218TH

DETACH THE DS200 FROM THE POWER CORD 219TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 220TH

DETACH THE DS200 FROM THE POWER CORD 221ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 222ND

DETACH THE DS200 FROM THE POWER CORD 223RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 224TH

DETACH THE DS200 FROM THE POWER CORD 225TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 226TH

DETACH THE DS200 FROM THE POWER CORD 227TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 228TH

DETACH THE DS200 FROM THE POWER CORD 229TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 230TH

DETACH THE DS200 FROM THE POWER CORD 231ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 232ND

DETACH THE DS200 FROM THE POWER CORD 233RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 234TH

DETACH THE DS200 FROM THE POWER CORD 235TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 236TH

DETACH THE DS200 FROM THE POWER CORD 237TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 238TH

DETACH THE DS200 FROM THE POWER CORD 239TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 240TH

DETACH THE DS200 FROM THE POWER CORD 241ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 242ND

DETACH THE DS200 FROM THE POWER CORD 243RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 244TH

DETACH THE DS200 FROM THE POWER CORD 245TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 246TH

DETACH THE DS200 FROM THE POWER CORD 247TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 248TH

DETACH THE DS200 FROM THE POWER CORD 249TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 250TH

DETACH THE DS200 FROM THE POWER CORD 251ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 252ND

DETACH THE DS200 FROM THE POWER CORD 253RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 254TH

DETACH THE DS200 FROM THE POWER CORD 255TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 256TH

DETACH THE DS200 FROM THE POWER CORD 257TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 258TH

DETACH THE DS200 FROM THE POWER CORD 259TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 260TH

DETACH THE DS200 FROM THE POWER CORD 261ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 262ND

DETACH THE DS200 FROM THE POWER CORD 263RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 264TH

DETACH THE DS200 FROM THE POWER CORD 265TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 266TH

DETACH THE DS200 FROM THE POWER CORD 267TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 268TH

DETACH THE DS200 FROM THE POWER CORD 269TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 270TH

DETACH THE DS200 FROM THE POWER CORD 271ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 272ND

DETACH THE DS200 FROM THE POWER CORD 273RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 274TH

DETACH THE DS200 FROM THE POWER CORD 275TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 276TH

DETACH THE DS200 FROM THE POWER CORD 277TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 278TH

DETACH THE DS200 FROM THE POWER CORD 279TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 280TH

DETACH THE DS200 FROM THE POWER CORD 281ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 282ND

DETACH THE DS200 FROM THE POWER CORD 283RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 284TH

DETACH THE DS200 FROM THE POWER CORD 285TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 286TH

DETACH THE DS200 FROM THE POWER CORD 287TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 288TH

DETACH THE DS200 FROM THE POWER CORD 289TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 290TH

DETACH THE DS200 FROM THE POWER CORD 291ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 292ND

DETACH THE DS200 FROM THE POWER CORD 293RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 294TH

DETACH THE DS200 FROM THE POWER CORD 295TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 296TH

DETACH THE DS200 FROM THE POWER CORD 297TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 298TH

DETACH THE DS200 FROM THE POWER CORD 299TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 300TH

DETACH THE DS200 FROM THE POWER CORD 301ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 302ND

DETACH THE DS200 FROM THE POWER CORD 303RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 304TH

DETACH THE DS200 FROM THE POWER CORD 305TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 306TH

DETACH THE DS200 FROM THE POWER CORD 307TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 308TH

DETACH THE DS200 FROM THE POWER CORD 309TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 310TH

DETACH THE DS200 FROM THE POWER CORD 311ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 312ND

DETACH THE DS200 FROM THE POWER CORD 313RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 314TH

DETACH THE DS200 FROM THE POWER CORD 315TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 316TH

DETACH THE DS200 FROM THE POWER CORD 317TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 318TH

DETACH THE DS200 FROM THE POWER CORD 319TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 320TH

DETACH THE DS200 FROM THE POWER CORD 321ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 322ND

DETACH THE DS200 FROM THE POWER CORD 323RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 324TH

DETACH THE DS200 FROM THE POWER CORD 325TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 326TH

DETACH THE DS200 FROM THE POWER CORD 327TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 328TH

DETACH THE DS200 FROM THE POWER CORD 329TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 330TH

DETACH THE DS200 FROM THE POWER CORD 331ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 332ND

DETACH THE DS200 FROM THE POWER CORD 333RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 334TH

DETACH THE DS200 FROM THE POWER CORD 335TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 336TH

DETACH THE DS200 FROM THE POWER CORD 337TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 338TH

DETACH THE DS200 FROM THE POWER CORD 339TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 340TH

DETACH THE DS200 FROM THE POWER CORD 341ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 342ND

DETACH THE DS200 FROM THE POWER CORD 343RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 344TH

DETACH THE DS200 FROM THE POWER CORD 345TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 346TH

DETACH THE DS200 FROM THE POWER CORD 347TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 348TH

DETACH THE DS200 FROM THE POWER CORD 349TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 350TH

DETACH THE DS200 FROM THE POWER CORD 351ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 352ND

DETACH THE DS200 FROM THE POWER CORD 353RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 354TH

DETACH THE DS200 FROM THE POWER CORD 355TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 356TH

DETACH THE DS200 FROM THE POWER CORD 357TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 358TH

DETACH THE DS200 FROM THE POWER CORD 359TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 360TH

DETACH THE DS200 FROM THE POWER CORD 361ST

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 362ND

DETACH THE DS200 FROM THE POWER CORD 363RD

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 364TH

DETACH THE DS200 FROM THE POWER CORD 365TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 366TH

DETACH THE DS200 FROM THE POWER CORD 367TH

DETACH THE DS200 FROM THE BALLOT SECURITY CASE 368TH

DETACH THE DS200 FROM THE POWER CORD 369TH

<




OPENING THE POLL PADS

ELECTRONIC POLLBOOK USED FOR VOTER LOOKUP & CHECK-IN

OPENING THE EXPRESSVOTE

ADA-COMPLIANT BALLOT MARKING DEVICE



OPENING THE DS200

BALLOT VOTING DEVICE

POLL PADS



Electronic Poll Books used to check in voters.

POLL PAD SUPPLIES



- **GREEN CASE:**
Poll Pads, power cables,
styluses, printer


- **GRAY BIN:**
Stands, license trays,
power strips, other
parts

iSYNC DRIVE

- Each precinct receives 1 iSync drive.
- Contains the most current list of registered voters and absentee voters.
- During **opening** procedures, insert iSync drive into each Poll Pad to update voter list.
- If you forget, it takes us up to 4 hours to fix each Poll Pad!



iSYNC IMPORT VIDEO



MENU

November 2020 General & Special Elections - 11/03/2020

Last Imported: 03/31/2021, 09:37:48

2-8

Fairfax County
Bixby Center for the ArtsPrecinct Records: 300
Checkins: 0Countywide Records: 1594
Config. Profile: 2.5.0 - Training - Admin

When you last used
iSync drive to update
voter file

Sync menu

Fairfax County

November 2020 General & Special Elections
11/03/2020
Bixby Center for the Arts

GET STARTED

2.5.0




OPENING THE POLL PADS

ELECTRONIC POLLBOOK USED FOR VOTER LOOKUP & CHECK-IN

OPENING THE EXPRESSVOTE

ADA-COMPLIANT BALLOT MARKING DEVICE



OPENING THE DS200

BALLOT VOTING DEVICE

EXPRESSVOTE



ExpressVote

EXPRESSVOTE MARKING DEVICE OPENING PROCEDURES

Remove black padded carrying case (ExpressVote and device peripherals are inside case) from voting machine cart. Place case on an accessible table and provide a chair for voters.

Remove ExpressVote, headphones and keypad from main compartment of black padded carrying case. Remove power cord from side compartment of case, then return case to voting machine cart.

Plug power cord into power strip, then into AC outlet. Plug other end of power cord into power connection port on back of ExpressVote. Insert cord until you hear a click to ensure cord is secure.

1 Remove black padded carrying case (ExpressVote and device peripherals are inside case) from voting machine cart. Place case on an accessible table and provide a chair for voters.

2 Remove ExpressVote, headphones and keypad from main compartment of black padded carrying case. Remove power cord from side compartment of case, then return case to voting machine cart.

3 Plug power cord into power strip, then into AC outlet. Plug other end of power cord into power connection port on back of ExpressVote. Insert cord until you hear a click to ensure cord is secure.

Lift out and extend the metal prop bar on back of ExpressVote with black barrel key. Verify keypad is plugged into the keypad port. Place headphones and keypad on table so they are accessible for voters.

Open Access Door on left side of ExpressVote with black barrel key. Verify keypad is plugged into the keypad port. Place headphones and keypad on table so they are accessible for voters.

Verify mode switch is set to Voter, then flip power switch to On. ExpressVote powers on and boots up (device takes approximately three minutes to fully power on).

4 Lift out and extend the metal prop bar on back of ExpressVote with black barrel key. Verify keypad is plugged into the keypad port. Place headphones and keypad on table so they are accessible for voters.

5 Open Access Door on left side of ExpressVote with black barrel key. Verify keypad is plugged into the keypad port. Place headphones and keypad on table so they are accessible for voters.

6 Verify mode switch is set to Voter, then flip power switch to On. ExpressVote powers on and boots up (device takes approximately three minutes to fully power on).

After the system initializes, enter Election Security Code. Work as a team; one officer enters code as other officer watches screen to avoid inadvertent entries. Touch Accept.

Verify precinct number/name on screen is correct and unit is receiving power. Touch Ok. Place keypad cord as it threads through circular opening at top of Access Door. Close and relock door.

Place a privacy booth around ExpressVote and position screen so it is facing away from public view. ExpressVote is now ready for use.

7 After the system initializes, enter Election Security Code. Work as a team; one officer enters code as other officer watches screen to avoid inadvertent entries. Touch Accept.

8 Verify precinct number/name on screen is correct and unit is receiving power. Touch Ok. Place keypad cord as it threads through circular opening at top of Access Door. Close and relock door.

9 Place a privacy booth around ExpressVote and position screen so it is facing away from public view. ExpressVote is now ready for use.

Fairfaxelections
Fairfax County, VA | Phone: 703-324-4775

www.fairfaxcounty.gov/elections elect@fairfaxcounty.gov [703-324-4775](tel:703-324-4775)



OPENING THE POLL PADS

ELECTRONIC POLLBOOK USED FOR VOTER LOOKUP & CHECK-IN

OPENING THE EXPRESSVOTE

ADA-COMPLIANT BALLOT MARKING DEVICE



OPENING THE DS200

BALLOT VOTING DEVICE



DS200 DIGITAL SCANNER



SCANNER:

Captures an image as it scans & counts each ballot.



AUXILIARY COMPARTMENT:

Used if the DS200 jams or malfunctions.



BALLOT COMPARTMENT:

Voted ballots drop into here.

MACHINE CERTIFICATION FORM

- During opening procedures, verify the DS200 seal and counter numbers against the Machine Certification Form.

RETURN IN #2 BLUE POUCH – MACHINE CERTIFICATION FORM

PRECINCT: 100 PATRIOT (SAMPLE)

County of Fairfax – Special Election – December 1, 2021

BEFORE POLLS OPEN: Verify seals and counter numbers.

If any seals are broken or do not match numbers below, contact Election Support.

DS200 Serial Number	Seal Number (GREEN zip-tie seal)	USB/Printer seal (RED barcoded sticker)	Protected Counter	Public Counter
DS0314340327	0249787	45456996	1965	0
DS0314340498	0249705	45456997	4238	0

Additional Equipment	GRAY CART [GREEN zip-tie seal]	POLL PAD CASE [GREEN zip-tie seal]	#2 POUCH [no seal]	#7 POUCH [no seal]
	0214664	0214665	n/a	n/a

AFTER POLLS CLOSE: Record new seal and counter numbers.

DS200 Serial Number	Seal Number (RED zip-tie seal)	# of Boxes of Voted Ballots	Protected Counter	Public Counter
DS0314340327				
DS0314340498				

Additional Equipment	GRAY CART [RED zip-tie seal]	POLL PAD CASE [RED zip-tie seal]	#2 POUCH [BLUE plastic tab seal]	#7 POUCH [RED plastic tab seal]

AFTER POLLS CLOSE: Place USB/Printer compartment seals (RED barcoded stickers) here.

AFTER POLLS CLOSE: Any two officers may sign below to acknowledge recording seals.

OFFICER OF ELECTION	OFFICER OF ELECTION
1.	2.

OPENING



STEP 1:

On election day, verify green seal number matches the Machine Certification Form.

STEP 2:

**Unlock Auxiliary Compartment.
Verify it is empty, then re-lock.**

STEP 3:

**Unlock Ballot Compartment.
Verify it is empty, then re-lock.**

OPENING



STEP 4:
Unlock Power Cord Compartment.
Check silver bar. Plug cord in.

Always use a surge protector!

STEP 5:
Unlock and open machine lid.

STEP 6:
Unlock and open screen to power on.

Machine will boot on...

OPENING

STEP 7:

**Enter election code
from password card.**


(A configuration report will print. Do not tear off this report yet.)



STEP 8:

Press "Open Poll".


*(Zero Totals Report will print.
On election day, two officers
sign and give to Chief.)*



OPENING


STEP 9: Verify that the Public Count is "0" and that the Protected Count matches the Machine Certification Form.

STEP 10: At 6:00 AM...press "Go to Voting Mode".



OPEN BALLOTS

- During opening procedures, open and count at least 2 packs of ballots so you are ready for morning voters.
- Ballots should arrive in packs of 100. If the quantity enclosed is not exactly 100, notify the Chief.



DURING THE DAY




POLL PADS & CHECKING IN VOTERS

ELECTRONIC POLLBOOK USED FOR VOTER LOOKUP & CHECK-IN

EXPRESSVOTE & ACCESSIBILITY

ADA-COMPLIANT BALLOT MARKING DEVICE



DS200 & BALLOTS


BALLOT VOTING DEVICE

SCAN DRIVER'S LICENSE



- For 95% of voters, you will simply scan their driver's license.
- Place the license in the scanning tray, with the barcode facing the Poll Pad camera.
- The Poll Pad will recognize it and open the voter's record automatically.






Precinct Records: 300
Checkins: 0

Countywide Records: 1594
Config. Profile: 2.5.0 - Training - Admin

Fairfax County

November 2020 General & Special Elections
11/03/2020
Bixby Center for the Arts

GET STARTED



Precinct Records: 300
Checkins: 0


START OVER

SM J **Search** ADVANCED OPTIONS

SEARCH RESULTS: 3

Smith, Jean R
1989
6931 North Shore DR, Falls Church, VA 220418555
VOTER ID: 432129651
Bixby Center for the Arts
Precinct: 500 - Bixby 0590500

Smith, Jason Sean
1965
6812 Rolling Rapids CT, McLean, VA 221028555
VOTER ID: 432126810
Square Secondary School
Precinct: 300 - Square 0590300
Wrong Location



VOTER CONFIRMATION

GO BACK

ACCEPT

Verify voter information and tap accept to continue



Jean R Smith

DOB: 1989

6931 NORTH SHORE DR, FALLS CHURCH,
VA 220418555

Voter ID: 432129651 Status: Active Precinct: 500 - Bixby 0590500 CD/SHD/SSD: 08/049/035



Fairfax County
Bixby Center for the Arts

Precinct Records: 300
Checkins: 0

Countywide Records: 1594
Config. Profile: 2.5.0 - Training - Admin



PLACE THE PHOTO ID
INTO THE ID HOLDER
WITH THE BARCODE FACING THE CAMERA



Virginia Student Photo ID
Employer-Issued Photo ID
U.S. Government Issued Photo ID
VA Government-Issued Photo ID

SCAN BARCODE

MANUAL ENTRY

POLL PAD VOTER SEARCH VIDEO

Fairfax County
Bixby Center for the Arts

**POLL WORKER
CONFIRMATION**

START OVER

SUBMIT

CONFIRM THE VOTER'S INFORMATION

Jean R Smith

6931 NORTH SHORE DR, FALLS CHURCH, VA 220418555
Precinct: 500 - Bixby 0590500 DOB: 1989 CD: 08
Status: Active Voter ID: 432129651 SHD: 049
SSD: 035

Ballot Style: Unknown

- Challenge Voter
- Assistance Required
- Curbside

Provisional

Fairfax County
Bixby Center for the Arts

Precinct Records: 300
Checkins: 0

START OVER

Fairfax County
Bixby Center for the Arts

Precinct Records: 300
Checkins: 0

START OVER

SEARCH RESULTS: 3

Smith, Jean R

1989
6931 North Shore DR, Falls Church, VA 220418555
VOTER ID: 432129651

Bixby Center for the Arts
Precinct: 500 - Bixby 0590500

Smith, Jason Sean

1965
6812 Rolling Rapids CT, McLean, VA 221028555
VOTER ID: 432126810

Squire Secondary School
Precinct: 300 - Squire 0590300

Wrong Location

Fairfax County
Bixby Center for the Arts

Precinct Records: 300
Checkins: 0

START OVER

SEARCH RESULTS: 3

Smith, Jean R

1989
6931 North Shore DR, Falls Church, VA 220418555
VOTER ID: 432129651

Bixby Center for the Arts
Precinct: 500 - Bixby 0590500

Smith, Jason Sean

1965
6812 Rolling Rapids CT, McLean, VA 221028555
VOTER ID: 432126810

Square Secondary School
Precinct: 300 - Squire 0590300

Wrong Location



CHECK-IN FLAGS

ASSISTANCE REQUIRED

*For voters requiring assistance in marking their ballot.
Voter and assistant must sign Request for Assistance form.*

CURBSIDE

*For voters who choose to vote outside the polls.
No form is required from the voter.*

VOTER SIGNED OATH:

*For voters who complete Affirmation of Eligibility form and
for voters who complete an ID Confirmation Statement.*

CHECK-IN STEPS

1. Ask voter for an ID.

If voter gives a valid ID, never ask for their driver's license instead.

2. Find voter on Poll Pad.

For most voters, you can scan their driver's license. Otherwise, do a manual search.

3. Ask voter to provide their name & address (orally or in writing).

Voter may provide an address that is different from the address on their ID.

4. If info matches on Poll

Pad, repeat name audibly.

§ 24.2-643: "The officer of election shall repeat, in a voice audible to party and candidate representatives present, the full name provided by the voter."

5. DUAL PRIMARIES ONLY:

Ask if voter wants a ballot for Democratic primary or Republican primary.

Never ask a voter if they are a Democrat or Republican!

6. Press 'Submit' to officially check-in the voter.

Give voter a ballot or Voter Permit Card.

Remember...more than 95% of all check-ins are routine voters.

Anyone else, send to the Chief!

Issues to send to the Chief:

- Misspelled name
- Name change
- Voter has moved
- Wrong precinct
- No acceptable ID
- Not found in pollbook
- Absentee ballot
- Provisional ballot




POLL PADS & CHECKING IN VOTERS

ELECTRONIC POLLBOOK USED FOR VOTER LOOKUP & CHECK-IN

EXPRESSVOTE & ACCESSIBILITY


ADA-COMPLIANT BALLOT MARKING DEVICE




DS200 & BALLOTS

BALLOT VOTING DEVICE

Regular ballot



ExpressVote card



Both of these are inserted into the DS200.


EXPRESSVOTE

- Marking device only
- ADA-compliant
- Can display ballot in multiple languages (English, Spanish, Vietnamese, and Korean)
- Voter uses touchscreen, audio cues, or directional pad to make vote selections
- Voter receives a marked paper ballot, which can be cast on DS200



**Any voter may choose to
use the ExpressVote!**

EXPRESSVOTE VIDEO



ExpressVote® Universal Voting System



▶ ▶ ⏪ 0.10 / 2:59

▢ ⚙ □ □ □ □ □

Watch this video on our website.

ASSISTANCE & ACCESSIBILITY

REQUEST FOR ASSISTANCE

- Voters may have someone help them in the voting booth, but the voter and assistant must both sign a Request for Assistance form.
- *Exception:* If the assistant chosen by the voter is age 15 or younger, neither the voter nor the assistant is required to complete the form.

LANGUAGE SERVICES

- Language Officers
- Phone translation line
- All signs and documents in 4 languages (English, Spanish, Vietnamese, and Korean)

VOTERS WITH DISABILITIES

- Be respectful!
- Always ask before assisting.




POLL PADS & CHECKING IN VOTERS

ELECTRONIC POLLBOOK USED FOR VOTER LOOKUP & CHECK-IN

EXPRESSVOTE & ACCESSIBILITY

ADA-COMPLIANT BALLOT MARKING DEVICE




DS200 & BALLOTS

BALLOT VOTING DEVICE


Most ballots will be **accepted** by the DS200.



Some ballots need **confirmation** on the DS200.



Blank Ballot:
No selections



Over-voted Ballot:
Too many selections

Some ballots are **rejected** by the DS200.

*If a ballot is rejected,
call the Chief or Assistant Chief!*

How do you know?



Machine will return the ballot




Machine will make a beeping sound

SPOILED BALLOTS

If voter makes an error, they may receive a new ballot.

**Write SPOILED and give to Chief.
Issue voter new ballot.**




VOID BALLOTS

If voter leaves ballot in the polling place, they are a FLEEING VOTER.

If the ballot is still on the scanner, you may cast it for them. Otherwise...

Write VOID and give to Chief.



CLOSING PROCEDURES

CLOSING PROCEDURES

- **At 7:00 PM (or after the last voter leaves), the Chief will lock the voting room and begin closing procedures. The following tasks must be completed before you can leave:**
 - Fill out all required documents
 - Close and pack Poll Pads
 - Close and pack ExpressVote
 - Close and pack DS200 scanners
 - Secure all voted and un-voted ballots
 - Remove and pack all signs and PPE supplies
 - Help load Chief's car

STATEMENT OF RESULTS

- The most important document during closing procedures is the Statement of Results (SOR). This is the record of all votes in your precinct.
 - Do not leave the polling place without signing the SOR and the SOR copy!

STATEMENT OF RESULTS (SOR)			
County of Fairfax Precinct: 200-PATRIOT (sample)	Page: 1 of 4		
		December 1, 2023 General and Special Elections	
PART A: POLLBOOK CERTIFICATION		CALCULATION OR SOURCE	Number of Voters
A1	TOTAL VOTERS-CHECKED IN	Poll Pad Certification	
A2	TOTAL FLEETING VOTERS (PRINTED BALLOTS OR CARDS)	Balloons voided and not scanned because voter left without casting a ballot (Fleeting Voters)	
A3	TOTAL VOTERS-CASTING BALLOTS	= A1 - A2	AD TOTAL
PART B: COUNTED BALLOTS CERTIFICATION		CALCULATION OR SOURCE	Number of Ballots
B1	DS200-1 COUNTED BALLOTS (after polls close)	"Public Count" from DS200 Ballot Status Accounting Report.	
B2	DS200-2 COUNTED BALLOTS (after polls close)	"Public Count" from DS200 Ballot Status Accounting Report.	
B3	DS200-3 COUNTED BALLOTS (after polls close)	"Public Count" from DS200 Ballot Status Accounting Report.	
B4	HAND-COUNTED BALLOTS (if needed)	Balloons counted by hand because they could not be scanned.	
B5	TOTAL COUNTED BALLOTS	= B1 + B2 + B3 + B4	BD TOTAL
PART C: EXPLANATION OF DISCREPANCIES [COMPLETE ONLY IF A3 DOES NOT EQUAL B5]			
PART D: BALLOT CERTIFICATION			
D1	BALLOTS RECEIVED FROM ELECTORAL BOARD - BEFORE POLLS OPEN (Includes Full Ballots in English, Spanish, Vietnamese, and Korean as well as Presidential-only and Federal-only ballots in all languages)	BOX LABELS	PRINTED BALLOTS
D2	BALLOTS RECEIVED FROM ELECTORAL BOARD - WHILE POLLS OPEN	BALLOT RECEIPT	
D3	TOTAL BALLOTS RECEIVED	= D1 + D2	
D4	TOTAL UNUSED BALLOTS RETURNED (Return printed ballots in #6 Box[en] and EV cards in Black #6)	(# of unopened Full English packs x 100) + (# of ballots in open packs) + (# typed on unopened packs of foreign language, Presidential only, and Federal only ballots)	
D5	BALLOTS SPOILED AND VOIDED (Do not include absentee ballots turned in by voters)	ENVELOPE #4 (Do not count absentee ballots)	
D6	BALLOTS USED FOR PROVISIONAL VOTERS	ENVELOPE #1A + ENVELOPE #3B (If used)	
D7	TOTAL UNUSED BALLOTS + SPOILED/VOID + PROVISIONAL	= D4 + D5 + D6	
D8	TOTAL BALLOTS COUNTED (Scanned and hand-counted)	= D3 - D7	
PART E: ELECTION OFFICER CERTIFICATION - We hereby certify that this STATEMENT OF RESULTS is a complete record of this election and that all of the information entered herein is true and correct.			
1.	Gross Officer	Associate Gross Officer	Officer-in-Charge
2.	Officer-in-Charge	Officer-in-Charge	Officer-in-Charge
3.	Officer-in-Charge	Officer-in-Charge	Officer-in-Charge
4.	Officer-in-Charge	Officer-in-Charge	Officer-in-Charge
5.	Officer-in-Charge	Officer-in-Charge	Officer-in-Charge
6.	Officer-in-Charge	Officer-in-Charge	Officer-in-Charge
7.	Officer-in-Charge	Officer-in-Charge	Officer-in-Charge

MACHINE CERTIFICATION FORM

- During **opening procedures**, you verified the green seal numbers were correct.
- During **closing procedures**, record the red seal and counter numbers and affix the red sticker seal. Two officers must sign at the bottom.

RETURN IN #2 BLUE POUCH – MACHINE CERTIFICATION FORM

PRECINCT: 100 SAMPLE

County of Fairfax

BEFORE POLLS OPEN: Verify seals and counter numbers.

If any seals are broken or do not match numbers below, contact Election Support.

DS200 Serial Number	Seal Number (GREEN zip-tie seal)	USB/Printer seal (RED barcoded sticker)	Protected Counter	Public Counter
DS0314340327	0249787	45456996	1965	0
DS0314340498	0249705	45456997	4238	0

Additional Equipment	GRAY CART (GREEN zip-tie seal)	POLL PAD CASE (GREEN zip-tie seal)	#2 POUCH (no seal)	#7 POUCH (no seal)
	0214664	0214665	n/a	n/a

AFTER POLLS CLOSE: Record new seal and counter numbers.

DS200 Serial Number	Seal Number (RED zip-tie seal)	# of Boxes of Voted Ballots	Protected Counter	Public Counter
DS0314340327	6532157	3	2575	610
DS0314340498	6532158	0	Not used	Not used

Additional Equipment	GRAY CART (RED zip-tie seal)	POLL PAD CASE (RED zip-tie seal)	#2 POUCH (BLUE plastic tab seal)	#7 POUCH (RED plastic tab seal)
	5651295	5651294	5651296	5651297

AFTER POLLS CLOSE: Place USB/Printer compartment seals (RED barcoded stickers) here.




Not opened

AFTER POLLS CLOSE: Any two officers may sign below to acknowledge recording seals.

1. <i>Jane Z. Doe</i>	2. <i>John T. Smith</i>
--------------------------	----------------------------

ONE-PAGE EQUIPMENT GUIDES

- The Chief will have one-page guides for the Poll Pads, DS200 scanners, and ExpressVote.
- They will have all the information you need for closing each piece of equipment.






CLOSING THE POLL PADS

ELECTRONIC POLLBOOK USED FOR VOTER LOOKUP & CHECK-IN

CLOSING THE EXPRESSVOTE

ADA-COMPLIANT BALLOT MARKING DEVICE





CLOSING THE DS200

BALLOT VOTING DEVICE



iSYNC DRIVE



- During **closing** procedures, insert iSync drive into each Poll Pad to export data.
- If you forget, it takes us up to 4 hours to fix each Poll Pad!



POLL PAD iSYNC EXPORT VIDEO



SECURE POLL PADS



- **GREEN CASE:**
Poll Pads, power cables,
styluses, printer

- **GRAY BIN:**
Stands, license trays,
power strips, other
parts


CLOSING THE POLL PADS

ELECTRONIC POLLBOOK USED FOR VOTER LOOKUP & CHECK-IN



CLOSING THE EXPRESSVOTE

ADA-COMPLIANT BALLOT MARKING DEVICE



CLOSING THE DS200

BALLOT VOTING DEVICE

EXPRESSVOTE



ExpressVote MARKING DEVICE CLOSING PROCEDURES

Remove ExpressVote from privacy booth. Open Access Door with black barrel key and flip power switch to Off. ExpressVote powers down (Device takes approximately three minutes to fully power off).

① Remove memory device from all ExpressVote machines and place in orange #7 pouch. Position keypad on it threads through circular opening at top of Access Door. Close and relock door.

② Close metal prop bar on back of ExpressVote and position device so it rests in an upright position on its base.

③ Unplug power cord from power connection port on back of ExpressVote. Pull release latch on cord to remove. Unplug power cord from power strip, then from AC outlet. Return power strip to canvas bag.

Place ExpressVote, headphones and keypad into main compartment of black padded carrying case. Place power cord into side compartment of case. Then return case to voting machine cart.

FairfaxElections
Fairfax County VA / Farc-EV132000
www.fairfaxcounty.gov/elections | elect@fairfaxcounty.gov | 703-324-4735

CLOSING THE POLL PADS

ELECTRONIC POLLBOOK USED FOR VOTER LOOKUP & CHECK-IN



CLOSING THE EXPRESSVOTE

ADA-COMPLIANT BALLOT MARKING DEVICE



CLOSING THE DS200

BALLOT VOTING DEVICE

CLOSING DS200 SCANNER

STEP 1:

Unlock, open & inspect Auxiliary Compartment.


STEP 2:

**Record Protected &
Public Counter
numbers on Machine
Certification Form.**

AFTER POLLS CLOSE: Record new seal and counter numbers.				
DS200 Serial Number	Seal Number (RED zip-tie seal)	# of Boxes of Voted Ballot	Protected Counter	Public Counter
DS0314340327	6532157	3	2575	610
DS0314340498	6532158	0	Not used	Not used

STEP 3:

**Remove barcoded seal from printer
access door & place on Machine
Certification Form.**



CLOSING DS200 SCANNER

STEP 4:


Unlock & open printer access door (underneath barcoded seal).

Press “CLOSE POLL” physical button.

STEP 5:

Press “Close Poll” on screen.

*(Multiple reports will print.
On election day, two officers sign each and give to Chief.)*




CLOSING DS200 SCANNER

STEP 6:
Press "Finished - Turn Off".

STEP 7:
Unplug the power cord.
Close & re-lock the Power
Cord compartment.

STEP 8:
After DS200 turns off, remove
2 memory sticks.

- Printer compartment
- Battery compartment



CLOSING DS200 SCANNER



STEP 9:
Close & re-lock DS200 screen.
Close & re-lock outer machine lid.


STEP 10:
**On election day, secure with
red zip-tie seal and record number
on Machine Certification Form.**

SECURING VOTED BALLOTS

FINAL STEP!

Unlock & open Ballot Compartment.

Carefully move all voted ballots into voted ballot boxes.



REQUIRED SIGNATURES

- When all work is complete (usually around 9:00 PM), the Chief will dismiss all election officers.
- Before that, confirm with your Chief that you've signed all required documents!
- If you do not sign a required document, you will have to come to the Office of Elections within 2 days.

OATH

COMPENSATION SHEET

SOR

YELLOW RETURN SHEET

SOR (COPY)

VOTED BALLOT BOXES

AFTER ELECTION DAY

- Complete the post-election survey as soon as possible after election day (no later than the Sunday after election day).
- Look for payment 4-6 weeks after election day.

***Thank you very much for
serving as an election officer!***

CONCLUSION

703-324-4735

ElectionOfficers@fairfaxcounty.gov

TRAINING RESOURCES:

All training handouts and videos.

fairfaxcounty.gov/elections/officers/resources

ELECTION OFFICER PORTAL:

Check your precinct assignment.

vote4fairfax.com

You have now finished reviewing the online training materials.

You must return to the Election Officer Portal and pass the quiz to receive credit for completing this class.

*If you need help, contact us at **703-324-4735** or ElectionOfficerTraining@fairfaxcounty.gov.*