



BAGNEUX SWIMMING POOL EXTENSION — 1:192 CHIPBOARD KIT
1/16" = 1'-0" | 1/16" chipboard T=0.0625" | KERF=0.0" (adjustable) | 84 part numbers / 125 pieces / 5 sheets


Assembled kit 1:192 — from SE



A. Exploded axonometric (vertical explode by kit)




Hall roof RF-01 lifted off (removable)




B. Kit overview — one of each part type at physical scale (inches), grouped by kit


KIT SITE




91003x1
KIT STRUCT




KIT FLOOR




KIT ROOF




KIT ENV



KIT GLAZ

**KIT CIRC**

KIT POOL




KIT DETAIL



C. Sheet index (30" x 20")


SHEET-01 (1 of 2)
SITE BASE + GF SLAB + POOL (KIT 01, 07)




SHEET-02 (2 of 2)
SITE BASE + GF SLAB + POOL (KIT 01, 07)



SHEET-03
STRUCTURE + FLOORS + GLAZING FRAMES + CIRCULATION + DETAILS (KIT 02, 03, 05b, 06, 08)



SHEET-04
EXTERIOR ENVELOPE + ROOF (KIT 05, 04)



SHEET-05
OPTIONAL ACETATE GLAZING (clear 0.010 in sheet, NOT chipboard)



[illegible]

— SHEET-01 SITE BASE + GF SLAB + POOL (KIT 01, 07) (1 OF 2) SCALE 1:192 (1/16 IN = 1 FT) MATERIAL 1/16 IN CHIPBOARD T=0.0625 IN KERF=0.0020 IN (USER ADJUSTABLE) 30 X 20 IN

SHEET-02 SITE BASE + GF SLAB + POOL (KIT 01, 07) (2 of 2)



✚ SHEET-03 STRUCTURE + FLOORS + GLAZING FRAMES + CIRCULATION + DETAILS (KIT 02, 03, 05B, 06, 08) SCALE 1:192 (1/16 IN = 1 FT) MATERIAL 1/16 IN CHIPBOARD T=0.0625 IN KERF=0.0000 IN (USER ADJUSTABLE) 30 X 20 IN


This architectural floor plan depicts a large building complex with a swimming pool. The plan is divided into several main sections:

- Top Section:** Features a swimming pool labeled "PISCINE" and several smaller rectangular rooms, some of which are labeled with codes like "EN012", "EN013", "EN014", "EN015", "EN016", "EN017", "EN018", "EN019", "EN020", "EN021", "EN022", "EN023", "EN024", "EN025", "EN026", "EN027", "EN028", "EN029", "EN030", "EN031", "EN032", "EN033", "EN034", "EN035", "EN036", "EN037", "EN038", "EN039", "EN040", "EN041", "EN042", "EN043", "EN044", "EN045", "EN046", "EN047", "EN048", "EN049", "EN050", "EN051", "EN052", "EN053", "EN054", "EN055", "EN056", "EN057", "EN058", "EN059", "EN060", "EN061", "EN062", "EN063", "EN064", "EN065", "EN066", "EN067", "EN068", "EN069", "EN070", "EN071", "EN072", "EN073", "EN074", "EN075", "EN076", "EN077", "EN078", "EN079", "EN080", "EN081", "EN082", "EN083", "EN084", "EN085", "EN086", "EN087", "EN088", "EN089", "EN090", "EN091", "EN092", "EN093", "EN094", "EN095", "EN096", "EN097", "EN098", "EN099", "EN100".
- Middle Section:** Contains a large rectangular area, possibly a central hall or a large room, with a label "EN010" and "EN011".
- Bottom Section:** Includes a large rectangular area, possibly a central hall or a large room, with a label "EN012" and "EN013".
- Right Section:** Features a large rectangular area, possibly a central hall or a large room, with a label "EN014" and "EN015".
- Left Section:** Includes a large rectangular area, possibly a central hall or a large room, with a label "EN016" and "EN017".

The plan also shows various smaller rooms, corridors, and a swimming pool. The overall layout is complex and detailed, with many rooms and areas labeled with codes.

— SHEET-04 EXTERIOR ENVELOPE + ROOF (KIT 05, 04) SCALE 1:192 (1/16 IN = 1 FT) MATERIAL 1/16 IN CHIPBOARD T=0.0625 IN KERF=0.0000 IN (USER ADJUSTABLE) 30 X 20 IN

SHEET-05 OPTIONAL ACETATE GLAZING (clear 0.010 in sheet, NOT chipboard)



D. Part schedule (1)

PART NUMBER	TAG	NAME	CATEGORY	QUANTITY	MATERIAL	THICKNESS	ASSEMBLY	SHEET NUMBER	SIZE (in)	STATUS
SITE-001	SI001	BASE PLY 1 of 3 (lamina	SUPPORT (hidden)	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT SITE / step 1	SHEET-01	16.50 x 13.00	DER-FAB
SITE-002	SI002	BASE PLY 2 of 3 (lamina	SUPPORT (hidden)	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT SITE / step 1	SHEET-01	16.50 x 13.00	DER-FAB
SITE-003	SI003	BASE PLY 3 of 3 (lamina	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT SITE / step 1	SHEET-02	16.50 x 13.00	DER-FAB
SITE-004	SI004	GF SLAB SL-00 (plinth)	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT SITE / step 2	SHEET-02	12.18 x 9.40	DER
STRUCT-001	ST001	GF BEARING RIB under	SUPPORT (hidden)	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT STRUCT / step 4	SHEET-03	10.58 x 0.76	DER-FAB
STRUCT-002	ST002	GF WING RIB X6.5	SUPPORT (hidden)	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT STRUCT / step 4	SHEET-03	1.43 x 0.76	DER-FAB
STRUCT-003	ST003	GF WING RIB X18.2	SUPPORT (hidden)	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT STRUCT / step 4	SHEET-03	1.43 x 0.76	DER-FAB
STRUCT-004	ST004	GF WALL Y-37 (INT GRO	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT STRUCT / step 4	SHEET-03	2.38 x 0.76	DER-FAB
STRUCT-005	ST005	N-BAR SPINE WALL (bea	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT STRUCT / step 5	SHEET-03	10.59 x 2.98	DER
STRUCT-006	ST006	N-BAR BULKHEAD X14.5	SUPPORT (hidden)	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT STRUCT / step 5	SHEET-03	0.85 x 2.92	DER-FAB
STRUCT-007	ST007	N-BAR BULKHEAD X33.6	SUPPORT (hidden)	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT STRUCT / step 5	SHEET-03	0.85 x 2.92	DER-FAB
STRUCT-008	ST008	L1 WING RIB X6.5 (INT U	SUPPORT (hidden)	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT STRUCT / step 7	SHEET-03	1.45 x 0.56	DER-FAB
STRUCT-009	ST009	L1 WING RIB X22.9 (sup	SUPPORT (hidden)	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT STRUCT / step 7	SHEET-03	1.30 x 0.56	ASM
STRUCT-010	ST010	L1 WALL X24.6 (INT L1	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT STRUCT / step 7	SHEET-03	0.73 x 0.56	DER-FAB
STRUCT-011	ST011	SOUTH BLOCK RIB X6.5	SUPPORT (hidden)	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT STRUCT / step 10	SHEET-03	1.14 x 1.36	DER-FAB
STRUCT-012	ST012	SOUTH BLOCK RIB X18.	SUPPORT (hidden)	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT STRUCT / step 10	SHEET-03	1.14 x 1.36	DER-FAB
STRUCT-013	ST013	HALL ROOF BEAM S-B1.	MUST FABRICATE	12	1/16 in chipboard	2 x 0.0625 = 0.1250 in	KIT STRUCT / step 11	SHEET-03	4.34 x 1.03	DER
STRUCT-014	ST014	INCLINED HALL LEG S-C	MUST FABRICATE	12	1/16 in chipboard	2 x 0.0625 = 0.1250 in	KIT STRUCT / step 11	SHEET-03	0.42 x 1.79	DER
STRUCT-015	ST015	SUNSHADE FIN S-F1,S-F	MUST FABRICATE	2	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT STRUCT / step 13	SHEET-03	0.59 x 1.53	ASM
STRUCT-016	ST016	SUNSHADE FIN S-F2	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT STRUCT / step 13	SHEET-03	0.59 x 1.53	DER
STRUCT-017	ST017	SUNSHADE FIN S-F4,S-F	MUST FABRICATE	2	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT STRUCT / step 13	SHEET-03	0.59 x 2.15	ASM
STRUCT-018	ST018	SUNSHADE FIN S-F5	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT STRUCT / step 13	SHEET-03	0.59 x 2.15	ASM
STRUCT-019	ST019	SUNSHADE FIN S-F7	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT STRUCT / step 13	SHEET-03	0.59 x 1.65	ASM
STRUCT-020	ST020	SUNSHADE TOP BEAM S	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT STRUCT / step 13	SHEET-03	10.87 x 0.61	DER
FLOOR-001	FL001	L1 PLATE: pool deck + v	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT FLOOR / step 6	SHEET-03	11.87 x 7.87	DER
FLOOR-002	FL002	L2 PLATE: terrace + sou	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT FLOOR / step 9	SHEET-03	6.28 x 3.60	DER
ROOF-001	RF001	N BAR ROOF RF-02	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT ROOF / step 14	SHEET-04	10.68 x 0.92	DER
ROOF-002	RF002	SOUTH BLOCK ROOF RF	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT ROOF / step 14	SHEET-04	6.13 x 1.77	DER
ROOF-003	RF003	WEST ZONE ROOF RF-0	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT ROOF / step 14	SHEET-04	0.95 x 2.53	ASM
ROOF-004	RF004	E STRIP ROOF RF-04	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT ROOF / step 14	SHEET-04	0.18 x 5.60	ASM
ROOF-005	RF005	E STRIP LOW ROOF RF-0	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT ROOF / step 14	SHEET-04	0.18 x 0.53	ASM
ROOF-006	RF006	HALL ROOF RF-01 (slop	MUST FABRICATE	2	1/16 in chipboard	2 x 0.0625 = 0.1250 in	KIT ROOF / step 15	SHEET-04	10.57 x 4.63	DER
ROOF-007	RF007	HALL ROOF FASCIA (glu	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT ROOF / step 15	SHEET-04	10.57 x 0.14	DER
ENV-001	EN001	FORECOURT SLANT WA	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT ENV / step 4	SHEET-04	2.16 x 0.76	DER
ENV-002	EN002	ENTRANCE RETURN WA	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT ENV / step 4	SHEET-04	0.94 x 0.76	DER
ENV-003	EN003	HALL W WALL	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT ENV / step 5	SHEET-04	4.54 x 2.98	DER
ENV-004	EN004	HALL E WALL	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT ENV / step 5	SHEET-04	5.45 x 2.98	DER
ENV-005	EN005	N WALL (N bar)	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT ENV / step 5	SHEET-04	10.71 x 2.98	DER

D. Part schedule (2)

PART NUMBER	TAG	NAME	CATEGORY	QUANTITY	MATERIAL	THICKNESS	ASSEMBLY	SHEET NUMBER	SIZE (in)	STATUS
ENV-006	EN006	E OUTER SKIN	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT ENV / step 5	SHEET-04	6.64 x 2.98	ASM
ENV-007	EN007	N BAR W SLANT	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT ENV / step 5	SHEET-04	0.99 x 2.98	DER
ENV-008	EN008	W SLANT WALL (south b	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT ENV / step 5	SHEET-04	1.60 x 2.98	DER
ENV-009	EN009	W SLANT WALL (west zo	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT ENV / step 5	SHEET-04	2.64 x 2.98	ASM
ENV-010	EN010	GARDEN N WALL	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT ENV / step 5	SHEET-04	0.59 x 2.98	DER
ENV-011	EN011	WING S WALL (GF-L1)	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT ENV / step 5	SHEET-04	6.24 x 1.38	DER
ENV-012	EN012	NOTCH WALL (west zon	MUST FABRICATE	2	1/16 in chipboard	2 x 0.0625 = 0.1250 in	KIT ENV / step 7	SHEET-04	0.95 x 2.16	DER
ENV-013	EN013	WEST ZONE E FACE (to	SIMPLIFY	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT ENV / step 7	SHEET-04	1.80 x 2.16	ASM
ENV-014	EN014	CANTILEVER FRONT (S	MUST FABRICATE	2	1/16 in chipboard	2 x 0.0625 = 0.1250 in	KIT ENV / step 7	SHEET-04	2.58 x 0.37	DER
ENV-015	EN015	SOLARIUM PARAPET S +	SIMPLIFY	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT ENV / step 7	SHEET-04	5.81 x 0.67	DER
ENV-016	EN016	SOLARIUM PARAPET E +	SIMPLIFY	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT ENV / step 7	SHEET-04	2.71 x 0.67	DER
ENV-017	EN017	SOUTH BLOCK S WALL	MUST FABRICATE	2	1/16 in chipboard	2 x 0.0625 = 0.1250 in	KIT ENV / step 10	SHEET-04	6.28 x 1.54	DER
ENV-018	EN018	SOUTH BLOCK E WALL	MUST FABRICATE	2	1/16 in chipboard	2 x 0.0625 = 0.1250 in	KIT ENV / step 10	SHEET-04	2.26 x 1.54	DER
ENV-019	EN019	SOUTH BLOCK N WALL	MUST FABRICATE	2	1/16 in chipboard	2 x 0.0625 = 0.1250 in	KIT ENV / step 10	SHEET-04	4.90 x 1.68	DER
GLAZ-001	GL001	GF ENTRANCE GLAZING	SIMPLIFY	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT GLAZ / step 4	SHEET-03	1.28 x 0.76	DER
GLAZ-002	GL002	GF GLAZING 0.18/0.19	SIMPLIFY	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT GLAZ / step 4	SHEET-03	2.36 x 0.76	DER
GLAZ-003	GL003	GF VESTIBULE GLAZING	SIMPLIFY	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT GLAZ / step 4	SHEET-03	2.61 x 0.76	DER
GLAZ-004	GL004	HALL S CURTAIN WALL F	SIMPLIFY	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT GLAZ / step 12	SHEET-03	10.56 x 2.02	DER
GLAZ-005	GL005	ACETATE for GF ENTRAN	OPTIONAL (acetate)	1	0.010 in clear acetate/P	0.010 in	KIT GLAZ / step 4	SHEET-05	1.24 x 0.72	DER
GLAZ-006	GL006	ACETATE for GF GLAZIN	OPTIONAL (acetate)	1	0.010 in clear acetate/P	0.010 in	KIT GLAZ / step 4	SHEET-05	2.32 x 0.72	DER
GLAZ-007	GL007	ACETATE for GF VESTIBU	OPTIONAL (acetate)	1	0.010 in clear acetate/P	0.010 in	KIT GLAZ / step 4	SHEET-05	2.57 x 0.72	DER
GLAZ-008	GL008	ACETATE window 1 in N	OPTIONAL (acetate)	1	0.010 in clear acetate/P	0.010 in	KIT GLAZ / step 5	SHEET-05	0.96 x 0.59	DER
GLAZ-009	GL009	ACETATE window 2 in N	OPTIONAL (acetate)	1	0.010 in clear acetate/P	0.010 in	KIT GLAZ / step 5	SHEET-05	0.96 x 0.59	DER
GLAZ-010	GL010	ACETATE window 3 in N	OPTIONAL (acetate)	1	0.010 in clear acetate/P	0.010 in	KIT GLAZ / step 5	SHEET-05	2.75 x 0.59	DER
GLAZ-011	GL011	ACETATE window 1 in W	OPTIONAL (acetate)	1	0.010 in clear acetate/P	0.010 in	KIT GLAZ / step 5	SHEET-05	0.66 x 1.14	DER
GLAZ-012	GL012	ACETATE window 1 in S	OPTIONAL (acetate)	1	0.010 in clear acetate/P	0.010 in	KIT GLAZ / step 10	SHEET-05	1.23 x 1.14	DER
GLAZ-013	GL013	ACETATE for HALL S CU	OPTIONAL (acetate)	1	0.010 in clear acetate/P	0.010 in	KIT GLAZ / step 12	SHEET-05	10.52 x 1.98	DER
CIRC-001	CI001	BLEACHER STACK LEVE	SIMPLIFY	2	1/16 in chipboard	2 x 0.0625 = 0.1250 in	KIT CIRC / step 8	SHEET-03	5.78 x 0.81	ASM
CIRC-002	CI002	BLEACHER STACK LEVE	SIMPLIFY	2	1/16 in chipboard	2 x 0.0625 = 0.1250 in	KIT CIRC / step 8	SHEET-03	5.78 x 0.67	ASM
CIRC-003	CI003	BLEACHER STACK LEVE	SIMPLIFY	2	1/16 in chipboard	2 x 0.0625 = 0.1250 in	KIT CIRC / step 8	SHEET-03	5.78 x 0.53	ASM
CIRC-004	CI004	BLEACHER STACK LEVE	SIMPLIFY	2	1/16 in chipboard	2 x 0.0625 = 0.1250 in	KIT CIRC / step 8	SHEET-03	5.78 x 0.39	ASM
POOL-001	PO001	MAIN POOL 1.09 BOX W	MUST FABRICATE	2	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT POOL / step 3	SHEET-01	5.36 x 0.76	ASM
POOL-002	PO002	MAIN POOL 1.09 BOX W	MUST FABRICATE	2	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT POOL / step 3	SHEET-01	2.57 x 0.76	ASM
POOL-003	PO003	MAIN POOL FLOOR (fold	SIMPLIFY	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT POOL / step 3	SHEET-02	5.30 x 2.57	DER
POOL-004	PO004	MAIN POOL FLOOR RIB	SUPPORT (hidden)	2	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT POOL / step 3	SHEET-01	3.85 x 0.36	DER-FAB
POOL-005	PO005	MAIN POOL FLOOR RIB	SUPPORT (hidden)	2	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT POOL / step 3	SHEET-01	0.61 x 0.23	DER-FAB
POOL-006	PO006	LEARNERS POOL 1.07 B	MUST FABRICATE	2	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT POOL / step 3	SHEET-01	2.69 x 0.76	ASM
POOL-007	PO007	LEARNERS POOL 1.07 B	MUST FABRICATE	2	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT POOL / step 3	SHEET-01	2.57 x 0.76	ASM

D. Part schedule (3)


PART NUMBER	TAG	NAME	CATEGORY	QUANTITY	MATERIAL	THICKNESS	ASSEMBLY	SHEET NUMBER	SIZE (in)	STATUS
POOL-008	PO008	LEARNERS POOL FLOOR	SIMPLIFY	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT POOL / step 3	SHEET-02	2.57 x 2.57	DER
POOL-009	PO009	LEARNERS POOL FLOOR	SUPPORT (hidden)	2	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT POOL / step 3	SHEET-01	2.57 x 0.50	DER-FAB
DETAIL-001	DE001	CANTILEVER SOFFIT (S	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT DETAIL / step 7	SHEET-03	2.46 x 0.29	DER
DETAIL-002	DE002	CANTILEVER END CAP V	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT DETAIL / step 7	SHEET-03	0.09 x 0.25	DER
DETAIL-003	DE003	CANTILEVER END CAP E	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT DETAIL / step 7	SHEET-03	0.29 x 0.25	DER
DETAIL-004	DE004	NE BOX WALL	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT DETAIL / step 14	SHEET-03	0.51 x 0.62	ASM
DETAIL-005	DE005	NE BOX WALL	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT DETAIL / step 14	SHEET-03	1.38 x 0.62	ASM
DETAIL-006	DE006	NE BOX ROOF RF-05	MUST FABRICATE	1	1/16 in chipboard	1 x 0.0625 = 0.0625 in	KIT DETAIL / step 14	SHEET-03	1.32 x 0.45	ASM

E. Assembly sequence (cumulative)


1. Laminate the 3 base plies (P&A, weight, edges flush)




2. Glue GF slab / plinth onto engraved footprint on base




3. Pool boxes, floor ribs and pool floors on GF slab




4. GF bearing ribs, GF walls and GF glazing frames




5. Continuous walls: spine (beam slots), N wall, hall W/E, E skin, slants, garden, wing S wall, N-bar bulkheads




6. Drop in L1 plate (pool deck + wing + solarium)




7. L1 elements: wing ribs, west-zone face, notch wall, solarium parapet bands, cantilever box




8. Bleacher stacks (4 x 2 plies) against spine




9. L2 plate (terrace + south block floor)




10. South block: S, E and leaning N walls (bevel), hidden ribs




11. Hall structure: 6 inclined legs into L1 slots, 6 roof beams into spine slots




12. Curtain-wall frame against leg feet (+ optional acetate)




13. Sunshade fins into slots, S-B7 top beam on fin tops



14. Roofs RF-02, RF-03, RF-06, E strips: NE box walls + roof



15. Hall roof RF-01 (2 plies) + fascia: REMOVABLE, do not glue



Fabrication note — exaggerations (1)

PART	ELEMENT	ORIGINAL SCALED (mm)	FABRICATED (mm)	REASON
ST013	roof beam width 0.50 m	2.6	3.17	2 plies for stiffness/bearing (+22%)
ST014	inclined leg width 0.40 m	2.08	3.17	45 mm slender member; 1 ply would snap
EN001	forecourt wall height 3.01 m	15.7	19.2	carries the 1-ply solarium plate (real slab 1 m deep)
EN003	HALL W WALL thickness 0.40 m	2.08	1.59	rounded to nearest whole ply
EN004	HALL E WALL thickness 0.40 m	2.08	1.59	rounded to nearest whole ply
EN006	E OUTER SKIN thickness 0.20 m	1.05	1.59	whole plies of chipboard
EN007	N BAR W SLANT thickness 0.40 m	2.08	1.59	rounded to nearest whole ply
EN010	GARDEN N WALL thickness 0.40 m	2.08	1.59	rounded to nearest whole ply
EN012	NOTCH WALL (west zone S) thickness 0.50 m	2.61	3.17	whole plies of chipboard
EN013	WEST ZONE E FACE (to terrace) thickness 0.59 m	3.06	1.59	rounded to nearest whole ply
EN014	CANTILEVER FRONT (S block L1) thickness 0.50 m	2.6	3.17	whole plies of chipboard
EN017	SOUTH BLOCK S WALL thickness 0.50 m	2.61	3.17	whole plies of chipboard
EN018	SOUTH BLOCK E WALL thickness 0.50 m	2.61	3.17	whole plies of chipboard
EN019	leaning wall thickness 0.46 m	2.39	3.17	whole plies; large unsupported plate
GL001	GF mullions 0.10 m	0.52	1.67	minimum laser-cut bar width
GL002	GF mullions 0.10 m	0.52	1.67	minimum laser-cut bar width
GL003	GF mullions 0.10 m	0.52	1.67	minimum laser-cut bar width
GL004	CW posts/transoms 0.08-0.20 m	0.4-1.0	1.67	minimum laser-cut bar width in chipboard
CI004	bleacher tier rise 0.45-0.50 m (ASM)	2.5	3.17	whole plies: 2 per tier (+23%)
DE004	NE BOX WALL thickness 0.15 m	0.78	1.59	whole plies of chipboard
DE005	NE BOX WALL thickness 0.15 m	0.78	1.59	whole plies of chipboard

Fabrication note — omitted (category C) (1)

OMITTED ELEMENT	COUNT	REASON
Interior partitions (INT GROUND/L1/L2)	182 objects	enclosed; 0.24 m = 1.25 mm; not visible with roofs on
GF columns under main pool tank (S-GC)	6	hidden inside pool tank volume; 1.6 mm square
Stairs ST-A1/A2, ST-B1/B2, ST-C, ST-D1/D2, landings LD-A/LD-	9	riser 0.83-0.95 mm < 1 ply; enclosed in north bar / under so
Oval stair drum guard, curved walls 1.04 / 2.05	6	inside wing / south block, not visible
Small doors (< 4 m2 or < 1.8 m wide)	15	4.6-9 mm openings; would weaken walls; listed per wall in sc
CW glass, 216 transoms, 55 mullions (sections 0.02-0.10 m)	~440	0.1-0.5 mm; scored on optional acetate instead
N-bar slabs SL-11, SL-12, SL-21; hall deck thickness	3	hidden; replaced by 2 bulkheads
Lane lines, learners' pool steps, paddling pool 1.10, PISCIN	-	ENGRAVED (pool floors / L1 plate / forecourt wall outer face
Analysis volumes, massing, reference images, grid, levels	47	non-physical
Stray / duplicate geometry (3x N wall, massing copy +104.5 m	16	excluded (left untouched in original)

Fabrication QC audit (1)

CATEGORY	CHECK	RESULT	DETAIL
SCALE	Scale factor	PASS	1:192; 1 m real = 0.205052 in; 12'-0" -> 0.7500 in (0.75 in)
SCALE	Assembled model extents vs original x 1/192	PASS	model 12.20 x 9.75 x 3.05 in; original/192 12.20 x 9.75 x 3.
SCALE	Level L1 +4.00 = 0.8202 in	PASS	1 plate(s) top exactly at datum
SCALE	Level L2 +7.05 = 1.4456 in	PASS	1 plate(s) top exactly at datum
SCALE	Level top +14.55 = 2.9835 in	PASS	3 plate(s) top exactly at datum
SHEET SIZE	All geometry inside 30 x 20 in	PASS	5 sheets
SHEET SIZE	Cut geometry inside 0.5 in margin	PASS	worst intrusion 0.0000 in
SHEET SIZE	Sheet count	PASS	4 chipboard + 1 optional acetate
MATERIAL	All chipboard parts are whole plies of T	PASS	T = 0.0625 in; ply counts {1: 63, 2: 12}
MATERIAL	Laminated parts	PASS	ST013 x2; ST014 x2; RF006 x2; EN012 x2; EN014 x2; EN017 x2;
PARTS	Unique part numbers / tags	PASS	84 part numbers, 125 pieces
PARTS	Every piece on exactly one sheet	PASS	125 pieces placed
PARTS	No critical element missing	PASS	22 critical elements present
STRUCTURE	Primary structure counts	PASS	beams 6/6, legs 6/6, fins 7/7
STRUCTURE	Every horizontal plate bears on walls/ribs/plates below	PASS	all plates supported
STRUCTURE	Removable hall roof bears on 6 beams + CW frame + spine	PASS	beam top edge = roof soffit slope 0.2059; roof width = hall
ASSEMBLY	Every part has an assembly step	PASS	steps 1-15 assigned
ASSEMBLY	No interpenetrating parts (3D sampled, 0.1 mm tolerance)	PASS	1 contact-level touches below threshold; documented exceptio
ASSEMBLY	Joints	PASS	butt joints + through-slots (legs, fins, beam tabs) + lamina
LASER	Cut geometry closed & valid	PASS	all CUT entities are closed polylines
LASER	CUT / SCORE / ENGRAVE / NUMBERS on separate layers	PASS	DXF layers CUT(red) SCORE(blue) ENGRAVE/NUMBERS(black) BOUND
LASER	Part spacing >= 0.15 in (no shared/duplicate cut lines)	PASS	ok
LASER	No tiny cut fragments (< 0.003 in2 or < 0.15 in perimeter)	PASS	none
LASER	No duplicated engrave/score lines	PASS	0 duplicates
SCALE-DEPENDENT DETAIL	No material thinner than 0.055 in	PASS	thin-feature cleanup applied before nesting
SCALE-DEPENDENT DETAIL	Sub-scale elements simplified/omitted	PASS	3 walls list omitted small doors; 182 interior partitions, 6