

Demolab — contents

Authoring a page	2
Publishing	3
Demolab, simplified	4

Authoring a page

Created 23 August 2026

Every page is a `.typ` file under `writings/` exporting `meta` and `body`. Filenames are ordinary slugs; no numeric or experiment prefix is required.

Assets and data

Put images, video, downloads, or JSON under `assets/`. Writings read them directly. This page loaded a value from `assets/example.json`: **3**.

Organisation

Add `collection`, `description`, `status`, or `order` to `meta` when useful. Register named collections in `demolab.yaml` to control their labels, descriptions, order, and web theme.

Publishing

Created 23 August 2026

`demolab build` writes the website to `artifacts/site/` and, by default, mirrors PDFs to `artifacts/pdfs/`. Set `pdfs: false` in `demolab.yaml` for a web-only presentation.

`demolab deploy-setup` installs GitHub Pages workflows. The deployed result is static HTML and assets: no runtime service, database, or JavaScript build tool is required.

Demolab, simplified

Created 23 August 2026

Demolab turns a directory of Typst writings and ordinary assets into a navigable website. PDF publishing is available, but optional. There is no experiment framework, provenance contract, research workflow, or application server hiding beneath it.

The whole loop

```
writings/ + assets/ -> demolab build -> artifacts/
```

Use `demolab dev` while writing and `demolab build` when the presentation is ready.