

The Functional Role of PING — a Measured Corpus

ar016 · 12 July 2026

This article is a **corpus**, not a review. It is the exhaustive, auditable paper list for one narrow question — the map — with the synthesis, the open debates, and the gaps left for a later pass. The question: **in which papers is the PING mechanism explicitly the vehicle for a functional claim?** PING here means gamma generated by the reciprocal pyramidal↔interneuron loop with its characteristic excitatory–inhibitory timing; a paper is in the corpus only if it both invokes that mechanism as the generator of the rhythm **and** argues that a cognitive or computational function follows from it — attention, stimulus selection, communication-through-coherence, gain control and coincidence windows, phase coding, or binding. Papers where gamma merely **correlates** with a function, or where the mechanism is studied with no functional claim, are out. The scope was frozen and tagged (**freeze-ar016-v1**) before any measured run, so the recall number below is valid — both samples target the same fixed population.

Confidence header

Papers in the corpus	161, every DOI verified
Estimated true size	≈ 180–250 (two-source Chapman 246, 95% CI 175–316)
Estimated recall	≈ 65–90 %
Channels	memory · keyword-search · citation-graph · embedding
Membership authority	one two-stage judge (wide-net → confirm), consistent across channels
Coverage caveats	keyless (no Semantic Scholar / PubMed); single judge per paper; OpenAlex abstract gaps on seminal papers

The estimate is a **range, not a point**, and that is deliberate. The three pairwise capture–recapture estimates disagree — 246, 219, and 142 — and that disagreement is diagnostic, not noise: the channels have heterogeneous catchability (memory reaches the old and seminal, search the recent and well-indexed), which violates the independence the estimator assumes. No single $\hat{N}$ is trustworthy, so the honest output is the band 180–250 and a recall of 65–90 %.

Method — four decorrelated channels, one judge

The premise is a division of labour. The model is a good **size oracle** and a good **membership judge** but a bad **recall oracle** — it can tell hundreds from thousands, and can judge whether a specific paper is in scope, but it cannot list the hundreds without fabricating. So recall is supplied by databases and the citation graph, membership is decided by judgment, and every candidate DOI is verified against Crossref before it is allowed in — an unresolvable DOI is treated as a hallucination and discarded.

Recall was gathered from four channels chosen to be **orthogonal** — to fail on different papers, so their union covers what any one misses:

- **Memory** — 20 decorrelated elicitation passes (per-lab, per-function-axis, per-decade), each in its own context, unioned. Owns the old, seminal, abstract-less stratum.
- **Keyword search** — a deep OpenAlex full-text sweep across the frozen synonym ring, deliberately high-recall. Owns the recent, well-indexed stratum.

- **Citation graph** — the backward references and forward citers of the found set, scored by how many of the corpus each candidate connects to. Owns the well-connected stratum, independent of words and of memory.
- **Embedding** — SPECTER nearest-neighbours (Semantic Scholar) of the strongest seeds, independent of shared words, citations, and authorship.

Membership was **not** decided by any keyword filter — an earlier attempt to do so failed, because a filter strict enough to exclude the broad “gamma and attention” literature also excludes the function-forward canonical papers whose abstracts never say “interneuron”. Instead every candidate from every channel was passed through one consistent two-stage judge — a wide-net first pass, then a strict confirming pass against the frozen rubric — so the in/out boundary is one authority applied uniformly. Completeness was then estimated by Lincoln-Petersen / Chapman capture-recapture over that single judged population, treating each channel as an independent capture.

Results — provenance and saturation

The corpus is genuinely the union of complementary channels; no single one would have built it:

Found by memory only	59
Found by search only	45
Found by memory and search	21
Found by citation graph only	36
Total	161

Only 21 of the 161 papers were caught by both memory and keyword search — the low overlap is real channel complementarity, and it is **why** it took four channels rather than one.

The stopping decision rests on the marginal-yield curve, not on hitting a target. Each successive channel returned fewer new in-scope papers:

Channel	New in-scope	Candidates screened
memory	80	—
keyword search	+45	1552
citation graph	+36	1154
embedding (SPECTER)	+0	263

The yield collapsed from 80 to +45 to +36 to +0. The final channel — orthogonal, abstract-rich, centred on the hundred strongest seeds — screened 263 semantic neighbours and added nothing. That is the saturation signal: not a proof (nothing here is), but the convergent kind — falling returns together with an orthogonal null. The result is discounted only slightly, because SPECTER’s recommendations are recency-biased and so its null speaks most strongly for the recent stratum; but the old stratum was already swept by the citation channel, so between the two the un-caught in-scope region looks small.

Discussion — what the number means and does not

What can be claimed: this is a DOI-verified corpus of 161 papers, with a **measured** — not assumed — recall of roughly 65–90 %, and a documented reason for every paper’s inclusion. What cannot: that it is complete. The tail of a semantic corpus goes asymptotic — papers in no index, mis-tagged, or truly obscure cost more per paper than the bulk did, and the

capture–recapture band (180–250) is itself uncertain because the channels are heterogeneous. A notable structural fact surfaced along the way: the most-cited **references** of this corpus are foundational papers that are purely mechanism (how gamma is generated) or purely function (that attention modulates gamma) — each satisfies only half the “mechanism **carries** function” test, which is why the citation graph flooded us with candidates but converted few. The scope boundary is genuinely restrictive; the intersection is the interesting, and smaller, set.

Next steps

The corpus is the input to the review, not the review. The obvious continuations: (1) a second, independent judge pass to turn the single-judge boundary into a voted one and tighten precision; (2) one more orthogonal recall channel where a key exists — PubMed for the biomedical silo, or author-complete feeds for the core labs — expected, from the yield curve, to add only single digits; (3) the synthesis itself — grouping the 161 papers by function axis, mapping which mechanistic claims are contested, and naming the gaps. Scope reopens only under a new freeze tag; questions that surfaced during the build are logged, not silently acted on.

References

1. Niebur, Koch & Rosin (1993). An oscillation-based model for the neuronal basis of attention. *__Vision Research__*. doi:10.1016/0042-6989(93)90236-p
2. Singer (1993). Synchronization of Cortical Activity and Its Putative Role in Information Processing and Learning. *__Annual Review of Physiology__*. doi:10.1146/annurev.physiol.55.1.349
3. Gray (1994). Synchronous oscillations in neuronal systems: Mechanisms and functions. *__Journal of Computational Neuroscience__*. doi:10.1007/bf00962716
4. Niebur & Koch (1994). A model for the neuronal implementation of selective visual attention based on temporal correlation among neurons. *__Journal of Computational Neuroscience__*. doi:10.1007/bf00962722
5. Buzsáki & Chrobak (1995). Temporal structure in spatially organized neuronal ensembles: a role for interneuronal networks. *__Current Opinion in Neurobiology__*. doi:10.1016/0959-4388(95)80012-3
6. Jefferys, Traub & Whittington (1996). Neuronal networks for induced ‘40 Hz’ rhythms. *__Trends in Neurosciences__*. doi:10.1016/s0166-2236(96)10023-0
7. König, Engel & Singer (1996). Integrator or coincidence detector? The role of the cortical neuron revisited. *__Trends in Neurosciences__*. doi:10.1016/s0166-2236(96)80019-1
8. Traub et al. (1996). A mechanism for generation of long-range synchronous fast oscillations in the cortex. *__Nature__*. doi:10.1038/383621a0
9. Traub, Whittington & Jefferys (1997). Gamma Oscillation Model Predicts Intensity Coding by Phase Rather than Frequency. *__Neural Computation__*. doi:10.1162/neco.1997.9.6.1251
10. Burchell, Faulkner & Whittington (1998). Gamma frequency oscillations gate temporally coded afferent inputs in the rat hippocampal slice. *__Neuroscience Letters__*. doi:10.1016/s0304-3940(98)00676-4
11. Kopell et al. (2000). Gamma rhythms and beta rhythms have different synchronization properties. *__Proceedings of the National Academy of Sciences__*. doi:10.1073/pnas.97.4.1867
12. Palva et al. (2000). Fast Network Oscillations in the Newborn Rat Hippocampus*<i>In Vitro</i>*. *__Journal of Neuroscience__*. doi:10.1523/jneurosci.20-03-01170.2000

13. Whittington et al. (2000). Inhibition-based rhythms: experimental and mathematical observations on network dynamics. *__International Journal of Psychophysiology__*. doi:10.1016/s0167-8760(00)00173-2
14. Salinas & Sejnowski (2001). Correlated neuronal activity and the flow of neural information. *__Nature reviews. Neuroscience__*. doi:10.1038/35086012
15. Tiesinga et al. (2001). Optimal information transfer in synchronized neocortical neurons. *__Neurocomputing__*. doi:10.1016/s0925-2312(01)00464-7
16. Tiesinga et al. (2002). Information transfer in entrained cortical neurons. *__Network Computation in Neural Systems__*. doi:10.1080/net.13.1.41.66
17. Tiesinga et al. (2002). Information transfer in entrained cortical neurons. *__Network Computation in Neural Systems__*. doi:10.1088/0954-898x/13/1/302
18. Doiron et al. (2003). Inhibitory feedback required for network oscillatory responses to communication but not prey stimuli. *__Nature__*. doi:10.1038/nature01360
19. Jónás et al. (2003). Interneuron Diversity series: Fast in, fast out – temporal and spatial signal processing in hippocampal interneurons. *__Trends in Neurosciences__*. doi:10.1016/j.tins.2003.10.010
20. Olufsen et al. (2003). New Roles for the Gamma Rhythm: Population Tuning and Preprocessing for the Beta Rhythm. *__Journal of Computational Neuroscience__*. doi:10.1023/a:1021124317706
21. Whittington & Traub (2003). Interneuron Diversity series: Inhibitory interneurons and network oscillations in vitro. *__Trends in Neurosciences__*. doi:10.1016/j.tins.2003.09.016
22. Eckhorn et al. (2004). Dynamic cortical cooperation related to visual perception. doi:10.1109/ijcnn.2003.1223931
23. Tiesinga & Sejnowski (2004). Rapid Temporal Modulation of Synchrony by Competition in Cortical Interneuron Networks. *__Neural Computation__*. doi:10.1162/089976604322742029
24. Tiesinga (2004). Stimulus competition by inhibitory interference. *__arXiv (Cornell University)__*. doi:10.48550/arxiv.q-bio/0410019
25. Tiesinga et al. (2004). Inhibitory synchrony as a mechanism for attentional gain modulation. *__Journal of Physiology-Paris__*. doi:10.1016/j.jphysparis.2005.09.002
26. Tiesinga et al. (2004). Synchronization as a mechanism for attentional gain modulation. *__Neurocomputing__*. doi:10.1016/j.neucom.2004.01.108
27. Börgers, Epstein & Kopell (2005). Background gamma rhythmicity and attention in cortical local circuits: A computational study. *__Proceedings of the National Academy of Sciences__*. doi:10.1073/pnas.0502366102
28. Fries (2005). A mechanism for cognitive dynamics: neuronal communication through neuronal coherence. *__Trends in Cognitive Sciences__*. doi:10.1016/j.tics.2005.08.011
29. Hasenstaub et al. (2005). Inhibitory Postsynaptic Potentials Carry Synchronized Frequency Information in Active Cortical Networks. *__Neuron__*. doi:10.1016/j.neuron.2005.06.016
30. Tiesinga et al. (2005). Inhibitory synchrony as a mechanism for attentional gain modulation. *__arXiv (Cornell University)__*. doi:10.48550/arxiv.q-bio/0503019
31. Buia & Tiesinga (2006). Attentional modulation of firing rate and synchrony in a model cortical network. *__Journal of Computational Neuroscience__*. doi:10.1007/s10827-006-6358-0
32. Mishra, Fellous & Sejnowski (2006). Selective attention through phase relationship of excitatory and inhibitory input synchrony in a model cortical neuron. *__Neural Networks__*. doi:10.1016/j.neunet.2006.08.005

33. Tiesinga & Buia (2006). Attentional modulation in layer 4 of the visual cortex could be mediated by interneurons with complex receptive field characteristics. *_arXiv (Cornell University)_*. doi:10.48550/arxiv.q-bio/0611030
34. Tiesinga (2006). Stimulus competition by inhibitory interference. *_Neurocomputing_*. doi:10.1016/j.neucom.2005.12.089
35. Arthur & Boahen (2007). Synchrony in Silicon: The Gamma Rhythm. *_IEEE Transactions on Neural Networks_*. doi:10.1109/tnn.2007.900238
36. Börgers & Kopell (2007). Gamma Oscillations and Stimulus Selection. *_Neural Computation_*. doi:10.1162/neco.2007.07-06-289
37. Fries, Nikolić & Singer (2007). The gamma cycle. *_Trends in Neurosciences_*. doi:10.1016/j.tins.2007.05.005
38. Fuchs et al. (2007). Recruitment of Parvalbumin-Positive Interneurons Determines Hippocampal Function and Associated Behavior. *_Neuron_*. doi:10.1016/j.neuron.2007.01.031
39. Tort et al. (2007). On the formation of gamma-coherent cell assemblies by oriens lacunosum-moleculare interneurons in the hippocampus. *_Proceedings of the National Academy of Sciences_*. doi:10.1073/pnas.0705708104
40. Buia & Tiesinga (2008). Role of Interneuron Diversity in the Cortical Microcircuit for Attention. *_Journal of Neurophysiology_*. doi:10.1152/jn.01004.2007
41. Börgers, Epstein & Kopell (2008). Gamma oscillations mediate stimulus competition and attentional selection in a cortical network model. *_Proceedings of the National Academy of Sciences_*. doi:10.1073/pnas.0809511105
42. Mazzoni et al. (2008). Encoding of Naturalistic Stimuli by Local Field Potential Spectra in Networks of Excitatory and Inhibitory Neurons. *_PLoS Computational Biology_*. doi:10.1371/journal.pcbi.1000239
43. Middleton et al. (2008). NMDA receptor-dependent switching between different gamma rhythm-generating microcircuits in entorhinal cortex. *_Proceedings of the National Academy of Sciences_*. doi:10.1073/pnas.0809302105
44. Morita et al. (2008). Recurrent Synaptic Input and the Timing of Gamma-Frequency-Modulated Firing of Pyramidal Cells during Neocortical “UP” States. *_Journal of Neuroscience_*. doi:10.1523/jneurosci.3948-07.2008
45. Tiesinga, Fellous & Sejnowski (2008). Regulation of spike timing in visual cortical circuits. *_Nature reviews. Neuroscience_*. doi:10.1038/nrn2315
46. Almeida, Idiart & Lisman (2009). A Second Function of Gamma Frequency Oscillations: An E%-Max Winner-Take-All Mechanism Selects Which Cells Fire. *_Journal of Neuroscience_*. doi:10.1523/jneurosci.6044-08.2009
47. Cardin et al. (2009). Driving fast-spiking cells induces gamma rhythm and controls sensory responses. *_Nature_*. doi:10.1038/nature08002
48. Carvalho et al. (2009). SEVEN POPULATION TEMPORAL STRUCTURE IN THREE FOREST FRAGMENTS IN THE UPPER RIO GRANDE REGION, MINAS GERAIS. *_CERNE_*. doi:10.1073/pnas.1405300111
49. Deco & Thiele (2009). Attention – oscillations and neuropharmacology. *_European Journal of Neuroscience_*. doi:10.1111/j.1460-9568.2009.06833.x
50. Paik, Kumar & Glaser (2009). Spontaneous Local Gamma Oscillation Selectively Enhances Neural Network Responsiveness. *_PLoS Computational Biology_*. doi:10.1371/journal.pcbi.1000342
51. Sohal et al. (2009). Parvalbumin neurons and gamma rhythms enhance cortical circuit performance. *_Nature_*. doi:10.1038/nature07991

52. Tiesinga & Sejnowski (2009). Cortical Enlightenment: Are Attentional Gamma Oscillations Driven by ING or PING?. *Neuron*. doi:10.1016/j.neuron.2009.09.009
53. Ardid et al. (2010). Reconciling Coherent Oscillation with Modulation of Irregular Spiking Activity in Selective Attention: Gamma-Range Synchronization between Sensory and Executive Cortical Areas. *Journal of Neuroscience*. doi:10.1523/jneurosci.4222-09.2010
54. Edward (2010). Neuronal biophysics modulate the ability of gamma oscillations to control response timing. *Frontiers in Neuroscience*. doi:10.3389/conf.fnins.2010.03.00004
55. Gielen, Krupa & Zeitler (2010). Gamma oscillations as a mechanism for selective information transmission. *Biological Cybernetics*. doi:10.1007/s00422-010-0390-x
56. Knoblich et al. (2010). What do We Gain from Gamma? Local Dynamic Gain Modulation Drives Enhanced Efficacy and Efficiency of Signal Transmission. *Frontiers in Human Neuroscience*. doi:10.3389/fnhum.2010.00185
57. Korotkova et al. (2010). NMDA Receptor Ablation on Parvalbumin-Positive Interneurons Impairs Hippocampal Synchrony, Spatial Representations, and Working Memory. *Neuron*. doi:10.1016/j.neuron.2010.09.017
58. Miconi & VanRullen (2010). The Gamma Slideshow: Object-Based Perceptual Cycles in a Model of the Visual Cortex. *Frontiers in Human Neuroscience*. doi:10.3389/fnhum.2010.00205
59. Otte, Hasenstaub & Callaway (2010). Cell Type-Specific Control of Neuronal Responsiveness by Gamma-Band Oscillatory Inhibition. *Journal of Neuroscience*. doi:10.1523/jneurosci.4818-09.2010
60. Thomas & Rufin (2010). Gamma oscillations decompose the visual scene into object-based perceptual cycles: a computational model. *Journal of Vision*. doi:10.1167/10.7.1270
61. Tiesinga & Sejnowski (2010). Mechanisms for Phase Shifting in Cortical Networks and their Role in Communication through Coherence. *Frontiers in Human Neuroscience*. doi:10.3389/fnhum.2010.00196
62. Uhlhaas et al. (2010). A new look at gamma? High- (>60 Hz) γ -band activity in cortical networks: Function, mechanisms and impairment. *Progress in Biophysics and Molecular Biology*. doi:10.1016/j.pbiomolbio.2010.10.004
63. Wang (2010). Neurophysiological and Computational Principles of Cortical Rhythms in Cognition. *Physiological Reviews*. doi:10.1152/physrev.00035.2008
64. Whittington et al. (2010). Multiple origins of the cortical gamma rhythm. *Developmental Neurobiology*. doi:10.1002/dneu.20814
65. 大橋 et al. (2010). 8139 低層アパートの長期優良化に向けた研究：その1 アンケート調査等による市場可能性(住宅の長寿命化, 建築社会システム). *学術講演梗概集. F-1, 都市計画, 建築経済・住宅問題*. doi:10.1111/ejn.12606
66. Ainsworth et al. (2011). Dual Gamma Rhythm Generators Control Interlaminar Synchrony in Auditory Cortex. *Journal of Neuroscience*. doi:10.1523/jneurosci.2209-11.2011
67. Carlén et al. (2011). A critical role for NMDA receptors in parvalbumin interneurons for gamma rhythm induction and behavior. *Molecular Psychiatry*. doi:10.1038/mp.2011.31
68. Li et al. (2011). Impact of gamma-oscillatory inhibition on the signal transmission of a cortical pyramidal neuron. *Cognitive Neurodynamics*. doi:10.1007/s11571-011-9169-6
69. Yizhar et al. (2011). Neocortical excitation/inhibition balance in information processing and social dysfunction. *Nature*. doi:10.1038/nature10360
70. Ainsworth et al. (2012). Rates and Rhythms: A Synergistic View of Frequency and Temporal Coding in Neuronal Networks. *Neuron*. doi:10.1016/j.neuron.2012.08.004
71. Bastos et al. (2012). Canonical Microcircuits for Predictive Coding. *Neuron*. doi:10.1016/j.neuron.2012.10.038

72. Buzsáki & Wang (2012). Mechanisms of Gamma Oscillations. *Annual Review of Neuroscience*. doi:10.1146/annurev-neuro-062111-150444
73. Nikolić, Fries & Singer (2012). Gamma oscillations: precise temporal coordination without a metronome. *Trends in Cognitive Sciences*. doi:10.1016/j.tics.2012.12.003
74. Wildie (2012). Establishing communication between neuronal populations through competitive entrainment. *Frontiers in Computational Neuroscience*. doi:10.3389/fncom.2011.00062
75. Womelsdorf et al. (2012). Orientation selectivity and noise correlation in awake monkey area V1 are modulated by the gamma cycle. *Proceedings of the National Academy of Sciences*. doi:10.1073/pnas.1114223109
76. Börgers & Walker (2013). Toggling between gamma-frequency activity and suppression of cell assemblies. *Frontiers in Computational Neuroscience*. doi:10.3389/fncom.2013.00033
77. Folias et al. (2013). Synchronisation hubs in the visual cortex may arise from strong rhythmic inhibition during gamma oscillations. *European Journal of Neuroscience*. doi:10.1111/ejn.12287
78. Hahn et al. (2013). Synfire chains and gamma oscillations: two complementary modes of information transmission in cortical networks. *BMC Neuroscience*. doi:10.1186/1471-2202-14-s1-p226
79. Hualde (2013). Nueces para esquivar el cáncer de próstata. *Neural Computation*. doi:10.1162/0899766054796905
80. Pietersen et al. (2013). Transition between fast and slow gamma modes in rat hippocampus area CA1 *in vitro* is modulated by slow CA3 gamma oscillations. *The Journal of Physiology*. doi:10.1113/jphysiol.2013.263889
81. Sancristóbal et al. (2013). Emergent bimodal firing patterns implement different encoding strategies during gamma-band oscillations. *Frontiers in Computational Neuroscience*. doi:10.3389/fncom.2013.00018
82. Srinivasan, Thorpe & Nunez (2013). Top-Down Influences on Local Networks: Basic Theory with Experimental Implications. *Frontiers in Computational Neuroscience*. doi:10.3389/fncom.2013.00029
83. Vinck et al. (2013). Attentional Modulation of Cell-Class-Specific Gamma-Band Synchronization in Awake Monkey Area V4. *Neuron*. doi:10.1016/j.neuron.2013.08.019
84. Akam & Kullmann (2014). Oscillatory multiplexing of population codes for selective communication in the mammalian brain. *Nature reviews. Neuroscience*. doi:10.1038/nrn3668
85. Bastos et al. (2014). Visual Areas Exert Feedforward and Feedback Influences through Distinct Frequency Channels. *Neuron*. doi:10.1016/j.neuron.2014.12.018
86. Holcombe, Svärd & Hallstadius (2014). Gamma emission tomography for determining pin-wise percent fission gas release in fuel assemblies at the Halden Boiling Water Reactor. *Neuron*. doi:10.1016/j.neuron.2013.03.003
87. Kann, Papageorgiou & Draguhn (2014). Highly Energized Inhibitory Interneurons are a Central Element for Information Processing in Cortical Networks. *Journal of Cerebral Blood Flow & Metabolism*. doi:10.1038/jcbfm.2014.104
88. Lozano-Soldevilla et al. (2014). GABAergic Modulation of Visual Gamma and Alpha Oscillations and Its Consequences for Working Memory Performance. *Current Biology*. doi:10.1016/j.cub.2014.10.017
89. Ray & Maunsell (2014). Do gamma oscillations play a role in cerebral cortex?. *Trends in Cognitive Sciences*. doi:10.1016/j.tics.2014.12.002

90. Siegle, Pritchett & Moore (2014). Gamma-range synchronization of fast-spiking interneurons can enhance detection of tactile stimuli. *Nature Neuroscience*. doi:10.1038/nn.3797
91. Womelsdorf et al. (2014). Dynamic circuit motifs underlying rhythmic gain control, gating and integration. *Nature Neuroscience*. doi:10.1038/nn.3764
92. Blaes & Burwick (2015). Attentional Bias Through Oscillatory Coherence Between Excitatory Activity and Inhibitory Minima. *Neural Computation*. doi:10.1162/neco_a_00742
93. Cho et al. (2015). Gamma Rhythms Link Prefrontal Interneuron Dysfunction with Cognitive Inflexibility in *Dlx5/6+/-* Mice. *Neuron*. doi:10.1016/j.neuron.2015.02.019
94. Fries (2015). Rhythms for Cognition: Communication through Coherence. *Neuron*. doi:10.1016/j.neuron.2015.09.034
95. Harnack, Ernst & Pawelzik (2015). A model for attentional information routing through coherence predicts biased competition and multistable perception. *Journal of Neurophysiology*. doi:10.1152/jn.01038.2014
96. Lee, Whittington & Kopell (2015). Potential Mechanisms Underlying Intercortical Signal Regulation via Cholinergic Neuromodulators. *Journal of Neuroscience*. doi:10.1523/jneurosci.0629-15.2015
97. Lowet et al. (2015). Input-Dependent Frequency Modulation of Cortical Gamma Oscillations Shapes Spatial Synchronization and Enables Phase Coding. *PLoS Computational Biology*. doi:10.1371/journal.pcbi.1004072
98. Mostafa, Müller & Indiveri (2015). Rhythmic Inhibition Allows Neural Networks to Search for Maximally Consistent States. *Neural Computation*. doi:10.1162/neco_a_00785
99. Pittman-Polletta et al. (2015). Brain Rhythms Connect Impaired Inhibition to Altered Cognition in Schizophrenia. *Biological Psychiatry*. doi:10.1016/j.biopsych.2015.02.005
100. Kim et al. (2016). Prefrontal Parvalbumin Neurons in Control of Attention. *Cell*. doi:10.1016/j.cell.2015.11.038
101. McLelland & VanRullen (2016). Theta-Gamma Coding Meets Communication-through-Coherence: Neuronal Oscillatory Multiplexing Theories Reconciled. *PLoS Computational Biology*. doi:10.1371/journal.pcbi.1005162
102. Sohal (2016). How Close Are We to Understanding What (if Anything) γ Oscillations Do in Cortical Circuits?. *Journal of Neuroscience*. doi:10.1523/jneurosci.0990-16.2016
103. (2017). *eLife*. *eLife*. doi:10.7554/elife
104. Li & Cleland (2017). A coupled-oscillator model of olfactory bulb gamma oscillations. *PLoS Computational Biology*. doi:10.1371/journal.pcbi.1005760
105. Palmigiano et al. (2017). Flexible information routing by transient synchrony. *Nature Neuroscience*. doi:10.1038/nn.4569
106. Strüber et al. (2017). Distance-dependent inhibition facilitates focality of gamma oscillations in the dentate gyrus. *Nature Communications*. doi:10.1038/s41467-017-00936-3
107. Veit et al. (2017). Cortical gamma band synchronization through somatostatin interneurons. *Nature Neuroscience*. doi:10.1038/nn.4562
108. Wal & Tiesinga (2017). Phase Difference between Model Cortical Areas Determines Level of Information Transfer. *Frontiers in Computational Neuroscience*. doi:10.3389/fncom.2017.00006
109. Adesnik (2018). Layer-specific excitation/inhibition balances during neuronal synchronization in the visual cortex. *The Journal of Physiology*. doi:10.1113/jp274986
110. Cardin (2018). Inhibitory Interneurons Regulate Temporal Precision and Correlations in Cortical Circuits. *Trends in Neurosciences*. doi:10.1016/j.tins.2018.07.015

111. Cornford et al. (2018). Dendritic NMDA receptors in parvalbumin neurons enable strong and stable neuronal assemblies. *__bioRxiv (Cold Spring Harbor Laboratory)__*. doi:10.1101/279505
112. Orekhova et al. (2018). Input-dependent modulation of MEG gamma oscillations reflects gain control in the visual cortex. *__Scientific Reports__*. doi:10.1038/s41598-018-26779-6
113. Sherfey et al. (2018). Flexible resonance in prefrontal networks with strong feedback inhibition. *__PLoS Computational Biology__*. doi:10.1371/journal.pcbi.1006357
114. Shin & Moore (2018). Persistent Gamma Spiking in Non-Sensory Fast-Spiking Cells Predicts Perceptual Success. *__bioRxiv (Cold Spring Harbor Laboratory)__*. doi:10.1101/374314
115. Cho et al. (2019). Interhemispheric gamma synchrony between parvalbumin interneurons supports behavioral adaptation. *__bioRxiv (Cold Spring Harbor Laboratory)__*. doi:10.1101/784330
116. Dumont & Gutkin (2019). Macroscopic phase resetting-curves determine oscillatory coherence and signal transfer in inter-coupled neural circuits. *__PLoS Computational Biology__*. doi:10.1371/journal.pcbi.1007019
117. Feng et al. (2019). Gamma Oscillations in the Basolateral Amygdala: Biophysical Mechanisms and Computational Consequences. *__eNeuro__*. doi:10.1523/eneuro.0388-18.2018
118. Onorato et al. (2019). A Distinct Class of Bursting Neurons with Strong Gamma Synchronization and Stimulus Selectivity in Monkey V1. *__Neuron__*. doi:10.1016/j.neuron.2019.09.039
119. Onorato et al. (2019). A distinct class of bursting neurons with strong gamma synchronization and stimulus selectivity in monkey V1. *__bioRxiv (Cold Spring Harbor Laboratory)__*. doi:10.1101/583955
120. Rennó-Costa, Teixeira & Soltesz (2019). Regulation of gamma-frequency oscillation by feedforward inhibition: A computational modeling study. *__Hippocampus__*. doi:10.1002/hipo.23093
121. Sherfey et al. (2019). Prefrontal oscillations modulate the propagation of neuronal activity required for working memory. *__bioRxiv (Cold Spring Harbor Laboratory)__*. doi:10.1101/531574
122. Shin & Moore (2019). Persistent Gamma Spiking in SI Nonsensory Fast Spiking Cells Predicts Perceptual Success. *__Neuron__*. doi:10.1016/j.neuron.2019.06.014
123. Tan et al. (2019). Gamma oscillations in somatosensory cortex recruit prefrontal and descending serotonergic pathways in aversion and nociception. *__Nature Communications__*. doi:10.1038/s41467-019-08873-z
124. Boroujeni, Tiesinga & Womelsdorf (2020). Interneuron Specific Gamma Synchronization Indexes Cue Uncertainty and Prediction Errors in Lateral Prefrontal and Anterior Cingulate Cortex. *__bioRxiv (Cold Spring Harbor Laboratory)__*. doi:10.1101/2020.07.24.220319
125. Cho et al. (2020). Cross-hemispheric gamma synchrony between prefrontal parvalbumin interneurons supports behavioral adaptation during rule shift learning. *__Nature Neuroscience__*. doi:10.1038/s41593-020-0647-1
126. Han et al. (2020). High-Frequency Synchronization Improves Firing Rate Contrast and Information Transmission Efficiency in E/I Neuronal Networks. *__Neural Plasticity__*. doi:10.1155/2020/8823111
127. Lewis et al. (2020). Cortical resonance selects coherent input. *__bioRxiv (Cold Spring Harbor Laboratory)__*. doi:10.1101/2020.12.09.417782

128. Lü et al. (2020). Phasic cholinergic signaling promotes emergence of local gamma rhythms in excitatory-inhibitory networks. *European Journal of Neuroscience*. doi:10.1111/ejn.14744
129. Meneghetti et al. (2020). Thalamic inputs determine functionally distinct gamma bands in mouse primary visual cortex. *bioRxiv (Cold Spring Harbor Laboratory)*. doi:10.1101/2020.07.09.194811
130. Sherfey et al. (2020). Prefrontal oscillations modulate the propagation of neuronal activity required for working memory. *Neurobiology of Learning and Memory*. doi:10.1016/j.nlm.2020.107228
131. Barbosa et al. (2021). Across-Area Synchronization Supports Feature Integration in a Biophysical Network Model of Working Memory. *Frontiers in Neural Circuits*. doi:10.3389/fncir.2021.716965
132. Barbosa et al. (2021). Across-area synchronization supports feature integration in working memory. *bioRxiv (Cold Spring Harbor Laboratory)*. doi:10.1101/2021.06.09.447667
133. Boroujeni, Tiesinga & Womelsdorf (2021). Interneuron-specific gamma synchronization indexes cue uncertainty and prediction errors in lateral prefrontal and anterior cingulate cortex. *eLife*. doi:10.7554/elife.69111
134. Han, Shapley & Xing (2021). Gamma rhythms in the visual cortex: functions and mechanisms. *Cognitive Neurodynamics*. doi:10.1007/s11571-021-09767-x
135. Lewis et al. (2021). Cortical gamma-band resonance preferentially transmits coherent input. *Cell Reports*. doi:10.1016/j.celrep.2021.109083
136. Lucas, Obermayer & Metzner (2021). Synchronization through uncorrelated noise in excitatory-inhibitory networks. *bioRxiv (Cold Spring Harbor Laboratory)*. doi:10.1101/2021.10.29.466430
137. Meneghetti et al. (2021). Narrow and Broad γ Bands Process Complementary Visual Information in Mouse Primary Visual Cortex. *eNeuro*. doi:10.1523/eneuro.0106-21.2021
138. Reyner-Parra & Huguet (2021). Phase-locking patterns underlying effective communication in exact firing rate models of neural networks. *bioRxiv (Cold Spring Harbor Laboratory)*. doi:10.1101/2021.08.13.456218
139. Susin & Destexhe (2021). Integration, coincidence detection and resonance in networks of spiking neurons expressing Gamma oscillations and asynchronous states. *PLoS Computational Biology*. doi:10.1371/journal.pcbi.1009416
140. Dalal & Haddad (2022). Upstream γ -synchronization enhances odor processing in downstream neurons. *Cell Reports*. doi:10.1016/j.celrep.2022.110693
141. Patrono et al. (2022). The role of optogenetic stimulations of parvalbumin-positive interneurons in the prefrontal cortex and the ventral hippocampus on an acute MK801 model of schizophrenia-like cognitive inflexibility. *bioRxiv (Cold Spring Harbor Laboratory)*. doi:10.1101/2022.03.25.485752
142. Rebscher, Obermayer & Metzner (2022). Synchronization Through Uncorrelated Noise in Excitatory-Inhibitory Networks. *Frontiers in Computational Neuroscience*. doi:10.3389/fncom.2022.825865
143. Reyner-Parra & Huguet (2022). Phase-locking patterns underlying effective communication in exact firing rate models of neural networks. *PLoS Computational Biology*. doi:10.1371/journal.pcbi.1009342
144. Sohal (2022). Transforming Discoveries About Cortical Microcircuits and Gamma Oscillations Into New Treatments for Cognitive Deficits in Schizophrenia. *American Journal of Psychiatry*. doi:10.1176/appi.ajp.20220147

145. Veit et al. (2022). Cortical VIP neurons locally control the gain but globally control the coherence of gamma band rhythms. *Neuron*. doi:10.1016/j.neuron.2022.10.036
146. Wagatsuma, Nobukawa & Fukai (2022). A microcircuit model involving parvalbumin, somatostatin, and vasoactive intestinal polypeptide inhibitory interneurons for the modulation of neuronal oscillation during visual processing. *Cerebral Cortex*. doi:10.1093/cercor/bhac355
147. Cattani et al. (2023). Basolateral amygdala oscillations enable fear learning in a biophysical model. *bioRxiv (Cold Spring Harbor Laboratory)*. doi:10.1101/2023.04.28.538604
148. Cattani et al. (2023). Basolateral amygdala oscillations enable fear learning in a biophysical model. *eLife*. doi:10.7554/elife.89519
149. Ferguson, Glick & Huguenard (2023). Prefrontal PV interneurons facilitate attention and are linked to attentional dysfunction in a mouse model of absence epilepsy. *eLife*. doi:10.7554/elife.78349
150. González-Burgos et al. (2023). Mechanisms regulating the properties of inhibition-based gamma oscillations in primate prefrontal and parietal cortices. *Cerebral Cortex*. doi:10.1093/cercor/bhad077
151. Katsanevaki et al. (2023). Attentional effects on local V1 microcircuits explain selective V1-V4 communication. *NeuroImage*. doi:10.1016/j.neuroimage.2023.120375
152. Quast et al. (2023). Rapid synaptic and gamma rhythm signature of mouse critical period plasticity. *Proceedings of the National Academy of Sciences*. doi:10.1073/pnas.2123182120
153. Ursino & Pirazzini (2023). Construction of a Hierarchical Organization in Semantic Memory: A Model Based on Neural Masses and Gamma-Band Synchronization. *Cognitive Computation*. doi:10.1007/s12559-023-10202-y
154. Knowles (2024). Attentional Deficits and Absence Epilepsy: A Tale of 2 Interneuronopathies. *Epilepsy currents/Epilepsy currents*. doi:10.1177/15357597241251709
155. Phensy et al. (2024). Prefrontal gamma oscillations engage dynamic cell type-specific configurations to support flexible behavior. *bioRxiv (Cold Spring Harbor Laboratory)*. doi:10.1101/2024.03.08.584173
156. Zheng et al. (2024). Analyzing top-down visual attention in the context of gamma oscillations: a layer- dependent network-of- networks approach. *Frontiers in Computational Neuroscience*. doi:10.3389/fncom.2024.1439632
157. Chalkiadakis et al. (2025). The Role of Feedforward and Feedback Inhibition in Modulating Theta-Gamma Cross-Frequency Interactions. *Qeios*. doi:10.32388/rih5uu
158. Chalkiadakis et al. (2025). The role of feedforward and feedback inhibition in modulating theta-gamma cross-frequency interactions in neural circuits. *PLoS Computational Biology*. doi:10.1371/journal.pcbi.1013363
159. Sajedin, FallahTaherpazir & Menhaj (2025). Cholinergic modulation mediates attentional mechanism to enhance coherence between cortical layers in macaque V1 and V4. *Scientific Reports*. doi:10.1038/s41598-025-24109-1
160. Phensy et al. (2026). Prefrontal gamma oscillations engage dynamic cell-type-specific configurations to support flexible behavior. *Neuron*. doi:10.1016/j.neuron.2026.05.002
161. Tucker & Luu (2026). Excitatory-inhibitory resonance in cognition stabilizes synaptic traces in memory. *Cerebral Cortex*. doi:10.1093/cercor/bhag044