

FREE SAMPLE / 2026 EDITION

NETWORK SECURITY ASSESSMENT

Executive & Technical Sample Report

ASSESS -> FIX -> VALIDATE -> PROVE

Fictional organization. Synthetic evidence. Demonstration use only. No customer or production environment is represented.

WeOwnIT / Network & Security Consulting

Risk-informed security engineering · Architecture · Remediation · Validation

Executive assessment summary

From technical findings to business risk and validated remediation.

ASSESSMENT CONCLUSION

The synthetic environment shows common weaknesses affecting management-plane protection, network segmentation, privileged access and security visibility. The highest concern is the combination of broad reachability, privileged exposure and incomplete monitoring.

BUSINESS RISK

A compromised user endpoint could create a path toward privileged network control. Excessive east-west access also increases lateral-movement potential, while incomplete logging can reduce detection and investigation capability.

OUTCOME

The sample demonstrates how WeOwnIT connects evidence, business impact, remediation ownership, validation criteria and residual risk - rather than stopping at a list of findings.

Business context & critical assets

Security decisions start with what the business depends on.

CONTEXT

ACME Manufacturing is a fictional 250-user organization with HQ, two branches, business-critical ERP, internal application services, remote connectivity and centralized security management.

CRITICAL ASSETS

Internet edge firewall; management network; ERP and application servers; branch VPN connectivity; centralized logging; administrative identities.

SECURITY OBJECTIVES

Protect availability of connectivity, integrity of privileged configuration, confidentiality of business data, segmentation between trust zones and accountability of administrative actions.

Scope, assumptions & methodology

A repeatable assessment model for risk-informed engineering.

SCOPE

Architecture, trust boundaries, administrative exposure, segmentation, firewall policy, logging, privileged access, backup and recovery readiness.

METHOD


CONTEXT -> ASSESS -> ANALYZE -> PRIORITIZE -> REMEDIATE -> VALIDATE -> PROVE

EVIDENCE CONFIDENCE

This sample uses SYNTHETIC / INFERRED evidence. In a client engagement, evidence is classified as Confirmed, Observed, Inferred or Not Tested.

Architecture & trust boundaries

Where lower-trust zones can reach privileged control.



TRUST ZONES

Internet / User / Server / Management / Security Management / Branch VPN

OBSERVED TRUST ISSUE

The synthetic User zone can reach administrative HTTPS/SSH on the edge firewall. That creates an unnecessary attack path from a lower-trust workstation segment to a privileged security control.

TARGET STATE

Administrative access originates only from the management zone or approved remote-admin path, protected by MFA, named accounts, least privilege and centralized logging.

Risk register & prioritization

Prioritize scenarios, not isolated settings.

R-01 - MANAGEMENT-PLANE EXPOSURE

Likelihood 4/5 | Impact 5/5 | Inherent risk: CRITICAL | Target residual risk: LOW

R-02 - EXCESSIVE EAST-WEST ACCESS

Likelihood 4/5 | Impact 4/5 | Inherent risk: HIGH | Target residual risk: MEDIUM

R-03 - INCOMPLETE SECURITY LOGGING

Likelihood 3/5 | Impact 4/5 | Inherent risk: HIGH | Target residual risk: LOW

R-04 - PRIVILEGED ACCESS WITHOUT MFA

Likelihood 3/5 | Impact 5/5 | Inherent risk: HIGH | Target residual risk: LOW

1	2	3	4	5
2	4	6	8	10
3	6	9	12	15
4	8	12	16	
5	10	15	20	25

F-001 - Management plane reachable from User zone

Detailed finding - HIGH

ATTACK PATH

Compromised endpoint -> User zone -> Firewall management -> Privileged control

AFFECTED ASSET

Edge firewall / management plane

OBSERVATION

Administrative HTTPS and SSH services are reachable from the general corporate user network.

THREAT SCENARIO

A compromised endpoint could establish connectivity to the firewall management plane. Combined with credential compromise or another authentication weakness, this creates a path toward privileged control.

ILLUSTRATIVE EVIDENCE

Source 10.20.10.25 (USER) -> 10.20.100.1 TCP/443 REACHABLE; TCP/22 REACHABLE.

POTENTIAL IMPACT

Unauthorized policy changes, VPN manipulation, routing changes, security-control bypass, logging modification and service disruption.

F-001 - Control strategy & validation

Prevent, limit, detect, recover - then prove.

ATTACK PATH

Compromised endpoint -> User zone -> Firewall management -> Privileged control

PREVENT

Dedicated management network; trusted administrative sources; MFA; named administrator accounts.

LIMIT

Role-based administrator profiles; least privilege; restricted management protocols.

DETECT

Administrative login logging; failed-authentication monitoring; configuration-change logging.

RECOVER

Validated configuration backup and documented recovery path.

IMPLEMENTATION RISK

MEDIUM - changing management access without confirming alternate connectivity can cause administrative lockout. Validate console/OOB access first.

VALIDATION EVIDENCE

MGMT -> HTTPS ALLOW; USER -> HTTPS BLOCK; WAN -> SSH BLOCK; MFA VERIFIED; admin events visible in central logs.

EXPECTED RESIDUAL RISK

LOW, provided that access sources, MFA, named accounts and centralized logging are verified.

F-002 - Excessive east-west network access

Detailed finding - HIGH

OBSERVATION

A broad User-to-Server security policy permits more services than required for business operation.

THREAT SCENARIO

A compromised workstation may obtain unnecessary reachability toward internal workloads, increasing lateral-movement opportunities.

CURRENT STATE

USER -> SERVER : broad / any-style access

TARGET STATE

USER -> APP : required business services only; USER -> DB/MGMT : denied unless explicitly justified.

VALIDATION

Positive test for required application flow plus negative tests for database and management ports. Review logs for denied non-business traffic.

RESIDUAL RISK

MEDIUM after least-privilege policy and monitoring, subject to application dependencies and approved exceptions.

Remediation roadmap & closure evidence

Turn findings into owned, measurable work.

0-7 DAYS

F-001 management exposure - Network Security - low effort / medium change risk.

0-30 DAYS

F-002 policy reduction - Network Security + Application Owner - medium effort / medium change risk. Enforce MFA for privileged accounts.

30-60 DAYS

Centralize security logging and verify administrative event coverage. Validate backup/recovery procedure.

CLOSURE CRITERIA

OPEN -> REMEDIATION PLANNED -> IMPLEMENTED -> VALIDATION REQUIRED -> VERIFIED -> CLOSED.

EVIDENCE PACK

Configuration evidence, approved change record, positive/negative tests, log proof, residual-risk statement and owner acceptance.

CLIENT OUTCOME

Executive summary + technical findings + remediation backlog + target architecture + validation plan + reusable evidence.