

STAY HOME, STAY UP TO DATE





CAT

Thecat(Felis catus) is adomestic species of small-carnivorous mammal.[1] [2] It is the only domesticated species in the family Felidaeand is commonly referred to as the domestic catorhouse catto distinguish it from the wild members of the family.[4] Cats are commonly kept as house pets but can also befarm catsorferal cats; the feral cat ranges freely and avoids human contact.[5] Domestic cats are valued by humans for companionship and their ability to killrodents. About 60cat breedsare recognized by variouscat registries.[6]

The cat is similar inanatomyto the other felid



species: it has a strong flexible body, quickreflexes, sharp teeth, andretractable clawsadapted to killing small prey like mice and rats. Itsnight visionand sense of smell are well developed. Cat communication includes vocalizations like meowing, purring, trilling, hissing, growling, and grunting as well ascat-specific body language. Although the cat is asocial species, it is a solitary hunter. As apredator, it is crepuscular, i.e. most active at dawn and dusk. It can hear sounds too faint or too high infrequency for human ears, such as those made by mice and other small mammals. [7] It also secretes and perceives pheromones. [8]

Female domestic cats can have kittens from spring to late autumn, with litter sizes often ranging from two to five kittens.[9]Domestic cats are bred and shown at events as registeredpedigreed cats, a hobby known ascat fancy.Population controlof cats may be achieved byspayingandneutering, but their proliferation and the abandonment of pets has resulted in large numbers of feral cats worldwide, contributing to the extinction of entire bird, mammal, and reptile species.[10]

It was long thought that cat domestication began inancient Egypt, wherecats were venerated from around 3100 BC,[11] [12] but recent advances in archaeology and genetics have shown that their domestication occurred in Western Asia around 7500 BC.[13]

As of 2021, there were an estimated 220 million owned and 480 million stray cats in the world. [14] [15] As of 2017, the domestic cat was the second most popular pet in the United States, with 95.6 million cats owned [16] [17] [18] and around 42 million households owning at least one cat. [19] In the United Kingdom, 26% of adults have a cat, with an estimated population of 10.9 million pet cats as of 2020. [20]

ETYMOLOGY AND NAMING

The origin of the English wordcat,Old Englishcatt, is thought to be the Late Latinword cattus, which was first used at the beginning of the 6th century.[21]It was suggested that cattusis derived from an Egyptianprecursor of Coptic wšau, 'tomcat', or its feminine form suffixed with-t.[22]The Late Latin word may be derived from another Afro-Asiatic [23]or Nilo-Saharanlanguage. The Nubianwordkaddîska' wildcat' andNobiinkadīsare possible sources or cognates.[24] The Nubian word may be a loan from Arabic ثطة .qiţţ طِق~ţţ

However, it is "equally likely that the forms might derive from an ancient Germanic word, imported into Latin and thence to Greek and to Syriac and Arabic".[25]The word may be derived from

Germanic and Northern European languages, and ultimately be borrowed fromUralic, cf.Northern Samigáðfi, 'femalestoat', andHungarianhölgy, 'lady, female stoat'; fromProto-Uralic*käd'wä, 'female (of a furred animal)'.[26]

The Englishpuss, extended aspussyandpussycat, is attested from the 16th century and may have been introduced from Dutchpoesor fromLow Germanpuuskatte, related toSwedishkattepus, orNorwegianpus, pusekatt. Similar forms exist in LithuanianpuižėandIrishpuisínorpuiscín.

The etymology of this word is unknown, but it may have arisen from a soundused to attract a cat.[27]

A male cat is called atomortomcat[29](or agib,[30] ifneutered). A female is called aqueen[31](or amolly,[32][user-generated source?]ifspayed), especially in a cat-breeding context. A juvenile cat is referred to as akitten. InEarly Modern English, the wordkittenwas interchangeable with the now-obsolete wordcatling. [33]A group of cats can be referred to as aclowderor aglaring.[34]

Taxonomy

Thescientific nameFelis catuswas proposed byCarl Linnaeusin 1758 for a domestic cat.[1] [2]Felis catus domesticuswas proposed by Johann Christian Polycarp Erxlebenin 1777.[3] Felis daemonproposed byKonstantin Satuninin 1904 was a black cat from the Transcaucasus, later identified as a domestic cat. [35] [36]

In 2003, theInternational Commission on Zoological Nomenclatureruled that the domestic cat is a distinct species, namelyFelis catus.[37] [38]In 2007, it was considered asubspecies.F. silvestris catus, of the European wildcat(F. silvestris) following results ofphylogeneticresearch.[39] [40]In 2017, the IUCN Cat Classification Taskforce followed the recommendation of the ICZN in regarding the domestic cat as a distinct species, Felis catus. [41]

Evolution

Main article: Cat evolution

Skulls of a wildcat (top left), a housecat (top right), and a hybrid between the two. (bottom center)

The domestic cat is a member of the Felidae, afamilvthat had acommon ancestorabout 10-15million years ago.[42]ThegenusFelisdivergedfrom other Felidae around 6-7million years ago.[43]Results ofphylogeneticresearch confirm that the wildFelisspecies evolved throughsympatricorparapatric speciation, whereas the domestic cat evolved throughartificial selection.[44]The domesticated cat and its closest wild ancestor are diploid and both possess 38 chromosomes

> [45] and roughly 20,000 genes. [46] Theleopard cat(Prionailurus bengalensis) wasta-

medindependently in China around 5500 BC. This line of partially domesticated cats leaves no trace in the domestic cat populations of today.[47]

> **Domestication** See also:Domestication of the

A cat eating a fish under a chair, amuralin an Egyptian tomb dating to the 15th century BC

The earliest known indication for thetamingof anAfrican wildcat(F. lybica) wasexcavatedclose by a humanNeolithicgrave in-Shillourokambos, southernCyprus, dating to about 7500–7200 BC. Since there is no evidence of native mammalianfaunaon Cyprus, the inhabitants of this Neolithic village most likely brought the cat and other wild mammals to the island from the Middle Easternmainland.[48] Scientists therefore assume that African wildcats were attracted to early human settlements in theFertile Crescentby rodents, in particular thehouse mouse(Mus musculus), and were tamed by Neolithic farmers. Thismutualrelationship between early farmers and tamed cats lasted thousands of years. Asagricultural practicesspread, so did tame and domesticated cats.[13] [6] Wildcats of Egypt contributed to the maternalgene poolof the domestic cat at a later time.

The earliest known evidence for the occurrence of the domestic cat inGreecedates to around 1200 BC. Greek, Phoenician, Carthaginian and Etruscantraders introduced domestic cats to southern Europe.[50] During theRoman Empirethey were introduced to-CorsicaandSardiniabefore the beginning of the 1st millennium.[51]By the 5th century BC, they were familiar animals around settlements in Magna GraeciaandEtruria.[52]By the end of the Western Roman Empire in the 5th century, the Egyptian domestic cat lineage had arrived in aBaltic Seaport in northern-Germany.[49]

During domestication, cats have undergone only mi-

nor changes in anatomy and behavior, and they are still capable of surviving in the wild. Several natural behaviors and characteristics of wildcats may havepre-adapted them for domestication as pets. These traits include their small size, social nature, obvious body language, love of play, and high intelligence. CaptiveLeoparduscats may also display affectionate behavior toward humans but were not domesticated. [53] House cats often mate with feral cats. [54] Hybridisation between domestic and other Felinae speciesis also possible, producing hybrids such as the Kellas catinScotland.[55] [56]

Development ofcat breedsstarted in the mid 19th century.[57]An analysis of the domestic catgenomerevealed that the ancestral wildcat genome was significantly altered in the process of domestication, as specificmutationswere selected to develop cat breeds. [58] Most breeds are founded on random-bred domestic cats. Genetic diversity of these breeds varies between regions, and is lowest in purebred populations, which show more than 20 deleteriousgenetic disorders.[59]

Thecat(Felis catus) is adomestic species of smallcarnivorous mammal.[1] [2]It is the only domesticated species in the family Felidaeand is commonly referred to as the domestic catorhouse catto distinguish it from the wild members of the family.[4] Cats are commonly kept as house pets but can also befarm catsorferal cats; the feral cat ranges freely and avoids human contact.[5]Domestic cats are valued by humans for companionship and their ability to killrodents. About 60cat breedsare recognized by variouscat registries.

The cat is similar inanatomyto the other felid species: it has a strong flexible body, quickreflexes, sharp teeth, andretractable clawsadapted to killing small prey like mice and rats. Itsnight visionand sense of smell are well developed.Cat communicationincludesvocalizationslikemeowing, purring, trilling, hissing, growling, and grunting as well ascat-specific body language. Although the cat is asocial species, it is a solitary hunter. As apredator, it iscrepuscular, i.e. most active at dawn and dusk. It can hear sounds too faint or too high infrequencyfor human ears, such as those made bymiceand other small mammals.[7]It also secretes and perceivespheromones.[8]

Female domestic cats can have kittens from spring to late autumn, with litter sizes often ranging from two to five kittens.[9]Domestic cats are bred and shown at events as registeredpedigreed cats, a hobby known ascat fancy. Population control of cats may be achieved byspayingandneutering, but their proliferation and the abandonment of pets has resulted in large num-

bers of feral cats worldwide, contributing to the extinction of entire bird, mammal, and reptile species.

It was long thought that cat domestication began inancient Egypt, wherecats were venerated from around 3100 BC,[11] [12]but recent advances in archaeology and genetics have shown that their domestication occurred inWestern Asiaaround 7500 BC.[13]

As of 2021, there were an estimated 220 million owned and 480million stray cats in the world.[14] [15]As of 2017, the domestic cat was the second most popular pet in the United States, with 95.6 million cats owned [16] [17] [18] and around 42 million households owning at least one cat.[19]In theUnited Kingdom, 26% of adults have a cat, with an estimated population of 10.9million pet cats as of 2020.[20]

Etymology and naming

The origin of the English wordcat,Old Englishcatt, is thought to be theLate Latinwordcattus, which was first used at the beginning of the 6th century.[21]It was suggested that cattusis derived from an Egyptian precursor of Coptic w □ □šau, 'tomcat', or its feminine form suffixed with-t.[22] The Late Latin word may be derived from anotherAfro-Asiatic [23]orNilo-Saharanlanguage. The Nubianwordkaddîska' wildcat' and Nobiinkadīsare possible sources or cognates.[24]The Nubian word may be a loan fromArabicظِق ۾ُqaţţ طِق ۾ ٻُڙي ۾ ٻُڙي However, it is "equally likely that the forms might derive from an ancient Germanic word, imported into Latin and thence to Greek and to Syriac and Arabic".[25]The word may be derived from Germanic and Northern European languages. and ultimately be borrowed from Uralic, cf.Northern Samigáðfi, 'femalestoat', andHungarianhölgy, 'lady, female stoat'; fromProto-Uralic*käd'wä, 'female (of a furred

animal)'.[26] The Englishpuss, extended aspussyandpussycat, is attested from the 16th century and may have been introduced from Dutchpoesor from Low Germanpuuskatte, related toSwedishkattepus, orNorwegianpus,pusekatt. Similar forms exist in LithuanianpuižėandIrishpuisínorpuiscín. The etymology of this word is unknown, but it may havearisen from a soundused to attract a cat.[27] [28]

A male cat is called atomortomcat[29](or agib,[30] ifneutered). A female is called aqueen[31](or amolly,[32][user-generated source?]ifspayed), especially in a cat-breeding context. A juvenile cat is referred to as akitten. InEarly Modern English, the wordkittenwas interchangeable with the now-obsolete wordcatling. [33] A group of cats can be referred to as aclowderor aglaring.[34]

Taxonomy

Thescientific nameFelis catuswas proposed byCarl Linnaeusin 1758 for a domestic cat.[1] [2]Felis catus domesticuswas proposed by Johann Christian Polycarp Erxlebenin 1777.[3]Felis daemonproposed byKonstantin Satuninin 1904 was a black cat from the Transcaucasus, later identified as a domestic cat.

In 2003, the International Commission on Zoological

Skulls of a wildcat (top left), a housecat (top right), and a hybrid between the two. (bottom center)

The domestic cat is a member of the Felidae, afamilythat had acommon ancestorabout 10-15million years ago.[42]ThegenusFelisdivergedfrom other Felidae around 6-7million years ago.[43]Results of phylogeneticresearch confirm that the wildFelisspecies evolved throughsympatricorparapatric speciation, whereas the domestic cat evolved throughartificial selection.[44] The domesticated cat and its closest wild ancestor are diploid and both possess 38 chromosomes [45] and roughly 20,000 genes. [46] Theleopard cat(Prionailurus bengalensis) wastamedindependently in China around 5500 BC. This line of partially domesticated cats leaves no trace in the domestic cat populations of today.[47]

> **Domestication** See also:Domestication of the cat

> > A cat eating a fish under a chair, amuralin an Egyptian tomb dating to the 15th century BC

The earliest known indication for thetamingof anAfrican wildcat(F. lybica) wasexcavatedclose by a humanNeolithicgrave inShillourokambos, southernCyprus, dating to about 7500-7200 BC. Since there is no evidence of native mammalianfaunaon Cvprus, the inhabitants of this Neolithic village most likely brought the cat and other wild mammals to the island from theMiddle Easternmainland,[48] Scientists therefore assume that African wildcats were attracted to early human settlements in the Fertile Crescentby rodents, in particular thehouse mouse(Mus musculus), and were tamed by Neolithic farmers. Thismutualre-

lationship between early farmers and tamed cats lasted thousands of years. Asagricultural practicesspread, so did tame and domesticated cats. [13] [6] Wildcats of Egypt contributed to the maternalgene pool of the domestic cat at a later time. [49]

The earliest known evidence for the occurrence of the domestic cat inGreecedates to around 1200 BC. Greek, Phoenician, Carthaginian and Etruscantraders introduced domestic cats to southern Europe.[50] During the Roman Empirethey were introduced to-CorsicaandSardiniabefore the beginning of the 1st millennium.[51]By the 5th century BC, they were familiar animals around settlements in Magna GraeciaandEtruria.[52]By the end of the Western Roman Empire in the 5th century, the Egyptian domestic cat

ruled the domestic cat is a distinct namelyFelis catus.[37] [38]In 2007, it was considered asubspecies, F. silvestris catus, of the European wildcat(F. silvestris) following results ofphylogeneticresearch.[39] [40]In 2017, the IUCN Cat Classification Taskforce followed the recommendation of the ICZN in regarding the domestic cat as a distinct species, Felis catus.[41] **Evolution**

Main article: Cat evolution

5 TYPES OF CAT

lineage had arrived in aBaltic Seaport in northern-Germany.[49]

During domestication, cats have undergone only minor changes in anatomy and behavior, and they are still capable of surviving in the wild. Several natural behaviors and characteristics of wildcats may havepre-adaptedthem for domestication as pets. These traits include their small size, social nature, obvious body language, love of play, and high intelligence. CaptiveLeoparduscats may also display affectionate behavior toward humans but were not domesticated. [53] House cats often mate with feral cats. [54] Hybridisation between domestic and other Felinae speciesis also possible, producing hybrids such as theKellas catinScotland.[55] [56]

Development ofcat breedsstarted in the mid 19th century.[57] An analysis of the domestic catgenomerevealed that the ancestral wildcat genome was significantly altered in the process of domestication, as specificmutationswere selected to develop cat breeds. [58] Most breeds are founded on random-bred domestic cats. Genetic diversity of these breeds varies between regions, and is lowest in purebred populations, which show more than 20 deleteriousgenetic disorders.[59]



Thecat(Felis catus) is adomestic species of smallcarnivorous mammal.[1] [2]It is the only domesticated species in the familyFelidaeand is commonly referred to as the domestic catorhouse catto distinguish it from the wild members of the family.[4] Cats are commonly kept as house pets but can also befarm catsorferal cats; the feral cat ranges freely and avoids human contact.[5]Domestic cats are valued by humans for companionship and their ability to killrodents. About 60cat breedsare recognized by variouscat registries.

The cat is similar inanatomyto the other felid species: it has a strong flexible body, quickreflexes, sharp teeth, andretractable clawsadapted to killing small prey like mice and rats. Itsnight visionand sense of smell are well developed.Cat communicationincludesvocalizationslikemeowing, purring, trilling, hissing, growling, and grunting as well ascat-specific body language. Although the cat is asocial species, it is a solitary hunter. As apredator, it iscrepuscular, i.e. most active at dawn and dusk. It can hear sounds too faint or too high infrequencyfor human ears, such as those made bymiceand other small mammals.[7]It also secretes and perceivespheromones.[8]

Female domestic cats can have kittens from spring to late autumn, with litter sizes often ranging from two to five kittens.[9]Domestic cats are bred and shown at events as registeredpedigreed cats, a hobby known ascat fancy. Population control of cats may be achieved byspaying and neutering, but their proliferation and the abandonment of pets has resulted in large numbers of feral cats worldwide, contributing to the extinction of entire bird, mammal, and reptile species.

It was long thought that cat domestication began inancient Egypt, wherecats were venerated from around 3100 BC,[11] [12]but recent advances in archaeology and genetics have shown that their domestication occurred in Western Asia around 7500 BC.[13]

As of 2021, there were an estimated 220 million owned and 480million stray cats in the world.[14] [15]As of 2017, the domestic cat was the second most popular pet in the United States, with 95.6 million cats owned [16] [17] [18] and around 42 million households owning at least one cat.[19]In theUnited Kingdom, 26% of adults have a cat, with an estimated population of **10.9million pet cats as of 2020.[20]**

Etymology and naming

The origin of the English wordcat,Old Englishcatt, is thought to be theLate Latinwordcattus, which was first used at the beginning of the 6th century.[21]It was suggested that cattusis derived from an Egyptianprecursor of Coptic uyšau, 'tomcat', or its feminine form suffixed with-t.[22]The Late Latin word may be derived from anotherAfro-Asiatic [23]or-

Nilo-Saharanlanguage. The Nubianwordkaddîska'wildcat' andNobiinkadīsare possible sources or cognates.[24] The Nubian word may be a loan fromArabicطِق qaţţ-طِقqiţţ. However, it is "equally likely that the forms might derive

from an ancient Germanic word, imported into Latin and thence to Greek and to Svriac and Arabic".[25]The word may be derived from Germanic and Northern European languages, and ultimately be borrowed from Uralic, cf. Northern Samigáðfi, 'femalestoat', andHungarianhölgy, 'lady, female stoat'; from-Proto-Uralic*käd'wä, 'female (of a furred

The Englishpuss, extended aspussvandpussvcat, is attested from the 16th century and may have been introduced from Dutchpoesor from Low Germanpuuskatte, related toSwedishkattepus, orNorwegianpus,pusekatt. Similar forms exist in LithuanianpuižėandIrishpuisínorpuiscín. The etymology of this word is unknown, but it may have arisen from a soundused to attract a cat.[27] [28]

A male cat is called atomortomcat[29](or agib,[30] ifneutered). A female is called aqueen[31](or amolly,[32][user-generated source?]ifspayed), especially in a cat-breeding context. A juvenile cat is referred to as akitten. InEarly Modern English, the wordkittenwas

interchangeable with the now-obsolete wordcatling. [33] A group of cats can be referred to as aclowderor



Thescientific nameFelis catuswas proposed byCarl Linnaeusin 1758 for a domestic cat.[1] [2]Felis catus domesticuswas proposed by Johann Christian Polycarp Erxlebenin 1777.[3]Felis daemonproposed byKonstantin Satuninin 1904 was a black cat from the Transcaucasus, later identified as a domestic cat.

In 2003, the International Commission on Zoological Nomenclatureruled that the domestic cat is a distinct species, namelyFelis catus.[37] [38]In 2007, it was considered asubspecies, F. silvestris catus, of the European wildcat(F. silvestris) following results of phylogeneticresearch.[39] [40]In 2017, the IUCN Cat Classification Taskforce followed the recommendation of the ICZN in regarding the domestic cat as a distinct

species, Felis catus. [41]

Evolution

Main article: Cat evolution

Skulls of a wildcat (top left). a housecat (top right), and a hybrid between the two. (bottom center)

The domestic cat is a member of the Felidae, afamilythat had acommon ancestorabout 10-15million years ago.[42]Thegenus-Felisdivergedfrom other Felidae around 6-7million years ago.[43]Results of-

phylogeneticresearch confirm that the wildFelisspecies evolved throughsympatricorparapatric speciation, whereas the domestic cat evolved

throughartificial selection.[44]The domesticated cat and its closest wild ancestor are diploid and both possess 38chromosomes [45] and roughly 20,000 genes. [46] Theleopard cat(Prionailurus bengalensis) wastamedindependently in China around 5500 BC. This line of partially domesticated cats leaves no trace in the domestic cat populations of today.[47]

See also:Domestication of the cat

A cat eating a fish under a chair, amuralin an Egyp-

tian tomb dating to the 15th century BC

The earliest known indication for thetaming of an Af-

rican wildcat(F. lybica) wasexcavatedclose by a hu-

manNeolithicgrave inShillourokambos, southernCv-

prus, dating to about 7500-7200 BC. Since there is no

evidence of native mammalian fauna on Cyprus, the in-

habitants of this Neolithic village most likely brought

the cat and other wild mammals to the island from

the Middle Easternmainland. [48] Scientists therefore

assume that African wildcats were attracted to early

human settlements in theFertile Crescentby rodents,

in particular thehouse mouse(Mus musculus), and

lasted thousands of years. Asagricultural

practicesspread, so did tame and domesti-

cated cats.[13] [6] Wildcats of Egypt con-

tributed to the maternalgene pool of the

The earliest known evidence for the

occurrence of the domestic cat in-

Greecedates to around 1200 BC.

Greek, Phoenician, Carthaginian-

andEtruscantraders introduced

domestic cats to southern Europe.

[50] During the Roman Empirethey

were introduced toCorsicaandSar-

diniabefore the beginning of the

1st millennium.[51]By the 5th cen-

tury BC, they were familiar animals

around settlements in Magna Graeci-

aandEtruria.[52]By the end of the West-

ern Roman Empire in the 5th century, the

aBaltic Seaport in northernGermany.[49]

Egyptian domestic cat lineage had arrived in

During domestication, cats have undergone only mi-

CaptiveLeoparduscats may also display affectionate

behavior toward humans but were not domesticated.

[53] House cats often mate with feral cats. [54] Hybri-

disation between domestic and other Felinae specie-

sis also possible, producing hybrids such as the Kellas

Development ofcat breedsstarted in the mid 19th

century.[57]An analysis of the domestic catgenomer-

evealed that the ancestral wildcat genome was sig-

nificantly altered in the process of domestication, as

specificmutationswere selected to develop cat breeds.

[58]Most breeds are founded on random-bred domes-

tic cats.Genetic diversity of these breeds varies be-

tween regions, and is lowest in purebred populations,

which show more than 20 deleteriousgenetic disor-

catinScotland.[55] [56]

ders.[59]

domestic cat at a later time.[49]

Thecat(Felis catus) is adomestic species of smallcarnivorous mammal.[1] [2]It is the only domesticated species in the familyFelidaeand is commonly referred to as the domestic catorhouse catto distinguish it from members of the family.[4]Cats are commonly kept as

house pets but were tamed by Neolithic farmers. Thismutualrelacan also betionship between early farmers and tamed cats farm catsorferal cats; t h e fec a t ranges freely and avoids human

tact.[5]Domestic nor changes in anatomy and behavior, and they are are valued by humans for still capable of surviving in the wild. Several natural companionship and their ability to killrodents. About behaviors and characteristics of wildcats may have-60cat breedsare recognized by variouscat registries. pre-adapted them for domestication as pets. These traits include their small size, social nature, obvious The cat is similar inanatomyto the other felid species: body language, love of play, and high intelligence.

it has a strong flexible body, quickreflexes, sharp teeth, andretractable clawsadapted to killing small prev like mice and rats. Itsnight visionand sense of smell are well developed.Cat communicationincludesvocalizationslikemeowing, purring, trilling, hissing, growling, and grunting as well ascat-specific body language. Although the cat is asocial species, it is a solitary hunter. As apredator, it iscrepuscular, i.e. most active at dawn and dusk. It can hear sounds too faint or too high infrequencyfor human ears, such as those made bymiceand other small mammals.[7]It also secretes and perceivespheromones.[8]

Female domestic cats can have kittens from spring to late autumn, with litter sizes often ranging from two to five kittens.[9]Domestic cats are bred and shown at events as registeredpedigreed cats, a hobby known ascat fancy. Population controlof cats may be achieved byspavingandneutering, but their proliferation and

the abandonment of pets has resulted in large numbers of feral cats worldwide, contributing to the extinction of entire bird, mammal, and reptile species.

It was long thought that cat domestication began inancient Egypt, wherecats were venerated from around 3100 BC,[11] [12]but recent advances in archaeology and genetics have shown that their domestication occurred inWestern Asiaaround 7500 BC.[13]

As of 2021, there were an estimated 220 million owned and 480million stray cats in the world.[14] [15] As of 2017, the domestic cat was the second most popular pet in the United States, with 95.6 million cats owned [16] [17] [18] and around 42 million households owning at least one cat.[19]In theUnited Kingdom, 26% of adults have a cat, with an estimated population of **10.9million pet cats as of 2020.[20]**

ETYMO

The origin of the English wordcat,Old Englishcatt, is thought to be theLate Latinwordcattus, which was first used at the beginning of the 6th century.[21]It was suggested that cattusis derived from an Egyptianprecursor of Coptic wšau, 'tomcat', or its feminine form suffixed with-t.[22]The Late Latin word may be derived from anotherAfro-Asiatic [23]orNilo-Saharanlanguage. The Nubianwordkaddîska' wildcat' andNobiinkadīsare possible sources or cognates.[24] The Nubian word may be a loan from Arabic أطقي .qiţţصطِق~ţţ

However, it is "equally likely that the forms might derive from an ancient Germanic word, imported into Latin and thence to Greek and to Syriac and Arabic".[25]The word may be derived from Germanic and Northern European languages, and ultimately be borrowed from Uralic, cf. Northern Samigáðfi, 'femalestoat', and Hungarianhölgy, 'lady, female stoat'; fromProto-Uralic*käd'wä, 'female (of a furred animal)'.[26]