MUSIC APPLICATION DEVELOPEMENT USING SENTIMENT ANALYSIS

Report submitted to

Department of Computer Science and Engineering

Dr. B.C. Roy Engineering College, Durgapur, WB

for the partial fulfillment of the requirement to award the degree

of

Bachelor of Technology

in

Computer Science and Engineering

by

Ananya Sen (12000120123)
Konapalli Srinivas Arun (12000120004)
Sayan Mukherjee (12000121114)

under the guidance

of

Supervisor: Dr. Anirban Bose

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

DR. B.C. ROY ENGINEERING COLLEGE, DURGAPUR, WB

May, 2024

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

DR. B.C. ROY ENGINEERING COLLEGE, DURGAPUR, WB

DECLARATION

We the undersigned, hereby declare that our B.Tech final year Project entitled, "**Music Application Development using Sentiment Analysis**" is original and is our own contribution. To the best of our knowledge, the work has not beensubmitted to any other Institute for the award of any degree or diploma. We declare that we have not indulged in any form of plagiarism to carry out this project and/or writing this project report. Whenever we have used materials (data, theoretical analysis, figures, and text) from other sources, we have given due credit to them byciting in the text of the report and giving their details in the references. Finally,we undertake the total responsibility of this work at any stage here after.

Signature of the Students

Ananya Sen (12000120123)

Konapalli Srinivas Arun (12000120004)

Sayan Mukherjee (12000121114)

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

DR. B.C. ROY ENGINEERING COLLEGE, DURGAPUR, WB

RECOMMENDATION

This is to recommend that the work undertaken in this report entitled, **"Music Application Development using Sentiment Analysis"** has been carried outby **"Ananya Sen, Konapalli Srinivas Arun, Sayan Mukherjee"** under my/our supervision and guidance during the academic year 2023-24. This may be accepted in partial fulfillment of the requirements for the award of the degree of Bachelor of Technology (Computer Science and Engineering).

Dr. Anirban Bose	**Prof. Arindam Ghosh**
Assistant Professor,	Head of Department,
Department of CSE	Department of CSE

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

DR. B.C. ROY ENGINEERING COLLEGE, DURGAPUR, WB

CERTIFICATE

This is to certify that, **Ananya Sen, Konapalli Srinivas Arun, Sayan Mukherjee**, students in the Department ofComputer Science & Engineering, worked on the project entitled **"Music Application Development using Sentiment Analysis".**

I hereby recommend that the report prepared by them may be accepted in partial fulfillment of the requirement of the Degree of Bachelors of Technology in the Department of Computer Science and Engineering, Dr. B.C. Roy Engineering College, Durgapur.

.

Examiners

Dr. Anirban Bose

(Supervisor)

Prof. Arindam Ghosh

(HOD, CSE)

Date: ***Project Co-ordinator***

Place:

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

DR. B.C. ROY ENGINEERING COLLEGE, DURGAPUR, WB

ACKNOWLEDGEMENT

It is our privilege to express our sincere regards to our project supervisor, Dr. Anirban Bose, for valuable inputs, able guidance, encouragement, whole-hearted cooperation, and constructive criticism throughout our project.

We deeply express our sincere thanks to the Head of Department, Prof. Arindam Ghosh, for encouraging and allowing us to present the project on the topic. " **Music Application Development using Sentiment Analysis** " at our department premises for partial fulfillment of the requirements leading to the award of the B.Tech. Degree.

Furthermore, we would also like to acknowledge the crucial role of our teachers, whose instructions and guidelines acted as a foundation stone for this project.

Ananya Sen

Konapalli Srinivas Arun

Sayan Mukherjee

Abstract

This project presents a music recommendation application that leverages sentiment analysis to enhance user experience. Users input text describing their mood or feelings, which is then analyzed using the RoBERTa model via the Hugging Face API to determine the sentiment. The sentiment score is sent to the Spotify API to generate music recommendations tailored to the user's emotional state. The application is developed using TypeScript, CSS Tailwind, Nuxt.js, and Valibot, ensuring a robust, scalable, and user-friendly interface. Despite challenges in API integration and real-time processing, the application successfully delivers personalized music recommendations, demonstrating the potential of combining NLP and music streaming technologies.

Keywords: RoBERTa, NLP, Sentiment analysis, Spotify API, Hugging Face, Valibot, Nuxt.js

Contents

Contents vii

List of Figures x

List of Tables 1

1 Introduction 1

1.1 Overview 1

1.2 Objective 2

1.3 Significance and Applications of the project 3

1.4 Scope of the Project 4

2 Literature Survey 7

3 Methodology 10

3.1 Application Workflow 10

3.2 Tech Stack and Software used 12

3.2.1 TypeScript 12

3.2.2 CSS Tailwind 12

3.2.3 Nuxt.js 13

3.2.4 Valibot 13

3.2.5 RoBERTa 13
3.2.6 Hugging Face API 14
3.2.7 Spotify API 14
3.3 Metadata by Spotify API 15
3.3.1 Track 16
3.3.2 Album 17
3.4 Machine learning model employed 18
3.6.1 RoBERTa: 18
3.5 Implementation 22
3.6 Issues Faced 25

4 Result **27**
4.1 Results 27
4.2 Search Results 28

5 Conclusion **31**

Bibliography **34**

List of Figures

3.1 Application Workflow 10

4.1 West Bengal is beautiful place search results 28

4.2 I do not really appreciate this love search results 29

4.3 What do you mean 30

List of Tables

3.1 Aspect and outcome 15

CHAPTER 1

Introduction

1.1 Overview

The development of a music recommendation app uses the power of sentiment analysis using RoBERTa (Robustly Optimizing BERT Pretraining Approach) and Hugging Face and integrates with the Spotify API to improve the user experience. RoBERTa, a robust pre-trained language model, analyzes the sentiment of user-generated text. Based on the detected feeling, the app dynamically curates and recommends playlists that match the user's current emotional state. Utilizing the extensive music library and data provided by the Spotify API, the app delivers a personalized and mood-responsive listening experience that combines advanced artificial intelligence with comprehensive music streaming capabilities.

1.2 Objective

The objectives of this study are as follows:

- The purpose of this app is to bridge the gap between users' emotional states and their music choices.
- Using advanced natural language processing techniques and the Spotify API, the app will analyze the emotions input by the user and recommend songs that match those emotions.
- This is particularly valuable because:

Advanced music exploration:

Users will be introduced to new songs that match their current mood, resulting in a more diverse and enjoyable music library

Discovering new artists:

Users can discover lesser-known artists whose music resonates with their emotions and fosters a sense of connection to the music community.

Emotional well-being:

Music has the power to affect emotions. The app can contribute to users' emotional well-being by suggesting songs that match their desired emotional state, be it relaxation, motivation or joy.

Time-Saving:

Instead of spending time searching for appropriate music, users can rely on the application to quickly provide relevant recommendations.

1.3 Significance and Applications of the project

- **Enhanced User Experience**:

  Sentiment analysis can tailor music recommendations based on the user's current mood by analyzing their social media posts or listening history, creating a more personalized and enjoyable experience.

- **Emotion-Based Playlists**:

  Automatically generate playlists that match or influence the listener's emotional state. For instance, a user feeling sad might be offered uplifting or calming music to improve their mood.

- **Market Insights**:

  Sentiment analysis can provide valuable insights into listener trends and preferences, helping artists and producers understand what resonates with their audience, guiding future music production and marketing strategies.

- **Mental Health Applications:**

  Music applications can support mental health by identifying and responding to signs of emotional distress through sentiment analysis, offering therapeutic music interventions or connecting users to appropriate resources.

1.4 Scope of the Project

Scope of Music Recommendation Application Using Sentiment Analysis

a. Personalized Music Experience:

- Tailor music recommendations to match the user's current emotional state, enhancing their listening experience.

b. Real-Time Sentiment Analysis:

- Provide instant sentiment analysis based on user input to generate relevant music suggestions promptly.

c. Multi-Language Support:

- Support for analyzing sentiments in various languages, catering to a diverse user base.

d. User Engagement:

- Increase user engagement by recommending music that resonates with their emotions, potentially increasing app usage and user retention.

e. Data-Driven Insights:

- Collect and analyze user sentiment data to understand trends and preferences, allowing for continuous improvement of recommendation algorithms.

f. Cross-Platform Integration:

- Integrate with multiple music streaming services, not limited to Spotify, to offer a wide range of music options.

g. Advanced NLP Techniques:

- Leverage state-of-the-art natural language processing models (like RoBERTa) to accurately assess user sentiment and improve recommendation accuracy.

h. Customizable User Preferences:

- Allow users to adjust the sensitivity and type of emotional analysis for more tailored recommendations.

i. Scalability:

- Ensure the application can handle a growing number of users and large volumes of data without compromising performance.

j. Privacy and Security:

- Implement robust data protection measures to secure user input and sentiment analysis data, ensuring user privacy.

k. User Feedback Loop:

- Incorporate user feedback to refine sentiment analysis and recommendation accuracy over time.

l. Context-Aware Recommendations:

- Use additional contextual information such as time of day, user activity, or location to further personalize music recommendations.

m. Visual and Interaction Design:

- Develop an intuitive and aesthetically pleasing user interface using modern web technologies like CSS Tailwind and Nuxt.js.

n. Cross-Device Accessibility:

- Ensure the application is accessible and functions seamlessly across various devices, including smartphones, tablets, and desktops.

o. Community and Social Features:

- Enable social features where users can share their mood-based playlists and discover music based on community trends.

By focusing on these aspects, the scope of the music recommendation application can encompass a comprehensive, user-centric, and technically robust solution that meets diverse user needs and adapts to future technological advancement.

CHAPTER 2

Literature Survey

Fine-grained Sentiment Analysis of Social Media with Emotion Sensing [5] This paper delves into the intricacies of sentiment analysis by focusing on the nuanced emotional expressions found in social media posts. The approach leverages ad-vanced natural language processing (NLP) techniques to detect a range of emotions beyond simple positive or negative sentiments. This fine-grained analysis is crucial for our music recommendation project as it enhances the ability to accurately gauge the user's emotional state from their input text, thereby improving the relevance and personalization of the music recommendations. The methodologies outlined in this paper provide a solid foundation for implementing robust emotion sensing in our application. A Comparative Review of Server Rendering and Client Side Rendering in Web Development [4] This paper provides a comprehensive comparison between server-side rendering and client-side rendering (CSR), discussing the advantages and disadvantages of each approach. For our music recommendation project, understanding these differences is critical in choosing the right rendering strategy.

While Server Side Rendering (SSR) offers benefits in terms of initial load time and (Search Engine Optimization) SEO, Client Side Rendering (CSR) allows for more dynamic and interactive user experiences. The insights from this paper help in balancing these factors to create an application that is both performant and user-friendly, utilizing the strengths of SSR where needed and incorporating CSR for dynamic elements. Real-Time Validation and Control Environment for Parallel Robot Control Design Although this paper focuses on robot control design, its emphasis on real-time validation and control is highly applicable to our project. Real-time validation ensures that user inputs are processed promptly and accurately, which is essential for delivering immediate music recommendations based on sentiment analysis. [6] The principles of real-time control and validation can be adapted to our application's architecture to ensure that the sentiment analysis and music recommendation processes are both swift and reliable, enhancing the overall user experience. Hands-on Nuxt.js Web Development: Build Universal and Static-generated Vue.js Applications using Nuxt.js [2] This resource is a practical guide to using Nuxt.js for building web applications. It covers the fundamentals of creating universal (isomorphic) applications that can be rendered both on the server and the client. For our music recommendation application, Nuxt.js is instrumental in developing a responsive and high-performance front-end. The book's insights into Nuxt.js help in structuring the application efficiently, ensuring that it handles user interactions smoothly and renders content quickly. This knowledge is critical in implementing the SSR features that improve the application's load times and overall performance. Predicting Music Popularity Using Machine Learning Algorithm and Music Metrics Available in Spotify [3] This paper examines the use of

machine learning algorithms to predict the popularity of songs based on various music metrics provided by Spotify. The findings from this research are directly applicable to our project, where we aim to recommend music that not only matches the user's emotional state but also has a high likelihood of being well-received. By incorporating predictive models that utilize Spotify's metrics, we can enhance the recommendation engine's accuracy, ensuring that the suggested tracks are both emotionally resonant and popular, thereby increasing user satisfaction. Twitter Sentiment Analysis Tweets Using Hugging Face Harnessing NLP for Social Media Insights [1] The paper explores the application of Hugging Face's NLP models for sentiment analysis of tweets, demonstrating the effectiveness of these models in extracting meaningful insights from social media data. In our project, we employ the RoBERTa model from Hugging Face to perform sentiment analysis on user input. The demonstrated accuracy and efficiency of Hugging Face's models in this paper provide confidence in our choice of tools, ensuring that our sentiment analysis is robust and reliable. This forms the backbone of our recommendation system, enabling it to accurately interpret and respond to user emotion

CHAPTER 3

Methodology

We are developing a music application that uses cutting-edge technologies to enhance user experience and provides smooth integration with the Spotify API.

3.1 Application Workflow



Figure 3.1: *Application workflow*

The application workflow is shown below:

- A music recommendation application begins by capturing user input when the user enters text into the provided input field on the application interface. This text can be anything from a description of their current mood to a specific phrase for the app to analyze.
- Once the input is received, it is sent to the Hugging Face API server where RoBERTa, a robust NLP model, performs sentiment analysis. RoBERTa processes the text and determines the basic emotional tone, whether it is positive, negative or neutral. After this analysis, RoBERTa returns a sentiment score that quantitatively indicates the emotional context of the input text.
- With the sentiment score in hand, the app then sends a request to the Spotify API. This score acts as a key parameter for the Spotify API to generate music recommendations that align with the detected sentiment. For example, if a sentiment score indicates a positive mood, the Spotify API might recommend upbeat and energetic songs, while a more somber sentiment score might lead to slower, more reflective songs being recommended. This integration ensures that music suggestions are closely tailored to the user's current emotional state, providing a personalized listening experience.
- Finally, the user will be shown recommended music tracks on the application interface. The interface is designed to be user-friendly and visually appealing, allowing users to easily view and interact with suggested tracks.

• Utilizing advanced NLP techniques and seamless API integration, this app successfully bridges the gap between emotional sentiment analysis and personalized music recommendation, improving overall user experience and engagement.

3.2 Tech Stack and used software

3.2.1 TypeScript

Usage: TypeScript is used to provide a strongly typed structure to the codebase. This increases code reliability by catching potential errors during development rather than at runtime.

Application: TypeScript in a project makes the application more maintainable and predictable by enforcing type definitions. This reduces the chances of errors and makes the code easier to understand and refactor, facilitating smoother development and debugging processes.

3.2.2 CSS Tailwind

Usage: Tailwind CSS is the first CSS framework used to design responsive and modern user interfaces.

Application: In the project, Tailwind CSS is used to create a visually appealing and user-friendly interface. Its utility approach allows developers to use styles directly in HTML and promote them

faster and more efficient styling without writing your own CSS. This ensures a consistent design and responsive layout across different devices.

3.2.3 Nuxt.js

Usage: Nuxt.js is a framework for building Vue.js applications that provides features such as server-side rendering and static page generation.

Application: For the project, Nuxt.js is used for front-end development, which ensures a smooth and powerful user experience. Its capabilities allow the application to render pages quickly and efficiently, reducing load times and providing a better user interface..

3.2.4 Valibot

Usage: Valibot improves form validation and user input processing within an application.

Application: In this project, Valibot is used to ensure correct format and validity of user input before processing it for sentiment analysis. This prevents errors and ensures that the data sent to the sentiment analysis tool is clean and accurate, increasing the reliability of the recommendations provided by the application.

3.2.5 RoBERTa

Usage: RoBERTa is a pre-trained language model from Hugging Face designed for various natural language processing tasks.

Application: As part of the project, RoBERTa is responsible for sentiment analysis of user inputs to determine their emotional state. This analysis forms the basis for generating personalized music recommendations, as sentiment scores derived from RoBERTa guide song selection from the Spotify API.

3.2.6 Hugging Face API

Usage: The Hugging Face API provides access to a number of pre-trained models, including RoBERTa, which facilitates the integration of NLP functions.

Application: The Hugging Face API project hosts the RoBERTa model and handles sentiment analysis requests from the application. Using this API, the project uses advanced NLP technologies without having to manage the training and deployment of models, ensuring high accuracy and efficiency in sentiment detection.

3.2.7 Spotify API

Usage: The Spotify API provides access to Spotify's extensive music catalog and enables the loading of songs and playlists.

Application: The project uses the Spotify API to generate music recommendations based on sentiment scores received from RoBERTa. By querying the Spotify API with sentiment analysis results, the app can provide users with music that matches their current emotional state, increasing the personalization and relevance of music recommendations.

Table 3.1: West Bengal is beautiful search result

Aspect	Outcome
User input handling	Users can enter text which is then analyzed for sentiment
Sentiment Analysis	Accurate sentiment detection using RoBERTa via the Hugging Face API
Music Recommendation	Personalized music recommendations based on sentiment scores using the Spotify API
Performance	Real-time sentiment analysis and music recommendation with minimal latency
User Experience	Enhanced user satisfaction through personalized, emotion-aligned, music playlists.
Integration	Successful integration of TypeScript, CSS Tailwind, Nuxt.js, Valibot, RoBERTa, Hugging Face, and Spotify API
Scalability	Application is scalable, handling increased user load effectively.
Privacy Measures	Robust data protection measures implemented to ensure user privacy.

3.3 Metadata by Spotify API

The Spotify API provides a rich set of metadata for tracks, albums, artists, playlists, and more. Here are some key metadata attributes provided by the Spotify API:

Tracks:

1. **Track Name**: The title of the track.
2. **Track ID**: A unique identifier for the track.
3. **Artists**: The name(s) and ID(s) of the artist(s) performing the track.
4. **Album**: Information about the album in which the track appears.
5. **Duration**: The length of the track in milliseconds.

6. **Popularity**: A measure of the track's popularity, which ranges from 0 to 100.
7. **Preview URL**: A URL to a 30-second preview of the track.
8. **Track Number**: The position of the track on the album.
9. **Explicit**: Whether the track has explicit content (true/false).
10. **External URLs**: Links to the track on Spotify and other services.
11. **Available Markets**: A list of countries where the track is available.
12. **Audio Features**: Audio features like danceability, energy, key, etc.

Albums:

1. **Album Name**: The title of the album.
2. **Album ID**: A unique identifier for the album.
3. **Artists**: The name(s) and ID(s) of the artist(s) who created the album.
4. **Release Date**: The date when the album was released.
5. **Album Type**: The type of album (e.g., album, single, compilation).
6. **Genres**: A list of genres associated with the album.
7. **Popularity**: A measure of the album's popularity.
8. **Cover Art**: URLs to images of the album cover in various sizes.
9. **Total Tracks**: The total number of tracks in the album.
10. **Available Markets**: A list of countries where the album is available.

Artists:

1. **Artist Name**: The name of the artist.
2. **Artist ID**: A unique identifier for the artist.
3. **Genres**: A list of genres associated with the artist.
4. **Popularity**: A measure of the artist's popularity.
5. **Followers**: The number of Spotify users following the artist.
6. **Images**: URLs to images of the artist in various sizes.

Playlists:

1**. Playlist Name:** Name of the playlist**.**

2**. Playlist ID:** The unique identifier of the playlist**.**

3. **Owner:** Information about the user who owns the playlist.

4. **Description:** Description of the playlist**.**

5**. Total Tracks:** The total number of tracks in the track list.

6. **Public:** Whether the playlist is public (true/false).

7. **Collaborative:** Whether the playlist is collaborative (true/false).

8. **Tracks:** List of tracks included in the playlist along with their metadata.

9. **Followers:** The number of Spotify users following the playlist.

10. **Images**: URL to playlist cover images in various sizes.

Sound Features:

1**. Danceability:** How danceable the song is (0.0 to 1.0).

2**. Energy**: Track intensity and activity (0.0 to 1.0).

3. **Key:** The key in which the song is written**.**

4**. Loudness:** Total volume of the song in decibels (dB).

5**. Mode:** Track modality (main or secondary).

6**. Speech:** Presence of spoken word in the track (0.0 to 1.0).

7. **Acoustic:** Level of confidence that the track is acoustic (0.0 to 1.0).

8**. Instrumentality:** Probability that the track is instrumental (0.0 to 1.0).

9**. Liveness:** The presence of a live audience in the recording (0.0 to 1.0).

10**. Valence:** Musical positivity conveyed by the track (0.0 to 1.0).

11**. Tempo:** The speed or tempo of the song (beats per minute).

3.4 Machine Learning Model employed

3.4.1 RoBERTa:

RoBERTa (Robustly Optimized BERT Approach) is a fairly sophisticated transformer-based language model developed using fb AI. It represents an evolution in the BERT (Bidirectional Encoder Representations from Transformers) framework and includes several improvements that greatly increase its performance in various Natural Language Processing (NLP) tasks. This commitment uses RoBERTa to perform sentiment evaluation based on consumer input, which plays a critical position in creating personalized music recommendations.

RoBERTa builds on the core standards of BERT, which is designed to recognize the context of phrases in a sentence using two-way processing of textual content. but RoBERTa introduces a number of key improvements:

RoBERTa has experience with a much larger data set, about 160GB of textual content, which includes statistics from assets such as common browsing, Wikipedia and books. This extensive educational dataset allows ROBERTa to exploit a wide range of linguistic nuances. moreover, RoBERTa undergoes a longer duration of training with larger batch sizes, which improves its ability to generalize from statistics.

Unlike BERT, which uses static masking throughout the training period, RoBERTa uses dynamic masking. that is, the masked tokens within the training records are dynamically modified at some point in the training epochs. Dynamic overlap helps the model better study and generalize the contextual relationships between words.

Eliminating post-sentence prediction (NSP): RoBERTa gets rid of the post-sentence prediction task used in BERT preschool. studies found that NSP was not very beneficial, and removing it allowed ROBERT to assign additional capabilities to the masked language modelling task, primarily to improve overall performance.

Larger mini-batch and gaining knowledge of rates: the use of large mini-batch and better knowledge of the bids additionally optimizes ROBERTA's training procedure. these adjustments help stabilize schooling and improve convergence.

Mission Software: In this tuning recommendation project, RoBERTa is used to perform sentiment evaluation on user-supplied textual content input. users enter textual content into the app's interface, which will be an outline of their mood, a specific word, or any text they want to explore. The text is then sent to the Hugging Face API server, where RoBERTa's model processes it to determine sentiment.

Sentiment Evaluation Procedure: RoBERTa analyzes textual content by comparing contextual and semantic relationships between phrases. Assigns a sentiment score to the text, indicating whether the sentiment is awesome, negative, or neutral. This sentiment score is crucial because it drives the next step of the method – generating debug tips.

Integration with Hugging Face API: the integration of RoBERTa is facilitated through the Face API, which hosts the sentiment analysis requirements of the model and procedures. This API provides an efficient way to access pre-trained models, making it less difficult for developers to include advanced NLP functionality without deep knowledge of gadget recognition.

Request Processing: The app sends the person's input to the Face API endpoint.

Sentiment Processing: The API uses RoBERTa to process input textual content and return a sentiment score.

End result usage: The tool receives the sentiment score and uses it to query the Spotify API for relevant watch tips.

The sentiment score generated by RoBERTa guides Spotify's API in retrieving a track that aligns with the detected emotional tone. For example, if the sentiment rating is positive, the API can return positive and lively songs. Conversely, a terrible sentiment score could lead to indicators of slower, more contemplative songs. This personalized method complements the user experience by delivering a melody that resonates with their current emotional state.

RoBERTa's excellent skills in natural language understanding and sentiment analysis make him an ideal choice for this task. Its robust overall performance guarantees accurate sentiment detection, which is important for delivering relevant and emotionally tuned melody suggestions. with the help of RoBERTa integration through the Hugging Face API, this business uses the latest generation of NLP to create an advanced consumer-facing application. This implementation is an example of how a better machine-learning model can be used to improve consumer messaging in innovative and meaningful ways.

3.5 Implementation

Implementation of music recommendation application using Sentiment rating

The implementation of a top-notch music recommendation tool begins with the development of a brand new user-friendly interface using Nuxt.js, a Vue.js packaging framework. Nuxt.js offers features like server-side rendering and static website technologies to ensure a smooth and powerful human experience. The interface includes an input subject where customers can enter textual content describing their current mood or any other relevant content they wish to explore.

After receiving user input, the application sends this article to the Hugging Face API, which hosts a version of RoBERTa. RoBERTa, a primarily transformer-based language model, is hired to perform sentiment analysis. The model processes the textual content to understand its context and semantics and returns a sentiment score that indicates the emotional tone of the modern input – whether effective, bad or neutral.

The sentiment score is then used to query the Spotify API. The Spotify API accesses Spotify's vast catalog of tunes to retrieve songs and playlists that align with the detected sentiment. as an example, it can yield a high-quality sentiment score

about a range of contemporary upbeat and energetic tracks, though a dire assessment of the sentiment could lead to softer, more reflective song alternatives. This personalized technique ensures that the musical cues will resonate with the person's current emotional realm and enhance their overall enjoyment.

It uses Valibot software, a form validation device, to ensure the accuracy and validity of today's user input before miles are processed. Valibot checks that the input is effectively formatted and valid, prevents errors, and ensures that the facts sent to the RoBERTa version are easy and reliable.

Additionally, assignment integrates TypeScript and provides a strongly typed structure to the code base. TypeScript complements code reliability with the ability to catch errors at a certain point in development, making code more maintainable and predictable. This reduces the chances of today's bugs and simplifies the debugging system.

CSS Tailwind is used to design the user interface of the application. Tailwind CSS, an application framework, allows developers to apply styles in HTML without delay, supporting faster and more efficient styling without the need for custom CSS. This guarantees a consistent and responsive design for all unique gadgets

Overall, this venture's implementation seamlessly combines various technologies to create an advanced and consumer-centric tune recommendation application. utilizing RoBERTa for sentiment analysis, the Hugging Face API for hosting model websites, and the Spotify API for song suggestions, the software promises completely personalized song reviews based solely on users' emotional states.

3.6 Issues Faced

1. Integration challenges:

- Integrating multiple APIs (Hugging Face API for RoBERTa and Spotify API) presented significant challenges, including handling different authentication mechanisms and ensuring seamless data flow between services.

2. Latency and Performance:

- Ensuring real-time processing of user input and rapid generation of music recommendations was difficult due to the latency of API calls and sentiment analysis.

3. Data quality and input validation:

- Ensuring the quality and validity of user input was critical. Handling a variety of text input, including slang, abbreviations, and different languages, required robust input validation mechanisms.

4. Sentiment Analysis Accuracy:

- RoBERTa's sentiment analysis occasionally produced inaccurate sentiment scores for ambiguous or sarcastic text inputs, affecting the relevance of music recommendations.

6. Dealing with the error:

- Developing comprehensive error handling to manage API failures, timeouts, and unexpected responses was essential to maintain a smooth user experience.

7. Testing and Debugging:

- Thorough testing of the application to identify and fix bugs, especially in the interaction between front-end and back-end components, was time-consuming but necessary for reliability.

Together, these challenges required careful planning, iterative development, and robust testing to ensure the final application was reliable, efficient, and user-friendly.

CHAPTER 4

Result

4.1 Results:

A music recommendation app using sentiment analysis using RoBERTa and the Spotify API has successfully achieved its goal of providing personalized music suggestions based on users' emotions. RoBERTa's model accurately analyzed user input to determine the emotional tone, which was then used to query the Spotify API for relevant music recommendations. The app's user interface developed using Nuxt.js and CSS Tailwind ensured a responsive and fluid experience. Effective validation of user input was handled by Valibot, ensuring data integrity. Overall, the integration of advanced NLP and robust API interactions resulted in a highly engaging and emotionally tuned music recommendation system.

4.2 Search Results:

- Input: West Bengal feels beautiful:



Figure 4.1: *West Bengal is beautiful search result*



Figure 4.2: *West Bengal is beautiful search result*

- Input: I really do not appreciate this love:



Figure 4.3: *I really do not appreciate this love search result*

- Input: What do you mean?



Figure 4.4: *what do you mean search result*



Figure 4.5: *what do you mean search result*

CHAPTER 5

Conclusion

The improvement of a tune recommendation utility based totally on sentiment analysis represents a good-sized breakthrough in creating customized and emotionally resonant user studies. This project has correctly incorporated superior natural language processing (NLP) strategies with machine mastering fashions, leveraging RoBERTa to analyze consumer sentiment and generate tailor-made track recommendations through the Spotify API.

The choice of RoBERTa, a robustly optimized BERT approach, was helpful in accurately interpreting the emotional tone of user inputs. By using dynamic masking, large training datasets, and removing the Next Sentence Prediction (NSP) task, RoBERTa has demonstrated excellent performance in sentiment analysis. This capability was seamlessly integrated through the Hugging Face API, allowing the app to utilize pre-trained models without requiring developers to have extensive machine learning experience.

Several key technologies were used throughout the project to ensure a smooth and efficient user experience. Nuxt.js provided a powerful framework for creating a responsive and powerful user interface, while TypeScript introduced a strongly typed structure to the codebase, reducing runtime errors and improving maintainability. CSS Tailwind has made it easy to create a modern, responsive design that ensures consistent presentation across devices. Valibot played a key role in validating user input, ensuring that only well-formatted and meaningful data was processed.

Despite the numerous challenges they encountered—such as API integration, latency, scalability, and data quality assurance—the project team was able to overcome these obstacles through careful planning and iterative development. Effective error handling mechanisms and robust testing protocols have been implemented to address potential issues related to API failures, rate limits, and unexpected inputs, ensuring a reliable and user-friendly application.

One of the most significant achievements of this project is its ability to provide personalized music recommendations that are in line with the emotional state of users. By processing user input through RoBERTa and interpreting the resulting sentiment scores, the app can query the Spotify API to retrieve music that resonates with the user's current mood. This personalized approach increases user engagement and satisfaction, offering a unique and emotionally tuned music experience.

In terms of future directions, there is potential to further refine sentiment analysis capabilities by incorporating additional context models and expanding the range of emotional tones that can be detected. Increasing the scalability of the application to handle a growing user base, improving real-time processing efficiency and ensuring robust user privacy and data security will also be key areas of focus.

In conclusion, this project shows the power and potential of combining advanced NLP models like RoBERTa with complex API integrations to create innovative user-centric applications. The successful implementation of a sentiment-based music recommendation system highlights the transformative impact of machine learning and sentiment analysis in improving digital experiences. This project not only fulfills the immediate goal of providing personalized music recommendations, but also lays the groundwork for future advancements in emotionally intelligent applications. Integrating sophisticated technologies and solving complex challenges underline the team's commitment to providing high-quality and compelling solutions for a better music experience at all times.

Bibliography

[1]V Jayalakshmi and M Lakshmi. Twitter sentiment analysis tweets using hugging face harnessing NLP for social media insights. In International Conference on Advancements in Smart Computing and Information Security , pages 378–389. Springer, 2023.

[2] Lau Tiam Kok. Hands-on Nuxt.js Web Development: Build universal and static-generated Vue.js applications using Nuxt.js . Packt Publishing Ltd, 2020.

[3] Prashant Pareek, Poorna Shankar, Mr Pushpak Pathak, and Ms Nidhi Sakariya. Predicting music popularity using machine learning algorithm and music metrics available in spotify. J. Dev. Econ. Manag. Res. Stud. JDMS, 9:10–19, 2022.

[4] Darshan Verma and Parmeshwari Aland. A comparative review of server rendering and client side rendering in web development. 2024.

[5] Zhaoxia Wang, Chee Seng Chong, Landy Lan, Yinping Yang, Seng Beng Ho, and Joo Chuan Tong. Fine-grained sentiment analysis of social media with emotion sensing. In 2016 Future Technologies Conference (FTC), pages 1361–1364, 2016.

[6] A Zubizarreta, E Portillo, I Cabanes, M Marcos, and Ch Pinto. Real-time validation and control environment for parallel robot control design. In International Design Engineering Technical Conferences and Computers and Information in Engineering Conference, volume 54839, pages 659–667, 2011