EOPAR — Website Product & Technical Specification v1.1 (Final)

Sep 28, 2026 · @Pareek Sahab

1. Brand core and source-of-truth decisions

EOPAR launches as an anonymous, research-led predictive arts brand with four verticals — Consult, Learning, Research, Publications — built on Next.js, Django and PostgreSQL. Where the three planning notes disagree, Master Blueprint v1 wins; the table below records every resolved conflict so design and engineering build one thing.

Brand core

- **Name:** EOPAR
- **Expansion:** Essence of Predictive Arts & Research
- **Official tagline:** Patterns. Possibilities. Direction.
- **Guiding thought (internal, not a tagline):** Explore patterns. Understand possibilities. Find direction.
- **Core message:** Different predictive systems observe different patterns. EOPAR brings them together to study possibilities and provide clearer direction.
- **Positioning:** premium, editorial, restrained. Not a catalogue of services, not a "Buy Now" astrology shop.
- **Verticals:** EOPAR Consult · EOPAR Learning · EOPAR Research · EOPAR Publications (verticals of one brand, not sub-brands).

Conflict resolution

Topic	Earlier notes said	Final decision	Build implication
Founder identity	About page with founder portrait and bio	Anonymous. "Not a person. A pursuit."	Build a Founder block anyway, off by default behind a CMS flag

Topic	Earlier notes said	Final decision	Build implication
Main nav	Home, Predictive Arts, Consultations, Research, Learning, About, Insights, Contact	Predictive Arts · Consultations · Learning · Research · Publications · About + gold-outline CTA	Logo links home; Insights sits under Publications; Contact in footer
Blog	"EOPAR Insights" as a main section	Kept as EOPAR Insights, grouped under Publications	Route `/insights` stays top-level for SEO
Arts list	Six pages incl. Lal Kitab and KP as siblings	Five arts; KP, Vedic, Lal Kitab, Prashna are Astrology sub-systems	Two-level taxonomy: Art → System
Cartomancy	Absent in early notes	Included as fifth art	Seeded in CMS, can be unpublished
CTA label	"Book a Consultation"	"Request a Consultation"	One label site-wide
Pricing	"Buy Now ₹999" cards rejected	Fees not public at launch	Price fields exist in DB, hidden by flag
Testimonials	Mentioned on homepage	Only genuine, permission-based	Section auto-hides below 3 approved entries
Homepage "One Question, Different Lenses"	Separate section	Merged into Philosophy section	One section, not two
Course CTA	View Curriculum / Join Waitlist	Request Enrollment when open, Join Waitlist when not	CTA driven by course status

Locked brand decisions (v1.1)

- **Expansion wording:** "Essence of Predictive Arts **&** Research" everywhere — logo lockup, website, visiting card, invoices, social media. The logo lockup is updated to "&" during vector reconstruction.

- **Logo:** the design is final; no redesign. A professional vector (SVG) reconstruction is required before any website coding, because the Celestial O drives the site's motion language.
- **Legal details:** legal entity name, registered address and GSTIN do not block design or build. They live in the configurable `core_sitesettings` record as placeholders and must be filled before invoicing or launch.

Logo master asset pack (Stage 1 deliverable)

Asset	Formats	Used for
Full EOPAR wordmark with expansion and tagline	SVG, PDF, PNG @1x/2x/4x	Hero, print, documents
Celestial Arc O (separate, arcs as individual paths)	SVG	Loading, hero animation, transitions, step indicators
Black version	SVG, PNG	Light backgrounds, print
White / ivory version	SVG, PNG	Dark backgrounds
Champagne-gold version	SVG, PNG	Premium placements
Horizontal lockup	SVG, PNG	Website header, email signature
Icon-only O	SVG, PNG, ICO, 512px app icon	Favicon, social avatars, PWA icon

Launch scope (MVP) vs Later

The full specification stays the master blueprint; the build happens in controlled phases. The architecture is unchanged; only the features switched on at launch are reduced.

Area	Launch (MVP)	Later
Home	All sections; Insights and Trust blocks hidden until they have content	—
Predictive Arts	Five art pages + Astrology system pages	More arts via CMS

Area	Launch (MVP)	Later
Consultations	Full 9-step guided flow, review → quote, status link, email notifications	Visible fees, online payment, booking automation, WhatsApp
Learning	Course pages, enrollment requests, waitlist	Student accounts, materials, course payments
Research	Philosophy page + "Research Library — In Development"	Published entries
Publications	Hub + book pages (forthcoming allowed)	Research publications
About + Trust/Legal	All pages	Founder block (flag)
Insights (blog)	Model ready, not public	Public journal, RSS
Site search	—	`/search`
Hindi version	Schema i18n-ready	`/hi/` locale
Security & data protection	Everything in section 11	—

2. Visual system, typography, imagery and motion

The rule is 70% restraint, 20% typography, 10% celestial detail; gold is rare so it reads as expensive. The logo supplies the DNA: a black field, a thin champagne-gold circle, a vertical axis line and the open Celestial Arc O.

Colour tokens

Hex values are starting points sampled from the logo mood; finalise against the vector master.

Token	Role	Starting value	Usage
`--eo-navy`	Primary	#0B1426	Hero, section backgrounds
`--eo-black`	Secondary	#07080B	Footer, deep sections, logo field

Token	Role	Starting value	Usage
`--eo-gold`	Accent	#C9A96E	CTAs, arcs, key rules — under 5% of any screen
`--eo-gold-soft`	Accent glow	#E6CFA0	Hover states, arc highlights
`--eo-ivory`	Text on dark / reading background	#F4EDE1	Body text on navy; long-form reading pages
`--eo-stone`	Occasional	#D9D1C3	Dividers, captions, cards on ivory

All text pairs must pass WCAG 2.2 AA contrast (4.5:1 body, 3:1 large text). Gold text on navy is allowed only at 18px+.

Typography

- **Display serif:** high-contrast editorial serif matching the logo's wordmark (candidates: Cormorant Garamond, Playfair Display, or licensed Canela). Used for headings and pull quotes.
- **Text sans:** clean modern sans (candidates: Inter, Manrope, or licensed Söhne). Used for body, UI, forms.
- **Small caps / tracked uppercase** for eyebrows and labels, echoing "PATTERNS POSSIBILITIES DIRECTION".
- Self-host fonts via `next/font`; no layout shift; `font-display: swap`.
- Scale: 12 / 14 / 16 / 18 / 24 / 32 / 48 / 64 / 88 px, fluid with `clamp()`.

Imagery

- Allowed: celestial geometry, classical manuscripts, architectural details, hands (where relevant), numbers and patterns, spatial geometry, abstract symbolic imagery.
- Not allowed: generic zodiac stock, glowing crystal balls, astrologer poses, glitter.
- Large negative space. Images stored in object storage, served through `next/image` with AVIF/WebP.

Celestial Arc language

The incomplete arcs of the O become the signature graphic: section transitions, the loading state, hover underlines, image masks and step indicators in the consultation flow. Never on every element.

Motion rules

Moment	Behaviour	Duration
Page load (hero)	Celestial O arcs draw in via SVG stroke-dashoffset	1.6–2.4 s, once per session
Scroll	Thin celestial lines travel subtly along section edges	Tied to scroll, low amplitude
Art cards	Slight depth on hover (translateY −4px, soft gold border)	200–300 ms
Consultation steps	Arc segment completes per step	400 ms

Banned: spinning zodiac wheels, shooting stars, glitter, aggressive parallax. All motion is disabled under `prefers-reduced-motion`. Motion should be felt more than noticed.

Component library

Build a small design system in the Next.js app: Button (gold-outline, ghost, text-link with →), Card (art, course, publication, insight), Eyebrow label, Section shell, Arc divider, Stepper, Form fields, Label chips for research status, Modal, Toast. Document in Storybook.

3. Information architecture, navigation and URLs

Launch ships about 25 templates, not hundreds of pages; every section is CMS-driven so new arts, courses and books need content, not code.

Navigation

- **Desktop header:** Logo (links home) · Predictive Arts · Consultations · Learning · Research · Publications · About · `REQUEST A CONSULTATION` (gold outline, right).

- **Predictive Arts** and **Publications** open a restrained mega-menu (art list with one-line descriptors; Books / Insights).
- **Mobile:** logo + hamburger; full-screen navy overlay; CTA pinned at the bottom of the overlay.
- **Sticky header** shrinks after 80px of scroll; transparent over hero, navy after.
- **Footer:** Essence of Predictive Arts & Research · Astrology · Numerology · Palmistry · Vastu · Cartomancy · Research · Learning · policy links · Contact · social links · newsletter signup.

Route map

Rendering: SSG = static at build, ISR = static with on-demand revalidation from Django webhooks, SSR = per request, CSR = client-only.

Route	Page	Rendering	Data source
`/`	Home	ISR	CMS homepage singleton
`/predictive-arts`	Arts overview	ISR	Arts list
`/predictive-arts/[art]`	Art page (e.g. astrology)	ISR	Art + systems
`/predictive-arts/[art]/[system]`	System page (e.g. kp-astrology)	ISR	System
`/consultations`	How consultation works	ISR	CMS page + categories
`/consultations/request`	Guided request flow	CSR inside SSR shell	Categories, questions, tiers, method rules
`/consultations/request/received`	Confirmation	SSR (reads reference)	Request status
`/consultations/status/[token]`	Client request status	SSR, no-index	Request by signed token

Route	Page	Rendering	Data source
`/learning`	Learning overview	ISR	Courses
`/learning/[course]`	Course page	ISR	Course + curriculum + FAQ
`/learning/[course]/enroll`	Enrollment request / waitlist	CSR	Course status
`/research`	Research philosophy + library	ISR	Research entries
`/research/[slug]`	Research entry	ISR	Research entry
`/publications`	Publications hub	ISR	Books + latest insights
`/publications/[book]`	Book page	ISR	Book
`/insights`	EOPAR Insights index	ISR	Articles, paginated
`/insights/category/[cat]`	Category archive	ISR	Articles by category
`/insights/[slug]`	Article	ISR	Article
`/about`	About EOPAR	ISR	CMS page
`/about/methodology`	Methodology	ISR	CMS page
`/about/ethics`	Ethical approach	ISR	CMS page
`/about/what-prediction-can-and-cannot-do`	Limits of predictive analysis	ISR	CMS page
`/contact`	Contact form	SSG + CSR form	Contact API

Route	Page	Rendering	Data source
`/legal/privacy`, `/legal/terms`, `/legal/disclaimer`, `/legal/refunds`, `/legal/cookies`	Policies	ISR	CMS pages
`/search`	Site search	SSR	Postgres full-text
`/sitemap.xml`, `/robots.txt`, `/rss.xml`	Machine files	Generated	All published content
`/admin`	Django admin / CMS	Django	Separate subdomain `admin.eopar.com`

Launch scope: every route above ships at launch except `/insights`, `/insights/category/[cat]`, `/insights/[slug]`, `/rss.xml` and `/search`, which are built in a later phase (see Launch scope in section 1). Until then these URLs return 404 and are excluded from the sitemap.

URL rules

- Lowercase, hyphenated, no trailing slash, no IDs in public URLs.
- Slug changes create a 301 redirect automatically (Redirect table in Django).
- Hindi versions, when added, live under `/hi/...` with `hreflang` pairs; the schema is i18n-ready from day one.

4. Homepage specification

The homepage answers four questions in order — what EOPAR is, what it does, what it means for me, where I go next — across 11 sections. Every section is a CMS block, so order and copy can change without a deploy.

#	Section	Headline and copy	CTA	Notes
1	Hero	EOPAR / ESSENCE OF PREDICTIVE ARTS & RESEARCH / Patterns. Possibilities. Direction. Supporting line: "Exploring patterns across time, numbers, space, symbols and human form—to understand possibilities with greater clarity."	EXPLORE EOPAR · REQUEST A CONSULTATION	Dark navy, Celestial O arcs draw in slowly; min-height 100svh
2	Philosophy	"Different systems observe different patterns." Then one line per art (time and celestial relationships; numbers; the hand; people and space; symbolic patterns). Close: "Different lenses. One pursuit: deeper understanding."	—	Large editorial serif; lines reveal on scroll

#	Section	Headline and copy	CTA	Notes
3	The Predictive Arts	Five cards: Astrology — Patterns across time (Vedic, KP, Lal Kitab, Prashna later) · Numerology — Patterns within numbers · Palmistry — Patterns carried by the hand · Vastu — Patterns within space · Cartomancy — Patterns expressed through symbols	EXPLORE THE PREDICTIVE ARTS →	Card grid adapts to any count (5, 6, 7)
4	Begin with your question	"Begin with your question." Sub: "You don't need to know which predictive system to choose. Begin with what you want to understand."	START A CONSULTATION	Shows 4–6 clarity categories as entry chips that deep-link into step 2 of the flow
5	How a consultation works	Four steps: Your question → Method → Information → Request received. Line: "Fees and details are shared once your request is reviewed."	REQUEST A CONSULTATION	No prices, no "Buy Now"
6	Learning	"Learn beyond prediction." "Understanding a system is different from merely receiving an answer."	EXPLORE LEARNING	Up to 3 course cards with status badge (Open / Waitlist / Coming soon)

#	Section	Headline and copy	CTA	Notes
7	Research	"Research at EOPAR — Observation before conclusion." Short philosophy. If no entries: "Research Library — In Development."	VISIT RESEARCH	Never shows placeholder articles
8	Publications & Insights	"Ideas deserve a longer life." Featured book(s) + 3 latest Insights	EXPLORE PUBLICATIONS · READ INSIGHTS	Book block hides when no books are published; the Insights strip stays hidden until Insights launches
9	About EOPAR	"Not a person. A pursuit." + two lines on why EOPAR exists	ABOUT EOPAR →	Founder block available behind flag
10	Trust (conditional)	Genuine testimonials + links to Methodology, Ethics, Privacy	—	Auto-hidden below 3 approved testimonials
11	Final CTA	"Patterns are everywhere. Understanding them changes what you see."	EXPLORE EOPAR → · REQUEST A CONSULTATION →	Arc animation closes the O
—	Footer	See section 3	Newsletter	—

Homepage performance budget

- LCP under 2.0 s on 4G mid-range Android; hero text is the LCP element, not an image.
- Hero SVG animation under 15 KB; no video.
- Total JS on first load under 120 KB gzipped.

5. Predictive Arts pages

Five arts at launch, each with optional sub-systems; adding Face Reading, Samudrik Shastra or Prashna later is a CMS entry, not a redesign. Copy is editorial description, never sales copy.

Taxonomy at launch

Art	Descriptor	Systems (sub-pages)	Launch description
Astrology	Patterns across time	Vedic Astrology · KP Astrology · Lal Kitab · Prashna (later)	Vedic: a classical framework for understanding planetary patterns, life cycles and timing. KP: a precision-oriented system focused on event-specific analysis and timing. Lal Kitab: a distinctive tradition combining planetary interpretation with its own diagnostic framework.
Numerology	Patterns within numbers	—	The study of numerical patterns associated with identity, cycles and decisions.
Palmistry	Patterns carried by the hand	—	An interpretive study of the structure, markings and patterns of the hand.
Vastu	Patterns within space	—	The study of spatial orientation, structure and environmental relationships.
Cartomancy	Patterns expressed through symbols	—	Interpretation of symbolic patterns through cards.

Art page template

1. Hero: art name, descriptor, one-paragraph editorial intro, relevant abstract image.
2. What this system observes.
3. Principles and classical roots (with sources where cited).
4. Systems within this art (cards → system pages), if any.
5. Questions this art is often used for (links into the consultation flow with the art pre-selected as a preference).
6. What this art can and cannot establish (short, honest limits box).
7. Information typically required (auto-pulled from the same rules the consultation flow uses).
8. Related Insights and Research entries (by tag).
9. CTA: REQUEST A CONSULTATION · explore related course (if exists).

System page template

Same skeleton, narrower: origins, method in brief, how it differs from sibling systems, typical use cases, related course and insights.

Rules

- An art or system can be Draft, Published or Hidden-from-nav (reachable by URL, e.g. for soft launch).
- Sort order is manual in CMS.
- Each art owns its information-required rules; the art page and the consultation flow read the same record so they never disagree.

6. Consultation journey

The consultation flow is the most important functional feature: a nine-step guided request that lets a visitor start from a life question, never from a system name, and ends in a reviewed request — not an instant purchase. Fees are quoted after review at launch; online payment plugs in at the "Fee quoted" state in phase 2.

Steps

Step	Screen title	What the user does	Key rules
0	Entry	Arrives from any CTA, a homepage category chip, or an art page	Query params pre-fill: `?category=marriage`, `?method=palmistry`
1	What would you like clarity about?	Picks one category card	Categories from CMS: Marriage & Relationships · Career & Profession · Business & Finance · Education · Property & Home · Family & Children · Timing & Important Decisions · Personal Direction · Birth Time Rectification · Other / Specific Question
2	What would you like to understand?	Picks one or more predefined questions, or writes their own	Questions belong to a category; "I have my own question" opens a textarea (20–1,500 chars); some questions flag `requires_second_person` (e.g. compatibility)
3	How broad is your question?	Chooses Focused Question · Related Questions · Comprehensive Analysis	Auto-suggested from how many questions were picked (1 → Focused, 2–4 → Related, 5+ or multiple categories → Comprehensive); user can override; no price shown
4	How should your question be analysed?	Keeps EOPAR Recommended (default, highlighted) or picks a preferred art/system	Preferred list shows only arts marked `consultable`; picking Astrology may show an optional system choice (Vedic / KP / Lal Kitab) with "No preference" default
5	Information required	Fills the fields the chosen method needs	Fields generated from method rules (table below); EOPAR Recommended asks for the category's suggested set

Step	Screen title	What the user does	Key rules
6	How would you prefer your consultation?	Online or In person	In-person address revealed only after confirmation; online medium configured later (Zoom / Meet / WhatsApp call)
7	Your details	Name, email, phone/WhatsApp, country, preferred language, 1–3 preferred date/time windows, consent	Times captured in the user's timezone, stored in UTC
8	Review your request	Sees a summary, edits any step inline	Nothing is saved as a request until Submit
9	Your request has been received.	Gets reference `EOP-2026-000123`, next-step text, status link	Confirmation email + admin alert (WhatsApp added in Phase 2)

Information required by method

Method	Required	Optional / conditional
Astrology (any system)	Date of birth, time of birth, place of birth (autocomplete → lat, long, IANA timezone)	"I don't know my exact birth time" → approximate window + 3–5 dated life events (feeds Birth Time Rectification)
Numerology	Date of birth, full name as used	Name at birth if different, business/brand name
Palmistry	Left palm image, right palm image	Close-ups of specific lines/mounts, side view of hand; dominant hand
Vastu	Property type, facing direction, city	Floor plan (image/PDF), photographs, construction status
Cartomancy	Question + relevant context	—

Method	Required	Optional / conditional
Second person (when flagged)	Name, DOB, time, place of the second person	Relationship to requester

Validation and edge cases

- **Dates:** DOB cannot be in the future or before 1900; time of birth optional only when "unknown" is ticked.
- **Place & timezone:** resolve historical offsets with the IANA tz database (e.g. pre-1955 Indian local times); store raw input + resolved coordinates + offset.
- **Minors:** if the subject is under 18, require a guardian name and guardian consent checkbox.
- **Uploads:** JPG, PNG, HEIC, WEBP, PDF; images up to 10 MB each, plans up to 20 MB; min 1,000 px on the short side for palms; EXIF/GPS stripped; virus-scanned; stored privately with signed URLs.
- **Phone:** validated to E.164 with libphonenumber; country pre-filled from IP but editable.
- **Drafts:** progress autosaves every step (browser storage + server draft token) so refresh, back button or a dropped connection loses nothing; drafts expire after 30 days.
- **Duplicates:** same email + same questions within 24 h prompts "You already have a request in review" with the status link.
- **Abuse:** Cloudflare Turnstile on submit, 5 submits per IP per hour, honeypot field, server-side validation mirrors client validation exactly.
- **Accessibility:** every step keyboard-operable, errors announced via `aria-live`, focus moves to the step heading on change.
- **Deep links:** invalid `category` or `method` params are ignored silently, never a 500.
- **Config changes mid-flow:** if a category or question is unpublished while a draft is open, the draft keeps its snapshot and the admin sees the original wording.

Question bank (Stage 3 content, v1)

This is the launch seed for `consult_category` and `consult_question`: 10 categories and 38 predefined questions, each ending with "I have my own question." EOPAR reviews and edits the wording in the CMS before launch; nothing here is hard-coded.

Category	Predefined questions	Suggested methods (used by EOPAR Recommended)
Marriage & Relationships	When are the stronger periods for marriage? · What factors may be contributing to delay in marriage? · What patterns are indicated regarding married life? · What does the analysis indicate regarding compatibility? *(second person)* · Is the present period supportive for an important relationship decision?	Astrology (Vedic, KP), Numerology
Career & Profession	Which fields or roles align with my indicated strengths? · When are the stronger periods for a job change or promotion? · Is the present period supportive for changing careers? · What may be contributing to obstacles or stagnation in my career? · Is work abroad indicated, and in which periods?	Astrology, Numerology, Palmistry
Business & Finance	Is the present period supportive for starting a business? · Which business areas align with my indicated patterns? · What does the analysis indicate about a business partnership? *(second person)* · When are the stronger periods for financial growth? · Is my business or brand name numerically aligned?	Astrology, Numerology, Vastu (for premises)

Category	Predefined questions	Suggested methods (used by EOPAR Recommended)
Education	Which stream or field of study aligns with the indicated aptitudes? · What does the analysis indicate about competitive examinations? · Is higher education or study abroad indicated, and when? · What may be affecting concentration or continuity in studies?	Astrology, Numerology
Property & Home	When is a supportive period to buy or sell property? · Is the present period supportive for construction or renovation? · What does a Vastu analysis indicate for my home? · What does a Vastu analysis indicate for my office or shop? · What patterns are indicated regarding property disputes?	Vastu, Astrology
Family & Children	What patterns are indicated regarding children? · What does the analysis indicate about my child's aptitudes? *(second person)* · What patterns are indicated regarding family harmony? · What does the analysis indicate about relations with a specific family member? *(second person)*	Astrology, Numerology

Category	Predefined questions	Suggested methods (used by EOPAR Recommended)
Timing & Important Decisions	Is the present period supportive for a specific decision? · What are the stronger periods in the coming 12 months? · When is a supportive time to begin a venture, move or travel? · Between two options, which appears more supported?	Astrology (KP, Prashna later), Cartomancy
Personal Direction	What broad patterns are indicated in my life at present? · What strengths and challenges does the analysis indicate? · What does the current period indicate for personal growth? · What patterns may be involved when I feel stuck?	Astrology, Numerology, Palmistry
Birth Time Rectification	I don't know my exact birth time — can it be estimated? · My recorded birth time may be inaccurate — can it be verified?	Astrology (always); requires an approximate time window + 5–10 dated life events
Other / Specific Question	Own question only	EOPAR decides after review


Guardrails for questions: no predefined question offers medical diagnosis, lifespan or death timing, legal case outcomes, or specific investment or stock tips. An own-question that touches these is accepted but flagged for manual review, and the reply explains what predictive analysis can and cannot address.

Tier auto-suggestion: 1 question → Focused; 2–4 questions in one category → Related; 5+ questions, several categories, or Birth Time Rectification combined with another question → Comprehensive.

Request lifecycle

Every request moves through six states to completion

Dashed boxes are end states; only admins move a request forward after submission



Every transition is logged with actor, time and reason, and triggers a client email.

consultation request lifecycle · 6 main states, 4 side states

Clients can check status any time through a signed, expiring link (`/consultations/status/[token]`), without creating an account.

7. Learning, Research, Publications, Insights, About and Trust

These four content verticals plus the trust layer are what make EOPAR more than a consultation shop; each is a CMS-driven model with honest empty states, so nothing fake ever ships.

EOPAR Learning

- **Overview page:** "Learn beyond prediction." / "Learn the Art. Understand the Method." Course grid filtered by art and level.
- **Planned catalogue:** Vedic Astrology Level I Foundations, Level II Interpretation, Level III Advanced Prediction; later KP Astrology, Numerology, Palmistry, Vastu, specialised workshops.
- **Course page fields:** name, who it is for, what you will learn, curriculum (modules → lessons), level, format (live online), duration, prerequisites, language, schedule / next batch, certification (only if applicable), FAQ, related insights.
- **Course status drives the CTA:** Coming soon → JOIN WAITLIST · Open → REQUEST ENROLLMENT · Full → JOIN WAITLIST for next batch · Archived → hidden from lists.

- **Enrollment request:** name, email, phone, country, batch, background in the subject, consent. Classes are hosted externally (Zoom/Meet); the site does not host video at launch.
- **Future:** a student area with login, batch materials and payments is phase 3; the data model reserves `Student`, `Batch`, `Enrollment`.

EOPAR Research

- **Page opening:** "Research at EOPAR — Observation before conclusion." Short philosophy, then the principle **Observation ≠ evidence ≠ conclusion**.
- **Empty state at launch:** "Research Library — In Development." No fake articles.
- **Categories:** Classical Studies · Comparative Predictive Systems · Case Studies · Pattern Research · Methodological Studies · Research Notes · Prediction & Timing Methods · Astrology & Market Cycles · Traditional Knowledge Verification.
- **Mandatory status label on every entry** (enforced in the model, cannot publish without one): Research Note · Case Study · Classical Source Analysis · Working Hypothesis · Observed Pattern · Published Study (only for peer-reviewed or formally published work).
- **Entry fields:** title, status label, abstract, body, method, sources/citations (structured), limitations (required), date, version history, related arts.
- **Language standard:** stricter than the rest of the site; the editor shows a checklist (no "proves", no accuracy percentages, sample size stated, case consent recorded).

EOPAR Publications

- **Hub:** "Ideas deserve a longer life." Groups: Predictive Arts books · Indian Knowledge & Philosophy (e.g. The Eternal Gita, The Living Vedas) · Research Publications (later).
- **Book page:** cover, synopsis, why this book exists, contents / sample chapter (PDF preview), formats (print, ebook), ISBN and publication info, where to obtain (external retailer links), status (Forthcoming / Available).
- **Forthcoming books** can collect "Notify me" emails.

EOPAR Insights (editorial journal) — later phase

- **Categories:** Research · Astrology · Numerology · Palmistry · Vastu · Classical Texts · Fact Check · Case Notes.
- **Series support:** e.g. a fact-check series such as "Is the Lakshman Rekha in the Valmiki Ramayana?" grouped with a series index and next/previous links.

- **Article fields:** title, dek, author label ("EOPAR Editorial"), category, tags, series, hero image, body (rich blocks: text, pull quote, citation, verse with transliteration, image, table), sources, reading time (auto), published and updated dates, SEO fields.
- **Features:** category archives, tag pages, RSS, related articles, share links, newsletter capture at the end of each article.

About EOPAR

- **Opening:** "Not a person. A pursuit." Then: "EOPAR was created as a space for the study, practice and exploration of predictive arts and related knowledge traditions."
- **Sections:** Why EOPAR Exists · What We Explore · How We Approach Knowledge (study the system → understand its principles → observe patterns → compare where appropriate → apply responsibly) · Why Research Matters · Our Principles · Where EOPAR Is Going.
- **Founder block (disabled by default):** editorial portrait, qualifications, systems studied, teaching and research interests — factual only.


Trust layer

- **Pages:** Methodology · Ethical Approach · Privacy Policy · Consultation Process · What Predictive Analysis Can and Cannot Establish · Terms · Disclaimer · Refund & Cancellation · Cookie Policy.
- **Testimonials:** stored with written permission record, display name choice (full / initials / anonymous), date, service type; admin approval required; never edited beyond typo fixes.
- **Banned claims** (enforced by an editor lint list in the CMS): "99% accurate", "India's #1", "25,000 lives changed", "guaranteed", any unsubstantiated counters.
- **Technical trust:** HTTPS everywhere, visible privacy notice at every form, clear data-deletion request route, professional domain email.

8. Tech stack and system architecture

Next.js renders every page; Django is the single owner of data, business rules and the admin CMS; PostgreSQL is the only system of record. Anything slow (email, WhatsApp, file scanning, image processing) runs in Celery so no user ever waits on it.

Next.js renders, Django owns data and rules, Celery does the slow work



system architecture · frontend, API, data, workers, integrations

The browser talks to Next.js for pages and to the Django API (via `api.eopar.com`) for form submissions; Django pings Next.js to revalidate cached pages the moment an editor publishes.

Stack

Layer	Choice	Why
Frontend framework	Next.js (App Router), React, TypeScript strict	SSR/ISR for SEO, server components cut JS

Layer	Choice	Why
Styling	Tailwind CSS with EOPAR design tokens, CSS variables	Fast, consistent, themeable
Motion	Framer Motion (UI) + hand-written SVG stroke animation (Celestial O)	Small, respects reduced motion
Forms	React Hook Form + Zod (schemas generated from the API's OpenAPI spec)	Client and server validation match
Data fetching	Server-side `fetch` with tags for ISR; TanStack Query on client steps	Cache control per page
Backend	Python, Django, Django REST Framework, drf-spectacular (OpenAPI)	Mature admin, ORM, security defaults
CMS	Django admin + Wagtail-style rich blocks (Wagtail 6 recommended for editorial pages) or django-unfold for a premium admin UI	Editors publish without developers
Database	PostgreSQL (+ `pg_trgm`, full-text search, JSONB)	One store for content, requests, search
Cache / queue	Redis; Celery workers + Celery Beat for schedules	Async jobs, reminders, expiry
File storage	Cloudflare R2 or AWS S3 via django-storages; private bucket for client uploads	Signed URLs, cheap egress
Auth	Django sessions + 2FA (django-otp) for staff; no public accounts at launch; signed tokens for client status links	Minimal attack surface
Email	Postmark or Amazon SES, templated (MJML)	Deliverability
WhatsApp	Meta WhatsApp Business Cloud API (or BSP like Interakt/Gupshup) — Phase 2	Opt-in notifications in India

Layer	Choice	Why
Payments (phase 2)	Razorpay (INR, UPI, cards, international) with webhooks	Standard for Indian businesses
Places / timezone	GeoNames or Google Places autocomplete + IANA tz database (`zoneinfo`)	Accurate birth-place data
Anti-spam	Cloudflare Turnstile + DRF throttling	No annoying CAPTCHAs
Monitoring	Sentry (both apps), uptime monitor, structured JSON logs	Fast incident detection
Analytics	Plausible or GA4 with consent mode	Privacy-first metrics
Hosting	Next.js on Vercel (or Node container); Django + Celery on a container host (AWS ECS/Lightsail, Render, or DigitalOcean App Platform); managed Postgres with daily backups + PITR	Managed, scalable, simple
Infra as code	Docker, docker-compose for local; Terraform for cloud	Reproducible environments
CI/CD	GitHub Actions	Tests + deploy on merge

Version policy: the architecture is locked, not version numbers. At build time every component uses its current stable release (LTS where one exists), pinned in lockfiles and upgraded on a quarterly schedule.

Repository layout (monorepo)

```
eopar/
  apps/web/           # Next.js
    app/(marketing)/  # public pages
    app/consultations/request/  # guided flow
    components/  lib/api/  styles/tokens.css
  apps/api/           # Django project
    eopar/settings/{base,dev,staging,prod}.py
    core/        # shared models: SEO, media, redirects, audit
    arts/        # arts, systems, method rules
    consult/     # categories, questions, tiers, requests, state machine
    learning/    # courses, batches, enrollments, waitlist
    research/    # research entries, citations
    publications/ # books, insights, series, categories
    pages/       # about, trust, legal pages, homepage blocks
    notify/      # email, WhatsApp, templates
    payments/    # phase 2
  packages/api-types/ # generated TS types from OpenAPI
  infra/  .github/workflows/
```

Architectural principles

- **One source of truth:** method rules, categories and questions live in Django; the Next.js flow renders whatever the API returns.
- **API contract first:** OpenAPI schema is versioned (`/api/v1/`); TS types are generated, never hand-written.
- **Idempotent writes:** every submit carries an `Idempotency-Key` ; double-clicks and retries never create duplicates.
- **Snapshots:** a submitted request stores the exact question wording, method rules and fields it was submitted with.
- **Graceful degradation:** if the API is down, content pages still serve from ISR cache; the flow shows a retry state and keeps the draft.
- **Feature flags:** founder block, testimonials, pricing display, payments, Hindi locale — toggled in admin, no redeploy.

9. Data model (PostgreSQL)

About 35 tables across 8 Django apps; every table has `id` (UUID v7), `created_at`, `updated_at`, and content tables add `status`, `published_at`, `slug`, `sort_order` and SEO fields through a shared abstract model. Personal data is isolated in the `consult` and `learning` apps so it can be encrypted, retained and deleted on its own schedule.

Shared (core)

Table	Key fields	Constraints / notes
`core_seo` (abstract mixin)	meta_title (⩽60), meta_description (⩽160), og_image, canonical_url, noindex	Inherited by every public model
`core_media`	file, alt_text (required), caption, credit, width, height, focal_point	Alt text required before publish
`core_redirect`	old_path (unique), new_path, status_code (301/302), hits	Auto-created on slug change
`core_featureflag`	key (unique), enabled, description	founder_block, testimonials, show_fees, payments, locale_hi
`core_auditlog`	actor (FK user, nullable), action, object_type, object_id, diff (JSONB), ip, at	Append-only, never updated
`core_sitesettings` (singleton)	contact email, phone, address, social links, footer text	One row enforced

Predictive arts

Table	Key fields	Constraints / notes
`arts_art`	name, slug (unique), descriptor, intro, body (blocks), limits_text, consultable (bool), show_in_nav	5 seeded rows

Table	Key fields	Constraints / notes
`arts_system`	art (FK), name, slug, descriptor, body, consultable	Unique (art, slug)
`arts_fieldrule`	art (FK), system (FK nullable), field_key, label, field_type, required, help_text, validation (JSONB), order	Drives step 5 dynamically; field_type ∈ date, time, place, text, textarea, image, file, select, boolean

Consultations

Table	Key fields	Constraints / notes
`consult_category`	name, slug, icon, description, suggested_arts (M2M art), order, active	10 seeded
`consult_question`	category (FK), text, requires_second_person, suggested_arts (M2M), order, active	Editable; old wording preserved via request snapshot
`consult_tier`	key (focused/related/comprehensive), name, summary, description, fee_inr, fee_usd, duration_minutes, show_fee	Fees hidden unless flag + show_fee

Table	Key fields	Constraints / notes
`consult_request`	reference (unique, `EOP-YYYY-NNNNNN`), status, category (FK), tier (FK), method_mode (recommended/preferred), preferred_art (FK null), preferred_system (FK null), consultation_mode (online/in_person), preferred_language, own_question, snapshot (JSONB), source (utm JSONB), idempotency_key (unique), assigned_to (FK user), quoted_fee, currency, submitted_at	Status transitions only through the service layer; partial index on open statuses
`consult_request_question`	request (FK), question (FK null), text_snapshot	Many per request
`consult_client`	name, email (citext), phone_e164, whatsapp_opt_in, country (ISO-2), timezone, marketing_opt_in	Encrypted at rest for phone; one client many requests
`consult_subject`	request (FK), role (primary/second), name, dob, birth_time (null), birth_time_unknown, birth_time_window, place_label, lat, lng, tz_name, utc_offset_minutes, is_minor, guardian_name, guardian_consent	Check: birth_time or birth_time_unknown
`consult_lifeevent`	subject (FK), date, description	For birth time rectification
`consult_fieldvalue`	request (FK), field_key, value (JSONB)	Stores dynamic step-5 answers
`consult_upload`	request (FK), field_key, file (private), mime, size, sha256, scan_status (pending/clean/infected), width, height	Infected files quarantined, never served

Table	Key fields	Constraints / notes
`consult_slot`	request (FK), start_utc, end_utc, client_tz	1–3 preferred windows
`consult_appointment`	request (1:1), start_utc, end_utc, mode, meeting_link / venue, reminder_sent_at	Created on Scheduled
`consult_statusevent`	request (FK), from_status, to_status, actor, reason, at	Full timeline
`consult_note`	request (FK), author, body, internal (bool)	Internal notes never exposed via API
`consult_consent`	request (FK), terms_version, privacy_version, ip, user_agent, at	Proof of consent
`consult_draft`	token (unique), data (JSONB), expires_at	Server autosave; purged after 30 days

Learning

Table	Key fields	Constraints / notes
`learning_course`	art (FK), title, slug, level (I/II/III/workshop), audience, outcomes, prerequisites, format, duration_text, language, certification_text, status (coming_soon/open/full/archived)	CTA derived from status
`learning_module` / `learning_lesson`	course (FK) / module (FK), title, summary, order	Curriculum tree
`learning_batch`	course (FK), start_date, schedule_text, seats, seats_taken, enrollment_closes_at	seats_taken ⩽ seats (check)
`learning_enrollmentrequest`	course, batch (null), name, email, phone, country, background, status (new/contacted/confirmed/declined)	Unique (email, batch)

Table	Key fields	Constraints / notes
`learning_waitlist`	course, email, name, notified_at	Unique (course, email)
`common_faq`	owner (generic FK), question, answer, order	Used by courses, consultations, books

Research, publications, insights, pages

Table	Key fields	Constraints / notes
`research_entry`	title, slug, label (enum, required), category (FK), abstract, body, method, limitations (required), version, arts (M2M)	Cannot publish without label + limitations
`research_citation`	owner (generic FK), source_type (classical/book/article/web), title, author, edition, verse_ref, url, accessed_on	Shared by research and insights
`pub_book`	title, slug, subtitle, group, cover, synopsis, why_text, contents, sample_pdf, formats (JSONB), isbn, publisher, pub_date, status (forthcoming/available), buy_links (JSONB)	—
`pub_book_notify`	book (FK), email	Unique (book, email)
`insight_category` / `insight_tag` / `insight_series`	name, slug, description	8 categories seeded

Table	Key fields	Constraints / notes
`insight_article`	title, slug, dek, category (FK), tags (M2M), series (FK null), series_order, hero (FK media), body (blocks), reading_minutes, author_label, search_vector (tsvector, GIN index)	Trigram index on title
`pages_page`	key (about, methodology, ethics, privacy, terms, disclaimer, refunds, cookies, limits), title, body, version	Legal pages keep versions
`pages_homeblock`	block_type, content (JSONB), order, enabled	Homepage built from blocks
`pages_testimonial`	quote, display_name, name_mode, service_type, permission_file, permission_date, approved, approved_by	Shown only when approved
`marketing_subscriber`	email (unique), source, confirmed_at (double opt-in), unsubscribed_at	—
`contact_message`	name, email, subject, body, status	Rate-limited

Staff and roles

Role	Can
Super admin	Everything, flags, users, settings
Consultation manager	View/edit requests, change status, quote fees, see uploads
Editor	Create/publish arts, insights, research, books, pages
Contributor	Draft content, cannot publish
Viewer	Read-only dashboards, no personal data

Permissions use Django groups with object-level checks; personal-data fields are masked for roles that do not need them.

Retention

- Completed requests: personal data kept 3 years (configurable), then anonymised by a Celery Beat job; uploads deleted after 1 year unless the client asks to keep them.
- Drafts: 30 days. Audit log: 5 years. Declined/expired requests: 1 year.

10. API design (Django REST Framework)

A versioned REST API at `https://api.eopar.com/api/v1/` serves public content read-only and accepts a small set of throttled, idempotent writes; the admin never goes through the public API. Schema is published as OpenAPI 3.1 at `/api/v1/schema/`.

Public read endpoints (cacheable, `Cache-Control: s-maxage=300, stale-while-revalidate`)

Method	Path	Returns
GET	`/home/`	Ordered enabled homepage blocks
GET	`/arts/` · `/arts/{slug}/` · `/arts/{art}/systems/{slug}/`	Arts, art detail, system detail
GET	`/consult/config/`	Categories, questions, tiers (fees only if flag), consultable arts/systems — one payload for the whole flow
GET	`/consult/field-rules/?mode=recommended&category=marriage` or `?art=astrology&system=kp`	Field definitions for step 5
GET	`/courses/` · `/courses/{slug}/`	Courses with status, curriculum, batches, FAQ
GET	`/research/` · `/research/{slug}/`	Entries with label, citations
GET	`/books/` · `/books/{slug}/`	Books

Method	Path	Returns
GET	`/insights/?category=&tag=&series=&page=` · `/insights/{slug}/`	Paginated articles (cursor pagination, 12 per page)
GET	`/pages/{key}/`	About, trust, legal pages
GET	`/search/?q=`	Mixed results from articles, research, arts, courses (Postgres FTS + trigram)
GET	`/places/?q=`	Proxied place autocomplete with lat/lng/timezone (keeps provider key server-side)

Write endpoints (throttled, Turnstile-verified, `Idempotency-Key` header required)

Method	Path	Body	Success	Errors
POST	`/consult/drafts/`	partial flow state	201 `{token}`	400, 429
PATCH	`/consult/drafts/{token}/`	partial flow state	200	404 expired, 400
POST	`/consult/uploads/presign/`	field_key, mime, size, draft token	200 presigned PUT URL (5 min)	400 type/size, 429
POST	`/consult/uploads/{id}/complete/`	sha256	202 scan queued	400 mismatch
POST	`/consult/requests/`	full request	201 `{reference, status_url}`	400 field errors, 409 duplicate, 422 upload not clean, 429
GET	`/consult/status/{signed_token}/`	—	200 status + timeline (no internal notes)	403 bad/expired token
POST	`/consult/status/{signed_token}/reply/`	message, files	201 (moves Needs info → Under review)	409 wrong state

Method	Path	Body	Success	Errors
POST	`/courses/{slug}/enroll/`	contact + batch	201	400, 409 already enrolled, 410 closed
POST	`/courses/{slug}/waitlist/`	email	201 / 200 already on list	400
POST	`/books/{slug}/notify/`	email	201 / 200	400
POST	`/newsletter/`	email	202 (double opt-in mail)	400
POST	`/contact/`	name, email, subject, body	201	400, 429
POST	`/webhooks/razorpay/` (phase 2)	signed payload	200	400 bad signature

Conventions

- **Errors:** RFC 9457 problem+json: `{type, title, status, detail, errors: {field: [codes]}}`; field error codes are stable strings the frontend maps to copy.
- **Throttles:** anon 60 req/min reads; 5 request-submits/hour/IP; 20 draft saves/min/token; 10 uploads/draft.
- **CORS:** only `eopar.com` and preview domains; credentials off for public API.
- **Idempotency:** key stored 24 h with the response; same key + same body returns the stored response, same key + different body returns 422.
- **Revalidation:** on publish/unpublish Django calls Next.js `POST /api/revalidate` with a shared secret and cache tags (`art:astrology`, `insight:list`).
- **Versioning:** breaking changes go to `/api/v2/`; v1 supported 6 months after v2.

11. Admin, notifications, security, privacy, SEO, performance, accessibility

The admin is where EOPAR is actually run day to day, so it gets the same care as the public site; security and privacy follow India's DPDP Act 2023 and GDPR-style practice because international clients are expected.

Admin / CMS features

- **Consultation inbox:** list with filters (status, category, tier, method, assigned to, date), SLA badge (hours since submit), search by reference/email/phone, bulk assign, CSV export (role-restricted).
- **Request detail:** timeline of status events, client + subject data, dynamic answers, uploads viewer (signed URLs, watermark "EOPAR internal"), internal notes, status actions with required reason, quote fee, send templated email/WhatsApp, schedule appointment.
- **Content:** arts, systems, field rules (with live preview of step 5), categories, questions, tiers, courses, batches, research, books, insights, pages, homepage blocks — each with Draft / Preview / Publish / Schedule publish and version history.
- **Preview:** Next.js draft mode via signed preview URL so editors see unpublished pages in the real design.
- **Dashboard:** new requests this week, open by status, median time to first response, enrollments, waitlist sizes, newsletter growth.
- **Settings:** feature flags, site settings, email/WhatsApp templates, redirects.

Notifications

Trigger	Client	Team
Request submitted	Email: received + reference + status link (WhatsApp from Phase 2)	Email alert
Needs info	Email with what is missing + reply link	—
Fee quoted	Email with fee, what is included, payment instructions (phase 2: pay link)	—
Scheduled	Email + calendar invite (.ics) with time in client's timezone	Calendar invite
Reminder	24 h and 1 h before (Celery Beat)	1 h before
Completed	Thank-you + optional feedback / testimonial permission request	—
Expired / Declined / Cancelled	Polite notice	Log only

Trigger	Client	Team
Enrollment / waitlist / notify-me	Confirmation; waitlist email when course opens	Daily digest

All sends are async with 5 retries (exponential backoff); failures surface in admin. Templates are bilingual-ready.

Security

- HTTPS only, HSTS preload, TLS 1.2+; strict CSP, `X-Frame-Options: DENY`, `Referrer-Policy: strict-origin-when-cross-origin`.
- Django defaults: CSRF, parameterised ORM queries, password hashing (Argon2), `SECURE_*` settings on.
- Admin on separate subdomain, behind Cloudflare Access or IP allow-list, mandatory 2FA, session timeout 30 min idle, login throttling (django-axes).
- Uploads: presigned direct-to-bucket, MIME sniffed server-side, ClamAV scan in Celery, EXIF stripped, private bucket, signed URLs expire in 10 min.
- Secrets in the host's secret manager; never in repo; rotated yearly.
- Dependency scanning (Dependabot, pip-audit, npm audit) and weekly OWASP ZAP baseline scan on staging.
- Field-level encryption for phone numbers and birth details (django-cryptography / pgcrypto).
- Daily encrypted Postgres backups, 30-day retention, point-in-time recovery; restore drill quarterly.

Privacy and compliance

- Consent checkbox (unticked by default) linking current privacy and terms versions; consent record stored.
- Separate opt-ins for WhatsApp and marketing email.
- Data subject requests: access, correction, deletion via a form; admin tool anonymises within 30 days.
- Cookie banner only if non-essential cookies are used; analytics in consent mode.
- Disclaimer on every consultation page: predictive analysis is interpretive guidance, not medical, legal or financial advice.

SEO

- Server-rendered HTML for all public pages; unique title/description per page; canonical URLs.
- Structured data: Organization, WebSite + SearchAction, Article (insights), Course, Book, FAQPage, BreadcrumbList.
- Auto `sitemap.xml` (split by type), `robots.txt`, RSS for Insights; 301s for changed slugs; 404 page with search.
- Open Graph images generated per page with `next/og` in the EOPAR style.
- Status pages, drafts and previews are `noindex`.

Performance targets

Metric	Target (p75, mobile)
Largest Contentful Paint	< 2.0 s
Interaction to Next Paint	< 200 ms
Cumulative Layout Shift	< 0.05
API p95 read latency (cached)	< 150 ms
API p95 submit latency	< 800 ms
Lighthouse (Performance, SEO, Accessibility, Best Practices)	⩾ 95 each

Accessibility

- WCAG 2.2 AA; semantic HTML; skip link; visible gold focus ring; all images with meaningful alt; forms with labels, descriptions and error summaries.
- Keyboard and screen-reader tested (NVDA, VoiceOver); motion off under reduced-motion; text resizes to 200% without loss.

12. Test strategy and test case catalogue

No merge to main without green unit, integration and end-to-end suites; backend coverage target 90% on `consult` and 80% overall, and the consultation flow has an end-to-end test for every branch. The 99 cases below are the full acceptance set; 98 gate the

launch, and CNT-08 (Insights publishing and RSS) runs when Insights ships.

Test layers

Layer	Tool	Scope	Runs
Backend unit	pytest, pytest-django, factory_boy, freezegun	Models, validators, state machine, services	Every push
API integration	pytest + DRF APIClient, schemathesis (fuzz from OpenAPI)	Every endpoint, auth, throttles, errors	Every push
Frontend unit	Vitest + React Testing Library	Components, form schemas, step logic	Every push
Contract	Generated TS types + schemathesis	Frontend/backend agreement	Every push
End-to-end	Playwright (Chromium, WebKit, Firefox; iPhone and Pixel viewports)	Full journeys against staging-like stack	Every PR
Visual regression	Playwright screenshots / Chromatic on Storybook	Design tokens, key pages	Every PR
Accessibility	axe-core in Playwright, manual screen-reader pass	All templates	Every PR + pre-release
Performance	Lighthouse CI, k6 load tests	Budgets, API under load	Nightly
Security	OWASP ZAP baseline, pip-audit, npm audit, Bandit	Common vulnerabilities	Weekly + pre-release

A. Navigation and content

ID	Scenario	Expected
NAV-01	Click logo from any page	Goes to `/`
NAV-02	Mobile width 360px, open hamburger	Full-screen menu, focus trapped, Esc closes, CTA visible

ID	Scenario	Expected
NAV-03	Header CTA on every page	Opens `/consultations/request` step 1
NAV-04	Unknown URL	Branded 404 with search and links, status 404
NAV-05	Old slug after rename	301 to new slug
CNT-01	Art set to Draft	Absent from lists, nav, sitemap; URL returns 404
CNT-02	Art set Hidden-from-nav	Not in nav, reachable by URL, in sitemap
CNT-03	Add a sixth art in admin	Appears in grid, nav, flow preference list after revalidate, no code change
CNT-04	Research library with zero entries	Shows "Research Library — In Development", no placeholder cards
CNT-05	Try to publish research entry without label or limitations	Blocked with field errors
CNT-06	Fewer than 3 approved testimonials	Trust section hidden on homepage
CNT-07	Editor types "99% accurate" in any content	CMS lint warning, publish requires override by super admin
CNT-08	Publish an insight	Page live within 60 s via revalidation; appears in RSS and sitemap
CNT-09	Scheduled publish at a future time	Goes live at that minute (Celery Beat), not before
CNT-10	Founder flag off / on	Founder block hidden / shown on About without redeploy
CNT-11	Course status Coming soon / Open / Full	CTA reads Join Waitlist / Request Enrollment / Join Waitlist for next batch
CNT-12	Book with no sample PDF	Sample section hidden, no broken link

B. Consultation flow — happy paths

ID	Scenario	Expected
CON-01	Marriage → one predefined question → Focused → Recommended → birth details → Online → contact → submit	201, reference shown, email sent, status Submitted, admin alert
CON-02	Career → 3 questions	Tier auto-suggests Related; user can change to Focused or Comprehensive
CON-03	Two categories' worth of questions or 5+	Comprehensive suggested
CON-04	Preferred system Palmistry	Step 5 shows left/right palm uploads only, no birth time
CON-05	Preferred Vastu	Property type, direction, city required; floor plan optional
CON-06	Preferred Astrology → KP	Birth details required; system saved as KP
CON-07	Compatibility question (requires second person)	Second-person birth fields appear and are required
CON-08	"I have my own question" only	Textarea required, 20–1,500 chars; no predefined questions needed
CON-09	Deep link `?category=marriage` from homepage chip	Flow opens at step 2 with Marriage selected
CON-10	In-person mode	Address not shown on confirmation; shown only after Scheduled
CON-11	Review step, edit step 3	Returns to step 3 with state kept, then back to review
CON-12	Status link after submit	Shows Submitted and timeline, no internal notes

C. Consultation flow — validation and edge cases

ID	Scenario	Expected
VAL-01	DOB in the future	Field error "Date of birth cannot be in the future" (client and server)
VAL-02	DOB before 1900	Field error
VAL-03	Birth time empty, "unknown" not ticked	Field error
VAL-04	"I don't know my exact birth time" ticked	Time optional; approximate window + life events offered
VAL-05	Birth place free text not chosen from autocomplete	Error: choose a place from the list
VAL-06	Birth in India, 1945	Stored offset from historical tz data, not today's IST rule blindly
VAL-07	Birth at a DST transition (e.g. New York 2:30 am on spring-forward day)	Ambiguous/nonexistent time flagged for the client to confirm
VAL-08	Subject aged 16	Guardian name + consent required
VAL-09	Invalid email / disposable domain	Field error / accepted with admin flag
VAL-10	Phone "98290"	E.164 validation error
VAL-11	Phone with +1 while country India	Accepted; country kept as chosen
VAL-12	Consent unticked	Submit disabled; server rejects if forced
VAL-13	Palm image 15 MB	Rejected with size message before upload
VAL-14	Palm image 600 px short side	Rejected with resolution message
VAL-15	.exe renamed to .jpg	Server MIME sniff rejects

ID	Scenario	Expected
VAL-16	File flagged by virus scan	Quarantined; submit returns 422 asking to re-upload
VAL-17	HEIC from iPhone	Accepted, converted to JPEG for viewing
VAL-18	Unicode names (Devanagari, accents)	Stored and displayed correctly
VAL-19	XSS payload in own-question text	Stored as text, escaped on every render (site, admin, email)
VAL-20	SQL injection strings in any field	No effect; stored as literal text
VAL-21	Preferred slot in the past	Field error
VAL-22	Preferred slots across client in Dubai	Shown to admin in IST and client time; stored UTC
VAL-23	Invalid `?category=xyz` deep link	Ignored, flow starts at step 1, no error

D. Resilience and abuse

ID	Scenario	Expected
RES-01	Refresh browser on step 6	All previous answers restored
RES-02	Close tab, return next day on same device	Draft restored with "Continue where you left off"
RES-03	Draft older than 30 days	Starts fresh, old draft purged
RES-04	Double-click Submit	Exactly one request created (idempotency)
RES-05	Network drop during submit, retry	Same reference returned, no duplicate

ID	Scenario	Expected
RES-06	API down during flow	Retry state shown, draft kept locally, content pages still load from cache
RES-07	Question unpublished while user is mid-flow	Submission still accepted; snapshot keeps original wording
RES-08	Same email + same questions within 24 h	409 with link to existing request status
RES-09	6th submit from one IP in an hour	429 with friendly message
RES-10	Turnstile token missing/invalid	400, no request created
RES-11	Honeypot field filled	Silently accepted in UI, discarded server-side
RES-12	Upload to presigned URL after it expired	Upload fails; UI re-requests URL transparently
RES-13	Email provider outage	Job retries 5 times, admin sees failed-send flag, request still saved

E. Request lifecycle and admin

ID	Scenario	Expected
LIF-01	Admin moves Submitted → Under review	Status event logged with actor; no client email (optional template)
LIF-02	Under review → Needs info with message	Client email with reply link
LIF-03	Client replies via status link	Status returns to Under review; files attached
LIF-04	Client reply when request is Completed	409, reply rejected
LIF-05	Attempt Submitted → Completed directly	Blocked by state machine

ID	Scenario	Expected
LIF-06	Fee quoted, no payment for 7 days	Celery Beat moves to Expired, client notified
LIF-07	Scheduled appointment	.ics sent; reminders at 24 h and 1 h
LIF-08	Cancel after Fee paid	Moves to Cancelled; refund task created per policy
LIF-09	Status link tampered	403
LIF-10	Status link older than 180 days	403 with option to request a new link by email
ADM-01	Editor role opens a request	Forbidden; personal data never shown
ADM-02	Viewer role dashboard	Aggregates only, no names or phones
ADM-03	Staff login without 2FA	Forced to enrol before access
ADM-04	5 failed admin logins	Account locked 15 min, alert sent
ADM-05	CSV export by Consultation manager	Allowed, logged in audit log
ADM-06	Data deletion request executed	Personal fields anonymised, uploads deleted, reference kept for accounting

F. Learning, publications, forms

ID	Scenario	Expected
LRN-01	Enroll when batch has seats	201, seats_taken increments in a transaction
LRN-02	Two users take the last seat simultaneously	One succeeds, other gets 410 with waitlist offer (row lock)
LRN-03	Enroll twice with same email for same batch	409

ID	Scenario	Expected
LRN-04	Join waitlist twice	200, no duplicate row
LRN-05	Course switches Coming soon → Open	Waitlist emailed once
PUB-01	Notify-me on forthcoming book, then book becomes Available	One email per subscriber
FRM-01	Newsletter signup	Double opt-in email; not subscribed until confirmed
FRM-02	Contact form spam burst	Throttled at 429

G. Cross-cutting quality

ID	Scenario	Expected
QLT-01	axe-core on every template	Zero serious or critical violations
QLT-02	Complete consultation flow keyboard-only	Possible end to end, focus visible, errors announced
QLT-03	`prefers-reduced-motion`	No arc drawing, no scroll-linked motion
QLT-04	Lighthouse CI on home, art, article, flow	All scores ≥ 95; LCP < 2.0 s
QLT-05	k6: 200 concurrent users browsing + 20 submits/min for 10 min	p95 read < 300 ms, zero 5xx
QLT-06	Safari iOS 16+, Chrome Android, desktop Chrome/Firefox/Edge/Safari	Layout and flow work identically
QLT-07	Structured data on course and book pages (articles once Insights ships)	Passes Google Rich Results test
QLT-08	Every page has title, description, canonical, OG image	Automated crawl check passes

ID	Scenario	Expected
QLT-09	Security headers	securityheaders.com grade A
QLT-10	Backup restore drill on staging	Restores to within 5 min of target point

13. Deployment, CI/CD, monitoring and roadmap

Three environments, one-click deploys from GitHub, and a phased roadmap where Phase 1 ships the full brand site plus the consultation request flow without online payment.

Environments

Environment	Frontend	Backend	Database	Purpose
Local	`next dev`	docker-compose: Django, Celery, Redis, Postgres, MinIO, Mailpit	Local Postgres with seed data	Development
Preview	Vercel preview per PR	Shared staging API	Staging DB	Review of each PR
Staging	`staging.eopar.com`	`api.staging.eopar.com`	Anonymised copy of prod	QA, E2E, load tests
Production	`eopar.com`	`api.eopar.com`, `admin.eopar.com`	Managed Postgres, PITR	Live


CI/CD pipeline (GitHub Actions)

1. Lint + type-check (ruff, mypy, ESLint, tsc).
2. Backend tests (pytest) against a Postgres service container; coverage gate.
3. Frontend unit tests (Vitest); OpenAPI → TS type generation; fail if types drift.
4. Build Docker images; run Playwright E2E + axe against the composed stack.
5. Lighthouse CI budgets.
6. Merge to `main` → deploy to staging automatically; run smoke tests.
7. Tagged release → deploy to production (Django migrations run as a pre-deploy job; zero-downtime rolling restart); post-deploy smoke tests; automatic rollback on failure.

Monitoring and operations

- Sentry for errors and performance traces on both apps; alerts to email/Slack.
- Uptime checks every minute on home, flow, API health (`/api/v1/health/` checks DB, Redis, storage).
- Celery queue depth and failed-task alerts; daily report of failed notifications.
- Structured logs with request IDs passed from Next.js to Django; PII scrubbed from logs.
- Runbooks: API down, email provider down, bad deploy rollback, data restore, security incident.

Roadmap



EOPAR roadmap · 5 phases, 4 gates

Launch checklist (Gate 2)

- [ ] All 98 launch acceptance test cases pass on staging
- [ ] Legal pages (privacy, terms, disclaimer, refunds) reviewed by a lawyer
- [ ] Logo master asset pack delivered (section 1) with "&" wording; final colour/type tokens locked
- [ ] All five art pages, About and trust pages written and approved
- [ ] Consultation categories, questions and field rules reviewed by EOPAR
- [ ] Email templates proof-read; sending domain has SPF, DKIM, DMARC
- [ ] Backups verified with a restore drill
- [ ] Admin users created with 2FA; roles assigned

- [ ] Analytics and Search Console connected; sitemap submitted
- [ ] Lighthouse ⩾ 95 and axe clean on all templates
- [ ] Legal entity name, registered address and GSTIN filled in site settings
- [ ] Question bank (section 6) reviewed and approved by EOPAR

Execution order (10 stages)

Planning is closed; the work now runs one stage at a time. EOPAR's role is decisions and approvals; the build partner handles architecture, copy, UX, design, code and testing guidance.

Stage	Deliverable	Done when
1 · Brand assets	Logo master asset pack (7 variants, SVG)	Files approved
2 · Content	Homepage Copy v1, word for word	Copy approved
3 · Consultation content	Question bank + field rules finalised	EOPAR sign-off on every question
4 · Wireframes	Desktop + mobile: homepage and consultation flow	Layout approved
5 · Visual UI	Navy/ivory/gold + Celestial Arc system in Figma	Design approved (Gate 1)
6 · Development	Backend models and API, then Next.js pages, then the flow, CMS and forms	Feature-complete on staging
7 · Content population	Five arts, Learning, About, Research placeholder, Publications	All MVP pages filled
8 · Privacy, security, testing	Section 11 controls, 98 launch test cases	Launch checklist complete (Gate 2)
9 · Domain, hosting, email	`eopar.com`, production hosting, professional email with SPF/DKIM/DMARC	Production smoke tests pass
10 · Launch	Go live, sitemap submitted, monitoring on	Site live

Immediate next task: Stage 1 (logo vectors) in parallel with Stage 2 (Homepage Copy v1). No coding before both are approved.