

1.1

EOS-ANALYSIS-20xy-0z

Inference Example

First Author (Important University)
Sec O. Author (Another Important University)

Contents

Posteriors **2**
Posterior CKM 2
Goodness of fit 2
Marginal posteriors 2

Posteriors

This analysis records 1 posterior: `CKM`.

Posterior `CKM`

This posterior involves 6 varied parameters:

- `CKM::abs(V_cb)` ($|V_{cb}|$)
- `B->D::alpha^f+_0@BSZ2015` ($\alpha_{+,0}^{B\to D,\text{BSZ2015}}$)
- `B->D::alpha^f+_1@BSZ2015` ($\alpha_{+,1}^{B\to D,\text{BSZ2015}}$)
- `B->D::alpha^f+_2@BSZ2015` ($\alpha_{+,2}^{B\to D,\text{BSZ2015}}$)
- `B->D::alpha^f0_1@BSZ2015` ($\alpha_{0,1}^{B\to D,\text{BSZ2015}}$)
- `B->D::alpha^f0_2@BSZ2015` ($\alpha_{0,2}^{B\to D,\text{BSZ2015}}$)

Goodness of fit

The following table lists the local p value for each constraint, as well as the overall p value and total χ^2 of the fit.

Constraint	χ^2 / d.o.f.	local p value
`B->D::f_++f_0@FNAL+MILC:2015B`		83.4%
`B->D::f_++f_0@HPQCD:2015A`		69.6%
`B^0->D^+e^-nu::BRs@Belle:2015A`		29.5%
`B^0->D^+mu^-nu::BRs@Belle:2015A`		87.4%
total	23.63 / 26	**59.7%**

Marginal posteriors

The following corner plot shows the 1D and 2D marginal posterior densities of the varied parameters:




Figure 1: Corner plot of the marginal posterior densities for posterior CKM.