



1.0.21

Inference Example

First Author (Important University)

Sec O. Author (Another Important University)

EOS-ANALYSIS-20xy-0z

Contents

Posteriors	2
Posterior CKM	2
Goodness of fit	2
Marginal posteriors	2

Posteriors

This analysis records 1 posterior: CKM.

Posterior CKM

This posterior involves 6 varied parameters:

- CKM::abs(V_cb) ($|V_{cb}|$)
- B->D::alpha^f+_0@BSZ2015 ($\alpha_{+,0}^{B \rightarrow D, \text{BSZ2015}}$)
- B->D::alpha^f+_1@BSZ2015 ($\alpha_{+,1}^{B \rightarrow D, \text{BSZ2015}}$)
- B->D::alpha^f+_2@BSZ2015 ($\alpha_{+,2}^{B \rightarrow D, \text{BSZ2015}}$)
- B->D::alpha^f0_1@BSZ2015 ($\alpha_{0,1}^{B \rightarrow D, \text{BSZ2015}}$)
- B->D::alpha^f0_2@BSZ2015 ($\alpha_{0,2}^{B \rightarrow D, \text{BSZ2015}}$)

Goodness of fit

The following table lists the local p value for each constraint, as well as the overall p value and total χ^2 of the fit.

Constraint	χ^2 / d.o.f.	local p value
B->D::f_++f_0@FNAL+MILC:2015B		83.4%
B->D::f_++f_0@HPQCD:2015A		69.6%
B^0->D^+e^-nu::BRs@Belle:2015A		29.5%
B^0->D^+mu^-nu::BRs@Belle:2015A		87.4%
total	23.63 / 26	59.7%

Marginal posteriors

The following corner plot shows the 1D and 2D marginal posterior densities of the varied parameters:




Figure 1: Corner plot of the marginal posterior densities for posterior CKM.