

Results

Descriptives

Descriptives

	sex	research
N	96	96
Missing	0	0

Frequencies

Frequencies of sex


sex	Counts	% of Total	Cumulative %
Male	48	50.0 %	50.0 %
Female	48	50.0 %	100.0 %

Frequencies of research


research	Counts	% of Total	Cumulative %
Quant	46	47.9 %	47.9 %
Qual	50	52.1 %	100.0 %

Plots

sex



research





Descriptives



Descriptives		
	height	weight
N	96	96
Missing	0	0
Mean	161	67.6
Median	160	65.5
Standard deviation	19.3	17.9
IQR	31.9	27.5
Range	81.3	94.6
Minimum	117	9.20
Maximum	199	104
Skewness	-0.116	-0.151
Std. error skewness	0.246	0.246
Kurtosis	-0.754	-0.0146
Std. error kurtosis	0.488	0.488
Shapiro-Wilk W	0.982	0.981
Shapiro-Wilk p	0.200	0.169

Plots

height



weight



Descriptives

Descriptives

	lvst1	lvst2	lvst3	lvst4	frst1	frst2	frst3
N	96	96	96	96	96	96	96
Missing	0	0	0	0	0	0	0

Frequencies

Frequencies of lvst1

lvst1	Counts	% of Total	Cumulative %
Not at all	5	5.2 %	5.2 %
a little	29	30.2 %	35.4 %
moderately	42	43.8 %	79.2 %
mostly	15	15.6 %	94.8 %
completely	5	5.2 %	100.0 %

Frequencies of lvst2

lvst2	Counts	% of Total	Cumulative %
Not at all	9	9.4 %	9.4 %
a little	32	33.3 %	42.7 %
moderately	40	41.7 %	84.4 %
mostly	14	14.6 %	99.0 %
completely	1	1.0 %	100.0 %

Frequencies of lvst3

lvst3	Counts	% of Total	Cumulative %
Not at all	4	4.2 %	4.2 %
a little	11	11.5 %	15.6 %
moderately	38	39.6 %	55.2 %
mostly	29	30.2 %	85.4 %
completely	14	14.6 %	100.0 %

Frequencies of lvst4

lvst4	Counts	% of Total	Cumulative %
Not at all	2	2.1 %	2.1 %
a little	22	22.9 %	25.0 %
moderately	49	51.0 %	76.0 %
mostly	21	21.9 %	97.9 %
completely	2	2.1 %	100.0 %

Frequencies of frst1

frst1	Counts	% of Total	Cumulative %
Not at all	2	2.1 %	2.1 %
a little	25	26.0 %	28.1 %
moderately	45	46.9 %	75.0 %
mostly	21	21.9 %	96.9 %
completely	3	3.1 %	100.0 %

Frequencies of frst2


frst2	Counts	% of Total	Cumulative %
Not at all	27	28.1 %	28.1 %
a little	43	44.8 %	72.9 %
moderately	20	20.8 %	93.8 %
mostly	5	5.2 %	99.0 %
completely	1	1.0 %	100.0 %

Frequencies of frst3


frst3	Counts	% of Total	Cumulative %
Not at all	6	6.3 %	6.3 %
a little	21	21.9 %	28.1 %
moderately	31	32.3 %	60.4 %
mostly	27	28.1 %	88.5 %
completely	11	11.5 %	100.0 %

Plots


lvst1




lvst2




lvst3




lvst4




frst1



frst2



frst3



Descriptives

Descriptives
N
Missing
Mean
Median
Standard deviation
Range
Minimum
Maximum
Skewness
Std. error skewness
Kurtosis
Std. error kurtosis
Shapiro-Wilk W
Shapiro-Wilk p

Descriptives

Descriptives
N
Missing
Mean
Median
Standard deviation
Minimum
Maximum

Descriptives

Descriptives
N
Missing
Mean
Median
Standard deviation
Minimum
Maximum

Descriptives

Descriptives

N
Missing
Mean
Median
Standard deviation
Minimum
Maximum

References

[1] The jamovi project (2022). *jamovi*. (Version 2.3) [Computer Software]. Retrieved from <https://www.jamovi.org>.

[2] R Core Team (2021). *R: A Language and environment for statistical computing*. (Version 4.1) [Computer software]. Retrieved from <https://cran.r-project.org>. (R packages retrieved from MRAN snapshot 2022-01-01).