



Test Form LHR: Bioamp Test Fixture - R&R Test

990-03850-00
Rev 1

Date / Time:	6/10/2019
--------------	-----------

Test Equipment

SW Version:	1.0.11		
HW Part #: (REF)	BOM 0312-00	HW Serial #:	TF19041601

Test Procedure:

Document	Revision
Amber Bioamp Test Fixture and Software Test Tool V&V Test Script - 990-03842-00	Rev 1

TEST 1a

Bioamplifier (DUT):

Firmware Version:	1.6.2	HW Part # (REF):	710-03064-01	HW Serial #:	B19051601
-------------------	-------	---------------------	--------------	--------------	------------------

Test ID:	071879
----------	--------

Test Results:

Channel Test Results (PASS/FAIL)	PASS	Overall Test Results (PASS/FAIL)	PASS
-------------------------------------	------	-------------------------------------	------

Test Result .log file	B19051601-2019-06-10T18-19-36.071879.log
Test Result .csv file	B19051601-2019-06-10T18-19-36.071879.csv
Issues Desc	none

TEST 1b

Test ID:	176006
----------	--------

Test Results:

Channel Test Results (PASS/FAIL)	PASS	Overall Test Results (PASS/FAIL)	PASS
-------------------------------------	------	-------------------------------------	------



**Test Form LHR: Bioamp Test
Fixture - R&R Test**

990-03850-00
Rev 1

Test Result .log file	19051601-2019-06-10T18-29-35.176006.log
Test Result .csv file	19051601-2019-06-10T18-29-35.176006.csv
Issues Desc	none

TEST 1c

Test ID:	688996
-----------------	--------

Test Results:

Channel Test Results (PASS/FAIL)	PASS	Overall Test Results (PASS/FAIL)	PASS
---	------	---	------

Test Result .log file	B19051601-2019-06-10T18-40-49.688996.log
Test Result .csv file	B19051601-2019-06-10T18-40-49.688996.csv
Issues Desc	none



**Test Form LHR: Bioamp Test
Fixture - R&R Test**

990-03850-00
Rev 1

TEST 2a

Bioamplifier (DUT):

Firmware Version:	1.6.2	HW Part # (REF):	710-03064-01	HW Serial #:	B19051603
--------------------------	-------	-----------------------------	--------------	---------------------	------------------

Test ID:	078045
-----------------	--------

Test Results:

Channel Test Results (PASS/FAIL)	PASS	Overall Test Results (PASS/FAIL)	PASS
---	------	---	------

Test Result .log file	B19051603-2019-06-10T18-21-18.078045.log
Test Result .csv file	B19051603-2019-06-10T18-21-18.078045.csv
Issues Desc	none

TEST 2b

Test ID:	427389
-----------------	--------

Test Results:

Channel Test Results (PASS/FAIL)	PASS	Overall Test Results (PASS/FAIL)	PASS
---	------	---	------

Test Result .log file	B19051603-2019-06-10T18-28-17.427389.log
Test Result .csv file	B19051603-2019-06-10T18-28-17.427389.csv
Issues Desc	none

TEST 2c

Test ID:	177391
-----------------	--------

Test Results:

Channel Test Results (PASS/FAIL)	PASS	Overall Test Results (PASS/FAIL)	PASS
---	------	---	------



**Test Form LHR: Bioamp Test
Fixture - R&R Test**

990-03850-00
Rev 1

Test Result .log file	B19051603-2019-06-10T18-40-04.177391.log
Test Result .csv file	B19051603-2019-06-10T18-40-04.177391.csv
Issues Desc	none



**Test Form LHR: Bioamp Test
Fixture - R&R Test**

990-03850-00
Rev 1

TEST 3a

Bioamplifier (DUT):

Firmware Version:	1.6.2	HW Part # (REF):	710-03064-01	HW Serial #:	B19051604
--------------------------	-------	-----------------------------	--------------	---------------------	------------------

Test ID:	119431
-----------------	--------

Test Results:

Channel Test Results (PASS/FAIL)	PASS	Overall Test Results (PASS/FAIL)	PASS
---	------	---	------

Test Result .log file	B19051604-2019-06-10T18-18-20.119431.log
Test Result .csv file	B19051604-2019-06-10T18-18-20.119431.csv
Issues Desc	none

TEST 3b

Test ID:	963102
-----------------	--------

Test Results:

Channel Test Results (PASS/FAIL)	PASS	Overall Test Results (PASS/FAIL)	PASS
---	------	---	------

Test Result .log file	B19051604-2019-06-10T18-33-31.963102.log
Test Result .csv file	B19051604-2019-06-10T18-33-31.963102.csv
Issues Desc	none

TEST 3c

Test ID:	419992
-----------------	--------

Test Results:

Channel Test Results	PASS	Overall Test Results (PASS/FAIL)	PASS
-----------------------------	------	---	------



**Test Form LHR: Bioamp Test
Fixture - R&R Test**

990-03850-00
Rev 1

(PASS/FAIL)			
-------------	--	--	--

Test Result .log file	B19051604-2019-06-10T18-37-35.419992.log
Test Result .csv file	B19051604-2019-06-10T18-37-35.419992.csv
Issues Desc	none



Test Form LHR: Bioamp Test
Fixture - R&R Test

990-03850-00
Rev 1

TEST 4a

Bioamplifier (DUT):

Firmware Version:	1.6.2	HW Part # (REF):	710-03064-01	HW Serial #:	B19051602
-------------------	-------	---------------------	--------------	--------------	------------------

Test ID:	796945
----------	--------

Test Results:

Channel Test Results (PASS/FAIL)	PASS	Overall Test Results (PASS/FAIL)	PASS
-------------------------------------	------	-------------------------------------	------

Test Result .log file	B19051602-2019-06-10T18-22-05.796945.log
Test Result .csv file	B19051602-2019-06-10T18-22-05.796945.csv
Issues Desc	none

TEST 4b

Test ID:	583431
----------	--------

Test Results:

Channel Test Results (PASS/FAIL)	PASS	Overall Test Results (PASS/FAIL)	PASS
-------------------------------------	------	-------------------------------------	------

Test Result .log file	B19051602-2019-06-10T18-36-25.583431.log
Test Result .csv file	B19051602-2019-06-10T18-36-25.583431.csv
Issues Desc	none

TEST 4c

Test ID:	944251
----------	--------

Test Results:

Channel Test Results	PASS	Overall Test Results (PASS/FAIL)	PASS
----------------------	------	-------------------------------------	------



**Test Form LHR: Bioamp Test
Fixture - R&R Test**

990-03850-00
Rev 1

(PASS/FAIL)			
-------------	--	--	--

Test Result .log file	B19051602-2019-06-10T18-42-10.944251.log
Test Result .csv file	B19051602-2019-06-10T18-42-10.944251.csv
Issues Desc	none



Test Form LHR: Bioamp Test
Fixture - R&R Test

990-03850-00
Rev 1

TEST 5a

Bioamplifier (DUT):

Firmware Version:	1.6.2	HW Part # (REF):	710-03064-01	HW Serial #:	B19051605
-------------------	-------	---------------------	--------------	--------------	------------------

Test ID:	486450
----------	--------

Test Results:

Channel Test Results (PASS/FAIL)	PASS	Overall Test Results (PASS/FAIL)	PASS
-------------------------------------	------	-------------------------------------	------

Test Result .log file	B19051605-2019-06-10T18-23-03.486450.log
Test Result .csv file	B19051605-2019-06-10T18-23-03.486450.csv
Issues Desc	none

TEST 5b

Test ID:	269020
----------	--------

Test Results:

Channel Test Results (PASS/FAIL)	PASS	Overall Test Results (PASS/FAIL)	PASS
-------------------------------------	------	-------------------------------------	------

Test Result .log file	B19051605-2019-06-10T18-35-30.269020.log
Test Result .csv file	B19051605-2019-06-10T18-35-30.269020.csv
Issues Desc	none

TEST 5c

Test ID:	898093
----------	--------

Test Results:

Channel Test Results	PASS	Overall Test Results (PASS/FAIL)	PASS
----------------------	------	-------------------------------------	------



**Test Form LHR: Bioamp Test
Fixture - R&R Test**

990-03850-00
Rev 1

(PASS/FAIL)			
-------------	--	--	--

Test Result .log file	B19051605-2019-06-10T18-43-11.898093.log
Test Result .csv file	B19051605-2019-06-10T18-43-11.898093.csv
Issues Desc	none



Test Form LHR: Bioamp Test
Fixture - R&R Test

990-03850-00
Rev 1

TEST 6a

Bioamplifier (DUT):

Firmware Version:	1.6.2	HW Part # (REF):	710-03064-01	HW Serial #:	B19012204
--------------------------	-------	-----------------------------	--------------	---------------------	------------------

Test ID:	733760
-----------------	--------

Test Results:

Channel Test Results (PASS/FAIL)	PASS	Overall Test Results (PASS/FAIL)	PASS
---	------	---	------

Test Result .log file	B19012204-2019-06-10T18-20-29.733760.log
Test Result .csv file	B19012204-2019-06-10T18-20-29.733760.csv
Issues Desc	none

TEST 6b

Test ID:	265432
-----------------	--------

Test Results:

Channel Test Results (PASS/FAIL)	PASS	Overall Test Results (PASS/FAIL)	PASS
---	------	---	------

Test Result .log file	B19012204-2019-06-10T18-26-49.265432.log
Test Result .csv file	B19012204-2019-06-10T18-26-49.265432.csv
Issues Desc	none

TEST 6c

Test ID:	690880
-----------------	--------

Test Results:

Channel Test Results	PASS	Overall Test Results (PASS/FAIL)	PASS
-----------------------------	------	---	------



Test Form LHR: Bioamp Test
Fixture - R&R Test

990-03850-00
Rev 1

(PASS/FAIL)			
-------------	--	--	--

Test Result .log file	B19012204-2019-06-10T18-39-22.690880.log
Test Result .csv file	B19012204-2019-06-10T18-39-22.690880.csv
Issues Desc	none



Test Form LHR: Bioamp Test
Fixture - R&R Test

990-03850-00
Rev 1

TEST 7a

Bioamplifier (DUT):

Firmware Version:	1.6.2	HW Part # (REF):	710-03064-01	HW Serial #:	B19021206
-------------------	-------	---------------------	--------------	--------------	------------------

Test ID:	623255
----------	--------

Test Results:

Channel Test Results (PASS/FAIL)	PASS	Overall Test Results (PASS/FAIL)	PASS
-------------------------------------	------	-------------------------------------	------

Test Result .log file	B19021206-2019-06-10T18-24-57.623255.log
Test Result .csv file	B19021206-2019-06-10T18-24-57.623255.csv
Issues Desc	none

TEST 7b

Test ID:	771596
----------	--------

Test Results:

Channel Test Results (PASS/FAIL)	PASS	Overall Test Results (PASS/FAIL)	PASS
-------------------------------------	------	-------------------------------------	------

Test Result .log file	B19021206-2019-06-10T18-30-35.771596.log
Test Result .csv file	B19021206-2019-06-10T18-30-35.771596.csv
Issues Desc	none

TEST 7c

Test ID:	436168
----------	--------

Test Results:

Channel Test Results	PASS	Overall Test Results (PASS/FAIL)	PASS
----------------------	------	-------------------------------------	------



**Test Form LHR: Bioamp Test
Fixture - R&R Test**

990-03850-00
Rev 1

(PASS/FAIL)			
-------------	--	--	--

Test Result .log file	B19021206-2019-06-10T18-41-31.436168.log
Test Result .csv file	B19021206-2019-06-10T18-41-31.436168.csv
Issues Desc	none



**Test Form LHR: Bioamp Test
Fixture - R&R Test**

990-03850-00
Rev 1

TEST 8a

Bioamplifier (DUT):

Firmware Version:	1.6.2	HW Part # (REF):	710-03064-01	HW Serial #:	B19012203
--------------------------	-------	-----------------------------	--------------	---------------------	------------------

Test ID:	829216
-----------------	--------

Test Results:

Channel Test Results (PASS/FAIL)	PASS	Overall Test Results (PASS/FAIL)	PASS
---	------	---	------

Test Result .log file	B19012203-2019-06-10T18-17-23.829216.log
Test Result .csv file	B19012203-2019-06-10T18-17-23.829216.csv
Issues Desc	none

TEST 8b

Test ID:	248536
-----------------	--------

Test Results:

Channel Test Results (PASS/FAIL)	PASS	Overall Test Results (PASS/FAIL)	PASS
---	------	---	------

Test Result .log file	B19012203-2019-06-10T18-25-55.248536.log
Test Result .csv file	B19012203-2019-06-10T18-25-55.248536.csv
Issues Desc	none

TEST 8c

Test ID:	803864
-----------------	--------

Test Results:

Channel Test Results	PASS	Overall Test Results (PASS/FAIL)	PASS
-----------------------------	------	---	------



**Test Form LHR: Bioamp Test
Fixture - R&R Test**

990-03850-00
Rev 1

(PASS/FAIL)			
-------------	--	--	--

Test Result .log file	B19012203-2019-06-10T18-44-17.803864.log
Test Result .csv file	B19012203-2019-06-10T18-44-17.803864.csv
Issues Desc	none



Test Form LHR: Bioamp Test
Fixture - R&R Test

990-03850-00
Rev 1

TEST 9a

Bioamplifier (DUT):

Firmware Version:	1.6.2	HW Part # (REF):	710-03064-01	HW Serial #:	B19021207
-------------------	-------	---------------------	--------------	--------------	------------------

Test ID:	123356
----------	--------

Test Results:

Channel Test Results (PASS/FAIL)	PASS	Overall Test Results (PASS/FAIL)	PASS
-------------------------------------	------	-------------------------------------	------

Test Result .log file	B19021207-2019-06-10T18-23-46.123356.log
Test Result .csv file	B19021207-2019-06-10T18-23-46.123356.csv
Issues Desc	none

TEST 9b

Test ID:	176417
----------	--------

Test Results:

Channel Test Results (PASS/FAIL)	PASS	Overall Test Results (PASS/FAIL)	PASS
-------------------------------------	------	-------------------------------------	------

Test Result .log file	B19021207-2019-06-10T18-34-30.176417.log
Test Result .csv file	B19021207-2019-06-10T18-34-30.176417.csv
Issues Desc	none

TEST 9c

Test ID:	607817
----------	--------

Test Results:

Channel Test Results	PASS	Overall Test Results (PASS/FAIL)	PASS
----------------------	------	-------------------------------------	------



**Test Form LHR: Bioamp Test
Fixture - R&R Test**

990-03850-00
Rev 1

(PASS/FAIL)			
-------------	--	--	--

Test Result .log file	B19021207-2019-06-10T18-44-59.607817.log
Test Result .csv file	B19021207-2019-06-10T18-44-59.607817.csv
Issues Desc	none



Test Form LHR: Bioamp Test
Fixture - R&R Test

990-03850-00
Rev 1

TEST 10a

Bioamplifier (DUT):

Firmware Version:	1.62	HW Part # (REF):	710-03064-01	HW Serial #:	B19012202
-------------------	------	---------------------	--------------	--------------	------------------

Test ID:	892265
----------	--------

Test Results:

Channel Test Results (PASS/FAIL)	PASS	Overall Test Results (PASS/FAIL)	PASS
-------------------------------------	------	-------------------------------------	------

Test Result .log file	B19012202-2019-06-10T18-15-20.892265.log
Test Result .csv file	B19012202-2019-06-10T18-15-20.892265.csv
Issues Desc	none

TEST 10b

Test ID:	118150
----------	--------

Test Results:

Channel Test Results (PASS/FAIL)	PASS	Overall Test Results (PASS/FAIL)	PASS
-------------------------------------	------	-------------------------------------	------

Test Result .log file	B19012202-2019-06-10T18-32-39.118150.log
Test Result .csv file	B19012202-2019-06-10T18-32-39.118150.csv
Issues Desc	none

TEST 10c

Test ID:	831839
----------	--------

Test Results:

Channel Test Results	PASS	Overall Test Results (PASS/FAIL)	PASS
----------------------	------	-------------------------------------	------



**Test Form LHR: Bioamp Test
Fixture - R&R Test**

990-03850-00
Rev 1

(PASS/FAIL)			
-------------	--	--	--

Test Result .log file	B19012202-2019-06-10T18-38-39.831839.log
Test Result .csv file	B19012202-2019-06-10T18-38-39.831839.csv
Issues Desc	none

Operator:

Name:	Zoey Zweber	Role:	Manufacturing Engineer
Signature:	<i>Zoey Zweber</i>	Date:	6/10/2019

Reviewer:

Name:	Christopher Franklin	Role:	Quality Assurance Reviewer
Signature:	<i>Christopher Franklin</i>	Date:	6/20/2019

Revision History		
Rev	Description Of Change	Effective Date
1	Initial Release	5/29/2019