

Logic, Interaction and Collective Agency

Lecture 1

ESSLLI'10, Copenhagen

Eric Pacuit


Olivier Roy

TiLPS, Tilburg University
`ai.stanford.edu/~epacuit`

University of Groningen
`philos.rug.nl/~olivier`


August 16, 2010

Writing a paper together



Writing a paper together


	Hard Work	Minimal Work
Hard Work	3, 3	0, 0
Minimal Work	0, 0	1, 1



Writing a paper together


Problem of **Coordination**.

	Hard Work	Minimal Work
Hard Work	3, 3	0, 0
Minimal Work	0, 0	1, 1



Writing a paper together


	Hard Work	Minimal Work
Hard Work	3, 3	0, 4
Minimal Work	4, 0	1, 1



Writing a paper together

Problem of **Cooperation**.


	Hard Work	Minimal Work
Hard Work	3, 3	0, 4
Minimal Work	4, 0	1, 1



Writing a paper together

	Hard Work	Minimal Work
Hard Work	3, 3	0, 4
Minimal Work	4, 0	1, 1

Intuitively, we solve these problem by **working together**.
This is the question of **collective agency**.



Plan for the week

1. The problem of collective agency:
2. Group attitudes (I): a non-standard introduction.
3. Acting on team preferences, frames and team reasoning.
4. Group attitudes (II): Correlations.
5. Commitments, intentions and cooperative agency?

Plan for the week

1. The problem of collective agency:
 - Individual and group agency.
 - Games.
 - Beliefs (Type Spaces) and rationality.
2. Group attitudes (I): a non-standard introduction.
3. Acting on team preferences, frames and team reasoning.
4. Group attitudes (II): Correlations.
5. Commitments, intentions and cooperative agency?

Individual vs collective agency

Different contexts of agency

Different contexts of agency

- Individual decision making and individual action **against nature**.
 - Ex: Gambling.



Different contexts of agency

- ▶ Individual decision making and individual action against nature.
- ▶ Individual decision making in **interaction**.
 - Ex: Playing chess.



Different contexts of agency

- ▶ Individual decision making and individual action against nature.
- ▶ Individual decision making in interaction.
- ▶ **Collective** decision making.
 - Ex: Carrying the piano.



Different contexts of agency

- ▶ Individual decision making and individual action against nature.
- ▶ Individual decision making in interaction.
- ▶ Collective decision making.



Interaction - Formal models

Situations of Interaction

In this course we will mostly study situations of interaction in terms of **Games** in **Strategic** or **Normal** form.

Situations of Interaction

	Hard Work	Minimal Work
Hard Work	3, 3	0, 0
Minimal Work	0, 0	1, 1

Situations of Interaction

Definition

A **game in strategic form** \mathbb{G} is a tuple $\langle \mathcal{A}, S_i, v_i \rangle$ such that :

Situations of Interaction

Definition

A **game in strategic form** \mathbb{G} is a tuple $\langle \mathcal{A}, S_i, v_i \rangle$ such that :

- ▶ \mathcal{A} is a finite set of agents.

Situations of Interaction

Definition

A **game in strategic form** \mathbb{G} is a tuple $\langle \mathcal{A}, S_i, v_i \rangle$ such that :

- ▶ \mathcal{A} is a finite set of agents.
- ▶ S_i is a finite set of *actions* or *strategies* for i . A *strategy profile* $\sigma \in \prod_{i \in \mathcal{A}} S_i$ is a vector of strategies, one for each agent in I . The strategy s_i which i plays in the profile σ is noted σ_i .

Situations of Interaction

Definition

A **game in strategic form** \mathbb{G} is a tuple $\langle \mathcal{A}, S_i, v_i \rangle$ such that :

- ▶ \mathcal{A} is a finite set of agents.
- ▶ S_i is a finite set of *actions* or *strategies* for i . A *strategy profile* $\sigma \in \prod_{i \in \mathcal{A}} S_i$ is a vector of strategies, one for each agent in I . The strategy s_i which i plays in the profile σ is noted σ_i .
- ▶ $v_i : \prod_{i \in \mathcal{A}} S_i \rightarrow \mathbb{R}$ is an *utility function* that assigns to every strategy profile $\sigma \in \prod_{i \in \mathcal{A}} S_i$ the utility valuation of that profile for agent i .

Games of Interest

Games of Interest

	Hard Work	Minimal Work
Hard Work	1, 1	0, 0
Minimal Work	0, 0	1, 1

- Coordination Games.

Games of Interest

	Hard Work	Minimal Work
Hard Work	2, 1	0, 0
Minimal Work	0, 0	1, 2

- Coordination Games.

Games of Interest

	Hard Work	Minimal Work
Hard Work	3, 3	0, 0
Minimal Work	0, 0	1, 1

- Coordination Games.

Games of Interest

	Hard Work	Minimal Work
Hard Work	3, 3	0, 4
Minimal Work	4, 0	1, 1

- Prisoner's Dilemma.

Games of Interest

	Hard Work	Minimal Work
Hard Work	3, 3	0, 4
Minimal Work	4, 0	1, 1

- In general: games with **scope for cooperation**.

The Main Question(s)

	Hard Work	Minimal Work
Hard Work	3, 3	0, 0
Minimal Work	0, 0	1, 1

- ▶ When there is **scope for cooperation**, what **will** the agents do?
If they are **rational**?
 - **Descriptive** question.

The Main Question(s)

	Hard Work	Minimal Work
Hard Work	3, 3	0, 0
Minimal Work	0, 0	1, 1

- ▶ When there is **scope for cooperation**, what **should** the agents do? If they are **rational**?
 - **Normative** question.

The Main Question(s)

	Hard Work	Minimal Work
Hard Work	3, 3	0, 0
Minimal Work	0, 0	1, 1

- ▶ When there is **scope for cooperation**, what **does it mean** to say that they are **rational**?
 - **Analytical** question.

The Main Question(s)

	Hard Work	Minimal Work
Hard Work	3, 3	0, 0
Minimal Work	0, 0	1, 1

- ▶ When there is **scope for cooperation**, what **does it mean** to say that they are **rational**?
 - ✓ **Analytical** question.
- ▶ Our main focus in this course.

The Main Question(s)

	Hard Work	Minimal Work
Hard Work	3, 3	0, 0
Minimal Work	0, 0	1, 1

- ▶ When there is **scope for cooperation**, what **does it mean** to say that they are **rational**?
- ▶ **First tenet**: As such the question is **under-specified**.

The Main Question(s)

	Hard Work	Minimal Work
Hard Work	3, 3	0, 0
Minimal Work	0, 0	1, 1

- ▶ When there is **scope for cooperation**, what **does it mean** to say that they are **rational**?
- ▶ **First tenet**: As such the question is **under-specified**.
 - One needs to specify the **context of interaction** (or of the game). This includes:

The Main Question(s)

	Hard Work	Minimal Work
Hard Work	3, 3	0, 0
Minimal Work	0, 0	1, 1

- ▶ When there is **scope for cooperation**, what **does it mean** to say that they are **rational**?
- ▶ **First tenet**: As such the question is **under-specified**.
 - One needs to specify the **context of interaction** (or of the game). This includes:
 - ▶ (possibly) some additional **group-** or **team-related** aspects of the game.

The Main Question(s)

	Hard Work	Minimal Work
Hard Work	3, 3	0, 0
Minimal Work	0, 0	1, 1

- ▶ When there is **scope for cooperation**, what **does it mean** to say that they are **rational**?
- ▶ **First tenet**: As such the question is **under-specified**.
 - One needs to specify the **context of interaction** (or of the game). This includes:
 - ▶ (possibly) some additional **group-** or **team-related** aspects of the game.
 - ▶ **Information** of the agents about **all relevant aspects** of the game.

Information in games

What does it *mean* to be (perfectly) rational?

	H	M
H	3,3	0,0
M	0,0	1,1

What does it *mean* to be (perfectly) rational?

	H	M
H	3,3	0,0
M	0,0	1,1

Ann's best choice depends on what she *expects* Bob to do, and this depends on what she *thinks* Bob expects her to do, and so on...

What does it *mean* to be (perfectly) rational?

	H	M
H	3,3	0,0
M	0,0	1,1

Instrumental Rationality: maximize *given your current information*
(Bayesian Decision Theory)

Information in games situations

- ▶ Various states of information disclosure.

Information in games situations

- ▶ Various states of information disclosure.
 - *ex ante*, *ex interim*, *ex post*

Information in games situations

- ▶ Various states of information disclosure.
 - *ex ante*, *ex interim*, *ex post*
- ▶ Various “types” of information:

Information in games situations

- ▶ Various states of information disclosure.
 - *ex ante*, *ex interim*, *ex post*
- ▶ Various “types” of information:
 - imperfect information about the play of the game
 - incomplete information about the structure of the game
 - strategic information (what will the other players do?)
 - higher-order information (what are the other players thinking?)

Information in games situations

- ▶ Various states of information disclosure.
 - *ex ante*, *ex interim*, *ex post*
- ▶ Various “types” of information:
 - imperfect information about the play of the game
 - incomplete information about the structure of the game
 - strategic information (what will the other players do?)
 - higher-order information (what are the other players thinking?)
- ▶ Varieties of informational attitudes

Information in games situations


- ▶ Various states of information disclosure.
 - *ex ante*, *ex interim*, *ex post*
- ▶ Various “types” of information:
 - imperfect information about the play of the game
 - incomplete information about the structure of the game
 - strategic information (what will the other players do?)
 - higher-order information (what are the other players thinking?)
- ▶ Varieties of informational attitudes
 - hard (“knowledge”)
 - soft (“beliefs”)

Finding the “rational” choice

Game G


G : available actions, payoffs, structure of the decision problem

Finding the “rational” choice




solution concepts are systematic descriptions of what players *do*

Finding the “rational” choice




Consider possible *information states* of the players

Finding the “rational” choice



Restrict to information states satisfying some rationality condition

Finding the “rational” choice



Project onto the strategy space

Time for some details...

Two general modeling strategies:

Time for some details...

Two general modeling strategies:

1. Harsanyi type spaces: sorted structure with maps between players' "states"

J. Harsanyi. *Games with incomplete information played by "bayesian" players I-III. Management Science Theory* **14**: 159-182, 1967-68.

Time for some details...

Two general modeling strategies:

1. Harsanyi type spaces: sorted structure with maps between players' "states"

J. Harsanyi. *Games with incomplete information played by "bayesian" players I-III. Management Science Theory* **14**: 159-182, 1967-68.

2. Partition model: single set of *states* with partitions describing the players' (hard) information

R. Aumann. *Interactive Epistemology I & II. International Journal of Game Theory* (1999).

Literature

See, for example,

P. Battigalli and G. Bonanno. *Recent results on belief, knowledge and the epistemic foundations of game theory*. Research in Economics (1999).

B. de Bruin. *Explaining Games*. Ph.D. Thesis, ILLC (2004).

A. Brandenburger. *The Power of Paradox: Some Recent Developments in Interactive Epistemology*. International Journal of Game Theory (2007).


An Example

		Bob	
		<i>H</i>	<i>M</i>
Ann	<i>H</i>	3,3	0,0
	<i>M</i>	0,0	1,1

An Example

		Bob	
		<i>H</i>	<i>M</i>
Ann	<i>H</i>	3,3	0,0
	<i>M</i>	0,0	1,1


A set of information states




An Example

		Bob	
		<i>H</i>	<i>M</i>
Ann	<i>H</i>	3,3	0,0
	<i>M</i>	0,0	1,1

A set of information states



An Example




A set of information states

An Example

		Bob	
		<i>H</i>	<i>M</i>
Ann	<i>H</i>	3,3	0,0
	<i>M</i>	0,0	1,1


A set of information states



An Example

		Bob	
		H	M
Ann	H	3,3	0,0
	M	0,0	1,1


A common prior



An Example

		Bob	
		<i>H</i>	<i>M</i>
Ann	<i>H</i>	3,3	0,0
	<i>M</i>	0,0	1,1

Suppose Ann chooses *H*
and Bob chooses *M*




An Example

		Bob	
		H	M
Ann	H	3,3	0,0
	M	0,0	1,1

Suppose Ann chooses H
and Bob chooses M

Are these choices *rational*?




An Example

		Bob	
		H	M
Ann	H	3,3	0,0
	M	0,0	1,1

Suppose Ann chooses H
and Bob chooses M

Are these choices *rational*?




An Example

		Bob	
		H	M
Ann	H	3,3	0,0
	M	0,0	1,1

Suppose Ann chooses H
and Bob chooses M

Are these choices *rational*?




An Example

		Bob	
		H	M
Ann	H	3,3	0,0
	M	0,0	1,1

Suppose Ann chooses H
and Bob chooses M

Are these choices *rational*?




$$3 \cdot P_A(H) + 0 \cdot P_A(M) \geq 0 \cdot P_A(H) + 1 \cdot P_A(M)$$

An Example

		Bob	
		H	M
Ann	H	3,3	0,0
	M	0,0	1,1

Suppose Ann chooses H
and Bob chooses M

Are these choices *rational*?




$$3 \cdot P_A(H) + 0 \cdot P_A(M) \geq 0 \cdot P_A(H) + 1 \cdot P_A(M)$$

An Example

		Bob	
		H	M
Ann	H	3,3	0,0
	M	0,0	1,1

Suppose Ann chooses H
and Bob chooses M

Are these choices *rational*?




$$3 \cdot \frac{1}{2} + 0 \cdot P_A(M) \geq 0 \cdot \frac{1}{2} + 1 \cdot P_A(M)$$

An Example

		Bob	
		H	M
Ann	H	3,3	0,0
	M	0,0	1,1

Suppose Ann chooses *H*
and Bob chooses *M*

Are these choices *rational*?




$$3 \cdot \frac{1}{2} + 0 \cdot \frac{1}{2} \geq 0 \cdot \frac{1}{2} + 1 \cdot \frac{1}{2}$$

An Example

		Bob	
		<i>H</i>	<i>M</i>
Ann	<i>H</i>	3,3	0,0
	<i>M</i>	0,0	1,1

Suppose Ann chooses *H*
and Bob chooses *M*

Are these choices *rational*?




$$0 \cdot P_B(H) + 1 \cdot P_B(M) \geq 3 \cdot P_B(H) + 0 \cdot P_B(M)$$

An Example

		Bob	
		<i>H</i>	<i>M</i>
Ann	<i>H</i>	3,3	0,0
	<i>M</i>	0,0	1,1

Suppose Ann chooses *H*
and Bob chooses *M*

Are these choices *rational*?




$$0 \cdot \frac{2}{12} + 1 \cdot \frac{10}{12} \geq 3 \cdot \frac{2}{12} + 0 \cdot \frac{10}{12}$$

An Example

		Bob	
		H	M
Ann	H	3,3	0,0
	M	0,0	1,1


Suppose Ann chooses H
and Bob chooses M

Are these choices *rational*?
Yes.



An Example

		Bob	
		H	M
Ann	H	3,3	0,0
	M	0,0	1,1



Suppose Ann chooses H
and Bob chooses M

Are these choices *rational*?

Yes.

Bob (Ann) *knows* that
Ann (Bob) is *rational*

$$0 \cdot \frac{1}{6} + 1 \cdot \frac{5}{6} \geq 3 \cdot \frac{1}{6} + 0 \cdot \frac{5}{6}$$

Two Issues


		Bob	
		H	M
Ann	H	3,3	0,0
	M	0,0	1,1

		H	M
H	$\frac{1}{8}$ ●	$\frac{1}{16}$ ●	$\frac{1}{16}$ ●
M	$\frac{1}{8}$ ●	$\frac{1}{8}$ ●	$\frac{1}{2}$ ●

Two Issues


1. Zero probability \neq “impossible”

		Bob	
		<i>H</i>	<i>M</i>
Ann	<i>H</i>	3,3	0,0
	<i>M</i>	0,0	1,1



Two Issues

		Bob	
		H	M
Ann	H	3,3	0,0
	M	0,0	1,1




1. Zero probability \neq “impossible”
2. Different “types” of players can make the same choice

Two Issues

		Bob	
		H	M
Ann	H	3,3	0,0
	M	0,0	1,1

1. Zero probability \neq “impossible”
 2. Different “types” of players can make the same choice
- Are Ann and Bob rational?




Two Issues

		Bob	
		H	M
Ann	H	3,3	0,0
	M	0,0	1,1

1. Zero probability \neq “impossible”


2. Different “types” of players can make the same choice

► Are Ann and Bob rational? **Yes.**



Two Issues


		Bob	
		H	M
Ann	H	3,3	0,0
	M	0,0	1,1



1. Zero probability \neq “impossible”
2. Different “types” of players can make the same choice
 - Are Ann and Bob rational? **Yes.**
 - Do they *know* that each other is rational? **No.**

Two Issues

		Bob	
		H	M
Ann	H	3,3	0,0
	M	0,0	1,1



1. Zero probability \neq “impossible”
2. Different “types” of players can make the same choice
 - Are Ann and Bob rational? **Yes.**
 - Do they *know* that each other is rational? **No.**
(though $Pr_{Bob}(Irrat(Ann)) = 0$)

Harsanyi Type Space

Based on the work of John Harsanyi on games with *incomplete information*, game theorists have developed an elegant formalism that makes precise talk about beliefs, knowledge and rationality:

Harsanyi Type Space

Based on the work of John Harsanyi on games with *incomplete information*, game theorists have developed an elegant formalism that makes precise talk about beliefs, knowledge and rationality:

- ▶ A **type** is everything a player knows privately at the beginning of the game which could affect his beliefs about payoffs and about all other players' possible types.

Harsanyi Type Space

Based on the work of John Harsanyi on games with *incomplete information*, game theorists have developed an elegant formalism that makes precise talk about beliefs, knowledge and rationality:

- ▶ A **type** is everything a player knows privately at the beginning of the game which could affect his beliefs about payoffs and about all other players' possible types.
- ▶ Each **type** is assigned a joint probability over the space of types and actions

$$\lambda_i : T_i \rightarrow \Delta(T_{-i} \times S_{-i})$$

Harsanyi Type Space

Based on the work of John Harsanyi on games with *incomplete information*, game theorists have developed an elegant formalism that makes precise talk about beliefs, knowledge and rationality:

- ▶ A **type** is everything a player knows privately at the beginning of the game which could affect his beliefs about payoffs and about all other players' possible types.
- ▶ Each **type** is assigned a joint probability over the space of types and actions

$$\lambda_i : T_i \rightarrow \Delta(T_{-i} \times S_{-i})$$

Player i 's types



Harsanyi Type Space

Based on the work of John Harsanyi on games with *incomplete information*, game theorists have developed an elegant formalism that makes precise talk about beliefs, knowledge and rationality:

- ▶ A **type** is everything a player knows privately at the beginning of the game which could affect his beliefs about payoffs and about all other players' possible types.
- ▶ Each **type** is assigned a joint probability over the space of types and actions

$$\lambda_i : T_i \rightarrow \Delta(T_{-i} \times S_{-i})$$

The set of all probability distributions

Harsanyi Type Space

Based on the work of John Harsanyi on games with *incomplete information*, game theorists have developed an elegant formalism that makes precise talk about beliefs, knowledge and rationality:

- ▶ A **type** is everything a player knows privately at the beginning of the game which could affect his beliefs about payoffs and about all other players' possible types.
- ▶ Each **type** is assigned a joint probability over the space of types and actions

$$\lambda_i : T_i \rightarrow \Delta(T_{-i} \times S_{-i})$$

The other players' types

Harsanyi Type Space

Based on the work of John Harsanyi on games with *incomplete information*, game theorists have developed an elegant formalism that makes precise talk about beliefs, knowledge and rationality:

- ▶ A **type** is everything a player knows privately at the beginning of the game which could affect his beliefs about payoffs and about all other players' possible types.
- ▶ Each **type** is assigned a joint probability over the space of types and actions

$$\lambda_i : T_i \rightarrow \Delta(T_{-i} \times S_{-i})$$

The other players' choices



Returning to the Example: A Game Model

		Bob	
		<i>H</i>	<i>M</i>
Ann	<i>H</i>	3,3	0,0
	<i>M</i>	0,0	1,1

		H	M
t_B		0	0.5
u_B		0.2	0.3
t_A			

		H	M
t_A	0	1	
t_B			

		H	M
t_A	0.4	0.6	
u_B			

Returning to the Example: A Game Model

		Bob	
		H	M
Ann	H	3,3	0,0
	M	0,0	1,1

- One type for Ann (t_A) and two types for Bob (t_B, u_B)

		H	M
t_B	t_A	0	0.5
	u_B	0.2	0.3

		H	M
t_A	t_B	0	1

		H	M
t_A	u_B	0.4	0.6

Returning to the Example: A Game Model

		Bob	
		H	M
Ann	H	3,3	0,0
	M	0,0	1,1

- ▶ One type for Ann (t_A) and two types for Bob (t_B, u_B)
- ▶ A **state** is a tuple of choices and types: (M, M, t_A, t_B)

		H	M
t_B	t_A	0	0.5
	u_B	0.2	0.3

		H	M
t_A	t_B	0	1

		H	M
t_A	u_B	0.4	0.6

Returning to the Example: A Game Model

		Bob	
		H	M
Ann	H	3,3	0,0
	M	0,0	1,1

- ▶ One type for Ann (t_A) and two types for Bob (t_B, u_B)
- ▶ A **state** is a tuple of choices and types: (M, t_A, M, u_B)
- ▶ Calculate **expected utility** in the usual way...

		H	M
t_B	0	0	0.5
	u_B	0.2	0.3
t_A			

		H	M
t_A	0	0	1
	t_B		

		H	M
t_A	0.4	0.4	0.6
	u_B		

Returning to the Example: A Game Model

		Bob	
		<i>H</i>	<i>M</i>
Ann	<i>H</i>	3,3	0,0
	<i>M</i>	0,0	1,1

		H	M
t_B		0	0.5
u_B		0.2	0.3

t_A

		H	M
t_A	0	1	

t_B

		H	M
t_A	0.4	0.6	

u_B

Returning to the Example: A Game Model

		Bob	
		<i>H</i>	<i>M</i>
Ann	<i>H</i>	3,3	0,0
	<i>M</i>	0,0	1,1

- *M* is **rational** for Ann (t_A)
 $0 \cdot 0.2 + 1 \cdot 0.8 \geq 3 \cdot 0.2 + 0 \cdot 0.8$

		<i>H</i>	<i>M</i>
t_B	u_B	0.2	0.3
	t_A	0	0.5

		<i>H</i>	<i>M</i>
t_A	t_B	0	1

		<i>H</i>	<i>M</i>
t_A	u_B	0.4	0.6

Returning to the Example: A Game Model

		Bob	
		H	M
Ann	H	3,3	0,0
	M	0,0	1,1

- M is **rational** for Ann (t_A)
 $0 \cdot 0.2 + 1 \cdot 0.8 \geq 3 \cdot 0.2 + 0 \cdot 0.8$
- M is **rational** for Bob (t_B)
 $0 \cdot 0 + 1 \cdot 1 \geq 3 \cdot 0 + 0 \cdot 1$

		H	M
t_B	t_A	0	0.5
	u_B	0.2	0.3

		H	M
t_A	t_B	0	1

		H	M
t_A	u_B	0.4	0.6

Returning to the Example: A Game Model

		Bob	
		H	M
Ann	H	3,3	0,0
	M	0,0	1,1

- ▶ M is **rational** for Ann (t_A)
 $0 \cdot 0.2 + 1 \cdot 0.8 \geq 3 \cdot 0.2 + 0 \cdot 0.8$
- ▶ M is **rational** for Bob (t_B)
 $0 \cdot 0 + 1 \cdot 1 \geq 3 \cdot 0 + 0 \cdot 1$
- ▶ Ann thinks Bob may be irrational

		H	M
t_B		0	0.5
u_B		0.2	0.3
t_A			

		H	M
t_A		0	1
t_B			

		H	M
t_A		0.4	0.6
u_B			

Returning to the Example: A Game Model

		Bob	
		H	M
Ann	H	3,3	0,0
	M	0,0	1,1

- ▶ M is **rational** for Ann (t_A)
 $0 \cdot 0.2 + 1 \cdot 0.8 \geq 3 \cdot 0.2 + 0 \cdot 0.8$
- ▶ M is **rational** for Bob (t_B)
 $0 \cdot 0 + 1 \cdot 1 \geq 3 \cdot 0 + 0 \cdot 1$
- ▶ Ann thinks Bob may be irrational
 $P_A(\text{Irrat}[B]) = 0.3$, $P_A(\text{Rat}[B]) = 0.7$

	H	M
t_B	0	0.5
u_B	0.2	0.3

t_A

	H	M
t_A	0	1

t_B

	H	M
t_A	0.4	0.6

u_B

Notation:

- ▶ Suppose $s \in S = S_1 \times \cdots \times S_n$ (pure strategy profiles) and $t \in T_1 \times \cdots \times T_n$ (set of types).
- ▶ Let $s_{-i} \in S_1 \times \cdots \times S_{i-1} \times S_{i+1} \times \cdots \times S_n$ be the other agents' choices (similarly for types) and $s_i \in S_i$ agent i 's choice.
- ▶ Write (s_i, s_{-i}) for s .
- ▶ For $t_i \in T_i$, let $p_{t_i} = \lambda(t_i) \in \Delta(S_{-i} \times T_{-i})$

Notation:

- ▶ Suppose $s \in S = S_1 \times \cdots \times S_n$ (pure strategy profiles) and $t \in T_1 \times \cdots \times T_n$ (set of types).
- ▶ Let $s_{-i} \in S_1 \times \cdots \times S_{i-1} \times S_{i+1} \times \cdots \times S_n$ be the other agents' choices (similarly for types) and $s_i \in S_i$ agent i 's choice.
- ▶ Write (s_i, s_{-i}) for s .
- ▶ For $t_i \in T_i$, let $p_{t_i} = \lambda(t_i) \in \Delta(S_{-i} \times T_{-i})$

Notation:

- ▶ Suppose $s \in S = S_1 \times \cdots \times S_n$ (pure strategy profiles) and $t \in T_1 \times \cdots \times T_n$ (set of types).
- ▶ Let $s_{-i} \in S_1 \times \cdots \times S_{i-1} \times S_{i+1} \times \cdots \times S_n$ be the other agents' choices (similarly for types) and $s_i \in S_i$ agent i 's choice.
- ▶ Write (s_i, s_{-i}) for s .
- ▶ For $t_i \in T_i$, let $p_{t_i} = \lambda(t_i) \in \Delta(S_{-i} \times T_{-i})$

Agent i 's **expected value** at state (s, t) is:

$$EV_i(s, t) = \sum_{t'_{-i}} \sum_{s'_{-i}} p_{t_i}(s'_{-i}, t'_{-i}) u_i(s_i, s'_{-i})$$

Notation:

- ▶ Suppose $s \in S = S_1 \times \cdots \times S_n$ (pure strategy profiles) and $t \in T_1 \times \cdots \times T_n$ (set of types).
- ▶ Let $s_{-i} \in S_1 \times \cdots \times S_{i-1} \times S_{i+1} \times \cdots \times S_n$ be the other agents' choices (similarly for types) and $s_i \in S_i$ agent i 's choice.
- ▶ Write (s_i, s_{-i}) for s .
- ▶ For $t_i \in T_i$, let $p_{t_i} = \lambda(t_i) \in \Delta(S_{-i} \times T_{-i})$

Agent i 's **expected value** at state (s, t) is:

$$EV_i(s, t) = \sum_{t'_{-i}} \sum_{s'_{-i}} p_{t_i}(s'_{-i}, t'_{-i}) u_i(s_i, s'_{-i})$$

Sum over all possible types and choices

Notation:

- ▶ Suppose $s \in S = S_1 \times \cdots \times S_n$ (pure strategy profiles) and $t \in T_1 \times \cdots \times T_n$ (set of types).
- ▶ Let $s_{-i} \in S_1 \times \cdots \times S_{i-1} \times S_{i+1} \times \cdots \times S_n$ be the other agents' choices (similarly for types) and $s_i \in S_i$ agent i 's choice.
- ▶ Write (s_i, s_{-i}) for s .
- ▶ For $t_i \in T_i$, let $p_{t_i} = \lambda(t_i) \in \Delta(S_{-i} \times T_{-i})$

Agent i 's **expected value** at state (s, t) is:

$$EV_i(s, t) = \sum_{t'_{-i}} \sum_{s'_{-i}} p_{t_i}(s'_{-i}, t'_{-i}) u_i(s_i, s'_{-i})$$

t_i 's 1st-order beliefs

Notation:

- ▶ Suppose $s \in S = S_1 \times \cdots \times S_n$ (pure strategy profiles) and $t \in T_1 \times \cdots \times T_n$ (set of types).
- ▶ Let $s_{-i} \in S_1 \times \cdots \times S_{i-1} \times S_{i+1} \times \cdots \times S_n$ be the other agents' choices (similarly for types) and $s_i \in S_i$ agent i 's choice.
- ▶ Write (s_i, s_{-i}) for s .
- ▶ For $t_i \in T_i$, let $p_{t_i} = \lambda(t_i) \in \Delta(S_{-i} \times T_{-i})$

Agent i 's **expected value** at state (s, t) is:

$$EV_i(s, t) = \sum_{t'_{-i}} \sum_{s'_{-i}} p_{t_i}(s'_{-i}, t'_{-i}) u_i(s_i, s'_{-i})$$

Agent i 's utility

Notation:

- ▶ Suppose $s \in S = S_1 \times \cdots \times S_n$ (pure strategy profiles) and $t \in T_1 \times \cdots \times T_n$ (set of types).
- ▶ Let $s_{-i} \in S_1 \times \cdots \times S_{i-1} \times S_{i+1} \times \cdots \times S_n$ be the other agents' choices (similarly for types) and $s_i \in S_i$ agent i 's choice.
- ▶ Write (s_i, s_{-i}) for s .
- ▶ For $t_i \in T_i$, let $p_{t_i} = \lambda(t_i) \in \Delta(S_{-i} \times T_{-i})$

Agent i 's **expected value** at state (s, t) is:

$$EV_i(s, t) = \sum_{t'_{-i}} \sum_{s'_{-i}} p_{t_i}(s'_{-i}, t'_{-i}) u_i(s_i, s'_{-i})$$

Agent i is **rational** at state (s, t) whenever:

$$s_i \in \operatorname{argmax}_{s'_i \in S_i} (EV_i(s[s_i \mapsto s'_i], t))$$

Beyond Game Models: Bayesian Games

The components of a **Bayesian game** for a set of agents \mathcal{A} :

- ▶ $S = S_1 \times \cdots \times S_n$ where S_i is the set of actions for player i ;
- ▶ $T = T_1 \times \cdots \times T_n$ where T_i is the set of types for player i ;
- ▶ $u = (u_1, \dots, u_n)$ where $u_i : A \times T_i \rightarrow \mathfrak{R}$ is a utility function.
- ▶ $p : T \rightarrow [0, 1]$ is a common prior over types; and
- ▶ $\alpha_i : T_i \rightarrow A_i$ is a pure strategy function
- ▶ Let s_i be a mixed strategy and $s_i(a_i|t_i)$ denote the probability agent i plays a_i given that i 's type is t_i .
- ▶ *Ex post expected value:*

$$EU_i(s, t) = \sum_{a \in A} \prod_{j \in \mathcal{A}} s_j(a_j|t_j) u_i(a, t)$$
- ▶ *Ex interim expected value:*

$$EU_i(s, t_i) = \sum_{t_{-i} \in T_{-i}} p(t_{-i}|t_i) EU_i(s, (t_i, t_{-i}))$$
- ▶ *Ex ante expected value:*

$$EU_i(s) = \sum_{t_i \in T_i} p(t_i) EU_i(s, t_i)$$

Beyond Game Models: Bayesian Games

The components of a **Bayesian game** for a set of agents \mathcal{A} :

- ▶ $S = S_1 \times \cdots \times S_n$ where S_i is the set of actions for player i ;
- ▶ $T = T_1 \times \cdots \times T_n$ where T_i is the set of types for player i ;
- ▶ $u = (u_1, \dots, u_n)$ where $u_i : A \times T_i \rightarrow \mathfrak{R}$ is a utility function.
- ▶ $p : T \rightarrow [0, 1]$ is a common prior over types; and
- ▶ $\alpha_i : T_i \rightarrow A_i$ is a pure strategy function
- ▶ Let s_i be a mixed strategy and $s_i(a_i|t_i)$ denote the probability agent i plays a_i given that i 's type is t_i .
- ▶ *Ex post expected value:*

$$EU_i(s, t) = \sum_{a \in A} \prod_{j \in \mathcal{A}} s_j(a_j|t_j) u_i(a, t)$$
- ▶ *Ex interim expected value:*

$$EU_i(s, t_i) = \sum_{t_{-i} \in T_{-i}} p(t_{-i}|t_i) EU_i(s, (t_i, t_{-i}))$$
- ▶ *Ex ante expected value:*

$$EU_i(s) = \sum_{t_i \in T_i} p(t_i) EU_i(s, t_i)$$

Beyond Game Models: Bayesian Games

The components of a **Bayesian game** for a set of agents \mathcal{A} :

- ▶ $S = S_1 \times \cdots \times S_n$ where S_i is the set of actions for player i ;
- ▶ $T = T_1 \times \cdots \times T_n$ where T_i is the set of types for player i ;
- ▶ $u = (u_1, \dots, u_n)$ where $u_i : A \times T_i \rightarrow \mathfrak{R}$ is a utility function.
- ▶ $p : T \rightarrow [0, 1]$ is a common prior over types; and
- ▶ $\alpha_i : T_i \rightarrow A_i$ is a pure strategy function
- ▶ Let s_i be a mixed strategy and $s_i(a_i|t_i)$ denote the probability agent i plays a_i given that i 's type is t_i .
- ▶ *Ex post expected value:*

$$EU_i(s, t) = \sum_{a \in A} \prod_{j \in \mathcal{A}} s_j(a_j|t_j) u_i(a, t)$$
- ▶ *Ex interim expected value:*

$$EU_i(s, t_i) = \sum_{t_{-i} \in T_{-i}} p(t_{-i}|t_i) EU_i(s, (t_i, t_{-i}))$$
- ▶ *Ex ante expected value:*

$$EU_i(s) = \sum_{t_i \in T_i} p(t_i) EU_i(s, t_i)$$

Beyond Game Models: Bayesian Games

The components of a **Bayesian game** for a set of agents \mathcal{A} :

- ▶ $S = S_1 \times \cdots \times S_n$ where S_i is the set of actions for player i ;
- ▶ $T = T_1 \times \cdots \times T_n$ where T_i is the set of types for player i ;
- ▶ $u = (u_1, \dots, u_n)$ where $u_i : A \times T_i \rightarrow \mathfrak{R}$ is a utility function.
- ▶ $p : T \rightarrow [0, 1]$ is a common prior over types; and
- ▶ $\alpha_i : T_i \rightarrow A_i$ is a pure strategy function
- ▶ Let s_i be a mixed strategy and $s_i(a_i|t_i)$ denote the probability agent i plays a_i given that i 's type is t_i .
- ▶ *Ex post expected value:*

$$EU_i(s, t) = \sum_{a \in A} \prod_{j \in \mathcal{A}} s_j(a_j|t_j) u_i(a, t)$$
- ▶ *Ex interim expected value:*

$$EU_i(s, t_i) = \sum_{t_{-i} \in T_{-i}} p(t_{-i}|t_i) EU_i(s, (t_i, t_{-i}))$$
- ▶ *Ex ante expected value:*

$$EU_i(s) = \sum_{t_i \in T_i} p(t_i) EU_i(s, t_i)$$

Beyond Game Models: Bayesian Games

The components of a **Bayesian game** for a set of agents \mathcal{A} :

- ▶ $S = S_1 \times \cdots \times S_n$ where S_i is the set of actions for player i ;
- ▶ $T = T_1 \times \cdots \times T_n$ where T_i is the set of types for player i ;
- ▶ $u = (u_1, \dots, u_n)$ where $u_i : A \times T_i \rightarrow \mathfrak{R}$ is a utility function.
- ▶ $p : T \rightarrow [0, 1]$ is a common prior over types; and
- ▶ $\alpha_i : T_i \rightarrow A_i$ is a pure strategy function
- ▶ Let s_i be a mixed strategy and $s_i(a_i|t_i)$ denote the probability agent i plays a_i given that i 's type is t_i .
- ▶ *Ex post expected value:*

$$EU_i(s, t) = \sum_{a \in A} \prod_{j \in \mathcal{A}} s_j(a_j|t_j) u_i(a, t)$$
- ▶ *Ex interim expected value:*

$$EU_i(s, t_i) = \sum_{t_{-i} \in T_{-i}} p(t_{-i}|t_i) EU_i(s, (t_i, t_{-i}))$$
- ▶ *Ex ante expected value:*

$$EU_i(s) = \sum_{t_i \in T_i} p(t_i) EU_i(s, t_i)$$

Beyond Game Models: Bayesian Games

The components of a **Bayesian game** for a set of agents \mathcal{A} :

- ▶ $S = S_1 \times \cdots \times S_n$ where S_i is the set of actions for player i ;
- ▶ $T = T_1 \times \cdots \times T_n$ where T_i is the set of types for player i ;
- ▶ $u = (u_1, \dots, u_n)$ where $u_i : A \times T_i \rightarrow \mathfrak{R}$ is a utility function.
- ▶ $p : T \rightarrow [0, 1]$ is a common prior over types; and
- ▶ $\alpha_i : T_i \rightarrow A_i$ is a pure strategy function
- ▶ Let s_i be a mixed strategy and $s_i(a_i|t_i)$ denote the probability agent i plays a_i given that i 's type is t_i .
- ▶ *Ex post expected value:*

$$EU_i(s, t) = \sum_{a \in A} \prod_{j \in \mathcal{A}} s_j(a_j|t_j) u_i(a, t)$$
- ▶ *Ex interim expected value:*

$$EU_i(s, t_i) = \sum_{t_{-i} \in T_{-i}} p(t_{-i}|t_i) EU_i(s, (t_i, t_{-i}))$$
- ▶ *Ex ante expected value:*

$$EU_i(s) = \sum_{t_i \in T_i} p(t_i) EU_i(s, t_i)$$

Beyond Game Models: Bayesian Games

The components of a **Bayesian game** for a set of agents \mathcal{A} :

- ▶ $S = S_1 \times \cdots \times S_n$ where S_i is the set of actions for player i ;
- ▶ $T = T_1 \times \cdots \times T_n$ where T_i is the set of types for player i ;
- ▶ $u = (u_1, \dots, u_n)$ where $u_i : A \times T_i \rightarrow \mathfrak{R}$ is a utility function.
- ▶ $p : T \rightarrow [0, 1]$ is a common prior over types; and
- ▶ $\alpha_i : T_i \rightarrow A_i$ is a pure strategy function
- ▶ Let s_i be a mixed strategy and $s_i(a_i|t_i)$ denote the probability agent i plays a_i given that i 's type is t_i .
- ▶ *Ex post expected value:*

$$EU_i(s, t) = \sum_{a \in A} \prod_{j \in \mathcal{A}} s_j(a_j|t_j) u_i(a, t)$$
- ▶ *Ex interim expected value:*

$$EU_i(s, t_i) = \sum_{t_{-i} \in T_{-i}} p(t_{-i}|t_i) EU_i(s, (t_i, t_{-i}))$$
- ▶ *Ex ante expected value:*

$$EU_i(s) = \sum_{t_i \in T_i} p(t_i) EU_i(s, t_i)$$

Beyond Game Models: Bayesian Games

The components of a **Bayesian game** for a set of agents \mathcal{A} :

- ▶ $S = S_1 \times \cdots \times S_n$ where S_i is the set of actions for player i ;
- ▶ $T = T_1 \times \cdots \times T_n$ where T_i is the set of types for player i ;
- ▶ $u = (u_1, \dots, u_n)$ where $u_i : A \times T_i \rightarrow \mathfrak{R}$ is a utility function.
- ▶ $p : T \rightarrow [0, 1]$ is a common prior over types; and
- ▶ $\alpha_i : T_i \rightarrow A_i$ is a pure strategy function
- ▶ Let s_i be a mixed strategy and $s_i(a_i|t_i)$ denote the probability agent i plays a_i given that i 's type is t_i .
- ▶ *Ex post expected value:*

$$EU_i(s, t) = \sum_{a \in A} \prod_{j \in \mathcal{A}} s_j(a_j|t_j) u_i(a, t)$$
- ▶ *Ex interim expected value:*

$$EU_i(s, t_i) = \sum_{t_{-i} \in T_{-i}} p(t_{-i}|t_i) EU_i(s, (t_i, t_{-i}))$$
- ▶ *Ex ante expected value:*

$$EU_i(s) = \sum_{t_i \in T_i} p(t_i) EU_i(s, t_i)$$

Rationalizability

Definition

Strategy s'_i of agent i is **rationalizable** if there exists a state (s, t) in a type structure \mathcal{T} such that $s_i = s'_i$ and s'_i is rational at (s, t) .

Rationalizability

	Hard Work	Minimal Work
Hard Work	3, 3	0, 0
Minimal Work	0, 0	1, 1

Definition

Strategy s'_i of agent i is **rationalizable** if there exists a state (s, t) in a type structure \mathcal{T} such that $s_i = s'_i$ and s'_i is rational at (s, t) .

Observations: “*Methodological Individualism*”

1. Coordination on **Pareto sub-optimal** outcome is rationalizable.

Rationalizability

	Hard Work	Minimal Work
Hard Work	3, 3	0, 4
Minimal Work	4, 0	1, 1

Definition

Strategy s'_i of agent i is **rationalizable** if there exists a state (s, t) in a type structure \mathcal{T} such that $s_i = s'_i$ and s'_i is rational at (s, t) .

Observations: “*Methodological Individualism*”

1. Coordination on **Pareto sub-optimal** outcome is rationalizable.
2. The cooperative outcome (HW,HW) in the PD is not rationalizable. (Why?)

Teamwork once again

- ▶ Coordination on **Pareto sub-optimal** outcome is rationalizable.
- ▶ The cooperative outcome (HW,HW) in the PD is not rationalizable.

Teamwork once again

- ▶ Coordination on **Pareto sub-optimal** outcome is rationalizable.
- ▶ The cooperative outcome (HW,HW) in the PD is not rationalizable.

Question: can teamwork do better than that?

Teamwork once again

- ▶ Coordination on **Pareto sub-optimal** outcome is rationalizable.
- ▶ The cooperative outcome (HW,HW) in the PD is not rationalizable.

Question: can teamwork do better than that?

Intuitively, **Yes**.

“There are these two broad empirical facts about Hi-Lo games, people almost always choose A [Hi] and people with common knowledge of each other’s rationality think it is obviously rational to choose A [Hi].”

[Bacharach, *Beyond Individual Choice*, 2006, pg. 42]

See also chapter 2 of:

C.F. Camerer. *Behavioral Game Theory*. Princeton UP, 2003.

Teamwork once again

- ▶ Coordination on **Pareto sub-optimal** outcome is rationalizable.
- ▶ The cooperative outcome (HW,HW) in the PD is not rationalizable.

Question: can teamwork do better than that?

Intuitively, **Yes**.

"There are these two broad empirical facts about Hi-Lo games, people almost always choose A [Hi] and people with common knowledge of each other's rationality think it is obviously rational to choose A [Hi]."

[Bacharach, *Beyond Individual Choice*, 2006, pg. 42]

See also chapter 2 of:

C.F. Camerer. *Behavioral Game Theory*. Princeton UP, 2003.

But then more machinery is needed...

What is a team?

Any group?

What is a team?

Any group?

- ▶ Surely not. But interesting phenomena at this level already.
⇒ **Coalitional** powers (c.f. Pauly 2002).

What is a team?

Any group?

- Surely not.

Then a group with:

- A certain (hierarchical) structure?
- Whose members identify with the group (c.f. Gold 2005)?
 - Information about who's in and who's out.
 - Reasoning and acting as group members.

What is a team?

Any group?

- ▶ Surely not.

Then a group with:

- A certain (hierarchical) structure?
- Whose members identify with the group (c.f. Gold 2005)?
- Team- or group objectives/aims/preferences?
 - Shared by the members?

What is a team?

Any group?

- ▶ Surely not.

Then a group with:

- A certain (hierarchical) structure?
- Whose members identify with the group (c.f. Gold 2005)?
- Team- or group objectives/aims/preferences?
- Shared commitments? (Bratman, 1999, Gilbert 1989, Tuomela, 2007)
 - Shared intentions.
 - Sanctions for lapsing?
 - Shared praise[blame] for success[failure]?

What is a team?

Any group?

- Surely not.

Then a group with:

- i A certain (hierarchical) structure?
- ii Whose members identify with the group (c.f. Gold 2005)?
- iii Team- or group objectives/aims/preferences?
- iv Shared commitments? (Bratman, 1999, Gilbert 1989, Tuomela, 2007)
- v Common knowledge (beliefs?) of (i-iv)?

What is a team?

Any group?

- Surely not.

Then a group with:

- i A certain (hierarchical) structure?
- ii Whose members identify with the group (c.f. Gold 2005)?
- iii Team- or group objectives/aims/preferences?
- iv Shared commitments? (Bratman, 1999, Gilbert 1989, Tuomela, 2007)
- v Common knowledge (beliefs?) of (i-iv)?

Note: None of these are necessary conditions!

Recap

Acting as a team involve:

- ▶ Adopting the team's preferences. (Preference transformation).
- ▶ Team-reasoning (Agency Transformation).

Recap

Acting as a team involve:

- ▶ Adopting the team's preferences. (**Preference transformation**).
- ▶ Team-reasoning (**Agency Transformation**).

Later this week.

Tomorrow

- ▶ Building the common perspective: (a non-standard introduction to) common knowledge, and common modes of reasoning.