

## Add message

Adding new message by user.

- **URL**

`/:username/messages`

- **Method:**

`POST`

- **URL Params**

**Required:**

`username=[string]`

- **Data Params**

`{"messageText":"'Message text example'"}`

- **Success Response:**

- **Code:** 204

**Content:** None

- **Error Response:**

- **Code:** 404 BAD REQUEST

**Content:** `{ error : "Invalid operation. Message to long." }`

## List messages(wall)

List all user messages.

- **URL**

`/:username/messages`

- **Method:**

`GET`

- **URL Params**

**Required:**

`username=[string]`

- **Data Params**

None

- **Success Response:**
  - **Code:** 200  
**Content:** [{"postingDate":"2018-02-20T09:38:27.204","creator":"user1","messageText":"Second example message."}, {"postingDate":"2018-02-20T09:38:14.284","creator":"user1","messageText":"First example message."}]
- **Error Response:**
  - **Code:** 404 BAD REQUEST  
**Content:** { error : "User user1 not found." }

## Follow user

Follow user

- **URL**  
  
/:username1/followee/:username2
- **Method:**  
  
POST
- **URL Params**  
  
**Required:**  
  
username1=[string]  
  
username2=[string]
- **Data Params**  
  
None
- **Success Response:**
  - **Code:** 204  
**Content:** None
- **Error Response:**
  - **Code:** 404 BAD REQUEST  
**Content:** { error : "User user1 not found." }

## List followee messages(wall)

List all messages of followed ussers.

- **URL**

/:username/followee/messages

- **Method:**

GET

- **URL Params**

**Required:**

username=[string]

- **Data Params**

None

- **Success Response:**

- **Code:** 200

**Content:** [{"postingDate":"2018-02-20T09:49:47.131","creator":"user2","messageText":"Second example message."},{ "postingDate":"2018-02-20T09:49:35.271","creator":"user2","messageText":"First example message."}]

- **Error Response:**

- **Code:** 404 BAD REQUEST

**Content:** { error : "User user1 not found." }