Start application

```
Prerequisitives:
       Java SE 8
Go to repository.
In Windows PowerShel:
mvn clean package; java -jar .\target\Jabber-0.0.1-SNAPSHOT.jar
In Linux:
mvn clean package && java -jar ./target/Jabber-0.0.1-SNAPSHOT.jar
Use <a href="http://localhost:8080/">http://localhost:8080/</a> as a root for following actions.
Add message
Adding new message by user.
   • URL
       /:username/messages
     Method:
       POST
     URL Params
       Required:
       username=[string]
     Data Params
```

{"messageText":"Message text example."}

Success Response:

o **Code:** 204 **Content:** None

Error Response:

Code: 404 BAD REQUEST

 $\textbf{Content:} \ \{ \ \texttt{error: "Invalid operation. Message to long."} \ \}$

List massages(wall)

List all user messages for a user.

• URL

/:username/messages

• Method:

GET

URL Params

Required:

```
username=[string]
```

Data Params

None

- Success Response:
 - o **Code:** 200

```
Content: [{"postingDate":"2018-02-20T09:38:27.204","creator":"user1","messageText":"Second example message."},{"postingDate":"2018-02-20T09:38:14.284","creator":"user1","messageText":"First example message."}]
```

- Error Response:
 - o Code: 404 BAD REQUEST

```
Content: { error : "User user1 not found." }
```

Follow user

Set user to follow another user.

• URL

/:username1/followee/:username2

• Method:

POST

URL Params

Required:

```
username1=[string]
username2=[string]
```

• Data Params

None

- Success Response:
 - o **Code:** 204

Content: None

- Error Response:
 - o Code: 404 BAD REQUEST

Content: { error : "User user1 not found." }

List followee massages

List all messages of followed users.

• URL

/:username/followeeMessages

• Method:

GET

• URL Params

Required:

```
username=[string]
```

• Data Params

None

- Success Response:
 - o **Code:** 200

```
Content: [{"postingDate":"2018-02-20T09:49:47.131","creator":"user2","messageText":"Second example message."},{"postingDate":"2018-02-20T09:49:35.271","creator":"user2","messageText":"First example message."}]
```

- Error Response:
 - o Code: 404 BAD REQUEST

```
Content: { error : "User user1 not found." }
```