MATH 3110 - Fall 2018

Homework 7

Due: Friday, November 16th

Note the following:

- (a) Homework is due at the beginning of class.
- (b) Use only one side of each sheet of paper and staple them together.
- (c) State the problem before writing the solution.
- (d) SHOW your work. Even if it's true but you did not show it, you will receive only very little credit.
- (e) Late homework will NOT be accepted.

EXERCISE I:

The matrices A and B are row equivalent in the following cases. Determine rank(A) and dim(Nul)(A). Find bases for Col(A), Row(A), and Nul(A).

(a)
$$A = \begin{bmatrix} 1 & 2 & 3 & -4 & 8 \\ 1 & 2 & 0 & 2 & 8 \\ 2 & 4 & -3 & 10 & 9 \\ 3 & 6 & 0 & 6 & 9 \end{bmatrix}, B = \begin{bmatrix} 1 & 2 & 0 & 2 & 5 \\ 0 & 0 & 3 & -6 & 3 \\ 0 & 0 & 0 & 0 & -7 \\ 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

(b)
$$A = \begin{bmatrix} -2 & 4 & -2 & -4 \\ 2 & -6 & -3 & 1 \\ -3 & 8 & 2 & -3 \end{bmatrix}, B = \begin{bmatrix} 1 & 0 & 6 & 5 \\ 0 & 2 & 5 & 3 \\ 0 & 0 & 0 & 0 \end{bmatrix}$$

EXERCISE II:

- (1) Let A be a 6×8 matrix.
 - (a) If rank(A) = 5, what is the dimension of the nulle space of A?
 - (b) Could A have a 1-dimensional null space? Justify your answer.
 - (c) What is the largest possible rank of A? Justify your answer.
 - (d) What is the smallest possible dimension of Nul(A)? Justify your answer.
- (2) Let B be a 8×7 matrix.
 - (a) Could B have a 2-dimensional null space? Justify your answer.
 - (b) What is the largest possible rank of B? Justify your answer.
 - (c) What is the smallest possible dimension of Nul(B)? Justify your answer.

EXERCISE III:

(1) Let $\mathcal{B} = \{\vec{b}_1, \vec{b}_2\}$ and $\mathcal{C} = \{\vec{c}_1, \vec{c}_2\}$ be bases for a vector space V. Suppose $\vec{b}_1 = 2\vec{c}_1 - 3\vec{c}_2$, and $\vec{b}_2 = -\vec{c}_1 + 2\vec{c}_2$.

1

(a) Find the change-of-coordinate matrix from \mathcal{B} to \mathcal{C} .

(b) Find $[\vec{x}]_{\mathcal{C}}$ where $= -\vec{b}_1 + 2\vec{b}_2$.

(b) Find
$$[x]_{\mathcal{C}}$$
 where $= -b_1 + 2b_2$.
(2) Let $\vec{b}_1 = \begin{bmatrix} 1 \\ 2 \end{bmatrix}$, $\vec{b}_2 = \begin{bmatrix} 1 \\ 1 \end{bmatrix}$, $\vec{c}_1 = \begin{bmatrix} 1 \\ 5 \end{bmatrix}$, and $\vec{c}_2 = \begin{bmatrix} -2 \\ 2 \end{bmatrix}$ be vectors in \mathbb{R}^2 . Let $\mathcal{B} = \{\vec{b}_1, \vec{b}_2\}$ and $\mathcal{C} = \{\vec{c}_1, \vec{c}_2\}$.

- (a) Find the change-of-coordinate matrix from \mathcal{B} to \mathcal{C} .
- (b) Find the change-of-coordinate matrix from \mathcal{C} to \mathcal{B} .