



HR ULTRA OMEGA - PROFILE

HR - H0.1



ITEM NUMBER: CIVR436
NET COVERAGE: 36" (3 feet)
MAXIMUM LENGTH: 480" (40 feet)



MATERIAL OPTIONS

COIL - COATED STEEL
COIL - COATED ALUMINUM
ARCHITECTURAL GRADE SHEET COPPER
ANODIZED ALUMINUM
STAINLESS STEEL
MILL FINISH ALUMINUM
GALVALUME
GALVANIZED

FABRICATION OPTIONS

STEEL: 22 - 24 GAUGE
ALUMINUM: .032" - .040"
COPPER: 16 & 20 OZ.

FINISH OPTIONS

PAINTING

HYLAR 5000 / KYNAR 500, MODIFIED POLYESTERS, AND OTHER CUSTOM OR EXOTIC FINISHES CAN BE COIL COATED OR SPRAY APPLIED.

ANODIZING

CLEAR, BRONZES, AND VARIOUS OTHER COLORS CAN BE COIL ANODIZED FOR COLOR CONSISTENCY.

MECHANICAL FINISHES

PROVIDES A SURFACE TEXTURE BY MECHANICAL MEANS ALONE. (3) EMBOSSING PATTERNS ARE CURRENTLY AVAILABLE.

CUSTOM COLORS

WE CAN PROVIDE FULL CUSTOM COLOR SERVICES TO MATCH PRACTICALLY ANY MATERIAL, SHADE, OR TINT YOU REQUEST.

NOTES:

1. HEAVIER GAUGES, NARROWER WIDTHS, AND EMBOSSING MINIMIZE "OIL CANNING".
2. OIL CANNING IS NOT A CAUSE FOR REJECTION.
3. AN EXTENSIVE SELECTION OF ASSOCIATED PANEL FLASHING AND TRIMS ARE AVAILABLE.
4. CONTACT FIRESTONE BUILDING PRODUCTS FOR UP TO DATE TECHNICAL INFORMATION AND MATERIAL LIMITATIONS.
5. ALL SYSTEMS WITH TESTING MUST BE INSTALLED IN ACCORDANCE WITH THE ASSEMBLY AS TESTED.

(H0.1)