

---

# MATH 210 Assignment 2

*Basic Python, List Comprehensions, Logic and Functions*

---

## INSTRUCTIONS

- Create a new Python 3 Jupyter notebook
- Answer each question in the Jupyter notebook and clearly label the solutions with headings
- There are 18 total points and each question is worth 3 points
- Submit the .ipynb file to Connect by **11pm Monday, January 23, 2017**
- You may work on these problems with others but you must write your solutions on your own
- Do **not** import any Python packages such as `math` or `numpy` to complete this assignment. These questions require only the standard Python library. Solutions will be given 0 if any Python package/module is used.

## QUESTIONS

1. Write a function called `linear` which takes 3 input parameters `start`, `stop` and `by` (in that order) and returns the list of numbers (as floats) beginning with `start`, incremented by the value `by` and up to (but not exceeding) `stop`. For example:

`linear(0,10,2)` returns the list `[0.0, 2.0, 4.0, 6.0, 8.0, 10.0]`

`linear(3,4,0.25)` returns the list `[3.0, 3.25, 3.5, 3.75, 4.0]`

`linear(-2,9,1.5)` returns the list `[-2.0, -0.5, 1.0, 2.5, 4.0, 5.5, 7.0, 8.5]`

The input `start` must be less than `stop` therefore the function `linear` should test if `start < stop` and:

If `start < stop`, then compute and return the list as described above

If `start >= stop`, then display the message 'Error: First argument must be less than the second argument' and return the value `None`

2. Write a function called `squares_between` which takes 2 input parameters `a` and `b` (in that order) and returns the list of squares in the closed interval `[a,b]`. (Recall, an integer  $n$  is a square if there is an integer  $d$  such that  $n = d^2$ .) For example:

`squares_between(0,10)` returns the list `[0,1,4,9]`

`squares_between(50,100)` returns the list `[64, 81, 100]`

`squares_between(26.9,160.2)` returns the list `[36, 49, 64, 81, 100, 121, 144]`

If there are no squares in  $[a, b]$  then the function should return the empty list `[]`.

3. Write a function called `phi` which takes 2 input parameters  $a$  and  $N$  (in that order) and returns the sum

$$\phi(a, N) = 1 + 2 \sum_{k=1}^N \frac{1}{(ak)^3 - ak}$$

The number  $a$  must be greater than 1 and  $N$  must be greater than or equal to 1 therefore the function `phi` should test these conditions and:

If  $a > 1$  and  $N \geq 1$ , then compute and return the sum as described above

If  $a \leq 1$  or  $N < 1$ , then display the message `'First argument must be greater than 1 and second argument must be greater than or equal to 1'` and return the value `None`

4. Write a function called `eig` which takes 4 input parameters `a`, `b`, `c` and `d` (in that order) representing the matrix

$$\begin{bmatrix} a & b \\ c & d \end{bmatrix}$$

and returns the eigenvalues of the matrix as a list of length 2 (in any order).

5. Write a function called `max_eig` which takes 4 input parameters `a`, `b`, `c` and `d` (in that order) representing the matrix

$$A = \begin{bmatrix} a & b \\ c & d \end{bmatrix}$$

and returns the maximum eigenvalue of the symmetric matrix  $AA^T$ .

6. Write a function called `longest_string` which takes a list of strings and returns the length of the longest string. For example:

`longest_string(['Hello', 'Bonjour', 'Hola', 'Ciao'])` returns 7

`longest_string(['one', 'two', 'three', 'four', 'five'])` returns 5