

Lecture 7: By Force of Habit

Raul Riva

FGV EPGE

February, 2026

Intro

- Late 80s: everyone started for a solution to the equity premium puzzle
- Many solutions proposed: more complicated preferences, market frictions, aggregation issues...
- There is no single solution – many mechanisms are at play
- No notion of “best” or worse
- Everyone was looking for the same: how can we *spice up* the SDF and get more volatility?
- The next few classes will be about “wins” in this game

- Parts I-II: derive the Campbell-Cochrane habit model ([Campbell and Cochrane 1999](#))
- Part III: the model meets (and matches!) the data
- Part IV: follow-up tracks in equity markets, fixed income securities, and foreign exchange (FX)

Part I: By Force of Habit – Main Setup

Why Habit?

- Time-separable CRRA struggles with high equity premia and low/steady r_f ([Mehra and Prescott 1985](#); [Weil 1989](#))
- We want countercyclical risk prices without implausible interest-rate dynamics
- External habit creates a recession state variable
- Target: high Sharpe ratios in bad times

Preferences and Surplus Consumption

- Representative agent has utility on consumption levels *net* of habit:

$$U_t = \mathbb{E}_t \left[\sum_{j=0}^{\infty} \beta^j \frac{(C_{t+j} - X_{t+j})^{1-\gamma} - 1}{1-\gamma} \right]$$

- X_t : habit, C_t : consumption, β : discount factor, γ : power parameter
- Habit is *external*: your individual consumption does not affect X_t
- “Keeping up with the Joneses”: utility depends on relative consumption
- *Internal* habit: X_t depends on your own past consumption, not aggregate
- External habit is way more tractable!

State-Dependent Risk Aversion

- Define the surplus consumption ratio and its log state:

$$S_t \equiv \frac{C_t - X_t}{C_t}, \quad s_t \equiv \log S_t$$

- Local curvature is state dependent:

$$-\frac{C \cdot u''(C - X)}{u'(C - X)} = \gamma \frac{C}{C - X} = \frac{\gamma}{S}$$

- Low $S_t \implies$ high local curvature
- As S_t moves around, risk-aversion moves around

Consumption and Habit Dynamics

- Consumption growth is i.i.d. lognormal ($c_t \equiv \log(C_t)$):

$$\Delta c_{t+1} = g + \sigma_c \varepsilon_{c,t+1}, \quad \varepsilon_{c,t+1} \sim \mathcal{N}(0, 1)$$

Consumption and Habit Dynamics

- Consumption growth is i.i.d. lognormal ($c_t \equiv \log(C_t)$):

$$\Delta c_{t+1} = g + \sigma_c \varepsilon_{c,t+1}, \quad \varepsilon_{c,t+1} \sim \mathcal{N}(0, 1)$$

- **Exogenous** law of motion for s_t :

$$s_{t+1} = (1 - \phi)\bar{s} + \phi s_t + \lambda(s_t)\sigma_c \varepsilon_{c,t+1}$$

- ϕ : persistence, $\bar{s}$: mean surplus consumption, g : mean consumption growth, $\lambda(s_t)$: sensitivity function

Consumption and Habit Dynamics

- Consumption growth is i.i.d. lognormal ($c_t \equiv \log(C_t)$):

$$\Delta c_{t+1} = g + \sigma_c \varepsilon_{c,t+1}, \quad \varepsilon_{c,t+1} \sim \mathcal{N}(0, 1)$$

- **Exogenous** law of motion for s_t :

$$s_{t+1} = (1 - \phi)\bar{s} + \phi s_t + \lambda(s_t)\sigma_c \varepsilon_{c,t+1}$$

- ϕ : persistence, $\bar{s}$: mean surplus consumption, g : mean consumption growth, $\lambda(s_t)$: sensitivity function
- These two laws of motion jointly determine the evolution of X_t as well!

Consumption and Habit Dynamics

- Consumption growth is i.i.d. lognormal ($c_t \equiv \log(C_t)$):

$$\Delta c_{t+1} = g + \sigma_c \varepsilon_{c,t+1}, \quad \varepsilon_{c,t+1} \sim \mathcal{N}(0, 1)$$

- **Exogenous** law of motion for s_t :

$$s_{t+1} = (1 - \phi)\bar{s} + \phi s_t + \lambda(s_t)\sigma_c \varepsilon_{c,t+1}$$

- ϕ : persistence, $\bar{s}$: mean surplus consumption, g : mean consumption growth, $\lambda(s_t)$: sensitivity function
- These two laws of motion jointly determine the evolution of X_t as well!
- Exercise 1: assume that $\sigma_c = 0$ and use a Taylor expansion to show that, for some α

$$x_{t+1} \equiv \log(X_{t+1}) \approx \alpha(1 - \phi) + \phi x_t + (1 - \phi)c_t$$

Consumption and Habit Dynamics

- Consumption growth is i.i.d. lognormal ($c_t \equiv \log(C_t)$):

$$\Delta c_{t+1} = g + \sigma_c \varepsilon_{c,t+1}, \quad \varepsilon_{c,t+1} \sim \mathcal{N}(0, 1)$$

- Exogenous** law of motion for s_t :

$$s_{t+1} = (1 - \phi)\bar{s} + \phi s_t + \lambda(s_t)\sigma_c \varepsilon_{c,t+1}$$

- ϕ : persistence, $\bar{s}$: mean surplus consumption, g : mean consumption growth, $\lambda(s_t)$: sensitivity function
- These two laws of motion jointly determine the evolution of X_t as well!
- Exercise 1: assume that $\sigma_c = 0$ and use a Taylor expansion to show that, for some α

$$x_{t+1} \equiv \log(X_{t+1}) \approx \alpha(1 - \phi) + \phi x_t + (1 - \phi)c_t$$

- Exercise 2: (using the result above) show that $x_{t+1} = \alpha + (1 - \phi) \sum_{j=0}^{\infty} \phi^j c_{t-j}$

The Stochastic Discount Factor

- The marginal utility is $u'(C_t - X_t) = (C_t - X_t)^{-\gamma} = S_t^{-\gamma} \cdot C_t^{-\gamma}$

The Stochastic Discount Factor

- The marginal utility is $u'(C_t - X_t) = (C_t - X_t)^{-\gamma} = S_t^{-\gamma} \cdot C_t^{-\gamma}$
- Intertemporal rate of substitution (AKA Mr. SDF):

$$M_{t+1} \equiv \beta \frac{u'(C_{t+1} - X_{t+1})}{u'(C_t - X_t)} = \beta \left(\frac{C_{t+1}}{C_t} \right)^{-\gamma} \left(\frac{S_{t+1}}{S_t} \right)^{-\gamma}$$

The Stochastic Discount Factor

- The marginal utility is $u'(C_t - X_t) = (C_t - X_t)^{-\gamma} = S_t^{-\gamma} \cdot C_t^{-\gamma}$
- Intertemporal rate of substitution (AKA Mr. SDF):

$$M_{t+1} \equiv \beta \frac{u'(C_{t+1} - X_{t+1})}{u'(C_t - X_t)} = \beta \left(\frac{C_{t+1}}{C_t} \right)^{-\gamma} \left(\frac{S_{t+1}}{S_t} \right)^{-\gamma}$$

- The log-SDF m_{t+1} follows the following process:

$$m_{t+1} = \log(\beta) - \gamma g + \gamma(1 - \phi)(s_t - \bar{s}) - \gamma\sigma_c[1 + \lambda(s_t)]\varepsilon_{c,t+1}$$

The Stochastic Discount Factor

- The marginal utility is $u'(C_t - X_t) = (C_t - X_t)^{-\gamma} = S_t^{-\gamma} \cdot C_t^{-\gamma}$
- Intertemporal rate of substitution (AKA Mr. SDF):

$$M_{t+1} \equiv \beta \frac{u'(C_{t+1} - X_{t+1})}{u'(C_t - X_t)} = \beta \left(\frac{C_{t+1}}{C_t} \right)^{-\gamma} \left(\frac{S_{t+1}}{S_t} \right)^{-\gamma}$$

- The log-SDF m_{t+1} follows the following process:

$$m_{t+1} = \log(\beta) - \gamma g + \gamma(1 - \phi)(s_t - \bar{s}) - \gamma\sigma_c[1 + \lambda(s_t)]\varepsilon_{c,t+1}$$

- The risk-free rate is $r_{f,t} = \log(\mathbb{E}_t[M_{t+1}])$ is available in closed form:

$$r_{f,t} = -\log(\beta) + \gamma g - \gamma(1 - \phi)(s_t - \bar{s}) - \frac{\gamma^2 \sigma^2}{2} [1 + \lambda(s_t)]^2$$

- Exercise 3: show it at home
- What's the intuition for each term?

Deriving the Sharpe Ratio Bound

- From the log-SDF: $m_{t+1} = \log(\beta) - \gamma g + \gamma(1 - \phi)(s_t - \bar{s}) - \gamma\sigma_c[1 + \lambda(s_t)]\varepsilon_{c,t+1}$
- Since $\varepsilon_{c,t+1} \sim \mathcal{N}(0, 1)$, we have $M_{t+1} = e^{m_{t+1}}$ is lognormal conditional on s_t

Deriving the Sharpe Ratio Bound

- From the log-SDF: $m_{t+1} = \log(\beta) - \gamma g + \gamma(1 - \phi)(s_t - \bar{s}) - \gamma\sigma_c[1 + \lambda(s_t)]\varepsilon_{c,t+1}$
- Since $\varepsilon_{c,t+1} \sim \mathcal{N}(0, 1)$, we have $M_{t+1} = e^{m_{t+1}}$ is lognormal conditional on s_t
- Hansen-Jagannathan bound: $\max_R \frac{|\mathbb{E}_t[R_{t+1}^e]|}{\sigma_t(R_{t+1}^e)} = \frac{\sigma_t(M_{t+1})}{\mathbb{E}_t[M_{t+1}]}$

Deriving the Sharpe Ratio Bound

- From the log-SDF: $m_{t+1} = \log(\beta) - \gamma g + \gamma(1 - \phi)(s_t - \bar{s}) - \gamma\sigma_c[1 + \lambda(s_t)]\varepsilon_{c,t+1}$
- Since $\varepsilon_{c,t+1} \sim \mathcal{N}(0, 1)$, we have $M_{t+1} = e^{m_{t+1}}$ is lognormal conditional on s_t
- Hansen-Jagannathan bound: $\max_R \frac{|\mathbb{E}_t[R_{t+1}^e]|}{\sigma_t(R_{t+1}^e)} = \frac{\sigma_t(M_{t+1})}{\mathbb{E}_t[M_{t+1}]}$
- For lognormal M : $\frac{\sigma_t(M)}{\mathbb{E}_t(M)} = \sqrt{\exp(\sigma_t^2(m)) - 1}$

Deriving the Sharpe Ratio Bound

- From the log-SDF: $m_{t+1} = \log(\beta) - \gamma g + \gamma(1 - \phi)(s_t - \bar{s}) - \gamma\sigma_c[1 + \lambda(s_t)]\varepsilon_{c,t+1}$
- Since $\varepsilon_{c,t+1} \sim \mathcal{N}(0, 1)$, we have $M_{t+1} = e^{m_{t+1}}$ is lognormal conditional on s_t
- Hansen-Jagannathan bound: $\max_R \frac{|\mathbb{E}_t[R_{t+1}^e]|}{\sigma_t(R_{t+1}^e)} = \frac{\sigma_t(M_{t+1})}{\mathbb{E}_t[M_{t+1}]}$
- For lognormal M : $\frac{\sigma_t(M)}{\mathbb{E}_t(M)} = \sqrt{\exp(\sigma_t^2(m)) - 1}$
- From the log-SDF: $\sigma_t(m_{t+1}) = \gamma\sigma_c[1 + \lambda(s_t)]$

Deriving the Sharpe Ratio Bound

- From the log-SDF: $m_{t+1} = \log(\beta) - \gamma g + \gamma(1 - \phi)(s_t - \bar{s}) - \gamma\sigma_c[1 + \lambda(s_t)]\varepsilon_{c,t+1}$
- Since $\varepsilon_{c,t+1} \sim \mathcal{N}(0, 1)$, we have $M_{t+1} = e^{m_{t+1}}$ is lognormal conditional on s_t
- Hansen-Jagannathan bound: $\max_R \frac{|\mathbb{E}_t[R_{t+1}^e]|}{\sigma_t(R_{t+1}^e)} = \frac{\sigma_t(M_{t+1})}{\mathbb{E}_t[M_{t+1}]}$
- For lognormal M : $\frac{\sigma_t(M)}{\mathbb{E}_t(M)} = \sqrt{\exp(\sigma_t^2(m))} - 1$
- From the log-SDF: $\sigma_t(m_{t+1}) = \gamma\sigma_c[1 + \lambda(s_t)]$
- Therefore: $\max_R \frac{\mathbb{E}_t[R_{t+1}^e]}{\sigma_t(R_{t+1}^e)} = \sqrt{\exp(\gamma^2\sigma_c^2[1 + \lambda(s_t)]^2)} - 1 \approx \gamma\sigma_c[1 + \lambda(s_t)]$
- The Sharpe ratio bound will move around with s_t through $\lambda(s_t)$

Part II: By Force of Habit – Calibrating $\lambda(s_t)$

How to choose $\lambda(s_t)$?

- This function controls the conditional volatility of the SDF
- It will matter for the risk-free rate, and the conditional maximum Sharpe ratio
- How to choose it?

How to choose $\lambda(s_t)$?

- This function controls the conditional volatility of the SDF
- It will matter for the risk-free rate, and the conditional maximum Sharpe ratio
- How to choose it?

Let's match the following features:

1. The (real) risk-free rate should be constant
2. Today's consumption does not affect today's habit if $s_{t+1} \approx \bar{s}$: $(dx_{t+1}/dc_{t+1} = 0)$
3. For any value of s_t , the habit response to consumption shocks should be nonnegative: $(dx_{t+1}/dc_{t+1} \geq 0)$

Restricting $\lambda(s_t)$

- Functional-form choice in Campbell and Cochrane (1999):

$$\lambda(s_t) \equiv \begin{cases} \frac{1}{\bar{S}} \sqrt{1 - 2(s_t - \bar{s})} - 1, & s_t \leq s_{\max} \\ 0, & s_t > s_{\max} \end{cases}, \quad s_{\max} \equiv \bar{s} - \frac{1}{2}(1 - \bar{S}^2),$$

where $\bar{S} \equiv \sigma_c \sqrt{\frac{\gamma}{1-\phi}}$

Restricting $\lambda(s_t)$

- Functional-form choice in Campbell and Cochrane (1999):

$$\lambda(s_t) \equiv \begin{cases} \frac{1}{\bar{S}} \sqrt{1 - 2(s_t - \bar{s})} - 1, & s_t \leq s_{\max} \\ 0, & s_t > s_{\max} \end{cases}, \quad s_{\max} \equiv \bar{s} - \frac{1}{2}(1 - \bar{S}^2),$$

where $\bar{S} \equiv \sigma_c \sqrt{\frac{\gamma}{1-\phi}}$

- It is *decreasing* with s_t : habit becomes less sensitive to shocks as s_t increases

Restricting $\lambda(s_t)$

- Functional-form choice in Campbell and Cochrane (1999):



$$\lambda(s_t) \equiv \begin{cases} \frac{1}{\bar{S}} \sqrt{1 - 2(s_t - \bar{s})} - 1, & s_t \leq s_{\max} \\ 0, & s_t > s_{\max} \end{cases}, \quad s_{\max} \equiv \bar{s} - \frac{1}{2}(1 - \bar{S}^2),$$

where $\bar{S} \equiv \sigma_c \sqrt{\frac{\gamma}{1-\phi}}$

- It is *decreasing* with s_t : habit becomes less sensitive to shocks as s_t increases
- Exercise 4: show that a function $\lambda(s_t)$ can make $r_{f,t}$ constant if, and only if

$$(1 + \lambda(s_t)) \cdot \lambda'(s_t) = \frac{1 - \phi}{\gamma \sigma_c} = \frac{1}{\bar{S}^2}$$

How This Function Looks Like



- Solid line: steady-state value $\bar{S}$
- Dashed line: maximum value $S_{\max}$, above which $\lambda(s_t) = 0$
- Important: dx/dc is U-shaped, with a minimum at $\bar{S}$ where it is zero

Does It Do Its Job?

Constant risk-free rate:

$$r_{f,t} = -\log(\beta) + \gamma g - \gamma(1 - \phi)(s_t - \bar{s}) - \frac{\gamma^2 \sigma^2}{2} [1 + \lambda(s_t)]^2 = -\log(\beta) + \gamma g - \frac{\gamma}{2}(1 - \phi)$$

Does It Do Its Job?

Constant risk-free rate:

$$r_{f,t} = -\log(\beta) + \gamma g - \gamma(1 - \phi)(s_t - \bar{s}) - \frac{\gamma^2 \sigma^2}{2} [1 + \lambda(s_t)]^2 = -\log(\beta) + \gamma g - \frac{\gamma}{2}(1 - \phi)$$

Habit response to consumption:

$$\begin{aligned} \frac{dx_{t+1}}{dc_{t+1}}(s_{t+1}) &= 1 + \frac{\lambda(s_{t+1})}{1 - e^{-s_{t+1}}} = 1 + \frac{\frac{1}{\bar{S}} \sqrt{1 - 2(s_{t+1} - \bar{s})} - 1}{1 - e^{-s_{t+1}}} = 1 + \frac{\lambda(s_{t+1})}{1 - e^{-s_{t+1}}} \\ \frac{dx_{t+1}}{dc_{t+1}}(\bar{s}) &= 1 + \frac{\frac{1}{\bar{S}} - 1}{1 - \frac{1}{\bar{S}}} = 0 \end{aligned}$$

- Exercise 5: show that $dx/dc \geq 0$ for all s_{t+1}

Solving for Asset Prices

- We have a fully specified SDF. What assets will we price and what are their prices?

Solving for Asset Prices

- We have a fully specified SDF. What assets will we price and what are their prices?
- Consumption claim pays aggregate consumption C_t
- Define the **price-consumption ratio** $V(s_t) \equiv \frac{P_t^c}{C_t}(s_t)$

Solving for Asset Prices

- We have a fully specified SDF. What assets will we price and what are their prices?
- Consumption claim pays aggregate consumption C_t
- Define the **price-consumption ratio** $V(s_t) \equiv \frac{P_t^c}{C_t}(s_t)$
- Euler equation:

$$P_t^c = \mathbb{E}_t[M_{t+1} (P_{t+1}^c + C_{t+1})]$$

Divide by C_t :

$$V(s_t) = \mathbb{E} \left[M_{t+1} \frac{C_{t+1}}{C_t} (1 + V(s_{t+1})) \mid s_t \right]$$

Solving for Asset Prices

- We have a fully specified SDF. What assets will we price and what are their prices?
- Consumption claim pays aggregate consumption C_t
- Define the **price-consumption ratio** $V(s_t) \equiv \frac{P_t^c}{C_t}(s_t)$
- Euler equation:

$$P_t^c = \mathbb{E}_t[M_{t+1} (P_{t+1}^c + C_{t+1})]$$

Divide by C_t :

$$V(s_t) = \mathbb{E} \left[M_{t+1} \frac{C_{t+1}}{C_t} (1 + V(s_{t+1})) \mid s_t \right]$$

- In Campbell–Cochrane:

$$\frac{C_{t+1}}{C_t} = e^{g + \sigma_c \varepsilon_t}, \quad s_{t+1} = (1 - \phi)\bar{s} + \phi s_t + \lambda(s_t)\sigma_c \varepsilon_t, \quad \varepsilon_t \sim \mathcal{N}(0, 1)$$

The One-Shock Integrand

Recall:

$$M_{t+1} = \beta \left(\frac{C_{t+1}}{C_t} \right)^{-\gamma} \left(\frac{S_{t+1}}{S_t} \right)^{-\gamma} = \beta (e^{g + \sigma_c \varepsilon_t})^{-\gamma} e^{-\gamma(s_{t+1} - s_t)}$$

The One-Shock Integrand

Recall:

$$M_{t+1} = \beta \left(\frac{C_{t+1}}{C_t} \right)^{-\gamma} \left(\frac{S_{t+1}}{S_t} \right)^{-\gamma} = \beta (e^{g+\sigma_c \varepsilon_t})^{-\gamma} e^{-\gamma(s_{t+1}-s_t)}$$

Plug into the recursion:

$$V(s_t) = \mathbb{E} \left[\beta (e^{g+\sigma_c \varepsilon_t})^{-\gamma} e^{-\gamma(s_{t+1}-s_t)} (1 + V(s_{t+1})) \right]$$

The One-Shock Integrand

Recall:

$$M_{t+1} = \beta \left(\frac{C_{t+1}}{C_t} \right)^{-\gamma} \left(\frac{S_{t+1}}{S_t} \right)^{-\gamma} = \beta (e^{g+\sigma_c \varepsilon_t})^{-\gamma} e^{-\gamma(s_{t+1}-s_t)}$$

Plug into the recursion:

$$V(s_t) = \mathbb{E} \left[\beta (e^{g+\sigma_c \varepsilon_t})^{-\gamma} e^{-\gamma(s_{t+1}-s_t)} (1 + V(s_{t+1})) \right]$$

With one shock ε , you need to approximate an integral over $\mathbb{R}$:

$$V(s) = \int_{-\infty}^{\infty} \underbrace{\beta e^{(1-\gamma)(g+\sigma_c \varepsilon)} e^{-\gamma(s'(\varepsilon; s)-s)} (1 + V(s'(\varepsilon; s)))}_{\text{known given } V(\cdot)} \varphi(\varepsilon) d\varepsilon$$

where $\varphi(\varepsilon)$ is the standard normal density and $s'(\varepsilon; s) = (1 - \phi)\bar{s} + \phi s + \lambda(s)\sigma_c \varepsilon$

Pricing a Dividend Claim

- Data: dividend growth and consumption growth are weakly correlated
- Their idea: $\Delta d_t = g + \sigma_w w_t$, where $\text{corr}(w_t, \varepsilon_t) = 0.2$

Pricing a Dividend Claim

- Data: dividend growth and consumption growth are weakly correlated
- Their idea: $\Delta d_t = g + \sigma_w w_t$, where $\text{corr}(w_t, \varepsilon_t) = 0.2$
- Define the price-divided ratio as $Q(s_t) \equiv \frac{P_t^d}{D_t}(s_t)$. It will follow:

$$Q(s_t) = \mathbb{E} \left[M_{t+1} \frac{D_{t+1}}{D_t} (1 + Q(s_{t+1})) \mid s_t \right]$$

- You can solve this with the same type of technique as before
- Notice that the randomness on M_{t+1} is only through ε_t

Questions?

Part III: Meet The Data

PARAMETER CHOICES

Parameter	Variable	Value
Assumed:		
Mean consumption growth (%)*	g	1.89
Standard deviation of consumption growth (%)*	σ	1.50
Log risk-free rate (%)*	r^f	.94
Persistence coefficient*	ϕ	.87
Utility curvature	γ	2.00
Standard deviation of dividend growth (%)*	σ_w	11.2
Correlation between Δd and Δc	ρ	.2
Implied:		
Subjective discount factor*	δ	.89
Steady-state surplus consumption ratio	$\bar{S}$	.057
Maximum surplus consumption ratio	$S_{\max}$	.094

* Annualized values, e.g., $12g$, $\sqrt{12}\sigma$, $12r^f$, ϕ^{12} , and δ^{12} , since the model is simulated at a monthly frequency.

Surplus Consumption and Asset Prices







TABLE 2

MEANS AND STANDARD DEVIATIONS OF SIMULATED AND HISTORICAL DATA



Statistic	Consumption Claim	Dividend Claim	Postwar Sample	Long Sample
$E(\Delta c)$	1.89*		1.89	1.72
$\sigma(\Delta c)$	1.22*		1.22	3.32
$E(r^f)$	.094*		.094	2.92
$E(r - r^f) / \sigma(r - r^f)$	.43*	.33	.43	.22
$E(R - R^f) / \sigma(R - R^f)$	.50		.50	
$E(r - r^f)$	6.64	6.52	6.69	3.90
$\sigma(r - r^f)$	15.2	20.0	15.7	18.0
$\exp[E(p - d)]$	18.3	18.7	24.7	21.1
$\sigma(p - d)$	.27	.29	.26	.27

Equity Premium and Conditional Volatility



- The equity premium is large *and* it is time-varying!
- Return volatility is high and countercyclical, even with smooth consumption growth

Consumption Growth, Stock Returns, and P/D Ratio



Questions?

Part IV: Where Habit Models Went

Three Follow-Up Tracks

At least three quite cool direct follow-ups:

- More on equity: richer predictability and valuation implications ([Menzly, Santos, and Veronesi 2004](#))
- Interest rate term structure: bond premia under habit-based discount rates ([Wachter 2006](#))
- FX markets: currency premia from cross-country habit risk ([Verdelhan 2010](#))
- Same mechanism: state-dependent SDF via S_t
- Exercise 6: read these papers!

Questions?

Takeaways and Transition

- External habit resolves key aggregate puzzles through state-dependent risk prices
- Main trick: time-varying risk-aversion even with smooth consumption growth
- Calibration discipline is essential: $\lambda(s_t)$ is doing the hard work
- Pushback: is this truly microfounded?
- Follow-ups show the same mechanism in equities, bonds, and FX

Takeaways and Transition

- External habit resolves key aggregate puzzles through state-dependent risk prices
- Main trick: time-varying risk-aversion even with smooth consumption growth
- Calibration discipline is essential: $\lambda(s_t)$ is doing the hard work
- Pushback: is this truly microfounded?
- Follow-ups show the same mechanism in equities, bonds, and FX
- Next class: time-varying disaster risk!

- Campbell, Chapter 6

Campbell, John Y., and John H. Cochrane. 1999. "By Force of Habit: A Consumption-Based Explanation of Aggregate Stock Market Behavior." *Journal of Political Economy* 107 (2): 205–51. <https://doi.org/10.1086/250059>.

Mehra, Rajnish, and Edward C. Prescott. 1985. "The Equity Premium: A Puzzle." *Journal of Monetary Economics* 15 (2): 145–61. [https://doi.org/10.1016/0304-3932\(85\)90061-3](https://doi.org/10.1016/0304-3932(85)90061-3).

Menzly, Lior, Tano Santos, and Pietro Veronesi. 2004. "Understanding Predictability." *Journal of Political Economy* 112 (1): 1–47. <https://doi.org/10.1086/379934>.

Verdelhan, Adrien. 2010. "A Habit-Based Explanation of the Exchange Rate Risk Premium." *The Journal of Finance* 65 (1): 123–46. <https://doi.org/10.1111/j.1540-6261.2009.01525.x>.

Wachter, Jessica A. 2006. "A Consumption-Based Model of the Term Structure of Interest Rates." *Journal of Financial Economics* 79 (2): 365–99. <https://doi.org/10.1016/j.jfineco.2005.02.004>.

Weil, Philippe. 1989. "The Equity Premium Puzzle and the Risk-Free Rate Puzzle." *Journal of Monetary Economics* 24 (3): 401–21. [https://doi.org/10.1016/0304-3932\(89\)90028-7](https://doi.org/10.1016/0304-3932(89)90028-7).