

# RBAC binding findings

cluster dashboard · generated 2026-10-08T17:51:04Z by kubeadmin (proxy-verified, ticket from the dashboard)

sha256 of the report data: f2f576c0fa3ea972259d1caf413bf7cd15c72468fc6c916710286597a7b656

## Provenance and coverage

### Provenance

|                             |                                                                                                                |
|-----------------------------|----------------------------------------------------------------------------------------------------------------|
| Handling                    | Handling: internal — access review evidence                                                                    |
| Cluster                     | dashboard — https://kubernetes.default.svc                                                                     |
| Generated at (UTC)          | 2026-10-08T17:51:04Z                                                                                           |
| Generated by                | kubeadmin (proxy-verified, ticket from the dashboard)                                                          |
| Run id                      | 20261008T175104.720851Z-5fc0                                                                                   |
| Report service              | 5.8.0 @ 665b73347b                                                                                             |
| Data as of                  | snapshot 2026-10-08T17:46:46.549771Z (taken 4 min before generation; bindings refresh every 3600 s); schema 20 |
| Last poll                   | 2026-10-08T17:45:46Z — ok                                                                                      |
| Namespaces                  | every namespace on the cluster was read — a namespace with no grants is reported as having none                |
| User objects                | read — 'logged in' means a User object with an identity exists                                                 |
| Login capture               | on — attempts are recorded; see the note for since when                                                        |
| History retained since      | membership_event: 2026-09-21T06:15:27Z, sync_event: 2026-09-21T06:15:27Z, login_event: 2026-09-21T06:15:28Z    |
| Includes membership rosters | no                                                                                                             |
| Parameters                  | none                                                                                                           |
| PDF                         | variant pdf/a-2b; font DejaVu Sans 2.37                                                                        |

Every namespace on the cluster was read, so a requested namespace that does not exist is reported as such, and a namespace with no observed binding is reported as having no grants.

User objects were read; 'logged in' means a User with an identity exists.

Login attempts are recorded since 2026-09-21T06:15:28Z (last read 2026-10-08T17:45:46Z); nothing before that was ever observed.

Scope: direct bindings only; role rules are not evaluated — this is not an effective-permissions calculation.

## Summary

### Bindings by tier

|            |    |
|------------|----|
| dangling   | 0  |
| unresolved | 6  |
| unmanaged  | 86 |
| ok         | 43 |

### Definitions (the dashboard's, gsd/store.py Store.\_FINDING\_CASE)

| tier       | meaning                                                                                                   |
|------------|-----------------------------------------------------------------------------------------------------------|
| dangling   | the group was observed operator-managed and is now absent — something broke; the binding grants nobody    |
| unresolved | the group has never been seen managed and does not exist — the binding names something that never existed |

| <b>tier</b> | <b>meaning</b>                                                                                                                                     |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| unmanaged   | a grant no policy operator manages, with no exception annotation — a synced group, a ServiceAccount or a user granted by hand; governance bypassed |
| ok          | resolves normally, or carries the policy system's label                                                                                            |

## **Dangling bindings**

### **dangling**

no dangling bindings

## Unresolved bindings

### unresolved

| subject                                     | scope                     | role             | binding               | kind        | source                | exception |
|---------------------------------------------|---------------------------|------------------|-----------------------|-------------|-----------------------|-----------|
| group<br>app-ocp-rbac-toolongx-ns-audit     | klt-fail-mnemonic-toolong | ClusterRole/view | toolongx-audit-rb     | RoleBinding | baseline-nonprod-rbac |           |
| group<br>app-ocp-rbac-toolongx-ns-developer | klt-fail-mnemonic-toolong | ClusterRole/edt  | toolongx-developer-rb | RoleBinding | baseline-nonprod-rbac |           |
| group<br>app-ocp-rbac-klt-ns-audit          | klt-pass-both             | ClusterRole/view | klt-audit-rb          | RoleBinding | baseline-nonprod-rbac |           |
| group<br>app-ocp-rbac-klt-ns-developer      | klt-pass-both             | ClusterRole/edt  | klt-developer-rb      | RoleBinding | baseline-nonprod-rbac |           |
| group<br>app-ocp-rbac-klt-ns-audit          | klt-pass-mnemonic-3char   | ClusterRole/view | klt-audit-rb          | RoleBinding | baseline-nonprod-rbac |           |
| group<br>app-ocp-rbac-klt-ns-developer      | klt-pass-mnemonic-3char   | ClusterRole/edt  | klt-developer-rb      | RoleBinding | baseline-nonprod-rbac |           |

## Unmanaged bindings

### unmanaged

| subject                                              | scope            | role                                                                       | binding                                                         | kind               | source    | exception |
|------------------------------------------------------|------------------|----------------------------------------------------------------------------|-----------------------------------------------------------------|--------------------|-----------|-----------|
| ServiceAccount metallb-system/controller             | (cluster-scoped) | ClusterRole/system:auth-delegator                                          | metallb-operator-webhook-server-service-system:auth-delegator   | ClusterRoleBinding | hand-made |           |
| ServiceAccount metallb-system/controller             | (cluster-scoped) | ClusterRole/metalb-operator.v4.22.0-4jHrLpRJ9KrnCwWLxDzNTCXcUk3NrrGsjBKz0R | metallb-operator.v4.22.0-4jHrLpRJ9KrnCwWLxDzNTCXcUk3NrrGsjBKz0R | ClusterRoleBinding | hand-made |           |
| ServiceAccount metallb-system/controller             | (cluster-scoped) | ClusterRole/metalb-operator.v4.22.0-5z3KAcV4luxPJ8IUdSLT3OtyOo1PrLdajEp5gK | metallb-operator.v4.22.0-5z3KAcV4luxPJ8IUdSLT3OtyOo1PrLdajEp5gK | ClusterRoleBinding | hand-made |           |
| ServiceAccount csi-driver-nfs/csi-nfs-controller-sa  | (cluster-scoped) | ClusterRole/nfs-external-provisioner-role                                  | nfs-csi-provisioner-binding                                     | ClusterRoleBinding | hand-made |           |
| ServiceAccount csi-driver-nfs/csi-nfs-controller-sa  | (cluster-scoped) | ClusterRole/nfs-external-resizer-role                                      | nfs-csi-resizer-role                                            | ClusterRoleBinding | hand-made |           |
| user dana.lee                                        | (cluster-scoped) | ClusterRole/cluster-reader                                                 | cluster-reader                                                  | ClusterRoleBinding | hand-made |           |
| ServiceAccount dynatrace/dynatrace-activegate        | (cluster-scoped) | ClusterRole/dynatrace-activegate                                           | dynatrace-activegate                                            | ClusterRoleBinding | hand-made |           |
| ServiceAccount dynatrace/dynatrace-activegate        | (cluster-scoped) | ClusterRole/dynatrace-kubernetes-monitoring-default                        | dynatrace-kubernetes-monitoring-default                         | ClusterRoleBinding | hand-made |           |
| ServiceAccount dynatrace/dynatrace-activegate        | (cluster-scoped) | ClusterRole/dynatrace-kubernetes-monitoring-kspm                           | dynatrace-kubernetes-monitoring-kspm                            | ClusterRoleBinding | hand-made |           |
| ServiceAccount dynatrace/dynatrace-dynakube-oneagent | (cluster-scoped) | ClusterRole/dynatrace-dynakube-oneagent                                    | dynatrace-dynakube-oneagent                                     | ClusterRoleBinding | hand-made |           |
| ServiceAccount dynatrace/dynatrace-dynakube-oneagent | (cluster-scoped) | ClusterRole/dynatrace-logmonitoring                                        | dynatrace-logmonitoring-fullstack                               | ClusterRoleBinding | hand-made |           |
| ServiceAccount dynatrace/dynatrace-edgeconnect       | (cluster-scoped) | ClusterRole/dynatrace-edgeconnect                                          | dynatrace-edgeconnect                                           | ClusterRoleBinding | hand-made |           |

| subject                                                                    | scope                | role                                                                                            | binding                                                                           | kind                   | source    | exception |
|----------------------------------------------------------------------------|----------------------|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------|-----------|-----------|
| ServiceAccount<br>dynatrace/dyna<br>trace-extension<br>-controller         | (cluster-scoped<br>) | ClusterRole/dyn<br>atrace-extensio<br>n-controller                                              | dynatrace-exte<br>nsion-controller                                                | ClusterRoleBin<br>ding | hand-made |           |
| ServiceAccount<br>dynatrace/dyna<br>trace-logmonit<br>oring                | (cluster-scoped<br>) | ClusterRole/dyn<br>atrace-logmoni<br>toring                                                     | dynatrace-logm<br>onitoring                                                       | ClusterRoleBin<br>ding | hand-made |           |
| ServiceAccount<br>dynatrace/dyna<br>trace-node-conf<br>ig-collector        | (cluster-scoped<br>) | ClusterRole/dyn<br>atrace-node-co<br>nfig-collector                                             | dynatrace-node<br>-config-collecto<br>r                                           | ClusterRoleBin<br>ding | hand-made |           |
| ServiceAccount<br>dynatrace/dyna<br>trace-oneagent<br>-csi-driver          | (cluster-scoped<br>) | ClusterRole/dyn<br>atrace-oneagen<br>t-csi-driver                                               | dynatrace-onea<br>gent-csi-driver                                                 | ClusterRoleBin<br>ding | hand-made |           |
| ServiceAccount<br>dynatrace/dyna<br>trace-operator                         | (cluster-scoped<br>) | ClusterRole/dyn<br>atrace-operator                                                              | dynatrace-oper<br>ator                                                            | ClusterRoleBin<br>ding | hand-made |           |
| ServiceAccount<br>dynatrace/dyna<br>trace-otel-colle<br>ctor               | (cluster-scoped<br>) | ClusterRole/dyn<br>atrace-telemetr<br>y-ingest                                                  | dynatrace-tele<br>metry-ingest                                                    | ClusterRoleBin<br>ding | hand-made |           |
| ServiceAccount<br>dynatrace/dyna<br>trace-webhook                          | (cluster-scoped<br>) | ClusterRole/dyn<br>atrace-webhook                                                               | dynatrace-web<br>hook                                                             | ClusterRoleBin<br>ding | hand-made |           |
| ServiceAccount<br>envoy-gateway<br>-system/eg-gat<br>eway-helm-cert<br>gen | (cluster-scoped<br>) | ClusterRole/eg-<br>gateway-helm-<br>certgen:envoy-<br>gateway-syste<br>m                        | eg-gateway-hel<br>m-certgen:env<br>oy-gateway-sys<br>tem                          | ClusterRoleBin<br>ding | hand-made |           |
| ServiceAccount<br>envoy-gateway<br>-system/envoy-<br>gateway               | (cluster-scoped<br>) | ClusterRole/eg-<br>gateway-helm-<br>envoy-gateway<br>-role                                      | eg-gateway-hel<br>m-envoy-gatew<br>ay-rolebinding                                 | ClusterRoleBin<br>ding | hand-made |           |
| ServiceAccount<br>metallb-system<br>/frr-k8s-daemo<br>n                    | (cluster-scoped<br>) | ClusterRole/me<br>tallb-operator.v<br>4.22.0-3XAUbrT<br>5MLZFQaxbDD<br>gIKX5HyrlaE38<br>K1m98if | metallb-operat<br>or.v4.22.0-3XA<br>UbrT5MLZFQax<br>bDDgIKX5Hyrla<br>E38K1m98if   | ClusterRoleBin<br>ding | hand-made |           |
| ServiceAccount<br>metallb-system<br>/frr-k8s-daemo<br>n                    | (cluster-scoped<br>) | ClusterRole/me<br>tallb-operator.v<br>4.22.0-6ZS08F<br>hGCgPrbmGqof<br>rJg4UMTfMO0X<br>qSKca9zt | metallb-operat<br>or.v4.22.0-6ZS<br>08FhGCgPrbm<br>GqofrJg4UMTfM<br>00XqSKca9zt   | ClusterRoleBin<br>ding | hand-made |           |
| user jdoe                                                                  | (cluster-scoped<br>) | ClusterRole/edi<br>t                                                                            | jdoe-edit                                                                         | ClusterRoleBin<br>ding | hand-made |           |
| ServiceAccount<br>metallb-system<br>/manager-acco<br>unt                   | (cluster-scoped<br>) | ClusterRole/sys<br>tem:auth-deleg<br>ator                                                       | metallb-operat<br>or-controller-m<br>anager-service-<br>system:auth-de<br>legator | ClusterRoleBin<br>ding | hand-made |           |

| subject                                                 | scope            | role                                                                        | binding                                                         | kind               | source    | exception |
|---------------------------------------------------------|------------------|-----------------------------------------------------------------------------|-----------------------------------------------------------------|--------------------|-----------|-----------|
| ServiceAccount metallb-system /manager-account          | (cluster-scoped) | ClusterRole/metallb-operator.v4.22.0-8n1SxnCeNX8FcxiHe6OQxxDPTBMWgPBGHWersk | metallb-operator.v4.22.0-8n1SxnCeNX8FcxiHe6OQxxDPTBMWgPBGHWersk | ClusterRoleBinding | hand-made |           |
| ServiceAccount metallb-system /manager-account          | (cluster-scoped) | ClusterRole/metallb-operator.v4.22.0-bfrl8kVHyZtwwEICWAjgjniHAKBB1IEE0ds0qX | metallb-operator.v4.22.0-bfrl8kVHyZtwwEICWAjgjniHAKBB1IEE0ds0qX | ClusterRoleBinding | hand-made |           |
| ServiceAccount modernize-demo/metrics-reader            | (cluster-scoped) | ClusterRole/cluster-monitoring-view                                         | cluster-monitoring-view                                         | ClusterRoleBinding | hand-made |           |
| ServiceAccount mongodb-poc/mongodb-kubernetes-operator  | (cluster-scoped) | ClusterRole/system:auth-delegator                                           | mongodb-kubernetes-operator-service-system:auth-delegator       | ClusterRoleBinding | hand-made |           |
| ServiceAccount mongodb-poc/mongodb-kubernetes-operator  | (cluster-scoped) | ClusterRole/mongodb-kubernetes.v1.13-bcFkx3lZvpSxoKmGDjFX1qnCSBa4k5ltOYgpnZ | mongodb-kubernetes.v1.13-bcFkx3lZvpSxoKmGDjFX1qnCSBa4k5ltOYgpnZ | ClusterRoleBinding | hand-made |           |
| ServiceAccount keycloak/rhbk-operator                   | (cluster-scoped) | ClusterRole/rhbk-operator.v26.6.7-op-bAmfXrJwP5oUfMGJRfCm7Wg0LoOilCig8gM7o5 | rhbk-operator.v26.6.7-op-bAmfXrJwP5oUfMGJRfCm7Wg0LoOilCig8gM7o5 | ClusterRoleBinding | hand-made |           |
| ServiceAccount metallb-system /speaker                  | (cluster-scoped) | ClusterRole/metallb-operator.v4.22.0--wdzOaKwpQhVqg2Y3QsZlaQpJwKTDPI6SYRHQK | metallb-operator.v4.22.0--wdzOaKwpQhVqg2Y3QsZlaQpJwKTDPI6SYRHQK | ClusterRoleBinding | hand-made |           |
| ServiceAccount metallb-system /speaker                  | (cluster-scoped) | ClusterRole/metallb-operator.v4.22.0-b6w3liXt3rsoEUCNIawaay0iRuZEIMaoM3Ycft | metallb-operator.v4.22.0-b6w3liXt3rsoEUCNIawaay0iRuZEIMaoM3Ycft | ClusterRoleBinding | hand-made |           |
| ServiceAccount csi-driver-nfs/csi-nfs-controller-sa     | csi-driver-nfs   | ClusterRole/system:openshift:scc:privileged                                 | system:openshift:scc:privileged                                 | RoleBinding        | hand-made |           |
| ServiceAccount csi-driver-nfs/csi-nfs-node-sa           | csi-driver-nfs   | ClusterRole/system:openshift:scc:privileged                                 | system:openshift:scc:privileged                                 | RoleBinding        | hand-made |           |
| ServiceAccount dynatrace/dynatrace-extension-controller | dynatrace        | Role/dynatrace-extension-controller-database                                | dynatrace-extension-controller-database                         | RoleBinding        | hand-made |           |

| subject                                                                       | scope                    | role                                                                                     | binding                                                                         | kind        | source    | exception |
|-------------------------------------------------------------------------------|--------------------------|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|-------------|-----------|-----------|
| ServiceAccount<br>dynatrace/dyna<br>trace-oneagent<br>-csi-driver             | dynatrace                | Role/dynatrace-<br>oneagent-csi-dr<br>iver                                               | dynatrace-onea<br>gent-csi-driver                                               | RoleBinding | hand-made |           |
| ServiceAccount<br>dynatrace/dyna<br>trace-operator                            | dynatrace                | Role/dynatrace-<br>operator                                                              | dynatrace-oper<br>ator                                                          | RoleBinding | hand-made |           |
| ServiceAccount<br>dynatrace/dyna<br>trace-operator                            | dynatrace                | Role/dynatrace-<br>operator-suppo<br>rtability                                           | dynatrace-oper<br>ator-supportabi<br>lity                                       | RoleBinding | hand-made |           |
| ServiceAccount<br>dynatrace/dyna<br>trace-sql-ext-ex<br>ec                    | dynatrace                | Role/dynatrace-<br>sql-ext-exec                                                          | dynatrace-sql-e<br>xt-exec                                                      | RoleBinding | hand-made |           |
| ServiceAccount<br>dynatrace/dyna<br>trace-webhook                             | dynatrace                | Role/dynatrace-<br>webhook                                                               | dynatrace-web<br>hook                                                           | RoleBinding | hand-made |           |
| ServiceAccount<br>envoy-gateway<br>-system/eg-gat<br>eway-helm-cert<br>gen    | envoy-gateway<br>-system | Role/eg-gatewa<br>y-helm-certgen                                                         | eg-gateway-hel<br>m-certgen                                                     | RoleBinding | hand-made |           |
| ServiceAccount<br>envoy-gateway<br>-system/envoy-<br>envoy-17-eg-0d<br>84cb63 | envoy-gateway<br>-system | ClusterRole/sys<br>tem:openshift:s<br>cc:nonroot-v2                                      | system:openshi<br>ft:scc:nonroot-v<br>2                                         | RoleBinding | hand-made |           |
| ServiceAccount<br>envoy-gateway<br>-system/envoy-<br>envoy-19-eg-41<br>3e95da | envoy-gateway<br>-system | ClusterRole/sys<br>tem:openshift:s<br>cc:nonroot-v2                                      | system:openshi<br>ft:scc:nonroot-v<br>2                                         | RoleBinding | hand-made |           |
| ServiceAccount<br>envoy-gateway<br>-system/envoy-<br>gateway                  | envoy-gateway<br>-system | Role/eg-gatewa<br>y-helm-infra-m<br>anager                                               | eg-gateway-hel<br>m-infra-manag<br>er                                           | RoleBinding | hand-made |           |
| ServiceAccount<br>envoy-gateway<br>-system/envoy-<br>gateway                  | envoy-gateway<br>-system | Role/eg-gatewa<br>y-helm-leader-<br>election-role                                        | eg-gateway-hel<br>m-leader-electi<br>on-rolebinding                             | RoleBinding | hand-made |           |
| ServiceAccount<br>kcs-ipsec/ipsec-<br>nas-metrics                             | kcs-ipsec                | ClusterRole/sys<br>tem:openshift:s<br>cc:privileged                                      | system:openshi<br>ft:scc:privilege<br>d                                         | RoleBinding | hand-made |           |
| ServiceAccount<br>keycloak/rhbk-<br>operator                                  | keycloak                 | Role/rhbk-oper<br>ator.v26.6.7-op<br>-6h4118vp0coc<br>1TCSCHZ4djWf<br>3U3y04OXoRU<br>RIW | rhbk-operator.v<br>26.6.7-op-6h41<br>18vp0coc1TCS<br>CHZ4djWf3U3y<br>04OXoRURIW | RoleBinding | hand-made |           |
| ServiceAccount<br>keycloak/rhbk-<br>operator                                  | keycloak                 | Role/rhbk-oper<br>ator.v26.6.7-op<br>r.1                                                 | rhbk-operator.v<br>26.6.7-opr.1                                                 | RoleBinding | hand-made |           |

| subject                                                | scope            | role                                                                 | binding                                                         | kind        | source    | exception |
|--------------------------------------------------------|------------------|----------------------------------------------------------------------|-----------------------------------------------------------------|-------------|-----------|-----------|
| ServiceAccount metallb-system/controller               | kube-system      | Role/extension-apiserver-authentication-reader                       | metallb-operator-webhook-server-service-auth-reader             | RoleBinding | hand-made |           |
| ServiceAccount dynatrace/dynatrace-webhook             | kube-system      | Role/extension-apiserver-authentication-reader                       | dynatrace-webhook-service-auth-reader                           | RoleBinding | hand-made |           |
| ServiceAccount metallb-system/manager-account          | kube-system      | Role/extension-apiserver-authentication-reader                       | metallb-operator-controller-manager-service-auth-reader         | RoleBinding | hand-made |           |
| ServiceAccount mongodb-poc/mongodb-kubernetes-operator | kube-system      | Role/extension-apiserver-authentication-reader                       | mongodb-kubernetes-operator-service-auth-reader                 | RoleBinding | hand-made |           |
| ServiceAccount ldap-testing/openldap-server            | ldap-testing     | ClusterRole/system:openshift:serviceaccounts:privileged              | ldap-privileged-binding                                         | RoleBinding | hand-made |           |
| user asmith                                            | legacy-payments  | ClusterRole/admin                                                    | asmith-admin                                                    | RoleBinding | hand-made |           |
| user bwilliams                                         | legacy-payments  | ClusterRole/admin                                                    | bwilliams-admin                                                 | RoleBinding | hand-made |           |
| user jdoe                                              | legacy-payments  | ClusterRole/admin                                                    | jdoe-admin                                                      | RoleBinding | hand-made |           |
| user jdoe                                              | legacy-reporting | ClusterRole/edit                                                     | jdoe-edit                                                       | RoleBinding | hand-made |           |
| user tmp-contractor-9931                               | legacy-reporting | ClusterRole/edit                                                     | tmp-contractor-9931-edit                                        | RoleBinding | hand-made |           |
| ServiceAccount metallb-system/controller               | metallb-system   | Role/metallb-operator-webhook-server-service-cert                    | metallb-operator-webhook-server-service-cert                    | RoleBinding | hand-made |           |
| ServiceAccount metallb-system/controller               | metallb-system   | Role/metallb-operator.v4.22.0-202609300304                           | metallb-operator.v4.22.0-202609300304                           | RoleBinding | hand-made |           |
| ServiceAccount metallb-system/controller               | metallb-system   | Role/metallb-operator.v4.22.0-5z3KAcV4luxPJ8lUdSLT3OtyOo1PrLdaJEp5gK | metallb-operator.v4.22.0-5z3KAcV4luxPJ8lUdSLT3OtyOo1PrLdaJEp5gK | RoleBinding | hand-made |           |
| ServiceAccount metallb-system/frr-k8s-daemon           | metallb-system   | Role/metallb-operator.v4.22.0-202609300304                           | metallb-operator.v4.22.0-202609300304                           | RoleBinding | hand-made |           |
| ServiceAccount metallb-system/frr-k8s-daemon           | metallb-system   | Role/metallb-operator.v4.22.0-3XAUBrT5MLZFQaxbDDgIKX5HyrlaE38K1m98if | metallb-operator.v4.22.0-3XAUBrT5MLZFQaxbDDgIKX5HyrlaE38K1m98if | RoleBinding | hand-made |           |

| subject                                                | scope          | role                                                                   | binding                                                           | kind        | source    | exception |
|--------------------------------------------------------|----------------|------------------------------------------------------------------------|-------------------------------------------------------------------|-------------|-----------|-----------|
| ServiceAccount metallb-system /manager-account         | metallb-system | Role/metallb-manager-role                                              | metallb-manager-rolebinding                                       | RoleBinding | hand-made |           |
| ServiceAccount metallb-system /manager-account         | metallb-system | Role/metallb-operator-controller-manager-service-cert                  | metallb-operator-controller-manager-service-cert                  | RoleBinding | hand-made |           |
| ServiceAccount metallb-system /manager-account         | metallb-system | Role/metallb-operator.v4.22.0-202609300304                             | metallb-operator.v4.22.0-202609300304                             | RoleBinding | hand-made |           |
| ServiceAccount metallb-system /manager-account         | metallb-system | Role/metallb-operator.v4.22.0-8n1SxnCeNX8FcxiHe6OQxxDPTBMTBWgPBGHWersk | metallb-operator.v4.22.0-8n1SxnCeNX8FcxiHe6OQxxDPTBMTBWgPBGHWersk | RoleBinding | hand-made |           |
| ServiceAccount metallb-system /speaker                 | metallb-system | Role/metallb-operator.v4.22.0-202609300304                             | metallb-operator.v4.22.0-202609300304                             | RoleBinding | hand-made |           |
| ServiceAccount metallb-system /speaker                 | metallb-system | Role/metallb-operator.v4.22.0-b6w3IiXt3rsoEUCNIAwaay0iRuZEIMaoM3Ycft   | metallb-operator.v4.22.0-b6w3IiXt3rsoEUCNIAwaay0iRuZEIMaoM3Ycft   | RoleBinding | hand-made |           |
| ServiceAccount modernize-demo/keda-metrics-reader      | modernize-demo | Role/keda-tenancy-read                                                 | keda-tenancy-read                                                 | RoleBinding | hand-made |           |
| user developer                                         | mongodb-poc    | ClusterRole/persesdashboard-viewer-role                                | console-validate-persesdashboard-viewer-role                      | RoleBinding | hand-made |           |
| user developer                                         | mongodb-poc    | ClusterRole/persesdatasource-viewer-role                               | console-validate-persesdatasource-viewer-role                     | RoleBinding | hand-made |           |
| user developer                                         | mongodb-poc    | ClusterRole/view                                                       | console-validate-view                                             | RoleBinding | hand-made |           |
| ServiceAccount mongodb-poc/mongodb-kubernetes-appdb    | mongodb-poc    | Role/mongodb-kubernetes-appdb                                          | mongodb-kubernetes-appdb                                          | RoleBinding | hand-made |           |
| ServiceAccount mongodb-poc/mongodb-kubernetes-operator | mongodb-poc    | Role/mongodb-kubernetes-operator-service-cert                          | mongodb-kubernetes-operator-service-cert                          | RoleBinding | hand-made |           |
| ServiceAccount mongodb-poc/mongodb-kubernetes-operator | mongodb-poc    | Role/mongodb-kubernetes.v1.13-aBEWZyFYfQ1uMiUyCvFoLL7N3JwOeuXRjqTmlr   | mongodb-kubernetes.v1.13-aBEWZyFYfQ1uMiUyCvFoLL7N3JwOeuXRjqTmlr   | RoleBinding | hand-made |           |

| subject                                                                          | scope                                            | role                                                                         | binding                                                                        | kind        | source    | exception |
|----------------------------------------------------------------------------------|--------------------------------------------------|------------------------------------------------------------------------------|--------------------------------------------------------------------------------|-------------|-----------|-----------|
| ServiceAccount<br>mongodb-poc/<br>mongodb-kube<br>rnetes-operator                | mongodb-poc                                      | Role/mongodb-<br>kubernetes.v1.<br>13.0                                      | mongodb-kube<br>rnetes.v1.13.0                                                 | RoleBinding | hand-made |           |
| ServiceAccount<br>mongodb-poc/<br>mongot-mongo<br>db-search-helm<br>-approver    | mongodb-poc                                      | Role/mongot-m<br>ongodb-search-<br>helm-approver                             | mongot-mongo<br>db-search-helm<br>-approver                                    | RoleBinding | hand-made |           |
| ServiceAccount<br>mongodb-poc/<br>mongot-mongo<br>db-search-helm<br>-csv-reclaim | mongodb-poc                                      | Role/mongot-m<br>ongodb-search-<br>helm-csv-reclai<br>m                      | mongot-mongo<br>db-search-helm<br>-csv-reclaim                                 | RoleBinding | hand-made |           |
| ServiceAccount<br>mongodb-poc/<br>mongot-mongo<br>db-search-helm<br>-wait        | mongodb-poc                                      | Role/mongot-m<br>ongodb-search-<br>helm-wait                                 | mongot-mongo<br>db-search-helm<br>-wait                                        | RoleBinding | hand-made |           |
| ServiceAccount<br>nfs-server/nfs-s<br>erver                                      | nfs-server                                       | ClusterRole/sys<br>tem:openshift:s<br>cc:privileged                          | nfs-server-privi<br>leged-scc                                                  | RoleBinding | hand-made |           |
| ServiceAccount<br>operators/obser<br>vability-operato<br>r-sa                    | openshift-clust<br>er-observability<br>-operator | Role/observabil<br>ity-operator                                              | observability-o<br>perator                                                     | RoleBinding | hand-made |           |
| user developer                                                                   | openshift-cons<br>ole-user-setting<br>s          | Role/user-settin<br>gs-d46d9fe1-4a<br>fd-4a55-a736-0<br>e40940110e5-r<br>ole | user-settings-d<br>46d9fe1-4afd-4<br>a55-a736-0e40<br>940110e5-role<br>binding | RoleBinding | hand-made |           |
| user jane.smith                                                                  | openshift-cons<br>ole-user-setting<br>s          | Role/user-settin<br>gs-27fcd795-b6<br>9c-4f77-87a9-8<br>8ad0c46e66a-r<br>ole | user-settings-2<br>7fcd795-b69c-4<br>f77-87a9-88ad<br>0c46e66a-roleb<br>inding | RoleBinding | hand-made |           |
| ServiceAccount<br>monitoring/pro<br>metheus-k8s                                  | openshift-nmst<br>ate                            | Role/nmstate-<br>monitor                                                     | nmstate-monit<br>or                                                            | RoleBinding | hand-made |           |

## Acknowledged exceptions

### Bindings carrying rbac.ocp.io/unmanaged-exception

none

An exception suppresses the unmanaged finding; it is listed so a reviewer can re-judge it.

## Direct user grants

### Bindings naming a person

| user                | scope                           | role                                                         | binding                                                        | kind               |
|---------------------|---------------------------------|--------------------------------------------------------------|----------------------------------------------------------------|--------------------|
| jdoe                | (cluster-scoped)                | ClusterRole/edit                                             | jdoe-edit                                                      | ClusterRoleBinding |
| dana.lee            | (cluster-scoped)                | ClusterRole/cluster-reader                                   | cluster-reader                                                 | ClusterRoleBinding |
| asmith              | legacy-payments                 | ClusterRole/admin                                            | asmith-admin                                                   | RoleBinding        |
| bwilliams           | legacy-payments                 | ClusterRole/admin                                            | bwilliams-admin                                                | RoleBinding        |
| jdoe                | legacy-payments                 | ClusterRole/admin                                            | jdoe-admin                                                     | RoleBinding        |
| jdoe                | legacy-reporting                | ClusterRole/edit                                             | jdoe-edit                                                      | RoleBinding        |
| tmp-contractor-9931 | legacy-reporting                | ClusterRole/edit                                             | tmp-contractor-9931-edit                                       | RoleBinding        |
| developer           | mongodb-poc                     | ClusterRole/persesdashboard-viewer-role                      | console-validate-persesdashboard-viewer-role                   | RoleBinding        |
| developer           | mongodb-poc                     | ClusterRole/persesdatasource-viewer-role                     | console-validate-persesdatasource-viewer-role                  | RoleBinding        |
| developer           | mongodb-poc                     | ClusterRole/view                                             | console-validate-view                                          | RoleBinding        |
| developer           | openshift-console-user-settings | Role/user-settings-d46d9fe1-4afd-4a55-a736-0e40940110e5-role | user-settings-d46d9fe1-4afd-4a55-a736-0e40940110e5-rolebinding | RoleBinding        |
| jane.smith          | openshift-console-user-settings | Role/user-settings-27fcd795-b69c-4f77-87a9-88ad0c46e66a-role | user-settings-27fcd795-b69c-4f77-87a9-88ad0c46e66a-rolebinding | RoleBinding        |

24 platform identity binding(s) (system:\*, kube-apiserver, node identities) are excluded from this table and counted here, so the exclusion is visible.

### Acknowledged by the operator

| user                     | scope               | role                                                  | binding                                          | config-source            | exception |
|--------------------------|---------------------|-------------------------------------------------------|--------------------------------------------------|--------------------------|-----------|
| ocp-oauth-bind-serviceid | (cluster-scoped)    | ClusterRole/group-sync-dashboard-cluster-poller       | group-sync-dashboard-cluster-poller              | group-sync-operator-helm |           |
| ocp-oauth-bind-serviceid | group-sync-operator | Role/group-sync-dashboard-cluster-poller-token-reader | group-sync-dashboard-cluster-poller-token-reader | group-sync-operator-helm |           |

2 direct grant(s) whose binding carries rbac.ocp.io/config-source or the rbac.ocp.io/unmanaged-exception annotation: excluded from the table above, as from the dashboard's worklist and alert, and listed here so a reviewer can re-judge each one.