

Login activity

cluster dashboard · generated 2026-10-08T17:51:34Z by kubeadmin (proxy-verified, ticket from the dashboard)

sha256 of the report data: 2e22d895075f43f6b7fb071641f0106661d75d2190959b532a21865e5c823109

Provenance and coverage

Provenance

Handling	Handling: internal — access review evidence
Cluster	dashboard — https://kubernetes.default.svc
Generated at (UTC)	2026-10-08T17:51:34Z
Generated by	kubeadmin (proxy-verified, ticket from the dashboard)
Run id	20261008T175134.178461Z-46e1
Report service	5.8.0 @ 665b73347b
Data as of	snapshot 2026-10-08T17:46:46.549771Z (taken 5 min before generation; bindings refresh every 3600 s); schema 20
Last poll	2026-10-08T17:45:46Z — ok
Namespaces	every namespace on the cluster was read — a namespace with no grants is reported as having none
User objects	read — 'logged in' means a User object with an identity exists
Login capture	on — attempts are recorded; see the note for since when
History retained since	membership_event: 2026-09-21T06:15:27Z, sync_event: 2026-09-21T06:15:27Z, login_event: 2026-09-21T06:15:28Z
Includes membership rosters	no
Parameters	groups=[], users=[], window_days=30
PDF	variant pdf/a-2b; font DejaVu Sans 2.37

Every namespace on the cluster was read, so a requested namespace that does not exist is reported as such, and a namespace with no observed binding is reported as having no grants.

User objects were read; 'logged in' means a User with an identity exists.

Login attempts are recorded since 2026-09-21T06:15:28Z (last read 2026-10-08T17:45:46Z); nothing before that was ever observed.

Scope: direct bindings only; role rules are not evaluated — this is not an effective-permissions calculation.

Summary

Window

From	2026-09-08T17:46:46Z
To	2026-10-08T17:46:46Z
Watching since	2026-09-21T06:15:28Z
Login gate	app-ssb-autobahnusers (oauth)

Attempts by outcome and provider

outcome	provider	attempts
failed		6
failed	developer	8
failed	ldap-local	4
success	developer	722
success	ldap-local	39

Per user

Users

user	successes	failures	last success	last attempt
developer	376	6	2026-10-07T19:47:48.782345Z	2026-10-07T19:47:48.782345Z
lateef.o	2	3	2026-09-19T00:50:10.834660Z	2026-09-21T08:56:29.804490Z
bob.wilson	0	2		2026-09-19T00:50:11.924134Z
gsd-review-no-such-user-c3a84a13	0	2		2026-09-21T21:22:07.143799Z
kubeadmin	346	2	2026-10-06T20:45:39.334788Z	2026-10-06T20:45:39.334788Z
charlie.brown	0	1		2026-09-19T00:50:12.076086Z
dana.lee	2	1	2026-09-19T00:50:11.049649Z	2026-09-19T00:50:11.049649Z
ocp-ldap-bind-serviceid	0	1		2026-09-19T00:48:44.890524Z
alice.cooper	1	0	2026-09-19T00:50:10.611934Z	2026-09-19T00:50:10.611934Z
jane.smith	26	0	2026-10-07T01:53:46.360370Z	2026-10-07T01:53:46.360370Z
jeff	2	0	2026-09-19T00:50:11.489711Z	2026-09-19T00:50:11.489711Z
john.doe	4	0	2026-09-27T03:50:06.526311Z	2026-09-27T03:50:06.526311Z
sarah.jones	2	0	2026-09-19T00:50:11.274475Z	2026-09-19T00:50:11.274475Z

Rejected attempts

Rejected

none

Resolution: `not_gated` — a real member outside the gate group; `no_record` — no synced membership or history (a typo, a probe, or an unsynced branch); `membership_disagrees` — in the gate group per the synced Group while the directory refused (a sync lagging a removal). Empty when no gate group is known.