

# RBAC binding findings

cluster dashboard · generated 2026-10-03T20:10:31Z by developer (proxy-verified, ticket from the dashboard)

sha256 of the report data: 877ee09aa3d65b121e7475892e5f2004dd29925e6c58edd2bfe7edcc0655f20e

## Provenance and coverage

### Provenance

|                             |                                                                                                                |
|-----------------------------|----------------------------------------------------------------------------------------------------------------|
| Handling                    | Handling: internal — access review evidence                                                                    |
| Cluster                     | dashboard — https://kubernetes.default.svc                                                                     |
| Generated at (UTC)          | 2026-10-03T20:10:31Z                                                                                           |
| Generated by                | developer (proxy-verified, ticket from the dashboard)                                                          |
| Run id                      | 20261003T201031.111377Z-8bec                                                                                   |
| Report service              | 4.0.0 @ 15613ccb95                                                                                             |
| Data as of                  | snapshot 2026-10-03T20:06:41.430401Z (taken 4 min before generation; bindings refresh every 3600 s); schema 20 |
| Last poll                   | 2026-10-03T20:06:40Z — ok                                                                                      |
| Namespaces                  | every namespace on the cluster was read — a namespace with no grants is reported as having none                |
| User objects                | read — 'logged in' means a User object with an identity exists                                                 |
| Login capture               | on — attempts are recorded; see the note for since when                                                        |
| History retained since      | membership_event: 2026-09-21T06:15:27Z, sync_event: 2026-09-21T06:15:27Z, login_event: 2026-09-21T06:15:28Z    |
| Includes membership rosters | no                                                                                                             |
| Parameters                  | none                                                                                                           |
| PDF                         | variant pdf/a-2b; font DejaVu Sans 2.37                                                                        |

Every namespace on the cluster was read, so a requested namespace that does not exist is reported as such, and a namespace with no observed binding is reported as having no grants.

User objects were read; 'logged in' means a User with an identity exists.

Login attempts are recorded since 2026-09-21T06:15:28Z (last read 2026-10-03T20:06:41Z); nothing before that was ever observed.

Scope: direct bindings only; role rules are not evaluated — this is not an effective-permissions calculation.

## Summary

### Bindings by tier

|            |    |
|------------|----|
| dangling   | 0  |
| unresolved | 6  |
| unmanaged  | 57 |
| ok         | 43 |

### Definitions (the dashboard's, gsd/store.py Store.\_FINDING\_CASE)

| tier       | meaning                                                                                                   |
|------------|-----------------------------------------------------------------------------------------------------------|
| dangling   | the group was observed operator-managed and is now absent — something broke; the binding grants nobody    |
| unresolved | the group has never been seen managed and does not exist — the binding names something that never existed |

| <b>tier</b> | <b>meaning</b>                                                                                                                                     |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| unmanaged   | a grant no policy operator manages, with no exception annotation — a synced group, a ServiceAccount or a user granted by hand; governance bypassed |
| ok          | resolves normally, or carries the policy system's label                                                                                            |

## **Dangling bindings**

### **dangling**

no dangling bindings

## Unresolved bindings

### unresolved

| subject                                     | scope                     | role             | binding               | kind        | source                | exception |
|---------------------------------------------|---------------------------|------------------|-----------------------|-------------|-----------------------|-----------|
| group<br>app-ocp-rbac-toolongx-ns-audit     | klt-fail-mnemonic-toolong | ClusterRole/view | toolongx-audit-rb     | RoleBinding | baseline-nonprod-rbac |           |
| group<br>app-ocp-rbac-toolongx-ns-developer | klt-fail-mnemonic-toolong | ClusterRole/edt  | toolongx-developer-rb | RoleBinding | baseline-nonprod-rbac |           |
| group<br>app-ocp-rbac-klt-ns-audit          | klt-pass-both             | ClusterRole/view | klt-audit-rb          | RoleBinding | baseline-nonprod-rbac |           |
| group<br>app-ocp-rbac-klt-ns-developer      | klt-pass-both             | ClusterRole/edt  | klt-developer-rb      | RoleBinding | baseline-nonprod-rbac |           |
| group<br>app-ocp-rbac-klt-ns-audit          | klt-pass-mnemonic-3char   | ClusterRole/view | klt-audit-rb          | RoleBinding | baseline-nonprod-rbac |           |
| group<br>app-ocp-rbac-klt-ns-developer      | klt-pass-mnemonic-3char   | ClusterRole/edt  | klt-developer-rb      | RoleBinding | baseline-nonprod-rbac |           |

## Unmanaged bindings

### unmanaged

| subject                                                     | scope            | role                                                                       | binding                                                           | kind               | source    | exception |
|-------------------------------------------------------------|------------------|----------------------------------------------------------------------------|-------------------------------------------------------------------|--------------------|-----------|-----------|
| ServiceAccount metallb-system/controller                    | (cluster-scoped) | ClusterRole/system:auth-delegator                                          | metallb-operator-webhook-server-service-system:auth-delegator     | ClusterRoleBinding | hand-made |           |
| ServiceAccount metallb-system/controller                    | (cluster-scoped) | ClusterRole/metalb-operator.v4.22.0--lrvffuRYVDKR9krSZ5NZ9gMJ5AyUYShhy9sQQ | metallb-operator.v4.22.0--lrvffuRYVDKR9krSZ5NZ9gMJ5AyUYShhy9sQQ   | ClusterRoleBinding | hand-made |           |
| ServiceAccount metallb-system/controller                    | (cluster-scoped) | ClusterRole/metalb-operator.v4.22.0-9i1lqh9ZyTyRsUuZqpcWZic8SmdDjFk5Vvwl4  | metallb-operator.v4.22.0-9i1lqh9ZyTyRsUuZqpcWZic8SmdDjFk5Vvwl4    | ClusterRoleBinding | hand-made |           |
| user dana.lee                                               | (cluster-scoped) | ClusterRole/cluster-reader                                                 | cluster-reader                                                    | ClusterRoleBinding | hand-made |           |
| ServiceAccount envoy-gateway-system/eg-gateway-helm-certgen | (cluster-scoped) | ClusterRole/eg-gateway-helm-certgen:envoy-gateway-system                   | eg-gateway-helm-certgen:envoy-gateway-system                      | ClusterRoleBinding | hand-made |           |
| ServiceAccount envoy-gateway-system/envoy-gateway           | (cluster-scoped) | ClusterRole/eg-gateway-helm-envoy-gateway-role                             | eg-gateway-helm-envoy-gateway-rolebinding                         | ClusterRoleBinding | hand-made |           |
| ServiceAccount metallb-system/frr-k8s-daemon                | (cluster-scoped) | ClusterRole/metalb-operator.v4.22.0-4g2kXZE8s9xsYD0yHlzCfkKg2l6MKYQDnXCzB3 | metallb-operator.v4.22.0-4g2kXZE8s9xsYD0yHlzCfkKg2l6MKYQDnXCzB3   | ClusterRoleBinding | hand-made |           |
| ServiceAccount metallb-system/frr-k8s-daemon                | (cluster-scoped) | ClusterRole/metalb-operator.v4.22.0-7p3lRyVJ7grlf3g4e540oihJcWt3cMlrd5iHLH | metallb-operator.v4.22.0-7p3lRyVJ7grlf3g4e540oihJcWt3cMlrd5iHLH   | ClusterRoleBinding | hand-made |           |
| ServiceAccount kcs-ipsec/ipsec-cert-sync                    | (cluster-scoped) | ClusterRole/ipsec-cert-sync-label-node                                     | ipsec-cert-sync-label-node                                        | ClusterRoleBinding | hand-made |           |
| user jdoe                                                   | (cluster-scoped) | ClusterRole/edit                                                           | jdoe-edit                                                         | ClusterRoleBinding | hand-made |           |
| ServiceAccount metallb-system/manager-account               | (cluster-scoped) | ClusterRole/system:auth-delegator                                          | metallb-operator-controller-manager-service-system:auth-delegator | ClusterRoleBinding | hand-made |           |

| subject                                                        | scope                | role                                                                        | binding                                                         | kind               | source    | exception |
|----------------------------------------------------------------|----------------------|-----------------------------------------------------------------------------|-----------------------------------------------------------------|--------------------|-----------|-----------|
| ServiceAccount metallb-system /manager-account                 | (cluster-scoped)     | ClusterRole/metallb-operator.v4.22.0-9C0531WSET5ypZmijnhWwH8cdG5LPolkPYnKS8 | metallb-operator.v4.22.0-9C0531WSET5ypZmijnhWwH8cdG5LPolkPYnKS8 | ClusterRoleBinding | hand-made |           |
| ServiceAccount metallb-system /manager-account                 | (cluster-scoped)     | ClusterRole/metallb-operator.v4.22.0-cB9wp7y7QGdH50BN9z7VsLHojMbPZyLbH8pl3t | metallb-operator.v4.22.0-cB9wp7y7QGdH50BN9z7VsLHojMbPZyLbH8pl3t | ClusterRoleBinding | hand-made |           |
| ServiceAccount modernize-demo/metrics-reader                   | (cluster-scoped)     | ClusterRole/cluster-monitoring-view                                         | cluster-monitoring-view                                         | ClusterRoleBinding | hand-made |           |
| ServiceAccount mongodb-poc/mongodb-kubernetes-operator         | (cluster-scoped)     | ClusterRole/system:auth-delegator                                           | mongodb-kubernetes-operator-service-system:auth-delegator       | ClusterRoleBinding | hand-made |           |
| ServiceAccount mongodb-poc/mongodb-kubernetes-operator         | (cluster-scoped)     | ClusterRole/mongodb-kubernetes.v1.13-bcFkx3lZvpSxoKmGDjFX1qnCSBa4k5ltOYgpnZ | mongodb-kubernetes.v1.13-bcFkx3lZvpSxoKmGDjFX1qnCSBa4k5ltOYgpnZ | ClusterRoleBinding | hand-made |           |
| ServiceAccount keycloak/rhbk-operator                          | (cluster-scoped)     | ClusterRole/rhbk-operator.v26.6.7-op-bAmfXrjwP5oUfMGJRfCm7Wg0LoOilCig8gM7o5 | rhbk-operator.v26.6.7-op-bAmfXrjwP5oUfMGJRfCm7Wg0LoOilCig8gM7o5 | ClusterRoleBinding | hand-made |           |
| ServiceAccount metallb-system /speaker                         | (cluster-scoped)     | ClusterRole/metallb-operator.v4.22.0-6GOVAzLvXDq19yKlzdA6H24tvTDkozqnxoMD8  | metallb-operator.v4.22.0-6GOVAzLvXDq19yKlzdA6H24tvTDkozqnxoMD8  | ClusterRoleBinding | hand-made |           |
| ServiceAccount metallb-system /speaker                         | (cluster-scoped)     | ClusterRole/metallb-operator.v4.22.0-9xqlPBsPRJ184dXfjFUhDoug7uJ8AdZbwzi1tg | metallb-operator.v4.22.0-9xqlPBsPRJ184dXfjFUhDoug7uJ8AdZbwzi1tg | ClusterRoleBinding | hand-made |           |
| ServiceAccount envoy-gateway-system/eg-gateway-helm-certgen    | envoy-gateway-system | Role/eg-gateway-helm-certgen                                                | eg-gateway-helm-certgen                                         | RoleBinding        | hand-made |           |
| ServiceAccount envoy-gateway-system/envoy-envoy-17-eg-0d84cb63 | envoy-gateway-system | ClusterRole/system:openshift:cc:nonroot-v2                                  | system:openshift:cc:nonroot-v2                                  | RoleBinding        | hand-made |           |

| subject                                                                       | scope                    | role                                                                                     | binding                                                                         | kind        | source    | exception |
|-------------------------------------------------------------------------------|--------------------------|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|-------------|-----------|-----------|
| ServiceAccount<br>envoy-gateway<br>-system/envoy-<br>envoy-19-eg-41<br>3e95da | envoy-gateway<br>-system | ClusterRole/sys<br>tem:openshift:s<br>cc:nonroot-v2                                      | system:openshi<br>ft:sc:nonroot-v<br>2                                          | RoleBinding | hand-made |           |
| ServiceAccount<br>envoy-gateway<br>-system/envoy-<br>gateway                  | envoy-gateway<br>-system | Role/eg-gatewa<br>y-helm-infra-m<br>anager                                               | eg-gateway-hel<br>m-infra-manag<br>er                                           | RoleBinding | hand-made |           |
| ServiceAccount<br>envoy-gateway<br>-system/envoy-<br>gateway                  | envoy-gateway<br>-system | Role/eg-gatewa<br>y-helm-leader-<br>election-role                                        | eg-gateway-hel<br>m-leader-electi<br>on-rolebinding                             | RoleBinding | hand-made |           |
| ServiceAccount<br>kcs-ipsec/ipsec-<br>cert-sync                               | kcs-ipsec                | Role/ipsec-cert-<br>sync-recreate-p<br>od                                                | ipsec-cert-sync-<br>recreate-pod                                                | RoleBinding | hand-made |           |
| ServiceAccount<br>kcs-ipsec/ipsec-<br>cert-sync                               | kcs-ipsec                | ClusterRole/sys<br>tem:openshift:s<br>cc:privileged                                      | system:openshi<br>ft:sc:privilege<br>d                                          | RoleBinding | hand-made |           |
| ServiceAccount<br>keycloak/rhbk-<br>operator                                  | keycloak                 | Role/rhbk-oper<br>ator.v26.6.7-op<br>-6h4118vp0coc<br>1TCSCHZ4djWf<br>3U3y04OXoRU<br>RIW | rhbk-operator.v<br>26.6.7-op-6h41<br>18vp0coc1TCS<br>CHZ4djWf3U3y<br>04OXoRURIW | RoleBinding | hand-made |           |
| ServiceAccount<br>keycloak/rhbk-<br>operator                                  | keycloak                 | Role/rhbk-oper<br>ator.v26.6.7-op<br>r.1                                                 | rhbk-operator.v<br>26.6.7-opr.1                                                 | RoleBinding | hand-made |           |
| ServiceAccount<br>metallb-system<br>/controller                               | kube-system              | Role/extension-<br>apiserver-auth<br>entication-reade<br>r                               | metallb-operat<br>or-webhook-ser<br>ver-service-aut<br>h-reader                 | RoleBinding | hand-made |           |
| ServiceAccount<br>metallb-system<br>/manager-acco<br>unt                      | kube-system              | Role/extension-<br>apiserver-auth<br>entication-reade<br>r                               | metallb-operat<br>or-controller-m<br>anager-service-<br>auth-reader             | RoleBinding | hand-made |           |
| ServiceAccount<br>mongodb-poc/<br>mongodb-kube<br>rnetes-operator             | kube-system              | Role/extension-<br>apiserver-auth<br>entication-reade<br>r                               | mongodb-kube<br>rnetes-operator<br>-service-auth-r<br>eader                     | RoleBinding | hand-made |           |
| ServiceAccount<br>ldap-testing/op<br>enldap-server                            | ldap-testing             | ClusterRole/sys<br>tem:openshift:s<br>cc:privileged                                      | ldap-privileged-<br>binding                                                     | RoleBinding | hand-made |           |
| user asmith                                                                   | legacy-paymen<br>ts      | ClusterRole/ad<br>min                                                                    | asmith-admin                                                                    | RoleBinding | hand-made |           |
| user bwilliams                                                                | legacy-paymen<br>ts      | ClusterRole/ad<br>min                                                                    | bwilliams-admi<br>n                                                             | RoleBinding | hand-made |           |
| user jdoe                                                                     | legacy-paymen<br>ts      | ClusterRole/ad<br>min                                                                    | jdoe-admin                                                                      | RoleBinding | hand-made |           |
| user jdoe                                                                     | legacy-reportin<br>g     | ClusterRole/edi<br>t                                                                     | jdoe-edit                                                                       | RoleBinding | hand-made |           |
| user<br>tmp-contractor-<br>9931                                               | legacy-reportin<br>g     | ClusterRole/edi<br>t                                                                     | tmp-contractor-<br>9931-edit                                                    | RoleBinding | hand-made |           |

| subject                                             | scope          | role                                                                 | binding                                                         | kind        | source    | exception |
|-----------------------------------------------------|----------------|----------------------------------------------------------------------|-----------------------------------------------------------------|-------------|-----------|-----------|
| ServiceAccount metallb-system/controller            | metallb-system | Role/metallb-operator-webhook-server-service-cert                    | metallb-operator-webhook-server-service-cert                    | RoleBinding | hand-made |           |
| ServiceAccount metallb-system/controller            | metallb-system | Role/metallb-operator.v4.22.0--lrffuRYVDKR9krSZ5NZ9gMJ5AyUYShhy9sQQ  | metallb-operator.v4.22.0--lrffuRYVDKR9krSZ5NZ9gMJ5AyUYShhy9sQQ  | RoleBinding | hand-made |           |
| ServiceAccount metallb-system/controller            | metallb-system | Role/metallb-operator.v4.22.0-202609221726                           | metallb-operator.v4.22.0-202609221726                           | RoleBinding | hand-made |           |
| ServiceAccount metallb-system/frr-k8s-daemon        | metallb-system | Role/metallb-operator.v4.22.0-202609221726                           | metallb-operator.v4.22.0-202609221726                           | RoleBinding | hand-made |           |
| ServiceAccount metallb-system/frr-k8s-daemon        | metallb-system | Role/metallb-operator.v4.22.0-7p3lRyVJ7grlf3g4e540oihJcWt3cMlrd5iHLH | metallb-operator.v4.22.0-7p3lRyVJ7grlf3g4e540oihJcWt3cMlrd5iHLH | RoleBinding | hand-made |           |
| ServiceAccount metallb-system/manager-account       | metallb-system | Role/metallb-manager-role                                            | metallb-manager-rolebinding                                     | RoleBinding | hand-made |           |
| ServiceAccount metallb-system/manager-account       | metallb-system | Role/metallb-operator-controller-manager-service-cert                | metallb-operator-controller-manager-service-cert                | RoleBinding | hand-made |           |
| ServiceAccount metallb-system/manager-account       | metallb-system | Role/metallb-operator.v4.22.0-202609221726                           | metallb-operator.v4.22.0-202609221726                           | RoleBinding | hand-made |           |
| ServiceAccount metallb-system/manager-account       | metallb-system | Role/metallb-operator.v4.22.0-cB9wpry7QGdH50BN9z7VsLHojMbPZyLbH8pl3t | metallb-operator.v4.22.0-cB9wpry7QGdH50BN9z7VsLHojMbPZyLbH8pl3t | RoleBinding | hand-made |           |
| ServiceAccount metallb-system/speaker               | metallb-system | Role/metallb-operator.v4.22.0-202609221726                           | metallb-operator.v4.22.0-202609221726                           | RoleBinding | hand-made |           |
| ServiceAccount metallb-system/speaker               | metallb-system | Role/metallb-operator.v4.22.0-6GOVAzLvXDq19yKlzdFA6H24tvTDkoqnxoMD8  | metallb-operator.v4.22.0-6GOVAzLvXDq19yKlzdFA6H24tvTDkoqnxoMD8  | RoleBinding | hand-made |           |
| ServiceAccount modernize-demo/keda-metrics-reader   | modernize-demo | Role/keda-tenancy-read                                               | keda-tenancy-read                                               | RoleBinding | hand-made |           |
| ServiceAccount mongodb-poc/mongodb-kubernetes-appdb | mongodb-poc    | Role/mongodb-kubernetes-appdb                                        | mongodb-kubernetes-appdb                                        | RoleBinding | hand-made |           |



| subject                                                           | scope                                   | role                                                                                     | binding                                                                             | kind        | source    | exception |
|-------------------------------------------------------------------|-----------------------------------------|------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------|-----------|-----------|
| ServiceAccount<br>mongodb-poc/<br>mongodb-kube<br>rnetes-operator | mongodb-poc                             | Role/mongodb-<br>kubernetes-ope<br>rator-service-ce<br>rt                                | mongodb-kube<br>rnetes-operator<br>-service-cert                                    | RoleBinding | hand-made |           |
| ServiceAccount<br>mongodb-poc/<br>mongodb-kube<br>rnetes-operator | mongodb-poc                             | Role/mongodb-<br>kubernetes.v1.<br>13-aBEWZyFYf<br>Q1uMiUyCvFoL<br>L7N3JwOeuXRj<br>qTmlr | mongodb-kube<br>rnetes.v1.13-a<br>BEWZyFYfQ1u<br>MiUyCvFoLL7N<br>3JwOeuXRjqTm<br>lr | RoleBinding | hand-made |           |
| ServiceAccount<br>mongodb-poc/<br>mongodb-kube<br>rnetes-operator | mongodb-poc                             | Role/mongodb-<br>kubernetes.v1.<br>13.0                                                  | mongodb-kube<br>rnetes.v1.13.0                                                      | RoleBinding | hand-made |           |
| ServiceAccount<br>nfs-server/nfs-s<br>erver                       | nfs-server                              | ClusterRole/sys<br>tem:openshift:s<br>cc:privileged                                      | nfs-server-privi<br>leged-scc                                                       | RoleBinding | hand-made |           |
| user developer                                                    | openshift-cons<br>ole-user-setting<br>s | Role/user-settin<br>gs-d46d9fe1-4a<br>fd-4a55-a736-0<br>e40940110e5-r<br>ole             | user-settings-d<br>46d9fe1-4afd-4<br>a55-a736-0e40<br>940110e5-role<br>binding      | RoleBinding | hand-made |           |
| user jane.smith                                                   | openshift-cons<br>ole-user-setting<br>s | Role/user-settin<br>gs-27fcd795-b6<br>9c-4f77-87a9-8<br>8ad0c46e66a-r<br>ole             | user-settings-2<br>7fcd795-b69c-4<br>f77-87a9-88ad<br>0c46e66a-roleb<br>inding      | RoleBinding | hand-made |           |
| ServiceAccount<br>monitoring/pro<br>metheus-k8s                   | openshift-nmst<br>ate                   | Role/nmstate-<br>monitor                                                                 | nmstate-monit<br>or                                                                 | RoleBinding | hand-made |           |

## Acknowledged exceptions

### Bindings carrying rbac.ocp.io/unmanaged-exception

none

An exception suppresses the unmanaged finding; it is listed so a reviewer can re-judge it.

## Direct user grants

### Bindings naming a person

| user                | scope                           | role                                                         | binding                                                        | kind               |
|---------------------|---------------------------------|--------------------------------------------------------------|----------------------------------------------------------------|--------------------|
| jdoe                | (cluster-scoped)                | ClusterRole/edit                                             | jdoe-edit                                                      | ClusterRoleBinding |
| dana.lee            | (cluster-scoped)                | ClusterRole/cluster-reader                                   | cluster-reader                                                 | ClusterRoleBinding |
| asmith              | legacy-payments                 | ClusterRole/admin                                            | asmith-admin                                                   | RoleBinding        |
| bwilliams           | legacy-payments                 | ClusterRole/admin                                            | bwilliams-admin                                                | RoleBinding        |
| jdoe                | legacy-payments                 | ClusterRole/admin                                            | jdoe-admin                                                     | RoleBinding        |
| jdoe                | legacy-reporting                | ClusterRole/edit                                             | jdoe-edit                                                      | RoleBinding        |
| tmp-contractor-9931 | legacy-reporting                | ClusterRole/edit                                             | tmp-contractor-9931-edit                                       | RoleBinding        |
| developer           | openshift-console-user-settings | Role/user-settings-d46d9fe1-4afd-4a55-a736-0e40940110e5-role | user-settings-d46d9fe1-4afd-4a55-a736-0e40940110e5-rolebinding | RoleBinding        |
| jane.smith          | openshift-console-user-settings | Role/user-settings-27fcd795-b69c-4f77-87a9-88ad0c46e66a-role | user-settings-27fcd795-b69c-4f77-87a9-88ad0c46e66a-rolebinding | RoleBinding        |

24 platform identity binding(s) (system:\*, kube-apiserver, node identities) are excluded from this table and counted here, so the exclusion is visible.

### Acknowledged by the operator

| user                     | scope               | role                                                  | binding                                          | config-source            | exception |
|--------------------------|---------------------|-------------------------------------------------------|--------------------------------------------------|--------------------------|-----------|
| ocp-oauth-bind-serviceid | (cluster-scoped)    | ClusterRole/group-sync-dashboard-cluster-poller       | group-sync-dashboard-cluster-poller              | group-sync-operator-helm |           |
| ocp-oauth-bind-serviceid | group-sync-operator | Role/group-sync-dashboard-cluster-poller-token-reader | group-sync-dashboard-cluster-poller-token-reader | group-sync-operator-helm |           |

2 direct grant(s) whose binding carries rbac.ocp.io/config-source or the rbac.ocp.io/unmanaged-exception annotation: excluded from the table above, as from the dashboard's worklist and alert, and listed here so a reviewer can re-judge each one.