

# Elements of Programming Interviews

*The Insiders' Guide*

Adnan Aziz

Tsung-Hsien Lee

Amit Prakash

This document is a sampling of our book, Elements of Programming Interviews (EPI). Its purpose is to provide examples of EPI's organization, content, style, topics, and quality. The sampler focuses solely on problems; in particular, it does not include three chapters on the nontechnical aspects of interviewing. We'd love to hear from you—we're especially interested in your suggestions as to where the exposition can be improved, as well as any insights into interviewing trends you may have.

You can buy EPI at [Amazon.com](https://www.amazon.com/dp/0132035693) (paperback) and [Google Play](https://play.google.com/store/books/details?id=9780132035693) (Ebook).

<http://ElementsOfProgrammingInterviews.com>

**Adnan Aziz** is a professor at the Department of Electrical and Computer Engineering at The University of Texas at Austin, where he conducts research and teaches classes in applied algorithms. He received his Ph.D. from The University of California at Berkeley; his undergraduate degree is from Indian Institutes of Technology Kanpur. He has worked at Google, Qualcomm, IBM, and several software startups. When not designing algorithms, he plays with his children, Laila, Imran, and Omar.

**Tsung-Hsien Lee** is a Software Engineer at Google. Previously, he worked as a Software Engineer Intern at Facebook. He received both his M.S. and undergraduate degrees from National Tsing Hua University. He has a passion for designing and implementing algorithms. He likes to apply algorithms to every aspect of his life. He takes special pride in helping to organize Google Code Jam 2014 and 2015.

**Amit Prakash** is a co-founder and CTO of ThoughtSpot, a Silicon Valley startup. Previously, he was a Member of the Technical Staff at Google, where he worked primarily on machine learning problems that arise in the context of online advertising. Before that he worked at Microsoft in the web search team. He received his Ph.D. from The University of Texas at Austin; his undergraduate degree is from Indian Institutes of Technology Kanpur. When he is not improving business intelligence, he indulges in his passion for puzzles, movies, travel, and adventures with Nidhi and Aanya.

## **Elements of Programming Interviews: The Insiders' Guide**

by Adnan Aziz, Tsung-Hsien Lee, and Amit Prakash

Copyright © 2015 Adnan Aziz, Tsung-Hsien Lee, and Amit Prakash. All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form, or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior consent of the authors.

The views and opinions expressed in this work are those of the authors and do not necessarily reflect the official policy or position of their employers.

We typeset this book using  $\text{\LaTeX}$  and the Memoir class. We used TikZ to draw figures. Allan Ytac created the cover, based on a design brief we provided.

The companion website for the book includes contact information and a list of known errors for each version of the book. If you come across an error or an improvement, please let us know.

Version 1.5.3

Website: <http://elementsofprogramminginterviews.com>

Distributed under the Attribution-NonCommercial-NoDerivs 3.0 License



---

# Table of Contents

<b>I</b>	<b>Problems</b>	<b>1</b>
<b>1</b>	<b>Primitive Types</b>	<b>2</b>
1.1	Computing the parity of a word . . . . .	2
<b>2</b>	<b>Arrays</b>	<b>5</b>
2.1	The Dutch national flag problem . . . . .	5
<b>3</b>	<b>Strings</b>	<b>9</b>
3.1	Interconvert strings and integers . . . . .	9
3.2	Base conversion . . . . .	10
<b>4</b>	<b>Linked Lists</b>	<b>13</b>
4.1	Test for cyclicity . . . . .	14
<b>5</b>	<b>Stacks and Queues</b>	<b>16</b>
5.1	Implement a stack with max API . . . . .	16
5.2	Compute binary tree nodes in order of increasing depth . . . . .	20
<b>6</b>	<b>Binary Trees</b>	<b>22</b>
6.1	Test if a binary tree is balanced . . . . .	24
<b>7</b>	<b>Heaps</b>	<b>26</b>
7.1	Merge sorted files . . . . .	26
<b>8</b>	<b>Searching</b>	<b>30</b>
8.1	Search a sorted array for first occurrence of $k$ . . . . .	32
<b>9</b>	<b>Hash Tables</b>	<b>34</b>
9.1	Is an anonymous letter constructible? . . . . .	35
<b>10</b>	<b>Sorting</b>	<b>37</b>
10.1	Compute the intersection of two sorted arrays . . . . .	38
10.2	Render a calendar . . . . .	40

<b>11 Binary Search Trees</b>	<b>42</b>
11.1 Test if a binary tree satisfies the BST property . . . . .	42
<b>12 Recursion</b>	<b>46</b>
12.1 Generate the power set . . . . .	46
<b>13 Dynamic Programming</b>	<b>49</b>
13.1 Count the number of ways to traverse a 2D array . . . . .	51
<b>14 Greedy Algorithms and Invariants</b>	<b>54</b>
14.1 The 3-sum problem . . . . .	54
<b>15 Graphs</b>	<b>57</b>
15.1 Paint a Boolean matrix . . . . .	60
<b>16 Parallel Computing</b>	<b>63</b>
16.1 Implement a Timer class . . . . .	64
<b>17 Design Problems</b>	<b>66</b>
17.1 Design a system for detecting copyright infringement . . . . .	67
<b>18 Honors Class</b>	<b>69</b>
18.1 Compute the greatest common divisor 🧐 . . . . .	69
18.2 Compute the maximum product of all entries but one 🧐 . . . . .	71
 <b>II Notation, Language, and Index</b>	 <b>74</b>
 Notation	 75
 Index of Terms	 77

Part I

Problems

# Primitive Types

*Representation is the essence of programming.*

— “*The Mythical Man Month*,”

F. P. BROOKS, 1975

A program updates variables in memory according to its instructions. Variables come in types—a type is a classification of data that spells out possible values for that type and the operations that can be performed on it.

A type can be provided by the language or defined by the programmer. Many languages provide types for Boolean, integer, character and floating point data. Often, there are multiple integer and floating point types, depending on signedness and precision. The width of these types is the number of bits of storage a corresponding variable takes in memory. For example, most implementations of C++ use 32 or 64 bits for an `int`. In Java an `int` is always 32 bits.

## 1.1 COMPUTING THE PARITY OF A WORD

The parity of a binary word is 1 if the number of 1s in the word is odd; otherwise, it is 0. For example, the parity of 1011 is 1, and the parity of 10001000 is 0. Parity checks are used to detect single bit errors in data storage and communication. It is fairly straightforward to write code that computes the parity of a single 64-bit word.

How would you compute the parity of a very large number of 64-bit words?

*Hint:* Use a lookup table, but don’t use  $2^{64}$  entries!

**Solution:** The brute-force algorithm iteratively tests the value of each bit while tracking the number of 1s seen so far. Since we only care if the number of 1s is even or odd, we can store the number modulo 2.

```
public static short parity(long x) {
    short result = 0;
    while (x != 0) {
        result += (x & 1);
        x >>= 1;
    }
    return (short) (result % 2);
}
```

The time complexity is  $O(n)$ , where  $n$  is the word size.

On Page ?? we showed how to erase the lowest set bit in a word in a single operation. This can be used to improve performance in the best- and average-cases.

---

```

public static short parity(long x) {
    short result = 0;
    while (x != 0) {
        result ^= 1;
        x &= (x - 1); // Drops the lowest set bit of x.
    }
    return result;
}

```

---

Let  $k$  be the number of bits set to 1 in a particular word. (For example, for 10001010,  $k = 3$ .) Then time complexity of the algorithm above is  $O(k)$ .

The problem statement refers to computing the parity for a very large number of words. When you have to perform a large number of parity computations, and, more generally, any kind of bit fiddling computations, two keys to performance are processing multiple bits at a time and caching results in an array-based lookup table.

First we demonstrate caching. Clearly, we cannot cache the parity of every 64-bit integer. However, when computing the parity of a collection of bits, it does not matter how we group those bits, i.e., the computation is associative. It is feasible to cache the parity of all possible 16-bit words using an array; its length is  $2^{16} = 65536$ . Therefore, we can compute the parity of a 64-bit integer by grouping its bits into four nonoverlapping 16 bit words, computing the parity of each subgroup, and then computing the parity of these four subresults.

We illustrate the approach with a lookup table for 2-bit words. The cache is  $\langle 0, 1, 1, 0 \rangle$ —these are the parities of (00), (01), (10), (11), respectively. To compute the parity of (11001010) we would compute the parities of (11), (00), (10), (10). By table lookup we see these are 0, 0, 1, 1, respectively, so the final result is the parity of 0, 0, 1, 1 which is 0.

To lookup the parity of the first two bits in (11101010), we right shift by 6, to get (00000011), and use this as an index into the cache. To lookup the parity of the next two bits, i.e., (10), we right shift by 4, to get (10) in the two least-significant bit places. The right shift does not remove the leading (11)—it results in (00001110). We cannot index the cache with this, it leads to an out-of-bounds access. To get the last two bits after the right shift by 4, we bitwise-AND (00001110) with (00000011) (this is the “mask” used to extract the last 2 bits). The result is (00000010). Similar masking is needed for the two other 2-bit lookups.

---

```

public static short parity(long x) {
    final int WORD_SIZE = 16;
    final int BIT_MASK = 0xFFFF;
    return (short)(precomputedParity[(int)((x >>> (3 * WORD_SIZE)) & BIT_MASK)] ^
        precomputedParity[(int)((x >>> (2 * WORD_SIZE)) & BIT_MASK)] ^
        precomputedParity[(int)((x >>> WORD_SIZE) & BIT_MASK)] ^
        precomputedParity[(int)(x & BIT_MASK)]);
}

```

---

The time complexity is a function of the size of the keys used to index the lookup table. Let  $L$  be the width of the words for which we cache the results, and  $n$  the word size. Since there are  $n/L$  terms, the time complexity is  $O(n/L)$ , assuming word-

level operations, such as shifting, take  $O(1)$  time. (This does not include the time for initialization of the lookup table.)

The XOR of two bits is 0 if both bits are 0 or both bits are 1; otherwise it is 1. XOR has the property of being associative (as previously described), as well as commutative, i.e., the order in which we perform the XORs does not change the result. The XOR of a group of bits is its parity. We can exploit this fact to use the CPU's word-level XOR instruction to process multiple bits at a time.

For example, the parity of  $\langle b_{63}, b_{62}, \dots, b_3, b_2, b_1, b_0 \rangle$  equals the parity of the XOR of  $\langle b_{63}, b_{62}, \dots, b_{32} \rangle$  and  $\langle b_{31}, b_{30}, \dots, b_0 \rangle$ . The XOR of these two 32-bit values can be computed with a single shift and a single 32-bit XOR instruction. We repeat the same operation on 32-, 16-, 8-, 4-, 2-, and 1-bit operands to get the final result. Note that the leading bits are not meaningful, and we have to explicitly extract the result from the least-significant bit.

We illustrate the approach with an 8-bit word. The parity of (11010111) is the same as the parity of (1101) XORed with (0111), i.e., of (1010). This in turn is the same as the parity of (10) XORed with (10), i.e., of (00). The final result is the XOR of (0) with (0), i.e., 0. Note that the first XOR yields (11011010), and only the last 4 bits are relevant going forward. The second XOR yields (11101100), and only the last 2 bits are relevant. The third XOR yields (10011010). The last bit is the result, and to extract it we have to bitwise-AND with (00000001).

---

```
public static short parity(long x) {
    x ^= x >>> 32;
    x ^= x >>> 16;
    x ^= x >>> 8;
    x ^= x >>> 4;
    x ^= x >>> 2;
    x ^= x >>> 1;
    return (short)(x & 0x1);
}
```

---

The time complexity is  $O(\log n)$ , where  $n$  is the word size.

Note that we could have combined caching with word-level operations, e.g., by doing a lookup once we get to 16 bits.



## Arrays

*The machine can alter the scanned symbol and its behavior is in part determined by that symbol, but the symbols on the tape elsewhere do not affect the behavior of the machine.*

— “Intelligent Machinery,”  
A. M. TURING, 1948


The simplest data structure is the *array*, which is a contiguous block of memory. It is usually used to represent sequences. Given an array  $A$ ,  $A[i]$  denotes the  $(i + 1)$ th object stored in the array. Retrieving and updating  $A[i]$  takes  $O(1)$  time. Insertion into a full array can be handled by resizing, i.e., allocating a new array with additional memory and copying over the entries from the original array. This increases the worst-case time of insertion, but if the new array has, for example, a constant factor larger than the original array, the average time for insertion is constant since resizing is infrequent. Deleting an element from an array entails moving all successive elements one over to the left to fill the vacated space. For example, if the array is  $\langle 2, 3, 5, 7, 9, 11, 13, 17 \rangle$ , then deleting the element at index 4 results in the array  $\langle 2, 3, 5, 7, 11, 13, 17, 0 \rangle$ . (We do not care about the last value.) The time complexity to delete the element at index  $i$  from an array of length  $n$  is  $O(n - i)$ .

### 2.1 THE DUTCH NATIONAL FLAG PROBLEM

The quicksort algorithm for sorting arrays proceeds recursively—it selects an element (the “pivot”), reorders the array to make all the elements less than or equal to the pivot appear first, followed by all the elements greater than the pivot. The two subarrays are then sorted recursively.

Implemented naively, quicksort has large run times and deep function call stacks on arrays with many duplicates because the subarrays may differ greatly in size. One solution is to reorder the array so that all elements less than the pivot appear first, followed by elements equal to the pivot, followed by elements greater than the pivot. This is known as Dutch national flag partitioning, because the Dutch national flag consists of three horizontal bands, each in a different color.

As an example, assuming that black precedes white and white precedes gray, Figure 2.1(b) on the following page is a valid partitioning for Figure 2.1(a) on the next page. If gray precedes black and black precedes white, Figure 2.1(c) on the following page is a valid partitioning for Figure 2.1(a) on the next page.



**Figure 2.1:** Illustrating the Dutch national flag problem.

Write a program that takes an array  $A$  and an index  $i$  into  $A$ , and rearranges the elements such that all elements less than  $A[i]$  (the “pivot”) appear first, followed by elements equal to the pivot, followed by elements greater than the pivot.

*Hint:* Think about the partition step in quicksort.

**Solution:** The problem is trivial to solve with  $O(n)$  additional space, where  $n$  is the length of  $A$ . We form three lists, namely, elements less than the pivot, elements equal to the pivot, and elements greater than the pivot. Consequently, we write these values into  $A$ . The time complexity is  $O(n)$ .

We can avoid using  $O(n)$  additional space at the cost of increased time complexity as follows. In the first stage, we iterate through  $A$  starting from index 0, then index 1, etc. In each iteration, we seek an element smaller than the pivot—as soon as we find it, we move it to the subarray of smaller elements via an exchange. This moves all the elements less than the pivot to the start of the array. The second stage is similar to the first one, the difference being that we move elements greater than the pivot to the end of the array. Code illustrating this approach is shown below.

---

```
public static void dutchFlagPartition(int pivotIndex, List<Integer> A) {
    int pivot = A.get(pivotIndex);
    // First pass: group elements smaller than pivot.
    for (int i = 0; i < A.size(); ++i) {
        // Look for a smaller element.
        for (int j = i + 1; j < A.size(); ++j) {
            if (A.get(j) < pivot) {
                Collections.swap(A, i, j);
                break;
            }
        }
    }
    // Second pass: group elements larger than pivot.
    for (int i = A.size() - 1; i >= 0 && A.get(i) >= pivot; --i) {
        // Look for a larger element. Stop when we reach an element less
        // than pivot, since first pass has moved them to the start of A.
        for (int j = i - 1; j >= 0 && A.get(j) >= pivot; --j) {
            if (A.get(j) > pivot) {
                Collections.swap(A, i, j);
                break;
            }
        }
    }
}
```

```

    }
}
}

```

The additional space complexity is now  $O(1)$ , but the time complexity is  $O(n^2)$ , e.g., if  $i = n/2$  and all elements before  $i$  are greater than  $A[i]$ , and all elements after  $i$  are less than  $A[i]$ . Intuitively, this approach has bad time complexity because in the first pass when searching for each additional element smaller than the pivot we start from the beginning. However, there is no reason to start from so far back—we can begin from the last location we advanced to. (Similar comments hold for the second pass.)

To improve time complexity, we make a single pass and move all the elements less than the pivot to the beginning. In the second pass we move the larger elements to the end. It is easy to perform each pass in a single iteration, moving out-of-place elements as soon as they are discovered.

```

public static void dutchFlagPartition(int pivotIndex, List<Integer> A) {
    int pivot = A.get(pivotIndex);
    // First pass: group elements smaller than pivot.
    int smaller = 0;
    for (int i = 0; i < A.size(); ++i) {
        if (A.get(i) < pivot) {
            Collections.swap(A, smaller++, i);
        }
    }
    // Second pass: group elements larger than pivot.
    int larger = A.size() - 1;
    for (int i = A.size() - 1; i >= 0 && A.get(i) >= pivot; --i) {
        if (A.get(i) > pivot) {
            Collections.swap(A, larger--, i);
        }
    }
}
}

```

The time complexity is  $O(n)$  and the space complexity is  $O(1)$ .

The algorithm we now present is similar to the one sketched above. The main difference is that it performs classification into elements less than, equal to, and greater than the pivot in a single pass. This reduces runtime, at the cost of a trickier implementation. We do this by maintaining four subarrays: *bottom* (elements less than pivot), *middle* (elements equal to pivot), *unclassified*, and *top* (elements greater than pivot). Initially, all elements are in *unclassified*. We iterate through elements in *unclassified*, and move elements into one of *bottom*, *middle*, and *top* groups according to the relative order between the incoming unclassified element and the pivot.

As a concrete example, suppose the array is currently  $A = \langle -3, 0, -1, 1, 1, ?, ?, 4, 2 \rangle$ , where the pivot is 1 and ? denotes unclassified elements. There are three possibilities for the first unclassified element,  $A[5]$ .

- $A[5]$  is less than the pivot, e.g.,  $A[5] = -5$ . We exchange it with the first 1, i.e., the new array is  $\langle -3, 0, -1, -5, 1, 1, ?, ?, 4, 2 \rangle$ .
- $A[5]$  is equal to the pivot, i.e.,  $A[5] = 1$ . We do not need to move it, we just advance to the next unclassified element, i.e., the array is  $\langle -3, 0, -1, 1, 1, 1, ?, ?, 4, 2 \rangle$ .

- $A[5]$  is greater than the pivot, e.g.,  $A[5] = 3$ . We exchange it with the last unclassified element, i.e., the new array is  $\langle -3, 0, -1, 1, 1, ?, ?, 3, 4, 2 \rangle$ .

Note how the number of unclassified elements reduces by one in each case.

---

```
public static void dutchFlagPartition(int pivotIndex, List<Integer> A) {
    int pivot = A.get(pivotIndex);

    /**
     * Keep the following invariants during partitioning:
     * bottom group: A.subList(0 : smaller).
     * middle group: A.subList(smaller : equal).
     * unclassified group: A.subList(equal : larger + 1).
     * top group: A.subList(larger + 1, A.size()).
     */
    int smaller = 0, equal = 0, larger = A.size() - 1;
    // Keep iterating as long as there is an unclassified element.
    while (equal <= larger) {
        // A.get(equal) is the incoming unclassified element.
        if (A.get(equal) < pivot) {
            Collections.swap(A, smaller++, equal++);
        } else if (A.get(equal) == pivot) {
            ++equal;
        } else { // A.get(equal) > pivot.
            Collections.swap(A, equal, larger--);
        }
    }
}
```

---

Each iteration decreases the size of *unclassified* by 1, and the time spent within each iteration is  $O(1)$ , implying the time complexity is  $O(n)$ . The space complexity is clearly  $O(1)$ .

**Variant:** Assuming that keys take one of three values, reorder the array so that all objects with the same key appear together. The order of the subarrays is not important. For example, both Figures 2.1(b) and 2.1(c) on Page 6 are valid answers for Figure 2.1(a) on Page 6. Use  $O(1)$  additional space and  $O(n)$  time.

**Variant:** Given an array  $A$  of  $n$  objects with keys that takes one of four values, reorder the array so that all objects that have the same key appear together. Use  $O(1)$  additional space and  $O(n)$  time.

**Variant:** Given an array  $A$  of  $n$  objects with Boolean-valued keys, reorder the array so that objects that have the key `false` appear first. Use  $O(1)$  additional space and  $O(n)$  time.

**Variant:** Given an array  $A$  of  $n$  objects with Boolean-valued keys, reorder the array so that objects that have the key `false` appear first. The relative ordering of objects with key `true` should not change. Use  $O(1)$  additional space and  $O(n)$  time.

## Strings

*String pattern matching is an important problem that occurs in many areas of science and information processing. In computing, it occurs naturally as part of data processing, text editing, term rewriting, lexical analysis, and information retrieval.*

---

— “Algorithms For Finding Patterns in Strings,”  
A. V. AHO, 1990

Strings are ubiquitous in programming today—scripting, web development, and bioinformatics all make extensive use of strings. You should know how strings are represented in memory, and understand basic operations on strings such as comparison, copying, joining, splitting, matching, etc. We now present problems on strings which can be solved using elementary techniques. Advanced string processing algorithms often use hash tables (Chapter 9) and dynamic programming (Page 49).

### 3.1 INTERCONVERT STRINGS AND INTEGERS

A string is a sequence of characters. A string may encode an integer, e.g., “123” encodes 123. In this problem, you are to implement methods that take a string representing an integer and return the corresponding integer, and vice versa. Your code should handle negative integers. You cannot use library functions like `stoi` in C++ and `parseInt` in Java.

Implement string/integer inter-conversion functions.

*Hint:* Build the result one digit at a time.

**Solution:** Let’s consider the integer to string problem first. If the number to convert is a single digit, i.e., it is between 0 and 9, the result is easy to compute: it is the string consisting of the single character encoding that digit.

If the number has more than one digit, it is natural to perform the conversion digit-by-digit. The key insight is that for any positive integer  $x$ , the least significant digit in the decimal representation of  $x$  is  $x \bmod 10$ , and the remaining digits are  $x/10$ . This approach computes the digits in reverse order, e.g., if we begin with 423, we get 3 and are left with 42 to convert. Then we get 2, and are left with 4 to convert. Finally, we get 4 and there are no digits to convert. There are multiple ways in which we can form a string from the reverse order of the digits, but a particularly simple and memory-efficient way is to add the digits to the end of a string, and eventually reverse it.

If  $x$  is negative, we record that, negate  $x$ , and then add a '-' before reversing. If  $x$  is 0, our code breaks out of the iteration without writing any digits, in which case we need to explicitly set a 0.

To convert from a string to an integer we recall the basic working of a positional number system. A base-10 number  $d_2d_1d_0$  encodes the number  $10^2 \times d_2 + 10^1 \times d_1 + d_0$ . A brute-force algorithm then is to begin with the rightmost digit, and iteratively add  $10^i \times d_i$  to a cumulative sum. The efficient way to compute  $10^{i+1}$  is to use the existing value  $10^i$  and multiply that by 10.

A more elegant solution is to begin from the leftmost digit and with each succeeding digit, multiply the partial result by 10 and add that digit. For example, to convert "314" to an integer, we initial the partial result  $r$  to 0. In the first iteration,  $r = 3$ , in the second iteration  $r = 3 \times 10 + 1 = 31$ , and in the third iteration  $r = 31 \times 10 + 4 = 314$ , which is the final result.

Negative numbers are handled by recording the sign and negating the result.

---

```
public static String intToString(int x) {
    boolean isNegative = false;
    if (x < 0) {
        x = -x;
        isNegative = true;
    }

    StringBuilder s = new StringBuilder();
    do {
        s.append((char)('0' + x % 10));
        x /= 10;
    } while (x != 0);

    if (isNegative) {
        s.append('-'); // Adds the negative sign back.
    }
    s.reverse();
    return s.toString();
}

public static int stringToInt(String s) {
    boolean isNegative = s.charAt(0) == '-';
    int result = 0;
    for (int i = s.charAt(0) == '-' ? 1 : 0; i < s.length(); ++i) {
        int digit = s.charAt(i) - '0';
        result = result * 10 + digit;
    }
    return isNegative ? -result : result;
}
```

---

### 3.2 BASE CONVERSION

In the decimal number system, the position of a digit is used to signify the power of 10 that digit is to be multiplied with. For example, "314" denotes the number  $3 \times 100 + 1 \times 10 + 4 \times 1$ . The base  $b$  number system generalizes the decimal number

system: the string " $a_{k-1}a_{k-2}\dots a_1a_0$ ", where  $0 \leq a_i < b$ , denotes in base- $b$  the integer  $a_0 \times b^0 + a_1 \times b^1 + a_2 \times b^2 + \dots + a_{k-1} \times b^{k-1}$ .

Write a program that performs base conversion. The input is a string, an integer  $b_1$ , and another integer  $b_2$ . The string represents be an integer in base  $b_1$ . The output should be the string representing the integer in base  $b_2$ . Assume  $2 \leq b_1, b_2 \leq 16$ . Use "A" to represent 10, "B" for 11, ..., and "F" for 15. (For example, if the string is "615",  $b_1$  is 7 and  $b_2$  is 13, then the result should be "1A7", since  $6 \times 7^2 + 1 \times 7 + 5 = 1 \times 13^2 + 10 \times 13 + 7$ .)

*Hint:* What base can you easily convert to and from?

**Solution:** A brute-force approach might be to convert the input to a unary representation, and then group the 1s as multiples of  $b_2$ ,  $b_2^2$ ,  $b_2^3$ , etc. For example,  $(102)_3 = (111111111)_1$ . To convert to base 4, there are two groups of 4 and with three 1s remaining, so the result is  $(23)_4$ . This approach is hard to implement, and has terrible time and space complexity.

The insight to a good algorithm is the fact that all languages have an integer type, which supports arithmetical operations like multiply, add, divide, modulus, etc. These operations make the conversion much easier. Specifically, we can convert a string in base  $b_1$  to integer type using a sequence of multiply and adds. Then we convert that integer type to a string in base  $b_2$  using a sequence of modulus and division operations. For example, for the string "615",  $b_1 = 7$  and  $b_2 = 13$ , then the integer value, expressed in decimal, is 306. The least significant digit of the result is  $306 \bmod 13 = 7$ , and we continue with  $306/13 = 23$ . The next digit is  $23 \bmod 13 = 10$ , which we denote by 'A'. We continue with  $23/13 = 1$ . Since  $1 \bmod 13 = 1$  and  $1/13 = 0$ , the final digit is 1, and the overall result is "1A7".

---

```
public static String convertBase(String s, int b1, int b2) {
    boolean isNegative = s.startsWith("-");
    int x = 0;
    for (int i = (isNegative ? 1 : 0); i < s.length(); ++i) {
        x *= b1;
        x += Character.isDigit(s.charAt(i)) ? s.charAt(i) - '0'
            : s.charAt(i) - 'A' + 10;
    }

    StringBuilder result = new StringBuilder();
    do {
        int remainder = x % b2;
        result.append(
            (char)(remainder >= 10 ? 'A' + remainder - 10 : '0' + remainder));
        x /= b2;
    } while (x != 0);

    if (isNegative) { // s is a negative number.
        result.append('-');
    }
    result.reverse();
    return result.toString();
}
```

---

The time complexity is  $O(n(1 + \log_{b_2} b_1))$ , where  $n$  is the length of  $s$ . The reasoning is as follows. First, we perform  $n$  multiply-and-adds to get  $x$  from  $s$ . Then we perform  $\log_{b_2} x$  multiply and adds to get the result. The value  $x$  is upper-bounded by  $b_1^n$ , and  $\log_{b_2}(b_1^n) = n \log_{b_2} b_1$ .




# Linked Lists

The S-expressions are formed according to the following recursive rules.


1. The atomic symbols  $p_1, p_2$ , etc., are S-expressions.
2. A null expression  $\wedge$  is also admitted.
3. If  $e$  is an S-expression so is  $(e)$ .
4. If  $e_1$  and  $e_2$  are S-expressions so is  $(e_1, e_2)$ .

— “Recursive Functions Of Symbolic Expressions,”  
J. McCARHY, 1959

A *singly linked list* is a data structure that contains a sequence of nodes such that each node contains an object and a reference to the next node in the list. The first node is referred to as the *head* and the last node is referred to as the *tail*; the tail’s next field is a null reference. The structure of a singly linked list is given in Figure 4.1. There are many variants of linked lists, e.g., in a *doubly linked list*, each node has a link to its predecessor; similarly, a sentinel node or a self-loop can be used instead of null. The structure of a doubly linked list is given in Figure 4.2.



**Figure 4.1:** Example of a singly linked list. The number in hex below a node indicates the memory address of that node.



**Figure 4.2:** Example of a doubly linked list.

For all problems in this chapter, unless otherwise stated, each node has two entries—a data field, and a next field, which points to the next node in the list, with the next field of the last node being null. Its prototype is as follows:

```
class ListNode<T> {
    public T data;
    public ListNode<T> next;
}
```

## 4.1 TEST FOR CYCLICITY

Although a linked list is supposed to be a sequence of nodes ending in a null, it is possible to create a cycle in a linked list by making the `next` field of an element reference to one of the earlier nodes.

Given a reference to the head of a singly linked list, how would you determine whether the list ends in a null or reaches a cycle of nodes? Write a program that returns null if there does not exist a cycle, and the reference to the start of the cycle if a cycle is present. (You do not know the length of the list in advance.)

*Hint:* Consider using two iterators, one fast and one slow.

**Solution:** This problem has several solutions. If space is not an issue, the simplest approach is to explore nodes via the next field starting from the head and storing visited nodes in a hash table—a cycle exists if and only if we visit a node already in the hash table. If no cycle exists, the search ends at the tail (often represented by having the next field set to null). This solution requires  $O(n)$  space, where  $n$  is the number of nodes in the list.

A brute-force approach that does not use additional storage and does not modify the list is to traverse the list in two loops—the outer loop traverses the nodes one-by-one, and the inner loop starts from the head, and traverses as many nodes as the outer loop has gone through so far. If the node being visited by the outer loop is visited twice, a loop has been detected. (If the outer loop encounters the end of the list, no cycle exists.) This approach has  $O(n^2)$  time complexity.

This idea can be made to work in linear time—use a slow iterator and a fast iterator to traverse the list. In each iteration, advance the slow iterator by one and the fast iterator by two. The list has a cycle if and only if the two iterators meet. The reasoning is as follows: if the fast iterator jumps over the slow iterator, the slow iterator will equal the fast iterator in the next step.

Now, assuming that we have detected a cycle using the above method, we can find the start of the cycle, by first calculating the cycle length  $C$ . Once we know there is a cycle, and we have a node on it, it is trivial to compute the cycle length. To find the first node on the cycle, we use two iterators, one of which is  $C$  ahead of the other. We advance them in tandem, and when they meet, that node must be the first node on the cycle.

The code to do this traversal is quite simple:

---

```
public static ListNode<Integer> hasCycle(ListNode<Integer> head) {
    ListNode<Integer> fast = head, slow = head;

    while (fast != null && fast.next != null && fast.next.next != null) {
        slow = slow.next;
        fast = fast.next.next;
        if (slow == fast) {
            // There is a cycle, so now let's calculate the cycle length.
            int cycleLen = 0;
            do {
                ++cycleLen;
            } while (slow != slow.next);
            return slow.next;
        }
    }
    return null;
}
```

```

        fast = fast.next;
    } while (slow != fast);

    // Finds the start of the cycle.
    ListNode<Integer> cycleLenAdvancedIter = head;
    // cycleLenAdvancedIter pointer advances cycleLen first.
    while (cycleLen-- > 0) {
        cycleLenAdvancedIter = cycleLenAdvancedIter.next;
    }

    ListNode<Integer> iter = head;
    // Both iterators advance in tandem.
    while (iter != cycleLenAdvancedIter) {
        iter = iter.next;
        cycleLenAdvancedIter = cycleLenAdvancedIter.next;
    }
    return iter; // iter is the start of cycle.
}
}
return null; // no cycle.
}

```

---

Let  $F$  be the number of nodes to the start of the cycle,  $C$  the number of nodes on the cycle, and  $n$  the total number of nodes. Then the time complexity is  $O(F) + O(C) = O(n)$ — $O(F)$  for both pointers to reach the cycle, and  $O(C)$  for them to overlap once the slower one enters the cycle.

**Variant:** The following program purports to compute the beginning of the cycle without determining the length of the cycle; it has the benefit of being more succinct than the code listed above. Is the program correct?

```

public static ListNode<Integer> hasCycle(ListNode<Integer> head) {
    ListNode<Integer> fast = head, slow = head;

    while (fast != null && fast.next != null && fast.next.next != null) {
        slow = slow.next;
        fast = fast.next.next;
        if (slow == fast) { // There is a cycle.
            // Tries to find the start of the cycle.
            slow = head;
            // Both pointers advance at the same time.
            while (slow != fast) {
                slow = slow.next;
                fast = fast.next;
            }
            return slow; // slow is the start of cycle.
        }
    }
    return null; // No cycle.
}

```

---

# Stacks and Queues

Linear lists in which insertions, deletions, and accesses to values occur almost always at the first or the last node are very frequently encountered, and we give them special names . . .

— “The Art of Computer Programming, Volume 1,”  
D. E. KNUTH, 1997

## Stacks

A *stack* supports two basic operations—push and pop. Elements are added (pushed) and removed (popped) in last-in, first-out order, as shown in Figure 5.1. If the stack is empty, pop typically returns a null or throws an exception.

When the stack is implemented using a linked list these operations have  $O(1)$  time complexity. If it is implemented using an array, there is maximum number of entries it can have—push and pop are still  $O(1)$ . If the array is dynamically resized, the amortized time for both push and pop is  $O(1)$ . A stack can support additional operations such as peek (return the top of the stack without popping it).




Figure 5.1: Operations on a stack.

### 5.1 IMPLEMENT A STACK WITH MAX API

Design a stack that supports a max operation, which returns the maximum value stored in the stack.

*Hint:* Use additional storage to track the maximum value.

**Solution:** The simplest way to implement max() is to consider each element in the stack, e.g., by iterating through the underlying array for an array-based stack. The

time complexity is  $O(n)$  and the space complexity is  $O(1)$ , where  $n$  is the number of elements currently in the stack.

The time complexity can be reduced to  $O(\log n)$  using auxiliary data structures, specifically, a heap or a BST, and a hash table. The space complexity increases to  $O(n)$  and the code is quite complex.

Suppose we use a single auxiliary variable,  $M$ , to record the element that is maximum in the stack. Updating  $M$  on pushes is easy:  $M = \max(M, e)$ , where  $e$  is the element being pushed. However, updating  $M$  on pop is very time consuming. If  $M$  is the element being popped, we have no way of knowing what the maximum remaining element is, and are forced to consider all the remaining elements.

We can dramatically improve on the time complexity of popping by caching, in essence, trading time for space. Specifically, for each entry in the stack, we cache the maximum stored at or below that entry. Now when we pop, we evict the corresponding cached value.

---

```
private static class ElementWithCachedMax {
    public Integer element;
    public Integer max;

    public ElementWithCachedMax(Integer element, Integer max) {
        this.element = element;
        this.max = max;
    }
}

public static class Stack {
    // Stores (element, cached maximum) pair.
    private LinkedList<ElementWithCachedMax> elementWithCachedMax =
        new LinkedList<>();

    public boolean empty() { return elementWithCachedMax.isEmpty(); }

    public Integer max() {
        if (!empty()) {
            return elementWithCachedMax.peek().max;
        }
        throw new RuntimeException("max(): empty stack");
    }

    public Integer pop() {
        if (empty()) {
            throw new RuntimeException("pop(): empty stack");
        }
        return elementWithCachedMax.pop().element;
    }

    public void push(Integer x) {
        elementWithCachedMax.push(new ElementWithCachedMax(
            x, Collections.max(Arrays.asList(x, empty() ? x : max()))));
    }
}
```

---

Each of the specified methods has time complexity  $O(1)$ . The additional space complexity is  $O(n)$ , regardless of the stored keys.

We can improve on the best-case space needed by observing that if an element  $e$  being pushed is smaller than the maximum element already in the stack, then  $e$  can never be the maximum, so we do not need to record it. We cannot store the sequence of maximum values in a separate stack because of the possibility of duplicates. We resolve this by additionally recording the number of occurrences of each maximum value. See Figure 5.2 on the next page for an example.

---

```
private static class MaxWithCount {
    public Integer max;
    public Integer count;

    public MaxWithCount(Integer max, Integer count) {
        this.max = max;
        this.count = count;
    }
}

public static class Stack {
    private LinkedList<Integer> element = new LinkedList<>();
    private LinkedList<MaxWithCount> cachedMaxWithCount = new LinkedList<>();

    public boolean empty() { return element.isEmpty(); }

    public Integer max() {
        if (!empty()) {
            return cachedMaxWithCount.peek().max;
        }
        throw new RuntimeException("max(): empty stack");
    }

    public Integer pop() {
        if (empty()) {
            throw new RuntimeException("pop(): empty stack");
        }
        Integer popElement = element.pop();
        if (popElement.equals(cachedMaxWithCount.peek().max)) {
            cachedMaxWithCount.peek().count = cachedMaxWithCount.peek().count - 1;
            if (cachedMaxWithCount.peek().count.equals(0)) {
                cachedMaxWithCount.pop();
            }
        }
        return popElement;
    }


    public void push(Integer x) {
        element.push(x);
        if (!cachedMaxWithCount.isEmpty()) {
            if (x.compareTo(cachedMaxWithCount.peek().max) == 0) {
                cachedMaxWithCount.peek().count = cachedMaxWithCount.peek().count + 1;
            } else if (x.compareTo(cachedMaxWithCount.peek().max) > 0) {
                cachedMaxWithCount.push(new MaxWithCount(x, 1));
            }
        }
    }
}
```

```

    } else {
        cachedMaxWithCount.push(new MaxWithCount(x, 1));
    }
}
}
}

```

The worst-case additional space complexity is  $O(n)$ , which occurs when each key pushed is greater than all keys in the primary stack. However, when the number of distinct keys is small, or the maximum changes infrequently, the additional space complexity is less,  $O(1)$  in the best-case. The time complexity for each specified method is still  $O(1)$ .




**Figure 5.2:** The primary and auxiliary stacks for the following operations: push(2), push(2), push(1), push(4), push(5), push(5), push(3), pop(), pop(), pop(), pop(), push(0), push(3). Both stacks are initially empty, and their progression is shown from left-to-right, then top-to-bottom. The top of the auxiliary stack holds the maximum element in the stack, and the number of times that element occurs in the stack. The auxiliary stack is denoted by *aux*.

## Queues

A *queue* supports two basic operations—enqueue and dequeue. (If the queue is empty, dequeue typically returns a null or throws an exception.) Elements are added (enqueued) and removed (dequeued) in first-in, first-out order.

A queue can be implemented using a linked list, in which case these operations have  $O(1)$  time complexity. Other operations can be added, such as *head* (which returns the item at the start of the queue without removing it), and *tail* (which returns the item at the end of the queue without removing it).



**Figure 5.3:** Examples of enqueue and dequeue.

A *deque*, also sometimes called a double-ended queue, is a doubly linked list in which all insertions and deletions are from one of the two ends of the list, i.e., at the head or the tail. An insertion to the front is called a *push*, and an insertion to the back is called an *inject*. A deletion from the front is called a *pop*, and a deletion from the back is called an *eject*.

## 5.2 COMPUTE BINARY TREE NODES IN ORDER OF INCREASING DEPTH

Binary trees are formally defined in Chapter 6. In particular, each node in a binary tree has a *depth*, which is its distance from the root.

Given a binary tree, return an array consisting of the keys. Keys should appear in the order of the corresponding nodes' depths, breaking ties from left to right. For example, you should return  $\langle\langle 314 \rangle, \langle 6, 6 \rangle, \langle 271, 561, 2, 271 \rangle, \langle 28, 0, 3, 1, 28 \rangle, \langle 17, 401, 257 \rangle, \langle 641 \rangle\rangle$  for the binary tree in Figure 6.1 on Page 22.

*Hint:* First think about solving this problem with a pair of queues.

**Solution:** The brute-force approach is to keep an array  $A$  of lists. The list at  $A[i]$  is the set of nodes at depth  $i$ . We initialize  $A[0]$  to the root. To get  $A[i + 1]$  from  $A[i]$ , we traverse  $A[i]$  and add children to  $A[i + 1]$ . The time and space complexities are both  $O(n)$ , where  $n$  is the number of nodes in the tree.

We can improve on the space complexity by recycling space. Specifically, we do not need  $A[i]$  after  $A[i + 1]$  is computed, i.e., two lists suffice.

As an alternative, we can maintain a queue of nodes to process. Specifically the queue contains nodes at depth  $i$  followed by nodes at depth  $i + 1$ . After all nodes at depth  $i$  are processed, the head of the queue is a node at depth  $i + 1$ ; processing this node introduces nodes from depth  $i + 2$  to the end of the queue.

We use a count to record the number of nodes at the depth of the head of the queue that remain to be processed. When all nodes at depth  $i$  are processed, the queue consists of exactly the set of nodes at depth  $i + 1$ , and the count is updated to the size of the queue.

---

```
public static List<List<Integer>> BinaryTreeDepthOrder(
    BinaryTreeNode<Integer> tree) {
    LinkedList<BinaryTreeNode<Integer>> processingNodes = new LinkedList<>();
    processingNodes.push(tree);
    int numNodesToProcessAtCurrentLevel = processingNodes.size();
    List<List<Integer>> result = new ArrayList<>();
    List<Integer> oneLevel = new ArrayList<>();

    while (!processingNodes.isEmpty()) {
        BinaryTreeNode<Integer> curr = processingNodes.pollLast();
        --numNodesToProcessAtCurrentLevel;
        if (curr != null) {
            oneLevel.add(curr.getData());

            // Defer the null checks to the null test above.
            processingNodes.push(curr.getLeft());
            processingNodes.push(curr.getRight());
        }
    }
}
```



```

// Are we done with the nodes at the current depth?
if (numNodesToProcessAtCurrentLevel == 0) {
    numNodesToProcessAtCurrentLevel = processingNodes.size();
    result.add(new ArrayList(oneLevel));
    oneLevel.clear();
}
}
return result;
}

```

---

Since each node is enqueued and dequeued exactly once, the time complexity is  $O(n)$ . The space complexity is  $O(m)$ , where  $m$  is the maximum number of nodes at any single depth.

**Variant:** Write a program which takes as input a binary tree and returns the keys in top down, alternating left-to-right and right-to-left order, starting from left-to-right. For example, if the input is the tree in Figure 6.1 on the next page, your program should return  $\langle\langle 314 \rangle, \langle 6, 6 \rangle, \langle 271, 561, 2, 271 \rangle, \langle 28, 1, 3, 0, 28 \rangle, \langle 17, 401, 257 \rangle, \langle 641 \rangle\rangle$ .

**Variant:** Write a program which takes as input a binary tree and returns the keys in a bottom up, left-to-right order. For example, if the input is the tree in Figure 6.1 on the following page, your program should return  $\langle\langle 641 \rangle, \langle 17, 401, 257 \rangle, \langle 28, 0, 3, 1, 28 \rangle, \langle 271, 561, 2, 271 \rangle, \langle 6, 6 \rangle, \langle 314 \rangle\rangle$ .

**Variant:** Write a program which takes as input a binary tree with integer keys, and returns the average of the keys at each level. For example, if the input is the tree in Figure 6.1 on the next page, your program should return  $\langle 314, 6, 276.25, 12, 225, 641 \rangle$ .


# Binary Trees

*The method of solution involves the development of a theory of finite automata operating on infinite trees.*

— “Decidability of Second Order Theories and Automata on Trees,”  
M. O. RABIN, 1969

A *binary tree* is a data structure that is useful for representing hierarchy. Formally, a binary tree is either empty, or a *root node*  $r$  together with a left binary tree and a right binary tree. The subtrees themselves are binary trees. The left binary tree is sometimes referred to as the *left subtree* of the root, and the right binary tree is referred to as the *right subtree* of the root.

Figure 6.1 gives a graphical representation of a binary tree. Node  $A$  is the root. Nodes  $B$  and  $I$  are the left and right children of  $A$ .



**Figure 6.1:** Example of a binary tree. The node depths range from 0 to 5. Node  $M$  has the highest depth (5) of any node in the tree, implying the height of the tree is 5.

Often the root stores additional data. Its prototype is listed as follows:

```
public static class BinaryTreeNode<T> {
    private T data;
    private BinaryTreeNode<T> left, right;
}
```

Each node, except the root, is itself the root of a left subtree or a right subtree. If  $l$  is the root of  $p$ 's left subtree, we will say  $l$  is the *left child* of  $p$ , and  $p$  is the *parent* of  $l$ ; the notion of *right child* is similar. If a node is a left or a right child of  $p$ , we say

it is a *child* of  $p$ . Note that with the exception of the root, every node has a unique parent. Usually, but not universally, the node object definition includes a parent field (which is null for the root). Observe that for any node there exists a unique sequence of nodes from the root to that node with each node in the sequence being a child of the previous node. This sequence is sometimes referred to as the *search path* from the root to the node.

The parent-child relationship defines an ancestor-descendant relationship on nodes in a binary tree. Specifically, a node is an *ancestor* of  $d$  if it lies on the search path from the root to  $d$ . If a node is an ancestor of  $d$ , we say  $d$  is a *descendant* of that node. Our convention is that a node is an ancestor and descendant of itself. A node that has no descendants except for itself is called a *leaf*.

The *depth* of a node  $n$  is the number of nodes on the search path from the root to  $n$ , not including  $n$  itself. The *height* of a binary tree is the maximum depth of any node in that tree. A *level* of a tree is all nodes at the same depth. See Figure 6.1 on the preceding page for an example of the depth and height concepts.

As concrete examples of these concepts, consider the binary tree in Figure 6.1 on the facing page. Node  $I$  is the parent of  $J$  and  $O$ . Node  $G$  is a descendant of  $B$ . The search path to  $L$  is  $\langle A, I, J, K, L \rangle$ . The depth of  $N$  is 4. Node  $M$  is the node of maximum depth, and hence the height of the tree is 5. The height of the subtree rooted at  $B$  is 3. The height of the subtree rooted at  $H$  is 0. Nodes  $D, E, H, M, N$ , and  $P$  are the leaves of the tree.

A *full binary tree* is a binary tree in which every node other than the leaves has two children. A *perfect binary tree* is a full binary tree in which all leaves are at the same depth, and in which every parent has two children. A *complete binary tree* is a binary tree in which every level, except possibly the last, is completely filled, and all nodes are as far left as possible. (This terminology is not universal, e.g., some authors use complete binary tree where we write perfect binary tree.) It is straightforward to prove using induction that the number of nonleaf nodes in a full binary tree is one less than the number of leaves. A perfect binary tree of height  $h$  contains exactly  $2^{h+1} - 1$  nodes, of which  $2^h$  are leaves. A complete binary tree on  $n$  nodes has height  $\lceil \lg n \rceil$ . A left-skewed tree is a tree in which no node has a right child; a right-skewed tree is a tree in which no node has a left child. In either case, we refer to the binary tree as being skewed.

A key computation on a binary tree is *traversing* all the nodes in the tree. (Traversing is also sometimes called *walking*.) Here are some ways in which this visit can be done.

- Traverse the left subtree, visit the root, then traverse the right subtree (an *inorder* traversal). An inorder traversal of the binary tree in Figure 6.1 on the preceding page visits the nodes in the following order:  $\langle D, C, E, B, F, H, G, A, J, L, M, K, N, I, O, P \rangle$ .
- Visit the root, traverse the left subtree, then traverse the right subtree (a *preorder* traversal). A preorder traversal of the binary tree in Figure 6.1 on the facing page visits the nodes in the following order:  $\langle A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P \rangle$ .
- Traverse the left subtree, traverse the right subtree, and then visit the root (a *postorder* traversal). A postorder traversal of the binary tree in Figure 6.1 on Page 22 visits the nodes in the following order:  $\langle D, E, C, H, G, F, B, M, L, N, K, J, P, O, I, A \rangle$ .

Let  $T$  be a binary tree of  $n$  nodes, with height  $h$ . Implemented recursively, these traversals have  $O(n)$  time complexity and  $O(h)$  additional space complexity. (The space complexity is dictated by the maximum depth of the function call stack.) If each node has a parent field, the traversals can be done with  $O(1)$  additional space complexity.

The term tree is overloaded, which can lead to confusion; see Page 59 for an overview of the common variants.

### 6.1 TEST IF A BINARY TREE IS BALANCED

A binary tree is said to be balanced if for each node in the tree, the difference in the height of its left and right subtrees is at most one. A perfect binary tree is balanced, as is a complete binary tree. A balanced binary tree does not have to be perfect or complete—see Figure 6.2 for an example.




Figure 6.2: A balanced binary tree of height 4.

Write a program that takes as input the root of a binary tree and checks whether the tree is balanced.

*Hint:* Think of a classic binary tree algorithm.

**Solution:** Here is a brute-force algorithm. Compute the height for the tree rooted at each node  $x$  recursively. The basic computation is to compute the height for each node starting from the leaves, and proceeding upwards. For each node, we check if the difference in heights of the left and right children is greater than one. We can store the heights in a hash table, or in a new field in the nodes. This entails  $O(n)$  storage and  $O(n)$  time, where  $n$  is the number of nodes of the tree.

We can solve this problem using less storage by observing that we do not need to store the heights of all nodes at the same time. Once we are done with a subtree, all we need is whether it is balanced, and if so, what its height is—we do not need any information about descendants of the subtree’s root.

---

```
private static class BalanceStatusWithHeight {
    public boolean balanced;
    public int height;
```

```

    public BalanceStatusWithHeight(boolean balanced, int height) {
        this.balanced = balanced;
        this.height = height;
    }
}

public static boolean isBalanced(BinaryTreeNode<Integer> tree) {
    return CheckBalanced(tree).balanced;
}

private static BalanceStatusWithHeight CheckBalanced(
    BinaryTreeNode<Integer> tree) {
    if (tree == null) {
        return new BalanceStatusWithHeight(true, -1); // Base case.
    }

    BalanceStatusWithHeight leftResult = CheckBalanced(tree.getLeft());
    if (leftResult.balanced == false) {
        return leftResult; // Left subtree is not balanced.
    }
    BalanceStatusWithHeight rightResult = CheckBalanced(tree.getRight());
    if (rightResult.balanced == false) {
        return rightResult; // Right subtree is not balanced.
    }

    boolean isBalanced = Math.abs(leftResult.height - rightResult.height) <= 1;
    int height = Math.max(leftResult.height, rightResult.height) + 1;
    return new BalanceStatusWithHeight(isBalanced, height);
}

```

---

The program implements a postorder traversal with some calls possibly being eliminated because of early termination. Specifically, if any left subtree is unbalanced we do not need to visit the corresponding right subtree. The function call stack corresponds to a sequence of calls from the root through the unique path to the current node, and the stack height is therefore bounded by the height of the tree, leading to an  $O(h)$  space bound. The time complexity is the same as that for a postorder traversal, namely  $O(n)$ .

**Variant:** Write a program that returns the size of the largest subtree that is complete.

**Variant:** Define a node in a binary tree to be  $k$ -balanced if the difference in the number of nodes in its left and right subtrees is no more than  $k$ . Design an algorithm that takes as input a binary tree and positive integer  $k$ , and returns a node in the binary tree such that the node is not  $k$ -balanced, but all of its descendants are  $k$ -balanced. For example, when applied to the binary tree in Figure 6.1 on Page 22, if  $k = 3$ , your algorithm should return Node  $J$ .

# Heaps


*Using F-heaps we are able to obtain improved running times for several network optimization algorithms.*

— “Fibonacci heaps and their uses,”  
M. L. FREDMAN AND R. E. TARJAN, 1987

A *heap* is a specialized binary tree, specifically it is a complete binary tree as defined on Page 23. The keys must satisfy the *heap property*—the key at each node is at least as great as the keys stored at its children. See Figure 7.1(a) for an example of a max-heap. A max-heap can be implemented as an array; the children of the node at index  $i$  are at indices  $2i + 1$  and  $2i + 2$ . The array representation for the max-heap in Figure 7.1(a) is  $\langle 561, 314, 401, 28, 156, 359, 271, 11, 3 \rangle$ .

A max-heap supports  $O(\log n)$  insertions,  $O(1)$  time lookup for the max element, and  $O(\log n)$  deletion of the max element. The extract-max operation is defined to delete and return the maximum element. See Figure 7.1(b) for an example of deletion of the max element. Searching for arbitrary keys has  $O(n)$  time complexity.

The *min-heap* is a completely symmetric version of the data structure and supports  $O(1)$  time lookups for the minimum element.



**Figure 7.1:** A max-heap and deletion on that max-heap.

## 7.1 MERGE SORTED FILES

This problem is motivated by the following scenario. You are given 500 files, each containing stock trade information for an S&P 500 company. Each trade is encoded

by a line as follows:

1232111, AAPL, 30, 456.12

The first number is the time of the trade expressed as the number of milliseconds since the start of the day's trading. Lines within each file are sorted in increasing order of time. The remaining values are the stock symbol, number of shares, and price. You are to create a single file containing all the trades from the 500 files, sorted in order of increasing trade times. The individual files are of the order of 5–100 megabytes; the combined file will be of the order of five gigabytes. In the abstract, we are trying to solve the following problem.

Write a program that takes as input a set of sorted sequences and computes the union of these sequences as a sorted sequence. For example, if the input is  $\langle 3, 5, 7 \rangle$ ,  $\langle 0, 6 \rangle$ , and  $\langle 0, 6, 28 \rangle$ , then the output is  $\langle 0, 0, 3, 5, 6, 6, 7, 28 \rangle$ .

*Hint:* Which part of each sequence is significant as the algorithm executes?

**Solution:** A brute-force approach is to concatenate these sequences into a single array and then sort it. The time complexity is  $O(n \log n)$ , assuming there are  $n$  elements in total.

The brute-force approach does not use the fact that the individual sequences are sorted. We can take advantage of this fact by restricting our attention to the first remaining element in each sequence. Specifically, we repeatedly pick the smallest element amongst the first element of each of the remaining part of each of the sequences.

A min-heap is ideal for maintaining a collection of elements when we need to add arbitrary values and extract the smallest element.

For ease of exposition, we show how to merge sorted arrays, rather than files. As a concrete example, suppose there are three sorted arrays to be merged:  $\langle 3, 5, 7 \rangle$ ,  $\langle 0, 6 \rangle$ , and  $\langle 0, 6, 28 \rangle$ . For simplicity, we show the min-heap as containing entries from these three arrays. In practice, we need additional information for each entry, namely the array it is from, and its index in that array. (In the file case we do not need to explicitly maintain an index for next unprocessed element in each sequence—the file I/O library tracks the first unread entry in the file.)

The min-heap is initialized to the first entry of each array, i.e., it is  $\{3, 0, 0\}$ . We extract the smallest entry, 0, and add it to the output which is  $\langle 0 \rangle$ . Then we add 6 to the min-heap which is  $\{3, 0, 6\}$  now. (We chose the 0 entry corresponding to the third array arbitrarily, it would be a perfectly acceptable to choose from the second array.) Next, extract 0, and add it to the output which is  $\langle 0, 0 \rangle$ ; then add 6 to the min-heap which is  $\{3, 6, 6\}$ . Next, extract 3, and add it to the output which is  $\langle 0, 0, 3 \rangle$ ; then add 5 to the min-heap which is  $\{5, 6, 6\}$ . Next, extract 5, and add it to the output which is  $\langle 0, 0, 3, 5 \rangle$ ; then add 7 to the min-heap which is  $\{7, 6, 6\}$ . Next, extract 6, and add it to the output which is  $\langle 0, 0, 3, 5, 6 \rangle$ ; assuming 6 is selected from the second array, which has no remaining elements, the min-heap is  $\{7, 6\}$ . Next, extract 6, and add it to the output which is  $\langle 0, 0, 3, 5, 6, 6 \rangle$ ; then add 28 to the min-heap which is  $\{7, 28\}$ . Next, extract 7, and add it to the output which is  $\langle 0, 0, 3, 5, 6, 6, 7 \rangle$ ; the min-heap is

{28}. Next, extract 28, and add it to the output which is  $\langle 0, 0, 3, 5, 6, 6, 7, 28 \rangle$ ; now, all elements are processed and the output stores the sorted elements.

---

```
private static class ArrayEntry {
    public Integer value;
    public Integer arrayId;

    public ArrayEntry(Integer value, Integer arrayId) {
        this.value = value;
        this.arrayId = arrayId;
    }
}

private static final int DEFAULT_INITIAL_CAPACITY = 16;

public static List<Integer> mergeSortedArrays(
    List<List<Integer>> sortedArrays) {
    PriorityQueue<ArrayEntry> minHeap = new PriorityQueue<>(
        DEFAULT_INITIAL_CAPACITY, new Comparator<ArrayEntry>() {
            @Override
            public int compare(ArrayEntry o1, ArrayEntry o2) {
                return o1.value.compareTo(o2.value);
            }
        });
    List<Integer> heads = new ArrayList<>(sortedArrays.size());

    // Puts each sortedArrays' first element in minHeap.
    for (int i = 0; i < sortedArrays.size(); ++i) {
        if (sortedArrays.get(i).size() > 0) {
            minHeap.add(new ArrayEntry(sortedArrays.get(i).get(0), i));
            heads.add(1);
        } else {
            heads.add(0);
        }
    }

    List<Integer> result = new ArrayList<>();
    while (!minHeap.isEmpty()) {
        int smallestEntry = minHeap.peek().value;
        List<Integer> smallestArray = sortedArrays.get(minHeap.peek().arrayId);
        int smallestArrayHead = heads.get(minHeap.peek().arrayId);
        result.add(smallestEntry);
        if (smallestArrayHead < smallestArray.size()) {
            // Add the next entry of smallestArray into minHeap.
            minHeap.add(new ArrayEntry(smallestArray.get(smallestArrayHead),
                minHeap.peek().arrayId));
            heads.set(minHeap.peek().arrayId, heads.get(minHeap.peek().arrayId) + 1);
        }
        minHeap.remove();
    }
    return result;
}
```

---


Let  $k$  be the number of input sequences. Then there are no more than  $k$  elements in the min-heap. Both extract-min and insert take  $O(\log k)$  time. Hence, we can do the



merge in  $O(n \log k)$  time. The space complexity is  $O(k)$  beyond the space needed to write the final result. In particular, if the data comes from files and is written to a file, instead of arrays, we would need only  $O(k)$  additional storage.

Alternatively, we could recursively merge the  $k$  files, two at a time using the merge step from merge sort. The time complexity is the same, i.e.,  $O(n \log k)$ .

# Searching



— “The Anatomy of A Large-Scale Hypertextual Web Search Engine,”  
S. M. BRIN AND L. PAGE, 1998

Search algorithms can be classified in a number of ways. Is the underlying collection static or dynamic, i.e., inserts and deletes are interleaved with searching? Is it worth spending the computational cost to preprocess the data so as to speed up subsequent queries? Are there statistical properties of the data that can be exploited? Should we operate directly on the data or transform it?

In this chapter, our focus is on static data stored in sorted order in an array. Data structures appropriate for dynamic updates are the subject of Chapters 7, 9, and 11.

The first collection of problems in this chapter are related to binary search. The second collection pertains to general search.

## Binary search

Given an arbitrary collection of  $n$  keys, the only way to determine if a search key is present is by examining each element. This has  $O(n)$  time complexity. Fundamentally, binary search is a natural elimination-based strategy for searching a sorted array. The

idea is to eliminate half the keys from consideration by keeping the keys in sorted order. If the search key is not equal to the middle element of the array, one of the two sets of keys to the left and to the right of the middle element can be eliminated from further consideration.

Questions based on binary search are ideal from the interviewers perspective: it is a basic technique that every reasonable candidate is supposed to know and it can be implemented in a few lines of code. On the other hand, binary search is much trickier to implement correctly than it appears—you should implement it as well as write corner case tests to ensure you understand it properly.

Many published implementations are incorrect in subtle and not-so-subtle ways—a study reported that it is correctly implemented in only five out of twenty textbooks. Jon Bentley, in his book *“Programming Pearls”* reported that he assigned binary search in a course for professional programmers and found that 90% failed to code it correctly despite having ample time. (Bentley’s students would have been gratified to know that his own published implementation of binary search, in a column titled *“Writing Correct Programs”*, contained a bug that remained undetected for over twenty years.)

Binary search can be written in many ways—recursive, iterative, different idioms for conditionals, etc. Here is an iterative implementation adapted from Bentley’s book, which includes his bug.

---

```
public static int bsearch(int t, ArrayList<Integer> A) {
    int L = 0, U = A.size() - 1;
    while (L <= U) {
        int M = (L + U) / 2;
        if (A.get(M) < t) {
            L = M + 1;
        } else if (A.get(M) == t) {
            return M;
        } else {
            U = M - 1;
        }
    }
    return -1;
}
```

---

The error is in the assignment  $M = (L + U) / 2$  in Line 4, which can lead to overflow. A common solution is to use  $M = L + (U - L) / 2$ .

However, even this refinement is problematic in a C-style implementation. *The C Programming Language (2nd ed.)* by Kernighan and Ritchie (Page 100) states: “If one is sure that the elements exist, it is also possible to index backwards in an array;  $p[-1]$ ,  $p[-2]$ , etc. are syntactically legal, and refer to the elements that immediately precede  $p[0]$ .” In the expression  $L + (U - L) / 2$ , if  $U$  is a sufficiently large positive integer and  $L$  is a sufficiently large negative integer,  $(U - L)$  can overflow, leading to out-of-bounds array access. The problem is illustrated below:

---

```
private static final int N = 2000000000;
private static final char[] A_LARGE = new char[N];

int offset = 1500000000;
```

---

```

int L = -1499000000;
int U = 1499000000;
// On a 32-bit machine (U - L) = -1296967296 because the actual value,
// 2998000000 is larger than 2^31 - 1. Consequently, the bsearch function
// called below sets m to -2147483648 instead of 0, which leads to an
// out-of-bounds access, since the most negative index that can be applied
// to B is -1500000000.
int result = binarySearch(key, A_LARGE, offset, L, U);

```

The solution is to check the signs of  $L$  and  $U$ . If  $U$  is positive and  $L$  is negative,  $M = (L + U) / 2$  is appropriate, otherwise set  $M = L + (U - L) / 2$ .

In our solutions that make use of binary search,  $L$  and  $U$  are nonnegative and so we use  $M = L + (U - L) / 2$  in the associated programs.

The time complexity of binary search is given by  $T(n) = T(n/2) + c$ , where  $c$  is a constant. This solves to  $T(n) = O(\log n)$ , which is far superior to the  $O(n)$  approach needed when the keys are unsorted. A disadvantage of binary search is that it requires a sorted array and sorting an array takes  $O(n \log n)$  time. However, if there are many searches to perform, the time taken to sort is not an issue.

Many variants of searching a sorted array require a little more thinking and create opportunities for missing corner cases.

### 8.1 SEARCH A SORTED ARRAY FOR FIRST OCCURRENCE OF $k$

Binary search commonly asks for the index of *any* element of a sorted array that is equal to a specified element. The following problem has a slight twist on this.

-14	-10	2	108	108	243	285	285	285	401
$A[0]$	$A[1]$	$A[2]$	$A[3]$	$A[4]$	$A[5]$	$A[6]$	$A[7]$	$A[8]$	$A[9]$

**Figure 8.1:** A sorted array with repeated elements.

Write a method that takes a sorted array and a key and returns the index of the *first* occurrence of that key in the array. For example, when applied to the array in Figure 8.1 your algorithm should return 3 if the given key is 108; if it is 285, your algorithm should return 6.

*Hint:* What happens when every entry equals  $k$ ? Don't stop when you first see  $k$ .

**Solution:** A naive approach is to use binary search to find the index of any element equal to the key,  $k$ . (If  $k$  is not present, we simply return  $-1$ .) After finding such an element, we traverse backwards from it to find the first occurrence of that element. The binary search takes time  $O(\log n)$ , where  $n$  is the number of entries in the array. Traversing backwards takes  $O(n)$  time in the worst-case—consider the case where entries are equal to  $k$ .

The fundamental idea of binary search is to maintain a set of candidate solutions. For the current problem, if we see the element at index  $i$  equals  $k$ , although we do

not know whether  $i$  is the first element equal to  $k$ , we do know that no subsequent elements can be the first one. Therefore we remove all elements with index  $i + 1$  or more from the candidates.

Let's apply the above logic to the given example, with  $k = 108$ . We start with all indices as candidates, i.e., with  $[0, 9]$ . The midpoint index, 4 contains  $k$ . Therefore we can now update the candidate set to  $[0, 3]$ , and record 4 as an occurrence of  $k$ . The next midpoint is 1, and this index contains  $-10$ . We update the candidate set to  $[2, 3]$ . The value at the midpoint 2 is 2, so we update the candidate set to  $[3, 3]$ . Since the value at this midpoint is 108, we update the first seen occurrence of  $k$  to 3. Now the interval is  $[3, 2]$ , which is empty, terminating the search—the result is 3.

---

```
public static int searchFirstOfK(int[] A, int k) {
    int left = 0, right = A.length - 1, result = -1;
    // [left : right] is the candidate set.
    while (left <= right) {
        int mid = left + ((right - left) / 2);
        if (A[mid] > k) {
            right = mid - 1;
        } else if (A[mid] == k) {
            result = mid;
            // Nothing to the right of mid can be the first occurrence of k.
            right = mid - 1;
        } else { // A[mid] < k
            left = mid + 1;
        }
    }
    return result;
}
```

---

The complexity bound is still  $O(\log n)$ —this is because each iteration reduces the size of the candidate set by half.

**Variant:** Let  $A$  be an unsorted array of  $n$  integers, with  $A[0] \geq A[1]$  and  $A[n - 2] \leq A[n - 1]$ . Call an index  $i$  a *local minimum* if  $A[i]$  is less than or equal to its neighbors. How would you efficiently find a local minimum, if one exists?

**Variant:** A sequence is said to be ascending if each element is greater than or equal to its predecessor; a descending sequence is one in which each element is less than or equal to its predecessor. A sequence is strictly ascending if each element is greater than its predecessor. Suppose it is known that an array  $A$  consists of an ascending sequence followed by a descending sequence. Design an algorithm for finding the maximum element in  $A$ . Solve the same problem when  $A$  consists of a strictly ascending sequence, followed by a descending sequence.

## Hash Tables

*The new methods are intended to reduce the amount of space required to contain the hash-coded information from that associated with conventional methods. The reduction in space is accomplished by exploiting the possibility that a small fraction of errors of commission may be tolerable in some applications.*

---

— “Space/time trade-offs in hash coding with allowable errors,”  
B. H. BLOOM, 1970

The idea underlying a *hash table* is to store objects according to their key field in an array. Objects are stored in array locations based on the “hash code” of the key. The hash code is an integer computed from the key by a hash function. If the hash function is chosen well, the objects are distributed uniformly across the array locations.

If two keys map to the same location, a “collision” is said to occur. The standard mechanism to deal with collisions is to maintain a linked list of objects at each array location. If the hash function does a good job of spreading objects across the underlying array and take  $O(1)$  time to compute, on average, lookups, insertions, and deletions have  $O(1 + n/m)$  time complexity, where  $n$  is the number of objects and  $m$  is the length of the array. If the “load”  $n/m$  grows large, rehashing can be applied to the hash table. A new array with a larger number of locations is allocated, and the objects are moved to the new array. Rehashing is expensive ( $O(n + m)$  time) but if it is done infrequently (for example, whenever the number of entries doubles), its amortized cost is low.

A hash table is qualitatively different from a sorted array—keys do not have to appear in order, and randomization (specifically, the hash function) plays a central role. Compared to binary search trees (discussed in Chapter 11), inserting and deleting in a hash table is more efficient (assuming rehashing is infrequent). One disadvantage of hash tables is the need for a good hash function but this is rarely an issue in practice. Similarly, rehashing is not a problem outside of realtime systems and even for such systems, a separate thread can do the rehashing.

A hash function has one hard requirement—equal keys should have equal hash codes. This may seem obvious, but is easy to get wrong, e.g., by writing a hash function that is based on address rather than contents, or by including profiling data.

A softer requirement is that the hash function should “spread” keys, i.e., the hash codes for a subset of objects should be uniformly distributed across the underlying array. In addition, a hash function should be efficient to compute.

Now we illustrate the steps in designing a hash function suitable for strings. First, the hash function should examine all the characters in the string. It should give a large range of values, and should not let one character dominate (e.g., if we simply cast characters to integers and multiplied them, a single 0 would result in a hash code of 0). We would also like a rolling hash function, one in which if a character is deleted from the front of the string, and another added to the end, the new hash code can be computed in  $O(1)$  time. The following function has these properties:

---

```
public static int stringHash(String str, int modulus) {
    int kMult = 997;
    int val = 0;
    for (char c : str.toCharArray()) {
        val = (val * kMult + c) % modulus;
    }
    return val;
}
```

---

A hash table is a good data structure to represent a dictionary, i.e., a set of strings. In some applications, a trie, which is a tree data structure that is used to store a dynamic set of strings, has computational advantages. Unlike a BST, nodes in the tree do not store a key. Instead, the node's position in the tree defines the key which it is associated with.

### 9.1 IS AN ANONYMOUS LETTER CONSTRUCTIBLE?

A hash table can be viewed as a dictionary. For this reason, hash tables commonly appear in string processing.

You are required to write a method which takes text for an anonymous letter and text for a magazine. Your method is to determine if it is possible to write the anonymous letter using the text from the magazine. The anonymous letter can be written from the magazine if for each character whether the number of times it appears in the anonymous letter is less than or equal to the number of times it appears in the magazine.

*Hint:* Count.

**Solution:** A brute force approach is to count for each character in the character set the number of times it appears in the letter and in the magazine. If any character occurs more often in the letter than the magazine we return false, otherwise we return true. This approach is potentially slow because it iterates over all characters, including those that do not occur in the letter or magazine. It also makes multiple passes over both the letter and the magazine—as many passes as there are characters in the character set.

A better approach is to make a single pass over the letter, storing the character counts for the letter in a single hash table—keys are characters, and values are the number of times that character appears. Next, we make a pass over the magazine. When processing a character  $c$ , if  $c$  appears in the hash table, we reduce its count by 1; we remove it from the hash when its count goes to zero. If the hash becomes empty,

we return true. If we reach the end of the letter and the hash is nonempty, we return false—each of the characters remaining in the hash occurs more times in the letter than the magazine.

---

```

public static boolean isLetterConstructibleFromMagazine(String letterText,
                                                         String magazineText) {
    Map<Character, Integer> charFrequencyForLetter = new HashMap<>();
    // Inserts all chars in letterText into a hash table.
    for (char c : letterText.toCharArray()) {
        if (!charFrequencyForLetter.containsKey(c)) {
            charFrequencyForLetter.put(c, 1);
        } else {
            charFrequencyForLetter.put(c, charFrequencyForLetter.get(c) + 1);
        }
    }

    // Check if the characters in magazineText can cover characters in
    // letterText.
    for (char c : magazineText.toCharArray()) {
        if (charFrequencyForLetter.containsKey(c)) {
            charFrequencyForLetter.put(c, charFrequencyForLetter.get(c) - 1);
            if (charFrequencyForLetter.get(c) == 0) {
                charFrequencyForLetter.remove(c);
                if (charFrequencyForLetter.isEmpty()) {
                    return true;
                }
            }
        }
    }
    // Empty charFrequencyForLetter means every char in letterText can be
    // covered by a character in magazineText.
    return charFrequencyForLetter.isEmpty();
}

```

---

In the worst-case, the letter is not constructible or the last character of the magazine is essentially required. Therefore, the time complexity is  $O(m+n)$  where  $m$  and  $n$  are the number of characters in the letter and magazine, respectively. The space complexity is the size of the hash table constructed in the pass over the letter, i.e.,  $O(L)$ , where  $L$  is the number of distinct characters appearing in the letter.

If the characters are coded in ASCII, we could do away with  $H_L$  and use a 256 entry integer array  $A$ , with  $A[i]$  being set to the number of times the character  $i$  appears in the letter.



## Sorting

**PROBLEM 14 (Meshing).** Two monotone sequences  $S, T$ , of lengths  $n, m$ , respectively, are stored in two systems of  $n(p+1), m(p+1)$  consecutive memory locations, respectively:  $s, s+1, \dots, s+n(p+1)-1$  and  $t, t+1, \dots, t+m(p+1)-1$ . ... It is desired to find a monotone permutation  $R$  of the sum  $[S, T]$ , and place it at the locations  $r, r+1, \dots, r+(n+m)(p+1)-1$ .

—“Planning And Coding Of Problems For An Electronic Computing Instrument,”

H. H. GOLDSTINE AND J. VON NEUMANN, 1948

*Sorting*—rearranging a collection of items into increasing or decreasing order—is a common problem in computing. Sorting is used to preprocess the collection to make searching faster (as we saw with binary search through an array), as well as identify items that are similar (e.g., students are sorted on test scores).

Naive sorting algorithms run in  $O(n^2)$  time. A number of sorting algorithms run in  $O(n \log n)$  time—heapsort, merge sort, and quicksort are examples. Each has its advantages and disadvantages: for example, heapsort is in-place but not stable; merge sort is stable but not in-place; quicksort runs  $O(n^2)$  time in worst-case. (An in-place sort is one which uses  $O(1)$  space; a stable sort is one where entries which are equal appear in their original order.)

A well-implemented quicksort is usually the best choice for sorting. We briefly outline alternatives that are better in specific circumstances.

For short arrays, e.g., 10 or fewer elements, insertion sort is easier to code and faster than asymptotically superior sorting algorithms. If every element is known to be at most  $k$  places from its final location, a min-heap can be used to get an  $O(n \log k)$  algorithm. If there are a small number of distinct keys, e.g., integers in the range  $[0..255]$ , counting sort, which records for each element, the number of elements less than it, works well. This count can be kept in an array (if the largest number is comparable in value to the size of the set being sorted) or a BST, where the keys are the numbers and the values are their frequencies. If there are many duplicate keys we can add the keys to a BST, with linked lists for elements which have the same key; the sorted result can be derived from an in-order traversal of the BST.

Most sorting algorithms are not stable. Merge sort, carefully implemented, can be made stable. Another solution is to add the index as an integer rank to the keys to break ties.

Most sorting routines are based on a compare function that takes two items as input and returns  $-1$  if the first item is smaller than the second item,  $0$  if they are equal and

1 otherwise. However, it is also possible to use numerical attributes directly, e.g., in radix sort.

The heap data structure is discussed in detail in Chapter 7. Briefly, a max-heap (min-heap) stores keys drawn from an ordered set. It supports  $O(\log n)$  inserts and  $O(1)$  time lookup for the maximum (minimum) element; the maximum (minimum) key can be deleted in  $O(\log n)$  time. Heaps can be helpful in sorting problems, as illustrated by Problem 7.1 on Page 26.

## 10.1 COMPUTE THE INTERSECTION OF TWO SORTED ARRAYS

A natural implementation for a search engine is to retrieve documents that match the set of words in a query by maintaining an inverted index. Each page is assigned an integer identifier, its *document-ID*. An inverted index is a mapping that takes a word  $w$  and returns a sorted array of page-ids which contain  $w$ —the sort order could be, for example, the page rank in descending order. When a query contains multiple words, the search engine finds the sorted array for each word and then computes the intersection of these arrays—these are the pages containing all the words in the query. The most computationally intensive step of doing this is finding the intersection of the sorted arrays.

Write a program which takes as input two sorted arrays, and returns a new array containing elements that are present in both of the input arrays. The input arrays may have duplicate entries, but the returned array should be free of duplicates. For example, the input is  $\langle 2, 3, 3, 5, 5, 6, 7, 7, 8, 12 \rangle$  and  $\langle 5, 5, 6, 8, 8, 9, 10, 10 \rangle$ , your output should be  $\langle 5, 6, 8 \rangle$ .

*Hint:* Solve the problem if the input array lengths differ by orders of magnitude. What if they are approximately equal?

**Solution:** The brute-force algorithm is a “loop join”, i.e., traversing through all the elements of one array and comparing them to the elements of the other array. Let  $m$  and  $n$  be the lengths of the two input arrays.

---

```
public static List<Integer> intersectTwoSortedArrays(List<Integer> A,
                                                    List<Integer> B) {
    List<Integer> intersectionAB = new ArrayList<>();
    for (int i = 0; i < A.size(); ++i) {
        if (i == 0 || A.get(i) != A.get(i - 1)) {
            for (Integer b : B) {
                if (A.get(i) == b) {
                    intersectionAB.add(A.get(i));
                    break;
                }
            }
        }
    }
    return intersectionAB;
}
```

---

The brute-force algorithm has  $O(mn)$  time complexity.

Since both the arrays are sorted, we can make some optimizations. First, we can iterate through the first array and use binary search in array to test if the element is present in the second array.

---

```
public static List<Integer> intersectTwoSortedArrays(List<Integer> A,
                                                    List<Integer> B) {
    List<Integer> intersectionAB = new ArrayList<>();
    for (int i = 0; i < A.size(); ++i) {
        if ((i == 0 || A.get(i) != A.get(i - 1)) &&
            Collections.binarySearch(B, A.get(i)) >= 0) {
            intersectionAB.add(A.get(i));
        }
    }
    return intersectionAB;
}
```

---

The time complexity is  $O(m \log n)$ , where  $m$  is the length of the array being iterated over. We can further improve our run time by choosing the shorter array for the outer loop since if  $n$  is much smaller than  $m$ , then  $n \log(m)$  is much smaller than  $m \log(n)$ .

This is the best solution if one set is much smaller than the other. However, it is not the best when the array lengths are similar because we are not exploiting the fact that both arrays are sorted. We can achieve linear runtime by simultaneously advancing through the two input arrays in increasing order. At each iteration, if the array elements differ, the smaller one can be eliminated. If they are equal, we add that value to the intersection and advance both. For example, if the arrays are  $A = \langle 2, 3, 5, 7, 11 \rangle$  and  $B = \langle 3, 7, 15, 31 \rangle$ , then we know by inspecting the first element of each that 2 cannot belong to the intersection, so we advance to the second element of  $A$ . Now we have a common element, 3, which we add to the result, and then we advance in both arrays. Comparing 5 to 7, we can eliminate 5 and advance to the fourth element in  $A$ , which is 7, and equal to the element that  $B$ 's iterator holds, so it is added to the result. We then eliminate 11, and since no elements remain in  $A$ , we return  $\langle 3, 7 \rangle$ .

---

```
public static List<Integer> intersectTwoSortedArrays(List<Integer> A,
                                                    List<Integer> B) {
    List<Integer> intersectionAB = new ArrayList<>();
    int i = 0, j = 0;
    while (i < A.size() && j < B.size()) {
        if (A.get(i) == B.get(j) && (i == 0 || A.get(i) != A.get(i - 1))) {
            intersectionAB.add(A.get(i));
            ++i;
            ++j;
        } else if (A.get(i) < B.get(j)) {
            ++i;
        } else { // A.get(i) > B.get(j).
            ++j;
        }
    }
    return intersectionAB;
}
```

---


Since we spend  $O(1)$  time per input array element, the time complexity for the entire algorithm is  $O(m + n)$ .

### 10.2 RENDER A CALENDAR

Consider the problem of designing an online calendaring application. One component of the design is to render the calendar, i.e., display it visually.

Suppose each day consists of a number of events, where an event is specified as a start time and a finish time. Individual events for a day are to be rendered as nonoverlapping rectangular regions whose sides are parallel to the X- and Y-axes. Let the X-axis correspond to time. If an event starts at time  $b$  and ends at time  $e$ , the upper and lower sides of its corresponding rectangle must be at  $b$  and  $e$ , respectively. Figure 10.1 represents a set of events.

Suppose the Y-coordinates for each day's events must lie between 0 and  $L$  (a pre-specified constant), and each event's rectangle must have the same "height" (distance between the sides parallel to the X-axis). Your task is to compute the maximum height an event rectangle can have. In essence, this is equivalent to the following problem.



**Figure 10.1:** A set of nine events. The earliest starting event begins at time 1; the latest ending event ends at time 17. The maximum number of concurrent events is 3, e.g.,  $\{E1, E5, E8\}$  as well as others.

Write a program that takes a set of events, and determines the maximum number of events that take place concurrently.

*Hint:* Focus on endpoints.

**Solution:** The number of events scheduled for a given time changes only at times that are start or end times of an event. This leads the following brute-force algorithm. For each endpoint, compute the number of events that contain it. The maximum number of concurrent events is the maximum of this quantity over all endpoints. If there are  $n$  intervals, the total number of endpoints is  $2n$ . Computing the number of events containing an endpoint takes  $O(n)$  time, since checking whether an interval contains a point takes  $O(1)$  time. Therefore, the overall time complexity is  $O(2n \times n) = O(n^2)$ .

The inefficiency in the brute-force algorithm lies in the fact that it does not take advantage of locality, i.e., as we move from one endpoint to another. Intuitively, we can improve the run time by sorting the set of all the endpoints in ascending order. (If two endpoints have equal times, and one is a start time and the other is an end time, the one corresponding to a start time comes first. If both are start or finish times, we break ties arbitrarily.)

Now as we proceed through endpoints we can incrementally track the number of events taking place at that endpoint using a counter. For each endpoint that is the start of an interval, we increment the counter by 1, and for each endpoint that is the end of an interval, we decrement the counter by 1. The maximum value attained by the counter is maximum number of overlapping intervals.

For the example in Figure 10.1 on the facing page, the first seven endpoints are 1(start), 2(start), 4(start), 5(end), 5(end), 6(start), 7(end). The counter values are updated to 1, 2, 3, 2, 1, 2, 1.

---

```
public static int findMaxSimultaneousEvents(Event[] A) {
    // Builds an array of all endpoints.
    List<Endpoint> E = new ArrayList<>();
    for (Event event : A) {
        E.add(new Endpoint(event.start, true));
        E.add(new Endpoint(event.finish, false));
    }
    // Sorts the endpoint array according to the time, breaking ties
    // by putting start times before end times.
    Collections.sort(E);

    // Track the number of simultaneous events, and record the maximum
    // number of simultaneous events.
    int maxNumSimultaneousEvents = 0, numSimultaneousEvents = 0;
    for (Endpoint endpoint : E) {
        if (endpoint.isStart) {
            ++numSimultaneousEvents;
            maxNumSimultaneousEvents =
                Math.max(numSimultaneousEvents, maxNumSimultaneousEvents);
        } else {
            --numSimultaneousEvents;
        }
    }
    return maxNumSimultaneousEvents;
}
```

---

Sorting the endpoint array takes  $O(n \log n)$  time; iterating through the sorted array takes  $O(n)$  time, yielding an  $O(n \log n)$  time complexity. The space complexity is  $O(n)$ , which is the size of the endpoint array.

**Variant:** Users  $1, 2, \dots, n$  share an Internet connection. User  $i$  uses  $b_i$  bandwidth from time  $s_i$  to  $f_i$ , inclusive. What is the peak bandwidth usage?

# Binary Search Trees

*The number of trees which can be formed with  $n + 1$  given knots  $\alpha, \beta, \gamma, \dots = (n + 1)^{n-1}$ .*

— “A Theorem on Trees,”

A. CAYLEY, 1889

Adding and deleting elements to an array is computationally expensive, when the array needs to stay sorted. BSTs are similar to arrays in that the stored values (the “keys”) are stored in a sorted order. BSTs offer the ability to search for a key as well as find the *min* and *max* elements, look for the successor or predecessor of a search key (which itself need not be present in the BST), and enumerate the keys in a range in sorted order. However, unlike with a sorted array, keys can be added to and deleted from a BST efficiently.

A BST is a binary tree as defined in Chapter 6 in which the nodes store keys that are comparable, e.g., integers or strings. The keys stored at nodes have to respect the BST property—the key stored at a node is greater than or equal to the keys stored at the nodes of its left subtree and less than or equal to the keys stored in the nodes of its right subtree. Figure 11.1 on the next page shows a BST whose keys are the first 16 prime numbers.


Key lookup, insertion, and deletion take time proportional to the height of the tree, which can in worst-case be  $O(n)$ , if insertions and deletions are naively implemented. However, there are implementations of insert and delete which guarantee the tree remains “height-balanced”, i.e., has height  $O(\log n)$ . These require storing and updating additional data at the tree nodes. Red-black trees are an example of balanced BSTs and are widely used in data structure libraries.

The BST prototype is as follows:

```
public static class BSTNode<T> {
    private T data;
    private BSTNode<T> left, right;
}
```

## 11.1 TEST IF A BINARY TREE SATISFIES THE BST PROPERTY

Write a program that takes as input a binary tree and checks if the tree satisfies the BST property.



**Figure 11.1:** An example BST.

*Hint:* Is it correct to check for each node that its key is greater than or equal to the key at its left child and less than or equal to the key at its right child?

**Solution:** A direct approach, based on the definition of a BST, is to begin with the root, and compute the maximum key stored in the root's left subtree, and the minimum key in the root's right subtree. We check that the key at the root is greater than or equal to the maximum from the left subtree and less than or equal to the minimum from the right subtree. If both these checks pass, we recursively check the root's left and right subtrees. If either check fails, we return false.

Computing the minimum key in a binary tree is straightforward: we take the minimum of the key stored at its root, the minimum key of the left subtree, and the minimum key of the right subtree. The maximum key is computed similarly. Note that the minimum can be in either subtree, since a general binary tree may not satisfy the BST property.

The problem with this approach is that it will repeatedly traverse subtrees. In the worst-case, when the tree is a BST and each node's left child is empty, the complexity is  $O(n^2)$ , where  $n$  is the number of nodes. The complexity can be improved to  $O(n)$  by caching the largest and smallest keys at each node; this requires  $O(n)$  additional storage for the cache.

We now present two approaches which have  $O(n)$  time complexity and  $O(h)$  additional space complexity, where  $h$  is the height of the tree.

The first approach is to check constraints on the values for each subtree. The initial constraint comes from the root. Every node in its left (right) subtree must have a key less than or equal (greater than or equal) to the key at the root. This idea generalizes: if all nodes in a tree must have keys in the range  $[l, u]$ , and the key at the root is  $w$  (which itself must be between  $[l, u]$ , otherwise the requirement is violated at the root itself), then all keys in the left subtree must be in the range  $[l, w]$ , and all keys stored in the right subtree must be in the range  $[w, u]$ .

As a concrete example, when applied to the BST in Figure 11.1, the initial range is  $[-\infty, \infty]$ . For the recursive call on the subtree rooted at  $B$ , the constraint is  $[-\infty, 19]$ ; the

19 is the upper bound required by  $A$  on its left subtree. For the recursive call starting at the subtree rooted at  $F$ , the constraint is  $[7, 19]$ . For the recursive call starting at the subtree rooted at  $K$ , the constraint is  $[23, 43]$ . The binary tree in Figure 6.1 on Page 22 is identified as not being a BST when the recursive call reaches  $C$ —the constraint is  $[-\infty, 6]$ , but the key at  $F$  is 271, so the tree cannot satisfy the BST property.

---

```
public static boolean isBinaryTreeBST(BinaryTreeNode<Integer> tree) {
    return areKeysInRange(tree, Integer.MIN_VALUE, Integer.MAX_VALUE);
}

private static boolean areKeysInRange(BinaryTreeNode<Integer> tree,
                                      Integer lower, Integer upper) {

    if (tree == null) {
        return true;
    } else if (Integer.compare(tree.getData(), lower) < 0 ||
               Integer.compare(tree.getData(), upper) > 0) {
        return false;
    }

    return areKeysInRange(tree.getLeft(), lower, tree.getData()) &&
           areKeysInRange(tree.getRight(), tree.getData(), upper);
}
```

---

Alternately, we can use the fact that an inorder traversal visits keys in sorted order. Furthermore, if an inorder traversal of a binary tree visits keys in sorted order, then that binary tree must be a BST. (This follows directly from the definition of a BST and the definition of an inorder walk.) Thus we can check the BST property by performing an inorder traversal, recording the key stored at the last visited node. Each time a new node is visited, its key is compared with the key of the previously visited node. If at any step in the walk, the key at the previously visited node is greater than the node currently being visited, we have a violation of the BST property.

All these approaches explore the left subtree first. Therefore, even if the BST property does not hold at a node which is close to the root (e.g., the key stored at the right child is less than the key stored at the root), their time complexity is still  $O(n)$ .

We can search for violations of the BST property in a BFS manner, thereby reducing the time complexity when the property is violated at a node whose depth is small.

Specifically, we use a queue, where each queue entry contains a node, as well as an upper and a lower bound on the keys stored at the subtree rooted at that node. The queue is initialized to the root, with lower bound  $-\infty$  and upper bound  $\infty$ . We iteratively check the constraint on each node. If it violates the constraint we stop—the BST property has been violated. Otherwise, we add its children along with the corresponding constraint.

For the example in Figure 11.1 on the preceding page, we initialize the queue with  $(A, [-\infty, \infty])$ . Each time we pop a node, we first check the constraint. We pop the first entry,  $(A, [-\infty, \infty])$ , and add its children, with the corresponding constraints, i.e.,  $(B, [-\infty, 19])$  and  $(I, [19, \infty])$ . Next we pop  $(B, [-\infty, 19])$ , and add its children, i.e.,  $(C, [-\infty, 7])$  and  $(D, [7, 19])$ . Continuing through the nodes, we check that all nodes satisfy their constraints, and thus verify the tree is a BST.



If the BST property is violated in a subtree consisting of nodes within a particular depth, the violation will be discovered without visiting any nodes at a greater depth. This is because each time we enqueue an entry, the lower and upper bounds on the node's key are the tightest possible.

---

```
public static class QueueEntry {
    public BinaryTreeNode<Integer> treeNode;
    public Integer lowerBound, upperBound;

    public QueueEntry(BinaryTreeNode<Integer> treeNode, Integer lowerBound,
        Integer upperBound) {
        this.treeNode = treeNode;
        this.lowerBound = lowerBound;
        this.upperBound = upperBound;
    }
}

public static boolean isBinaryTreeBST(BinaryTreeNode<Integer> tree) {
    LinkedList<QueueEntry> BFSQueue = new LinkedList<>();
    BFSQueue.addLast(new QueueEntry(tree, Integer.MIN_VALUE, Integer.MAX_VALUE));

    while (!BFSQueue.isEmpty()) {
        if (BFSQueue.getFirst().treeNode != null) {
            if (BFSQueue.getFirst().treeNode.getData() <
                BFSQueue.getFirst().lowerBound ||
                BFSQueue.getFirst().treeNode.getData() >
                BFSQueue.getFirst().upperBound) {
                return false;
            }

            BFSQueue.addLast(new QueueEntry(BFSQueue.getFirst().treeNode.getLeft(),
                BFSQueue.getFirst().lowerBound,
                BFSQueue.getFirst().treeNode.getData()));
            BFSQueue.addLast(new QueueEntry(BFSQueue.getFirst().treeNode.getRight(),
                BFSQueue.getFirst().treeNode.getData(),
                BFSQueue.getFirst().upperBound));
        }
        BFSQueue.removeFirst();
    }
    return true;
}
```

---

# Recursion

*The power of recursion evidently lies in the possibility of defining an infinite set of objects by a finite statement. In the same manner, an infinite number of computations can be described by a finite recursive program, even if this program contains no explicit repetitions.*


— “Algorithms + Data Structures = Programs,”  
N. E. WIRTH, 1976

Recursion is a method where the solution to a problem depends partially on solutions to smaller instances of related problems. Two key ingredients to a successful use of recursion are identifying the base cases, which are to be solved directly, and ensuring progress, that is the recursion converges to the solution.

Both backtracking and branch-and-bound are naturally formulated using recursion.

## 12.1 GENERATE THE POWER SET

The power set of a set  $S$  is the set of all subsets of  $S$ , including both the empty set  $\emptyset$  and  $S$  itself. The power set of  $\{0, 1, 2\}$  is graphically illustrated in Figure 12.1.



**Figure 12.1:** The power set of  $\{0, 1, 2\}$  is  $\{\emptyset, \{0\}, \{1\}, \{2\}, \{0, 1\}, \{1, 2\}, \{0, 2\}, \{0, 1, 2\}\}$ .

Write a function that takes as input a set and returns its power set.

*Hint:* There are  $2^n$  subsets for a given set  $S$  of size  $n$ . There are  $2^k$   $k$ -bit words.

**Solution:** A brute-force way is to compute all subsets  $U$  that do not include a particular element (which could be any single element). Then we compute all subsets  $V$  which do include that element. Each subset set must appear in  $U$  or in  $V$ , so the final result is just  $U \cup V$ . The construction is recursive, and the base case is when the input set is empty, in which case we return  $\{\{\}\}$ .

As an example, let  $S = \{0, 1, 2\}$ . Pick any element, e.g., 0. First, we recursively compute all subsets of  $\{1, 2\}$ . To do this, we select 1. This leaves us with  $\{2\}$ . Now we pick 2, and get to a base case. So the set of subsets of  $\{2\}$  is  $\{\}$  union with  $\{2\}$ , i.e.,  $\{\{\}, \{2\}\}$ . The set of subsets of  $\{1, 2\}$  then is  $\{\{\}, \{2\}\}$  union with  $\{\{1\}, \{1, 2\}\}$ , i.e.,  $\{\{\}, \{2\}, \{1\}, \{1, 2\}\}$ . The set of subsets of  $\{0, 1, 2\}$  then is  $\{\{\}, \{2\}, \{1\}, \{1, 2\}\}$  union with  $\{\{0\}, \{0, 2\}, \{0, 1\}, \{0, 1, 2\}\}$ , i.e.,  $\{\{\}, \{2\}, \{1\}, \{1, 2\}, \{0\}, \{0, 2\}, \{0, 1\}, \{0, 1, 2\}\}$ .

---

```
public static List<List<Integer>> generatePowerSet(List<Integer> inputSet) {
    List<List<Integer>> powerSet = new ArrayList<>();
    List<Integer> selectedSoFar = new ArrayList<>();
    directedPowerSet(inputSet, 0, selectedSoFar, powerSet);
    return powerSet;
}

// Generate all subsets whose intersection with inputSet[0], ...,
// inputSet[toBeSelected - 1] is exactly selectedSoFar.
private static void directedPowerSet(List<Integer> inputSet, int toBeSelected,
                                     List<Integer> selectedSoFar,
                                     List<List<Integer>> powerSet) {
    if (toBeSelected == inputSet.size()) {
        powerSet.add(new ArrayList<>(selectedSoFar));
        return;
    }
    // Generate all subsets that contain inputSet[toBeSelected].
    selectedSoFar.add(inputSet.get(toBeSelected));
    directedPowerSet(inputSet, toBeSelected + 1, selectedSoFar, powerSet);
    // Generate all subsets that do not contain inputSet[toBeSelected].
    selectedSoFar.remove(selectedSoFar.size() - 1);
    directedPowerSet(inputSet, toBeSelected + 1, selectedSoFar, powerSet);
}
```

---

The number of recursive calls,  $C(n)$  satisfies the recurrence  $C(n) = 2C(n - 1)$ , which solves to  $C(n) = O(2^n)$ . Since we spend  $O(n)$  time within a call, the time complexity is  $O(n \times 2^n)$ .

A drawback of the above approach is that its space complexity is  $O(2^n)$ , even if we just want to print the subsets, rather than returning all of them. A more incremental way to enumerate the subsets is to recognize that for a given ordering of the elements of  $S$ , there exists a one-to-one correspondence between the  $2^n$  bit arrays of length  $n$  and the set of all subsets of  $S$ —the 1s in the  $n$ -length bit array  $v$  indicate the elements of  $S$  in the subset corresponding to  $v$ . For example, if  $S = \{a, b, c, d\}$ , the bit array  $\langle 1, 0, 1, 1 \rangle$  denotes the subset  $\{a, c, d\}$ .

If  $n$  is less than or equal to the width of an integer on the architecture (or language) we are working on, we can enumerate bit arrays by enumerating integers in  $[0, 2^n - 1]$  and examining the indices of bits set in these integers. These indices are determined

by first isolating the lowest set bit by computing  $y = x \& \sim(x - 1)$ , and then getting the index by computing  $\lg y$ .

---

```
private static final double LOG_2 = Math.log(2);

public static List<List<Integer>> generatePowerSet(List<Integer> inputSet) {
    List<List<Integer>> powerSet = new ArrayList<>();
    for (int intForSubset = 0; intForSubset < (1 << inputSet.size());
        ++intForSubset) {
        int bitArray = intForSubset;
        List<Integer> subset = new ArrayList<>();
        while (bitArray != 0) {
            subset.add(
                inputSet.get((int)(Math.log(bitArray & ~(bitArray - 1)) / LOG_2)));
            bitArray &= bitArray - 1;
        }
        powerSet.add(subset);
    }
    return powerSet;
}
```

---

Since each set takes  $O(n)$  time to compute, the time complexity is  $O(n2^n)$ . In practice, this approach is very fast. Furthermore, its space complexity is  $O(n)$  when we want to just enumerate subsets, e.g., to print them, rather than to return a list of all subsets.

**Variant:** Solve this problem when the input array may have duplicates, i.e., denotes a multiset. You should not repeat any multiset. For example, if  $A = \langle 1, 2, 3, 2 \rangle$ , then you should return  $\langle \langle \rangle, \langle 1 \rangle, \langle 2 \rangle, \langle 3 \rangle, \langle 1, 2 \rangle, \langle 1, 3 \rangle, \langle 2, 2 \rangle, \langle 2, 3 \rangle, \langle 1, 2, 2 \rangle, \langle 1, 2, 3 \rangle, \langle 2, 2, 3 \rangle, \langle 1, 2, 2, 3 \rangle \rangle$ .

## Dynamic Programming

*The important fact to observe is that we have attempted to solve a maximization problem involving a particular value of  $x$  and a particular value of  $N$  by first solving the general problem involving an arbitrary value of  $x$  and an arbitrary value of  $N$ .*

—“Dynamic Programming,”  
R. E. BELLMAN, 1957

DP is a general technique for solving complex optimization problems that can be decomposed into overlapping subproblems. Like divide-and-conquer, we solve the problem by combining the solutions of multiple smaller problems but what makes DP different is that the subproblems may not be independent. A key to making DP efficient is reusing the results of intermediate computations. (The word “programming” in dynamic programming does not refer to computer programming—the word was chosen by Richard Bellman to describe a program in the sense of a schedule.) Problems which are naturally solved using DP are a popular choice for hard interview questions.

To illustrate the idea underlying DP, consider the problem of computing Fibonacci numbers defined by  $F_n = F_{n-1} + F_{n-2}$ ,  $F_0 = 0$  and  $F_1 = 1$ . A function to compute  $F_n$  that recursively invokes itself to compute  $F_{n-1}$  and  $F_{n-2}$  would have a time complexity that is exponential in  $n$ . However, if we make the observation that recursion leads to computing  $F_i$  for  $i \in [0, n-1]$  repeatedly, we can save the computation time by storing these results and reusing them. This makes the time complexity linear in  $n$ , albeit at the expense of  $O(n)$  storage. Note that the recursive implementation requires  $O(n)$  storage too, though on the stack rather than the heap and that the function is not tail recursive since the last operation performed is  $+$  and not a recursive call.

The key to solving any DP problem efficiently is finding the right way to break the problem into subproblems such that

- the bigger problem can be solved relatively easily once solutions to all the subproblems are available, and
- you need to solve as few subproblems as possible.

In some cases, this may require solving a slightly different optimization problem than the original problem. For example, consider the following problem: given an array of integers  $A$  of length  $n$ , find the interval indices  $a$  and  $b$  such that  $\sum_{i=a}^b A[i]$  is maximized. As a concrete example, the interval corresponding to the maximum subarray sum for the array in Figure 13.1 on the following page is  $[0, 3]$ .

904	40	523	12	-335	-385	-124	481	-31
A[0]	A[1]	A[2]	A[3]	A[4]	A[5]	A[6]	A[7]	A[8]

**Figure 13.1:** An array with a maximum subarray sum of 1479.

The brute-force algorithm, which computes each subarray sum, has  $O(n^3)$  time complexity—there are  $\frac{n(n+1)}{2}$  subarrays, and each subarray sum can be computed in  $O(n)$  time. The brute-force algorithm can be improved to  $O(n^2)$  by first computing sums  $S[i]$  for subarrays  $A[0 : i]$  for each  $i < n$ ; the sum of subarray  $A[i : j]$  is  $S[j] - S[i - 1]$ , where  $S[-1]$  is taken to be 0.

Here is a natural divide-and-conquer algorithm. We solve the problem for the subarrays  $L = A[0 : \lfloor \frac{n}{2} \rfloor]$  and  $R = A[\lfloor \frac{n}{2} \rfloor + 1 : n - 1]$ . In addition to the answers for each, we also return the maximum subarray sum  $l$  for any subarray ending at the last entry in  $L$ , and the maximum subarray sum  $r$  for any subarray starting at 0 for  $R$ . The maximum subarray sum for  $A$  is the maximum of  $l + r$ , the answer for  $L$ , and the answer for  $R$ . The time complexity analysis is similar to that for quicksort, which leads to an  $O(n \log n)$ .

Now we will solve this problem by using DP. A natural thought is to assume we have the solution for the subarray  $A[0 : n - 2]$ . However, even if we knew the largest sum subarray for subarray  $A[0 : n - 2]$ , it does not help us solve the problem for  $A[0 : n - 1]$ . A better approach is to iterate through the array. For each index  $j$ , the maximum subarray ending at  $j$  is equal to  $S[j] - \min_{i \leq j} S[i]$ . During the iteration, we cache the minimum subarray sum we have visited and compute the maximum subarray for each index. The time spent per index is constant, leading to an  $O(n)$  time and  $O(1)$  space solution. The code below returns a pair of indices  $(i, j)$  such that  $A[i : j - 1]$  is a maximum subarray. It is legal for all array entries to be negative, or the array to be empty. The algorithm handles these input cases correctly. Specifically, it returns equal indices, which denote an empty subarray.

---

```
// Used to represent subarray consisting of elements from index
// start (inclusive) to index end (exclusive)
private static class Subarray {
    public Integer start;
    public Integer end;

    public Subarray(Integer start, Integer end) {
        this.start = start;
        this.end = end;
    }

    @Override
    public String toString() {
        return "[" + start + "," + end + "]";
    }
}

public static Subarray findMaximumSubarray(List<Integer> A) {
    // A[range.start : range.end - 1] will be the maximum subarray.
```

```

Subarray range = new Subarray(0, 0);
int minIdx = -1, minSum = 0, sum = 0, maxSum = 0;
for (int i = 0; i < A.size(); ++i) {
    sum += A.get(i);
    if (sum < minSum) {
        minSum = sum;
        minIdx = i;
    }
    if (sum - minSum > maxSum) {
        maxSum = sum - minSum;
        range = new Subarray(minIdx + 1, i + 1);
    }
}
return range;
}

```

The problem of finding indices  $a$  and  $b$  such that  $\sum_{i=a}^b A[i]$  is closest to  $t$ , where  $t$  is an input parameter, can be solved similarly to the subarray maximization problem. Its solution entails some sorting, which increases the time complexity to  $O(n \log n)$ . Another good variant is finding indices  $a$  and  $b$  such that  $\prod_{i=a}^b A[i]$  is maximum when the array contains both positive and negative integers.

A common mistake in solving DP problems is trying to think of the recursive case by splitting the problem into two equal halves, *à la* quicksort, i.e., somehow solve the subproblems for subarrays  $A[0 : \lfloor \frac{n}{2} \rfloor]$  and  $A[\lfloor \frac{n}{2} \rfloor + 1 : n]$  and combine the results. However, in most cases, these two subproblems are not sufficient to solve the original problem.

### 13.1 COUNT THE NUMBER OF WAYS TO TRAVERSE A 2D ARRAY

Suppose you start at the top-left corner of an  $n \times m$  2D array  $A$  and want to get to the bottom-right corner. The only way you can move is by either going right or going down. Three legal paths for a  $5 \times 5$  2D array are given in Figure 13.2.




Figure 13.2: Paths through a 2D array.

How many ways can you go from the top-left to the bottom-right in an  $n \times m$  2D array? How would you count the number of ways in the presence of obstacles, specified by an  $n \times m$  Boolean 2D array  $B$ , where a true represents an obstacle.

*Hint:* If  $i > 0$  and  $j > 0$ , you can get to  $(i, j)$  from  $(i - 1, j)$  or  $(i - 1, i)$ .

**Solution:** This problem can be solved using a straightforward application of DP: the number of ways to get to  $(i, j)$  is the number of ways to get to  $(i - 1, j)$  plus the number

of ways to get to  $(i, j - 1)$ . (If  $i = 0$  or  $j = 0$ , there is only one way to get to  $(i, j)$ .) The matrix storing the number of ways to get to  $(i, j)$  for the configuration in Figure 13.2 on the preceding page is shown in Figure 13.3. To fill in the  $i$ th row we do not need values from rows before  $i - 1$ . Consequently, we do not need an  $n \times m$  2D array. Instead, we can use two rows of storage, and alternate between them. With a little more care, we can get by with a single row. By symmetry, the number of ways to get to  $(i, j)$  is the same as to get to  $(j, i)$ , so we use the smaller of  $m$  and  $n$  to be the number of columns (which is the number of entries in a row). This leads to the following algorithm.

---

```
public static int numberOfWays(int n, int m) {
    if (n < m) {
        int temp = n;
        n = m;
        m = temp;
    }
    int[] A = new int[m];
    for (int j = 0; j < m; ++j) {
        A[j] = 1;
    }
    for (int i = 1; i < n; ++i) {
        int prevRes = 0;
        for (int j = 0; j < m; ++j) {
            A[j] = A[j] + prevRes;
            prevRes = A[j];
        }
    }
    return A[m - 1];
}
```

---

The time complexity is  $O(mn)$ , and the space complexity is  $O(\min(m, n))$ .

1	1	1	1	1
1	2	3	4	5
1	3	6	10	15
1	4	10	20	35
1	5	15	35	70

**Figure 13.3:** The number of ways to get from  $(0, 0)$  to  $(i, j)$  for  $0 \leq i, j \leq 4$ .

Another way of deriving the same answer is to use the fact that each path from  $(0, 0)$  to  $(n - 1, m - 1)$  is a sequence of  $m - 1$  horizontal steps and  $n - 1$  vertical steps. There are  $\binom{n+m-2}{n-1} = \binom{n+m-2}{m-1} = \frac{(n+m-2)!}{(n-1)!(m-1)!}$  such paths.

Our first solution generalizes trivially to obstacles: if there is an obstacle at  $(i, j)$  there are zero ways of getting from  $(0, 0)$  to  $(i, j)$ .

---

```
// Given the dimensions of A, n and m, and B, return the number of ways
// from A[0][0] to A[n - 1][m - 1] considering obstacles.
public static int numberOfWaysWithObstacles(int n, int m,
                                           List<List<Boolean>> B) {
```



```

int[][] A = new int[n][m];
if (B.get(0).get(0)) { // No way to start from (0, 0) if B[0][0] == true.
    return 0;
}

A[0][0] = 1;
for (int i = 0; i < n; ++i) {
    for (int j = 0; j < m; ++j) {
        if (!B.get(i).get(j)) {
            A[i][j] += (i < 1 ? 0 : A[i - 1][j]) + (j < 1 ? 0 : A[i][j - 1]);
        }
    }
}
return A[n - 1][m - 1];
}

```

---

The time complexity is  $O(nm)$ .

**Variant:** A decimal number is a sequence of digits, i.e., a sequence over  $\{0, 1, 2, \dots, 9\}$ . The sequence has to be of length 1 or more, and the first element in the sequence cannot be 0. Call a decimal number  $D$  *monotone* if  $D[i] \leq D[i + 1], 0 \leq i < |D|$ . Write a program which takes as input a positive integer  $k$  and computes the number of decimal numbers of length  $k$  that are monotone.

**Variant:** Call a decimal number  $D$ , as defined above, *strictly monotone* if  $D[i] < D[i + 1], 0 \leq i < |D|$ . Write a program which takes as input a positive integer  $k$  and computes the number of decimal numbers of length  $k$  that are strictly monotone.

**Variant:** The symbol  $\binom{n}{k}$  is short form for  $\frac{n(n-1)\cdots(n-k+1)}{k(k-1)\cdots(3)(2)(1)}$ . It is the number of ways to choose a  $k$ -element subset from an  $n$ -element set. Design an efficient algorithm for computing  $\binom{n}{k}$  which has the property that it never overflows if  $\binom{n}{k}$  can be represented as a 32-bit integer; assume  $n$  and  $k$  are integers.

## Greedy Algorithms and Invariants

*The intended function of a program, or part of a program, can be specified by making general assertions about the values which the relevant variables will take after execution of the program.*

---

— “An Axiomatic Basis for Computer Programming,”  
C. A. R. HOARE, 1969

### Invariants

An invariant is a condition that is true during execution of a program. Invariants can be used to design algorithms as well as reason about their correctness.

The divide and conquer algorithms seen previously, e.g., binary search, maintain the invariant that the space of candidate solutions contains all possible solutions as the algorithms execute.

Sorting algorithms nicely illustrates algorithm design using invariants. For example, intuitively, selection sort is based on finding the smallest element, the next smallest element, etc. and moving them to their right place. More precisely, we work with successively larger subarrays beginning at index 0, and preserve the invariant that these subarrays are sorted and their elements are less than or equal to the remaining elements.

As another example, suppose we want to find two elements in a sorted array  $A$  summing to a specified  $K$ . Let  $n$  denote the length of  $A$ . We start by considering  $s_{0,n-1} = A[0] + A[n-1]$ . If  $s_{0,n-1} = K$ , we are done. If  $s_{0,n-1} < K$ , then we can restrict our attention to solving the problem on the subarray  $A[1 : n-1]$ , since  $A[0]$  can never be one of the two elements. Similarly, if  $s_{0,n-1} > K$ , we restrict the search to  $A[0 : n-2]$ . The invariant is that if two elements which sum to  $K$  exist, they must lie within the subarray currently under consideration.

#### 14.1 THE 3-SUM PROBLEM

Let  $A$  be an array of  $n$  numbers. Let  $t$  be a number, and  $k$  be an integer in  $[1, n]$ . Define  $A$  to  $k$ -create  $t$  if and only if there exists  $k$  indices  $i_0, i_1, \dots, i_{k-1}$  (not necessarily distinct) such that  $\sum_{j=0}^{k-1} A[i_j] = t$ .

Design an algorithm that takes as input an array  $A$  and a number  $t$ , and determines if  $A$  3-creates  $t$ .

*Hint:* How would you check if  $A[i]$  is part of a triple that 3-creates  $t$ ?

**Solution:** First, we consider the problem of computing a pair of entries which sum to  $K$ . Assume  $A$  is sorted. We start with the pair consisting of the first element and the last element:  $(A[0], A[n-1])$ . Let  $s = A[0] + A[n-1]$ . If  $s = K$ , we are done. If  $s < K$ , we increase the sum by moving to pair  $(A[1], A[n-1])$ . We need never consider  $A[0]$ ; since the array is sorted, for all  $i$ ,  $A[0] + A[i] \leq A[0] + A[n-1] = K < s$ . If  $s > K$ , we can decrease the sum by considering the pair  $(A[0], A[n-2])$ ; by analogous reasoning, we need never consider  $A[n-1]$  again. We iteratively continue this process till we have found a pair that sums up to  $K$  or the indices meet, in which case the search ends. This solution works in  $O(n)$  time and  $O(1)$  space in addition to the space needed to store  $A$ .

Now we describe a solution to the problem of finding three entries which sum to  $t$ . We sort  $A$  and for each  $A[i]$ , search for indices  $j$  and  $k$  such that  $A[j] + A[k] = t - A[i]$ . The additional space needed is  $O(1)$ , and the time complexity is the sum of the time taken to sort,  $O(n \log n)$ , and then to run the  $O(n)$  algorithm described in the previous paragraph  $n$  times (one for each entry), which is  $O(n^2)$  overall. The code for this approach is shown below.

---

```
public static boolean hasThreeSum(List<Integer> A, int t) {
    Collections.sort(A);
    for (Integer a : A) {
        // Finds if the sum of two numbers in A equals to t - a.
        if (hasTwoSum(A, t - a)) {
            return true;
        }
    }
    return false;
}

private static boolean hasTwoSum(List<Integer> A, int t) {
    int j = 0, k = A.size() - 1;

    while (j <= k) {
        if (A.get(j) + A.get(k) == t) {
            return true;
        } else if (A.get(j) + A.get(k) < t) {
            ++j;
        } else { // A[j] + A[k] > t.
            --k;
        }
    }
    return false;
}
```

---

Surprisingly, it is possible, in theory, to improve the time complexity when the entries in  $A$  are nonnegative integers in a small range, specifically, the maximum entry is  $O(n)$ . The idea is to determine all possible 3-sums by encoding the array as a polynomial  $P_A(x) = \sum_{i=0}^{n-1} x^{A[i]}$ . The powers of  $x$  that appear in the polynomial  $P_A(x) \times P_A(x)$  corresponds to sums of pairs of elements in  $A$ ; similarly, the powers of  $x$  in  $P_A(x) \times P_A(x) \times P_A(x)$  correspond to sums of triples of elements in  $A$ . Two  $n$ -degree

polynomials can be multiplied in  $O(n \log n)$  time using the fast Fourier Transform (FFT). The details are long and tedious, and the approach is unlikely to do well in practice.

**Variant:** Solve the same problem when the three elements must be distinct. For example, if  $A = \langle 5, 2, 3, 4, 3 \rangle$  and  $t = 9$ , then  $A[2] + A[2] + A[2]$  is not acceptable,  $A[2] + A[2] + A[4]$  is not acceptable, but  $A[1] + A[2] + A[3]$  and  $A[1] + A[3] + A[4]$  are acceptable.

**Variant:** Solve the same problem when  $k$  is an additional input.

**Variant:** Write a program that takes as input an array of integers  $A$  and an integer  $T$ , and returns a 3-tuple  $(A[p], A[q], A[r])$  where  $p, q, r$  are all distinct, minimizing  $|T - (A[p] + A[q] + A[r])|$ , and  $A[p] \leq A[r] \leq A[s]$ .

**Variant:** Write a program that takes as input an array of integers  $A$  and an integer  $T$ , and returns the number of 3-tuples  $(p, q, r)$  such that  $A[p] + A[q] + A[r] \leq T$  and  $p < q < r$ .

# Graphs

*Concerning these bridges, it was asked whether anyone could arrange a route in such a way that he would cross each bridge once and only once.*


— “The solution of a problem relating to the geometry of position,”

L. EULER, 1741

Informally, a graph is a set of vertices and connected by edges. Formally, a directed graph is a tuple  $(V, E)$ , where  $V$  is a set of *vertices* and  $E \subset V \times V$  is the set of edges. Given an edge  $e = (u, v)$ , the vertex  $u$  is its *source*, and  $v$  is its *sink*. Graphs are often decorated, e.g., by adding lengths to edges, weights to vertices, and a start vertex. A directed graph can be depicted pictorially as in Figure 15.1.

A *path* in a directed graph from  $u$  to vertex  $v$  is a sequence of vertices  $\langle v_0, v_1, \dots, v_{n-1} \rangle$  where  $v_0 = u, v_{n-1} = v$ , and  $(v_i, v_{i+1}) \in E$  for  $i \in \{0, \dots, n-2\}$ . The sequence may contain a single vertex. The *length* of the path  $\langle v_0, v_1, \dots, v_{n-1} \rangle$  is  $n - 1$ . Intuitively, the *length* of a path is the number of edges it traverses. If there exists a path from  $u$  to  $v$ ,  $v$  is said to be *reachable* from  $u$ .


For example, the sequence  $\langle a, c, e, d, h \rangle$  is a path in the graph represented in Figure 15.1.



**Figure 15.1:** A directed graph with weights on edges.


A *directed acyclic graph* (DAG) is a directed graph in which there are no *cycles*, i.e., paths of the form  $\langle v_0, v_1, \dots, v_{n-1}, v_0 \rangle, n \geq 1$ . See Figure 15.2 on the following page for an example of a directed acyclic graph. Vertices in a DAG which have no incoming

edges are referred to as *sources*; vertices which have no outgoing edges are referred to as *sinks*. A *topological ordering* of the vertices in a DAG is an ordering of the vertices in which each edge is from a vertex earlier in the ordering to a vertex later in the ordering.



**Figure 15.2:** A directed acyclic graph. Vertices  $a, g, m$  are sources and vertices  $l, f, h, n$  are sinks. The ordering  $\langle a, b, c, e, d, g, h, k, i, j, f, l, m, n \rangle$  is a topological ordering of the vertices.

An undirected graph is also a tuple  $(V, E)$ ; however,  $E$  is a set of unordered pairs of  $V$ . Graphically, this is captured by drawing arrowless connections between vertices, as in Figure 15.3.



**Figure 15.3:** An undirected graph.

If  $G$  is an undirected graph, vertices  $u$  and  $v$  are said to be *connected* if  $G$  contains a path from  $u$  to  $v$ ; otherwise,  $u$  and  $v$  are said to be *disconnected*. A graph is said to be connected if every pair of vertices in the graph is connected. A *connected component* is a maximal set of vertices  $C$  such that each pair of vertices in  $C$  is connected in  $G$ . Every vertex belongs to exactly one connected component.

A directed graph is called *weakly connected* if replacing all of its directed edges with undirected edges produces an undirected graph that is connected. It is *connected* if it contains a directed path from  $u$  to  $v$  or a directed path from  $v$  to  $u$  for every pair of vertices  $u$  and  $v$ . It is *strongly connected* if it contains a directed path from  $u$  to  $v$  and a directed path from  $v$  to  $u$  for every pair of vertices  $u$  and  $v$ .

Graphs naturally arise when modeling geometric problems, such as determining connected cities. However, they are more general, and can be used to model many kinds of relationships.

A graph can be implemented in two ways—using *adjacency lists* or an *adjacency matrix*. In the adjacency list representation, each vertex  $v$ , has a list of vertices to which it has an edge. The adjacency matrix representation uses a  $|V| \times |V|$  Boolean-valued matrix indexed by vertices, with a 1 indicating the presence of an edge. The time and space complexities of a graph algorithm are usually expressed as a function of the number of vertices and edges.

A *tree* (sometimes called a *free tree*) is a special sort of graph—it is an undirected graph that is connected but has no cycles. (Many equivalent definitions exist, e.g., a graph is a free tree if and only if there exists a unique path between every pair of vertices.) There are a number of variants on the basic idea of a tree. A *rooted tree* is one where a designated vertex is called the root, which leads to a parent-child relationship on the nodes. An *ordered tree* is a rooted tree in which each vertex has an ordering on its children. Binary trees, which are the subject of Chapter 6, differ from ordered trees since a node may have only one child in a binary tree, but that node may be a left or a right child, whereas in an ordered tree no analogous notion exists for a node with a single child. Specifically, in a binary tree, there is position as well as order associated with the children of nodes.

As an example, the graph in Figure 15.4 is a tree. Note that its edge set is a subset of the edge set of the undirected graph in Figure 15.3 on the preceding page. Given a graph  $G = (V, E)$ , if the graph  $G' = (V, E')$  where  $E' \subset E$ , is a tree, then  $G'$  is referred to as a *spanning tree* of  $G$ .




Figure 15.4: A tree.

## Graph search

Computing vertices which are reachable from other vertices is a fundamental operation which can be performed in one of two idiomatic ways, namely depth-first search (DFS) and breadth-first search (BFS). Both have linear time complexity— $O(|V| + |E|)$  to be precise. In the worst-case there is a path from the initial vertex covering all vertices without any repeats, and the DFS edges selected correspond to this path, so the space complexity of DFS is  $O(|V|)$  (this space is implicitly allocated on the function call stack). The space complexity of BFS is also  $O(|V|)$ , since in a worst-case there is an edge from the initial vertex to all remaining vertices, implying that they will all be in the BFS queue simultaneously at some point.

DFS and BFS differ from each other in terms of the additional information they provide, e.g., BFS can be used to compute distances from the start vertex and DFS can


be used to check for the presence of cycles. Key notions in DFS include the concept of *discovery time* and *finishing time* for vertices.

### 15.1 PAINT A BOOLEAN MATRIX

Let  $A$  be a  $D \times D$  Boolean 2D array encoding a black-and-white image. The entry  $A(a, b)$  can be viewed as encoding the color at location  $(a, b)$ . Define a path from entry  $(a, b)$  to entry  $(c, d)$  to be a sequence of entries  $\langle (x_1, y_1), (x_2, y_2), \dots, (x_n, y_n) \rangle$  such that

- $(a, b) = (x_1, y_1)$ ,  $(c, d) = (x_n, y_n)$ , and
- for each  $i$ ,  $1 \leq i < n$ , we have  $|x_i - x_{i+1}| + |y_i - y_{i+1}| = 1$ .

Define the region associated with a point  $(i, j)$  to be all points  $(i', j')$  such that there exists a path from  $(i, j)$  to  $(i', j')$  in which all entries are the same color. In particular this implies  $(i, j)$  and  $(i', j')$  must be the same color.



**Figure 15.5:** The color of all squares associated with the first square marked with a  $\times$  in (a) have been recolored to yield the coloring in (b). The same process yields the coloring in (c).

Implement a routine that takes a  $n \times m$  Boolean array  $A$  together with an entry  $(x, y)$  and flips the color of the region associated with  $(x, y)$ . See Figure 15.5 for an example of flipping.

*Hint:* Solve this conceptually, then think about implementation optimizations.

**Solution:** Conceptually, this problem is very similar to that of exploring an undirected graph. Entries can be viewed as vertices, and neighboring vertices are connected by edges.

For the current problem, we are searching for all vertices whose color is the same as that of  $(x, y)$  that are reachable from  $(x, y)$ . Breadth-first search is natural when starting with a set of vertices. Specifically, we can use a queue to store such vertices. The queue is initialized to  $(x, y)$ . The queue is popped iteratively. Call the popped point  $p$ . First, we record  $p$ 's initial color, and then flip its color. Next we examine  $p$  neighbors. Any neighbor which is the same color as  $p$ 's initial color is added to  $q$ . The computation ends when  $q$  is empty. Correctness follows from the fact that any point that is added to the queue is reachable from  $(x, y)$  via a path consisting of points of the same color, and all points reachable from  $(x, y)$  via points of the same color will eventually be added to the queue.



---

```

private static class Coordinate {
    public Integer x;
    public Integer y;

    public Coordinate(Integer x, Integer y) {
        this.x = x;
        this.y = y;
    }
}

public static void flipColor(boolean[][] A, int x, int y) {
    int[][] dir = new int[][] {new int[] {0, 1}, new int[] {0, -1},
                                new int[] {1, 0}, new int[] {-1, 0}};
    boolean color = A[x][y];

    Queue<Coordinate> q = new LinkedList<>();
    A[x][y] = !A[x][y]; // Flips.
    q.add(new Coordinate(x, y));
    while (!q.isEmpty()) {
        Coordinate curr = q.element();
        for (int[] d : dir) {
            Coordinate next = new Coordinate(curr.x + d[0], curr.y + d[1]);
            if (next.x >= 0 && next.x < A.length && next.y >= 0 &&
                next.y < A[next.x].length && A[next.x][next.y] == color) {
                // Flips the color.
                A[next.x][next.y] = !A[next.x][next.y];
                q.add(next);
            }
        }
        q.remove();
    }
}

```

---

The time complexity is the same as that of BFS, i.e.,  $O(mn)$ . The space complexity is a little better than the worst-case for BFS, since there are at most  $O(m + n)$  vertices that are at the same distance from a given entry.

We also provide a recursive solution which is in the spirit of DFS. It does not need a queue but implicitly uses a stack, namely the function call stack.

---

```

public static void flipColor(boolean[][] A, int x, int y) {
    int[][] dir = new int[][] {new int[] {0, 1}, new int[] {0, -1},
                                new int[] {1, 0}, new int[] {-1, 0}};

    boolean color = A[x][y];

    A[x][y] = !A[x][y]; // Flips.
    for (int[] d : dir) {
        int nx = x + d[0], ny = y + d[1];
        if (nx >= 0 && nx < A.length && ny >= 0 && ny < A[nx].length &&
            A[nx][ny] == color) {
            flipColor(A, nx, ny);
        }
    }
}

```

}

---

The time complexity is the same as that of DFS.

Both the algorithms given above differ slightly from traditional BFS and DFS algorithms. The reason is that we have a color field already available, and hence do not need the auxiliary color field traditionally associated with vertices BFS and DFS. Furthermore, since we are simply determining reachability, we only need two colors, whereas BFS and DFS traditionally use three colors to track state. (The use of an additional color makes it possible, for example, to answer questions about cycles in directed graphs, but that is not relevant here.)

**Variant:** Design an algorithm for computing the black region that contains the most points.

**Variant:** Design an algorithm that takes a point  $(a, b)$ , sets  $A(a, b)$  to black, and returns the size of the black region that contains the most points. Assume this algorithm will be called multiple times, and you want to keep the aggregate run time as low as possible.

---

## Parallel Computing

*The activity of a computer must include the proper reacting to a possibly great variety of messages that can be sent to it at unpredictable moments, a situation which occurs in all information systems in which a number of computers are coupled to each other.*

---

— “Cooperating sequential processes,”  
E. W. DIJKSTRA, 1965

Parallel computation has become increasingly common. For example, laptops and desktops come with multiple processors which communicate through shared memory. High-end computation is often done using clusters consisting of individual computers communicating through a network.

Parallelism provides a number of benefits:

- High performance—more processors working on a task (usually) means it is completed faster.
- Better use of resources—a program can execute while another waits on the disk or network.
- Fairness—letting different users or programs share a machine rather than have one program run at a time to completion.
- Convenience—it is often conceptually more straightforward to do a task using a set of concurrent programs for the subtasks rather than have a single program manage all the subtasks.
- Fault tolerance—if a machine fails in a cluster that is serving web pages, the others can take over.

Concrete applications of parallel computing include graphical user interfaces (GUI) (a dedicated thread handles UI actions while other threads are, for example, busy doing network communication and passing results to the UI thread, resulting in increased responsiveness), Java virtual machines (a separate thread handles garbage collection which would otherwise lead to blocking, while another thread is busy running the user code), web servers (a single logical thread handles a single client request), scientific computing (a large matrix multiplication can be split across a cluster), and web search (multiple machines crawl, index, and retrieve web pages).

The two primary models for parallel computation are the shared memory model, in which each processor can access any location in memory, and the distributed memory model, in which a processor must explicitly send a message to another processor to access its memory. The former is more appropriate in the multicore setting and the latter is more accurate for a cluster. The questions in this chapter are mostly focused

on the shared memory model. We cover a few problems related to the distributed memory model, such as leader election and sorting large data sets, at the end of the chapter.

Writing correct parallel programs is challenging because of the subtle interactions between parallel components. One of the key challenges is races—two concurrent instruction sequences access the same address in memory and at least one of them writes to that address. Other challenges to correctness are

- starvation (a processor needs a resource but never gets it),
- deadlock (Thread *A* acquires Lock *L1* and Thread *B* acquires Lock *L2*, following which *A* tries to acquire *L2* and *B* tries to acquire *L1*), and
- livelock (a processor keeps retrying an operation that always fails).

Bugs caused by these issues are difficult to find using testing. Debugging them is also difficult because they may not be reproducible since they are usually load dependent. It is also often true that it is not possible to realize the performance implied by parallelism—sometimes a critical task cannot be parallelized, making it impossible to improve performance, regardless of the number of processors added. Similarly, the overhead of communicating intermediate results between processors can exceed the performance benefits.

## 16.1 IMPLEMENT A TIMER CLASS

Consider a web-based calendar in which the server hosting the calendar has to perform a task when the next calendar event takes place. (The task could be sending an email or a Short Message Service (SMS).) Your job is to design a facility that manages the execution of such tasks.

Develop a `Timer` class that manages the execution of deferred tasks. The `Timer` constructor takes as its argument an object which includes a `Run` method and a `name` field, which is a string. `Timer` must support—(1.) starting a thread, identified by name, at a given time in the future; and (2.) canceling a thread, identified by name (the cancel request is to be ignored if the thread has already started).

*Hint:* There are two aspects—data structure design and concurrency.

**Solution:** The two aspects to the design are the data structures and the locking mechanism.

We use two data structures. The first is a min-heap in which we insert key-value pairs: the keys are run times and the values are the thread to run at that time. A dispatch thread runs these threads; it sleeps from call to call and may be woken up if a thread is added to or deleted from the pool. If woken up, it advances or retards its remaining sleep time based on the top of the min-heap. On waking up, it looks for the thread at the top of the min-heap—if its launch time is the current time, the dispatch thread deletes it from the min-heap and executes it. It then sleeps till the launch time for the next thread in the min-heap. (Because of deletions, it may happen that the dispatch thread wakes up and finds nothing to do.)

The second data structure is a hash table with thread ids as keys and entries in the min-heap as values. If we need to cancel a thread, we go to the min-heap and delete

it. Each time a thread is added, we add it to the min-heap; if the insertion is to the top of the min-heap, we interrupt the dispatch thread so that it can adjust its wake up time.

Since the min-heap is shared by the update methods and the dispatch thread, we need to lock it. The simplest solution is to have a single lock that is used for all read and writes into the min-heap and the hash table.

# Design Problems

*We have described a simple but very powerful and flexible protocol which provides for variation in individual network packet sizes, transmission failures, sequencing, flow control, and the creation and destruction of process-to-process associations.*

— “A Protocol for Packet Network Intercommunication,”  
V. G. CERF AND R. E. KAHN, 1974

You may be asked in an interview how to go about creating a set of services or a larger system, possibly on top of an algorithm that you have designed. These problems are fairly open-ended, and many can be the starting point for a large software project.

In an interview setting when someone asks such a question, you should have a conversation in which you demonstrate an ability to think creatively, understand design trade-offs, and attack unfamiliar problems. You should sketch key data structures and algorithms, as well as the technology stack (programming language, libraries, OS, hardware, and services) that you would use to solve the problem.

The answers in this chapter are presented in this context—they are meant to be examples of good responses in an interview and are not comprehensive state-of-the-art solutions.

We review patterns that are useful for designing systems in Table 17.1. Some other things to keep in mind when designing a system are implementation time, extensibility, scalability, testability, security, internationalization, and IP issues.

**Table 17.1:** System design patterns.

Design principle	Key points
Decomposition	Split the functionality, architecture, and code into manageable, reusable components.
Parallelism	Decompose the problem into subproblems that can be solved independently on different machines.
Caching	Store computation and later look it up to save work.

## DECOMPOSITION

Good decompositions are critical to successfully solving system-level design problems. Functionality, architecture, and code all benefit from decomposition.

For example, in our solution to designing a system for online advertising, we decompose the goals into categories based on the stake holders. We decompose the

architecture itself into a front-end and a back-end. The front-end is divided into user management, web page design, reporting functionality, etc. The back-end is made up of middleware, storage, database, cron services, and algorithms for ranking ads.

Decomposing code is a hallmark of object-oriented programming. The subject of design patterns is concerned with finding good ways to achieve code-reuse. Broadly speaking, design patterns are grouped into creational, structural, and behavioral patterns. Many specific patterns are very natural—strategy objects, adapters, builders, etc., appear in a number of places in our codebase. Freeman *et al.*'s "*Head First Design Patterns*" is, in our opinion, the right place to study design patterns.

## PARALLELISM

In the context of interview questions parallelism is useful when dealing with scale, i.e., when the problem is too large to fit on a single machine or would take an unacceptably long time on a single machine. The key insight you need to display is that you know how to decompose the problem so that

- each subproblem can be solved relatively independently, and
- the solution to the original problem can be efficiently constructed from solutions to the subproblems.

Efficiency is typically measured in terms of central processing unit (CPU) time, random access memory (RAM), network bandwidth, number of memory and database accesses, etc.

Consider the problem of sorting a petascale integer array. If we know the distribution of the numbers, the best approach would be to define equal-sized ranges of integers and send one range to one machine for sorting. The sorted numbers would just need to be concatenated in the correct order. If the distribution is not known then we can send equal-sized arbitrary subsets to each machine and then merge the sorted results, e.g., using a min-heap.

## CACHING

Caching is a great tool whenever computations are repeated. For example, the central idea behind dynamic programming is caching results from intermediate computations. Caching is also extremely useful when implementing a service that is expected to respond to many requests over time, and many requests are repeated. Workloads on web services exhibit this property.

### 17.1 DESIGN A SYSTEM FOR DETECTING COPYRIGHT INFRINGEMENT

YouTV.com is a successful online video sharing site. Hollywood studios complain that much of the material uploaded to the site violates copyright.

Design a feature that allows a studio to enter a set  $V$  of videos that belong to it, and to determine which videos in the YouTV.com database match videos in  $V$ .

*Hint:* Normalize the video format and create signatures.

**Solution:** Videos differ from documents in that the same content may be encoded in many different formats, with different resolutions, and levels of compression.

One way to reduce the duplicate video problem to the duplicate document problem is to re-encode all videos to a common format, resolution, and compression level. This in itself does not mean that two videos of the same content get reduced to identical files—the initial settings affect the resulting videos. However, we can now “signature” the normalized video.

A trivial signature would be to assign a 0 or a 1 to each frame based on whether it has more or less brightness than average. A more sophisticated signature would be a 3 bit measure of the red, green, and blue intensities for each frame. Even more sophisticated signatures can be developed, e.g., by taking into account the regions on individual frames. The motivation for better signatures is to reduce the number of false matches returned by the system, and thereby reduce the amount of time needed to review the matches.

The solution proposed above is algorithmic. However, there are alternative approaches that could be effective: letting users flag videos that infringe copyright (and possibly rewarding them for their effort), checking for videos that are identical to videos that have previously been identified as infringing, looking at meta-information in the video header, etc.

**Variant:** Design an online music identification service.



## Honors Class

*The supply of problems in mathematics is inexhaustible, and as soon as one problem is solved numerous others come forth in its place.*

—“Mathematical Problems,”  
D. HILBERT, 1900

This chapter contains problems that are more difficult to solve than the ones presented earlier. Many of them are commonly asked at interviews, albeit with the expectation that the candidate will not deliver the best solution.

There are several reasons why we included these problems.

- Although mastering these problems is not essential to your success, if you do solve them, you will have put yourself into a very strong position, similar to training for a race with ankle weights.
- If you are asked one of these questions or a variant thereof, and you successfully derive the best solution, you will have strongly impressed your interviewer. The implications of this go beyond being made an offer—your salary, position, and status will all go up.
- Some of the problems are appropriate for candidates interviewing for specialized positions, e.g., optimizing large scale distributed systems, machine learning for computational finance, etc. They are also commonly asked of candidates with advanced degrees.
- Finally, if you love a good challenge, these problems will provide it!

You should be happy if your interviewer asks you a hard question—it implies high expectations, and is an opportunity to shine, compared, for example, to being asked to write a program that tests if a string is palindromic.

### 18.1 COMPUTE THE GREATEST COMMON DIVISOR

The greatest common divisor (GCD) of positive integers  $x$  and  $y$  is the largest integer  $d$  such that  $d$  divides  $x$  evenly, and  $d$  divides  $y$  evenly, i.e.,  $x \bmod d = 0$  and  $y \bmod d = 0$ .

Design an efficient algorithm for computing the GCD of two numbers without using multiplication, division or the modulus operators.

*Hint:* Use case analysis: both even; both odd; one even and one odd.

**Solution:** The straightforward algorithm is based on recursion. If  $x = y$ ,  $\text{GCD}(x, y) = x$ ; otherwise, assume without loss of generality, that  $x > y$ . Then  $\text{GCD}(x, y)$  is the  $\text{GCD}(x - y, y)$ .

The recursive algorithm based on the above does not use multiplication, division or modulus, but for some inputs it is very slow. As an example, if the input is  $x = 2^n$ ,  $y = 2$ , the algorithm makes  $2^{n-1}$  recursive calls. The time complexity can be improved by observing that the repeated subtraction amounts to division, i.e., when  $x > y$ ,  $\text{GCD}(x, y) = \text{GCD}(y, x \bmod y)$ , but this approach uses integer division which was explicitly disallowed in the problem statement.

Here is a fast solution, which is also based on recursion, but does not use general multiplication or division. Instead it special-cases division to division by 2.

An example is illustrative. Suppose we were to compute the GCD of 24 and 300. Instead of repeatedly subtracting 24 from 300, we can observe that since both are even, the result is  $2 \times \text{GCD}(12, 150)$ . Dividing by 2 is a right shift by 1, so we do not need a general division operation. Since 12 and 150 are both even,  $\text{GCD}(12, 150) = 2 \times \text{GCD}(6, 75)$ . Since 75 is odd, the GCD of 6 and 75 is the same as the GCD of 3 and 75, since 2 cannot divide 75. The GCD of 3 and 75 is the GCD of 3 and  $75 - 3 = 72$ . Repeatedly applying the same logic,  $\text{GCD}(3, 72) = \text{GCD}(3, 36) = \text{GCD}(3, 18) = \text{GCD}(3, 9) = \text{GCD}(3, 6) = \text{GCD}(3, 3) = 3$ . This implies  $\text{GCD}(24, 300) = 2 \times 2 \times 3 = 12$ .

More generally, the base case is when one of the arguments is 0. Otherwise, we check if none, one, or both numbers are even. If both are even, we compute the GCD of the halves of the original numbers, and return that result times 2; if exactly one is even, we half it, and return the GCD of the resulting pair; if both are odd, we subtract the smaller from the larger and return the GCD of the resulting pair. Multiplication by 2 is trivially implemented with a single left shift. Division by 2 is done with a single right shift.

---

```
public static long elementaryGCD(long x, long y) {
    if (x == 0) {
        return y;
    } else if (y == 0) {
        return x;
    } else if ((x & 1) == 0 && (y & 1) == 0) { // x and y are even.
        return elementaryGCD(x >> 1, y >> 1) << 1;
    } else if ((x & 1) == 0 && (y & 1) != 0) { // x is even, y is odd.
        return elementaryGCD(x >> 1, y);
    } else if ((x & 1) != 0 && (y & 1) == 0) { // x is odd, y is even.
        return elementaryGCD(x, y >> 1);
    } else if (x > y) { // Both x and y are odd, and x > y.
        return elementaryGCD(x - y, y);
    }
    return elementaryGCD(x, y - x); // Both x and y are odd, and x <= y.
}
```

---

Note that the last step leads to a recursive call with one even and one odd number. Consequently, in every two calls, we reduce the combined bit length of the two numbers by at least one, meaning that the time complexity is proportional to the sum of the number of bits in  $x$  and  $y$ , i.e.,  $O(\log x + \log y)$ .

Suppose you are given an array  $A$  of integers, and are asked to find the largest product that can be made by multiplying all but one of the entries in  $A$ . (You cannot use an entry more than once.) For example, if  $A = \langle 3, 2, 5, 4 \rangle$ , the result is  $3 \times 5 \times 4 = 60$ , if  $A = \langle 3, 2, -1, 4 \rangle$ , the result is  $3 \times 2 \times 4 = 24$ , and if  $A = \langle 3, 2, -1, 4, -1, 6 \rangle$ , the result is  $3 \times -1 \times 4 \times -1 \times 6 = 72$ .

One approach is to form the product  $P$  of all the elements, and then find the maximum of  $P/A[i]$  over all  $i$ . This takes  $n - 1$  multiplications (to form  $P$ ) and  $n$  divisions (to compute each  $P/A[i]$ ). Suppose because of finite precision considerations we cannot use a division-based approach; we can only use multiplications. The brute-force solution entails computing all  $n$  products of  $n - 1$  elements; each such product takes  $n - 2$  multiplications, i.e.,  $O(n^2)$  time complexity.

Given an array  $A$  of length  $n$  whose entries are integers, compute the largest product that can be made using  $n - 1$  entries in  $A$ . You cannot use an entry more than once. Array entries may be positive, negative, or 0. Your algorithm cannot use the division operator, explicitly or implicitly.

*Hint:* Consider the products of the first  $i - 1$  and the last  $n - i$  elements. Alternately, count the number of negative entries and zero entries.

**Solution:** The brute-force approach to compute  $P/A[i]$  is to multiply the entries appearing before  $i$  with those that appear after  $i$ . This leads to  $n(n - 2)$  multiplications, since for each term  $P/A[i]$  we need  $n - 2$  multiplications.

Note that there is substantial overlap in computation when computing  $P/A[i]$  and  $P/A[i + 1]$ . In particular, the product of the entries appearing before  $i + 1$  is  $A[i]$  times the product of the entries appearing before  $i$ . We can compute all products of entries before  $i$  with  $n - 1$  multiplications, and all products of entries after  $i$  with  $n - 1$  multiplications, and store these values in arrays  $L$  and  $R$ , respectively. The desired result then is the maximum over all  $i$  of  $L[i] \times R[i]$ .

---

```
public static int findBiggestProductNMinusOneProduct(int[] A) {
    // Builds forward product L, and backward product R.
    int[] L = new int[A.length];
    int product = 1;
    for (int i = 0; i < A.length; ++i) {
        product *= A[i];
        L[i] = product;
    }
    product = 1;
    int[] R = new int[A.length];
    for (int i = A.length - 1; i >= 0; --i) {
        product *= A[i];
        R[i] = product;
    }

    // Finds the biggest product of (n - 1) numbers.
    int maxProduct = Integer.MIN_VALUE;
    for (int i = 0; i < A.length; ++i) {
        int forward = i > 0 ? L[i - 1] : 1;
```

```

    int backward = i + 1 < A.length ? R[i + 1] : 1;
    maxProduct = Math.max(maxProduct, forward * backward);
}
return maxProduct;
}

```

The time complexity is  $O(n)$ ; the space complexity is  $O(n)$ , since the solution uses two arrays, each of length  $n$ .

We now solve this problem in  $O(n)$  time and  $O(1)$  additional storage. The insight comes from the fact that if there are no negative entries, the maximum product comes from using all but the smallest element. (Note that this result is correct if the number of 0 entries is zero, one, or more.)

If the number of negative entries is odd, regardless of how many 0 entries and positive entries, the maximum product uses all entries except for the negative entry with the smallest absolute value, i.e., the greatest negative entry.

Going further, if the number of negative entries is even, the maximum product again uses all but the smallest nonnegative element, assuming the number of nonnegative entries is greater than zero. (This is correct, even in the presence of 0 entries.)

If the number of negative entries is even, and there are no nonnegative entries, the result must be negative. Since we want the largest product, we leave out the entry whose magnitude is largest, i.e., the least negative entry.

This analysis yields a two-stage algorithm. First, determine the applicable scenario, e.g., are there an even number of negative entries? Consequently, perform the actual multiplication to get the result.

---

```

public static int findBiggestNMinusOneProduct(List<Integer> A) {
    int leastNonnegativeIdx = -1;
    int numberOfNegatives = 0, greatestNegativeIdx = -1, leastNegativeIdx = -1;

    // Identify the least negative, greatest negative, and least nonnegative
    // entries.
    for (int i = 0; i < A.size(); ++i) {
        if (A.get(i) < 0) {
            ++numberOfNegatives;
            if (leastNegativeIdx == -1 || A.get(leastNegativeIdx) < A.get(i)) {
                leastNegativeIdx = i;
            }
            if (greatestNegativeIdx == -1 || A.get(i) < A.get(greatestNegativeIdx)) {
                greatestNegativeIdx = i;
            }
        } else if (A.get(i) >= 0) {
            if (leastNonnegativeIdx == -1 || A.get(i) < A.get(leastNonnegativeIdx)) {
                leastNonnegativeIdx = i;
            }
        }
    }

    int product = 1;
    int idxToSkip = (numberOfNegatives % 2) == 1
        ? leastNegativeIdx
        // Check if there are any nonnegative entry.

```

```

        : (leastNonnegativeIdx != -1 ? leastNonnegativeIdx
          : greatestNegativeIdx);
    for (int i = 0; i < A.size(); ++i) {
        if (i != IdxToSkip) {
            product *= A.get(i);
        }
    }
    return product;
}

```

---

The algorithm performs a traversal of the array, with a constant amount of computation per entry, a nested conditional, followed by another traversal of the array, with a constant amount of computation per entry. Hence, the time complexity is  $O(n) + O(1) + O(n) = O(n)$ . The additional space complexity is  $O(1)$ , corresponding to the local variables.

**Variant:** Let  $A$  be as above. Compute an array  $B$  where  $B[i]$  is the product of all elements in  $A$  except  $A[i]$ . You cannot use division. Your time complexity should be  $O(n)$ , and you can only use  $O(1)$  additional space.

**Variant:** Let  $A$  be as above. Compute the maximum over the product of all triples of distinct elements of  $A$ .

## Part II

### Notation, Language, and Index



# Notation

*To speak about notation as the only way that you can guarantee structure of course is already very suspect.*

— E. S. PARKER

We use the following convention for symbols, unless the surrounding text specifies otherwise:

$i, j, k$	nonnegative array indices
$f, g, h$	function
$A$	$k$ -dimensional array
$L$	linked list or doubly linked list
$S$	set
$T$	tree
$G$	graph
$V$	set of vertices of a graph
$E$	set of edges of a graph
$u, v$	vertex-valued variables
$e$	edge-valued variable
$m, n$	number of elements in a collection
$x, y$	real-valued variables

Symbolism	Meaning
$(d_{k-1} \dots d_0)_r$	radix- $r$ representation of a number, e.g., $(1011)_2$
$\log_b x$	logarithm of $x$ to the base $b$
$\lg x$	logarithm of $x$ to the base 2
$ S $	cardinality of set $S$
$S \setminus T$	set difference, i.e., $S \cap T'$ , sometimes written as $S - T$
$ x $	absolute value of $x$
$\lfloor x \rfloor$	greatest integer less than or equal to $x$
$\lceil x \rceil$	smallest integer greater than or equal to $x$
$\langle a_0, a_1, \dots, a_{n-1} \rangle$	sequence of $n$ elements
$a^k, a = \langle a_0, \dots, a_{n-1} \rangle$	the sequence $\langle a_k, a_{k+1}, \dots, a_{n-1} \rangle$
$\sum_{R(k)} f(k)$	sum of all $f(k)$ such that relation $R(k)$ is true
$\min_{R(k)} f(k)$	minimum of all $f(k)$ such that relation $R(k)$ is true
$\max_{R(k)} f(k)$	maximum of all $f(k)$ such that relation $R(k)$ is true
$\sum_{k=a}^b f(k)$	shorthand for $\sum_{a \leq k \leq b} f(k)$
$\{a \mid R(a)\}$	set of all $a$ such that the relation $R(a) = \text{true}$

$[l, r]$	closed interval: $\{x \mid l \leq x \leq r\}$
$(l, r)$	open interval: $\{x \mid l < x < r\}$
$[l, r)$	left-closed, right-open interval: $\{x \mid l \leq x < r\}$
$(l, r]$	left-open, right-closed interval: $\{x \mid l < x \leq r\}$
$\{a, b, \dots\}$	well-defined collection of elements, i.e., a set
$A_i$ or $A[i]$	the $i$ th element of one-dimensional array $A$
$A[i : j]$	subarray of one-dimensional array $A$ consisting of elements at indices $i$ to $j$ inclusive
$A[i][j]$ or $A[i, j]$	the element in $i$ th row and $j$ th column of 2D array $A$
$A[i_1 : i_2][j_1 : j_2]$	2D subarray of 2D array $A$ consisting of elements from $i_1$ th to $i_2$ th rows and from $j_1$ th to $j_2$ th column, inclusive
$\binom{n}{k}$	binomial coefficient: number of ways of choosing $k$ elements from a set of $n$ items
$n!$	$n$ -factorial, the product of the integers from 1 to $n$ , inclusive
$O(f(n))$	big-oh complexity of $f(n)$ , asymptotic upper bound
$x \bmod y$	mod function
$x \oplus y$	bitwise-XOR function
$x \approx y$	$x$ is approximately equal to $y$
<b>null</b>	pointer value reserved for indicating that the pointer does not refer to a valid address
$\emptyset$	empty set
$\infty$	infinity: Informally, a number larger than any number.
$x \ll y$	much less than
$x \gg y$	much greater than
$\Rightarrow$	logical implication



# Index of Terms

- 2D array, 51, 52, 60, 76
- 2D subarray, 76
- $O(1)$  space, 8, 19, 24, 37, 50, 55, 72, 73
  
- adjacency list, 59, 59
- adjacency matrix, 59, 59
- amortized, 16
- amortized analysis, 34
- array, 3, 5, 5, 6, 16, 30–32, 34, 36–39, 42, 49, 50, 54, 55, 60, 67, 71–73
  - bit, *see* bit array
  
- BFS, 59, 59, 61, 62
- binary search, 30–32, 37, 39, 54
- binary search tree, 34
  - height of, 42
  - red-black tree, 42
- binary tree, 20–26, 42, 43, 59
  - complete, 23, 26
  - full, 23
  - height of, 23–25
  - left-skewed, 23
  - perfect, 23
  - right-skewed, 23
  - skewed, 23
- binomial coefficient, 76
- bit array, 47
- breadth-first search, *see* BFS
- BST, 35, 37, 42–45
  
- caching, 66, 67
- case analysis, 69
- central processing unit, *see* CPU
- child, 23, 59
- closed interval, 76
- coloring, 60
- complete binary tree, 23, 23, 24, 26
  - height of, 23
- connected component, 58, 58
- connected directed graph, 58
- connected undirected graph, 58
  
- connected vertices, 58, 58
- constraint, 43
- counting sort, 37
- CPU, 67
  
- DAG, 57, 57, 58
- database, 67
- deadlock, 64
- decomposition, 66
- degree
  - of a polynomial, 55
- deletion
  - from doubly linked lists, 20
  - from hash tables, 34
  - from max-heaps, 26
- depth
  - of a node in a binary search tree, 44, 45
  - of a node in a binary tree, 23, 23, 24
- depth-first search, *see* DFS
- deque, 20
- dequeue, 19, 21
- DFS, 59, 59, 60–62
- directed acyclic graph, *see* DAG, 58
- directed graph, 57, *see also* directed acyclic graph,  
*see also* graph, 57, 58, 62
  - connected directed graph, 58
  - weakly connected graph, 58
- discovery time, 60
- distributed memory, 63, 64
- distribution
  - of the numbers, 67
- divide-and-conquer, 49, 50
- divisor
  - greatest common divisor, 69
- double-ended queue, *see* deque
- doubly linked list, 13, 13, 20, 75
  - deletion from, 20
- DP, 49–51
- dynamic programming, 49
  
- edge, 57, 57, 58, 59, 75

- edge set, 59
- elimination, 30
- enqueue, 19, 21, 45
- extract-max, 26
- extract-min, 28
  
- fast Fourier Transform, *see* FFT
- FFT, 56
- Fibonacci number, 49
- finishing time, 60
- first-in, first-out, 19
- free tree, 59, 59
- full binary tree, 23, 23
  
- garbage collection, 63
- GCD, 69, 69, 70
- graph, 57, *see also* directed graph, 57, 58, 59, *see also* tree
- graphical user interfaces, *see* GUI
- greatest common divisor, *see* GCD
- GUI, 63
  
- hash code, 34, 34, 35
- hash function, 34, 35
- hash table, 9, 14, 24, 34, 35, 64, 65
  - deletion from, 34
  - lookup of, 34
- head
  - of a deque, 20
  - of a linked list, 13, 14
  - of a queue, 19, 20
- heap, 26, 38, 49
  - max-heap, 26, 38
  - min-heap, 26, 38
- heapsort, 37
- height
  - of a binary search tree, 42
  - of a binary tree, 23, 23, 24, 25
  - of a complete binary tree, 23
  - of an event rectangle, 40
  - of a perfect binary tree, 23
  - of a stack, 25
  
- I/O, 27
- in-place sort, 37
- invariant, 54
- inverted index, 38
  
- last-in, first-out, 16
- leaf, 23
- left child, 22–24, 43, 59
- left subtree, 22–25, 42–44
- left-closed, right-open interval, 76
- left-open, right-closed interval, 76
- level
  - of a tree, 23
- linked list, 13, 75
- list, *see also* singly linked list, 14, 16, 19, 34, 37
- livelock, 64
- load
  - of a hash table, 34
- lock
  - deadlock, 64
  - livelock, 64
  
- matching
  - of strings, 9
- matrix, 52, 59
  - adjacency, 59
  - multiplication of, 63
- matrix multiplication, 63
- max-heap, 26, 38
  - deletion from, 26
- merge sort, 29, 37
- min-heap, 26–28, 37, 38, 64, 65, 67
- multicore, 63
  
- network, 63
  - network bandwidth, 67
- network bandwidth, 67
- node, 20–25, 35, 42–45, 59
  
- open interval, 76
- ordered tree, 59, 59
- OS, 66
- overflow
  - integer, 31, 53
- overlapping intervals, 41
  
- parallelism, 63, 64, 66, 67
- parent-child relationship, 23, 59
- path, 57
- perfect binary tree, 23, 23, 24
  - height of, 23
- permutation
  - random, 8
- power set, 46, 46
- prime, 42
  
- queue, 19, 19, 20, 44, 60, 61
- quicksort, 5, 37, 50, 51
  
- race, 64
- radix sort, 38
- RAM, 67
- random access memory, *see* RAM
- random permutation, 8
- randomization, 34
- reachable, 57, 59
- recursion, 49, 70

- red-black tree, 42
- rehashing, 34
- right child, 22–24, 43, 44, 59
- right subtree, 22–25, 42, 43
- rolling hash, 35
- root, 22–25, 43, 44, 59
- rooted tree, 59, 59
  
- shared memory, 63, 63, 64
- Short Message Service, *see* SMS
- signature, 68
- singly linked list, 13, 13, 14
- sinks, 58
- SMS, 64
- sorting, 5, 32, 37, 38, 40, 67
  - counting sort, 37
  - heapsort, 37
  - in-place, 37
  - in-place sort, 37
  - merge sort, 29, 37
  - quicksort, 5, 37, 50, 51
  - radix sort, 38
  - stable, 37
  - stable sort, 37
- sources, 58
- spanning tree, 59, *see also* minimum spanning tree
- stable sort, 37
- stack, 16, 16, 19, 61
  - height of, 25
- starvation, 64
- string, 9, 11, 35, 64
- string matching, 9
- strongly connected directed graph, 58
- subarray, 5, 8, 33, 50, 51
- subtree, 23, 25, 43–45
  
- tail
  - of a deque, 20
  - of a linked list, 13, 14
  - of a queue, 19
- tail recursive, 49
- topological ordering, 58
- tree, 59, 59
  - binary, *see* binary tree
  - free, 59
  - ordered, 59
  - red-black, 42
  - rooted, 59
  
- UI, 63
- undirected graph, 58, 58, 59, 60
  
- vertex, 57, 57, 58–60, 75
  - connected, 58
  
- weakly connected graph, 58
- width, 2

## Acknowledgments

Several of our friends, colleagues, and readers gave feedback. We would like to thank Taras Bobrovysky, Senthil Chellappan, Yi-Ting Chen, Monica Farkash, Dongbo Hu, Jing-Tang Keith Jang, Matthieu Jeanson, Gerson Kurz, Danyu Liu, Hari Mony, Shaun Phillips, Gayatri Ramachandran, Ulises Reyes, Kumud Sanwal, Tom Shiple, Ian Varley, Shaohua Wan, Don Wong, and Xiang Wu for their input.

I, Adnan Aziz, thank my teachers, friends, and students from IIT Kanpur, UC Berkeley, and UT Austin for having nurtured my passion for programming. I especially thank my friends Vineet Gupta, Tom Shiple, and Vigyan Singhal, and my teachers Robert Solovay, Robert Brayton, Richard Karp, Raimund Seidel, and Somnath Biswas, for all that they taught me. My coauthor, Tsung-Hsien Lee, brought a passion that was infectious and inspirational. My coauthor, Amit Prakash, has been a wonderful collaborator for many years—this book is a testament to his intellect, creativity, and enthusiasm. I look forward to a lifelong collaboration with both of them.

I, Tsung-Hsien Lee, would like to thank my coauthors, Adnan Aziz and Amit Prakash, who give me this once-in-a-life-time opportunity. I also thank my teachers Wen-Lian Hsu, Ren-Song Tsay, Bing-Feng Wang, and Ting-Chi Wang for having initiated and nurtured my passion for computer science in general, and algorithms in particular. I would like to thank my friends Cheng-Yi He, Da-Cheng Juan, Chien-Hsin Lin, and Chih-Chiang Yu, who accompanied me on the road of savoring the joy of programming contests; and Kuan-Chieh Chen, Chun-Cheng Chou, Ray Chuang, Wilson Hong, Wei-Lun Hung, Nigel Liang, and Huan-Kai Peng, who give me valuable feedback on this book. Last, I would like to thank all my friends and colleagues at Google, Facebook, National Tsing Hua University, and UT Austin for the brainstorming on puzzles; it is indeed my greatest honor to have known all of you.

I, Amit Prakash, have my coauthor and mentor, Adnan Aziz, to thank the most for this book. To a great extent, my problem solving skills have been shaped by Adnan. There have been occasions in life when I would not have made it through without his help. He is also the best possible collaborator I can think of for any intellectual endeavor. I have come to know Tsung-Hsien through working on this book. He has been a great coauthor. His passion and commitment to excellence can be seen everywhere in this book. Over the years, I have been fortunate to have had great teachers at IIT Kanpur and UT Austin. I would especially like to thank my teachers Scott Nettles, Vijaya Ramachandran, and Gustavo de Veciana. I would also like to thank my friends and colleagues at Google, Microsoft, IIT Kanpur, and UT Austin for many stimulating conversations and problem solving sessions. Finally, and most importantly, I want to thank my family who have been a constant source of support, excitement, and joy all my life and especially during the process of writing this book.

ADNAN AZIZ  
TSUNG-HSIEN LEE  
AMIT PRAKASH  
October, 2012

*Austin, Texas  
Mountain View, California  
Belmont, California*