

GAS PROCESSING & METHANOL COMPLEX PROJECT NO. 11998A

Project	FEED for Gas Gathering Pipelines & Associated Infrastructure
Client	Brass Fertilizer and Petrochemical Company Limited
Originating Company	Epic Atlantic Limited
Document Title	Data Sheets for Monorail Hoist
Document Number	EA-BFPCL-GPMC-GGPL-FEED-MPP-DSH-006
Document Revision	R01
Document Status	Issued For Review
Originator	S.Ikechukwu
Security Classification	Restricted
Issue Date	5 Jul 2022

Data Sheets for Monorail Hoist

R01	05.07.22	Issued For Review	S.Ikechukwu	E. Nwachukwu	A. Duru	
Rev #	Issue Date	Status Description	Originator	Reviewer	Approver (Epic)	Approver (BFPCL)

Revision History

Rev No.	Date	Description of Revision
R01	05/07/2022	Issued for Review
R02		
A01		

Revision Philosophy:

- a. All documents for review shall be issued at R01, with subsequent R02, R03, etc as required.
- b. All documents approved for issue or approved for design shall be issued at A01 with subsequent A02, A03, etc. as required. (Management of Change is required for A02, A03, etc.).
for the subsequent project phases, post FEED, it is expected that:
- c. All Detailed Design documents for review shall be issued at D01, with subsequent D02, D03, etc. as required.
- d. All documents approved for construction shall be issued at C01 with subsequent C02, C03, etc. as required. (Management of Change is required for C02, C03, etc.)
- e. All approved "As-Built" documents shall be issued at Z01, with subsequent Z02, Z03, etc as required. (Use versions Z01.1, Z01.2, Z01.3, etc to review the "As-Built" document to Z02).

Restricted

This document is made available subject to the condition that the recipient will neither use nor disclose the contents except as agreed in writing with the copyright owner. Copyright is vested in Brass Fertilizer and Petrochemical Company Limited (BFPCL) © All rights reserved.

Neither the whole nor any part of this document may be reproduced or distributed in any form or by any means (electronic, mechanical, reprographic, recording, or otherwise) without the prior written consent of the copyright owner.

	GAS PROCESSING & METHANOL COMPLEX PROJECT NO. 11998A		Document Number: EA-BFPCL-GPMC-GGPL-FEED-MPP-DSH-006	
			Date: 05-Jul-22	
Datasheet: MONORAIL HOIST				
GENERAL	Item	Manual Chain Hoist		
	Type	Trolley suspended Hoist (Integral)		
	Lifting Capacity	2 Tonnes		
	Lifting Medium	Chain		
	Operation	Hand chain manually operated		
	Application	Material Handling for pigging station		
	Quantity Required	2		
DESIGN	Standards	ASME B30.16, ASME HST-2-99		
	Reach (Refer to ASME HST-2-99)	2.7m		
	Available Headroom (Refer to ASME HST-2-99)	2.5m Maximum		
	Lift (Refer to ASME HST-2-99)	5m		
	Hand Chain Drop	2ft less than Reach		
MONORAIL BEAM DATA	Beam Specification	IPE 220		
	Width of Running Flange	5"		
	Rail Length	NA		
	Minimum radius of Curvature	Straight Beam		
ENVIRONMENTAL CONDITION	Location	BBOU, Elepa and Akabel Manifold/Pig Stations.		
	Relative Humidity	90% maximum		
	Operation Temp	Ambient		
	Indoor/ outdoor	Outdoor		
	Harzadious ☒ Check Box	Class 1	Divisio: 2	Group C
MATERIAL	Load Hook	Steel Forging		
	Chain Material	Stainless Steel Forging		
	Hoist and Trolley	Steel		
	Special Requirement	Non-spark Material for Hoist and Trolley Wheels		
OTHER REQUIREMENTS	Marking	As per ASME HST-2-99, section A4.2.1		
	Testing	As per ASME HST-2-99, section A4.1		
	Preservation and Packing	As per manufacturers standards		
	Painting	As per Vendors Standard (Note 5)		
MANUFACTURER'S DATA.				
Recommended Manufacture	Ingersoll rand			
Model No.:	Vendor to advice			
Notes 1. Item shall be spark proof, weatherproof and oil and gas material handling applica 2. Corrosion resistant zinc plated hand chain 3. Manufacturer to confirm material specification that shall suit environmental and operating conditions 4. Low headroom required. 5. Vendor painting system shall be suitable for Offshore Installation		Ref 1. ASME HST-2-99 Performance standard for Hand Chain Manually Operated Chanin Hoist		