

BENTLEY
AutoPIPE Advanced 12.06.00.48

AKABEL._ASME B31.8
08/07/2022
09:48 PM

BENTLEY
AutoPIPE Advanced 12.06.00.48

**
** AUTOPIPE SYSTEM INFORMATION **
**

SYSTEM NAME : AKABEL._ASME B31.8

PROJECT ID : AKABEL

PREPARED BY : _____
I.O

CHECKED BY : _____
E N

1ST APPROVER : _____

2ND APPROVER : _____

PIPING CODE : ASME B31.8

YEAR : 2016

VERTICAL AXIS : Y

AMBIENT TEMPERATURE : 24.0 deg C

COMPONENT LIBRARY : AUTOPIPE

MATERIAL LIBRARY : B318-16

MODEL REVISION NUMBER : 14

AKABEL ASME B31.8
08/07/2022
09:48 PM

BENTLEY
AutoPIPE Advanced 12.06.00.48

D E S C R I P T I O N

T A B L E O F C O N T E N T S

Displacement.....	1
Code Compliance.....	2
Forces & Moments.....	4
Restraint Reactions.....	5
Frequency.....	6
Result Summary.....	7

D I S P L A C E M E N T S

Point name	Load combination	TRANSLATIONS (mm)			ROTATIONS (deg)		
		X	Y	Z	X	Y	Z
*** Segment A begin *** Line # AKABP-36"-PL-012-X70-CL900_UG							
A00	Gravity{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GW1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GW2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GW3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GW4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	0.00	0.00	0.00	0.00	0.00
+1	Gravity{1}	0.00	-0.01	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.01	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.01	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.01	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.01	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.01	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.01	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.01	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.01	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.01	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.01	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.01	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.01	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.01	0.00	0.00	0.00	0.00
+2	Gravity{1}	0.00	-0.02	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.02	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.02	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.02	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.02	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.02	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.02	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.02	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.02	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.02	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.02	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.04	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.04	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.04	0.00	0.00	0.00	0.00
+3	Gravity{1}	0.00	-0.03	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.03	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.03	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.03	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.03	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.03	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.03	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.03	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.03	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.03	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.03	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.07	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.07	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.07	0.00	0.00	0.00	0.00
+4	Gravity{1}	0.00	-0.05	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.05	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.05	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.05	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.05	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.05	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.05	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.05	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.05	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.05	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.05	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.10	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.10	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.10	0.00	0.00	0.00	0.00
+5	Gravity{1}	0.00	-0.07	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.07	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.07	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.07	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.07	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.07	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.07	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.07	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.07	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.07	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.07	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.14	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.14	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.14	0.00	0.00	0.00	0.00
+6	Gravity{1}	0.00	-0.08	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.08	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.08	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.08	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.08	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.08	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.08	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.08	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.08	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.08	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.08	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.18	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.18	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.18	0.00	0.00	0.00	0.00
+7	Gravity{1}	0.00	-0.10	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.16	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.16	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.16	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.16	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.16	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.16	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.16	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.16	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.16	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.16	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.35	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.35	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.35	0.00	0.00	0.00	0.00
+12	Gravity{1}	0.00	-0.18	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.18	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.18	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.18	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.18	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.18	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.18	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.18	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.18	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.18	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.18	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.37	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.37	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.37	0.00	0.00	0.00	0.00
+13	Gravity{1}	0.00	-0.19	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.19	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.19	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.19	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.19	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.19	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.19	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.19	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.19	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.19	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.19	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.40	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.40	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.40	0.00	0.00	0.00	0.00
+14	Gravity{1}	0.00	-0.20	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.20	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.20	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.20	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.20	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.20	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.20	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.20	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.20	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.20	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.20	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.42	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.42	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.42	0.00	0.00	0.00	0.00
+15	Gravity{1}	0.00	-0.20	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.20	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.20	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.20	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.20	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.20	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.20	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.20	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.20	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.20	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.20	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.43	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.43	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.43	0.00	0.00	0.00	0.00
+16	Gravity{1}	0.00	-0.21	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.21	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.21	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.21	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.21	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.21	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.21	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.21	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.21	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.21	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.21	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.45	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.45	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.45	0.00	0.00	0.00	0.00
+17	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.46	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.46	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.46	0.00	0.00	0.00	0.00
+18	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+19	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
+20	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.48	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT3{2}	0.00	-0.48	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.48	0.00	0.00	0.00	0.00	
	+21	Gravity{1}	0.00	-0.23	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.48	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT3{2}	0.00	-0.48	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.48	0.00	0.00	0.00	0.00	
	+22	Gravity{1}	0.00	-0.23	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.49	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT3{2}	0.00	-0.49	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.49	0.00	0.00	0.00	0.00	
	+23	Gravity{1}	0.00	-0.23	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.49	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT3{2}	0.00	-0.49	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.49	0.00	0.00	0.00	0.00		
+28	Gravity{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.48	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT3{2}	0.00	-0.48	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.48	0.00	0.00	0.00	0.00	
	+29	Gravity{1}	0.00	-0.23	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
GW2{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
GW3{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
GW4{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
GT1P1{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
GT2P2{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
GT3P3{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
Gravity{2}		0.00	-0.48	0.00	0.00	0.00	0.00	
Thermal 3{2}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}		0.00	0.00	0.00	0.00	0.00	0.00	
GT3{2}		0.00	-0.48	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}		0.00	-0.48	0.00	0.00	0.00	0.00	
+30		Gravity{1}	0.00	-0.23	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.48	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT3{2}	0.00	-0.48	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.48	0.00	0.00	0.00	0.00	
	+31	Gravity{1}	0.00	-0.23	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
GW2{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
GW3{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
GW4{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
GT1P1{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
GT2P2{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
GT3P3{1}		0.00	-0.23	0.00	0.00	0.00	0.00	
Gravity{2}		0.00	-0.48	0.00	0.00	0.00	0.00	
Thermal 3{2}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}		0.00	0.00	0.00	0.00	0.00	0.00	
GT3{2}		0.00	-0.48	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}		0.00	-0.48	0.00	0.00	0.00	0.00	

	GT1{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.23	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.48	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT3{2}	0.00	-0.48	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.48	0.00	0.00	0.00	0.00	
+32	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.48	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT3{2}	0.00	-0.48	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.48	0.00	0.00	0.00	0.00	
	+33	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
		GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.48	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT3{2}	0.00	-0.48	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.48	0.00	0.00	0.00	0.00	
	+34	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
		GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.48	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT3{2}	0.00	-0.48	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.48	0.00	0.00	0.00	0.00	
	+35	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+36	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+37	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+40	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+41	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+44	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+45	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+48	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+49	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+52	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+53	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+56	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+57	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+60	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+61	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+64	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+65	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+68	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+69	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+72	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+73	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+76	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+77	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+80	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+81	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+84	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+85	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+88	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+89	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+92	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+93	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+96	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+97	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+104	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+105	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+108	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+109	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+112	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+113	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+116	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+117	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+120	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+121	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+124	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+125	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+128	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+129	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+132	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	0.00	0.00	0.00
+133	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+136	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+137	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+138	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+139	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+140	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+141	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+142	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+143	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+144	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+145	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+148	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+149	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+150	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+151	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+152	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+153	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+156	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+157	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+160	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+161	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+162	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+163	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+164	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+165	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+168	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+169	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+172	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+173	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+174	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+175	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+176	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+177	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+178	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+179	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+180	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+181	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+182	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+183	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+184	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+185	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+188	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+189	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+192	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+193	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+196	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+197	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+200	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+201	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+202	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+203	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+204	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+205	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+206	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+207	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	0.00	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+208	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+209	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+210	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+211	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+212	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+213	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+214	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+215	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+216	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+217	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	+220	Gravity{1}	0.00	-0.22	0.00	0.00	0.00
Thermal 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+221	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+222	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+223	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+224	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+225	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+226	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+227	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	+228	Gravity{1}	0.00	-0.22	0.00	0.00	0.00
Thermal 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+229	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+230	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+231	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+232	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+233	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+234	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+235	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+236	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+237	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+238	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+239	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	+240	Gravity{1}	0.00	-0.22	0.00	0.00	0.00
Thermal 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+241	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+242	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+243	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+244	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+245	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+246	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+247	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+248	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+249	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+250	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+251	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+252	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+253	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+254	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+255	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	+256	Gravity{1}	0.00	-0.22	0.00	0.00	0.00
Thermal 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+257	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+258	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+259	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	+260	Gravity{1}	0.00	-0.22	0.00	0.00	0.00
Thermal 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+261	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+262	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+263	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+264	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+265	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+266	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+267	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+268	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+269	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+270	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+271	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+272	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+273	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+274	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+275	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+276	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+277	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+278	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+279	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+280	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+281	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+282	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+283	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+284	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+285	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+286	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+287	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+292	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+293	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+294	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+295	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+296	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+297	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+298	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+299	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	+300	Gravity{1}	0.00	-0.22	0.00	0.00	0.00
Thermal 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		0.02	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+301	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+302	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+303	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+304	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+305	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+306	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+307	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	+308	Gravity{1}	0.00	-0.22	0.00	0.00	0.00
Thermal 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		0.02	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+309	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+310	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+311	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+312	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+313	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	+316	Gravity{1}	0.00	-0.22	0.00	0.00	0.00
Thermal 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		0.02	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+317	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+318	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+319	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	+320	Gravity{1}	0.00	-0.22	0.00	0.00	0.00
Thermal 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		0.02	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+321	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+322	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+323	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+324	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+325	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+326	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+327	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	+328	Gravity{1}	0.00	-0.22	0.00	0.00	0.00
Thermal 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		0.02	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+329	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+330	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+331	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+332	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.03	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+333	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.03	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
		GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+334	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.03	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
		GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+335	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.03	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+336	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.03	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+337	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.03	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+338	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.03	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+339	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.03	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+340	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.03	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+341	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.03	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+342	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.03	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+343	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.03	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+344	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+345	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+348	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+349	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+352	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.03	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+353	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.03	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+354	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.03	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+355	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.04	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.04	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	+356	Gravity{1}	0.00	-0.22	0.00	0.00	0.00
Thermal 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		0.04	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+357	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.04	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+358	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.04	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+359	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.04	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.04	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+360	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.04	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+361	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.04	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+362	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.04	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+363	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.04	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.04	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	+364	Gravity{1}	0.00	-0.22	0.00	0.00	0.00
Thermal 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		0.04	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+365	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.04	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+366	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.04	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+367	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.04	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+368	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.04	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+369	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.04	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+370	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.04	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+371	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.04	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+372	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.05	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+373	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.05	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+374	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.05	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+375	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.05	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+376	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.05	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+377	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.05	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+378	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.05	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+379	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.05	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+380	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.05	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+381	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.05	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+382	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.05	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+383	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.05	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.06	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+384	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.05	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.06	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+385	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.05	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.

	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.06	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	+388	Gravity{1}	0.00	-0.22	0.00	0.00	0.00
Thermal 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		0.06	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
GT1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+389	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.06	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+390	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.06	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+391	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.06	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	0.00	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+392	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.06	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.07	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+393	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.06	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.01	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.07	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+394	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.06	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.01	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.07	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	+395	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.06	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.07	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
+396	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.06	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.07	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+397	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.07	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.07	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+398	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.07	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.07	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
+399	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.07	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.07	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
+400	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.07	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.07	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+401	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.07	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.08	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+402	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.07	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.08	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+403	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.07	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.08	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00		
+404	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.07	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.08	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
	+405	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.07	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.01	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.08	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
	+406	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.07	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.01	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.08	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
	+407	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.08	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.08	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+408	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.08	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.08	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
	+409	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.08	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.01	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.08	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
	+410	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.08	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.01	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.09	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
	+411	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.08	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.09	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
+412	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.08	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.09	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+413	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.08	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.09	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+414	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.08	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.09	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+415	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.09	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.10	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+420	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.09	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.10	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
	+421	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.09	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.01	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.10	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
	+422	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.09	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.01	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.10	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
	+423	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.10	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.10	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
	+424	Gravity{1}	0.00	-0.22	0.00	0.00	0.00
Thermal 1{1}		0.01	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		0.10	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
GT1{1}		0.01	-0.22	0.00	0.00	0.00	0.00
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.11	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+425	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.10	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.11	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+426	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.10	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.11	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+427	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.10	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.11	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
+428	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.10	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.11	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+429	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.10	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.11	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+430	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.11	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.11	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+431	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.11	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.12	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+432	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.11	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.12	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
	+433	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.11	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.01	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.12	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
	+434	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.11	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.01	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.12	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
	+435	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.11	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.13	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
+440	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.12	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.13	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+441	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.12	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.13	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+442	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.13	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.14	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+443	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.13	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.14	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
+444	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.13	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.14	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
+445	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.13	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.14	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
+446	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.13	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.14	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
+447	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.14	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.15	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+448	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.14	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.15	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
	+449	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.14	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.01	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.15	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
	+450	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.14	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.01	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.15	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
	+451	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.14	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.16	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+452	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.15	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.16	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
	+453	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.15	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.01	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.16	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
	+454	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.15	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.01	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.16	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
	+455	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.15	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.17	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
+456	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.15	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.17	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+457	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.16	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.17	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+458	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.16	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.17	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+459	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.16	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.17	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+460	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.16	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.18	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
	+461	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.17	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.01	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.18	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
	+462	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.17	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.01	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.18	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
	+463	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.17	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.19	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+464	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.17	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.19	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
	+465	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.18	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.01	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.19	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
	+466	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.18	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.02	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.19	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
	+467	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.18	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.20	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
+468	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.18	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.20	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+469	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.19	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.20	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+470	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.19	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.21	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+471	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.19	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.21	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
+472	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.19	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.21	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+473	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.20	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.21	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+474	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.20	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.22	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+475	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.20	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.23	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
+480	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.22	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.24	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+481	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.22	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.24	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+482	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.23	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.24	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+483	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.23	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.25	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
+484	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.23	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.25	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
+485	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.24	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.

	GT1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.26	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
+488	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.25	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.27	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+489	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.25	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.27	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+490	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.25	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.27	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+491	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.26	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.28	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
+492	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.26	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.28	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+493	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.26	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.29	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+494	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.27	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.29	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+495	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.27	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.30	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+496	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	0.28	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.30	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
	+497	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.28	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.02	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.30	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
	+498	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.28	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.02	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	0.31	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
	+499	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		0.29	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.31	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
+500	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.29	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.32	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+501	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.30	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.32	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+502	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.30	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.33	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+503	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.31	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.33	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
+504	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.31	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.34	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+505	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.32	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.34	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+506	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.32	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.35	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+507	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.32	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.35	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
+508	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.33	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.36	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+509	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.33	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.36	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+510	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.34	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.37	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+511	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.34	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.37	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
+512	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.35	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.38	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+513	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.35	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.38	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+514	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.36	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.39	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+515	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.36	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.40	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
+516	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.37	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.40	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+517	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.38	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.41	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+518	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.38	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.41	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+519	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.39	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.42	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
+520	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.39	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.43	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+521	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.40	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.43	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+522	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.40	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.44	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+523	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.41	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.44	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
+524	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.04	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.42	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.04	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.45	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+525	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.04	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.42	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.04	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.46	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+526	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.04	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.43	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.04	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.46	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+527	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.04	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.43	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.04	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.50	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
	+532	Gravity{1}	0.00	-0.22	0.00	0.00	0.00
Thermal 1{1}		0.04	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		0.47	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
GT1{1}		0.04	-0.22	0.00	0.00	0.00	0.00
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.51	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+533	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.04	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.47	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.04	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.51	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+534	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.04	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.48	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.04	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.52	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+535	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.04	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.49	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.04	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.53	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
	+536	Gravity{1}	0.00	-0.22	0.00	0.00	0.00
Thermal 1{1}		0.04	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		0.49	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
GT1{1}		0.04	-0.22	0.00	0.00	0.00	0.00
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.54	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+537	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.04	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.50	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.04	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.54	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+538	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.04	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.51	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.04	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.55	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+539	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.04	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.52	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.04	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.56	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
+540	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.04	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.52	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.04	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.57	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+541	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.04	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.53	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.04	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.58	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+542	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.05	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.54	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.05	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.59	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+543	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.05	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.55	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.05	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.59	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
+544	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.05	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.56	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.05	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.60	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+545	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.05	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.56	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.05	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.61	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+546	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.05	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.57	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.05	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.62	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+547	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.05	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.58	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.05	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.63	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.00	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00
+548	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.05	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.59	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.05	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.64	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.00	-0.47	0.00	-0.02	0.00	0.00	
+549	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.05	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.60	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.05	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.65	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+550	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.05	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.61	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.05	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.66	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+551	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.05	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.62	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.05	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.67	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00
+552	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.05	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.62	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.05	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.68	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+553	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.05	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.63	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.05	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.69	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+554	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.05	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.64	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.05	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.70	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+555	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.06	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.65	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.06	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.71	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00
+556	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.06	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.66	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.06	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.72	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+557	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.06	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.67	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.06	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.73	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+558	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.06	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.68	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.06	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.74	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+559	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.06	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.69	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.06	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.79	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00
+564	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.06	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.74	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.06	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.81	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+565	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.06	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.75	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.06	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.82	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+566	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.06	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.77	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.06	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.83	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+567	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.07	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.78	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.07	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.84	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00
+568	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.07	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.79	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.07	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.85	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+569	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.07	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.80	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.07	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.87	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+570	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.07	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.81	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.07	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	0.88	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+571	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.07	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.82	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.07	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.95	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+576	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.07	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.89	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.07	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.96	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+577	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.08	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.90	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.08	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.97	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+578	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.08	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.91	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.08	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	0.99	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+579	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.08	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.93	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.08	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	1.00	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00
+580	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.08	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.94	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.08	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	1.02	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+581	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.08	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.95	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.08	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	1.03	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+582	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.08	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.97	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.08	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	1.05	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+583	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.08	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	0.98	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.08	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	1.06	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00
+584	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.08	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	1.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.08	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	1.08	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+585	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.09	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	1.01	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.09	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	1.09	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+586	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.09	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	1.02	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.09	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	1.11	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+587	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.09	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	1.04	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.09	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	1.13	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00
+588	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.09	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	1.05	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.09	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	1.14	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+589	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.09	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	1.07	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.09	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	1.16	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+590	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.09	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	1.09	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.09	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	1.18	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+591	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.09	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	1.10	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.09	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	1.19	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00
	+592	Gravity{1}	0.00	-0.22	0.00	0.00	0.00
Thermal 1{1}		0.09	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		1.12	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
GT1{1}		0.09	-0.22	0.00	0.00	0.00	0.00
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	1.21	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+593	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.10	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	1.13	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.10	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	1.23	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+594	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.10	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	1.15	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.10	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT1P1{1}	1.25	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+595	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.10	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	1.17	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.10	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	1.34	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+600	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.11	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	1.26	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.11	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	1.36	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
	+601	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.11	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		1.27	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.11	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	1.38	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
	+602	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.11	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		1.29	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.11	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	1.40	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
	+603	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.11	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		1.31	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.11	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	1.42	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+604	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.11	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	1.33	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.11	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	1.44	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
	+605	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.11	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		1.35	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.11	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	1.46	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
	+606	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.12	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		1.37	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.12	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	1.49	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
	+607	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.12	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		1.39	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00		

	GT1{1}	0.12	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	1.51	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00
+608	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.12	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	1.41	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.12	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	1.53	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+609	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.12	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	1.43	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.12	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	1.55	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+610	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.12	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	1.45	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.12	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	1.58	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+611	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.12	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	1.47	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.12	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	1.60	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+612	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.13	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	1.50	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.13	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	1.62	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
	+613	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.13	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		1.52	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.13	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	1.65	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
	+614	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.13	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		1.54	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.13	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	1.67	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
	+615	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.13	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		1.56	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.13	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	1.69	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00
+616	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.13	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	1.59	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.13	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	1.72	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00
+617	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.14	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	1.61	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.14	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	1.74	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00
+618	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.14	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	1.63	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.14	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	1.77	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.01	0.00	0.00	-0.01	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00
+619	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.14	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	1.66	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.15	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	1.90	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.01	-0.47	0.00	-0.02	0.00	0.00	
+624	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.15	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	1.78	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.15	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	1.93	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
	+625	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.15	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		1.81	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.15	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
		GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	1.96	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
	+626	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.15	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		1.83	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.15	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
		GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	1.99	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
	+627	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.16	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		1.86	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.16	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	2.02	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
+628	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.16	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	1.89	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.16	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	2.05	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
	+629	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.16	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		1.92	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.16	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	2.08	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
	+630	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.16	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		1.94	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.16	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	2.11	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
	+631	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.17	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		1.97	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.17	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	2.14	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
+632	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.17	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	2.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.17	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	2.17	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
	+633	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.17	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		2.03	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.17	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	2.20	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
	+634	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.17	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		2.06	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.17	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	2.23	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
	+635	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.18	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		2.09	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00		

	GT1{1}	0.18	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	2.27	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00
+636	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.18	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	2.12	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.18	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	2.30	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
+637	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.18	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	2.15	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.18	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	2.33	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
+638	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.18	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	2.18	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.18	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	2.37	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
+639	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.19	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	2.22	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.19	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	2.40	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
+640	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.19	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	2.25	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.19	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	2.44	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
	+641	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.19	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		2.28	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.19	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	2.47	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
	+642	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.20	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		2.31	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.20	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	2.51	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
	+643	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.20	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		2.35	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.20	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	2.55	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
+644	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.20	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	2.38	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.20	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	2.58	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
	+645	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.20	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		2.42	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.20	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	2.62	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
	+646	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.21	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		2.45	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.21	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	2.66	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
	+647	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.21	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		2.49	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.21	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	2.70	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
+648	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.21	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	2.53	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.21	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	2.74	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
	+649	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.22	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		2.56	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.22	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	2.78	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
	+650	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.22	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		2.60	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.22	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	2.82	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
	+651	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.22	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		2.64	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.22	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	2.86	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00
+652	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.23	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	2.68	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.23	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	2.90	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00
+653	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.23	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	2.72	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.23	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	2.94	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00
+654	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.23	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	2.75	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.23	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT1P1{1}	2.99	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00
+655	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.24	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	2.79	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.24	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	3.03	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
+656	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.24	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	2.83	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.24	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	3.07	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
	+657	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.24	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		2.88	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.24	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	3.12	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.02	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
	+658	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.25	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		2.92	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.25	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT1P1{1}	3.16	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.03	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.02	-0.47	0.00	-0.02	0.00	0.00	
	+659	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.25	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		2.96	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00		

	GT1{1}	0.27	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	3.40	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.03	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.03	-0.47	0.00	-0.02	0.00	0.00	
+664	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.27	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	3.17	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.27	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	3.44	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.03	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.03	-0.47	0.00	-0.02	0.00	0.00	
	+665	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.27	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		3.22	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.27	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	3.49	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.03	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.03	-0.47	0.00	-0.03	0.00	0.00	
	+666	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.28	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		3.26	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.28	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	3.54	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.03	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.03	-0.47	0.00	-0.03	0.00	0.00	
	+667	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.28	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		3.31	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.28	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	3.59	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.03	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.03	-0.47	0.00	-0.03	0.00	0.00	
+668	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.29	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	3.36	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.29	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	3.64	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.03	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.03	-0.47	0.00	-0.03	0.00	0.00	
	+669	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.29	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		3.40	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.29	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	3.69	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.03	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.03	-0.47	0.00	-0.03	0.00	0.00	
	+670	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.29	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		3.45	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.29	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	3.74	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.03	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.03	-0.47	0.00	-0.03	0.00	0.00	
	+671	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.30	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		3.50	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.30	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	3.80	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.03	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.03	-0.47	0.00	-0.03	0.00	0.00	
+672	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.30	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	3.55	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.30	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	3.85	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.03	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.03	-0.47	0.00	-0.03	0.00	0.00	
	+673	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.31	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		3.59	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.31	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	3.90	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.03	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.03	-0.47	0.00	-0.03	0.00	0.00	
	+674	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.31	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		3.64	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.31	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	3.95	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.03	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.03	-0.47	0.00	-0.03	0.00	0.00	
	+675	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.32	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		3.69	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.01	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.32	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	4.01	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.03	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.03	-0.47	0.00	-0.03	0.00	0.00
+676	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.32	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	3.74	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.32	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	4.06	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.03	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
Hydrotest-NL{2}	0.03	-0.47	0.00	-0.03	0.00	0.00	
+677	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.33	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	3.79	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.33	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	4.12	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.03	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
Hydrotest-NL{2}	0.03	-0.47	0.00	-0.03	0.00	0.00	
+678	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.33	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	3.84	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.01	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.33	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	4.17	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.03	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
Hydrotest-NL{2}	0.03	-0.47	0.00	-0.03	0.00	0.00	
+679	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.33	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	3.90	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.02	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.33	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	4.23	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.03	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.03	-0.47	0.00	-0.03	0.00	0.00	
+680	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.34	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	3.95	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.02	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.34	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	4.29	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.03	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.03	-0.47	0.00	-0.03	0.00	0.00	
	+681	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.34	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		4.00	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.02	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.34	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	4.34	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.03	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.03	-0.47	0.00	-0.03	0.00	0.00	
	+682	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.35	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		4.05	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.02	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.35	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	4.40	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.04	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.03	-0.47	0.00	-0.03	0.00	0.00	
	+683	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.35	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		4.11	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.02	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.35	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	4.46	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.04	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.04	-0.47	0.00	-0.03	0.00	0.00	
+684	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.36	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	4.16	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.02	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.36	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	4.52	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.04	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.04	-0.47	0.00	-0.03	0.00	0.00	
	+685	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.37	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		4.21	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.02	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.37	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	4.58	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.04	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.04	-0.47	0.00	-0.03	0.00	0.00	
	+686	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.37	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		4.27	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.02	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.37	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	4.64	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.04	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.04	-0.47	0.00	-0.03	0.00	0.00	
	+687	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.38	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		4.32	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.02	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.38	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	4.70	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.04	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.04	-0.47	0.00	-0.03	0.00	0.00	
+688	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.38	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	4.38	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.02	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.38	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	4.76	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.04	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.04	-0.47	0.00	-0.03	0.00	0.00	
	+689	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.39	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		4.43	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.02	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.39	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	4.82	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.04	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.04	-0.47	0.00	-0.03	0.00	0.00	
	+690	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.39	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		4.49	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.02	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.39	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	4.88	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.04	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.04	-0.47	0.00	-0.03	0.00	0.00	
	+691	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.40	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		4.55	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.02	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.40	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	4.95	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.04	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.04	-0.47	0.00	-0.03	0.00	0.00
+692	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.40	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	4.60	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.02	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.40	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	5.01	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.04	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.04	-0.47	0.00	-0.03	0.00	0.00
+693	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.41	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	4.66	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.02	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.41	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	5.07	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.04	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.04	-0.47	0.00	-0.03	0.00	0.00
+694	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.42	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	4.72	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.02	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.42	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	5.14	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.04	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.04	-0.47	0.00	-0.03	0.00	0.00
+695	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.42	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	4.78	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.02	0.00	0.00	0.00	0.00	0.00

	GT1{1}	0.42	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	5.20	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.04	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.04	-0.47	0.00	-0.03	0.00	0.00	
+696	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.43	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	4.84	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.02	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.43	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	5.27	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.04	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.04	-0.47	0.00	-0.03	0.00	0.00	
	+697	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.44	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		4.90	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.02	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.43	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	5.33	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.04	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.04	-0.47	0.00	-0.03	0.00	0.00	
	+698	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.44	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		4.96	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.02	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.44	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	5.40	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.04	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.04	-0.47	0.00	-0.03	0.00	0.00	
	+699	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.45	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		5.02	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.02	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.45	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	5.47	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.05	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.04	-0.47	0.00	-0.03	0.00	0.00	
+700	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.45	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	5.08	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.02	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.45	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	5.53	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.05	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.05	-0.47	0.00	-0.03	0.00	0.00	
	+701	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.46	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		5.14	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.02	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.46	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	5.60	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.05	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.05	-0.47	0.00	-0.03	0.00	0.00	
	+702	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.47	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		5.20	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.02	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.47	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	5.67	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.05	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.05	-0.47	0.00	-0.03	0.00	0.00	
	+703	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.47	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		5.26	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.02	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.47	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	5.74	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.05	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.05	-0.47	0.00	-0.03	0.00	0.00
+704	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.48	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	5.33	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.02	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.48	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	5.81	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.05	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
Hydrotest-NL{2}	0.05	-0.47	0.00	-0.03	0.00	0.00	
+705	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.49	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	5.39	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.02	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.49	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	5.88	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.05	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
Hydrotest-NL{2}	0.05	-0.47	0.00	-0.03	0.00	0.00	
+706	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.50	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	5.45	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.02	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.50	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	5.95	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.05	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
Hydrotest-NL{2}	0.05	-0.47	0.00	-0.03	0.00	0.00	
+707	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.50	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	5.52	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.02	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}	0.02	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.50	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	6.02	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.05	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.05	-0.47	0.00	-0.03	0.00	0.00	
+708	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.51	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	5.58	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.02	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.51	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	6.09	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.05	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.05	-0.47	0.00	-0.03	0.00	0.00	
	+709	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.52	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		5.65	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.02	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.52	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	6.17	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.05	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.05	-0.47	0.00	-0.03	0.00	0.00	
	+710	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.53	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		5.71	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.02	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.53	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	6.24	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.05	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.05	-0.47	0.00	-0.03	0.00	0.00	
	+711	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.53	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		5.78	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.02	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.53	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	6.31	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.05	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.05	-0.47	0.00	-0.03	0.00	0.00	
+712	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.54	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	5.84	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.02	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.54	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	6.39	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.05	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.05	-0.47	0.00	-0.03	0.00	0.00	
	+713	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.55	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		5.91	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.02	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.55	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	6.46	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.06	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.05	-0.47	0.00	-0.03	0.00	0.00	
	+714	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.56	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		5.98	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.03	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.56	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	6.54	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.06	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.06	-0.47	0.00	-0.03	0.00	0.00	
	+715	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.57	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		6.05	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.03	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.57	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	6.61	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.06	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.06	-0.47	0.00	-0.03	0.00	0.00	
+716	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.57	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	6.11	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.03	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.57	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	6.69	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.06	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.06	-0.47	0.00	-0.03	0.00	0.00	
	+717	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.58	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		6.18	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.03	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.58	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	6.76	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.06	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.06	-0.47	0.00	-0.03	0.00	0.00	
	+718	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.59	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		6.25	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.03	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.59	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	6.84	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.06	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.06	-0.47	0.00	-0.03	0.00	0.00	
	+719	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.60	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		6.32	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.03	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.60	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	6.92	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.06	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.06	-0.47	0.00	-0.03	0.00	0.00	
+720	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.61	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	6.39	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.03	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.61	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	7.00	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.06	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.06	-0.47	0.00	-0.03	0.00	0.00	
	+721	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.62	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		6.46	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.03	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.62	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	7.08	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.06	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.06	-0.47	0.00	-0.03	0.00	0.00	
	+722	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.63	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		6.53	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.03	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.63	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	7.15	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.06	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.06	-0.47	0.00	-0.03	0.00	0.00	
	+723	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.64	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		6.60	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.03	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.64	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	7.23	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.06	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.06	-0.47	0.00	-0.03	0.00	0.00	
+724	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.64	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	6.67	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.03	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.64	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	7.31	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.07	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.06	-0.47	0.00	-0.03	0.00	0.00	
	+725	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.65	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		6.74	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.03	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.65	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	7.40	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.07	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.07	-0.47	0.00	-0.03	0.00	0.00	
	+726	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.66	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		6.81	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.03	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.66	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	7.48	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.07	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.07	-0.47	0.00	-0.03	0.00	0.00	
	+727	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.67	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		6.89	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.03	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.67	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	7.56	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.07	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.07	-0.47	0.00	-0.03	0.00	0.00	
+728	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.68	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	6.96	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.03	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.68	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	7.64	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.07	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.07	-0.47	0.00	-0.03	0.00	0.00	
	+729	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.69	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		7.03	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.03	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.69	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	7.72	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.07	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.07	-0.47	0.00	-0.03	0.00	0.00	
	+730	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.70	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		7.11	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.03	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.70	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	7.81	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.07	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.07	-0.47	0.00	-0.03	0.00	0.00	
	+731	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.71	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		7.18	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.03	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.71	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	7.89	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.07	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.07	-0.47	0.00	-0.03	0.00	0.00	
+732	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.72	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	7.25	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.03	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.72	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	7.98	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.07	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.07	-0.47	0.00	-0.03	0.00	0.00	
	+733	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.73	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		7.33	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.03	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.73	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	8.06	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.07	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.07	-0.47	0.00	-0.03	0.00	0.00	
	+734	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.75	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		7.40	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.03	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.75	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	8.15	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.08	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.07	-0.47	0.00	-0.03	0.00	0.00	
	+735	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.76	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		7.48	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.03	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.76	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	8.23	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.08	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.08	-0.47	0.00	-0.03	0.00	0.00	
+736	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.77	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	7.55	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.03	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.77	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	8.32	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.08	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.08	-0.47	0.00	-0.03	0.00	0.00	
	+737	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.78	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		7.63	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.04	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.78	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	8.41	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.08	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.08	-0.47	0.00	-0.03	0.00	0.00	
	+738	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.79	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		7.71	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.04	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.79	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	8.50	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.08	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.08	-0.47	0.00	-0.03	0.00	0.00	
	+739	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.80	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		7.78	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.03	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.04	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.80	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	8.59	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.08	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
Hydrotest-NL{2}	0.08	-0.47	0.00	-0.03	0.00	0.00	
+740	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.81	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	7.86	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.04	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.81	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	8.67	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.04	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.08	0.00	0.00	-0.02	0.00	0.00
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.08	-0.47	0.00	-0.03	0.00	0.00	
+741	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.83	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	7.94	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.04	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.83	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	8.76	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.04	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.08	0.00	0.00	-0.02	0.00	0.00
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.08	-0.47	0.00	-0.03	0.00	0.00	
+742	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.84	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	8.02	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.04	0.00	0.00	0.00	0.00	0.00
	GT1{1}	0.84	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	8.85	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.04	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.09	0.00	0.00	-0.02	0.00	0.00
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.08	-0.47	0.00	-0.03	0.00	0.00	
+743	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	0.85	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	8.09	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.03	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}	0.04	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.85	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	8.94	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.09	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.09	-0.47	0.00	-0.03	0.00	0.00	
+744	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.86	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	8.17	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.03	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.04	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.86	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	9.04	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.09	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.09	-0.47	0.00	-0.03	0.00	0.00	
	+745	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.87	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		8.25	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.03	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.04	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.87	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	9.13	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.09	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.09	-0.47	0.00	-0.03	0.00	0.00	
	+746	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.89	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		8.33	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.03	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.04	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.89	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	9.22	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.09	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.09	-0.47	0.00	-0.03	0.00	0.00	
	+747	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.90	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		8.41	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.03	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.04	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.90	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	9.31	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.09	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.09	-0.47	0.00	-0.03	0.00	0.00	
+748	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.91	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	8.49	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.03	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.04	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.91	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	9.41	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.09	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.09	-0.47	0.00	-0.03	0.00	0.00	
	+749	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.93	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		8.57	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.03	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.04	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.93	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	9.50	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.09	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.09	-0.47	0.00	-0.03	0.00	0.00	
	+750	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.94	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		8.65	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.03	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.04	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.94	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	9.59	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.10	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.09	-0.47	0.00	-0.03	0.00	0.00	
	+751	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.95	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		8.73	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.03	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.04	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	0.95	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	9.69	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.10	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.10	-0.47	0.00	-0.03	0.00	0.00	
+752	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	0.97	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	8.82	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.03	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.04	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	0.97	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	9.78	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.10	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.10	-0.47	0.00	-0.03	0.00	0.00	
	+753	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	0.98	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		8.90	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.03	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.04	0.00	0.00	0.00	0.00	0.00	
GT1{1}		0.98	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	9.88	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.10	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.10	-0.47	0.00	-0.03	0.00	0.00	
	+754	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	1.00	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		8.98	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.03	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.05	0.00	0.00	0.00	0.00	0.00	
GT1{1}		1.00	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	9.98	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.10	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.10	-0.47	0.00	-0.03	0.00	0.00	
	+755	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	1.01	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		9.06	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.03	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.05	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	1.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	10.07	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.04	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.10	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.10	-0.47	0.00	-0.03	0.00	0.00
+756	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	1.03	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	9.14	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.05	0.00	0.00	0.00	0.00	0.00
	GT1{1}	1.03	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	10.17	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.04	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.10	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.10	-0.47	0.00	-0.03	0.00	0.00
+757	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	1.04	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	9.23	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.05	0.00	0.00	0.00	0.00	0.00
	GT1{1}	1.04	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	10.27	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.05	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.11	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.10	-0.47	0.00	-0.03	0.00	0.00
+758	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	1.06	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	9.31	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.05	0.00	0.00	0.00	0.00	0.00
	GT1{1}	1.06	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	10.37	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.05	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.11	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.11	-0.47	0.00	-0.03	0.00	0.00
+759	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	1.07	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	9.39	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.05	0.00	0.00	0.00	0.00	0.00

	GT1{1}	1.07	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	10.47	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.11	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.11	-0.47	0.00	-0.03	0.00	0.00	
+760	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	1.09	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	9.48	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.03	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.05	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	1.09	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	10.57	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.11	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.11	-0.47	0.00	-0.03	0.00	0.00	
	+761	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	1.10	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		9.56	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.03	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.05	0.00	0.00	0.00	0.00	0.00	
GT1{1}		1.10	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	10.67	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.11	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.11	-0.47	0.00	-0.03	0.00	0.00	
	+762	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	1.12	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.02	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		9.65	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.04	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.05	0.00	0.00	0.00	0.00	0.00	
GT1{1}		1.12	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.03	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	10.77	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.11	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.11	-0.47	0.00	-0.03	0.00	0.00	
	+763	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	1.14	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.03	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		9.73	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.04	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.05	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	1.14	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	10.87	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.12	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.11	-0.47	0.00	-0.03	0.00	0.00	
+764	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	1.15	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.03	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	9.82	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.04	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.05	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	1.15	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	10.97	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.12	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.12	-0.47	0.00	-0.03	0.00	0.00	
	+765	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	1.17	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.03	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		9.90	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.04	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.05	0.00	0.00	0.00	0.00	0.00	
GT1{1}		1.17	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.03	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	11.07	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.12	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.12	-0.47	0.00	-0.03	0.00	0.00	
	+766	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	1.19	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.03	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		9.99	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.04	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.05	0.00	0.00	0.00	0.00	0.00	
GT1{1}		1.19	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.03	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	11.18	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.12	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.12	-0.47	0.00	-0.03	0.00	0.00	
	+767	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	1.21	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.03	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		10.08	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.04	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.05	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	1.20	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	11.28	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.05	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.12	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.12	-0.47	0.00	-0.03	0.00	0.00
+768	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	1.22	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	10.16	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.04	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.06	0.00	0.00	0.00	0.00	0.00
	GT1{1}	1.22	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	11.38	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.12	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.12	-0.47	0.00	-0.03	0.00	0.00	
+769	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	1.24	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	10.25	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.04	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.06	0.00	0.00	0.00	0.00	0.00
	GT1{1}	1.24	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	11.49	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.13	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.12	-0.47	0.00	-0.03	0.00	0.00	
+770	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	1.26	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	10.34	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.04	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.06	0.00	0.00	0.00	0.00	0.00
	GT1{1}	1.26	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	11.59	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.13	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.13	-0.47	0.00	-0.03	0.00	0.00	
+771	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	1.28	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	10.42	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.04	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.06	0.00	0.00	0.00	0.00	0.00

	GT1{1}	1.28	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	11.70	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.13	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.13	-0.47	0.00	-0.03	0.00	0.00	
+772	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	1.30	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.03	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	10.51	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.04	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.06	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	1.30	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	11.81	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.13	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.13	-0.47	0.00	-0.03	0.00	0.00	
	+773	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	1.32	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.03	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		10.60	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.04	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.06	0.00	0.00	0.00	0.00	0.00	
GT1{1}		1.31	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.03	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	11.91	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.13	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.13	-0.47	0.00	-0.03	0.00	0.00	
	+774	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	1.33	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.03	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		10.69	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.04	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.06	0.00	0.00	0.00	0.00	0.00	
GT1{1}		1.33	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.03	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	12.02	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.14	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.13	-0.47	0.00	-0.03	0.00	0.00	
	+775	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	1.35	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.03	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		10.77	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.04	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.06	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	1.35	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	12.13	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.14	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.14	-0.47	0.00	-0.03	0.00	0.00	
+776	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	1.37	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.03	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	10.86	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.04	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.06	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	1.37	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	12.24	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.14	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.14	-0.47	0.00	-0.03	0.00	0.00	
	+777	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	1.39	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.03	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		10.95	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.04	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.06	0.00	0.00	0.00	0.00	0.00	
GT1{1}		1.39	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.03	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	12.35	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.14	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.14	-0.47	0.00	-0.03	0.00	0.00	
	+778	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	1.41	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.03	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		11.04	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.04	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.06	0.00	0.00	0.00	0.00	0.00	
GT1{1}		1.41	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.03	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	12.45	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.14	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.14	-0.47	0.00	-0.03	0.00	0.00	
	+779	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	1.44	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.03	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		11.13	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.05	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.06	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	1.43	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	12.56	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.06	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.15	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.14	-0.47	0.00	-0.03	0.00	0.00
	+780	Gravity{1}	0.00	-0.22	0.00	0.00	0.00
Thermal 1{1}		1.46	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		-0.03	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		11.22	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.05	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.07	0.00	0.00	0.00	0.00	0.00
GT1{1}		1.46	-0.22	0.00	0.00	0.00	0.00
GT2{1}		-0.03	-0.22	0.00	-0.01	0.00	0.00
GT3{1}		0.00	-0.22	0.00	-0.01	0.00	0.00
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	12.68	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.15	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.15	-0.47	0.00	-0.03	0.00	0.00	
+781	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	1.48	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	11.31	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.05	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.07	0.00	0.00	0.00	0.00	0.00
	GT1{1}	1.48	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	12.79	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.15	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.15	-0.47	0.00	-0.03	0.00	0.00	
+782	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	1.50	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	11.40	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.05	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.07	0.00	0.00	0.00	0.00	0.00
	GT1{1}	1.50	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	12.90	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.07	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.15	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.15	-0.47	0.00	-0.03	0.00	0.00	
+783	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	1.52	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	11.49	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.05	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.07	0.00	0.00	0.00	0.00	0.00

	GT1{1}	1.52	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	13.01	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.07	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.15	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
Hydrotest-NL{2}	0.15	-0.47	0.00	-0.03	0.00	0.00	
+784	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	1.54	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	11.58	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.05	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.07	0.00	0.00	0.00	0.00	0.00
	GT1{1}	1.54	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	13.12	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.07	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.16	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.15	-0.47	0.00	-0.03	0.00	0.00	
+785	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	1.57	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.03	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	11.67	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.05	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.07	0.00	0.00	0.00	0.00	0.00
	GT1{1}	1.57	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.04	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	13.24	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.07	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.16	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.16	-0.47	0.00	-0.03	0.00	0.00	
+786	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	1.59	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.04	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	11.76	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.05	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.07	0.00	0.00	0.00	0.00	0.00
	GT1{1}	1.59	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.04	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	13.35	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.07	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.16	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.16	-0.47	0.00	-0.03	0.00	0.00	
+787	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	1.61	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.04	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	11.85	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.05	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.07	0.00	0.00	0.00	0.00	0.00

	GT1{1}	1.61	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.04	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	13.46	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.01	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.07	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.16	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.16	-0.47	0.00	-0.03	0.00	0.00
+788	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	1.64	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.04	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	11.94	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.05	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.07	0.00	0.00	0.00	0.00	0.00
	GT1{1}	1.64	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.04	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	13.58	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.07	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.17	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.16	-0.47	0.00	-0.03	0.00	0.00	
+789	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	1.66	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.04	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	12.03	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.05	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.07	0.00	0.00	0.00	0.00	0.00
	GT1{1}	1.66	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.04	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	13.69	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.07	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.17	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.17	-0.47	0.00	-0.03	0.00	0.00	
+790	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	1.68	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.04	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	12.13	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.05	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.08	0.00	0.00	0.00	0.00	0.00
	GT1{1}	1.68	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.04	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	13.81	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.07	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.17	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.17	-0.47	0.00	-0.03	0.00	0.00	
+791	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	1.71	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.04	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	12.22	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.05	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.08	0.00	0.00	0.00	0.00	0.00

	GT1{1}	1.71	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.04	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	13.93	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.07	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.17	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.17	-0.47	0.00	-0.03	0.00	0.00
+792	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	1.73	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.04	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	12.31	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.05	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.08	0.00	0.00	0.00	0.00	0.00
	GT1{1}	1.73	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.04	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	14.04	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.08	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.18	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.17	-0.47	0.00	-0.03	0.00	0.00
+793	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	1.76	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.04	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	12.40	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.06	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.08	0.00	0.00	0.00	0.00	0.00
	GT1{1}	1.76	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.04	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	14.16	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.08	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.18	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.18	-0.47	0.00	-0.03	0.00	0.00
+794	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	1.79	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.04	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	12.49	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.06	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.08	0.00	0.00	0.00	0.00	0.00
	GT1{1}	1.79	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.04	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	14.28	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.08	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.18	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.18	-0.47	0.00	-0.03	0.00	0.00
+795	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	1.81	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.04	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	12.59	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.06	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.08	0.00	0.00	0.00	0.00	0.00

	GT1{1}	1.81	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.04	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	14.40	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.08	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.18	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.18	-0.47	0.00	-0.03	0.00	0.00	
+796	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	Thermal 1{1}	1.84	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.04	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	12.68	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.06	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.08	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	1.84	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.04	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	14.52	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.08	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.19	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.18	-0.47	0.00	-0.03	0.00	0.00	
	+797	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	1.86	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.04	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		12.77	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.06	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.08	0.00	0.00	0.00	0.00	0.00	
GT1{1}		1.86	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.04	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	14.64	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.08	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.19	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.19	-0.47	0.00	-0.03	0.00	0.00	
	+798	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	1.89	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.04	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		12.86	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.06	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.09	0.00	0.00	0.00	0.00	0.00	
GT1{1}		1.89	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.04	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	14.76	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.08	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.19	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.19	-0.47	0.00	-0.03	0.00	0.00	
	+799	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
		Thermal 1{1}	1.92	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.04	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		12.96	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.06	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.09	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	1.92	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.04	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	14.88	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.08	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.19	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.19	-0.47	0.00	-0.03	0.00	0.00
	+800	Gravity{1}	0.00	-0.22	0.00	0.00	0.00
Thermal 1{1}		1.95	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		-0.04	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		13.05	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.06	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.09	0.00	0.00	0.00	0.00	0.00
GT1{1}		1.95	-0.22	0.00	0.00	0.00	0.00
GT2{1}		-0.04	-0.22	0.00	-0.01	0.00	0.00
GT3{1}		0.00	-0.22	0.00	-0.01	0.00	0.00
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	15.00	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.08	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.20	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.19	-0.47	0.00	-0.03	0.00	0.00	
+801	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	1.98	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.04	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	13.14	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.06	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.09	0.00	0.00	0.00	0.00	0.00
	GT1{1}	1.98	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.04	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	15.12	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.09	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.20	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.20	-0.47	0.00	-0.03	0.00	0.00	
+802	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	2.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.04	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	13.24	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.06	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.09	0.00	0.00	0.00	0.00	0.00
	GT1{1}	2.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.04	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	15.24	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.09	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.20	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.20	-0.47	0.00	-0.03	0.00	0.00	
+803	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	2.04	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.05	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	13.33	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.06	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}	0.09	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	2.03	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.05	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	15.37	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.09	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.21	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.20	-0.47	0.00	-0.03	0.00	0.00
	+804	Gravity{1}	0.00	-0.22	0.00	0.00	0.00
Thermal 1{1}		2.06	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		-0.05	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		13.42	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.07	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.09	0.00	0.00	0.00	0.00	0.00
GT1{1}		2.06	-0.22	0.00	0.00	0.00	0.00
GT2{1}		-0.05	-0.22	0.00	-0.01	0.00	0.00
GT3{1}		0.00	-0.22	0.00	-0.01	0.00	0.00
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	15.49	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.09	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.21	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.21	-0.47	0.00	-0.03	0.00	0.00	
+805	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	2.10	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.05	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	13.52	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.07	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.09	0.00	0.00	0.00	0.00	0.00
	GT1{1}	2.10	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.05	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	15.61	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.09	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.21	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.21	-0.47	0.00	-0.03	0.00	0.00	
+806	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	2.13	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.05	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	13.61	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.07	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.10	0.00	0.00	0.00	0.00	0.00
	GT1{1}	2.13	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.05	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	15.74	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.09	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.22	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.21	-0.47	0.00	-0.03	0.00	0.00	
+807	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	2.16	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.05	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	13.71	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.07	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}	0.10	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	2.16	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.05	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	15.86	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.09	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.22	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.22	-0.47	0.00	-0.03	0.00	0.00
+808	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	2.19	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.05	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	13.80	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.07	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.10	0.00	0.00	0.00	0.00	0.00
	GT1{1}	2.19	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.05	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	15.99	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.10	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.22	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.22	-0.47	0.00	-0.03	0.00	0.00	
+809	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	2.22	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.05	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	13.89	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.07	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.10	0.00	0.00	0.00	0.00	0.00
	GT1{1}	2.22	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.05	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	16.11	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.10	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.23	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.22	-0.47	0.00	-0.03	0.00	0.00	
+810	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	2.25	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.05	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	13.99	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.07	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.10	0.00	0.00	0.00	0.00	0.00
	GT1{1}	2.25	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.05	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	16.24	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.10	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.23	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.23	-0.47	0.00	-0.03	0.00	0.00	
+811	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	2.29	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.05	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	14.08	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.07	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.10	0.00	0.00	0.00	0.00	0.00

	GT1{1}	2.29	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.05	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	16.37	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.10	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.23	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.23	-0.47	0.00	-0.03	0.00	0.00
	+812	Gravity{1}	0.00	-0.22	0.00	0.00	0.00
Thermal 1{1}		2.32	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		-0.05	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		14.18	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.07	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.10	0.00	0.00	0.00	0.00	0.00
GT1{1}		2.32	-0.22	0.00	0.00	0.00	0.00
GT2{1}		-0.05	-0.22	0.00	-0.01	0.00	0.00
GT3{1}		0.00	-0.22	0.00	-0.01	0.00	0.00
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}		0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	16.50	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.10	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.24	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.23	-0.47	0.00	-0.03	0.00	0.00	
+813	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	2.35	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.05	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	14.27	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.07	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.11	0.00	0.00	0.00	0.00	0.00
	GT1{1}	2.35	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.05	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	16.62	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.10	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.24	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.24	-0.47	0.00	-0.03	0.00	0.00	
+814	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	2.39	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.05	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	14.37	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.08	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.11	0.00	0.00	0.00	0.00	0.00
	GT1{1}	2.39	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.05	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	16.75	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.10	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.24	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.24	-0.47	0.00	-0.03	0.00	0.00	
+815	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	2.42	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.05	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	14.46	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.08	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}	0.11	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	2.42	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.05	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	16.88	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.11	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.25	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.24	-0.47	0.00	-0.03	0.00	0.00
+816	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	2.46	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.05	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	14.55	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.08	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.11	0.00	0.00	0.00	0.00	0.00
	GT1{1}	2.46	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.06	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	17.01	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.11	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.25	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.25	-0.47	0.00	-0.03	0.00	0.00
+817	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	2.50	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.06	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	14.65	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.08	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.11	0.00	0.00	0.00	0.00	0.00
	GT1{1}	2.49	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.06	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	17.14	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.11	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.25	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.25	-0.47	0.00	-0.03	0.00	0.00
+818	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	2.53	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.06	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	14.74	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.08	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.11	0.00	0.00	0.00	0.00	0.00
	GT1{1}	2.53	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.06	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	17.27	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.11	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.26	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.25	-0.47	0.00	-0.03	0.00	0.00
+819	Gravity{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	Thermal 1{1}	2.57	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.06	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	14.84	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.08	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.12	0.00	0.00	0.00	0.00	0.00

	GT1{1}	2.57	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.06	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	17.41	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.11	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.26	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.26	-0.47	0.00	-0.03	0.00	0.00	
+820	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	2.61	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.06	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	14.93	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.08	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.12	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	2.61	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.06	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	17.54	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.11	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.26	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.26	-0.47	0.00	-0.03	0.00	0.00	
	+821	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	2.64	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.06	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		15.03	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.08	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.12	0.00	0.00	0.00	0.00	0.00	
GT1{1}		2.64	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.06	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	17.67	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.12	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.27	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.26	-0.47	0.00	-0.03	0.00	0.00	
	+822	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	2.68	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.06	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		15.12	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.08	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.12	0.00	0.00	0.00	0.00	0.00	
GT1{1}		2.68	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.06	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	17.80	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.02	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.12	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.27	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.27	-0.47	0.00	-0.03	0.00	0.00	
	+823	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	2.72	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.06	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		15.21	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.09	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.12	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	2.72	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.06	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	17.94	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.12	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.28	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.27	-0.47	0.00	-0.03	0.00	0.00
+824	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	2.76	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.06	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	15.31	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.09	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.12	0.00	0.00	0.00	0.00	0.00
	GT1{1}	2.76	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.06	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	0.00	0.00	0.00
GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	18.07	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.12	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.28	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.28	-0.47	0.00	-0.03	0.00	0.00	
+825	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	2.80	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.06	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	15.40	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.09	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.13	0.00	0.00	0.00	0.00	0.00
	GT1{1}	2.80	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.06	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	18.21	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.12	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.28	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.28	-0.47	0.00	-0.03	0.00	0.00	
+826	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	2.84	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.06	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	15.50	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.09	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.13	0.00	0.00	0.00	0.00	0.00
	GT1{1}	2.84	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.06	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	18.34	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.12	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.29	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.28	-0.47	0.00	-0.03	0.00	0.00	
+827	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	2.89	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.06	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	15.59	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.09	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}	0.13	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	2.88	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.06	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	18.48	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.13	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.29	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.29	-0.47	0.00	-0.03	0.00	0.00
+828	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	2.93	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.07	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	15.69	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.09	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.13	0.00	0.00	0.00	0.00	0.00
	GT1{1}	2.93	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.07	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	18.61	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.13	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.30	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.29	-0.47	0.00	-0.03	0.00	0.00	
+829	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	2.97	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.07	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	15.78	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.09	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.13	0.00	0.00	0.00	0.00	0.00
	GT1{1}	2.97	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.07	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	18.75	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.13	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.30	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.30	-0.47	0.00	-0.03	0.00	0.00	
+830	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	3.01	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.07	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	15.88	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.10	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.14	0.00	0.00	0.00	0.00	0.00
	GT1{1}	3.01	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.07	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	18.89	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.13	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.31	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.30	-0.47	0.00	-0.03	0.00	0.00	
+831	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	3.06	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.07	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	15.97	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.10	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.14	0.00	0.00	0.00	0.00	0.00

	GT1{1}	3.06	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.07	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	19.03	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.13	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.31	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.31	-0.47	0.00	-0.03	0.00	0.00
+832	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	3.10	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.07	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	16.06	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.10	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.14	0.00	0.00	0.00	0.00	0.00
	GT1{1}	3.10	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.07	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	19.16	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.14	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.32	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.31	-0.47	0.00	-0.03	0.00	0.00	
+833	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	3.15	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.07	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	16.16	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.10	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.14	0.00	0.00	0.00	0.00	0.00
	GT1{1}	3.14	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.07	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	19.30	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.14	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.32	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.32	-0.47	0.00	-0.03	0.00	0.00	
+834	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	3.19	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.07	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	16.25	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.10	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.14	0.00	0.00	0.00	0.00	0.00
	GT1{1}	3.19	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.07	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	19.44	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.14	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.32	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.32	-0.47	0.00	-0.03	0.00	0.00	
+835	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	3.24	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.07	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	16.35	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.10	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.15	0.00	0.00	0.00	0.00	0.00

	GT1{1}	3.24	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.07	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	19.58	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.14	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.33	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.32	-0.47	0.00	-0.03	0.00	0.00
+836	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	3.28	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.07	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	16.44	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.10	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.15	0.00	0.00	0.00	0.00	0.00
	GT1{1}	3.28	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.07	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	19.72	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.14	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.33	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.33	-0.47	0.00	-0.03	0.00	0.00	
+837	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	3.33	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.07	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	16.54	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.11	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.15	0.00	0.00	0.00	0.00	0.00
	GT1{1}	3.33	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.07	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	19.86	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.15	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.34	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.33	-0.47	0.00	-0.03	0.00	0.00	
+838	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	3.38	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.08	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	16.63	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.11	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.15	0.00	0.00	0.00	0.00	0.00
	GT1{1}	3.38	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.08	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	20.01	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.15	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.34	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.34	-0.47	0.00	-0.03	0.00	0.00	
+839	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	3.42	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.08	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	16.72	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.11	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}	0.16	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	3.42	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.08	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	20.15	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.15	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.35	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.34	-0.47	0.00	-0.03	0.00	0.00	
	+840	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	3.47	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		-0.08	0.00	0.00	0.00	0.00	0.00	
Thermal 3{1}		-0.01	0.00	0.00	0.00	0.00	0.00	
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		16.82	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.11	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.16	0.00	0.00	0.00	0.00	0.00	
GT1{1}		3.47	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.08	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
GW2{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
GW3{1}		0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00		
GT1P1{1}	20.29	-0.22	0.00	0.00	0.00	0.00		
GT2P2{1}	0.03	-0.22	0.00	0.00	0.00	0.00		
GT3P3{1}	0.15	-0.22	0.00	0.00	0.00	0.00		
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00		
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00		
Pressure 1{2}	0.35	0.00	0.00	-0.02	0.00	0.00		
GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00		
Hydrotest-NL{2}	0.35	-0.47	0.00	-0.03	0.00	0.00		
+841	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	3.52	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.08	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	16.91	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.11	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.16	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	3.52	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.08	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00		
GT1P1{1}	20.44	-0.22	0.00	0.00	0.00	0.00		
GT2P2{1}	0.03	-0.22	0.00	0.00	0.00	0.00		
GT3P3{1}	0.15	-0.22	0.00	0.00	0.00	0.00		
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00		
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00		
Pressure 1{2}	0.36	0.00	0.00	-0.02	0.00	0.00		
GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00		
Hydrotest-NL{2}	0.35	-0.47	0.00	-0.03	0.00	0.00		
+842	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	3.57	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.08	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	17.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.11	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.16	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	3.57	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.08	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00		
GT1P1{1}	20.58	-0.22	0.00	0.00	0.00	0.00		
GT2P2{1}	0.03	-0.22	0.00	0.00	0.00	0.00		
GT3P3{1}	0.16	-0.22	0.00	0.00	0.00	0.00		
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00		
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00		
Pressure 1{2}	0.36	0.00	0.00	-0.02	0.00	0.00		
GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00		
Hydrotest-NL{2}	0.36	-0.47	0.00	-0.03	0.00	0.00		
+843	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	3.62	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.08	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	17.10	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.12	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}	0.16	0.00	0.00	0.00	0.00	0.00		

	GT1{1}	3.62	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.08	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	20.72	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.03	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.16	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.37	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.36	-0.47	0.00	-0.03	0.00	0.00
	+844	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00
Thermal 1{1}		3.67	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		-0.08	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		17.20	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.12	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.17	0.00	0.00	0.00	0.00	0.00
GT1{1}		3.67	-0.22	0.00	0.00	0.00	0.00
GT2{1}		-0.08	-0.22	0.00	-0.01	0.00	0.00
GT3{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}		0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	20.87	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.16	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.38	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.37	-0.47	0.00	-0.03	0.00	0.00	
+845	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	3.72	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.08	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	17.29	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.12	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.17	0.00	0.00	0.00	0.00	0.00
	GT1{1}	3.72	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.08	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	21.01	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.03	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.16	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.38	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.38	-0.47	0.00	-0.03	0.00	0.00	
+846	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	3.77	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.08	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	17.39	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.12	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.17	0.00	0.00	0.00	0.00	0.00
	GT1{1}	3.77	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.09	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	21.16	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.17	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.39	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.38	-0.47	0.00	-0.03	0.00	0.00	
+847	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	3.83	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.09	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	17.48	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.12	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}	0.17	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	3.83	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.09	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	21.31	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.04	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.17	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.39	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.39	-0.47	0.00	-0.03	0.00	0.00
+848	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	3.88	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.09	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	17.57	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.12	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.18	0.00	0.00	0.00	0.00	0.00
	GT1{1}	3.88	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.09	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	21.45	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.17	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.40	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.39	-0.47	0.00	-0.03	0.00	0.00	
+849	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	3.93	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.09	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	17.67	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.13	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.18	0.00	0.00	0.00	0.00	0.00
	GT1{1}	3.93	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.09	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	21.60	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.17	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.40	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.40	-0.47	0.00	-0.03	0.00	0.00	
+850	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	3.99	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.09	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	17.76	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.13	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.18	0.00	0.00	0.00	0.00	0.00
	GT1{1}	3.99	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.09	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	21.75	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.18	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.41	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.40	-0.47	0.00	-0.03	0.00	0.00	
+851	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	4.04	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.09	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	17.86	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.13	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.18	0.00	0.00	0.00	0.00	0.00

	GT1{1}	4.04	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.09	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	21.90	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.04	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.18	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.42	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.41	-0.47	0.00	-0.03	0.00	0.00
	+852	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00
Thermal 1{1}		4.10	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		-0.09	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		17.95	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.13	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.19	0.00	0.00	0.00	0.00	0.00
GT1{1}		4.10	-0.22	0.00	0.00	0.00	0.00
GT2{1}		-0.09	-0.22	0.00	-0.01	0.00	0.00
GT3{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}		0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	22.05	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.18	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.42	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.42	-0.47	0.00	-0.03	0.00	0.00	
+853	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	4.15	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.09	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	18.05	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.13	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.19	0.00	0.00	0.00	0.00	0.00
	GT1{1}	4.15	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.09	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	22.20	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.18	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.43	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.42	-0.47	0.00	-0.03	0.00	0.00	
+854	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	4.21	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.10	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	18.14	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.14	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.19	0.00	0.00	0.00	0.00	0.00
	GT1{1}	4.21	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.10	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	22.35	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.19	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.43	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.43	-0.47	0.00	-0.03	0.00	0.00	
+855	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	4.26	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.10	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}	18.24	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}	0.14	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}	0.20	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	4.26	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.10	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	22.50	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.04	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.19	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.44	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.43	-0.47	0.00	-0.03	0.00	0.00
	+856	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00
Thermal 1{1}		4.32	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		-0.10	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		18.33	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.14	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.20	0.00	0.00	0.00	0.00	0.00
GT1{1}		4.32	-0.22	0.00	0.00	0.00	0.00
GT2{1}		-0.10	-0.22	0.00	-0.01	0.00	0.00
GT3{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}		0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	22.65	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.19	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.45	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.44	-0.47	0.00	-0.03	0.00	0.00	
+857	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	4.38	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.10	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	18.42	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.14	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.20	0.00	0.00	0.00	0.00	0.00
	GT1{1}	4.38	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.10	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	22.80	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.19	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.45	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.45	-0.47	0.00	-0.03	0.00	0.00	
+858	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	4.44	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.10	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	18.52	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.14	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.20	0.00	0.00	0.00	0.00	0.00
	GT1{1}	4.44	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.10	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	22.95	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.20	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.46	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.45	-0.47	0.00	-0.03	0.00	0.00	
+859	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	4.50	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.10	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	18.61	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.15	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}	0.21	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	4.49	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.10	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	23.11	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.20	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.47	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.46	-0.47	0.00	-0.03	0.00	0.00	
+860	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	4.55	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.10	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	18.71	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.15	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.21	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	4.55	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.10	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	23.26	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.20	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.47	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.47	-0.47	0.00	-0.03	0.00	0.00	
	+861	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	4.61	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.11	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		18.80	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.15	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.21	0.00	0.00	0.00	0.00	0.00	
GT1{1}		4.61	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.11	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	23.42	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.21	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.48	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.47	-0.47	0.00	-0.03	0.00	0.00	
	+862	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	4.67	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.11	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		18.90	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.15	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.22	0.00	0.00	0.00	0.00	0.00	
GT1{1}		4.67	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.11	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	23.57	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.04	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.21	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.49	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.48	-0.47	0.00	-0.03	0.00	0.00	
	+863	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	4.74	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.11	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		18.99	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.15	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}	0.22	0.00	0.00	0.00	0.00	0.00		

	GT1{1}	4.73	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.11	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	23.72	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.04	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.21	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.49	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.49	-0.47	0.00	-0.03	0.00	0.00
	+864	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00
Thermal 1{1}		4.80	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		-0.11	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		19.08	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.16	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.22	0.00	0.00	0.00	0.00	0.00
GT1{1}		4.80	-0.22	0.00	0.00	0.00	0.00
GT2{1}		-0.11	-0.22	0.00	-0.01	0.00	0.00
GT3{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}		0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	23.88	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.22	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.50	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.49	-0.47	0.00	-0.03	0.00	0.00	
+865	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	4.86	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.11	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	19.18	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.16	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.23	0.00	0.00	0.00	0.00	0.00
	GT1{1}	4.86	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.11	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	24.04	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.22	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.51	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.50	-0.47	0.00	-0.03	0.00	0.00	
+866	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	4.92	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.11	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	19.27	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.16	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.23	0.00	0.00	0.00	0.00	0.00
	GT1{1}	4.92	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.11	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	24.19	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.22	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.52	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.51	-0.47	0.00	-0.03	0.00	0.00	
+867	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	4.98	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.12	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	19.37	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.16	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}	0.23	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	4.98	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.12	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	24.35	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.22	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.52	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.52	-0.47	0.00	-0.03	0.00	0.00	
+868	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	5.05	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.12	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	19.46	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.17	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.24	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	5.05	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.12	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	24.51	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.23	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.53	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.52	-0.47	0.00	-0.03	0.00	0.00	
	+869	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	5.11	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.12	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		19.56	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.17	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.24	0.00	0.00	0.00	0.00	0.00	
GT1{1}		5.11	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.12	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	24.67	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.23	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.54	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.53	-0.47	0.00	-0.03	0.00	0.00	
	+870	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	5.18	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.12	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		19.65	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.17	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.24	0.00	0.00	0.00	0.00	0.00	
GT1{1}		5.18	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.12	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	24.83	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.23	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.55	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.54	-0.47	0.00	-0.03	0.00	0.00	
	+871	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	5.24	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.12	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		19.75	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.17	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.25	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	5.24	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.12	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	24.99	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.24	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.56	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.55	-0.47	0.00	-0.03	0.00	0.00	
+872	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	5.31	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.12	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	19.84	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.18	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.25	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	5.31	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.12	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	25.15	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.24	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.56	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.56	-0.47	0.00	-0.03	0.00	0.00	
	+873	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	5.37	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.13	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		19.93	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.18	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.25	0.00	0.00	0.00	0.00	0.00	
GT1{1}		5.37	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.13	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	25.31	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.25	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.57	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.56	-0.47	0.00	-0.03	0.00	0.00	
	+874	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	5.44	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.13	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		20.03	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.18	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.26	0.00	0.00	0.00	0.00	0.00	
GT1{1}		5.44	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.13	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	25.47	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.25	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.58	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.57	-0.47	0.00	-0.03	0.00	0.00	
	+875	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	5.51	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.13	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		20.12	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.18	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}	0.26	0.00	0.00	0.00	0.00	0.00		

	GT1{1}	5.51	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.13	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	25.63	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.25	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.59	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.58	-0.47	0.00	-0.03	0.00	0.00	
+876	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	5.57	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.13	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	20.22	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.19	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.27	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	5.57	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.13	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	25.79	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.05	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.26	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.60	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.59	-0.47	0.00	-0.03	0.00	0.00	
	+877	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	5.64	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.13	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		20.31	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.19	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.27	0.00	0.00	0.00	0.00	0.00	
GT1{1}		5.64	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.13	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	25.95	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.26	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.61	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.60	-0.47	0.00	-0.03	0.00	0.00	
	+878	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	5.71	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.14	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		20.41	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.19	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.27	0.00	0.00	0.00	0.00	0.00	
GT1{1}		5.71	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.14	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	26.12	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.26	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.62	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.61	-0.47	0.00	-0.03	0.00	0.00	
	+879	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	5.78	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.14	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		20.50	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.19	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.28	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	5.78	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.14	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	26.28	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.27	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.62	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.62	-0.47	0.00	-0.03	0.00	0.00	
+880	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	5.85	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.14	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	20.60	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.20	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.28	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	5.85	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.14	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	26.45	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.27	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.63	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.62	-0.47	0.00	-0.03	0.00	0.00	
	+881	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	5.92	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.14	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		20.69	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.20	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.29	0.00	0.00	0.00	0.00	0.00	
GT1{1}		5.92	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.14	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	26.61	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.28	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.64	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.63	-0.47	0.00	-0.03	0.00	0.00	
	+882	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	5.99	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.14	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		20.78	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.20	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.29	0.00	0.00	0.00	0.00	0.00	
GT1{1}		5.99	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.14	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	26.78	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.28	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.65	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.64	-0.47	0.00	-0.03	0.00	0.00	
	+883	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	6.06	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.15	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		20.88	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.21	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.29	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	6.06	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.15	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	26.94	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.28	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.66	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.65	-0.47	0.00	-0.03	0.00	0.00	
+884	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	6.14	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.15	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	20.97	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.21	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.30	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	6.14	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.15	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	27.11	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.29	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.67	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.66	-0.47	0.00	-0.03	0.00	0.00	
	+885	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	6.21	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.15	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		21.07	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.21	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.30	0.00	0.00	0.00	0.00	0.00	
GT1{1}		6.21	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.15	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	27.28	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.29	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.68	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.67	-0.47	0.00	-0.03	0.00	0.00	
	+886	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	6.28	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.15	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		21.16	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.22	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.31	0.00	0.00	0.00	0.00	0.00	
GT1{1}		6.28	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.15	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	27.44	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.30	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.69	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.68	-0.47	0.00	-0.03	0.00	0.00	
	+887	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	6.36	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.15	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		21.26	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.22	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}	0.31	0.00	0.00	0.00	0.00	0.00		

	GT1{1}	6.36	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.15	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	27.61	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.30	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.70	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.69	-0.47	0.00	-0.03	0.00	0.00	
+888	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	6.43	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.16	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	21.35	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.22	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.32	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	6.43	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.16	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	27.78	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.06	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.31	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.71	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.70	-0.47	0.00	-0.03	0.00	0.00	
	+889	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	6.50	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.16	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		21.44	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.22	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.32	0.00	0.00	0.00	0.00	0.00	
GT1{1}		6.50	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.16	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	27.95	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.07	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.31	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.72	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.71	-0.47	0.00	-0.03	0.00	0.00	
	+890	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	6.58	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.16	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		21.54	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.23	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.33	0.00	0.00	0.00	0.00	0.00	
GT1{1}		6.58	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.16	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	28.12	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.07	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.31	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.73	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.72	-0.47	0.00	-0.03	0.00	0.00	
	+891	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	6.66	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.16	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		21.63	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.23	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.33	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	6.66	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.16	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	28.29	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.07	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.32	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.74	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.73	-0.47	0.00	-0.03	0.00	0.00	
+892	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	6.73	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.17	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	21.73	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.23	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.34	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	6.73	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.17	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	28.46	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.07	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.32	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.75	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.74	-0.47	0.00	-0.03	0.00	0.00	
	+893	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	6.81	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.17	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		21.82	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.24	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.34	0.00	0.00	0.00	0.00	0.00	
GT1{1}		6.81	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.17	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	28.63	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.07	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.33	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.77	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.75	-0.47	0.00	-0.03	0.00	0.00	
	+894	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	6.89	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.17	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		21.92	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.24	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.35	0.00	0.00	0.00	0.00	0.00	
GT1{1}		6.89	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.17	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	28.80	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.07	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.33	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.78	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.77	-0.47	0.00	-0.03	0.00	0.00	
	+895	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	6.96	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.17	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		22.01	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.25	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}	0.35	0.00	0.00	0.00	0.00	0.00		

	GT1{1}	6.96	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.17	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	28.98	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.07	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.34	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.79	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.78	-0.47	0.00	-0.03	0.00	0.00
+896	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	7.04	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.18	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	22.11	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.25	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.36	0.00	0.00	0.00	0.00	0.00
	GT1{1}	7.04	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.18	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	29.15	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.07	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.34	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.80	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.79	-0.47	0.00	-0.03	0.00	0.00	
+897	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	7.12	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.18	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	22.20	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.25	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.36	0.00	0.00	0.00	0.00	0.00
	GT1{1}	7.12	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.18	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	29.32	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.07	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.35	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.81	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.80	-0.47	0.00	-0.03	0.00	0.00	
+898	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	7.20	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.18	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	22.29	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.26	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.37	0.00	0.00	0.00	0.00	0.00
	GT1{1}	7.20	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.18	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	29.50	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.07	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.35	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.82	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.81	-0.47	0.00	-0.03	0.00	0.00	
+899	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	7.28	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.18	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	22.39	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.26	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}	0.37	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	7.28	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.18	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	29.67	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.08	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.36	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	0.84	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.82	-0.47	0.00	-0.03	0.00	0.00
	+900	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00
Thermal 1{1}		7.36	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		-0.19	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		22.48	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.26	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.38	0.00	0.00	0.00	0.00	0.00
GT1{1}		7.36	-0.22	0.00	0.00	0.00	0.00
GT2{1}		-0.19	-0.22	0.00	-0.01	0.00	0.00
GT3{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}		0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	29.85	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.08	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.36	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.85	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.84	-0.47	0.00	-0.03	0.00	0.00	
+901	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	7.44	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.19	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	22.58	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.27	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.38	0.00	0.00	0.00	0.00	0.00
	GT1{1}	7.44	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.19	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	30.02	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.08	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.37	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.86	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.85	-0.47	0.00	-0.03	0.00	0.00	
+902	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	7.53	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.19	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	22.67	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.27	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.39	0.00	0.00	0.00	0.00	0.00
	GT1{1}	7.53	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.19	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	30.20	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.08	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.37	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	0.87	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.86	-0.47	0.00	-0.03	0.00	0.00	
+903	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	7.61	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.19	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	22.77	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.28	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}	0.39	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	7.94	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.21	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	31.09	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.09	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.40	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.94	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.93	-0.47	0.00	-0.03	0.00	0.00	
+908	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	8.03	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.21	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	23.24	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.30	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.42	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	8.03	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.21	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	31.27	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.09	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.41	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.95	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.94	-0.47	0.00	-0.03	0.00	0.00	
	+909	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	8.11	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.21	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		23.33	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.30	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.43	0.00	0.00	0.00	0.00	0.00	
GT1{1}		8.11	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.21	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	31.45	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.09	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.41	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.97	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.95	-0.47	0.00	-0.03	0.00	0.00	
	+910	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	8.20	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.22	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		23.43	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.31	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.44	0.00	0.00	0.00	0.00	0.00	
GT1{1}		8.20	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.22	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	31.63	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.09	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.42	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	0.98	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	0.97	-0.47	0.00	-0.03	0.00	0.00	
	+911	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	8.29	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.22	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		23.52	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.31	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}	0.44	0.00	0.00	0.00	0.00	0.00		

	GT1{1}	8.29	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.22	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	31.81	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.09	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.43	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	1.00	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	0.98	-0.47	0.00	-0.03	0.00	0.00
	+912	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00
Thermal 1{1}		8.37	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		-0.22	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		-0.01	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		23.62	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.31	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.45	0.00	0.00	0.00	0.00	0.00
GT1{1}		8.37	-0.22	0.00	0.00	0.00	0.00
GT2{1}		-0.22	-0.22	0.00	-0.01	0.00	0.00
GT3{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}		0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	31.99	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.09	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.43	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	1.01	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	0.99	-0.47	0.00	-0.03	0.00	0.00	
+913	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	8.46	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.22	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	23.71	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.32	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.46	0.00	0.00	0.00	0.00	0.00
	GT1{1}	8.46	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.23	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	32.17	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.09	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.44	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	1.02	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	1.01	-0.47	0.00	-0.03	0.00	0.00	
+914	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	8.55	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.23	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	23.80	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.32	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.46	0.00	0.00	0.00	0.00	0.00
	GT1{1}	8.55	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.23	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	32.35	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.09	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.45	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	1.04	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	1.02	-0.47	0.00	-0.03	0.00	0.00	
+915	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	8.64	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.23	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	23.90	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.33	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}	0.47	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	8.64	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.23	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	32.54	-0.22	0.00	0.00	0.00	0.00
	GT2P2{1}	0.10	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.45	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	1.05	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	1.04	-0.47	0.00	-0.03	0.00	0.00
+916	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	8.73	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.23	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	23.99	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.33	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.48	0.00	0.00	0.00	0.00	0.00
	GT1{1}	8.73	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.24	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	32.72	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.10	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.46	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	1.07	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	1.05	-0.47	0.00	-0.03	0.00	0.00	
+917	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	8.82	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.24	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	24.09	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.34	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.48	0.00	0.00	0.00	0.00	0.00
	GT1{1}	8.82	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.24	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	32.90	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.10	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.47	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	1.09	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	1.07	-0.47	0.00	-0.03	0.00	0.00	
+918	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	8.91	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.24	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	24.18	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.34	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.49	0.00	0.00	0.00	0.00	0.00
	GT1{1}	8.91	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.24	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	33.09	-0.22	0.00	0.00	0.00	0.00	
GT2P2{1}	0.10	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.47	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	1.10	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	1.09	-0.47	0.00	-0.03	0.00	0.00	
+919	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	9.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.25	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	24.28	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.35	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}	0.50	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	9.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.25	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	33.27	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.10	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.48	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.12	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	1.10	-0.47	0.00	-0.03	0.00	0.00	
+920	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	9.09	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.25	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	24.37	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.35	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.50	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	9.09	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.25	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	33.46	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.10	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.49	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.13	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	1.12	-0.47	0.00	-0.03	0.00	0.00	
	+921	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	9.18	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.25	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		24.47	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.36	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.51	0.00	0.00	0.00	0.00	0.00	
GT1{1}		9.18	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.25	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	33.65	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.10	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.49	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.15	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	1.13	-0.47	0.00	-0.03	0.00	0.00	
	+922	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	9.28	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.26	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		24.56	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.36	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.52	0.00	0.00	0.00	0.00	0.00	
GT1{1}		9.27	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.26	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	33.83	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.11	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.50	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.01	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.17	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	1.15	-0.47	0.00	-0.03	0.00	0.00	
	+923	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	9.37	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.26	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		24.65	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.37	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}	0.53	0.00	0.00	0.00	0.00	0.00		

	GT1{1}	9.37	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.26	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	34.02	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.11	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.51	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.18	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	1.17	-0.47	0.00	-0.03	0.00	0.00		
+924	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	9.46	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.26	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	24.75	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.37	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.53	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	9.46	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.27	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	34.21	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.11	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.52	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.20	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	1.18	-0.47	0.00	-0.03	0.00	0.00	
	+925	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	9.56	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		-0.27	0.00	0.00	0.00	0.00	0.00	
Thermal 3{1}		-0.02	0.00	0.00	0.00	0.00	0.00	
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		24.84	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.38	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.54	0.00	0.00	0.00	0.00	0.00	
GT1{1}		9.55	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.27	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	34.40	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.11	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.52	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.22	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	1.20	-0.47	0.00	-0.03	0.00	0.00	
	+926	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	9.65	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		-0.27	0.00	0.00	0.00	0.00	0.00	
Thermal 3{1}		-0.02	0.00	0.00	0.00	0.00	0.00	
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		24.94	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.39	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.55	0.00	0.00	0.00	0.00	0.00	
GT1{1}		9.65	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.27	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	34.59	-0.22	0.00	0.00	0.00	0.00	
	GT2P2{1}	0.11	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.53	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.24	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	1.22	-0.47	0.00	-0.03	0.00	0.00	
	+927	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	9.75	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		-0.28	0.00	0.00	0.00	0.00	0.00	
Thermal 3{1}		-0.02	0.00	0.00	0.00	0.00	0.00	
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		25.03	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.39	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.56	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	9.74	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.28	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	34.78	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.11	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.54	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.26	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	1.24	-0.47	0.00	-0.03	0.00	0.00	
+928	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	9.84	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.28	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	25.13	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.40	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.57	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	9.84	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.28	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	34.97	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.12	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.55	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.27	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	1.26	-0.47	0.00	-0.03	0.00	0.00	
	+929	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	9.94	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.28	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		25.22	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.40	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.57	0.00	0.00	0.00	0.00	0.00	
GT1{1}		9.94	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.29	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	35.16	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.12	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.55	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.29	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	1.27	-0.47	0.00	-0.03	0.00	0.00	
	+930	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	10.04	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.29	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		25.32	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.41	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.58	0.00	0.00	0.00	0.00	0.00	
GT1{1}		10.03	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.29	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	35.35	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.12	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.56	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.31	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	1.29	-0.47	0.00	-0.03	0.00	0.00	
	+931	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	10.13	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.29	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		25.41	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.41	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.59	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	10.13	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.29	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	35.54	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.12	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.57	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.33	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	1.31	-0.47	0.00	-0.04	0.00	0.00	
+932	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	10.23	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.30	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	25.50	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.42	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.60	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	10.23	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.30	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	35.73	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.12	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.58	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.35	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	1.33	-0.47	0.00	-0.04	0.00	0.00	
	+933	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	10.33	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.30	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		25.60	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.43	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.61	0.00	0.00	0.00	0.00	0.00	
GT1{1}		10.33	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.30	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	35.93	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.12	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.59	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.37	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	1.35	-0.47	0.00	-0.04	0.00	0.00	
	+934	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	10.43	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.31	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		25.69	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.43	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.62	0.00	0.00	0.00	0.00	0.00	
GT1{1}		10.43	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.31	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	36.12	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.13	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.60	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.39	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	1.37	-0.47	0.00	-0.04	0.00	0.00	
	+935	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	10.53	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.31	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		25.79	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.44	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.63	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	10.53	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.31	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	36.31	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.13	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.61	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.41	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	1.39	-0.47	0.00	-0.04	0.00	0.00		
+936	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	10.63	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.31	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	25.88	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.45	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.64	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	10.63	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.32	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	36.51	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.13	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.61	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.43	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	1.41	-0.47	0.00	-0.04	0.00	0.00	
	+937	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	10.73	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		-0.32	0.00	0.00	0.00	0.00	0.00	
Thermal 3{1}		-0.02	0.00	0.00	0.00	0.00	0.00	
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		25.98	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.45	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.65	0.00	0.00	0.00	0.00	0.00	
GT1{1}		10.73	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.32	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	36.70	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.13	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.62	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.45	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	1.43	-0.47	0.00	-0.04	0.00	0.00	
	+938	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	10.83	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		-0.32	0.00	0.00	0.00	0.00	0.00	
Thermal 3{1}		-0.02	0.00	0.00	0.00	0.00	0.00	
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		26.07	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.46	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.66	0.00	0.00	0.00	0.00	0.00	
GT1{1}		10.83	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.32	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	36.90	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.13	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.63	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.47	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	1.45	-0.47	0.00	-0.04	0.00	0.00	
	+939	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	10.93	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		-0.33	0.00	0.00	0.00	0.00	0.00	
Thermal 3{1}		-0.02	0.00	0.00	0.00	0.00	0.00	
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		26.16	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.47	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.66	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	10.93	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.33	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	37.09	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.14	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.64	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.50	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	1.47	-0.47	0.00	-0.04	0.00	0.00	
+940	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	11.03	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.33	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	26.26	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.47	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.67	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	11.03	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.33	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	37.29	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.14	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.65	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.52	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	1.50	-0.47	0.00	-0.04	0.00	0.00	
	+941	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	11.14	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.34	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		26.35	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.48	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.68	0.00	0.00	0.00	0.00	0.00	
GT1{1}		11.13	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.34	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	37.49	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.14	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.66	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.54	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	1.52	-0.47	0.00	-0.04	0.00	0.00	
	+942	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	11.24	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.34	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		26.45	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.49	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.69	0.00	0.00	0.00	0.00	0.00	
GT1{1}		11.24	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.34	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.02	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	37.69	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.14	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.67	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.56	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	1.54	-0.47	0.00	-0.04	0.00	0.00	
	+943	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	11.34	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.35	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		26.54	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.49	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.70	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	11.34	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.35	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	37.88	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.14	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.68	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	1.59	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	1.56	-0.47	0.00	-0.04	0.00	0.00
+944	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	11.45	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.35	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	26.64	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.50	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.72	0.00	0.00	0.00	0.00	0.00
	GT1{1}	11.45	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.35	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	38.08	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.15	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.69	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	1.61	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	1.59	-0.47	0.00	-0.04	0.00	0.00
+945	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	11.55	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.36	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	26.73	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.51	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.73	0.00	0.00	0.00	0.00	0.00
	GT1{1}	11.55	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.36	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	38.28	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.15	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.70	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	1.63	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	1.61	-0.47	0.00	-0.04	0.00	0.00
+946	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	11.66	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.36	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	26.83	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.52	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.74	0.00	0.00	0.00	0.00	0.00
	GT1{1}	11.66	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.37	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	38.48	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.15	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.71	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	1.66	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	1.63	-0.47	0.00	-0.04	0.00	0.00
+947	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	11.76	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.37	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.02	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	26.92	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.52	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.75	0.00	0.00	0.00	0.00	0.00

	GT1{1}	11.76	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.37	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	38.68	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.15	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.72	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	1.68	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	1.66	-0.47	0.00	-0.04	0.00	0.00
	+948	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00
Thermal 1{1}		11.87	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		-0.37	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		-0.03	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		27.01	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.53	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		0.76	0.00	0.00	0.00	0.00	0.00
GT1{1}		11.87	-0.22	0.00	0.00	0.00	0.00
GT2{1}		-0.38	-0.22	0.00	-0.01	0.00	0.00
GT3{1}		-0.03	-0.22	0.00	-0.01	0.00	0.00
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}		0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	38.88	-0.22	0.00	-0.01	0.00	0.00	
GT2P2{1}	0.15	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.73	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	1.71	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	1.68	-0.47	0.00	-0.04	0.00	0.00	
+949	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	11.98	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.38	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.03	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	27.11	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.54	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.77	0.00	0.00	0.00	0.00	0.00
	GT1{1}	11.98	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.38	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	39.08	-0.22	0.00	-0.01	0.00	0.00	
GT2P2{1}	0.16	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.74	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	1.73	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.03	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	1.70	-0.47	0.00	-0.04	0.00	0.00	
+950	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	12.09	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.39	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.03	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	27.20	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.55	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.78	0.00	0.00	0.00	0.00	0.00
	GT1{1}	12.08	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.39	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	39.29	-0.22	0.00	-0.01	0.00	0.00	
GT2P2{1}	0.16	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.75	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	1.76	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.03	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	1.73	-0.47	0.00	-0.04	0.00	0.00	
+951	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	12.19	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.39	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.03	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	27.30	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.55	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.79	0.00	0.00	0.00	0.00	0.00

	GT1{1}	12.19	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.39	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	39.49	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.16	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.76	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.78	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.03	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	1.76	-0.47	0.00	-0.04	0.00	0.00	
+952	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	12.30	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.40	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.03	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	27.39	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.56	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.80	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	12.30	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.40	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	39.69	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.16	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.78	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.81	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.03	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	1.78	-0.47	0.00	-0.04	0.00	0.00	
	+953	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	12.41	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.40	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.03	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		27.49	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.57	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.82	0.00	0.00	0.00	0.00	0.00	
GT1{1}		12.41	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.40	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.03	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	39.90	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.17	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.79	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.83	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.03	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	1.81	-0.47	0.00	-0.04	0.00	0.00	
	+954	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	12.52	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.41	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.03	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		27.58	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.58	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.83	0.00	0.00	0.00	0.00	0.00	
GT1{1}		12.52	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.41	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.03	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	40.10	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.17	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.80	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	1.86	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.03	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	1.83	-0.47	0.00	-0.04	0.00	0.00	
	+955	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	12.63	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.41	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.03	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		27.67	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.59	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.84	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	12.63	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.42	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	40.31	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.17	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.81	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	1.89	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.03	-0.47	0.00	-0.01	0.00	0.00
Hydrotest-NL{2}	1.86	-0.47	0.00	-0.04	0.00	0.00	
+956	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	12.74	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.42	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.03	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	27.77	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.60	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.85	0.00	0.00	0.00	0.00	0.00
	GT1{1}	12.74	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.42	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00
GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	40.51	-0.22	0.00	-0.01	0.00	0.00	
GT2P2{1}	0.17	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.82	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	1.92	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.03	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	1.89	-0.47	0.00	-0.04	0.00	0.00	
+957	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	12.85	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.43	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.03	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	27.86	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.60	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.86	0.00	0.00	0.00	0.00	0.00
	GT1{1}	12.85	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.43	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00
GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	40.72	-0.22	0.00	-0.01	0.00	0.00	
GT2P2{1}	0.18	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.83	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.02	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	1.94	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.03	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	1.92	-0.47	0.00	-0.04	0.00	0.00	
+958	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	12.97	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.43	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.03	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	27.96	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.61	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.88	0.00	0.00	0.00	0.00	0.00
	GT1{1}	12.96	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.43	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00
GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	40.92	-0.22	0.00	-0.01	0.00	0.00	
GT2P2{1}	0.18	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	0.85	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.03	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	1.97	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.03	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	1.94	-0.47	0.00	-0.04	0.00	0.00	
+959	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	13.08	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.44	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.03	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	28.05	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.62	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.89	0.00	0.00	0.00	0.00	0.00

	GT1{1}	13.08	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.44	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	41.13	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.18	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.86	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.03	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	2.00	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.03	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	1.97	-0.47	0.00	-0.04	0.00	0.00	
+960	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	13.19	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.45	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.03	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	28.15	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.63	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	0.90	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	13.19	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.45	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	41.34	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.18	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.87	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.03	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	2.03	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.03	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	2.00	-0.47	0.00	-0.04	0.00	0.00	
	+961	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	13.31	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.45	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.03	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		28.24	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.64	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.92	0.00	0.00	0.00	0.00	0.00	
GT1{1}		13.30	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.45	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.03	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	41.54	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.19	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.88	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.03	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	2.06	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.03	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	2.03	-0.47	0.00	-0.04	0.00	0.00	
	+962	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	13.42	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.46	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.03	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		28.34	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.65	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.93	0.00	0.00	0.00	0.00	0.00	
GT1{1}		13.42	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.46	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.03	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	41.75	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.19	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.90	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.03	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	2.09	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.03	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	2.06	-0.47	0.00	-0.04	0.00	0.00	
	+963	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	13.53	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.47	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.03	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		28.43	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.66	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		0.94	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	13.53	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.47	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	41.96	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.19	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.91	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.03	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	2.12	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.03	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	2.09	-0.47	0.00	-0.04	0.00	0.00
+964	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	13.65	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.47	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.03	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	28.52	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.67	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.96	0.00	0.00	0.00	0.00	0.00
	GT1{1}	13.65	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.47	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	42.17	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.20	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.92	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.03	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	2.15	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.03	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	2.12	-0.47	0.00	-0.04	0.00	0.00
+965	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	13.76	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.48	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.03	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	28.62	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.68	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.97	0.00	0.00	0.00	0.00	0.00
	GT1{1}	13.76	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.48	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	42.38	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.20	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.94	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.03	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	2.18	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.03	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	2.15	-0.47	0.00	-0.04	0.00	0.00
+966	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	13.88	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.49	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.03	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	28.71	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.69	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	0.99	0.00	0.00	0.00	0.00	0.00
	GT1{1}	13.88	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.49	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.03	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	42.59	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.20	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	0.95	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.03	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	2.22	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.03	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	2.18	-0.47	0.00	-0.04	0.00	0.00
+967	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	14.00	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.49	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.03	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	28.81	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.70	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	1.00	0.00	0.00	0.00	0.00	0.00

	GT1{1}	14.00	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.50	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.04	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	42.80	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.20	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.96	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.03	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	2.25	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.03	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	2.22	-0.47	0.00	-0.04	0.00	0.00	
+968	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	14.12	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.50	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.03	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	28.90	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.71	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	1.01	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	14.11	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.50	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.04	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	43.02	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.21	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.98	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.03	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	2.28	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.03	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	2.25	-0.47	0.00	-0.04	0.00	0.00	
	+969	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	14.23	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.51	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.03	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		29.00	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.72	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		1.03	0.00	0.00	0.00	0.00	0.00	
GT1{1}		14.23	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.51	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.04	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	43.23	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.21	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	0.99	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.03	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	2.31	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.03	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	2.28	-0.47	0.00	-0.04	0.00	0.00	
	+970	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	14.35	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.52	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.03	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		29.09	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.73	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		1.04	0.00	0.00	0.00	0.00	0.00	
GT1{1}		14.35	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.52	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.04	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	43.44	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.21	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	1.01	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.03	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	2.35	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.03	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	2.31	-0.47	0.00	-0.04	0.00	0.00	
	+971	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	14.47	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.52	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.04	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		29.19	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.74	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		1.06	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	14.47	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.53	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.04	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	43.65	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.22	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	1.02	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.03	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	2.38	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.03	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	2.35	-0.47	0.00	-0.04	0.00	0.00	
+972	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	14.59	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.53	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.04	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	29.28	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.75	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	1.07	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	14.59	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.53	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.04	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	43.87	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.22	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	1.04	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.03	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	2.42	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.04	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	2.38	-0.47	0.00	-0.04	0.00	0.00	
	+973	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	14.71	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.54	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.04	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		29.37	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.76	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		1.09	0.00	0.00	0.00	0.00	0.00	
GT1{1}		14.71	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.54	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.04	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	44.08	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.22	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	1.05	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.03	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	2.45	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.04	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	2.42	-0.47	0.00	-0.04	0.00	0.00	
	+974	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	14.83	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.55	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.04	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		29.47	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.77	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		1.11	0.00	0.00	0.00	0.00	0.00	
GT1{1}		14.83	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.55	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.04	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	44.30	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.23	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	1.07	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.03	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	2.49	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.04	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	2.45	-0.47	0.00	-0.04	0.00	0.00	
	+975	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	14.95	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.55	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.04	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		29.56	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.79	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		1.12	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	14.95	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.56	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.04	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	44.51	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.23	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	1.08	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.03	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	2.53	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.04	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	2.49	-0.47	0.00	-0.04	0.00	0.00
	+976	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00
Thermal 1{1}		15.07	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		-0.56	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		-0.04	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		29.66	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.80	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		1.14	0.00	0.00	0.00	0.00	0.00
GT1{1}		15.07	-0.22	0.00	0.00	0.00	0.00
GT2{1}		-0.56	-0.22	0.00	-0.01	0.00	0.00
GT3{1}		-0.04	-0.22	0.00	-0.01	0.00	0.00
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}		0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	44.73	-0.22	0.00	-0.01	0.00	0.00	
GT2P2{1}	0.23	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	1.10	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.03	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	2.56	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.04	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	2.53	-0.47	0.00	-0.04	0.00	0.00	
+977	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	15.20	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.57	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.04	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	29.75	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.81	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	1.16	0.00	0.00	0.00	0.00	0.00
	GT1{1}	15.19	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.57	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.04	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	44.94	-0.22	0.00	-0.01	0.00	0.00	
GT2P2{1}	0.24	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	1.12	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	0.00	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.03	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	2.60	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.04	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	2.56	-0.47	0.00	-0.04	0.00	0.00	
+978	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	15.32	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.58	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.04	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	29.85	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.82	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	1.17	0.00	0.00	0.00	0.00	0.00
	GT1{1}	15.32	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.58	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.04	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	45.16	-0.22	0.00	-0.01	0.00	0.00	
GT2P2{1}	0.24	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	1.13	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.03	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	2.64	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.04	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	2.60	-0.47	0.00	-0.04	0.00	0.00	
+979	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	15.44	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.59	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.04	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	29.94	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.83	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}	1.19	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	15.44	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.59	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.04	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	45.38	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.24	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	1.15	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.03	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	2.68	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.04	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	2.64	-0.47	0.00	-0.04	0.00	0.00
	+980	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00
Thermal 1{1}		15.57	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		-0.60	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		-0.04	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		30.03	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		0.85	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		1.21	0.00	0.00	0.00	0.00	0.00
GT1{1}		15.56	-0.22	0.00	0.00	0.00	0.00
GT2{1}		-0.60	-0.22	0.00	-0.01	0.00	0.00
GT3{1}		-0.04	-0.22	0.00	-0.01	0.00	0.00
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}		0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	45.60	-0.22	0.00	-0.01	0.00	0.00	
GT2P2{1}	0.25	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	1.17	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.03	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	2.72	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.04	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	2.68	-0.47	0.00	-0.04	0.00	0.00	
+981	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	15.69	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.61	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.04	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	30.13	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.86	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	1.23	0.00	0.00	0.00	0.00	0.00
	GT1{1}	15.69	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.61	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.04	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	45.82	-0.22	0.00	-0.01	0.00	0.00	
GT2P2{1}	0.25	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	1.18	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.04	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	2.76	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.04	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	2.72	-0.47	0.00	-0.04	0.00	0.00	
+982	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	15.81	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.61	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.04	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	30.22	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.87	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	1.24	0.00	0.00	0.00	0.00	0.00
	GT1{1}	15.81	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.62	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.04	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	46.04	-0.22	0.00	-0.01	0.00	0.00	
GT2P2{1}	0.25	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	1.20	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.04	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	2.80	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.04	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	2.76	-0.47	0.00	-0.04	0.00	0.00	
+983	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	15.94	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.62	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.04	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	30.32	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.88	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}	1.26	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	15.94	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.63	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.04	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	46.26	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.26	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	1.22	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.04	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	2.84	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.04	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	2.80	-0.47	0.00	-0.04	0.00	0.00
+984	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	16.07	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.63	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.04	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	30.41	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.90	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	1.28	0.00	0.00	0.00	0.00	0.00
	GT1{1}	16.06	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.63	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.05	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	46.48	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.26	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	1.23	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.04	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	2.88	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.04	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	2.84	-0.47	0.00	-0.04	0.00	0.00
+985	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	16.19	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.64	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.04	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	30.51	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.91	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	1.30	0.00	0.00	0.00	0.00	0.00
	GT1{1}	16.19	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.64	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.05	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	46.70	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.27	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	1.25	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.04	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	2.92	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.04	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	2.88	-0.47	0.00	-0.04	0.00	0.00
+986	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	16.32	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.65	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.04	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	30.60	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.92	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	1.32	0.00	0.00	0.00	0.00	0.00
	GT1{1}	16.32	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.65	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.05	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	46.92	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.27	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	1.27	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.04	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	2.96	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.04	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	2.92	-0.47	0.00	-0.04	0.00	0.00
+987	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	16.45	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.66	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.04	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	30.70	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	0.94	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	1.34	0.00	0.00	0.00	0.00	0.00

	GT1{1}	16.44	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.66	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.05	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	47.14	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.27	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	1.29	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.04	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	3.01	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.04	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	2.96	-0.47	0.00	-0.04	0.00	0.00	
+988	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	16.57	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.67	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.05	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	30.79	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	0.95	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	1.36	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	16.57	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.67	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.05	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	47.36	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.28	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	1.31	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.04	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	3.05	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.04	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	3.00	-0.47	0.00	-0.04	0.00	0.00	
	+989	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	16.70	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.68	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.05	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		30.88	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.96	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		1.38	0.00	0.00	0.00	0.00	0.00	
GT1{1}		16.70	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.68	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.05	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	47.59	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.28	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	1.33	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.04	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	3.09	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.05	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	3.05	-0.47	0.00	-0.04	0.00	0.00	
	+990	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	16.83	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.69	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.05	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		30.98	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.98	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		1.40	0.00	0.00	0.00	0.00	0.00	
GT1{1}		16.83	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.69	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.05	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	47.81	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.29	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	1.35	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.04	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	3.14	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.05	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	3.09	-0.47	0.00	-0.04	0.00	0.00	
	+991	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	16.96	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.70	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.05	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		31.07	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		0.99	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		1.42	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	16.96	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.70	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.05	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	48.03	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.29	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	1.37	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.04	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	3.18	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.05	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	3.14	-0.47	0.00	-0.04	0.00	0.00
	+992	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00
Thermal 1{1}		17.09	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		-0.71	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		-0.05	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		31.17	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		1.01	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		1.44	0.00	0.00	0.00	0.00	0.00
GT1{1}		17.09	-0.22	0.00	0.00	0.00	0.00
GT2{1}		-0.71	-0.22	0.00	-0.01	0.00	0.00
GT3{1}		-0.05	-0.22	0.00	-0.01	0.00	0.00
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}		0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	48.26	-0.22	0.00	-0.01	0.00	0.00	
GT2P2{1}	0.29	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	1.39	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.04	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	3.23	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.05	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	3.18	-0.47	0.00	-0.04	0.00	0.00	
+993	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	17.22	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.72	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.05	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	31.26	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	1.02	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	1.46	0.00	0.00	0.00	0.00	0.00
	GT1{1}	17.22	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.72	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.05	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	48.48	-0.22	0.00	-0.01	0.00	0.00	
GT2P2{1}	0.30	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	1.41	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.04	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	3.27	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.05	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	3.23	-0.47	0.00	-0.04	0.00	0.00	
+994	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	17.35	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.73	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.05	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	31.36	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	1.04	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	1.48	0.00	0.00	0.00	0.00	0.00
	GT1{1}	17.35	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-0.73	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.05	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	48.71	-0.22	0.00	-0.01	0.00	0.00	
GT2P2{1}	0.30	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	1.43	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.04	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	3.32	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.05	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	3.27	-0.47	0.00	-0.04	0.00	0.00	
+995	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	17.49	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-0.74	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.05	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	31.45	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	1.05	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}	1.50	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	17.48	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.74	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.05	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	48.93	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.31	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	1.45	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.04	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	3.37	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.05	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	3.32	-0.47	0.00	-0.04	0.00	0.00	
+996	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	17.62	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.75	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.05	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	31.55	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	1.07	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	1.52	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	17.62	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.76	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.05	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	49.16	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.31	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	1.47	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.04	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	3.42	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.05	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	3.37	-0.47	0.00	-0.04	0.00	0.00	
	+997	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	17.75	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.76	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.05	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		31.64	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		1.08	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		1.55	0.00	0.00	0.00	0.00	0.00	
GT1{1}		17.75	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.77	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.05	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	49.39	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.32	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	1.49	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.04	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	3.46	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.05	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	3.41	-0.47	0.00	-0.04	0.00	0.00	
	+998	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	17.89	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.77	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.05	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		31.73	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		1.10	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		1.57	0.00	0.00	0.00	0.00	0.00	
GT1{1}		17.88	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.78	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.06	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	49.62	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.32	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	1.51	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.04	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	3.51	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.05	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	3.46	-0.47	0.00	-0.04	0.00	0.00	
	+999	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	18.02	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.79	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.05	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		31.83	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		1.11	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}	1.59	0.00	0.00	0.00	0.00	0.00		

	GT1{1}	19.67	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.94	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.07	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	52.63	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.39	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	1.83	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.05	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	4.20	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.06	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	4.14	-0.47	0.00	-0.04	0.00	0.00	
+1012	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	19.81	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-0.95	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.06	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	33.06	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	1.35	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	1.92	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	19.81	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-0.95	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.07	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	52.86	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.39	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	1.86	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.05	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	4.25	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.06	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	4.19	-0.47	0.00	-0.04	0.00	0.00	
	+1013	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	19.95	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.96	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.06	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		33.15	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		1.37	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		1.95	0.00	0.00	0.00	0.00	0.00	
GT1{1}		19.95	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.97	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.07	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	53.10	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.40	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	1.88	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.06	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	4.31	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.06	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	4.25	-0.47	0.00	-0.04	0.00	0.00	
	+1014	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	20.09	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.98	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.07	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		33.24	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		1.39	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		1.98	0.00	0.00	0.00	0.00	0.00	
GT1{1}		20.09	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-0.98	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.07	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	53.34	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.40	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	1.91	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.06	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	4.37	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.07	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	4.30	-0.47	0.00	-0.04	0.00	0.00	
	+1015	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	20.24	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-0.99	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.07	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		33.34	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		1.41	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}	2.01	0.00	0.00	0.00	0.00	0.00		

	GT1{1}	20.23	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-1.00	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.07	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	53.57	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.41	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	1.94	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.06	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	4.43	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.07	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	4.36	-0.47	0.00	-0.04	0.00	0.00	
+1016	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	20.38	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-1.01	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.07	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	33.43	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	1.43	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	2.04	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	20.38	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-1.01	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.07	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	53.81	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.42	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	1.97	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.06	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	4.49	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.07	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	4.42	-0.47	0.00	-0.04	0.00	0.00	
	+1017	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	20.52	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-1.02	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.07	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		33.53	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		1.45	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		2.07	0.00	0.00	0.00	0.00	0.00	
GT1{1}		20.52	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-1.03	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.07	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	54.05	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.42	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	2.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.06	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	4.54	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.07	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	4.48	-0.47	0.00	-0.04	0.00	0.00	
	+1018	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	20.67	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-1.04	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.07	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		33.62	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		1.47	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		2.10	0.00	0.00	0.00	0.00	0.00	
GT1{1}		20.66	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-1.04	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.07	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	54.29	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.43	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	2.03	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.06	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	4.60	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.07	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	4.54	-0.47	0.00	-0.04	0.00	0.00	
	+1019	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	20.81	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-1.05	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.07	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		33.72	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		1.49	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		2.13	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	20.81	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-1.06	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.08	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	54.53	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.43	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	2.06	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.06	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	4.66	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.07	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	4.59	-0.47	0.00	-0.04	0.00	0.00
	+1020	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00
Thermal 1{1}		20.96	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		-1.07	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		-0.07	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		33.81	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		1.51	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		2.16	0.00	0.00	0.00	0.00	0.00
GT1{1}		20.95	-0.22	0.00	0.00	0.00	0.00
GT2{1}		-1.07	-0.22	0.00	-0.01	0.00	0.00
GT3{1}		-0.08	-0.22	0.00	-0.01	0.00	0.00
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00
GW2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	54.77	-0.22	0.00	-0.01	0.00	0.00	
GT2P2{1}	0.44	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	2.09	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.06	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	4.73	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.07	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	4.65	-0.47	0.00	-0.04	0.00	0.00	
+1021	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	21.10	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-1.08	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.07	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	33.91	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	1.54	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	2.19	0.00	0.00	0.00	0.00	0.00
	GT1{1}	21.10	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-1.09	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.08	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	55.01	-0.22	0.00	-0.01	0.00	0.00	
GT2P2{1}	0.45	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	2.12	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.06	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	4.79	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.07	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	4.71	-0.47	0.00	-0.04	0.00	0.00	
+1022	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	21.25	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-1.10	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.07	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	34.00	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	1.56	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	2.23	0.00	0.00	0.00	0.00	0.00
	GT1{1}	21.25	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-1.10	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.08	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	55.25	-0.22	0.00	-0.01	0.00	0.00	
GT2P2{1}	0.45	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	2.15	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.06	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	4.85	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.07	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	4.78	-0.47	0.00	-0.04	0.00	0.00	
+1023	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	21.40	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-1.11	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.07	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	34.09	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	1.58	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}	2.26	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	21.39	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-1.12	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.08	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	55.49	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.46	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	2.18	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.06	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	4.91	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.07	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	4.84	-0.47	0.00	-0.04	0.00	0.00	
+1024	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	21.55	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-1.13	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.08	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	34.19	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	1.60	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	2.29	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	21.54	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-1.14	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.08	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	55.73	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.47	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	2.21	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.07	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	4.97	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.08	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	4.90	-0.47	0.00	-0.04	0.00	0.00	
	+1025	Gravity{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	21.69	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-1.15	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.08	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		34.28	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		1.63	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		2.32	0.00	0.00	0.00	0.00	0.00	
GT1{1}		21.69	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-1.15	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.08	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	55.97	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.47	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	2.24	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.07	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	5.04	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.08	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	4.96	-0.47	0.00	-0.04	0.00	0.00	
	+1026	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	21.84	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-1.16	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.08	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		34.38	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		1.65	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		2.36	0.00	0.00	0.00	0.00	0.00	
GT1{1}		21.84	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-1.17	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.08	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		0.00	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	0.00	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	56.21	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.48	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	2.28	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.07	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	5.10	0.00	0.00	-0.02	0.00	0.00	
	GT3{2}	-0.08	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	5.02	-0.47	0.00	-0.04	0.00	0.00	
	+1027	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	21.99	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-1.18	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.08	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		34.47	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		1.68	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		2.39	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	21.99	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-1.19	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.08	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	56.46	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.49	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	2.31	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.07	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	5.17	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.08	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	5.09	-0.47	0.00	-0.04	0.00	0.00
+1028	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	22.14	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-1.20	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.08	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	34.57	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	1.70	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	2.43	0.00	0.00	0.00	0.00	0.00
	GT1{1}	22.14	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-1.20	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.09	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	56.70	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.50	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	2.34	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.07	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	5.23	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.08	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	5.15	-0.47	0.00	-0.04	0.00	0.00
+1029	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	22.29	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-1.22	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.08	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	34.66	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	1.72	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	2.46	0.00	0.00	0.00	0.00	0.00
	GT1{1}	22.29	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-1.22	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.09	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	56.95	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.50	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	2.38	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.07	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	5.30	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.08	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	5.21	-0.47	0.00	-0.04	0.00	0.00
+1030	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	22.44	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-1.23	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.08	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	34.75	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	1.75	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	2.50	0.00	0.00	0.00	0.00	0.00
	GT1{1}	22.44	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-1.24	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.09	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	57.19	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.51	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	2.41	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.07	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	5.36	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.08	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	5.28	-0.47	0.00	-0.04	0.00	0.00
+1031	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	22.59	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-1.25	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.08	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	34.85	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	1.78	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	2.54	0.00	0.00	0.00	0.00	0.00

	GT1{1}	22.59	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-1.26	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.09	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	0.00	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	57.44	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.52	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	2.45	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.07	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	5.43	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.08	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	5.35	-0.47	0.00	-0.04	0.00	0.00
	+1032	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00
Thermal 1{1}		22.75	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		-1.27	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		-0.09	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		34.94	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		1.80	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		2.57	0.00	0.00	0.00	0.00	0.00
GT1{1}		22.74	-0.22	0.00	0.00	0.00	0.00
GT2{1}		-1.28	-0.22	0.00	-0.01	0.00	0.00
GT3{1}		-0.09	-0.22	0.00	-0.01	0.00	0.00
GW1{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00
GW2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	57.68	-0.22	0.00	-0.01	0.00	0.00	
GT2P2{1}	0.53	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	2.48	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.07	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	5.50	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.08	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	5.41	-0.47	0.00	-0.04	0.00	0.00	
+1033	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	22.90	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-1.29	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.09	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	35.04	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	1.83	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	2.61	0.00	0.00	0.00	0.00	0.00
	GT1{1}	22.89	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-1.30	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.09	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	57.93	-0.22	0.00	-0.01	0.00	0.00	
GT2P2{1}	0.53	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	2.52	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.07	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	5.56	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.09	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	5.48	-0.47	0.00	-0.04	0.00	0.00	
+1034	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	23.05	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-1.31	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.09	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	35.13	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	1.86	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	2.65	0.00	0.00	0.00	0.00	0.00
	GT1{1}	23.04	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-1.31	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.09	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	58.18	-0.22	0.00	-0.01	0.00	0.00	
GT2P2{1}	0.54	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	2.56	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.08	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	5.63	0.00	0.00	-0.02	0.00	0.00	
GT3{2}	-0.09	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	5.54	-0.47	0.00	-0.04	0.00	0.00	
+1035	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	23.20	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-1.33	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.09	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	35.23	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	1.88	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}	2.69	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	23.20	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-1.33	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.09	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	58.43	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.55	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	2.59	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.08	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	5.70	0.00	0.00	-0.02	0.00	0.00
	GT3{2}	-0.09	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	5.61	-0.47	0.00	-0.04	0.00	0.00
+1036	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	23.36	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-1.35	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.09	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	35.32	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	1.91	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	2.73	0.00	0.00	0.00	0.00	0.00
	GT1{1}	23.35	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-1.35	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.10	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	58.67	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.56	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	2.63	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.08	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	5.77	0.00	0.00	-0.03	0.00	0.00
	GT3{2}	-0.09	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	5.68	-0.47	0.00	-0.04	0.00	0.00
+1037	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	23.51	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-1.37	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.09	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	35.42	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	1.94	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	2.77	0.00	0.00	0.00	0.00	0.00
	GT1{1}	23.51	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-1.37	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.10	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	58.92	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.57	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	2.67	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.08	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	5.84	0.00	0.00	-0.03	0.00	0.00
	GT3{2}	-0.09	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	5.75	-0.47	0.00	-0.04	0.00	0.00
+1038	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	23.67	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-1.39	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.09	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	35.51	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	1.97	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	2.81	0.00	0.00	0.00	0.00	0.00
	GT1{1}	23.66	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-1.39	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.10	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	59.17	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.57	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	2.71	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.08	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	5.91	0.00	0.00	-0.03	0.00	0.00
	GT3{2}	-0.09	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	5.82	-0.47	0.00	-0.04	0.00	0.00
+1039	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	23.82	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-1.41	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.09	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	35.60	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	2.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	2.85	0.00	0.00	0.00	0.00	0.00

	GT1{1}	23.82	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-1.41	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.10	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	59.42	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.58	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	2.75	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.08	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	5.98	0.00	0.00	-0.03	0.00	0.00	
	GT3{2}	-0.09	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	5.89	-0.47	0.00	-0.04	0.00	0.00	
+1040	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	23.98	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-1.43	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.10	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	35.70	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	2.02	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	2.89	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	23.97	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-1.43	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.10	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	59.67	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.59	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	2.79	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.08	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	6.05	0.00	0.00	-0.03	0.00	0.00	
	GT3{2}	-0.10	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	5.96	-0.47	0.00	-0.04	0.00	0.00	
	+1041	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	24.14	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-1.45	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.10	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		35.79	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		2.05	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		2.93	0.00	0.00	0.00	0.00	0.00	
GT1{1}		24.13	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-1.46	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.10	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	59.92	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.60	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	2.83	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.08	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	6.12	0.00	0.00	-0.03	0.00	0.00	
	GT3{2}	-0.10	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	6.03	-0.47	0.00	-0.04	0.00	0.00	
	+1042	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	24.29	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-1.47	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.10	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		35.89	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		2.08	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		2.98	0.00	0.00	0.00	0.00	0.00	
GT1{1}		24.29	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-1.48	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.11	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	60.17	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.61	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	2.87	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.09	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	6.20	0.00	0.00	-0.03	0.00	0.00	
	GT3{2}	-0.10	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	6.10	-0.47	0.00	-0.04	0.00	0.00	
	+1043	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	24.45	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-1.49	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.10	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		35.98	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		2.11	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		3.02	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	24.44	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-1.50	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.11	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	60.43	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.62	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	2.91	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.09	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	6.27	0.00	0.00	-0.03	0.00	0.00	
	GT3{2}	-0.10	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	6.17	-0.47	0.00	-0.04	0.00	0.00	
+1044	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	24.61	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-1.51	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.10	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	36.08	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	2.15	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	3.06	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	24.60	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-1.52	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.11	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	60.68	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.63	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	2.96	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.09	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	6.34	0.00	0.00	-0.03	0.00	0.00	
	GT3{2}	-0.10	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	6.24	-0.47	0.00	-0.04	0.00	0.00	
	+1045	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	24.77	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-1.54	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.10	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		36.17	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		2.18	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		3.11	0.00	0.00	0.00	0.00	0.00	
GT1{1}		24.76	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-1.54	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.11	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	60.93	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.63	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	3.00	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.09	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	6.42	0.00	0.00	-0.03	0.00	0.00	
	GT3{2}	-0.10	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	6.32	-0.47	0.00	-0.04	0.00	0.00	
	+1046	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	24.93	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-1.56	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.10	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		36.27	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		2.21	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		3.15	0.00	0.00	0.00	0.00	0.00	
GT1{1}		24.92	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-1.57	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.11	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	61.19	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.64	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	3.04	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.09	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	6.49	0.00	0.00	-0.03	0.00	0.00	
	GT3{2}	-0.10	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	6.39	-0.47	0.00	-0.04	0.00	0.00	
	+1047	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	25.09	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-1.58	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.11	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		36.36	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		2.24	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}	3.20	0.00	0.00	0.00	0.00	0.00		

	GT1{1}	25.08	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-1.59	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.11	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	61.44	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.65	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	3.09	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.09	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	6.57	0.00	0.00	-0.03	0.00	0.00	
	GT3{2}	-0.11	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	6.46	-0.47	0.00	-0.04	0.00	0.00	
+1048	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	25.25	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-1.60	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.11	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	36.45	0.00	0.00	0.00	0.00	0.00	
	Pressure 2{1}	2.27	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	3.25	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	25.24	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-1.61	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.11	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	61.69	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.66	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	3.13	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.09	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	6.64	0.00	0.00	-0.03	0.00	0.00	
	GT3{2}	-0.11	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	6.54	-0.47	0.00	-0.04	0.00	0.00	
	+1049	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	25.41	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-1.63	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.11	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		36.55	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		2.31	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		3.29	0.00	0.00	0.00	0.00	0.00	
GT1{1}		25.40	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-1.63	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.12	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	61.95	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.67	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	3.18	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.09	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	6.72	0.00	0.00	-0.03	0.00	0.00	
	GT3{2}	-0.11	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	6.61	-0.47	0.00	-0.04	0.00	0.00	
	+1050	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	25.57	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-1.65	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.11	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		36.64	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		2.34	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		3.34	0.00	0.00	0.00	0.00	0.00	
GT1{1}		25.56	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-1.66	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.12	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	62.21	-0.22	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.68	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	3.22	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.10	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	6.80	0.00	0.00	-0.03	0.00	0.00	
	GT3{2}	-0.11	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	6.69	-0.47	0.00	-0.04	0.00	0.00	
	+1051	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	25.73	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-1.68	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.11	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		36.74	0.00	0.00	0.00	0.00	0.00	
Pressure 2{1}		2.38	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		3.39	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	25.72	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-1.68	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.12	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	62.46	-0.22	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.69	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	3.27	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.10	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	6.87	0.00	0.00	-0.03	0.00	0.00
	GT3{2}	-0.11	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	6.76	-0.46	0.00	-0.04	0.00	0.00
	+1052	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00
Thermal 1{1}		25.89	0.00	0.00	0.00	0.00	0.00
Thermal 2{1}		-1.70	0.00	0.00	0.00	0.00	0.00
Thermal 3{1}		-0.11	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00
Pressure 1{1}		36.83	0.00	0.00	0.00	0.00	0.00
Pressure 2{1}		2.41	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}		3.44	0.00	0.00	0.00	0.00	0.00
GT1{1}		25.89	-0.22	0.00	0.00	0.00	0.00
GT2{1}		-1.71	-0.22	0.00	-0.01	0.00	0.00
GT3{1}		-0.12	-0.22	0.00	-0.01	0.00	0.00
GW1{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00
GW2{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	62.72	-0.22	0.00	-0.01	0.00	0.00	
GT2P2{1}	0.70	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	3.31	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.10	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	6.95	0.00	0.00	-0.03	0.00	0.00	
GT3{2}	-0.11	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	6.84	-0.46	0.00	-0.04	0.00	0.00	
+1053	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	26.06	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-1.73	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.12	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	36.93	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	2.45	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	3.48	0.00	0.00	0.00	0.00	0.00
	GT1{1}	26.05	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-1.73	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.12	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	62.98	-0.22	0.00	-0.01	0.00	0.00	
GT2P2{1}	0.71	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	3.36	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	-0.01	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.10	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	7.03	0.00	0.00	-0.03	0.00	0.00	
GT3{2}	-0.11	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	6.92	-0.46	0.00	-0.04	0.00	0.00	
+1054	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	26.22	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-1.75	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.12	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	37.02	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	2.48	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	3.53	0.00	0.00	0.00	0.00	0.00
	GT1{1}	26.21	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-1.76	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.13	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00	
GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
GT1P1{1}	63.23	-0.22	0.00	-0.01	0.00	0.00	
GT2P2{1}	0.72	-0.22	0.00	0.00	0.00	0.00	
GT3P3{1}	3.41	-0.22	0.00	0.00	0.00	0.00	
Gravity{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
Thermal 3{2}	-0.10	0.00	0.00	0.00	0.00	0.00	
Pressure 1{2}	7.11	0.00	0.00	-0.03	0.00	0.00	
GT3{2}	-0.12	-0.47	0.00	-0.01	0.00	0.00	
Hydrotest-NL{2}	6.99	-0.46	0.00	-0.04	0.00	0.00	
+1055	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	26.39	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-1.78	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.12	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	37.12	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	2.52	0.00	0.00	0.00	0.00	0.00
Pressure 3{1}	3.58	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	27.04	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-1.89	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.13	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	64.53	-0.21	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.78	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	3.66	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.11	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	7.51	0.01	0.00	-0.03	0.00	0.00
	GT3{2}	-0.13	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	7.39	-0.46	0.00	-0.04	0.00	0.00
+1060	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	27.22	0.00	0.00	0.00	0.00	0.00
	Thermal 2{1}	-1.91	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.13	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	37.59	0.01	0.00	0.00	0.00	0.00
	Pressure 2{1}	2.71	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	3.84	0.00	0.00	0.00	0.00	0.00
	GT1{1}	27.21	-0.22	0.00	0.00	0.00	0.00
	GT2{1}	-1.92	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.14	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	64.79	-0.21	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.79	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	3.71	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.11	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	7.59	0.01	0.00	-0.03	0.00	0.00
	GT3{2}	-0.13	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	7.47	-0.46	0.00	-0.04	0.00	0.00
+1061	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	27.38	0.01	0.00	0.00	0.00	0.00
	Thermal 2{1}	-1.94	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.13	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	37.68	0.01	0.00	0.00	0.00	0.00
	Pressure 2{1}	2.75	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	3.90	0.00	0.00	0.00	0.00	0.00
	GT1{1}	27.37	-0.21	0.00	0.00	0.00	0.00
	GT2{1}	-1.95	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.14	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	65.06	-0.21	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.80	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	3.76	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.11	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	7.68	0.01	0.00	-0.03	0.00	0.00
	GT3{2}	-0.13	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	7.55	-0.46	0.00	-0.04	0.00	0.00
+1062	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	27.55	0.01	0.00	0.00	0.00	0.00
	Thermal 2{1}	-1.97	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.13	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	37.78	0.01	0.00	0.00	0.00	0.00
	Pressure 2{1}	2.79	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	3.95	0.00	0.00	0.00	0.00	0.00
	GT1{1}	27.54	-0.21	0.00	0.00	0.00	0.00
	GT2{1}	-1.98	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.14	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	65.32	-0.21	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.81	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	3.81	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.11	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	7.76	0.01	0.00	-0.03	0.00	0.00
	GT3{2}	-0.13	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	7.63	-0.46	0.00	-0.04	0.00	0.00
+1063	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	27.72	0.01	0.00	0.00	0.00	0.00
	Thermal 2{1}	-2.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.13	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	37.87	0.01	0.00	0.00	0.00	0.00
	Pressure 2{1}	2.83	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	4.01	0.00	0.00	0.00	0.00	0.00

	GT1{1}	27.71	-0.21	0.00	0.00	0.00	0.00
	GT2{1}	-2.00	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.14	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	65.58	-0.21	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.82	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	3.86	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.12	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	7.84	0.01	0.00	-0.03	0.00	0.00
	GT3{2}	-0.13	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	7.71	-0.46	0.00	-0.04	0.00	0.00
+1064	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	27.89	0.01	0.00	0.00	0.00	0.00
	Thermal 2{1}	-2.03	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.14	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	37.96	0.01	0.00	0.00	0.00	0.00
	Pressure 2{1}	2.87	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	4.06	0.00	0.00	0.00	0.00	0.00
	GT1{1}	27.88	-0.21	0.00	0.00	0.00	0.00
	GT2{1}	-2.03	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.14	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	65.84	-0.21	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.84	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	3.92	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.12	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	7.93	0.01	0.00	-0.03	0.00	0.00
	GT3{2}	-0.13	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	7.79	-0.46	0.00	-0.04	0.00	0.00
+1065	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	28.06	0.01	0.00	0.00	0.00	0.00
	Thermal 2{1}	-2.05	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.14	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	38.06	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	2.91	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	4.12	0.00	0.00	0.00	0.00	0.00
	GT1{1}	28.05	-0.21	0.00	0.00	0.00	0.00
	GT2{1}	-2.06	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.15	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	66.11	-0.21	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.85	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	3.97	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.12	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	8.01	0.01	0.00	-0.03	0.00	0.00
	GT3{2}	-0.14	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	7.88	-0.46	0.00	-0.04	0.00	0.00
+1066	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	28.23	0.01	0.00	0.00	0.00	0.00
	Thermal 2{1}	-2.08	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.14	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	38.15	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	2.96	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	4.17	0.00	0.00	0.00	0.00	0.00
	GT1{1}	28.22	-0.21	0.00	0.00	0.00	0.00
	GT2{1}	-2.09	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.15	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	66.37	-0.21	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.86	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	4.02	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.12	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	8.10	0.01	0.00	-0.03	0.00	0.00
	GT3{2}	-0.14	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	7.96	-0.46	0.00	-0.04	0.00	0.00
+1067	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	28.40	0.01	0.00	0.00	0.00	0.00
	Thermal 2{1}	-2.12	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.14	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	38.25	0.00	0.00	0.00	0.00	0.00
	Pressure 2{1}	3.00	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	4.23	0.00	0.00	0.00	0.00	0.00

	GT1{1}	29.08	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-2.25	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.16	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	67.70	-0.23	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.93	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	4.30	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.13	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	8.54	0.00	0.00	-0.03	0.00	0.00	
	GT3{2}	-0.15	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	8.39	-0.47	0.00	-0.04	0.00	0.00	
+1072	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	Thermal 1{1}	29.26	0.00	0.00	0.00	0.00	0.00	
	Thermal 2{1}	-2.28	0.00	0.00	0.00	0.00	0.00	
	Thermal 3{1}	-0.15	0.00	0.00	0.00	0.00	0.00	
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{1}	38.72	-0.02	0.00	0.00	0.00	0.00	
	Pressure 2{1}	3.23	0.00	0.00	0.00	0.00	0.00	
	Pressure 3{1}	4.52	0.00	0.00	0.00	0.00	0.00	
	GT1{1}	29.25	-0.22	0.00	0.00	0.00	0.00	
	GT2{1}	-2.29	-0.22	0.00	-0.01	0.00	0.00	
	GT3{1}	-0.16	-0.22	0.00	-0.01	0.00	0.00	
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	67.97	-0.24	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.94	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	4.36	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.13	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	8.62	0.00	0.00	-0.03	0.00	0.00	
	GT3{2}	-0.15	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	8.47	-0.47	0.00	-0.04	0.00	0.00	
	+1073	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	29.43	0.00	0.00	0.00	0.00	0.00
		Thermal 2{1}	-2.31	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.16	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		38.81	-0.02	0.00	0.00	0.00	0.00	
Pressure 2{1}		3.27	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		4.58	0.00	0.00	0.00	0.00	0.00	
GT1{1}		29.42	-0.22	0.00	0.00	0.00	0.00	
GT2{1}		-2.32	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.17	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	68.24	-0.25	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.95	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	4.42	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.13	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	8.71	0.00	0.00	-0.03	0.00	0.00	
	GT3{2}	-0.15	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	8.56	-0.47	0.00	-0.04	0.00	0.00	
	+1074	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	29.61	-0.01	0.00	0.00	0.00	0.00
		Thermal 2{1}	-2.34	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.16	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		38.91	-0.03	0.00	0.00	0.00	0.00	
Pressure 2{1}		3.32	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		4.64	0.00	0.00	0.00	0.00	0.00	
GT1{1}		29.60	-0.23	0.00	0.00	0.00	0.00	
GT2{1}		-2.35	-0.22	0.00	-0.01	0.00	0.00	
GT3{1}		-0.17	-0.22	0.00	-0.01	0.00	0.00	
GW1{1}		-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00	
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00	
	GT1P1{1}	68.51	-0.26	0.00	-0.01	0.00	0.00	
	GT2P2{1}	0.97	-0.22	0.00	0.00	0.00	0.00	
	GT3P3{1}	4.48	-0.22	0.00	0.00	0.00	0.00	
	Gravity{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00	
	Thermal 3{2}	-0.14	0.00	0.00	0.00	0.00	0.00	
	Pressure 1{2}	8.80	0.00	0.00	-0.03	0.00	0.00	
	GT3{2}	-0.16	-0.47	0.00	-0.01	0.00	0.00	
	Hydrotest-NL{2}	8.65	-0.47	0.00	-0.04	0.00	0.00	
	+1075	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
		Thermal 1{1}	29.78	-0.01	0.00	0.00	0.00	0.00
		Thermal 2{1}	-2.38	0.00	0.00	0.00	0.00	0.00
		Thermal 3{1}	-0.16	0.00	0.00	0.00	0.00	0.00
Wind 1{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 2{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 3{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Wind 4{1}		0.00	0.00	0.00	0.00	0.00	0.00	
Pressure 1{1}		39.00	-0.04	0.00	0.00	0.00	0.00	
Pressure 2{1}		3.37	0.00	0.00	0.00	0.00	0.00	
Pressure 3{1}		4.70	0.00	0.00	0.00	0.00	0.00	

	GT1{1}	29.77	-0.23	0.00	0.00	0.00	0.00
	GT2{1}	-2.39	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.17	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	68.78	-0.27	0.00	-0.01	0.00	0.00
	GT2P2{1}	0.98	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	4.53	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.14	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	8.89	0.00	0.00	-0.03	0.00	0.00
	GT3{2}	-0.16	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	8.73	-0.47	0.00	-0.04	0.00	0.00
+1076	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	29.96	-0.02	0.00	0.00	0.00	0.00
	Thermal 2{1}	-2.41	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.16	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	39.10	-0.05	0.00	0.00	0.00	0.00
	Pressure 2{1}	3.42	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	4.77	0.00	0.00	0.00	0.00	0.00
	GT1{1}	29.95	-0.24	0.00	0.00	0.00	0.00
	GT2{1}	-2.42	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.17	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	69.05	-0.29	0.00	-0.01	0.00	0.00
	GT2P2{1}	1.00	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	4.59	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.14	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	8.98	-0.01	0.00	-0.03	0.00	0.00
	GT3{2}	-0.16	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	8.82	-0.47	0.00	-0.04	0.00	0.00
+1077	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	30.14	-0.03	0.00	0.00	0.00	0.00
	Thermal 2{1}	-2.45	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.16	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	39.19	-0.06	0.00	0.00	0.00	0.00
	Pressure 2{1}	3.47	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	4.83	0.00	0.00	0.00	0.00	0.00
	GT1{1}	30.13	-0.25	0.00	0.00	0.00	0.00
	GT2{1}	-2.46	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.18	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	69.32	-0.31	0.00	-0.01	0.00	0.00
	GT2P2{1}	1.01	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	4.65	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.14	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	9.08	-0.01	0.00	-0.03	0.00	0.00
	GT3{2}	-0.16	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	8.91	-0.48	0.00	-0.04	0.00	0.00
+1078	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	30.31	-0.04	0.00	0.00	0.00	0.00
	Thermal 2{1}	-2.48	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.17	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	39.29	-0.07	0.00	0.00	0.00	0.00
	Pressure 2{1}	3.52	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	4.89	0.00	0.00	0.00	0.00	0.00
	GT1{1}	30.30	-0.26	0.00	0.00	0.00	0.00
	GT2{1}	-2.49	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.18	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	69.59	-0.33	0.00	-0.01	0.00	0.00
	GT2P2{1}	1.03	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	4.72	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.14	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	9.17	-0.01	0.00	-0.03	0.00	0.00
	GT3{2}	-0.17	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	9.00	-0.48	-0.01	-0.04	0.00	0.00
+1079	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	30.49	-0.05	0.00	0.00	0.00	0.00
	Thermal 2{1}	-2.52	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.17	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	39.38	-0.08	0.00	0.00	0.00	0.00
	Pressure 2{1}	3.57	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	4.96	0.00	0.00	0.00	0.00	0.00

	GT1{1}	30.48	-0.27	0.00	0.00	0.00	0.00
	GT2{1}	-2.53	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.18	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	69.86	-0.35	0.00	-0.01	0.00	0.00
	GT2P2{1}	1.04	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	4.78	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.15	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	9.26	-0.01	0.00	-0.03	0.00	0.00
	GT3{2}	-0.17	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	9.09	-0.48	-0.01	-0.04	0.00	0.00
+1080	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	30.67	-0.06	0.00	0.00	0.00	0.00
	Thermal 2{1}	-2.56	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.17	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	39.48	-0.10	0.00	0.00	0.00	0.00
	Pressure 2{1}	3.62	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	5.02	0.00	0.00	0.00	0.00	0.00
	GT1{1}	30.66	-0.28	0.00	0.00	0.00	0.00
	GT2{1}	-2.57	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.18	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	70.13	-0.37	0.00	-0.01	0.00	0.00
	GT2P2{1}	1.06	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	4.84	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.15	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	9.35	-0.02	-0.01	-0.03	0.00	0.00
	GT3{2}	-0.17	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	9.18	-0.48	-0.01	-0.04	0.00	0.00
+1081	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	30.85	-0.07	0.00	0.00	0.00	0.00
	Thermal 2{1}	-2.59	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.17	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	39.57	-0.11	0.00	0.00	0.00	0.00
	Pressure 2{1}	3.68	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	5.09	0.00	0.00	0.00	0.00	0.00
	GT1{1}	30.83	-0.29	0.00	0.00	0.00	0.00
	GT2{1}	-2.60	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.19	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	70.40	-0.40	0.00	-0.01	0.00	0.00
	GT2P2{1}	1.07	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	4.90	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.15	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	9.45	-0.02	-0.01	-0.03	0.00	0.00
	GT3{2}	-0.17	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	9.27	-0.49	-0.01	-0.04	0.00	0.00
+1082	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	31.02	-0.08	0.00	0.00	0.00	0.00
	Thermal 2{1}	-2.63	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.18	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	39.66	-0.12	0.00	0.00	0.00	0.00
	Pressure 2{1}	3.73	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	5.15	0.00	0.00	0.00	0.00	0.00
	GT1{1}	31.01	-0.30	0.00	0.00	0.00	0.00
	GT2{1}	-2.64	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.19	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	70.68	-0.42	0.00	-0.01	0.00	0.00
	GT2P2{1}	1.09	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	4.96	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.15	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	9.54	-0.02	-0.01	-0.03	0.00	0.00
	GT3{2}	-0.18	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	9.37	-0.49	-0.01	-0.04	0.00	0.00
+1083	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	31.20	-0.10	0.00	0.00	0.00	0.00
	Thermal 2{1}	-2.67	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.18	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	39.76	-0.13	0.00	0.00	0.00	0.00
	Pressure 2{1}	3.79	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	5.22	0.00	0.00	0.00	0.00	0.00

	GT1{1}	31.19	-0.32	0.00	0.00	0.00	0.00
	GT2{1}	-2.68	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.19	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	70.95	-0.45	0.00	-0.01	0.00	0.00
	GT2P2{1}	1.10	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	5.03	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.15	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	9.63	-0.02	-0.01	-0.03	0.00	0.00
	GT3{2}	-0.18	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	9.46	-0.50	-0.01	-0.04	0.00	0.00
+1084	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	31.38	-0.11	0.00	0.00	0.00	0.00
	Thermal 2{1}	-2.71	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.18	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	39.85	-0.14	0.00	0.00	0.00	0.00
	Pressure 2{1}	3.84	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	5.28	0.00	0.00	0.00	0.00	0.00
	GT1{1}	31.37	-0.33	0.00	0.00	0.00	0.00
	GT2{1}	-2.72	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.19	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	71.22	-0.47	0.00	-0.01	0.00	0.00
	GT2P2{1}	1.12	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	5.09	-0.22	0.00	0.00	0.00	0.00
	Gravity{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.16	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	9.73	-0.03	-0.01	-0.03	0.00	0.00
	GT3{2}	-0.18	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	9.55	-0.50	-0.01	-0.04	0.00	0.00
+1085	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	31.56	-0.12	0.00	0.00	0.00	0.00
	Thermal 2{1}	-2.75	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.18	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	39.95	-0.15	0.00	0.00	0.00	0.00
	Pressure 2{1}	3.90	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	5.35	0.00	0.00	0.00	0.00	0.00
	GT1{1}	31.55	-0.34	0.00	0.00	0.00	0.00
	GT2{1}	-2.76	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.20	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	71.50	-0.50	0.00	-0.01	0.00	0.00
	GT2P2{1}	1.14	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	5.15	-0.23	0.00	0.00	0.00	0.00
	Gravity{2}	-0.02	-0.47	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.16	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	9.83	-0.03	-0.01	-0.03	0.00	0.00
	GT3{2}	-0.18	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	9.64	-0.50	-0.01	-0.04	0.00	0.00
+1086	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	31.75	-0.14	0.00	0.00	0.00	0.00
	Thermal 2{1}	-2.79	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.19	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	40.04	-0.16	0.00	0.00	0.00	0.00
	Pressure 2{1}	3.95	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	5.42	-0.01	0.00	0.00	0.00	0.00
	GT1{1}	31.73	-0.36	0.00	0.00	0.00	0.00
	GT2{1}	-2.80	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.20	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	71.77	-0.51	0.00	-0.01	0.00	0.00
	GT2P2{1}	1.15	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	5.22	-0.23	0.00	0.00	0.00	0.00
	Gravity{2}	-0.02	-0.47	-0.01	-0.01	0.00	0.00
	Thermal 3{2}	-0.16	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	9.92	-0.03	-0.01	-0.03	0.00	0.00
	GT3{2}	-0.19	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	9.74	-0.51	-0.01	-0.04	0.00	0.00
+1087	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	31.93	-0.15	0.00	0.00	0.00	0.00
	Thermal 2{1}	-2.83	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.19	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	40.14	-0.16	0.00	0.00	0.00	0.00
	Pressure 2{1}	4.01	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	5.49	-0.01	0.00	0.00	0.00	0.00

	GT1{1}	31.91	-0.37	0.00	0.00	0.00	0.00
	GT2{1}	-2.84	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.20	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	72.05	-0.53	0.00	-0.01	0.00	0.00
	GT2P2{1}	1.17	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	5.29	-0.23	0.00	0.00	0.00	0.00
	Gravity{2}	-0.02	-0.47	-0.01	-0.01	0.00	0.00
	Thermal 3{2}	-0.16	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	10.02	-0.04	-0.01	-0.03	0.00	0.00
	GT3{2}	-0.19	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	9.83	-0.51	-0.01	-0.04	0.00	0.00
+1088	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	32.11	-0.16	0.00	0.00	0.00	0.00
	Thermal 2{1}	-2.87	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.19	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	40.23	-0.15	0.00	0.00	0.00	0.00
	Pressure 2{1}	4.07	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	5.56	-0.01	0.00	0.00	0.00	0.00
	GT1{1}	32.10	-0.38	0.00	0.00	0.00	0.00
	GT2{1}	-2.88	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.21	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	72.33	-0.53	0.00	-0.01	0.00	0.00
	GT2P2{1}	1.19	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	5.35	-0.23	0.00	0.00	0.00	0.00
	Gravity{2}	-0.02	-0.47	-0.01	-0.01	0.00	0.00
	Thermal 3{2}	-0.17	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	10.12	-0.04	-0.01	-0.03	0.00	0.00
	GT3{2}	-0.19	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	9.92	-0.51	-0.02	-0.04	0.00	0.00
+1089	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	32.29	-0.17	0.00	0.00	0.00	0.00
	Thermal 2{1}	-2.91	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.20	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	40.32	-0.14	0.00	0.00	0.00	0.00
	Pressure 2{1}	4.13	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	5.63	-0.01	0.00	0.00	0.00	0.00
	GT1{1}	32.28	-0.39	0.00	0.00	0.00	0.00
	GT2{1}	-2.93	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.21	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	72.60	-0.53	0.00	-0.01	0.00	0.00
	GT2P2{1}	1.20	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	5.42	-0.24	0.00	0.00	0.00	0.00
	Gravity{2}	-0.03	-0.47	-0.01	-0.01	0.00	0.00
	Thermal 3{2}	-0.17	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	10.21	-0.04	-0.01	-0.03	0.00	0.00
	GT3{2}	-0.19	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	10.02	-0.51	-0.02	-0.04	0.00	0.00
+1090	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	32.47	-0.17	0.00	0.00	0.00	0.00
	Thermal 2{1}	-2.96	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.20	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	40.42	-0.11	0.00	0.00	0.00	0.00
	Pressure 2{1}	4.19	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	5.70	-0.02	0.00	0.00	0.00	0.00
	GT1{1}	32.46	-0.39	0.00	0.00	0.00	0.00
	GT2{1}	-2.97	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.21	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	72.88	-0.51	0.00	-0.01	0.00	0.00
	GT2P2{1}	1.22	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	5.48	-0.24	0.00	0.00	0.00	0.00
	Gravity{2}	-0.03	-0.47	-0.01	-0.01	0.00	0.00
	Thermal 3{2}	-0.17	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	10.31	-0.04	-0.01	-0.03	0.00	0.00
	GT3{2}	-0.20	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	10.12	-0.51	-0.02	-0.04	0.00	0.00
+1091	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	32.66	-0.17	0.00	0.00	0.00	0.00
	Thermal 2{1}	-3.00	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.20	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	40.51	-0.08	0.00	0.00	0.00	0.01
	Pressure 2{1}	4.25	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	5.77	-0.02	0.00	0.00	0.00	0.00

	GT1{1}	32.64	-0.39	0.00	0.00	0.00	0.00
	GT2{1}	-3.01	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.21	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	73.16	-0.47	0.00	-0.01	0.00	0.01
	GT2P2{1}	1.24	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	5.55	-0.24	0.00	0.00	0.00	0.00
	Gravity{2}	-0.03	-0.47	-0.01	-0.01	0.00	0.00
	Thermal 3{2}	-0.17	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	10.41	-0.04	-0.01	-0.03	0.00	0.00
	GT3{2}	-0.20	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	10.21	-0.51	-0.02	-0.04	0.00	0.00
+1092	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	32.84	-0.17	0.00	0.00	0.00	0.00
	Thermal 2{1}	-3.04	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.20	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	40.61	-0.03	0.00	0.00	0.00	0.01
	Pressure 2{1}	4.31	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	5.84	-0.03	0.00	0.00	0.00	0.00
	GT1{1}	32.83	-0.39	0.00	0.00	0.00	0.00
	GT2{1}	-3.05	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.22	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	73.44	-0.42	0.00	-0.01	0.00	0.01
	GT2P2{1}	1.26	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	5.62	-0.25	0.00	0.00	0.00	0.00
	Gravity{2}	-0.03	-0.47	-0.01	-0.01	0.00	0.00
	Thermal 3{2}	-0.18	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	10.51	-0.04	-0.01	-0.03	0.00	0.00
	GT3{2}	-0.20	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	10.31	-0.51	-0.02	-0.04	0.00	0.00
+1093	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	33.03	-0.15	0.00	0.00	0.00	0.00
	Thermal 2{1}	-3.09	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.21	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	40.70	0.03	0.00	0.00	0.00	0.01
	Pressure 2{1}	4.38	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	5.91	-0.03	0.00	0.00	0.00	0.00
	GT1{1}	33.01	-0.37	0.00	0.00	0.00	0.00
	GT2{1}	-3.10	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.22	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	73.72	-0.34	0.00	-0.01	0.00	0.01
	GT2P2{1}	1.28	-0.22	-0.01	0.00	0.00	0.00
	GT3P3{1}	5.69	-0.25	0.00	0.00	0.00	0.00
	Gravity{2}	-0.03	-0.47	-0.01	-0.01	0.00	0.00
	Thermal 3{2}	-0.18	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	10.61	-0.03	-0.01	-0.03	0.00	0.00
	GT3{2}	-0.21	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	10.41	-0.50	-0.02	-0.04	0.00	0.00
+1094	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	33.21	-0.12	0.00	0.00	0.00	0.00
	Thermal 2{1}	-3.13	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.21	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	40.80	0.11	0.00	0.00	0.00	0.01
	Pressure 2{1}	4.44	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	5.98	-0.03	0.00	0.00	0.00	0.00
	GT1{1}	33.20	-0.34	0.00	0.00	0.00	0.00
	GT2{1}	-3.14	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.22	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	74.00	-0.23	-0.01	-0.01	0.00	0.01
	GT2P2{1}	1.30	-0.22	-0.01	0.00	0.00	0.00
	GT3P3{1}	5.76	-0.25	0.00	0.00	0.00	0.00
	Gravity{2}	-0.03	-0.47	-0.01	-0.01	0.00	0.00
	Thermal 3{2}	-0.18	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	10.71	-0.02	-0.01	-0.03	0.00	0.00
	GT3{2}	-0.21	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	10.50	-0.49	-0.02	-0.04	0.00	0.00
+1095	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	33.40	-0.09	0.00	0.00	0.00	0.01
	Thermal 2{1}	-3.17	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.21	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	40.89	0.21	0.00	0.00	0.00	0.01
	Pressure 2{1}	4.50	0.00	0.00	0.00	0.00	0.00
	Pressure 3{1}	6.06	-0.04	0.00	0.00	0.00	0.00

	GT1{1}	33.38	-0.30	0.00	0.00	0.00	0.01
	GT2{1}	-3.19	-0.22	0.00	-0.01	0.00	0.00
	GT3{1}	-0.23	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	0.00	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	74.28	-0.10	-0.01	-0.01	0.00	0.02
	GT2P2{1}	1.31	-0.22	-0.01	0.00	0.00	0.00
	GT3P3{1}	5.83	-0.26	-0.01	0.00	0.00	0.00
	Gravity{2}	-0.03	-0.46	-0.01	-0.01	0.00	0.00
	Thermal 3{2}	-0.18	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	10.81	-0.01	-0.02	-0.03	0.00	0.00
	GT3{2}	-0.21	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	10.60	-0.48	-0.02	-0.04	0.00	0.00
+1096	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	33.58	-0.03	0.00	0.00	0.00	0.01
	Thermal 2{1}	-3.22	0.00	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.22	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	40.99	0.33	0.00	0.00	0.00	0.02
	Pressure 2{1}	4.57	-0.01	0.00	0.00	0.00	0.00
	Pressure 3{1}	6.13	-0.04	0.00	0.00	0.00	0.00
	GT1{1}	33.57	-0.25	0.00	0.00	0.00	0.01
	GT2{1}	-3.23	-0.21	0.00	-0.01	0.00	0.00
	GT3{1}	-0.23	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	-0.01	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	74.56	0.08	-0.01	-0.01	0.00	0.02
	GT2P2{1}	1.33	-0.22	-0.01	0.00	0.00	0.00
	GT3P3{1}	5.90	-0.26	-0.01	0.00	0.00	0.00
	Gravity{2}	-0.03	-0.46	-0.01	-0.01	0.00	0.00
	Thermal 3{2}	-0.19	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	10.91	0.01	-0.02	-0.03	0.00	0.00
	GT3{2}	-0.21	-0.47	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	10.70	-0.46	-0.02	-0.04	0.00	0.00
+1097	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	33.77	0.04	0.00	0.00	0.00	0.01
	Thermal 2{1}	-3.27	0.01	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.22	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	41.08	0.47	0.00	0.00	0.00	0.02
	Pressure 2{1}	4.63	-0.01	-0.01	0.00	0.00	0.00
	Pressure 3{1}	6.20	-0.05	0.00	0.00	0.00	0.00
	GT1{1}	33.76	-0.18	0.00	0.00	0.00	0.01
	GT2{1}	-3.28	-0.21	0.00	-0.01	0.00	0.00
	GT3{1}	-0.23	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	-0.01	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	74.84	0.29	-0.01	-0.01	0.00	0.03
	GT2P2{1}	1.35	-0.22	-0.01	0.00	0.00	0.00
	GT3P3{1}	5.97	-0.26	-0.01	0.00	0.00	0.00
	Gravity{2}	-0.03	-0.46	-0.01	-0.01	0.00	0.00
	Thermal 3{2}	-0.19	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	11.02	0.03	-0.02	-0.03	0.00	0.00
	GT3{2}	-0.22	-0.46	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	10.80	-0.44	-0.02	-0.04	0.00	0.00
+1098	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	33.96	0.13	0.00	0.00	0.00	0.01
	Thermal 2{1}	-3.31	0.01	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.22	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	41.17	0.64	0.00	0.00	0.00	0.02
	Pressure 2{1}	4.70	-0.01	-0.01	0.00	0.00	0.00
	Pressure 3{1}	6.28	-0.05	0.00	0.00	0.00	0.00
	GT1{1}	33.94	-0.09	0.00	0.00	0.00	0.01
	GT2{1}	-3.33	-0.21	0.00	-0.01	0.00	0.00
	GT3{1}	-0.24	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.22	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	-0.01	0.00	0.00	0.00
	GW4{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GT1P1{1}	75.12	0.55	0.00	-0.01	0.00	0.03
	GT2P2{1}	1.37	-0.22	-0.01	0.00	0.00	0.00
	GT3P3{1}	6.04	-0.27	-0.01	0.00	0.00	0.00
	Gravity{2}	-0.03	-0.46	-0.01	-0.01	0.00	0.00
	Thermal 3{2}	-0.19	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	11.12	0.05	-0.01	-0.03	0.00	0.00
	GT3{2}	-0.22	-0.46	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	10.90	-0.41	-0.02	-0.04	0.00	0.00
+1099	Gravity{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	Thermal 1{1}	34.15	0.24	0.00	0.00	0.00	0.01
	Thermal 2{1}	-3.36	0.01	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.23	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	41.27	0.84	0.00	0.00	0.00	0.02
	Pressure 2{1}	4.77	-0.01	-0.01	0.00	0.00	0.00
	Pressure 3{1}	6.35	-0.05	0.00	0.00	0.00	0.00

	GT1{1}	34.13	0.02	0.00	0.00	0.00	0.01
	GT2{1}	-3.37	-0.21	0.00	-0.01	0.00	0.00
	GT3{1}	-0.24	-0.22	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.22	0.00	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.22	-0.01	0.00	0.00	0.00
	GW4{1}	-0.01	-0.21	0.00	-0.01	0.00	0.00
	GT1P1{1}	75.40	0.86	0.00	-0.01	0.00	0.04
	GT2P2{1}	1.39	-0.22	-0.01	0.00	0.00	0.00
	GT3P3{1}	6.11	-0.27	-0.01	0.00	0.00	0.00
	Gravity{2}	-0.03	-0.46	-0.01	-0.01	0.00	0.00
	Thermal 3{2}	-0.20	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	11.22	0.08	-0.01	-0.03	0.00	0.00
	GT3{2}	-0.22	-0.46	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	11.00	-0.38	-0.02	-0.04	0.00	0.00
+1100	Gravity{1}	-0.01	-0.21	0.00	-0.01	0.00	0.00
	Thermal 1{1}	34.34	0.38	0.00	0.00	0.00	0.02
	Thermal 2{1}	-3.41	0.01	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.23	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	41.36	1.06	0.00	0.00	0.00	0.03
	Pressure 2{1}	4.84	-0.02	-0.01	0.00	0.00	0.00
	Pressure 3{1}	6.43	-0.05	0.00	0.00	0.00	0.00
	GT1{1}	34.32	0.16	0.00	0.00	0.00	0.02
	GT2{1}	-3.42	-0.20	0.00	-0.01	0.00	0.00
	GT3{1}	-0.24	-0.21	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.21	0.00	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.21	-0.01	0.00	0.00	0.00
	GW4{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	GT1P1{1}	75.68	1.22	0.00	-0.01	0.00	0.04
	GT2P2{1}	1.41	-0.22	-0.01	0.00	0.00	0.00
	GT3P3{1}	6.19	-0.27	-0.01	0.00	0.00	0.00
	Gravity{2}	-0.03	-0.46	-0.01	-0.01	0.00	0.00
	Thermal 3{2}	-0.20	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	11.33	0.12	-0.01	-0.03	0.00	0.00
	GT3{2}	-0.23	-0.46	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	11.10	-0.34	-0.02	-0.04	0.00	0.00
+1101	Gravity{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	Thermal 1{1}	34.52	0.54	0.00	0.00	0.00	0.02
	Thermal 2{1}	-3.46	0.01	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.23	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	41.46	1.31	0.00	0.00	0.00	0.03
	Pressure 2{1}	4.90	-0.02	-0.01	0.00	0.00	0.00
	Pressure 3{1}	6.51	-0.05	0.00	0.00	0.00	0.00
	GT1{1}	34.51	0.32	0.00	0.00	0.00	0.02
	GT2{1}	-3.47	-0.20	0.00	-0.01	0.00	0.00
	GT3{1}	-0.25	-0.21	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.21	0.00	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.21	-0.01	0.00	0.00	0.00
	GW4{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	GT1P1{1}	75.97	1.63	0.00	-0.01	0.00	0.05
	GT2P2{1}	1.43	-0.22	-0.01	0.00	0.00	0.00
	GT3P3{1}	6.26	-0.27	-0.01	0.00	0.00	0.00
	Gravity{2}	-0.03	-0.45	-0.01	-0.01	0.00	0.00
	Thermal 3{2}	-0.20	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	11.43	0.16	-0.01	-0.03	0.00	0.01
	GT3{2}	-0.23	-0.45	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	11.20	-0.29	-0.01	-0.04	0.00	0.01
+1102	Gravity{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	Thermal 1{1}	34.71	0.73	0.00	0.00	0.00	0.02
	Thermal 2{1}	-3.50	0.02	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.24	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	41.55	1.59	0.00	0.00	0.00	0.03
	Pressure 2{1}	4.97	-0.03	-0.01	0.00	0.00	0.00
	Pressure 3{1}	6.58	-0.05	-0.01	0.00	0.00	0.00
	GT1{1}	34.70	0.52	0.00	0.00	0.00	0.02
	GT2{1}	-3.52	-0.20	0.00	-0.01	0.00	0.00
	GT3{1}	-0.25	-0.21	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.21	0.00	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	GW3{1}	-0.02	-0.21	-0.01	0.00	0.00	0.00
	GW4{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	GT1P1{1}	76.25	2.10	0.00	-0.01	0.00	0.06
	GT2P2{1}	1.46	-0.22	-0.01	0.00	0.00	0.00
	GT3P3{1}	6.33	-0.26	0.00	0.00	0.00	0.00
	Gravity{2}	-0.03	-0.45	-0.01	-0.01	0.00	0.00
	Thermal 3{2}	-0.20	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	11.53	0.21	-0.01	-0.03	0.00	0.01
	GT3{2}	-0.23	-0.45	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	11.30	-0.24	-0.01	-0.04	0.00	0.01
+1103	Gravity{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	Thermal 1{1}	34.90	0.95	0.00	0.00	0.00	0.03
	Thermal 2{1}	-3.55	0.02	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.24	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	41.65	1.89	0.00	0.00	0.00	0.04
	Pressure 2{1}	5.05	-0.03	-0.01	0.00	0.00	0.00
	Pressure 3{1}	6.66	-0.05	-0.01	0.00	0.00	0.00

	GT1{1}	34.89	0.74	0.00	0.00	0.00	0.03
	GT2{1}	-3.57	-0.19	0.00	-0.01	0.00	0.00
	GT3{1}	-0.26	-0.21	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.21	0.00	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	GW3{1}	-0.02	-0.21	0.00	0.00	0.00	0.00
	GW4{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	GT1P1{1}	76.54	2.63	0.00	-0.01	0.00	0.06
	GT2P2{1}	1.48	-0.22	-0.01	0.00	0.00	0.00
	GT3P3{1}	6.41	-0.26	0.00	0.00	0.00	0.00
	Gravity{2}	-0.03	-0.45	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.21	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	11.64	0.27	-0.01	-0.03	0.00	0.01
	GT3{2}	-0.24	-0.45	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	11.40	-0.18	-0.01	-0.04	0.00	0.01
+1104	Gravity{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	Thermal 1{1}	35.10	1.20	0.00	0.00	0.00	0.03
	Thermal 2{1}	-3.60	0.02	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.24	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	41.74	2.23	0.00	0.00	0.00	0.04
	Pressure 2{1}	5.12	-0.04	-0.01	0.00	0.00	0.00
	Pressure 3{1}	6.74	-0.04	-0.01	0.00	0.00	0.00
	GT1{1}	35.08	0.99	0.00	0.00	0.00	0.03
	GT2{1}	-3.62	-0.19	0.00	-0.01	0.00	0.00
	GT3{1}	-0.26	-0.21	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.21	0.00	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	GW3{1}	-0.02	-0.21	0.00	0.00	0.00	0.00
	GW4{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	GT1P1{1}	76.82	3.22	0.00	-0.01	0.00	0.07
	GT2P2{1}	1.50	-0.22	-0.01	0.00	0.00	0.00
	GT3P3{1}	6.48	-0.24	0.00	0.00	0.00	0.00
	Gravity{2}	-0.03	-0.45	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.21	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	11.75	0.33	-0.01	-0.03	0.00	0.01
	GT3{2}	-0.24	-0.44	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	11.50	-0.11	0.00	-0.04	0.00	0.01
+1105	Gravity{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	Thermal 1{1}	35.29	1.48	0.00	0.00	0.00	0.03
	Thermal 2{1}	-3.65	0.02	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.25	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	41.84	2.60	0.00	0.00	0.00	0.04
	Pressure 2{1}	5.19	-0.04	-0.01	0.00	0.00	0.00
	Pressure 3{1}	6.82	-0.03	-0.01	0.00	0.00	0.00
	GT1{1}	35.27	1.27	0.00	0.00	0.00	0.03
	GT2{1}	-3.67	-0.18	0.00	-0.01	0.00	0.00
	GT3{1}	-0.26	-0.20	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.21	0.00	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	GW3{1}	-0.02	-0.21	0.00	0.00	0.00	0.00
	GW4{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	GT1P1{1}	77.11	3.87	0.00	-0.01	0.00	0.08
	GT2P2{1}	1.52	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	6.56	-0.23	0.00	0.00	0.00	0.00
	Gravity{2}	-0.03	-0.45	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.21	0.01	0.00	0.00	0.00	0.00
	Pressure 1{2}	11.85	0.41	0.00	-0.03	0.00	0.01
	GT3{2}	-0.24	-0.44	0.00	-0.01	0.00	0.00
	Hydrotest-NL{2}	11.61	-0.03	0.00	-0.04	0.00	0.01
+1106	Gravity{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	Thermal 1{1}	35.48	1.79	0.00	0.00	0.00	0.04
	Thermal 2{1}	-3.70	0.03	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.25	0.01	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	41.93	2.99	0.00	0.00	0.00	0.05
	Pressure 2{1}	5.26	-0.04	-0.01	0.00	0.00	0.00
	Pressure 3{1}	6.90	-0.01	-0.01	0.00	0.00	0.00
	GT1{1}	35.46	1.58	0.00	0.00	0.00	0.04
	GT2{1}	-3.72	-0.18	0.00	-0.01	0.00	0.00
	GT3{1}	-0.27	-0.20	0.00	-0.01	0.00	0.00
	GW1{1}	-0.01	-0.21	0.00	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	GW3{1}	-0.02	-0.21	0.00	0.00	0.00	0.00
	GW4{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	GT1P1{1}	77.39	4.58	0.00	-0.01	0.00	0.08
	GT2P2{1}	1.54	-0.22	0.00	0.00	0.00	0.00
	GT3P3{1}	6.63	-0.21	0.00	0.00	0.00	0.00
	Gravity{2}	-0.03	-0.44	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.22	0.01	0.00	0.00	0.00	0.00
	Pressure 1{2}	11.96	0.49	0.00	-0.03	0.00	0.01
	GT3{2}	-0.25	-0.43	0.01	-0.01	0.00	0.00
	Hydrotest-NL{2}	11.71	0.06	0.01	-0.04	0.00	0.01
+1107	Gravity{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	Thermal 1{1}	35.67	2.13	0.00	0.00	0.00	0.04
	Thermal 2{1}	-3.76	0.03	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.25	0.01	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	42.02	3.42	0.00	0.00	0.00	0.05
	Pressure 2{1}	5.34	-0.05	-0.01	0.00	0.00	0.00
	Pressure 3{1}	6.98	0.01	-0.01	0.00	0.00	0.00

	GT1{1}	35.65	1.93	0.00	0.00	0.00	0.04
	GT2{1}	-3.77	-0.18	0.01	-0.01	0.00	0.00
	GT3{1}	-0.27	-0.20	0.00	-0.01	0.00	0.00
	GW1{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	GW3{1}	-0.02	-0.21	0.00	0.00	0.00	0.00
	GW4{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	GT1P1{1}	77.68	5.35	0.00	-0.01	0.00	0.09
	GT2P2{1}	1.57	-0.23	0.00	0.00	0.00	0.00
	GT3P3{1}	6.71	-0.19	0.00	0.00	0.00	0.00
	Gravity{2}	-0.03	-0.44	0.00	-0.01	0.00	0.00
	Thermal 3{2}	-0.22	0.01	0.00	0.00	0.00	0.00
	Pressure 1{2}	12.07	0.58	0.01	-0.03	0.00	0.01
	GT3{2}	-0.25	-0.43	0.01	-0.01	0.00	0.00
	Hydrotest-NL{2}	11.82	0.15	0.01	-0.04	0.00	0.01
+1108	Gravity{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	Thermal 1{1}	35.86	2.51	0.00	0.00	0.00	0.04
	Thermal 2{1}	-3.81	0.03	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.26	0.01	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	42.12	3.88	0.00	0.00	0.00	0.05
	Pressure 2{1}	5.41	-0.05	-0.01	0.00	0.00	0.00
	Pressure 3{1}	7.06	0.04	-0.01	0.00	0.00	0.00
	GT1{1}	35.85	2.30	0.00	0.00	0.00	0.04
	GT2{1}	-3.82	-0.17	0.01	-0.01	0.00	0.00
	GT3{1}	-0.27	-0.20	0.01	-0.01	0.00	0.00
	GW1{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	GW3{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	GW4{1}	-0.02	-0.21	0.01	-0.01	0.00	0.00
	GT1P1{1}	77.97	6.18	0.00	-0.01	0.00	0.10
	GT2P2{1}	1.59	-0.23	0.00	0.00	0.00	0.00
	GT3P3{1}	6.78	-0.16	0.00	0.00	0.00	0.00
	Gravity{2}	-0.03	-0.44	0.01	-0.01	0.00	0.00
	Thermal 3{2}	-0.22	0.02	0.00	0.00	0.00	0.00
	Pressure 1{2}	12.18	0.68	0.01	-0.03	0.00	0.01
	GT3{2}	-0.26	-0.42	0.01	-0.01	0.00	0.00
	Hydrotest-NL{2}	11.92	0.26	0.02	-0.04	0.00	0.01
+1109	Gravity{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	Thermal 1{1}	36.06	2.92	0.00	0.00	0.00	0.05
	Thermal 2{1}	-3.86	0.03	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.26	0.01	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	42.21	4.37	0.00	0.00	0.00	0.06
	Pressure 2{1}	5.49	-0.05	-0.01	0.00	0.00	0.00
	Pressure 3{1}	7.14	0.07	-0.01	0.00	0.00	0.00
	GT1{1}	36.04	2.71	0.00	0.00	0.00	0.05
	GT2{1}	-3.88	-0.17	0.01	-0.01	0.00	0.00
	GT3{1}	-0.28	-0.19	0.01	-0.01	0.00	0.00
	GW1{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	GW3{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	GW4{1}	-0.02	-0.21	0.01	-0.01	0.00	0.00
	GT1P1{1}	78.25	7.08	0.01	-0.01	0.00	0.11
	GT2P2{1}	1.61	-0.23	0.00	0.00	0.00	0.00
	GT3P3{1}	6.86	-0.12	0.00	0.00	0.00	0.00
	Gravity{2}	-0.03	-0.44	0.01	-0.01	0.00	0.00
	Thermal 3{2}	-0.23	0.02	0.00	0.00	0.00	0.00
	Pressure 1{2}	12.28	0.79	0.02	-0.03	0.00	0.01
	GT3{2}	-0.26	-0.42	0.01	-0.01	0.00	0.00
	Hydrotest-NL{2}	12.02	0.37	0.03	-0.04	0.00	0.01
+1110	Gravity{1}	-0.02	-0.21	0.01	-0.01	0.00	0.00
	Thermal 1{1}	36.25	3.35	0.00	0.00	0.00	0.05
	Thermal 2{1}	-3.91	0.03	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.27	0.02	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	42.31	4.88	0.00	0.00	0.00	0.06
	Pressure 2{1}	5.57	-0.06	-0.01	0.00	0.00	0.00
	Pressure 3{1}	7.22	0.11	-0.01	0.00	0.00	0.01
	GT1{1}	36.23	3.15	0.00	0.00	0.00	0.05
	GT2{1}	-3.93	-0.17	0.01	-0.01	0.00	0.00
	GT3{1}	-0.28	-0.19	0.01	-0.01	0.00	0.00
	GW1{1}	-0.02	-0.21	0.01	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.21	0.01	-0.01	0.00	0.00
	GW3{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	GW4{1}	-0.02	-0.21	0.01	-0.01	0.00	0.00
	GT1P1{1}	78.54	8.03	0.01	-0.01	0.00	0.11
	GT2P2{1}	1.64	-0.23	0.00	0.00	0.00	0.00
	GT3P3{1}	6.94	-0.08	0.00	0.00	0.00	0.01
	Gravity{2}	-0.03	-0.44	0.01	-0.01	0.00	0.00
	Thermal 3{2}	-0.23	0.03	0.00	0.00	0.00	0.00
	Pressure 1{2}	12.39	0.92	0.02	-0.03	0.00	0.01
	GT3{2}	-0.26	-0.42	0.02	-0.01	0.00	0.00
	Hydrotest-NL{2}	12.13	0.50	0.04	-0.04	0.00	0.01
+1111	Gravity{1}	-0.02	-0.21	0.01	-0.01	0.00	0.00
	Thermal 1{1}	36.45	3.82	0.00	0.00	0.00	0.05
	Thermal 2{1}	-3.97	0.03	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.27	0.02	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	42.40	5.42	0.01	0.00	0.00	0.06
	Pressure 2{1}	5.64	-0.05	-0.01	0.00	0.00	0.00
	Pressure 3{1}	7.30	0.16	-0.01	0.00	0.00	0.01

	GT1{1}	36.43	3.61	0.00	0.00	0.00	0.05
	GT2{1}	-3.98	-0.17	0.01	-0.01	0.00	0.00
	GT3{1}	-0.29	-0.19	0.01	-0.01	0.00	0.00
	GW1{1}	-0.02	-0.21	0.01	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.21	0.01	-0.01	0.00	0.00
	GW3{1}	-0.02	-0.21	0.00	-0.01	0.00	0.00
	GW4{1}	-0.02	-0.21	0.01	-0.01	0.00	0.00
	GT1P1{1}	78.83	9.04	0.01	-0.01	0.00	0.12
	GT2P2{1}	1.66	-0.23	0.00	0.00	0.00	0.00
	GT3P3{1}	7.02	-0.02	0.00	0.00	0.00	0.01
	Gravity{2}	-0.03	-0.45	0.02	-0.01	0.00	0.00
	Thermal 3{2}	-0.23	0.03	0.00	0.00	0.00	0.00
	Pressure 1{2}	12.50	1.05	0.03	-0.03	0.00	0.02
	GT3{2}	-0.27	-0.41	0.02	-0.01	0.00	0.00
	Hydrotest-NL{2}	12.24	0.63	0.05	-0.04	0.00	0.02
+1112	Gravity{1}	-0.02	-0.21	0.01	-0.01	0.00	0.00
	Thermal 1{1}	36.64	4.31	0.00	0.00	0.00	0.06
	Thermal 2{1}	-4.02	0.03	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.27	0.02	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	42.50	5.99	0.01	0.00	0.00	0.07
	Pressure 2{1}	5.72	-0.05	-0.01	0.00	0.00	0.00
	Pressure 3{1}	7.39	0.22	-0.01	0.00	0.00	0.01
	GT1{1}	36.62	4.10	0.01	0.00	0.00	0.06
	GT2{1}	-4.04	-0.18	0.01	-0.01	0.00	0.00
	GT3{1}	-0.29	-0.19	0.01	-0.01	0.00	0.00
	GW1{1}	-0.02	-0.21	0.01	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.21	0.01	-0.01	0.00	0.00
	GW3{1}	-0.02	-0.21	0.01	-0.01	0.00	0.00
	GW4{1}	-0.02	-0.21	0.01	-0.01	0.00	0.00
	GT1P1{1}	79.12	10.09	0.01	-0.01	0.00	0.12
	GT2P2{1}	1.68	-0.23	0.01	0.00	0.00	0.00
	GT3P3{1}	7.10	0.04	0.01	0.00	0.00	0.01
	Gravity{2}	-0.04	-0.45	0.02	-0.01	0.00	0.00
	Thermal 3{2}	-0.24	0.04	0.00	0.00	0.00	0.00
	Pressure 1{2}	12.61	1.19	0.04	-0.03	0.00	0.02
	GT3{2}	-0.27	-0.41	0.02	-0.01	0.00	0.00
	Hydrotest-NL{2}	12.34	0.78	0.06	-0.04	0.00	0.02
+1113	Gravity{1}	-0.02	-0.21	0.01	-0.01	0.00	0.00
	Thermal 1{1}	36.84	4.83	0.00	0.00	0.00	0.06
	Thermal 2{1}	-4.08	0.03	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.28	0.02	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	42.59	6.58	0.01	0.00	0.00	0.07
	Pressure 2{1}	5.80	-0.05	-0.01	0.00	0.00	0.00
	Pressure 3{1}	7.47	0.29	0.00	0.00	0.00	0.01
	GT1{1}	36.82	4.62	0.01	0.00	0.00	0.06
	GT2{1}	-4.09	-0.18	0.02	-0.01	0.00	0.00
	GT3{1}	-0.30	-0.19	0.01	-0.01	0.00	0.00
	GW1{1}	-0.02	-0.21	0.01	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.21	0.01	-0.01	0.00	0.00
	GW3{1}	-0.02	-0.21	0.01	-0.01	0.00	0.00
	GW4{1}	-0.02	-0.21	0.02	-0.01	0.00	0.00
	GT1P1{1}	79.41	11.20	0.02	-0.01	0.00	0.13
	GT2P2{1}	1.71	-0.23	0.01	0.00	0.00	0.00
	GT3P3{1}	7.18	0.10	0.01	0.00	0.00	0.01
	Gravity{2}	-0.04	-0.46	0.03	-0.01	0.00	0.00
	Thermal 3{2}	-0.24	0.05	0.00	0.00	0.00	0.00
	Pressure 1{2}	12.72	1.34	0.05	-0.03	0.00	0.02
	GT3{2}	-0.28	-0.41	0.03	-0.01	0.00	0.00
	Hydrotest-NL{2}	12.45	0.93	0.08	-0.04	0.00	0.02
+1114	Gravity{1}	-0.02	-0.22	0.02	-0.01	0.00	0.00
	Thermal 1{1}	37.03	5.36	0.00	0.00	0.00	0.06
	Thermal 2{1}	-4.13	0.02	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.28	0.03	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	42.68	7.19	0.01	0.00	0.00	0.07
	Pressure 2{1}	5.88	-0.04	-0.01	0.00	0.00	0.00
	Pressure 3{1}	7.56	0.37	0.00	0.00	0.00	0.01
	GT1{1}	37.01	5.15	0.01	0.00	0.00	0.06
	GT2{1}	-4.15	-0.19	0.02	-0.01	0.00	0.00
	GT3{1}	-0.30	-0.19	0.02	-0.01	0.00	0.00
	GW1{1}	-0.02	-0.21	0.02	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.22	0.02	-0.01	0.00	0.00
	GW3{1}	-0.02	-0.22	0.01	-0.01	0.00	0.00
	GW4{1}	-0.02	-0.22	0.02	-0.01	0.00	0.00
	GT1P1{1}	79.70	12.34	0.02	-0.01	0.00	0.13
	GT2P2{1}	1.73	-0.23	0.01	0.00	0.00	0.00
	GT3P3{1}	7.26	0.18	0.01	0.00	0.00	0.01
	Gravity{2}	-0.04	-0.46	0.03	-0.01	0.00	0.00
	Thermal 3{2}	-0.24	0.05	0.00	0.00	0.00	0.00
	Pressure 1{2}	12.83	1.50	0.06	-0.03	0.00	0.02
	GT3{2}	-0.28	-0.41	0.03	-0.02	0.00	0.00
	Hydrotest-NL{2}	12.56	1.09	0.09	-0.04	0.00	0.02
+1115	Gravity{1}	-0.02	-0.22	0.02	-0.01	0.00	0.00
	Thermal 1{1}	37.23	5.92	-0.01	0.00	0.00	0.06
	Thermal 2{1}	-4.19	0.02	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.29	0.03	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	42.78	7.81	0.01	0.00	0.00	0.07
	Pressure 2{1}	5.96	-0.03	0.00	0.00	0.00	0.00
	Pressure 3{1}	7.64	0.45	0.00	0.00	0.00	0.01

	GT1{1}	37.21	5.69	0.01	0.00	0.00	0.06
	GT2{1}	-4.20	-0.20	0.02	-0.01	0.00	0.00
	GT3{1}	-0.30	-0.19	0.02	-0.01	0.00	0.00
	GW1{1}	-0.02	-0.22	0.02	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.22	0.02	-0.01	0.00	0.00
	GW3{1}	-0.02	-0.22	0.01	-0.01	0.00	0.00
	GW4{1}	-0.02	-0.22	0.02	-0.01	0.00	0.00
	GT1P1{1}	79.99	13.51	0.02	-0.01	0.00	0.13
	GT2P2{1}	1.76	-0.23	0.02	0.00	0.00	0.00
	GT3P3{1}	7.34	0.26	0.02	0.00	0.00	0.01
	Gravity{2}	-0.04	-0.48	0.04	-0.01	0.00	0.00
	Thermal 3{2}	-0.25	0.06	0.00	0.00	0.00	0.00
	Pressure 1{2}	12.95	1.67	0.07	-0.03	0.00	0.02
	GT3{2}	-0.28	-0.42	0.04	-0.02	0.00	0.00
	Hydrotest-NL{2}	12.66	1.26	0.11	-0.04	0.00	0.02
A01	Gravity{1}	-0.02	-0.23	0.02	-0.01	0.00	0.00
	Thermal 1{1}	37.43	6.48	-0.01	0.00	0.00	0.06
	Thermal 2{1}	-4.24	0.01	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.29	0.03	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	42.87	8.44	0.01	0.00	0.00	0.07
	Pressure 2{1}	6.05	-0.01	0.00	0.00	0.00	0.00
	Pressure 3{1}	7.73	0.55	0.00	0.00	0.00	0.01
	GT1{1}	37.41	6.25	0.02	0.00	0.00	0.06
	GT2{1}	-4.26	-0.22	0.02	-0.01	0.00	0.00
	GT3{1}	-0.31	-0.20	0.02	-0.01	0.00	0.00
	GW1{1}	-0.02	-0.23	0.02	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.23	0.02	-0.01	0.00	0.00
	GW3{1}	-0.02	-0.23	0.02	-0.01	0.00	0.00
	GW4{1}	-0.02	-0.23	0.03	-0.01	0.00	0.00
	GT1P1{1}	80.28	14.70	0.03	-0.01	0.00	0.13
	GT2P2{1}	1.78	-0.23	0.02	0.00	0.00	0.00
	GT3P3{1}	7.42	0.35	0.02	0.00	0.00	0.01
	Gravity{2}	-0.04	-0.49	0.04	-0.01	0.00	0.00
	Thermal 3{2}	-0.25	0.07	0.00	0.00	0.00	0.00
	Pressure 1{2}	13.06	1.85	0.08	-0.03	0.00	0.02
	GT3{2}	-0.29	-0.42	0.04	-0.02	0.00	0.00
	Hydrotest-NL{2}	12.77	1.43	0.13	-0.04	0.00	0.02
+1	Gravity{1}	-0.02	-0.23	0.02	-0.01	0.00	0.00
	Thermal 1{1}	37.60	6.99	-0.01	0.00	0.00	0.06
	Thermal 2{1}	-4.29	-0.01	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.29	0.03	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	42.96	9.01	0.01	0.00	0.00	0.07
	Pressure 2{1}	6.12	0.01	0.00	0.00	0.00	0.00
	Pressure 3{1}	7.80	0.64	0.00	0.00	0.00	0.01
	GT1{1}	37.58	6.75	0.02	0.00	0.00	0.06
	GT2{1}	-4.31	-0.24	0.02	-0.01	0.00	0.00
	GT3{1}	-0.31	-0.20	0.02	-0.01	0.00	0.00
	GW1{1}	-0.02	-0.23	0.02	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.24	0.03	-0.01	0.00	0.00
	GW3{1}	-0.02	-0.23	0.02	-0.01	0.00	0.00
	GW4{1}	-0.02	-0.23	0.03	-0.01	0.00	0.00
	GT1P1{1}	80.54	15.77	0.03	-0.01	0.00	0.13
	GT2P2{1}	1.81	-0.23	0.02	0.00	0.00	0.00
	GT3P3{1}	7.49	0.44	0.02	0.00	0.00	0.01
	Gravity{2}	-0.04	-0.50	0.05	-0.01	0.00	0.00
	Thermal 3{2}	-0.25	0.07	0.00	0.00	0.00	0.00
	Pressure 1{2}	13.16	2.02	0.10	-0.03	0.00	0.02
	GT3{2}	-0.29	-0.43	0.05	-0.02	0.00	0.00
	Hydrotest-NL{2}	12.87	1.59	0.14	-0.04	0.00	0.02
+2	Gravity{1}	-0.02	-0.24	0.03	-0.01	0.00	0.00
	Thermal 1{1}	37.78	7.50	-0.01	0.00	0.00	0.06
	Thermal 2{1}	-4.34	-0.02	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.30	0.03	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	43.04	9.58	0.02	0.00	0.00	0.07
	Pressure 2{1}	6.19	0.04	0.00	0.00	0.00	0.00
	Pressure 3{1}	7.88	0.74	0.00	0.00	0.00	0.01
	GT1{1}	37.76	7.25	0.02	0.00	0.00	0.06
	GT2{1}	-4.36	-0.26	0.03	-0.01	0.00	0.00
	GT3{1}	-0.32	-0.21	0.03	-0.01	0.00	0.00
	GW1{1}	-0.02	-0.24	0.03	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.24	0.03	-0.01	0.00	0.00
	GW3{1}	-0.02	-0.24	0.02	-0.01	0.00	0.00
	GW4{1}	-0.02	-0.24	0.03	-0.01	0.00	0.00
	GT1P1{1}	80.80	16.84	0.04	-0.01	0.00	0.13
	GT2P2{1}	1.83	-0.23	0.03	0.00	0.00	0.00
	GT3P3{1}	7.56	0.53	0.03	0.00	0.00	0.01
	Gravity{2}	-0.04	-0.52	0.06	-0.01	0.00	0.00
	Thermal 3{2}	-0.26	0.08	-0.01	0.00	0.00	0.00
	Pressure 1{2}	13.26	2.20	0.11	-0.03	0.00	0.02
	GT3{2}	-0.29	-0.45	0.05	-0.02	0.00	0.00
	Hydrotest-NL{2}	12.97	1.75	0.16	-0.04	0.00	0.02
+3	Gravity{1}	-0.02	-0.25	0.03	-0.01	0.00	0.00
	Thermal 1{1}	37.96	8.00	-0.01	0.00	0.00	0.06
	Thermal 2{1}	-4.40	-0.04	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.30	0.04	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	43.13	10.15	0.02	0.00	0.00	0.07
	Pressure 2{1}	6.27	0.07	0.00	0.00	0.00	0.00
	Pressure 3{1}	7.96	0.84	0.00	0.00	0.00	0.01

	GT1{1}	37.94	7.75	0.02	0.00	0.00	0.06
	GT2{1}	-4.42	-0.29	0.03	-0.01	0.00	0.00
	GT3{1}	-0.32	-0.22	0.03	-0.01	0.00	0.00
	GW1{1}	-0.02	-0.25	0.03	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.26	0.03	-0.01	0.00	0.00
	GW3{1}	-0.02	-0.25	0.03	-0.01	0.00	0.00
	GW4{1}	-0.02	-0.25	0.03	-0.01	0.00	0.00
	GT1P1{1}	81.06	17.89	0.04	-0.01	0.00	0.13
	GT2P2{1}	1.86	-0.23	0.03	0.00	0.00	0.00
	GT3P3{1}	7.64	0.62	0.03	0.00	0.00	0.01
	Gravity{2}	-0.04	-0.54	0.06	-0.01	0.00	0.00
	Thermal 3{2}	-0.26	0.08	-0.01	0.00	0.00	0.00
	Pressure 1{2}	13.36	2.38	0.12	-0.03	0.00	0.02
	GT3{2}	-0.30	-0.46	0.06	-0.02	0.00	0.00
	Hydrotest-NL{2}	13.06	1.91	0.18	-0.04	0.00	0.02
A02 N	Gravity{1}	-0.02	-0.27	0.03	-0.01	0.00	0.00
	Thermal 1{1}	38.13	8.49	-0.01	0.00	0.00	0.06
	Thermal 2{1}	-4.45	-0.06	0.00	0.00	0.00	0.00
	Thermal 3{1}	-0.31	0.03	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	43.21	10.70	0.02	0.00	0.00	0.07
	Pressure 2{1}	6.35	0.10	0.01	0.00	0.00	0.01
	Pressure 3{1}	8.04	0.95	0.00	0.00	0.00	0.01
	GT1{1}	38.12	8.23	0.03	0.00	0.00	0.06
	GT2{1}	-4.47	-0.33	0.03	-0.01	0.00	0.00
	GT3{1}	-0.33	-0.23	0.03	-0.01	0.00	0.00
	GW1{1}	-0.02	-0.26	0.03	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.27	0.04	-0.01	0.00	0.00
	GW3{1}	-0.02	-0.27	0.03	-0.01	0.00	0.00
	GW4{1}	-0.02	-0.27	0.04	-0.01	0.00	0.00
	GT1P1{1}	81.33	18.93	0.05	-0.01	0.00	0.13
	GT2P2{1}	1.88	-0.22	0.04	0.00	0.00	0.00
	GT3P3{1}	7.71	0.72	0.03	0.00	0.00	0.01
	Gravity{2}	-0.04	-0.57	0.07	-0.01	0.00	0.00
	Thermal 3{2}	-0.26	0.08	-0.01	0.00	0.00	0.00
	Pressure 1{2}	13.46	2.56	0.14	-0.03	0.00	0.02
	GT3{2}	-0.30	-0.48	0.06	-0.02	0.00	0.00
	Hydrotest-NL{2}	13.16	2.08	0.20	-0.04	0.00	0.02
+1	Gravity{1}	-0.02	-0.27	0.03	-0.01	0.00	0.00
	Thermal 1{1}	38.20	8.71	-0.01	0.00	0.00	0.05
	Thermal 2{1}	-4.47	-0.08	0.00	0.00	0.00	-0.01
	Thermal 3{1}	-0.31	0.03	-0.01	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	43.23	10.94	0.02	0.00	0.00	0.06
	Pressure 2{1}	6.38	0.14	0.01	0.00	0.00	0.01
	Pressure 3{1}	8.07	1.00	0.01	0.00	0.00	0.01
	GT1{1}	38.18	8.43	0.03	0.00	0.00	0.04
	GT2{1}	-4.49	-0.35	0.03	-0.01	0.00	-0.01
	GT3{1}	-0.33	-0.24	0.03	-0.01	0.00	0.00
	GW1{1}	-0.02	-0.27	0.03	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.28	0.04	-0.01	0.00	0.00
	GW3{1}	-0.02	-0.27	0.03	-0.01	0.00	0.00
	GW4{1}	-0.02	-0.27	0.04	-0.01	0.00	0.00
	GT1P1{1}	81.42	19.38	0.05	-0.01	0.00	0.10
	GT2P2{1}	1.89	-0.22	0.04	0.00	0.00	0.00
	GT3P3{1}	7.74	0.76	0.04	0.00	0.00	0.01
	Gravity{2}	-0.04	-0.58	0.07	-0.01	0.00	-0.01
	Thermal 3{2}	-0.26	0.08	-0.01	0.00	0.00	0.00
	Pressure 1{2}	13.51	2.66	0.14	-0.03	0.00	0.03
	GT3{2}	-0.30	-0.50	0.06	-0.02	0.00	-0.01
	Hydrotest-NL{2}	13.20	2.15	0.20	-0.04	0.00	0.02
A02 F	Gravity{1}	-0.02	-0.29	0.03	-0.01	0.00	0.00
	Thermal 1{1}	38.25	8.88	0.00	0.00	0.00	0.03
	Thermal 2{1}	-4.49	-0.11	-0.01	0.00	0.00	-0.01
	Thermal 3{1}	-0.31	0.03	-0.01	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	43.23	11.14	0.02	0.00	0.00	0.04
	Pressure 2{1}	6.41	0.19	0.02	0.00	0.00	0.01
	Pressure 3{1}	8.09	1.07	0.01	0.00	0.00	0.02
	GT1{1}	38.23	8.60	0.03	0.00	0.00	0.03
	GT2{1}	-4.51	-0.40	0.02	-0.01	0.00	-0.01
	GT3{1}	-0.32	-0.26	0.02	-0.01	0.00	-0.01
	GW1{1}	-0.01	-0.28	0.03	-0.01	0.00	0.00
	GW2{1}	-0.02	-0.29	0.03	-0.01	0.00	0.00
	GW3{1}	-0.02	-0.29	0.03	-0.01	0.00	0.00
	GW4{1}	-0.02	-0.29	0.03	-0.01	0.00	0.00
	GT1P1{1}	81.46	19.73	0.05	-0.01	0.00	0.07
	GT2P2{1}	1.90	-0.21	0.04	0.00	0.00	0.00
	GT3P3{1}	7.77	0.81	0.04	0.00	0.00	0.01
	Gravity{2}	-0.03	-0.61	0.07	-0.01	0.00	-0.01
	Thermal 3{2}	-0.26	0.07	-0.01	0.00	0.00	0.00
	Pressure 1{2}	13.53	2.77	0.12	-0.03	0.00	0.03
	GT3{2}	-0.30	-0.53	0.05	-0.02	0.00	-0.01
	Hydrotest-NL{2}	13.23	2.23	0.17	-0.04	0.00	0.02
+1	Gravity{1}	-0.01	-0.32	0.02	-0.01	0.00	0.00
	Thermal 1{1}	38.35	9.20	0.01	0.00	0.00	0.03
	Thermal 2{1}	-4.52	-0.20	-0.02	0.00	0.00	-0.01
	Thermal 3{1}	-0.31	0.01	-0.01	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.01	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.01	0.00	0.00	0.00
	Pressure 1{1}	43.21	11.49	0.01	0.00	0.00	0.04
	Pressure 2{1}	6.45	0.32	0.03	0.00	0.00	0.01
	Pressure 3{1}	8.13	1.23	0.02	0.00	0.00	0.01

	GT1{1}	38.34	8.88	0.02	0.00	0.00	0.02
	GT2{1}	-4.53	-0.51	0.00	-0.01	0.00	-0.01
	GT3{1}	-0.31	-0.31	0.01	-0.01	0.00	-0.01
	GW1{1}	0.00	-0.32	0.02	-0.01	0.00	0.00
	GW2{1}	-0.01	-0.32	0.02	-0.01	0.00	0.00
	GW3{1}	-0.01	-0.32	0.03	-0.01	0.00	0.00
	GW4{1}	-0.01	-0.32	0.01	-0.01	0.00	0.00
	GT1P1{1}	81.55	20.38	0.04	-0.01	0.00	0.06
	GT2P2{1}	1.92	-0.19	0.04	0.00	0.00	0.00
	GT3P3{1}	7.82	0.92	0.03	0.00	0.00	0.01
	Gravity{2}	-0.01	-0.67	0.04	-0.01	0.00	-0.01
	Thermal 3{2}	-0.26	0.05	-0.02	0.00	0.00	0.00
	Pressure 1{2}	13.57	3.01	0.08	-0.03	0.00	0.03
	GT3{2}	-0.28	-0.62	0.02	-0.02	0.00	-0.01
	Hydrotest-NL{2}	13.29	2.40	0.10	-0.04	0.00	0.02
+2	Gravity{1}	0.00	-0.35	0.01	-0.01	0.00	0.00
	Thermal 1{1}	38.46	9.47	0.02	0.00	0.00	0.02
	Thermal 2{1}	-4.55	-0.28	-0.02	0.00	0.00	-0.01
	Thermal 3{1}	-0.31	0.00	-0.02	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.01	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.01	0.00	0.00	0.00
	Pressure 1{1}	43.20	11.81	0.01	0.00	0.00	0.03
	Pressure 2{1}	6.50	0.45	0.05	0.00	0.00	0.01
	Pressure 3{1}	8.17	1.37	0.04	0.00	0.00	0.01
	GT1{1}	38.47	9.12	0.02	0.00	0.00	0.02
	GT2{1}	-4.55	-0.63	-0.02	-0.01	0.00	-0.01
	GT3{1}	-0.30	-0.36	-0.01	-0.01	0.00	-0.01
	GW1{1}	0.01	-0.35	0.01	-0.01	0.00	0.00
	GW2{1}	0.00	-0.35	0.01	-0.01	0.00	0.00
	GW3{1}	0.00	-0.35	0.02	-0.01	0.00	0.00
	GW4{1}	0.00	-0.35	0.00	-0.01	0.00	0.00
	GT1P1{1}	81.67	20.94	0.03	-0.01	0.00	0.05
	GT2P2{1}	1.95	-0.18	0.03	0.00	0.00	0.00
	GT3P3{1}	7.87	1.02	0.03	0.00	0.00	0.01
	Gravity{2}	0.01	-0.73	0.02	-0.01	0.00	-0.01
	Thermal 3{2}	-0.26	0.02	-0.03	0.00	0.00	0.00
	Pressure 1{2}	13.60	3.26	0.03	-0.03	0.00	0.03
	GT3{2}	-0.25	-0.70	-0.01	-0.02	0.00	-0.01
	Hydrotest-NL{2}	13.35	2.55	0.02	-0.04	0.00	0.01
+3	Gravity{1}	0.02	-0.39	0.00	-0.01	0.00	0.00
	Thermal 1{1}	38.59	9.69	0.02	0.00	0.00	0.02
	Thermal 2{1}	-4.59	-0.36	-0.03	0.00	0.00	-0.01
	Thermal 3{1}	-0.31	-0.02	-0.02	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.02	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.02	0.00	0.00	0.00
	Pressure 1{1}	43.21	12.09	0.00	0.00	0.00	0.03
	Pressure 2{1}	6.54	0.58	0.07	0.00	0.00	0.01
	Pressure 3{1}	8.22	1.51	0.05	0.00	0.00	0.01
	GT1{1}	38.61	9.31	0.02	0.00	0.00	0.01
	GT2{1}	-4.57	-0.75	-0.04	-0.01	0.00	-0.01
	GT3{1}	-0.29	-0.41	-0.02	-0.01	0.00	-0.01
	GW1{1}	0.02	-0.39	-0.01	-0.01	0.00	0.00
	GW2{1}	0.01	-0.39	0.00	-0.01	0.00	0.00
	GW3{1}	0.02	-0.39	0.01	-0.01	0.00	0.00
	GW4{1}	0.01	-0.39	-0.02	-0.01	0.00	0.00
	GT1P1{1}	81.82	21.40	0.02	-0.01	0.00	0.04
	GT2P2{1}	1.97	-0.17	0.03	0.00	0.00	0.00
	GT3P3{1}	7.93	1.10	0.03	0.00	0.00	0.01
	Gravity{2}	0.03	-0.80	-0.01	-0.01	0.00	-0.01
	Thermal 3{2}	-0.25	0.00	-0.03	0.00	0.00	0.00
	Pressure 1{2}	13.64	3.49	-0.02	-0.03	0.00	0.02
	GT3{2}	-0.23	-0.80	-0.04	-0.02	0.00	-0.01
	Hydrotest-NL{2}	13.42	2.69	-0.06	-0.04	0.00	0.01
A03	Gravity{1}	0.03	-0.43	-0.02	-0.01	0.00	-0.01
	Thermal 1{1}	38.74	9.85	0.03	0.00	0.00	0.01
	Thermal 2{1}	-4.62	-0.44	-0.04	0.00	0.00	-0.01
	Thermal 3{1}	-0.31	-0.04	-0.03	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.03	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.02	0.00	0.00	0.00
	Pressure 1{1}	43.23	12.32	0.00	0.00	0.00	0.02
	Pressure 2{1}	6.59	0.70	0.08	0.00	0.00	0.01
	Pressure 3{1}	8.27	1.63	0.06	0.00	0.00	0.01
	GT1{1}	38.77	9.43	0.02	0.00	0.00	0.00
	GT2{1}	-4.60	-0.86	-0.06	-0.01	0.00	-0.01
	GT3{1}	-0.28	-0.46	-0.04	-0.01	0.00	-0.01
	GW1{1}	0.03	-0.43	-0.02	-0.01	0.00	-0.01
	GW2{1}	0.03	-0.43	-0.01	-0.01	0.00	0.00
	GW3{1}	0.03	-0.43	0.01	-0.01	0.00	-0.01
	GW4{1}	0.03	-0.43	-0.04	-0.01	0.00	-0.01
	GT1P1{1}	82.00	21.75	0.01	-0.01	0.00	0.03
	GT2P2{1}	2.00	-0.16	0.03	0.00	0.00	0.00
	GT3P3{1}	7.99	1.17	0.02	0.00	0.00	0.00
	Gravity{2}	0.05	-0.87	-0.03	-0.01	0.00	-0.01
	Thermal 3{2}	-0.25	-0.03	-0.04	0.00	0.00	0.00
	Pressure 1{2}	13.69	3.72	-0.06	-0.03	0.00	0.02
	GT3{2}	-0.20	-0.90	-0.08	-0.02	0.00	-0.01
	Hydrotest-NL{2}	13.49	2.82	-0.14	-0.04	0.00	0.01
+1	Gravity{1}	0.04	-0.46	-0.03	-0.01	0.00	-0.01
	Thermal 1{1}	38.89	9.94	0.04	0.00	0.00	0.00
	Thermal 2{1}	-4.66	-0.50	-0.05	0.00	0.00	-0.01
	Thermal 3{1}	-0.31	-0.05	-0.03	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.03	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.03	0.00	0.00	0.00
	Pressure 1{1}	43.26	12.49	-0.01	0.00	0.00	0.02
	Pressure 2{1}	6.64	0.79	0.10	0.00	0.00	0.01
	Pressure 3{1}	8.32	1.72	0.08	0.00	0.00	0.01

	GT1{1}	38.93	9.47	0.02	0.00	0.00	0.00
	GT2{1}	-4.62	-0.96	-0.07	-0.01	0.00	-0.01
	GT3{1}	-0.27	-0.52	-0.06	-0.01	0.00	-0.01
	GW1{1}	0.04	-0.46	-0.03	-0.01	0.00	-0.01
	GW2{1}	0.04	-0.46	-0.02	-0.01	0.00	-0.01
	GW3{1}	0.04	-0.46	0.01	-0.01	0.00	-0.01
	GW4{1}	0.04	-0.46	-0.05	-0.01	0.00	-0.01
	GT1P1{1}	82.19	21.97	0.01	-0.01	0.00	0.01
	GT2P2{1}	2.03	-0.17	0.03	0.00	0.00	0.00
	GT3P3{1}	8.06	1.21	0.02	0.00	0.00	0.00
	Gravity{2}	0.07	-0.94	-0.05	-0.01	0.00	-0.01
	Thermal 3{2}	-0.24	-0.05	-0.05	0.00	0.00	0.00
	Pressure 1{2}	13.73	3.92	-0.10	-0.03	0.00	0.02
	GT3{2}	-0.17	-0.99	-0.10	-0.02	0.00	-0.01
	Hydrotest-NL{2}	13.56	2.92	-0.21	-0.04	0.00	0.01
+2	Gravity{1}	0.05	-0.50	-0.04	-0.01	0.00	-0.01
	Thermal 1{1}	39.06	9.97	0.05	0.00	0.00	-0.01
	Thermal 2{1}	-4.69	-0.55	-0.06	0.00	0.00	-0.01
	Thermal 3{1}	-0.30	-0.07	-0.03	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.04	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.03	0.00	0.00	0.00
	Pressure 1{1}	43.30	12.62	-0.01	0.00	0.00	0.01
	Pressure 2{1}	6.70	0.88	0.11	0.00	0.00	0.01
	Pressure 3{1}	8.38	1.80	0.09	0.00	0.00	0.01
	GT1{1}	39.12	9.47	0.02	0.00	0.00	-0.01
	GT2{1}	-4.64	-1.06	-0.09	-0.01	0.00	-0.01
	GT3{1}	-0.25	-0.57	-0.07	-0.01	0.00	-0.01
	GW1{1}	0.05	-0.50	-0.04	-0.01	0.00	-0.01
	GW2{1}	0.05	-0.50	-0.03	-0.01	0.00	-0.01
	GW3{1}	0.05	-0.50	0.00	-0.01	0.00	-0.01
	GW4{1}	0.05	-0.50	-0.07	-0.01	0.00	-0.01
	GT1P1{1}	82.42	22.09	0.00	-0.01	0.00	0.00
	GT2P2{1}	2.06	-0.18	0.02	0.00	0.00	0.00
	GT3P3{1}	8.13	1.23	0.02	0.00	0.00	0.00
	Gravity{2}	0.09	-1.01	-0.08	-0.01	0.00	-0.01
	Thermal 3{2}	-0.24	-0.07	-0.06	0.00	0.00	0.00
	Pressure 1{2}	13.77	4.10	-0.14	-0.03	0.00	0.02
	GT3{2}	-0.15	-1.09	-0.13	-0.02	0.00	-0.01
	Hydrotest-NL{2}	13.63	3.02	-0.28	-0.04	0.00	0.01
+3	Gravity{1}	0.06	-0.54	-0.05	-0.01	0.00	-0.01
	Thermal 1{1}	39.25	9.95	0.06	0.00	0.00	-0.01
	Thermal 2{1}	-4.73	-0.60	-0.06	0.00	0.00	0.00
	Thermal 3{1}	-0.30	-0.08	-0.04	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.04	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.04	0.00	0.00	0.00
	Pressure 1{1}	43.35	12.72	-0.02	0.00	0.00	0.01
	Pressure 2{1}	6.75	0.96	0.13	0.00	0.00	0.01
	Pressure 3{1}	8.44	1.87	0.10	0.00	0.00	0.00
	GT1{1}	39.32	9.41	0.01	0.00	0.00	-0.02
	GT2{1}	-4.67	-1.15	-0.11	-0.01	0.00	-0.01
	GT3{1}	-0.24	-0.62	-0.09	-0.01	0.00	-0.01
	GW1{1}	0.07	-0.54	-0.05	-0.01	0.00	-0.01
	GW2{1}	0.06	-0.54	-0.04	-0.01	0.00	-0.01
	GW3{1}	0.06	-0.54	0.00	-0.01	0.00	-0.01
	GW4{1}	0.06	-0.54	-0.09	-0.01	0.00	-0.01
	GT1P1{1}	82.67	22.13	-0.01	-0.01	0.00	-0.01
	GT2P2{1}	2.09	-0.19	0.02	0.00	0.00	0.00
	GT3P3{1}	8.20	1.24	0.02	0.00	0.00	0.00
	Gravity{2}	0.12	-1.09	-0.10	-0.01	0.00	-0.01
	Thermal 3{2}	-0.24	-0.10	-0.06	0.00	0.00	0.00
	Pressure 1{2}	13.82	4.29	-0.18	-0.03	0.00	0.02
	GT3{2}	-0.12	-1.19	-0.16	-0.02	0.00	-0.01
	Hydrotest-NL{2}	13.70	3.10	-0.34	-0.04	0.00	0.01
+4	Gravity{1}	0.08	-0.58	-0.06	-0.01	0.00	-0.01
	Thermal 1{1}	39.46	9.88	0.07	0.00	0.00	-0.02
	Thermal 2{1}	-4.77	-0.65	-0.07	0.00	0.00	0.00
	Thermal 3{1}	-0.30	-0.09	-0.04	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.05	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.05	0.00	0.00	0.00
	Pressure 1{1}	43.42	12.77	-0.03	0.00	0.00	0.00
	Pressure 2{1}	6.82	1.02	0.15	0.00	0.00	0.01
	Pressure 3{1}	8.51	1.91	0.12	0.00	0.00	0.00
	GT1{1}	39.53	9.29	0.01	0.00	0.00	-0.03
	GT2{1}	-4.70	-1.23	-0.13	-0.01	0.00	-0.01
	GT3{1}	-0.23	-0.68	-0.10	-0.01	0.00	-0.01
	GW1{1}	0.08	-0.59	-0.06	-0.01	0.00	-0.01
	GW2{1}	0.07	-0.58	-0.05	-0.01	0.00	-0.01
	GW3{1}	0.08	-0.58	-0.01	-0.01	0.00	-0.01
	GW4{1}	0.08	-0.58	-0.10	-0.01	0.00	-0.01
	GT1P1{1}	82.95	22.07	-0.01	-0.01	0.00	-0.02
	GT2P2{1}	2.12	-0.21	0.02	0.00	0.00	0.00
	GT3P3{1}	8.28	1.24	0.02	0.00	0.00	0.00
	Gravity{2}	0.14	-1.17	-0.12	-0.01	0.00	-0.01
	Thermal 3{2}	-0.23	-0.12	-0.07	0.00	0.00	0.00
	Pressure 1{2}	13.87	4.46	-0.22	-0.03	0.00	0.02
	GT3{2}	-0.09	-1.29	-0.19	-0.02	0.00	-0.01
	Hydrotest-NL{2}	13.78	3.17	-0.41	-0.04	0.00	0.01
A04	Gravity{1}	0.09	-0.63	-0.07	-0.01	0.00	-0.01
	Thermal 1{1}	39.68	9.75	0.08	0.00	0.00	-0.03
	Thermal 2{1}	-4.82	-0.68	-0.08	0.00	0.00	0.00
	Thermal 3{1}	-0.30	-0.11	-0.05	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	-0.01	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.01	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.06	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.05	0.00	0.00	0.00
	Pressure 1{1}	43.50	12.79	-0.03	0.00	0.00	0.00
	Pressure 2{1}	6.88	1.08	0.17	0.00	0.00	0.00
	Pressure 3{1}	8.58	1.95	0.13	0.00	0.00	0.00

	GT1{1}	39.77	9.13	0.01	0.00	0.00	-0.03
	GT2{1}	-4.73	-1.31	-0.15	-0.01	0.00	-0.01
	GT3{1}	-0.21	-0.73	-0.12	-0.01	0.00	-0.01
	GW1{1}	0.09	-0.63	-0.07	-0.01	0.00	-0.01
	GW2{1}	0.09	-0.62	-0.06	-0.01	0.00	-0.01
	GW3{1}	0.09	-0.63	-0.01	-0.01	0.00	-0.01
	GW4{1}	0.09	-0.63	-0.12	-0.01	0.00	-0.01
	GT1P1{1}	83.27	21.92	-0.02	-0.01	0.00	-0.04
	GT2P2{1}	2.15	-0.23	0.02	0.00	0.00	0.00
	GT3P3{1}	8.36	1.22	0.01	0.00	0.00	-0.01
	Gravity{2}	0.17	-1.24	-0.14	-0.01	0.00	-0.01
	Thermal 3{2}	-0.23	-0.15	-0.08	0.00	0.00	0.00
	Pressure 1{2}	13.92	4.63	-0.27	-0.03	0.00	0.02
	GT3{2}	-0.06	-1.39	-0.22	-0.02	0.00	-0.01
	Hydrotest-NL{2}	13.86	3.24	-0.48	-0.04	0.00	0.01
A05 N	Gravity{1}	0.17	-0.88	-0.17	-0.01	0.00	0.00
	Thermal 1{1}	42.33	6.85	0.15	0.00	0.00	-0.06
	Thermal 2{1}	-5.32	-0.75	-0.16	0.00	0.00	0.00
	Thermal 3{1}	-0.32	-0.19	-0.10	0.00	0.00	0.00
	Wind 1{1}	0.01	-0.01	-0.01	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.01	0.01	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.13	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.11	0.00	0.00	0.00
	Pressure 1{1}	44.68	11.60	-0.09	0.00	0.00	-0.04
	Pressure 2{1}	7.65	1.16	0.33	0.00	0.00	-0.01
	Pressure 3{1}	9.43	1.74	0.26	0.00	0.00	-0.01
	GT1{1}	42.50	5.98	-0.01	0.00	0.00	-0.06
	GT2{1}	-5.15	-1.63	-0.33	-0.01	0.00	0.00
	GT3{1}	-0.15	-1.07	-0.26	-0.01	0.00	0.00
	GW1{1}	0.18	-0.89	-0.18	-0.01	0.00	0.00
	GW2{1}	0.17	-0.87	-0.16	-0.01	0.00	0.00
	GW3{1}	0.17	-0.88	-0.04	-0.01	0.00	0.00
	GW4{1}	0.17	-0.88	-0.28	-0.01	0.00	0.00
	GT1P1{1}	87.18	17.58	-0.10	-0.01	0.00	-0.10
	GT2P2{1}	2.49	-0.47	0.01	0.00	0.00	0.00
	GT3P3{1}	9.28	0.67	0.00	0.00	0.00	-0.01
	Gravity{2}	0.30	-1.67	-0.35	-0.01	0.00	0.00
	Thermal 3{2}	-0.21	-0.32	-0.15	0.00	0.00	0.00
	Pressure 1{2}	14.51	5.93	-0.66	-0.03	0.00	0.01
	GT3{2}	0.09	-1.99	-0.50	-0.02	0.00	0.00
	Hydrotest-NL{2}	14.60	3.94	-1.16	-0.04	0.00	0.01
A05 F	Gravity{1}	0.17	-0.86	-0.17	-0.01	0.00	0.01
	Thermal 1{1}	42.58	6.37	0.16	0.00	0.00	-0.07
	Thermal 2{1}	-5.38	-0.71	-0.17	0.00	0.00	0.01
	Thermal 3{1}	-0.32	-0.19	-0.10	0.00	0.00	0.00
	Wind 1{1}	0.01	-0.01	-0.01	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.01	0.01	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.13	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.12	0.00	0.00	0.00
	Pressure 1{1}	44.81	11.27	-0.09	0.00	0.00	-0.06
	Pressure 2{1}	7.73	1.11	0.34	0.00	0.00	-0.01
	Pressure 3{1}	9.53	1.64	0.27	0.00	0.00	-0.02
	GT1{1}	42.75	5.51	-0.01	0.00	0.00	-0.07
	GT2{1}	-5.21	-1.57	-0.33	-0.01	0.00	0.01
	GT3{1}	-0.16	-1.05	-0.27	-0.01	0.00	0.01
	GW1{1}	0.17	-0.87	-0.18	-0.01	0.00	0.01
	GW2{1}	0.16	-0.85	-0.16	-0.01	0.00	0.01
	GW3{1}	0.17	-0.86	-0.04	-0.01	0.00	0.01
	GW4{1}	0.17	-0.86	-0.29	-0.01	0.00	0.01
	GT1P1{1}	87.56	16.79	-0.10	-0.01	0.00	-0.12
	GT2P2{1}	2.52	-0.47	0.01	-0.01	0.00	0.00
	GT3P3{1}	9.37	0.60	0.00	0.00	0.00	-0.01
	Gravity{2}	0.30	-1.63	-0.35	-0.01	0.00	0.01
	Thermal 3{2}	-0.21	-0.31	-0.16	0.00	0.00	0.00
	Pressure 1{2}	14.60	6.00	-0.67	-0.03	0.00	0.00
	GT3{2}	0.09	-1.94	-0.51	-0.02	0.00	0.01
	Hydrotest-NL{2}	14.68	4.06	-1.18	-0.04	0.00	0.02
A06	Gravity{1}	0.17	-0.70	-0.15	-0.01	0.00	0.01
	Thermal 1{1}	43.11	4.73	0.14	0.00	0.00	-0.07
	Thermal 2{1}	-5.55	-0.53	-0.17	0.00	0.00	0.01
	Thermal 3{1}	-0.34	-0.14	-0.11	0.00	0.00	0.00
	Wind 1{1}	0.01	-0.01	-0.01	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.01	0.01	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.14	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.13	0.00	0.00	0.00
	Pressure 1{1}	45.06	9.95	-0.09	0.00	0.00	-0.06
	Pressure 2{1}	7.98	0.82	0.36	0.00	0.00	-0.01
	Pressure 3{1}	9.77	1.21	0.27	0.00	0.00	-0.02
	GT1{1}	43.28	4.03	-0.01	0.00	0.00	-0.06
	GT2{1}	-5.38	-1.23	-0.33	-0.01	0.00	0.02
	GT3{1}	-0.17	-0.84	-0.26	-0.01	0.00	0.01
	GW1{1}	0.17	-0.70	-0.16	-0.01	0.00	0.01
	GW2{1}	0.16	-0.69	-0.14	-0.01	0.00	0.01
	GW3{1}	0.17	-0.70	-0.01	-0.01	0.00	0.01
	GW4{1}	0.17	-0.70	-0.28	-0.01	0.00	0.01
	GT1P1{1}	88.34	13.98	-0.10	-0.01	0.00	-0.12
	GT2P2{1}	2.60	-0.41	0.03	-0.01	0.00	0.00
	GT3P3{1}	9.60	0.37	0.01	0.00	0.00	-0.01
	Gravity{2}	0.30	-1.30	-0.32	-0.01	0.00	0.02
	Thermal 3{2}	-0.22	-0.25	-0.17	0.00	0.00	0.00
	Pressure 1{2}	14.90	6.06	-0.60	-0.03	0.00	0.00
	GT3{2}	0.07	-1.55	-0.49	-0.02	0.00	0.02
	Hydrotest-NL{2}	14.98	4.51	-1.09	-0.04	0.00	0.02
A07	Gravity{1}	0.17	-0.47	-0.13	-0.01	0.00	0.01
	Thermal 1{1}	43.73	2.94	0.12	0.00	0.00	-0.06
	Thermal 2{1}	-5.74	-0.32	-0.18	0.00	0.00	0.01
	Thermal 3{1}	-0.35	-0.09	-0.11	0.00	0.00	0.00
	Wind 1{1}	0.01	0.00	-0.01	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.00	0.01	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.15	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.14	0.00	0.00	0.00
	Pressure 1{1}	45.34	8.31	-0.10	0.00	0.00	-0.06
	Pressure 2{1}	8.26	0.50	0.37	0.00	0.00	-0.01
	Pressure 3{1}	10.05	0.73	0.27	0.00	0.00	-0.02

	GT1{1}	43.90	2.48	-0.01	0.00	0.00	-0.05
	GT2{1}	-5.57	-0.79	-0.31	-0.01	0.00	0.02
	GT3{1}	-0.18	-0.56	-0.25	-0.01	0.00	0.01
	GW1{1}	0.17	-0.47	-0.15	-0.01	0.00	0.01
	GW2{1}	0.16	-0.46	-0.12	-0.01	0.00	0.01
	GW3{1}	0.17	-0.46	0.02	-0.01	0.00	0.01
	GW4{1}	0.17	-0.47	-0.27	-0.01	0.00	0.01
	GT1P1{1}	89.25	10.79	-0.11	-0.01	0.00	-0.11
	GT2P2{1}	2.70	-0.29	0.05	-0.01	0.00	0.01
	GT3P3{1}	9.87	0.17	0.02	0.00	0.00	-0.01
	Gravity{2}	0.30	-0.84	-0.28	-0.01	0.00	0.02
	Thermal 3{2}	-0.24	-0.16	-0.18	0.00	0.00	0.00
	Pressure 1{2}	15.26	6.06	-0.53	-0.03	0.00	0.00
	GT3{2}	0.06	-1.00	-0.46	-0.02	0.00	0.02
	Hydrotest-NL{2}	15.32	5.07	-0.99	-0.04	0.00	0.02
A08	Gravity{1}	0.17	-0.08	-0.10	-0.01	0.00	0.00
	Thermal 1{1}	44.81	0.81	0.07	0.00	0.00	-0.03
	Thermal 2{1}	-6.06	-0.06	-0.18	0.00	0.00	0.00
	Thermal 3{1}	-0.38	-0.02	-0.12	0.00	0.00	0.00
	Wind 1{1}	0.01	0.00	-0.01	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.00	0.01	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.17	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.15	0.00	0.00	0.00
	Pressure 1{1}	45.84	5.50	-0.11	0.00	0.00	-0.06
	Pressure 2{1}	8.76	0.09	0.36	0.00	0.00	0.00
	Pressure 3{1}	10.54	0.13	0.25	0.00	0.00	-0.01
	GT1{1}	44.98	0.73	-0.03	0.00	0.00	-0.02
	GT2{1}	-5.90	-0.14	-0.28	-0.01	0.00	0.01
	GT3{1}	-0.21	-0.10	-0.22	-0.01	0.00	0.00
	GW1{1}	0.17	-0.08	-0.11	-0.01	0.00	0.00
	GW2{1}	0.16	-0.08	-0.09	-0.01	0.00	0.00
	GW3{1}	0.17	-0.08	0.07	-0.01	0.00	0.00
	GW4{1}	0.17	-0.08	-0.25	-0.01	0.00	0.00
	GT1P1{1}	90.82	6.22	-0.14	-0.01	0.00	-0.08
	GT2P2{1}	2.86	-0.05	0.08	-0.01	0.00	0.00
	GT3P3{1}	10.33	0.04	0.03	0.00	0.00	0.00
	Gravity{2}	0.30	-0.14	-0.21	-0.02	0.00	0.01
	Thermal 3{2}	-0.26	-0.03	-0.19	0.00	0.00	0.00
	Pressure 1{2}	15.89	5.93	-0.40	-0.03	0.00	0.00
	GT3{2}	0.04	-0.17	-0.40	-0.02	0.00	0.01
	Hydrotest-NL{2}	15.92	5.76	-0.80	-0.04	0.00	0.00
A08 M	Gravity{1}	0.17	0.00	-0.09	-0.01	0.00	0.00
	Thermal 1{1}	45.28	0.30	0.05	0.00	0.00	-0.03
	Thermal 2{1}	-6.21	0.00	-0.18	0.00	0.00	0.00
	Thermal 3{1}	-0.39	0.00	-0.12	0.00	0.00	0.00
	Wind 1{1}	0.01	0.00	-0.01	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.00	0.01	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.17	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.15	0.00	0.00	0.00
	Pressure 1{1}	45.85	4.34	-0.12	0.00	0.00	-0.06
	Pressure 2{1}	8.76	0.00	0.35	0.00	0.00	0.00
	Pressure 3{1}	10.54	0.00	0.23	0.00	0.00	-0.01
	GT1{1}	45.45	0.30	-0.04	0.00	0.00	-0.02
	GT2{1}	-6.04	0.00	-0.26	-0.01	0.00	0.01
	GT3{1}	-0.22	0.00	-0.20	-0.01	0.00	0.00
	GW1{1}	0.17	0.00	-0.10	-0.01	0.00	0.00
	GW2{1}	0.16	0.00	-0.07	-0.01	0.00	0.00
	GW3{1}	0.17	0.00	0.08	-0.01	0.00	0.00
	GW4{1}	0.17	0.00	-0.24	-0.01	0.00	0.00
	GT1P1{1}	91.30	4.64	-0.16	-0.01	0.00	-0.08
	GT2P2{1}	2.72	0.00	0.08	-0.01	0.00	0.00
	GT3P3{1}	10.32	0.00	0.03	0.00	0.00	0.00
	Gravity{2}	0.30	0.00	-0.18	-0.02	0.00	0.01
	Thermal 3{2}	-0.27	0.00	-0.19	0.00	0.00	0.00
	Pressure 1{2}	15.89	5.84	-0.34	-0.03	0.00	0.00
	GT3{2}	0.03	0.00	-0.37	-0.02	0.00	0.01
	Hydrotest-NL{2}	15.91	5.84	-0.71	-0.04	0.00	0.00
A09	Gravity{1}	0.17	0.08	-0.07	-0.01	0.00	0.00
	Thermal 1{1}	45.76	-0.20	0.02	0.00	0.00	-0.02
	Thermal 2{1}	-6.36	0.06	-0.17	0.00	0.00	0.00
	Thermal 3{1}	-0.41	0.02	-0.12	0.00	0.00	0.00
	Wind 1{1}	0.01	0.00	-0.01	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.00	0.01	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.17	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.16	0.00	0.00	0.00
	Pressure 1{1}	45.85	3.18	-0.13	0.00	0.00	-0.06
	Pressure 2{1}	8.76	-0.09	0.33	0.00	0.00	0.00
	Pressure 3{1}	10.55	-0.13	0.22	0.00	0.00	-0.01
	GT1{1}	45.93	-0.12	-0.05	0.00	0.00	-0.02
	GT2{1}	-6.19	0.14	-0.24	-0.01	0.00	0.01
	GT3{1}	-0.24	0.10	-0.19	-0.01	0.00	0.00
	GW1{1}	0.17	0.08	-0.08	-0.01	0.00	0.00
	GW2{1}	0.16	0.08	-0.06	-0.01	0.00	0.00
	GW3{1}	0.17	0.08	0.10	-0.01	0.00	0.00
	GW4{1}	0.17	0.08	-0.23	-0.01	0.00	0.00
	GT1P1{1}	91.77	3.06	-0.18	-0.01	0.00	-0.08
	GT2P2{1}	2.57	0.05	0.09	-0.01	0.00	0.00
	GT3P3{1}	10.31	-0.04	0.03	0.00	0.00	0.00
	Gravity{2}	0.30	0.14	-0.15	-0.02	0.00	0.01
	Thermal 3{2}	-0.29	0.03	-0.19	0.00	0.00	0.00
	Pressure 1{2}	15.89	5.75	-0.28	-0.03	0.00	0.00
	GT3{2}	0.01	0.17	-0.34	-0.02	0.00	0.01
	Hydrotest-NL{2}	15.90	5.91	-0.62	-0.04	0.00	0.00
A10	Gravity{1}	0.17	0.03	-0.03	-0.01	0.00	0.00
	Thermal 1{1}	47.12	-0.33	-0.08	0.00	0.00	0.01
	Thermal 2{1}	-6.77	0.05	-0.14	0.00	0.00	0.00
	Thermal 3{1}	-0.44	0.02	-0.10	0.00	0.00	0.00
	Wind 1{1}	0.01	0.00	-0.01	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.00	0.01	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.18	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.16	0.00	0.00	0.00
	Pressure 1{1}	46.48	0.63	-0.16	0.00	0.00	-0.03
	Pressure 2{1}	9.39	-0.08	0.25	0.00	0.00	0.00
	Pressure 3{1}	11.17	-0.12	0.13	0.00	0.00	0.00

	GT1{1}	47.29	-0.30	-0.11	0.00	0.00	0.01
	GT2{1}	-6.61	0.08	-0.17	-0.01	0.00	0.00
	GT3{1}	-0.27	0.04	-0.13	-0.01	0.00	0.00
	GW1{1}	0.17	0.03	-0.04	-0.01	0.00	0.00
	GW2{1}	0.16	0.03	-0.02	-0.01	0.00	0.00
	GW3{1}	0.17	0.03	0.15	-0.01	0.00	0.00
	GW4{1}	0.17	0.03	-0.19	-0.01	0.00	0.00
	GT1P1{1}	93.77	0.33	-0.28	-0.01	0.00	-0.02
	GT2P2{1}	2.78	0.00	0.08	-0.01	0.00	0.00
	GT3P3{1}	10.90	-0.08	0.00	-0.01	0.00	0.00
	Gravity{2}	0.30	0.03	-0.06	-0.02	0.00	0.00
	Thermal 3{2}	-0.31	0.03	-0.16	0.00	0.00	0.00
	Pressure 1{2}	16.68	5.39	-0.12	-0.03	0.00	-0.01
	GT3{2}	-0.02	0.06	-0.22	-0.02	0.00	0.00
	Hydrotest-NL{2}	16.66	5.44	-0.34	-0.04	-0.01	-0.01
A11	Gravity{1}	0.17	0.01	-0.01	-0.01	0.00	0.00
	Thermal 1{1}	47.62	-0.13	-0.13	0.00	0.00	0.01
	Thermal 2{1}	-6.93	0.02	-0.11	0.00	0.00	0.00
	Thermal 3{1}	-0.45	0.01	-0.09	0.00	0.00	0.00
	Wind 1{1}	0.01	0.00	-0.01	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.00	0.01	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.17	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.16	0.00	0.00	0.00
	Pressure 1{1}	46.71	0.22	-0.17	0.00	0.00	-0.01
	Pressure 2{1}	9.61	-0.03	0.20	0.00	0.00	0.00
	Pressure 3{1}	11.40	-0.05	0.08	0.00	0.00	0.00
	GT1{1}	47.79	-0.12	-0.14	0.00	0.00	0.01
	GT2{1}	-6.76	0.03	-0.12	-0.01	0.00	0.00
	GT3{1}	-0.28	0.01	-0.10	-0.01	0.00	0.00
	GW1{1}	0.17	0.01	-0.02	-0.01	0.00	0.00
	GW2{1}	0.16	0.01	0.00	-0.01	0.00	0.00
	GW3{1}	0.17	0.01	0.16	-0.01	0.00	0.00
	GW4{1}	0.17	0.01	-0.17	-0.01	0.00	0.00
	GT1P1{1}	94.50	0.10	-0.32	-0.01	0.00	-0.01
	GT2P2{1}	2.86	0.00	0.07	-0.01	0.00	0.00
	GT3P3{1}	11.11	-0.03	-0.01	-0.01	0.00	0.00
	Gravity{2}	0.30	0.01	-0.02	-0.02	0.00	0.00
	Thermal 3{2}	-0.33	0.01	-0.14	0.00	0.00	0.00
	Pressure 1{2}	16.97	5.21	-0.05	-0.03	0.00	-0.01
	GT3{2}	-0.03	0.02	-0.16	-0.02	0.00	0.00
	Hydrotest-NL{2}	16.94	5.23	-0.21	-0.04	-0.01	-0.01
A11 M	Gravity{1}	0.17	0.00	0.01	-0.01	0.00	0.00
	Thermal 1{1}	48.09	0.00	-0.18	0.00	0.00	0.01
	Thermal 2{1}	-7.07	0.00	-0.09	0.00	0.00	0.00
	Thermal 3{1}	-0.46	0.00	-0.07	0.00	0.00	0.00
	Wind 1{1}	0.01	0.00	-0.01	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.00	0.01	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.17	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.15	0.00	0.00	0.00
	Pressure 1{1}	46.71	0.00	-0.18	0.00	0.00	-0.01
	Pressure 2{1}	9.62	0.00	0.15	0.00	0.00	0.00
	Pressure 3{1}	11.40	0.00	0.04	0.00	0.00	0.00
	GT1{1}	48.26	0.00	-0.17	0.00	0.00	0.01
	GT2{1}	-6.90	0.00	-0.08	-0.01	0.00	0.00
	GT3{1}	-0.30	0.00	-0.06	-0.01	0.00	0.00
	GW1{1}	0.17	0.00	0.00	-0.01	0.00	0.00
	GW2{1}	0.16	0.00	0.02	-0.01	0.00	0.00
	GW3{1}	0.17	0.00	0.18	-0.01	0.00	0.00
	GW4{1}	0.17	0.00	-0.14	-0.01	0.00	0.00
	GT1P1{1}	94.98	0.00	-0.35	-0.01	0.00	-0.01
	GT2P2{1}	2.71	0.00	0.07	-0.01	0.00	0.00
	GT3P3{1}	11.10	0.00	-0.02	-0.01	0.00	0.00
	Gravity{2}	0.30	0.00	0.02	-0.02	0.00	0.00
	Thermal 3{2}	-0.34	0.00	-0.12	0.00	0.00	0.00
	Pressure 1{2}	16.97	5.04	0.01	-0.03	0.00	-0.01
	GT3{2}	-0.04	0.00	-0.10	-0.02	0.00	0.00
	Hydrotest-NL{2}	16.93	5.04	-0.08	-0.04	-0.01	-0.01
A12	Gravity{1}	0.17	-0.01	0.03	-0.01	0.00	0.00
	Thermal 1{1}	48.57	0.13	-0.23	0.00	0.00	0.01
	Thermal 2{1}	-7.22	-0.02	-0.07	0.00	0.00	0.00
	Thermal 3{1}	-0.48	-0.01	-0.06	0.00	0.00	0.00
	Wind 1{1}	0.01	0.00	-0.01	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.00	0.01	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.16	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.15	0.00	0.00	0.00
	Pressure 1{1}	46.72	-0.22	-0.18	0.00	0.00	-0.01
	Pressure 2{1}	9.62	0.03	0.10	0.00	0.00	0.00
	Pressure 3{1}	11.40	0.04	-0.01	0.00	0.00	0.00
	GT1{1}	48.74	0.12	-0.20	0.00	0.00	0.01
	GT2{1}	-7.05	-0.03	-0.04	-0.01	0.00	0.00
	GT3{1}	-0.31	-0.01	-0.03	-0.01	0.00	0.00
	GW1{1}	0.17	-0.01	0.02	-0.01	0.00	0.00
	GW2{1}	0.16	-0.01	0.04	-0.01	0.00	0.00
	GW3{1}	0.17	-0.01	0.19	-0.01	0.00	0.00
	GW4{1}	0.17	-0.01	-0.12	-0.01	0.00	0.00
	GT1P1{1}	95.45	-0.10	-0.38	-0.01	0.00	-0.01
	GT2P2{1}	2.57	0.00	0.06	-0.01	0.00	0.00
	GT3P3{1}	11.09	0.03	-0.04	-0.01	0.00	0.00
	Gravity{2}	0.30	-0.01	0.06	-0.02	0.00	0.00
	Thermal 3{2}	-0.35	-0.01	-0.10	0.00	0.00	0.00
	Pressure 1{2}	16.97	4.87	0.08	-0.03	0.00	-0.01
	GT3{2}	-0.05	-0.02	-0.03	-0.02	0.00	0.00
	Hydrotest-NL{2}	16.92	4.85	0.04	-0.04	-0.01	-0.01
A13	Gravity{1}	0.17	0.01	0.11	-0.01	0.00	0.00
	Thermal 1{1}	49.93	0.06	-0.38	0.00	0.00	0.00
	Thermal 2{1}	-7.64	-0.01	0.01	0.00	0.00	0.00
	Thermal 3{1}	-0.51	0.00	-0.02	0.00	0.00	0.00
	Wind 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.13	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.12	0.00	0.00	0.00
	Pressure 1{1}	47.35	-0.10	-0.14	0.00	0.00	0.00
	Pressure 2{1}	10.24	0.01	-0.03	0.00	0.00	0.00
	Pressure 3{1}	12.02	0.02	-0.12	0.00	0.00	0.00

	GT1{1}	50.10	0.07	-0.27	0.00	0.00	0.00
	GT2{1}	-7.47	0.00	0.12	-0.01	0.00	0.00
	GT3{1}	-0.34	0.01	0.09	-0.01	0.00	0.00
	GW1{1}	0.18	0.01	0.11	-0.01	0.00	0.00
	GW2{1}	0.16	0.01	0.12	-0.01	0.00	0.00
	GW3{1}	0.17	0.01	0.24	0.00	0.00	0.00
	GW4{1}	0.17	0.01	-0.01	-0.01	0.00	0.00
	GT1P1{1}	97.45	-0.03	-0.42	-0.01	0.00	0.00
	GT2P2{1}	2.78	0.01	0.09	-0.01	0.00	0.00
	GT3P3{1}	11.68	0.03	-0.03	-0.01	0.00	0.00
	Gravity{2}	0.30	0.02	0.24	-0.01	0.00	0.00
	Thermal 3{2}	-0.38	0.00	-0.04	0.00	0.00	0.00
	Pressure 1{2}	17.76	4.31	0.29	-0.03	0.00	-0.01
	GT3{2}	-0.08	0.02	0.20	-0.01	0.00	0.00
	Hydrotest-NL{2}	17.68	4.33	0.49	-0.04	-0.01	-0.01
A13 M	Gravity{1}	0.17	0.00	0.15	-0.01	0.00	0.00
	Thermal 1{1}	50.41	0.00	-0.44	0.00	0.00	0.00
	Thermal 2{1}	-7.78	0.00	0.04	0.00	0.00	0.00
	Thermal 3{1}	-0.52	0.00	-0.01	0.00	0.00	0.00
	Wind 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.12	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.11	0.00	0.00	0.00
	Pressure 1{1}	47.35	0.00	-0.12	0.00	0.00	0.00
	Pressure 2{1}	10.25	0.00	-0.07	0.00	0.00	0.00
	Pressure 3{1}	12.03	0.00	-0.15	0.00	0.00	0.00
	GT1{1}	50.58	0.00	-0.29	0.00	0.00	0.00
	GT2{1}	-7.61	0.00	0.19	-0.01	0.00	0.00
	GT3{1}	-0.35	0.00	0.14	-0.01	0.00	0.00
	GW1{1}	0.18	0.00	0.15	-0.01	0.00	0.00
	GW2{1}	0.16	0.00	0.15	-0.01	0.00	0.00
	GW3{1}	0.17	0.00	0.27	0.00	0.00	0.00
	GW4{1}	0.17	0.00	0.04	-0.01	0.00	0.00
	GT1P1{1}	97.93	0.00	-0.41	-0.01	0.00	0.00
	GT2P2{1}	2.63	0.00	0.12	-0.01	0.00	0.00
	GT3P3{1}	11.67	0.00	-0.01	-0.01	0.00	0.00
	Gravity{2}	0.30	0.00	0.31	-0.01	0.00	0.00
	Thermal 3{2}	-0.39	0.00	-0.02	0.00	0.00	0.00
	Pressure 1{2}	17.77	4.10	0.38	-0.03	0.00	-0.01
	GT3{2}	-0.09	0.00	0.30	-0.01	0.00	0.00
	Hydrotest-NL{2}	17.67	4.10	0.68	-0.04	-0.01	-0.01
A14	Gravity{1}	0.17	-0.01	0.19	-0.01	0.00	0.00
	Thermal 1{1}	50.88	-0.06	-0.50	0.00	0.00	0.00
	Thermal 2{1}	-7.93	0.01	0.06	0.00	0.00	0.00
	Thermal 3{1}	-0.54	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.10	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.09	0.00	0.00	0.00
	Pressure 1{1}	47.35	0.10	-0.09	0.00	0.00	0.00
	Pressure 2{1}	10.25	-0.01	-0.11	0.00	0.00	0.00
	Pressure 3{1}	12.03	-0.02	-0.18	0.00	0.00	0.00
	GT1{1}	51.05	-0.07	-0.31	0.00	0.00	0.00
	GT2{1}	-7.76	0.00	0.25	-0.01	0.00	0.00
	GT3{1}	-0.37	-0.01	0.19	-0.01	0.00	0.00
	GW1{1}	0.18	-0.01	0.19	-0.01	0.00	0.00
	GW2{1}	0.16	-0.01	0.19	-0.01	0.00	0.00
	GW3{1}	0.17	-0.01	0.29	0.00	0.00	0.00
	GW4{1}	0.17	-0.01	0.09	-0.01	0.00	0.00
	GT1P1{1}	98.41	0.03	-0.40	-0.01	0.00	0.00
	GT2P2{1}	2.49	-0.02	0.14	-0.01	0.00	0.00
	GT3P3{1}	11.66	-0.03	0.01	-0.01	0.00	0.00
	Gravity{2}	0.30	-0.03	0.39	-0.01	0.00	0.00
	Thermal 3{2}	-0.41	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	17.77	3.90	0.47	-0.03	0.00	-0.01
	GT3{2}	-0.11	-0.02	0.39	-0.01	0.00	0.00
	Hydrotest-NL{2}	17.66	3.87	0.86	-0.04	-0.01	-0.01
A15	Gravity{1}	0.17	-0.03	0.22	-0.01	0.00	0.00
	Thermal 1{1}	51.29	-0.08	-0.55	0.00	0.00	0.00
	Thermal 2{1}	-8.06	0.01	0.09	0.00	0.00	0.00
	Thermal 3{1}	-0.55	0.00	0.02	0.00	0.00	0.00
	Wind 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.09	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.08	0.00	0.00	0.00
	Pressure 1{1}	47.55	0.14	-0.06	0.00	0.00	0.00
	Pressure 2{1}	10.44	-0.02	-0.14	0.00	0.00	0.00
	Pressure 3{1}	12.22	-0.03	-0.21	0.00	0.00	0.00
	GT1{1}	51.46	-0.11	-0.33	0.00	0.00	0.00
	GT2{1}	-7.89	-0.02	0.31	-0.01	0.00	0.00
	GT3{1}	-0.38	-0.03	0.24	-0.01	0.00	0.00
	GW1{1}	0.18	-0.03	0.22	-0.01	0.00	0.00
	GW2{1}	0.16	-0.03	0.22	-0.01	0.00	0.00
	GW3{1}	0.17	-0.03	0.31	0.00	0.00	0.00
	GW4{1}	0.17	-0.03	0.14	-0.01	0.00	0.00
	GT1P1{1}	99.01	0.03	-0.39	-0.01	0.00	0.00
	GT2P2{1}	2.55	-0.04	0.17	-0.01	0.00	0.00
	GT3P3{1}	11.84	-0.06	0.03	-0.01	0.00	0.00
	Gravity{2}	0.30	-0.07	0.46	-0.01	0.00	0.00
	Thermal 3{2}	-0.42	0.01	0.02	0.00	0.00	0.00
	Pressure 1{2}	18.01	3.71	0.54	-0.03	0.00	-0.01
	GT3{2}	-0.12	-0.07	0.48	-0.01	-0.01	0.00
	Hydrotest-NL{2}	17.89	3.65	1.03	-0.04	-0.01	-0.01
A16	Gravity{1}	0.17	-0.02	0.32	-0.01	0.00	0.00
	Thermal 1{1}	52.37	-0.03	-0.67	0.00	0.00	0.00
	Thermal 2{1}	-8.38	0.01	0.14	0.00	0.00	0.00
	Thermal 3{1}	-0.57	0.00	0.04	0.00	0.00	0.00
	Wind 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.04	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.04	0.00	0.00	0.00
	Pressure 1{1}	48.05	0.06	0.02	0.00	0.00	0.00
	Pressure 2{1}	10.93	-0.01	-0.21	0.00	0.00	0.00
	Pressure 3{1}	12.71	-0.01	-0.26	0.00	0.00	0.00

	GT1{1}	52.54	-0.05	-0.36	0.00	0.00	0.00
	GT2{1}	-8.22	-0.01	0.46	-0.01	0.00	0.00
	GT3{1}	-0.40	-0.02	0.35	-0.01	0.00	0.00
	GW1{1}	0.17	-0.02	0.32	-0.01	0.00	0.00
	GW2{1}	0.16	-0.02	0.32	-0.01	0.00	0.00
	GW3{1}	0.17	-0.02	0.36	0.00	0.00	0.00
	GW4{1}	0.17	-0.02	0.28	-0.01	0.00	0.00
	GT1P1{1}	100.59	0.01	-0.34	-0.01	0.00	0.00
	GT2P2{1}	2.72	-0.02	0.25	-0.01	0.00	0.00
	GT3P3{1}	12.30	-0.03	0.09	-0.01	0.00	0.00
	Gravity{2}	0.30	-0.05	0.66	-0.01	0.00	0.00
	Thermal 3{2}	-0.44	0.00	0.05	0.00	0.00	0.00
	Pressure 1{2}	18.63	3.23	0.75	-0.03	0.00	-0.01
	GT3{2}	-0.14	-0.04	0.71	-0.01	0.00	0.00
	Hydrotest-NL{2}	18.49	3.19	1.46	-0.04	-0.01	-0.01
A17	Gravity{1}	0.17	0.00	0.36	-0.01	0.00	0.00
	Thermal 1{1}	52.89	0.00	-0.73	0.00	0.00	0.00
	Thermal 2{1}	-8.54	0.00	0.16	0.00	0.00	0.00
	Thermal 3{1}	-0.59	0.00	0.04	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.02	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.02	0.00	0.00	0.00
	Pressure 1{1}	48.29	0.00	0.05	0.00	0.00	0.00
	Pressure 2{1}	11.17	0.00	-0.23	0.00	0.00	0.00
	Pressure 3{1}	12.95	0.00	-0.27	0.00	0.00	0.00
	GT1{1}	53.06	0.00	-0.36	0.00	0.00	0.00
	GT2{1}	-8.37	0.00	0.53	-0.01	0.00	0.00
	GT3{1}	-0.42	0.00	0.40	-0.01	0.00	0.00
	GW1{1}	0.17	0.00	0.36	-0.01	0.00	0.00
	GW2{1}	0.16	0.00	0.36	-0.01	0.00	0.00
	GW3{1}	0.17	0.00	0.38	0.00	0.00	0.00
	GW4{1}	0.17	0.00	0.34	-0.01	0.00	0.00
	GT1P1{1}	101.34	0.00	-0.31	-0.01	0.00	0.00
	GT2P2{1}	2.80	0.00	0.29	-0.01	0.00	0.00
	GT3P3{1}	12.53	0.00	0.13	-0.01	0.00	0.00
	Gravity{2}	0.30	0.00	0.76	-0.01	0.00	0.00
	Thermal 3{2}	-0.45	0.00	0.05	0.00	0.00	0.00
	Pressure 1{2}	18.93	3.00	0.85	-0.03	0.00	-0.01
	GT3{2}	-0.15	0.00	0.81	-0.01	0.00	0.00
	Hydrotest-NL{2}	18.78	3.00	1.66	-0.04	-0.01	-0.01
A18	Gravity{1}	0.17	0.00	0.41	-0.01	0.00	0.00
	Thermal 1{1}	53.41	0.01	-0.78	0.00	0.00	0.00
	Thermal 2{1}	-8.70	0.00	0.18	0.00	0.00	0.00
	Thermal 3{1}	-0.60	0.00	0.04	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.01	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.01	0.00	0.00	0.00
	Pressure 1{1}	48.53	-0.02	0.08	0.00	0.00	0.00
	Pressure 2{1}	11.41	0.00	-0.25	0.00	0.00	0.00
	Pressure 3{1}	13.18	0.00	-0.28	0.00	0.00	0.00
	GT1{1}	53.58	0.01	-0.37	0.00	0.00	0.00
	GT2{1}	-8.53	-0.01	0.59	-0.01	0.00	0.00
	GT3{1}	-0.43	-0.01	0.45	-0.01	0.00	0.00
	GW1{1}	0.17	0.00	0.41	-0.01	0.00	0.00
	GW2{1}	0.17	-0.01	0.41	-0.01	0.00	0.00
	GW3{1}	0.17	0.00	0.42	0.00	0.00	0.00
	GW4{1}	0.17	-0.01	0.40	-0.01	0.00	0.00
	GT1P1{1}	102.10	-0.01	-0.29	-0.01	0.00	0.00
	GT2P2{1}	2.88	0.00	0.34	-0.01	0.00	0.00
	GT3P3{1}	12.75	0.00	0.17	-0.01	0.00	0.00
	Gravity{2}	0.30	-0.01	0.86	-0.01	0.00	0.00
	Thermal 3{2}	-0.46	0.00	0.05	0.00	0.00	0.00
	Pressure 1{2}	19.23	2.78	0.95	-0.03	0.00	-0.01
	GT3{2}	-0.16	-0.01	0.90	-0.01	0.00	0.00
	Hydrotest-NL{2}	19.07	2.77	1.85	-0.04	-0.01	-0.01
A19	Gravity{1}	0.17	-0.01	0.50	-0.01	0.00	0.00
	Thermal 1{1}	54.42	0.00	-0.86	0.00	0.00	0.00
	Thermal 2{1}	-9.01	0.00	0.20	0.00	0.00	0.00
	Thermal 3{1}	-0.63	0.00	0.04	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	48.99	0.00	0.14	0.00	0.00	0.00
	Pressure 2{1}	11.88	0.00	-0.27	0.00	0.00	0.00
	Pressure 3{1}	13.65	0.00	-0.28	0.00	0.00	0.00
	GT1{1}	54.59	0.00	-0.37	0.00	0.00	0.00
	GT2{1}	-8.84	-0.01	0.70	-0.01	0.00	0.00
	GT3{1}	-0.46	-0.01	0.54	-0.01	0.00	0.00
	GW1{1}	0.17	-0.01	0.50	-0.01	0.00	0.00
	GW2{1}	0.17	-0.01	0.50	-0.01	0.00	0.00
	GW3{1}	0.17	-0.01	0.50	0.00	0.00	0.00
	GW4{1}	0.17	-0.01	0.50	-0.01	0.00	0.00
	GT1P1{1}	103.59	-0.01	-0.23	-0.01	0.00	0.00
	GT2P2{1}	3.03	-0.01	0.43	-0.01	0.00	0.00
	GT3P3{1}	13.19	-0.01	0.26	-0.01	0.00	0.00
	Gravity{2}	0.30	-0.01	1.04	-0.01	0.00	0.00
	Thermal 3{2}	-0.49	0.00	0.04	0.00	0.00	0.00
	Pressure 1{2}	19.82	2.35	1.14	-0.03	0.00	-0.01
	GT3{2}	-0.19	-0.01	1.08	-0.01	0.00	0.00
	Hydrotest-NL{2}	19.63	2.34	2.23	-0.04	-0.01	-0.01
A19 M	Gravity{1}	0.17	0.00	0.54	-0.01	0.00	0.00
	Thermal 1{1}	54.90	0.00	-0.90	0.00	0.00	0.00
	Thermal 2{1}	-9.16	0.00	0.21	0.00	0.00	0.00
	Thermal 3{1}	-0.64	0.00	0.04	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	49.00	0.00	0.16	0.00	0.00	0.00
	Pressure 2{1}	11.88	0.00	-0.28	0.00	0.00	0.00
	Pressure 3{1}	13.65	0.00	-0.28	0.00	0.00	0.00

	GT1{1}	55.07	0.00	-0.36	0.00	0.00	0.00
	GT2{1}	-8.99	0.00	0.75	-0.01	0.00	0.00
	GT3{1}	-0.47	0.00	0.58	-0.01	0.00	0.00
	GW1{1}	0.17	0.00	0.54	-0.01	0.00	0.00
	GW2{1}	0.17	0.00	0.54	-0.01	0.00	0.00
	GW3{1}	0.17	0.00	0.54	0.00	0.00	0.00
	GW4{1}	0.17	0.00	0.54	-0.01	0.00	0.00
	GT1P1{1}	104.06	0.00	-0.20	-0.01	0.00	0.00
	GT2P2{1}	2.89	0.00	0.48	-0.01	0.00	0.00
	GT3P3{1}	13.18	0.00	0.30	-0.01	0.00	0.00
	Gravity{2}	0.30	0.00	1.13	-0.01	0.00	0.00
	Thermal 3{2}	-0.50	0.00	0.03	0.00	0.00	0.00
	Pressure 1{2}	19.82	2.16	1.23	-0.03	0.00	-0.01
	GT3{2}	-0.20	0.00	1.17	-0.01	0.00	0.00
	Hydrotest-NL{2}	19.62	2.16	2.40	-0.04	-0.01	-0.01
A20	Gravity{1}	0.17	0.01	0.58	-0.01	0.00	0.00
	Thermal 1{1}	55.37	0.00	-0.94	0.00	0.00	0.00
	Thermal 2{1}	-9.31	0.00	0.22	0.00	0.00	0.00
	Thermal 3{1}	-0.65	0.00	0.03	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	49.00	0.00	0.19	0.00	0.00	0.00
	Pressure 2{1}	11.88	0.00	-0.28	0.00	0.00	0.00
	Pressure 3{1}	13.65	0.00	-0.27	0.00	0.00	0.00
	GT1{1}	55.54	0.00	-0.36	0.00	0.00	0.00
	GT2{1}	-9.14	0.01	0.80	-0.01	0.00	0.00
	GT3{1}	-0.48	0.01	0.61	-0.01	0.00	0.00
	GW1{1}	0.17	0.01	0.58	-0.01	0.00	0.00
	GW2{1}	0.17	0.01	0.58	-0.01	0.00	0.00
	GW3{1}	0.17	0.01	0.59	0.00	0.00	0.00
	GW4{1}	0.17	0.01	0.58	-0.01	0.00	0.00
	GT1P1{1}	104.54	0.01	-0.18	-0.01	0.00	0.00
	GT2P2{1}	2.74	0.01	0.52	-0.01	0.00	0.00
	GT3P3{1}	13.17	0.00	0.34	-0.01	0.00	0.00
	Gravity{2}	0.30	0.01	1.22	-0.01	0.00	0.00
	Thermal 3{2}	-0.51	0.00	0.03	0.00	0.00	0.00
	Pressure 1{2}	19.82	1.97	1.33	-0.03	0.00	-0.01
	GT3{2}	-0.21	0.01	1.25	-0.01	0.00	0.00
	Hydrotest-NL{2}	19.61	1.98	2.57	-0.04	-0.01	-0.01
A21	Gravity{1}	0.17	0.01	0.58	-0.01	0.00	0.00
	Thermal 1{1}	55.31	0.00	-0.94	0.00	0.00	0.00
	Thermal 2{1}	-9.29	0.00	0.22	0.00	0.00	0.00
	Thermal 3{1}	-0.65	0.00	0.03	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	48.97	0.00	0.18	0.00	0.00	0.00
	Pressure 2{1}	11.85	0.00	-0.28	0.00	0.00	0.00
	Pressure 3{1}	13.62	0.00	-0.27	0.00	0.00	0.00
	GT1{1}	55.48	0.00	-0.36	0.00	0.00	0.00
	GT2{1}	-9.12	0.01	0.80	-0.01	0.00	0.00
	GT3{1}	-0.48	0.01	0.61	-0.01	0.00	0.00
	GW1{1}	0.17	0.01	0.58	-0.01	0.00	0.00
	GW2{1}	0.17	0.01	0.58	-0.01	0.00	0.00
	GW3{1}	0.17	0.01	0.58	0.00	0.00	0.00
	GW4{1}	0.17	0.01	0.57	-0.01	0.00	0.00
	GT1P1{1}	104.45	0.01	-0.18	-0.01	0.00	0.00
	GT2P2{1}	2.73	0.01	0.52	-0.01	0.00	0.00
	GT3P3{1}	13.14	0.01	0.34	-0.01	0.00	0.00
	Gravity{2}	0.30	0.01	1.21	-0.01	0.00	0.00
	Thermal 3{2}	-0.51	0.00	0.03	0.00	0.00	0.00
	Pressure 1{2}	19.79	1.99	1.31	-0.03	0.00	-0.01
	GT3{2}	-0.21	0.01	1.24	-0.01	0.00	0.00
	Hydrotest-NL{2}	19.58	2.01	2.55	-0.04	-0.01	-0.01
*** Segment A end *** Line # AKABP-36"-PL-012-X70-CL900_UG							
*** Segment B begin *** Line # AKAB-A-100							
A21	Gravity{1}	0.17	0.01	0.58	-0.01	0.00	0.00
	Thermal 1{1}	55.31	0.00	-0.94	0.00	0.00	0.00
	Thermal 2{1}	-9.29	0.00	0.22	0.00	0.00	0.00
	Thermal 3{1}	-0.65	0.00	0.03	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	48.97	0.00	0.18	0.00	0.00	0.00
	Pressure 2{1}	11.85	0.00	-0.28	0.00	0.00	0.00
	Pressure 3{1}	13.62	0.00	-0.27	0.00	0.00	0.00
	GT1{1}	55.48	0.00	-0.36	0.00	0.00	0.00
	GT2{1}	-9.12	0.01	0.80	-0.01	0.00	0.00
	GT3{1}	-0.48	0.01	0.61	-0.01	0.00	0.00
	GW1{1}	0.17	0.01	0.58	-0.01	0.00	0.00
	GW2{1}	0.17	0.01	0.58	-0.01	0.00	0.00
	GW3{1}	0.17	0.01	0.58	0.00	0.00	0.00
	GW4{1}	0.17	0.01	0.57	-0.01	0.00	0.00
	GT1P1{1}	104.45	0.01	-0.18	-0.01	0.00	0.00
	GT2P2{1}	2.73	0.01	0.52	-0.01	0.00	0.00
	GT3P3{1}	13.14	0.01	0.34	-0.01	0.00	0.00
	Gravity{2}	0.30	0.01	1.21	-0.01	0.00	0.00
	Thermal 3{2}	-0.51	0.00	0.03	0.00	0.00	0.00
	Pressure 1{2}	19.79	1.99	1.31	-0.03	0.00	-0.01
	GT3{2}	-0.21	0.01	1.24	-0.01	0.00	0.00
	Hydrotest-NL{2}	19.58	2.01	2.55	-0.04	-0.01	-0.01
B01	Gravity{1}	0.17	0.00	0.62	-0.01	0.00	0.00
	Thermal 1{1}	56.46	0.00	-0.98	0.00	0.00	0.00
	Thermal 2{1}	-10.06	0.00	0.23	0.00	0.00	0.00
	Thermal 3{1}	-0.67	0.00	0.03	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.01	0.00	0.00	0.00

	Wind 4{1}	0.00	0.00	-0.01	0.00	0.00	0.00
	Pressure 1{1}	49.22	0.00	0.21	0.00	0.00	0.00
	Pressure 2{1}	12.10	0.00	-0.29	0.00	0.00	0.00
	Pressure 3{1}	13.87	0.00	-0.27	0.00	0.00	0.00
	GT1{1}	56.63	0.00	-0.36	0.00	0.00	0.00
	GT2{1}	-9.89	0.00	0.85	-0.01	0.00	0.00
	GT3{1}	-0.50	0.00	0.65	-0.01	0.00	0.00
	GW1{1}	0.17	0.00	0.62	-0.01	0.00	0.00
	GW2{1}	0.17	0.00	0.62	-0.01	0.00	0.00
	GW3{1}	0.17	0.00	0.63	0.00	0.00	0.00
	GW4{1}	0.17	0.00	0.62	-0.01	0.00	0.00
	GT1P1{1}	105.85	0.00	-0.15	-0.01	0.00	0.00
	GT2P2{1}	2.21	0.00	0.57	-0.01	0.00	0.00
	GT3P3{1}	13.37	0.00	0.38	-0.01	0.00	0.00
	Gravity{2}	0.30	0.00	1.31	-0.01	0.00	0.00
	Thermal 3{2}	-0.52	0.00	0.02	0.00	0.00	0.00
	Pressure 1{2}	20.10	1.78	1.42	-0.03	0.00	-0.01
	GT3{2}	-0.22	0.00	1.33	-0.01	0.00	-0.01
	Hydrotest-NL{2}	19.87	1.78	2.75	-0.04	-0.01	-0.01
B02	Gravity{1}	0.17	-0.11	0.67	-0.01	0.00	0.00
	Thermal 1{1}	57.71	0.00	-1.02	0.00	0.00	0.00
	Thermal 2{1}	-10.90	0.00	0.24	0.00	0.00	0.00
	Thermal 3{1}	-0.68	0.00	0.03	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.02	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.02	0.00	0.00	0.00
	Pressure 1{1}	49.49	0.00	0.24	0.00	0.00	0.00
	Pressure 2{1}	12.37	0.00	-0.29	0.00	0.00	0.00
	Pressure 3{1}	14.14	0.00	-0.26	0.00	0.00	0.00
	GT1{1}	57.88	-0.11	-0.35	0.00	0.00	0.00
	GT2{1}	-10.73	-0.11	0.91	-0.01	0.00	0.00
	GT3{1}	-0.51	-0.11	0.70	-0.01	0.00	0.00
	GW1{1}	0.17	-0.11	0.67	-0.01	0.00	0.00
	GW2{1}	0.17	-0.11	0.67	-0.01	0.00	0.00
	GW3{1}	0.17	-0.11	0.69	0.00	0.00	0.00
	GW4{1}	0.17	-0.11	0.66	-0.01	0.00	0.00
	GT1P1{1}	107.36	-0.11	-0.11	-0.01	0.00	0.00
	GT2P2{1}	1.64	-0.11	0.63	-0.01	0.00	0.00
	GT3P3{1}	13.62	-0.11	0.44	-0.01	0.00	0.00
	Gravity{2}	0.30	-0.23	1.41	-0.01	0.00	-0.01
	Thermal 3{2}	-0.54	0.00	0.02	0.00	0.00	0.00
	Pressure 1{2}	20.43	1.55	1.53	-0.03	0.00	-0.01
	GT3{2}	-0.24	-0.23	1.43	-0.01	0.00	-0.01
	Hydrotest-NL{2}	20.19	1.31	2.96	-0.04	-0.01	-0.02
B03	Gravity{1}	0.17	-0.38	0.82	-0.01	0.00	0.00
	Thermal 1{1}	61.27	0.00	-1.14	0.00	0.00	0.00
	Thermal 2{1}	-13.28	0.00	0.26	0.00	0.00	0.00
	Thermal 3{1}	-0.73	0.00	0.02	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.03	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.03	0.00	0.00	0.00
	Pressure 1{1}	50.25	0.00	0.31	0.00	0.00	0.00
	Pressure 2{1}	13.13	0.00	-0.29	0.00	0.00	0.00
	Pressure 3{1}	14.90	0.00	-0.24	0.00	0.00	0.00
	GT1{1}	61.44	-0.38	-0.32	0.00	0.00	0.00
	GT2{1}	-13.11	-0.38	1.08	-0.01	0.00	0.00
	GT3{1}	-0.56	-0.38	0.84	-0.01	0.00	0.00
	GW1{1}	0.17	-0.38	0.82	-0.01	0.00	0.00
	GW2{1}	0.17	-0.38	0.82	-0.01	0.00	0.00
	GW3{1}	0.17	-0.38	0.86	0.00	0.00	0.00
	GW4{1}	0.17	-0.38	0.79	-0.01	0.00	0.00
	GT1P1{1}	111.69	-0.38	-0.01	-0.01	0.00	0.00
	GT2P2{1}	0.02	-0.38	0.79	-0.01	0.00	0.00
	GT3P3{1}	14.34	-0.38	0.60	-0.01	0.00	0.00
	Gravity{2}	0.30	-0.86	1.72	-0.01	0.00	0.00
	Thermal 3{2}	-0.58	0.00	0.01	0.00	0.00	0.00
	Pressure 1{2}	21.39	0.91	1.85	-0.03	0.00	-0.01
	GT3{2}	-0.28	-0.86	1.73	-0.01	0.00	0.00
	Hydrotest-NL{2}	21.11	0.05	3.57	-0.04	-0.01	-0.01
B04	Gravity{1}	0.17	-0.38	0.84	-0.01	0.00	0.00
	Thermal 1{1}	61.82	0.00	-1.16	0.00	0.00	0.00
	Thermal 2{1}	-13.65	0.00	0.26	0.00	0.00	0.00
	Thermal 3{1}	-0.73	0.00	0.01	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.03	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.04	0.00	0.00	0.00
	Pressure 1{1}	50.38	0.00	0.32	0.00	0.00	0.00
	Pressure 2{1}	13.26	0.00	-0.29	0.00	0.00	0.00
	Pressure 3{1}	15.02	0.00	-0.24	0.00	0.00	0.00
	GT1{1}	61.99	-0.38	-0.32	0.00	0.00	0.00
	GT2{1}	-13.48	-0.38	1.10	-0.01	0.00	0.00
	GT3{1}	-0.56	-0.38	0.86	-0.01	0.00	0.00
	GW1{1}	0.17	-0.38	0.84	-0.01	0.00	0.00
	GW2{1}	0.17	-0.38	0.84	-0.01	0.00	0.00
	GW3{1}	0.17	-0.38	0.88	0.00	0.00	0.00
	GW4{1}	0.17	-0.38	0.81	-0.01	0.00	0.00
	GT1P1{1}	112.37	-0.38	0.01	-0.01	0.00	0.00
	GT2P2{1}	-0.22	-0.38	0.81	-0.01	0.00	0.00
	GT3P3{1}	14.46	-0.38	0.62	-0.01	0.00	0.00
	Gravity{2}	0.30	-0.86	1.77	-0.01	0.00	0.00
	Thermal 3{2}	-0.59	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	21.55	0.81	1.90	-0.03	0.00	-0.01
	GT3{2}	-0.29	-0.86	1.77	-0.01	0.00	0.00
	Hydrotest-NL{2}	21.26	-0.05	3.67	-0.04	-0.01	-0.01
B05	Gravity{1}	0.17	-0.37	0.87	-0.01	0.00	0.00
	Thermal 1{1}	62.35	0.00	-1.18	0.00	0.00	0.00
	Thermal 2{1}	-14.01	0.00	0.26	0.00	0.00	0.00
	Thermal 3{1}	-0.74	0.00	0.01	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.03	0.00	0.00	0.00

	Wind 4{1}	0.00	0.00	-0.03	0.00	0.00	0.00
	Pressure 1{1}	50.51	0.00	0.33	0.00	0.00	0.00
	Pressure 2{1}	13.39	0.00	-0.29	0.00	0.00	0.00
	Pressure 3{1}	15.15	0.00	-0.23	0.00	0.00	0.00
	GT1{1}	62.52	-0.37	-0.31	0.00	0.00	0.00
	GT2{1}	-13.84	-0.37	1.13	-0.01	0.00	0.00
	GT3{1}	-0.57	-0.37	0.88	-0.01	0.00	0.00
	GW1{1}	0.17	-0.37	0.87	-0.01	0.00	0.00
	GW2{1}	0.17	-0.37	0.87	-0.01	0.00	0.00
	GW3{1}	0.17	-0.37	0.90	0.00	0.00	0.00
	GW4{1}	0.17	-0.37	0.83	-0.01	0.00	0.00
	GT1P1{1}	113.03	-0.37	0.02	-0.01	0.00	0.00
	GT2P2{1}	-0.46	-0.37	0.84	-0.01	0.00	0.00
	GT3P3{1}	14.58	-0.37	0.64	-0.01	0.00	0.00
	Gravity{2}	0.30	-0.84	1.81	-0.01	0.00	0.00
	Thermal 3{2}	-0.60	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	21.71	0.71	1.94	-0.03	0.00	-0.01
	GT3{2}	-0.29	-0.84	1.82	-0.01	0.00	0.00
	Hydrotest-NL{2}	21.41	-0.13	3.76	-0.04	-0.01	-0.01
B06	Gravity{1}	0.17	-0.17	0.97	-0.01	0.00	0.01
	Thermal 1{1}	64.93	0.00	-1.26	0.00	0.00	0.00
	Thermal 2{1}	-15.74	0.00	0.27	0.00	0.00	0.00
	Thermal 3{1}	-0.77	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.02	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.02	0.00	0.00	0.00
	Pressure 1{1}	51.12	0.00	0.38	0.00	0.00	0.00
	Pressure 2{1}	14.00	0.00	-0.28	0.00	0.00	0.00
	Pressure 3{1}	15.77	0.00	-0.21	0.00	0.00	0.00
	GT1{1}	65.10	-0.17	-0.29	0.00	0.00	0.01
	GT2{1}	-15.57	-0.17	1.24	-0.01	0.00	0.01
	GT3{1}	-0.60	-0.17	0.98	-0.01	0.00	0.01
	GW1{1}	0.17	-0.17	0.97	-0.01	0.00	0.01
	GW2{1}	0.17	-0.17	0.97	-0.01	0.00	0.01
	GW3{1}	0.17	-0.17	0.99	0.00	0.00	0.01
	GW4{1}	0.17	-0.17	0.95	-0.01	0.00	0.01
	GT1P1{1}	116.23	-0.17	0.10	-0.01	0.00	0.01
	GT2P2{1}	-1.57	-0.17	0.96	-0.01	0.00	0.01
	GT3P3{1}	15.17	-0.17	0.76	-0.01	0.00	0.01
	Gravity{2}	0.30	-0.41	2.04	-0.01	0.00	0.01
	Thermal 3{2}	-0.63	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	22.48	0.26	2.18	-0.03	0.00	-0.01
	GT3{2}	-0.33	-0.41	2.03	-0.01	0.00	0.01
	Hydrotest-NL{2}	22.15	-0.15	4.21	-0.04	-0.01	0.00
B07	Gravity{1}	0.17	0.00	1.03	-0.01	0.00	0.00
	Thermal 1{1}	66.44	0.00	-1.30	0.00	0.00	0.00
	Thermal 2{1}	-16.76	0.00	0.27	0.00	0.00	0.00
	Thermal 3{1}	-0.79	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.01	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.01	0.00	0.00	0.00
	Pressure 1{1}	51.49	0.00	0.41	0.00	0.00	0.00
	Pressure 2{1}	14.37	0.00	-0.28	0.00	0.00	0.00
	Pressure 3{1}	16.13	0.00	-0.20	0.00	0.00	0.00
	GT1{1}	66.61	0.00	-0.27	0.00	0.00	0.00
	GT2{1}	-16.59	0.00	1.31	-0.01	0.00	0.00
	GT3{1}	-0.62	0.00	1.03	-0.01	0.00	0.00
	GW1{1}	0.17	0.00	1.03	-0.01	0.00	0.00
	GW2{1}	0.17	0.00	1.03	-0.01	0.00	0.00
	GW3{1}	0.17	0.00	1.04	0.00	0.00	0.00
	GW4{1}	0.17	0.00	1.03	-0.01	0.00	0.00
	GT1P1{1}	118.10	0.00	0.14	-0.01	0.00	0.00
	GT2P2{1}	-2.22	0.00	1.02	-0.01	0.00	0.00
	GT3P3{1}	15.51	0.00	0.83	-0.01	0.00	0.00
	Gravity{2}	0.30	0.00	2.17	-0.01	0.00	0.01
	Thermal 3{2}	-0.65	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	22.93	0.00	2.31	-0.03	0.00	-0.01
	GT3{2}	-0.34	0.00	2.16	-0.01	0.00	0.01
	Hydrotest-NL{2}	22.59	0.00	4.47	-0.04	-0.01	0.00
B08	Gravity{1}	0.17	0.09	1.08	-0.01	0.00	0.00
	Thermal 1{1}	67.51	0.00	-1.34	0.00	0.00	0.00
	Thermal 2{1}	-17.47	0.00	0.28	0.00	0.00	0.00
	Thermal 3{1}	-0.80	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Pressure 1{1}	51.74	0.00	0.43	0.00	0.00	0.00
	Pressure 2{1}	14.62	0.00	-0.28	0.00	0.00	0.00
	Pressure 3{1}	16.38	0.00	-0.19	0.00	0.00	0.00
	GT1{1}	67.68	0.09	-0.26	0.00	0.00	0.00
	GT2{1}	-17.30	0.09	1.35	-0.01	0.00	0.00
	GT3{1}	-0.63	0.09	1.07	-0.01	0.00	0.00
	GW1{1}	0.17	0.09	1.08	-0.01	0.00	0.00
	GW2{1}	0.17	0.09	1.08	-0.01	0.00	0.00
	GW3{1}	0.17	0.09	1.08	0.00	0.00	0.00
	GW4{1}	0.17	0.09	1.08	-0.01	0.00	0.00
	GT1P1{1}	119.42	0.09	0.17	-0.01	0.00	0.00
	GT2P2{1}	-2.68	0.09	1.07	-0.01	0.00	0.00
	GT3P3{1}	15.75	0.09	0.88	-0.01	0.00	0.00
	Gravity{2}	0.30	0.25	2.26	-0.01	0.00	0.01
	Thermal 3{2}	-0.66	0.00	-0.01	0.00	0.00	0.00
	Pressure 1{2}	23.25	-0.19	2.41	-0.03	0.00	-0.01
	GT3{2}	-0.36	0.25	2.25	-0.01	0.00	0.01
	Hydrotest-NL{2}	22.89	0.06	4.66	-0.04	-0.01	0.00

*** Segment B end *** Line # AKAB-A-100

*** Segment C begin *** Line # AKAB-A-100_N9

B05	Gravity{1}	0.17	-0.37	0.87	-0.01	0.00	0.00
	Thermal 1{1}	62.35	0.00	-1.18	0.00	0.00	0.00
	Thermal 2{1}	-14.01	0.00	0.26	0.00	0.00	0.00

	Thermal 3{1}	-0.74	0.00	0.01	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.03	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.03	0.00	0.00	0.00
	Pressure 1{1}	50.51	0.00	0.33	0.00	0.00	0.00
	Pressure 2{1}	13.39	0.00	-0.29	0.00	0.00	0.00
	Pressure 3{1}	15.15	0.00	-0.23	0.00	0.00	0.00
	GT1{1}	62.52	-0.37	-0.31	0.00	0.00	0.00
	GT2{1}	-13.84	-0.37	1.13	-0.01	0.00	0.00
	GT3{1}	-0.57	-0.37	0.88	-0.01	0.00	0.00
	GW1{1}	0.17	-0.37	0.87	-0.01	0.00	0.00
	GW2{1}	0.17	-0.37	0.87	-0.01	0.00	0.00
	GW3{1}	0.17	-0.37	0.90	0.00	0.00	0.00
	GW4{1}	0.17	-0.37	0.83	-0.01	0.00	0.00
	GT1P1{1}	113.03	-0.37	0.02	-0.01	0.00	0.00
	GT2P2{1}	-0.46	-0.37	0.84	-0.01	0.00	0.00
	GT3P3{1}	14.58	-0.37	0.64	-0.01	0.00	0.00
	Gravity{2}	0.30	-0.84	1.81	-0.01	0.00	0.00
	Thermal 3{2}	-0.60	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	21.71	0.71	1.94	-0.03	0.00	-0.01
	GT3{2}	-0.29	-0.84	1.82	-0.01	0.00	0.00
	Hydrotest-NL{2}	21.41	-0.13	3.76	-0.04	-0.01	-0.01
C01	Gravity{1}	0.15	-0.37	0.78	-0.01	0.00	0.00
	Thermal 1{1}	62.35	0.62	-1.15	0.00	0.00	0.00
	Thermal 2{1}	-14.01	-0.42	0.25	0.00	0.00	0.00
	Thermal 3{1}	-0.74	-0.01	0.01	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.06	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.06	0.00	0.00	0.00
	Pressure 1{1}	50.51	0.03	0.30	0.00	0.00	0.00
	Pressure 2{1}	13.39	0.03	-0.27	0.00	0.00	0.00
	Pressure 3{1}	15.15	0.03	-0.22	0.00	0.00	0.00
	GT1{1}	62.50	0.25	-0.37	0.00	0.00	0.00
	GT2{1}	-13.86	-0.79	1.03	-0.01	0.00	0.00
	GT3{1}	-0.59	-0.38	0.79	-0.01	0.00	0.00
	GW1{1}	0.15	-0.37	0.78	-0.01	0.00	0.00
	GW2{1}	0.15	-0.37	0.78	-0.01	0.00	0.00
	GW3{1}	0.15	-0.37	0.84	0.00	0.00	0.00
	GW4{1}	0.15	-0.37	0.72	-0.01	0.00	0.00
	GT1P1{1}	113.01	0.28	-0.07	-0.01	0.00	0.00
	GT2P2{1}	-0.47	-0.76	0.76	-0.01	0.00	0.00
	GT3P3{1}	14.56	-0.35	0.58	-0.01	0.00	0.00
	Gravity{2}	0.26	-0.84	1.63	-0.01	0.00	0.00
	Thermal 3{2}	-0.60	-0.01	0.01	0.00	0.00	0.00
	Pressure 1{2}	21.82	0.75	1.59	-0.03	0.00	-0.01
	GT3{2}	-0.33	-0.85	1.64	-0.01	0.00	0.00
	Hydrotest-NL{2}	21.48	-0.10	3.23	-0.04	-0.01	-0.01
*** Segment C end *** Line # AKAB-A-100_N9							
*** Segment F begin *** Line # AKABP-36"-PL-012-X70-CL900_B							
A15	Gravity{1}	0.17	-0.03	0.22	-0.01	0.00	0.00
	Thermal 1{1}	51.29	-0.08	-0.55	0.00	0.00	0.00
	Thermal 2{1}	-8.06	0.01	0.09	0.00	0.00	0.00
	Thermal 3{1}	-0.55	0.00	0.02	0.00	0.00	0.00
	Wind 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.09	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.08	0.00	0.00	0.00
	Pressure 1{1}	47.55	0.14	-0.06	0.00	0.00	0.00
	Pressure 2{1}	10.44	-0.02	-0.14	0.00	0.00	0.00
	Pressure 3{1}	12.22	-0.03	-0.21	0.00	0.00	0.00
	GT1{1}	51.46	-0.11	-0.33	0.00	0.00	0.00
	GT2{1}	-7.89	-0.02	0.31	-0.01	0.00	0.00
	GT3{1}	-0.38	-0.03	0.24	-0.01	0.00	0.00
	GW1{1}	0.18	-0.03	0.22	-0.01	0.00	0.00
	GW2{1}	0.16	-0.03	0.22	-0.01	0.00	0.00
	GW3{1}	0.17	-0.03	0.31	0.00	0.00	0.00
	GW4{1}	0.17	-0.03	0.14	-0.01	0.00	0.00
	GT1P1{1}	99.01	0.03	-0.39	-0.01	0.00	0.00
	GT2P2{1}	2.55	-0.04	0.17	-0.01	0.00	0.00
	GT3P3{1}	11.84	-0.06	0.03	-0.01	0.00	0.00
	Gravity{2}	0.30	-0.07	0.46	-0.01	0.00	0.00
	Thermal 3{2}	-0.42	0.01	0.02	0.00	0.00	0.00
	Pressure 1{2}	18.01	3.71	0.54	-0.03	0.00	-0.01
	GT3{2}	-0.12	-0.07	0.48	-0.01	-0.01	0.00
	Hydrotest-NL{2}	17.89	3.65	1.03	-0.04	-0.01	-0.01
F01 N	Gravity{1}	0.19	-0.03	0.05	-0.01	0.00	0.00
	Thermal 1{1}	51.31	0.51	-0.49	0.00	0.00	0.00
	Thermal 2{1}	-8.06	-0.17	0.07	0.00	0.00	0.00
	Thermal 3{1}	-0.55	-0.01	0.02	0.00	0.00	0.00
	Wind 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.15	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.14	0.00	0.00	0.00
	Pressure 1{1}	47.52	0.41	-0.13	0.00	0.00	0.00
	Pressure 2{1}	10.44	0.25	-0.11	0.00	0.00	0.00
	Pressure 3{1}	12.22	0.24	-0.18	0.00	0.00	0.00
	GT1{1}	51.50	0.48	-0.44	0.00	0.00	0.00
	GT2{1}	-7.86	-0.20	0.12	-0.01	0.00	0.00
	GT3{1}	-0.35	-0.05	0.07	-0.01	0.00	0.00
	GW1{1}	0.20	-0.03	0.05	-0.01	0.00	0.00
	GW2{1}	0.18	-0.03	0.04	-0.01	0.00	0.00
	GW3{1}	0.19	-0.03	0.19	0.00	0.00	0.00
	GW4{1}	0.19	-0.03	-0.09	-0.01	0.00	0.00
	GT1P1{1}	99.02	0.89	-0.57	-0.01	0.00	0.00
	GT2P2{1}	2.58	0.05	0.01	-0.01	0.00	0.00
	GT3P3{1}	11.87	0.20	-0.11	-0.01	0.00	0.00
	Gravity{2}	0.35	-0.08	0.10	-0.01	-0.01	0.00
	Thermal 3{2}	-0.41	-0.01	0.04	0.00	0.00	0.00
	Pressure 1{2}	18.28	4.05	-0.18	-0.03	-0.01	-0.01
	GT3{2}	-0.06	-0.09	0.13	-0.01	-0.01	0.00
	Hydrotest-NL{2}	18.21	3.97	-0.05	-0.04	-0.01	-0.01

F01 F	Gravity{1}	0.34	-0.16	-0.10	0.00	0.00	0.00
	Thermal 1{1}	51.22	1.11	-1.02	0.00	0.00	0.00
	Thermal 2{1}	-8.00	-0.35	0.24	0.00	0.00	0.00
	Thermal 3{1}	-0.51	-0.02	0.04	0.00	0.00	0.00
	Wind 1{1}	0.03	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	-0.03	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	-0.02	0.02	0.19	0.00	0.00	0.00
	Wind 4{1}	0.01	-0.02	-0.18	0.00	0.00	0.00
	Pressure 1{1}	47.61	0.65	-0.43	0.00	-0.01	0.00
	Pressure 2{1}	10.39	0.53	-0.35	0.00	0.00	0.00
	Pressure 3{1}	12.18	0.52	-0.43	0.00	0.00	0.00
	GT1{1}	51.56	0.95	-1.13	0.00	0.00	0.00
	GT2{1}	-7.66	-0.50	0.14	0.00	-0.01	0.00
	GT3{1}	-0.17	-0.18	-0.06	0.00	-0.01	0.00
	GW1{1}	0.37	-0.16	-0.10	0.00	-0.01	0.00
	GW2{1}	0.31	-0.15	-0.11	0.00	0.00	0.00
	GW3{1}	0.33	-0.13	0.08	0.00	0.00	0.00
	GW4{1}	0.36	-0.18	-0.28	0.00	-0.01	0.00
	GT1P1{1}	99.17	1.60	-1.56	0.00	-0.01	0.00
	GT2P2{1}	2.73	0.02	-0.21	0.00	-0.01	0.00
	GT3P3{1}	12.01	0.34	-0.49	0.00	0.00	0.00
	Gravity{2}	0.67	-0.34	-0.22	-0.01	-0.01	-0.01
	Thermal 3{2}	-0.35	-0.01	0.07	0.00	0.00	0.00
	Pressure 1{2}	18.66	3.68	-1.22	-0.03	-0.01	-0.01
	GT3{2}	0.32	-0.35	-0.15	-0.01	-0.01	-0.01
	Hydrotest-NL{2}	18.98	3.33	-1.37	-0.03	-0.02	-0.02
F02 N	Gravity{1}	0.43	-0.20	-0.10	0.00	0.00	0.00
	Thermal 1{1}	51.13	1.12	-1.46	0.00	0.00	0.00
	Thermal 2{1}	-7.95	-0.35	0.38	0.00	0.00	0.00
	Thermal 3{1}	-0.48	-0.02	0.05	0.00	0.00	0.00
	Wind 1{1}	0.04	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	-0.04	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	-0.03	0.02	0.19	0.00	0.00	0.00
	Wind 4{1}	0.02	-0.02	-0.18	0.00	0.00	0.00
	Pressure 1{1}	47.72	0.63	-0.63	0.00	-0.01	0.00
	Pressure 2{1}	10.34	0.53	-0.55	0.00	0.00	0.00
	Pressure 3{1}	12.14	0.52	-0.63	0.00	0.00	0.00
	GT1{1}	51.57	0.92	-1.57	0.00	0.00	0.00
	GT2{1}	-7.52	-0.55	0.27	0.00	-0.01	0.00
	GT3{1}	-0.04	-0.22	-0.05	0.00	-0.01	0.00
	GW1{1}	0.47	-0.21	-0.10	0.00	-0.01	0.00
	GW2{1}	0.40	-0.20	-0.11	0.00	0.00	0.00
	GW3{1}	0.41	-0.18	0.08	0.00	0.00	0.00
	GW4{1}	0.46	-0.22	-0.28	0.00	-0.01	0.00
	GT1P1{1}	99.29	1.55	-2.20	0.00	-0.01	0.00
	GT2P2{1}	2.82	-0.02	-0.28	0.00	-0.01	0.00
	GT3P3{1}	12.10	0.30	-0.68	0.00	0.00	0.00
	Gravity{2}	0.86	-0.43	-0.22	0.00	-0.01	-0.01
	Thermal 3{2}	-0.28	0.00	0.09	0.00	0.00	0.00
	Pressure 1{2}	18.78	3.13	-1.47	-0.03	-0.01	-0.01
	GT3{2}	0.58	-0.43	-0.14	0.00	-0.01	-0.01
	Hydrotest-NL{2}	19.36	2.69	-1.61	-0.03	-0.02	-0.02
F02 F	Gravity{1}	0.44	-0.20	-0.12	0.00	0.00	-0.01
	Thermal 1{1}	50.99	0.57	-2.06	0.00	0.00	0.00
	Thermal 2{1}	-7.88	-0.17	0.56	0.00	0.00	0.00
	Thermal 3{1}	-0.42	-0.01	0.07	0.00	0.00	0.00
	Wind 1{1}	0.03	-0.01	0.01	0.00	0.00	0.00
	Wind 2{1}	-0.03	0.01	-0.01	0.00	0.00	0.00
	Wind 3{1}	-0.03	0.01	0.20	0.00	0.00	0.00
	Wind 4{1}	0.03	-0.01	-0.19	0.00	0.00	0.00
	Pressure 1{1}	47.92	0.34	-0.85	0.00	-0.01	0.00
	Pressure 2{1}	10.28	0.28	-0.82	0.00	0.00	0.00
	Pressure 3{1}	12.08	0.27	-0.91	0.00	0.00	0.00
	GT1{1}	51.44	0.37	-2.19	0.00	0.00	-0.01
	GT2{1}	-7.43	-0.37	0.43	0.00	-0.01	0.00
	GT3{1}	0.02	-0.21	-0.05	0.00	-0.01	0.00
	GW1{1}	0.47	-0.21	-0.12	0.00	0.00	-0.01
	GW2{1}	0.42	-0.19	-0.13	0.00	0.00	0.00
	GW3{1}	0.41	-0.19	0.08	0.00	0.00	0.00
	GW4{1}	0.47	-0.21	-0.32	0.00	0.00	-0.01
	GT1P1{1}	99.36	0.71	-3.03	0.00	0.00	0.00
	GT2P2{1}	2.85	-0.10	-0.39	0.00	0.00	0.00
	GT3P3{1}	12.10	0.07	-0.96	0.00	0.00	0.00
	Gravity{2}	0.88	-0.43	-0.27	0.00	-0.01	-0.01
	Thermal 3{2}	-0.18	0.01	0.11	0.00	0.00	0.00
	Pressure 1{2}	18.72	2.08	-1.08	-0.03	-0.01	-0.01
	GT3{2}	0.70	-0.42	-0.15	0.00	-0.01	-0.01
	Hydrotest-NL{2}	19.42	1.66	-1.23	-0.03	-0.02	-0.02
F03 N	Gravity{1}	0.44	-0.20	-0.13	0.00	0.00	-0.01
	Thermal 1{1}	50.99	0.55	-2.06	0.00	0.00	0.00
	Thermal 2{1}	-7.87	-0.16	0.56	0.00	0.00	0.00
	Thermal 3{1}	-0.42	0.00	0.07	0.00	0.00	0.00
	Wind 1{1}	0.03	-0.01	0.01	0.00	0.00	0.00
	Wind 2{1}	-0.03	0.01	-0.01	0.00	0.00	0.00
	Wind 3{1}	-0.03	0.01	0.21	0.00	0.00	0.00
	Wind 4{1}	0.03	-0.01	-0.19	0.00	0.00	0.00
	Pressure 1{1}	47.93	0.33	-0.84	0.00	-0.01	0.00
	Pressure 2{1}	10.28	0.26	-0.82	0.00	0.00	0.00
	Pressure 3{1}	12.08	0.26	-0.91	0.00	0.00	0.00
	GT1{1}	51.43	0.35	-2.19	0.00	0.00	-0.01
	GT2{1}	-7.44	-0.36	0.43	0.00	-0.01	0.00
	GT3{1}	0.02	-0.20	-0.05	0.00	-0.01	0.00
	GW1{1}	0.46	-0.21	-0.12	0.00	0.00	-0.01
	GW2{1}	0.41	-0.19	-0.13	0.00	0.00	0.00
	GW3{1}	0.41	-0.19	0.08	0.00	0.00	0.00
	GW4{1}	0.47	-0.21	-0.32	0.00	0.00	-0.01
	GT1P1{1}	99.36	0.68	-3.03	0.00	0.00	0.00
	GT2P2{1}	2.84	-0.10	-0.39	0.00	0.00	0.00
	GT3P3{1}	12.10	0.06	-0.96	0.00	0.00	0.00
	Gravity{2}	0.87	-0.43	-0.27	0.00	-0.01	-0.01
	Thermal 3{2}	-0.17	0.01	0.11	0.00	0.00	0.00
	Pressure 1{2}	18.71	2.07	-1.05	-0.03	-0.01	-0.01
	GT3{2}	0.69	-0.42	-0.16	0.00	-0.01	-0.01
	Hydrotest-NL{2}	19.40	1.65	-1.21	-0.03	-0.02	-0.02

F03 F	Gravity{1}	0.30	-0.06	-0.20	0.00	0.00	0.00
	Thermal 1{1}	50.40	0.00	-2.03	0.00	0.00	0.00
	Thermal 2{1}	-7.68	0.00	0.51	0.00	0.00	0.00
	Thermal 3{1}	-0.39	0.00	0.05	0.00	0.00	0.00
	Wind 1{1}	0.01	0.00	0.01	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.00	-0.01	0.00	0.00	0.00
	Wind 3{1}	-0.02	0.00	0.22	0.00	0.00	0.00
	Wind 4{1}	0.02	0.00	-0.21	0.00	0.00	0.00
	Pressure 1{1}	47.73	0.02	-0.83	-0.01	0.00	0.00
	Pressure 2{1}	10.01	0.00	-0.77	0.00	0.00	0.00
	Pressure 3{1}	11.81	0.00	-0.88	0.00	0.00	0.00
	GT1{1}	50.69	-0.07	-2.23	0.00	0.00	0.00
	GT2{1}	-7.38	-0.06	0.31	0.00	0.00	0.00
	GT3{1}	-0.09	-0.06	-0.15	0.00	0.00	0.00
	GW1{1}	0.31	-0.06	-0.20	0.00	0.00	0.00
	GW2{1}	0.28	-0.06	-0.21	0.00	0.00	0.00
	GW3{1}	0.27	-0.06	0.02	0.00	0.00	0.00
	GW4{1}	0.32	-0.07	-0.41	0.00	0.00	0.00
	GT1P1{1}	98.42	-0.05	-3.06	0.00	0.00	0.00
	GT2P2{1}	2.63	-0.06	-0.46	0.00	0.00	0.00
	GT3P3{1}	11.72	-0.06	-1.04	0.00	0.00	0.00
	Gravity{2}	0.57	-0.13	-0.44	0.00	0.00	-0.01
	Thermal 3{2}	-0.12	0.00	0.09	0.00	0.00	0.00
	Pressure 1{2}	18.18	1.94	-0.44	-0.03	0.00	-0.01
	GT3{2}	0.44	-0.13	-0.35	0.00	0.00	-0.01
	Hydrotest-NL{2}	18.62	1.81	-0.79	-0.03	-0.01	-0.01
F04	Gravity{1}	0.30	-0.05	-0.21	0.00	0.00	0.00
	Thermal 1{1}	50.30	0.00	-2.02	0.00	0.00	0.00
	Thermal 2{1}	-7.65	0.00	0.51	0.00	0.00	0.00
	Thermal 3{1}	-0.38	0.00	0.05	0.00	0.00	0.00
	Wind 1{1}	0.01	0.00	0.01	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.00	-0.01	0.00	0.00	0.00
	Wind 3{1}	-0.02	0.00	0.22	0.00	0.00	0.00
	Wind 4{1}	0.02	0.00	-0.21	0.00	0.00	0.00
	Pressure 1{1}	47.69	0.01	-0.83	-0.01	0.00	0.00
	Pressure 2{1}	9.97	0.00	-0.76	0.00	0.00	0.00
	Pressure 3{1}	11.77	0.00	-0.88	0.00	0.00	0.00
	GT1{1}	50.60	-0.05	-2.23	0.00	0.00	0.00
	GT2{1}	-7.36	-0.05	0.30	0.00	0.00	0.00
	GT3{1}	-0.09	-0.05	-0.16	0.00	0.00	0.00
	GW1{1}	0.31	-0.05	-0.20	0.00	0.00	0.00
	GW2{1}	0.28	-0.05	-0.22	0.00	0.00	0.00
	GW3{1}	0.27	-0.05	0.01	0.00	0.00	0.00
	GW4{1}	0.32	-0.05	-0.42	0.00	0.00	0.00
	GT1P1{1}	98.28	-0.04	-3.06	0.00	0.00	0.00
	GT2P2{1}	2.61	-0.05	-0.47	0.00	0.00	0.00
	GT3P3{1}	11.68	-0.05	-1.04	0.00	0.00	0.00
	Gravity{2}	0.57	-0.11	-0.45	0.00	0.00	-0.01
	Thermal 3{2}	-0.12	0.00	0.09	0.00	0.00	0.00
	Pressure 1{2}	18.13	1.98	-0.46	-0.03	0.00	-0.01
	GT3{2}	0.44	-0.11	-0.36	0.00	0.00	-0.01
	Hydrotest-NL{2}	18.57	1.88	-0.82	-0.03	-0.01	-0.01
F04 M	Gravity{1}	0.30	0.00	-0.24	0.00	0.00	0.00
	Thermal 1{1}	49.83	0.00	-1.96	0.00	0.00	0.00
	Thermal 2{1}	-7.51	0.00	0.48	0.00	0.00	0.00
	Thermal 3{1}	-0.37	0.00	0.04	0.00	0.00	0.00
	Wind 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	-0.02	0.00	0.22	0.00	0.00	0.00
	Wind 4{1}	0.02	0.00	-0.20	0.00	0.00	0.00
	Pressure 1{1}	47.68	0.00	-0.85	-0.01	0.00	0.00
	Pressure 2{1}	9.96	0.00	-0.72	0.00	0.00	0.00
	Pressure 3{1}	11.76	0.00	-0.85	0.00	0.00	0.00
	GT1{1}	50.12	0.00	-2.21	0.00	0.00	0.00
	GT2{1}	-7.21	0.00	0.24	0.00	0.00	0.00
	GT3{1}	-0.07	0.00	-0.21	0.00	0.00	0.00
	GW1{1}	0.31	0.00	-0.24	0.00	0.00	0.00
	GW2{1}	0.28	0.00	-0.25	0.00	0.00	0.00
	GW3{1}	0.27	0.00	-0.02	0.00	0.00	0.00
	GW4{1}	0.32	0.00	-0.45	0.00	0.00	0.00
	GT1P1{1}	97.81	0.00	-3.06	0.00	0.00	0.00
	GT2P2{1}	2.76	0.00	-0.49	0.00	0.00	0.00
	GT3P3{1}	11.69	0.00	-1.05	0.00	0.00	0.00
	Gravity{2}	0.57	0.00	-0.52	0.00	0.00	-0.01
	Thermal 3{2}	-0.11	0.00	0.07	0.00	0.00	0.00
	Pressure 1{2}	18.12	2.16	-0.54	-0.03	0.00	-0.01
	GT3{2}	0.46	0.00	-0.45	0.00	0.00	-0.01
	Hydrotest-NL{2}	18.58	2.16	-0.99	-0.03	-0.01	-0.01
F05	Gravity{1}	0.30	0.05	-0.28	0.00	0.00	0.00
	Thermal 1{1}	49.35	0.00	-1.91	0.00	0.00	0.00
	Thermal 2{1}	-7.36	0.00	0.45	0.00	0.00	0.00
	Thermal 3{1}	-0.36	0.00	0.03	0.00	0.00	0.00
	Wind 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	-0.02	0.00	0.22	0.00	0.00	0.00
	Wind 4{1}	0.02	0.00	-0.20	0.00	0.00	0.00
	Pressure 1{1}	47.68	-0.01	-0.87	-0.01	0.00	0.00
	Pressure 2{1}	9.96	0.00	-0.69	0.00	0.00	0.00
	Pressure 3{1}	11.76	0.00	-0.82	0.00	0.00	0.00
	GT1{1}	49.65	0.05	-2.19	0.00	0.00	0.00
	GT2{1}	-7.06	0.05	0.18	0.00	0.00	0.00
	GT3{1}	-0.06	0.05	-0.25	0.00	0.00	0.00
	GW1{1}	0.31	0.05	-0.27	0.00	0.00	0.00
	GW2{1}	0.28	0.05	-0.28	0.00	0.00	0.00
	GW3{1}	0.27	0.05	-0.06	0.00	0.00	0.00
	GW4{1}	0.32	0.05	-0.48	0.00	0.00	0.00
	GT1P1{1}	97.33	0.04	-3.06	0.00	0.00	0.00
	GT2P2{1}	2.90	0.05	-0.51	0.00	0.00	0.00
	GT3P3{1}	11.70	0.05	-1.07	0.00	0.00	0.00
	Gravity{2}	0.57	0.10	-0.59	0.00	0.00	-0.01
	Thermal 3{2}	-0.10	0.00	0.06	0.00	0.00	0.00
	Pressure 1{2}	18.12	2.35	-0.62	-0.03	0.00	-0.01
	GT3{2}	0.47	0.10	-0.54	0.00	0.00	-0.01
	Hydrotest-NL{2}	18.59	2.45	-1.16	-0.03	-0.01	-0.01

F06	Gravity{1}	0.30	0.00	-0.37	0.00	0.00	0.00
	Thermal 1{1}	47.69	0.00	-1.73	0.00	0.00	0.00
	Thermal 2{1}	-6.85	0.00	0.36	0.00	0.00	0.00
	Thermal 3{1}	-0.31	0.00	-0.02	0.00	0.00	0.00
	Wind 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	-0.02	0.00	0.21	0.00	0.00	0.00
	Wind 4{1}	0.02	0.00	-0.18	0.00	0.00	0.00
	Pressure 1{1}	46.92	0.00	-0.89	-0.01	0.00	0.00
	Pressure 2{1}	9.20	0.00	-0.53	0.00	0.00	0.00
	Pressure 3{1}	10.99	0.00	-0.69	0.00	0.00	0.00
	GT1{1}	47.99	0.00	-2.11	0.00	0.00	0.00
	GT2{1}	-6.55	0.00	-0.01	0.00	0.00	0.00
	GT3{1}	-0.01	0.00	-0.39	0.00	0.00	0.00
	GW1{1}	0.31	0.00	-0.37	0.00	0.00	0.00
	GW2{1}	0.29	0.00	-0.37	0.00	0.00	0.00
	GW3{1}	0.27	0.00	-0.16	0.00	0.00	0.00
	GW4{1}	0.32	0.00	-0.56	0.00	0.00	0.00
	GT1P1{1}	94.90	0.00	-3.00	0.00	0.00	0.00
	GT2P2{1}	2.65	0.00	-0.54	0.00	0.00	0.00
	GT3P3{1}	10.98	0.00	-1.07	0.00	0.00	0.00
	Gravity{2}	0.57	0.00	-0.79	0.00	0.00	0.01
	Thermal 3{2}	-0.05	0.00	-0.01	0.00	0.00	0.00
	Pressure 1{2}	17.16	3.00	-0.88	-0.03	0.00	-0.01
	GT3{2}	0.52	0.00	-0.80	0.00	0.00	0.01
	Hydrotest-NL{2}	17.68	3.00	-1.68	-0.03	-0.01	0.00
F07 N	Gravity{1}	0.30	-0.07	-0.39	0.00	0.00	0.00
	Thermal 1{1}	47.35	-0.01	-1.70	0.00	0.00	0.00
	Thermal 2{1}	-6.74	0.00	0.34	0.00	0.00	0.00
	Thermal 3{1}	-0.30	0.00	-0.03	0.00	0.00	0.00
	Wind 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	-0.02	0.00	0.21	0.00	0.00	0.00
	Wind 4{1}	0.02	0.00	-0.18	0.00	0.00	0.00
	Pressure 1{1}	46.76	0.03	-0.89	-0.01	0.00	0.00
	Pressure 2{1}	9.04	0.01	-0.49	0.00	0.00	0.00
	Pressure 3{1}	10.84	0.01	-0.65	0.00	0.00	0.00
	GT1{1}	47.65	-0.07	-2.08	0.00	0.00	0.01
	GT2{1}	-6.45	-0.07	-0.04	0.00	0.00	0.00
	GT3{1}	0.00	-0.07	-0.41	0.00	0.00	0.00
	GW1{1}	0.31	-0.07	-0.39	0.00	0.00	0.00
	GW2{1}	0.29	-0.07	-0.38	0.00	0.00	0.00
	GW3{1}	0.27	-0.06	-0.18	0.00	0.00	0.00
	GW4{1}	0.32	-0.07	-0.57	0.00	0.00	0.00
	GT1P1{1}	94.41	-0.04	-2.97	0.00	0.00	0.00
	GT2P2{1}	2.60	-0.06	-0.53	0.00	0.00	0.00
	GT3P3{1}	10.84	-0.06	-1.06	0.00	0.00	0.00
	Gravity{2}	0.57	-0.14	-0.82	0.00	0.00	0.01
	Thermal 3{2}	-0.04	0.00	-0.02	0.00	0.00	0.00
	Pressure 1{2}	16.97	3.14	-0.93	-0.03	0.00	-0.01
	GT3{2}	0.53	-0.15	-0.84	0.00	0.00	0.01
	Hydrotest-NL{2}	17.50	2.99	-1.77	-0.03	-0.01	0.00
F07 F	Gravity{1}	0.12	-0.25	-0.38	0.00	0.00	0.01
	Thermal 1{1}	46.74	0.53	-1.56	0.00	0.00	0.00
	Thermal 2{1}	-6.58	-0.18	0.30	0.00	0.00	0.00
	Thermal 3{1}	-0.30	-0.03	-0.07	0.00	0.00	0.00
	Wind 1{1}	0.03	0.01	-0.01	0.00	0.00	0.00
	Wind 2{1}	-0.03	-0.01	0.01	0.00	0.00	0.00
	Wind 3{1}	-0.02	0.01	0.23	0.00	0.00	0.00
	Wind 4{1}	0.01	-0.01	-0.20	0.00	0.00	0.00
	Pressure 1{1}	46.78	0.49	-0.95	-0.01	0.00	-0.02
	Pressure 2{1}	8.84	0.32	-0.36	0.00	0.01	0.00
	Pressure 3{1}	10.63	0.31	-0.51	0.00	0.01	0.00
	GT1{1}	46.86	0.28	-1.94	0.00	0.00	0.01
	GT2{1}	-6.46	-0.43	-0.08	0.00	0.00	0.01
	GT3{1}	-0.18	-0.28	-0.44	0.00	0.00	0.01
	GW1{1}	0.15	-0.24	-0.39	0.00	0.00	0.00
	GW2{1}	0.10	-0.26	-0.37	0.00	0.00	0.01
	GW3{1}	0.11	-0.24	-0.15	0.00	0.00	0.01
	GW4{1}	0.14	-0.26	-0.58	0.00	0.00	0.01
	GT1P1{1}	93.64	0.77	-2.89	0.00	0.01	-0.01
	GT2P2{1}	2.39	-0.12	-0.45	0.00	0.01	0.00
	GT3P3{1}	10.45	0.03	-0.96	0.00	0.01	0.00
	Gravity{2}	0.19	-0.53	-0.80	0.00	0.00	0.01
	Thermal 3{2}	-0.06	-0.04	-0.11	0.00	0.00	0.00
	Pressure 1{2}	16.90	3.72	-1.70	-0.03	0.00	-0.01
	GT3{2}	0.13	-0.58	-0.91	0.00	0.00	0.01
	Hydrotest-NL{2}	17.03	3.14	-2.61	-0.03	0.00	0.00
F08 N	Gravity{1}	0.12	-0.25	-0.38	0.00	0.00	0.01
	Thermal 1{1}	46.73	0.56	-1.56	0.00	0.00	0.00
	Thermal 2{1}	-6.58	-0.19	0.29	0.00	0.00	0.00
	Thermal 3{1}	-0.30	-0.03	-0.07	0.00	0.00	0.00
	Wind 1{1}	0.03	0.01	-0.01	0.00	0.00	0.00
	Wind 2{1}	-0.03	-0.01	0.01	0.00	0.00	0.00
	Wind 3{1}	-0.02	0.01	0.23	0.00	0.00	0.00
	Wind 4{1}	0.01	-0.01	-0.21	0.00	0.00	0.00
	Pressure 1{1}	46.80	0.50	-0.96	-0.01	0.00	-0.02
	Pressure 2{1}	8.84	0.33	-0.36	0.00	0.01	0.00
	Pressure 3{1}	10.63	0.32	-0.51	0.00	0.01	0.00
	GT1{1}	46.85	0.31	-1.94	0.00	0.00	0.01
	GT2{1}	-6.46	-0.44	-0.08	0.00	0.00	0.01
	GT3{1}	-0.18	-0.28	-0.44	0.00	0.00	0.01
	GW1{1}	0.15	-0.24	-0.39	0.00	0.00	0.00
	GW2{1}	0.09	-0.26	-0.37	0.00	0.00	0.01
	GW3{1}	0.10	-0.24	-0.15	0.00	0.00	0.01
	GW4{1}	0.13	-0.26	-0.58	0.00	0.00	0.01
	GT1P1{1}	93.65	0.80	-2.89	0.00	0.01	-0.01
	GT2P2{1}	2.38	-0.11	-0.45	0.00	0.01	0.00
	GT3P3{1}	10.45	0.04	-0.96	0.00	0.01	0.00
	Gravity{2}	0.18	-0.53	-0.80	0.00	0.00	0.01
	Thermal 3{2}	-0.06	-0.04	-0.11	0.00	0.00	0.00
	Pressure 1{2}	16.91	3.73	-1.73	-0.03	0.00	-0.01
	GT3{2}	0.12	-0.58	-0.91	0.00	0.00	0.01
	Hydrotest-NL{2}	17.03	3.15	-2.64	-0.03	0.00	0.00

F08 F	Gravity{1}	0.07	-0.21	-0.39	0.00	0.00	0.00
	Thermal 1{1}	46.70	1.03	-0.90	0.00	0.00	0.01
	Thermal 2{1}	-6.63	-0.35	0.11	0.00	0.00	0.00
	Thermal 3{1}	-0.36	-0.04	-0.09	0.00	0.00	0.00
	Wind 1{1}	0.04	0.01	-0.01	0.00	0.00	0.00
	Wind 2{1}	-0.04	-0.01	0.01	0.00	0.00	0.00
	Wind 3{1}	-0.01	0.01	0.24	0.00	0.00	0.00
	Wind 4{1}	0.00	-0.01	-0.21	0.00	0.00	0.00
	Pressure 1{1}	47.39	0.91	-0.84	-0.01	0.01	-0.02
	Pressure 2{1}	9.04	0.56	-0.07	0.00	0.01	0.00
	Pressure 3{1}	10.80	0.53	-0.20	0.00	0.01	0.00
	GT1{1}	46.78	0.81	-1.29	0.00	0.01	0.01
	GT2{1}	-6.56	-0.56	-0.28	0.00	0.00	0.00
	GT3{1}	-0.28	-0.25	-0.48	0.00	0.00	0.00
	GW1{1}	0.12	-0.20	-0.39	0.00	0.00	0.00
	GW2{1}	0.03	-0.22	-0.38	0.00	0.00	0.00
	GW3{1}	0.07	-0.20	-0.15	0.00	0.00	0.00
	GW4{1}	0.08	-0.22	-0.60	0.00	0.00	0.00
	GT1P1{1}	94.17	1.73	-2.12	-0.01	0.01	-0.01
	GT2P2{1}	2.48	-0.01	-0.35	0.00	0.01	0.00
	GT3P3{1}	10.52	0.28	-0.68	0.00	0.01	0.00
	Gravity{2}	0.07	-0.46	-0.81	-0.01	0.01	0.01
	Thermal 3{2}	-0.16	-0.04	-0.15	0.00	0.00	0.00
	Pressure 1{2}	17.12	4.78	-2.13	-0.03	0.00	-0.01
	GT3{2}	-0.09	-0.50	-0.96	-0.01	0.00	0.01
	Hydrotest-NL{2}	17.03	4.28	-3.09	-0.04	0.00	0.00
F09 N	Gravity{1}	0.13	-0.13	-0.39	0.00	0.00	0.00
	Thermal 1{1}	46.75	0.94	-0.46	0.00	0.00	0.01
	Thermal 2{1}	-6.67	-0.33	-0.03	0.00	0.00	0.00
	Thermal 3{1}	-0.39	-0.03	-0.10	0.00	0.00	0.00
	Wind 1{1}	0.03	0.01	-0.01	0.00	0.00	0.00
	Wind 2{1}	-0.03	-0.01	0.01	0.00	0.00	0.00
	Wind 3{1}	0.00	0.01	0.24	0.00	0.00	0.00
	Wind 4{1}	0.00	-0.01	-0.21	0.00	0.00	0.00
	Pressure 1{1}	47.53	1.03	-0.64	-0.01	0.01	-0.02
	Pressure 2{1}	9.17	0.52	0.13	0.00	0.01	0.00
	Pressure 3{1}	10.92	0.48	0.00	0.00	0.01	0.00
	GT1{1}	46.87	0.81	-0.85	0.00	0.01	0.01
	GT2{1}	-6.55	-0.47	-0.41	-0.01	0.00	0.00
	GT3{1}	-0.26	-0.16	-0.49	0.00	0.00	0.00
	GW1{1}	0.16	-0.13	-0.39	0.00	0.00	0.00
	GW2{1}	0.09	-0.14	-0.38	0.00	0.00	0.00
	GW3{1}	0.13	-0.13	-0.15	0.00	0.00	0.00
	GW4{1}	0.13	-0.14	-0.60	0.00	0.00	0.00
	GT1P1{1}	94.41	1.84	-1.48	-0.01	0.01	-0.01
	GT2P2{1}	2.62	0.05	-0.29	0.00	0.01	0.00
	GT3P3{1}	10.66	0.32	-0.49	0.00	0.01	0.00
	Gravity{2}	0.18	-0.30	-0.81	-0.01	0.01	0.01
	Thermal 3{2}	-0.22	-0.02	-0.16	0.00	0.00	0.00
	Pressure 1{2}	17.10	5.34	-1.88	-0.03	0.00	-0.01
	GT3{2}	-0.04	-0.33	-0.97	-0.01	0.00	0.01
	Hydrotest-NL{2}	17.06	5.02	-2.85	-0.04	0.00	0.00
F09 F	Gravity{1}	0.19	0.03	-0.21	-0.01	0.00	0.00
	Thermal 1{1}	46.95	0.26	0.01	0.00	0.00	0.01
	Thermal 2{1}	-6.74	-0.13	-0.17	0.00	0.00	0.00
	Thermal 3{1}	-0.43	0.00	-0.11	0.00	0.00	0.00
	Wind 1{1}	0.01	0.00	-0.01	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.00	0.01	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.22	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.20	0.00	0.00	0.00
	Pressure 1{1}	47.12	0.91	-0.25	0.00	0.00	-0.03
	Pressure 2{1}	9.33	0.19	0.32	0.00	0.00	0.00
	Pressure 3{1}	11.09	0.15	0.20	0.00	0.00	0.00
	GT1{1}	47.14	0.29	-0.20	0.00	0.00	0.01
	GT2{1}	-6.55	-0.10	-0.38	-0.01	0.00	0.00
	GT3{1}	-0.24	0.02	-0.32	-0.01	0.00	0.00
	GW1{1}	0.20	0.03	-0.22	-0.01	0.00	0.00
	GW2{1}	0.18	0.02	-0.20	-0.01	0.00	0.00
	GW3{1}	0.19	0.02	0.00	-0.01	0.00	0.00
	GW4{1}	0.19	0.03	-0.41	-0.01	0.00	0.00
	GT1P1{1}	94.25	1.20	-0.46	-0.01	0.00	-0.02
	GT2P2{1}	2.78	0.09	-0.06	-0.01	0.00	0.00
	GT3P3{1}	10.85	0.18	-0.13	-0.01	0.00	0.00
	Gravity{2}	0.33	0.02	-0.45	-0.02	0.00	0.00
	Thermal 3{2}	-0.29	0.01	-0.17	0.00	0.00	0.00
	Pressure 1{2}	16.87	5.73	-0.84	-0.03	0.00	-0.01
	GT3{2}	0.03	0.04	-0.61	-0.02	0.00	0.00
	Hydrotest-NL{2}	16.90	5.76	-1.45	-0.04	0.00	-0.01
A10	Gravity{1}	0.17	0.03	-0.03	-0.01	0.00	0.00
	Thermal 1{1}	47.12	-0.33	-0.08	0.00	0.00	0.01
	Thermal 2{1}	-6.77	0.05	-0.14	0.00	0.00	0.00
	Thermal 3{1}	-0.44	0.02	-0.10	0.00	0.00	0.00
	Wind 1{1}	0.01	0.00	-0.01	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.00	0.01	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.18	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.16	0.00	0.00	0.00
	Pressure 1{1}	46.48	0.63	-0.16	0.00	0.00	-0.03
	Pressure 2{1}	9.39	-0.08	0.25	0.00	0.00	0.00
	Pressure 3{1}	11.17	-0.12	0.13	0.00	0.00	0.00
	GT1{1}	47.29	-0.30	-0.11	0.00	0.00	0.01
	GT2{1}	-6.61	0.08	-0.17	-0.01	0.00	0.00
	GT3{1}	-0.27	0.04	-0.13	-0.01	0.00	0.00
	GW1{1}	0.17	0.03	-0.04	-0.01	0.00	0.00
	GW2{1}	0.16	0.03	-0.02	-0.01	0.00	0.00
	GW3{1}	0.17	0.03	0.15	-0.01	0.00	0.00
	GW4{1}	0.17	0.03	-0.19	-0.01	0.00	0.00
	GT1P1{1}	93.77	0.33	-0.28	-0.01	0.00	-0.02
	GT2P2{1}	2.78	0.00	0.08	-0.01	0.00	0.00
	GT3P3{1}	10.90	-0.08	0.00	-0.01	0.00	0.00
	Gravity{2}	0.30	0.03	-0.06	-0.02	0.00	0.00
	Thermal 3{2}	-0.31	0.03	-0.16	0.00	0.00	0.00
	Pressure 1{2}	16.68	5.39	-0.12	-0.03	0.00	-0.01
	GT3{2}	-0.02	0.06	-0.22	-0.02	0.00	0.00
	Hydrotest-NL{2}	16.66	5.44	-0.34	-0.04	-0.01	-0.01

*** Segment F end *** Line # AKABP-36"-PL-012-X70-CL900_B

*** Segment G begin *** Line # AKAB-A-100_N4

B02	Gravity{1}	0.17	-0.11	0.67	-0.01	0.00	0.00
	Thermal 1{1}	57.71	0.00	-1.02	0.00	0.00	0.00
	Thermal 2{1}	-10.90	0.00	0.24	0.00	0.00	0.00
	Thermal 3{1}	-0.68	0.00	0.03	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.02	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.02	0.00	0.00	0.00
	Pressure 1{1}	49.49	0.00	0.24	0.00	0.00	0.00
	Pressure 2{1}	12.37	0.00	-0.29	0.00	0.00	0.00
	Pressure 3{1}	14.14	0.00	-0.26	0.00	0.00	0.00
	GT1{1}	57.88	-0.11	-0.35	0.00	0.00	0.00
	GT2{1}	-10.73	-0.11	0.91	-0.01	0.00	0.00
	GT3{1}	-0.51	-0.11	0.70	-0.01	0.00	0.00
	GW1{1}	0.17	-0.11	0.67	-0.01	0.00	0.00
	GW2{1}	0.17	-0.11	0.67	-0.01	0.00	0.00
	GW3{1}	0.17	-0.11	0.69	0.00	0.00	0.00
	GW4{1}	0.17	-0.11	0.66	-0.01	0.00	0.00
	GT1P1{1}	107.36	-0.11	-0.11	-0.01	0.00	0.00
	GT2P2{1}	1.64	-0.11	0.63	-0.01	0.00	0.00
	GT3P3{1}	13.62	-0.11	0.44	-0.01	0.00	0.00
	Gravity{2}	0.30	-0.23	1.41	-0.01	0.00	-0.01
	Thermal 3{2}	-0.54	0.00	0.02	0.00	0.00	0.00
	Pressure 1{2}	20.43	1.55	1.53	-0.03	0.00	-0.01
	GT3{2}	-0.24	-0.23	1.43	-0.01	0.00	-0.01
	Hydrotest-NL{2}	20.19	1.31	2.96	-0.04	-0.01	-0.02
G01	Gravity{1}	0.23	-0.11	0.59	-0.01	0.00	0.00
	Thermal 1{1}	57.71	0.62	-0.99	0.00	0.00	0.00
	Thermal 2{1}	-10.90	-0.42	0.23	0.00	0.00	0.00
	Thermal 3{1}	-0.68	-0.01	0.03	0.00	0.00	0.00
	Wind 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.05	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.04	0.00	0.00	0.00
	Pressure 1{1}	49.49	0.01	0.20	0.00	0.00	0.00
	Pressure 2{1}	12.37	0.01	-0.27	0.00	0.00	0.00
	Pressure 3{1}	14.14	0.01	-0.25	0.00	0.00	0.00
	GT1{1}	57.93	0.52	-0.41	0.00	0.00	0.00
	GT2{1}	-10.67	-0.52	0.82	-0.01	0.00	0.00
	GT3{1}	-0.45	-0.11	0.62	-0.01	0.00	0.00
	GW1{1}	0.23	-0.11	0.59	-0.01	0.00	0.00
	GW2{1}	0.22	-0.11	0.59	-0.01	0.00	0.00
	GW3{1}	0.23	-0.11	0.63	0.00	0.00	0.00
	GW4{1}	0.23	-0.11	0.54	-0.01	0.00	0.00
	GT1P1{1}	107.42	0.53	-0.20	-0.01	0.00	0.00
	GT2P2{1}	1.70	-0.51	0.55	-0.01	0.00	0.00
	GT3P3{1}	13.68	-0.10	0.37	-0.01	0.00	0.00
	Gravity{2}	0.43	-0.23	1.23	-0.01	0.00	-0.01
	Thermal 3{2}	-0.54	-0.01	0.02	0.00	0.00	0.00
	Pressure 1{2}	20.55	1.56	1.17	-0.03	0.00	-0.01
	GT3{2}	-0.11	-0.24	1.26	-0.01	0.00	-0.01
	Hydrotest-NL{2}	20.43	1.32	2.43	-0.04	-0.01	-0.02

*** Segment G end *** Line # AKAB-A-100_N4

*** Segment I begin *** Line # AKAB-A-100_N7

B06	Gravity{1}	0.17	-0.17	0.97	-0.01	0.00	0.01
	Thermal 1{1}	64.93	0.00	-1.26	0.00	0.00	0.00
	Thermal 2{1}	-15.74	0.00	0.27	0.00	0.00	0.00
	Thermal 3{1}	-0.77	0.00	0.00	0.00	0.00	0.00
	Wind 1{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	0.00	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.02	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.02	0.00	0.00	0.00
	Pressure 1{1}	51.12	0.00	0.38	0.00	0.00	0.00
	Pressure 2{1}	14.00	0.00	-0.28	0.00	0.00	0.00
	Pressure 3{1}	15.77	0.00	-0.21	0.00	0.00	0.00
	GT1{1}	65.10	-0.17	-0.29	0.00	0.00	0.01
	GT2{1}	-15.57	-0.17	1.24	-0.01	0.00	0.01
	GT3{1}	-0.60	-0.17	0.98	-0.01	0.00	0.01
	GW1{1}	0.17	-0.17	0.97	-0.01	0.00	0.01
	GW2{1}	0.17	-0.17	0.97	-0.01	0.00	0.01
	GW3{1}	0.17	-0.17	0.99	0.00	0.00	0.01
	GW4{1}	0.17	-0.17	0.95	-0.01	0.00	0.01
	GT1P1{1}	116.23	-0.17	0.10	-0.01	0.00	0.01
	GT2P2{1}	-1.57	-0.17	0.96	-0.01	0.00	0.01
	GT3P3{1}	15.17	-0.17	0.76	-0.01	0.00	0.01
	Gravity{2}	0.30	-0.41	2.04	-0.01	0.00	0.01
	Thermal 3{2}	-0.63	0.00	0.00	0.00	0.00	0.00
	Pressure 1{2}	22.48	0.26	2.18	-0.03	0.00	-0.01
	GT3{2}	-0.33	-0.41	2.03	-0.01	0.00	0.01
	Hydrotest-NL{2}	22.15	-0.15	4.21	-0.04	-0.01	0.00
I01	Gravity{1}	0.11	-0.17	0.89	-0.01	0.00	0.01
	Thermal 1{1}	64.93	0.62	-1.23	0.00	0.00	0.00
	Thermal 2{1}	-15.74	-0.42	0.26	0.00	0.00	0.00
	Thermal 3{1}	-0.77	-0.01	0.01	0.00	0.00	0.00
	Wind 1{1}	0.01	0.00	0.00	0.00	0.00	0.00
	Wind 2{1}	-0.01	0.00	0.00	0.00	0.00	0.00
	Wind 3{1}	0.00	0.00	0.05	0.00	0.00	0.00
	Wind 4{1}	0.00	0.00	-0.05	0.00	0.00	0.00
	Pressure 1{1}	51.12	0.01	0.35	0.00	0.00	0.00
	Pressure 2{1}	14.00	0.01	-0.26	0.00	0.00	0.00
	Pressure 3{1}	15.77	0.01	-0.20	0.00	0.00	0.00
	GT1{1}	65.04	0.45	-0.34	0.00	0.00	0.01
	GT2{1}	-15.63	-0.59	1.15	-0.01	0.00	0.01
	GT3{1}	-0.66	-0.18	0.89	-0.01	0.00	0.01
	GW1{1}	0.11	-0.17	0.89	-0.01	0.00	0.01
	GW2{1}	0.10	-0.17	0.88	-0.01	0.00	0.01
	GW3{1}	0.11	-0.17	0.94	0.00	0.00	0.01
	GW4{1}	0.11	-0.17	0.84	-0.01	0.00	0.01

GT1P1{1}	116.16	0.46	0.01	-0.01	0.00	0.01
GT2P2{1}	-1.63	-0.58	0.88	-0.01	0.00	0.01
GT3P3{1}	15.10	-0.17	0.70	-0.01	0.00	0.01
Gravity{2}	0.15	-0.41	1.86	-0.01	0.00	0.01
Thermal 3{2}	-0.63	-0.01	0.01	0.00	0.00	0.00
Pressure 1{2}	22.59	0.28	1.82	-0.03	0.00	-0.01
GT3{2}	-0.47	-0.42	1.86	-0.01	0.00	0.01
Hydrotest-NL{2}	22.12	-0.14	3.68	-0.04	-0.01	0.00

*** Segment I end *** Line # AKAB-A-100_N7

ASME B31.8 (2016) CODE COMPLIANCE									
Point name	Load combination	(Moments in N.m)		Shear Stress	(Stress in N/mm2)			Code Stress	Code Allow.
		In-Pl. Moment	Out-Pl. Moment		Axial Stress	Bending Stress	Type		
*** Segment A begin *** Line # AKABP-36"-PL-012-X70-CL900_UG									
A00	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	36324.23	0.00	0.01	0.00	3.91	SUST	111.39	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.04
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.04
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.04
	Sus. + W1{1}	36324.23	0.00	0.00	0.00	0.00	OCC	111.39	361.97
	Sus. + W2{1}	36324.23	0.00	0.00	0.00	0.00	OCC	111.39	361.97
	Sus. + W3{1}	36324.23	0.00	0.00	0.00	0.00	OCC	111.40	361.97
	Sus. + W4{1}	36324.23	0.00	0.00	0.00	0.00	OCC	111.40	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	77344.45	0.00	0.07	73.58	8.33	OCC	81.91	434.37
+1	- SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	27466.59	0.00	0.01	0.00	2.96	SUST	110.44	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.99
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.99
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.99
	Sus. + W1{1}	27466.59	0.00	0.00	0.00	0.00	OCC	110.44	361.97
	Sus. + W2{1}	27466.59	0.00	0.00	0.00	0.00	OCC	110.44	361.97
	Sus. + W3{1}	27466.59	0.00	0.00	0.00	0.00	OCC	110.44	361.97
	Sus. + W4{1}	27466.59	0.00	0.00	0.00	0.00	OCC	110.44	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	58484.05	0.00	0.07	73.58	6.30	OCC	79.88	434.37
+1	+ SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	27466.59	0.00	0.01	0.00	2.96	SUST	110.44	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.99
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.99
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.99
	Sus. + W1{1}	27466.59	0.00	0.00	0.00	0.00	OCC	110.44	361.97
	Sus. + W2{1}	27466.59	0.00	0.00	0.00	0.00	OCC	110.44	361.97
	Sus. + W3{1}	27466.59	0.00	0.00	0.00	0.00	OCC	110.44	361.97
	Sus. + W4{1}	27466.59	0.00	0.00	0.00	0.00	OCC	110.44	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	58484.05	0.00	0.07	73.58	6.30	OCC	79.88	434.37
+2	- SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	19847.52	0.00	0.01	0.00	2.14	SUST	109.62	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.81
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.81
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.81
	Sus. + W1{1}	19847.52	0.00	0.00	0.00	0.00	OCC	109.62	361.97
	Sus. + W2{1}	19847.52	0.00	0.00	0.00	0.00	OCC	109.62	361.97
	Sus. + W3{1}	19847.52	0.00	0.00	0.00	0.00	OCC	109.62	361.97
	Sus. + W4{1}	19847.52	0.00	0.00	0.00	0.00	OCC	109.62	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	42260.91	0.00	0.07	73.58	4.55	OCC	78.13	434.37
+2	+ SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	19847.52	0.00	0.01	0.00	2.14	SUST	109.62	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.82
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.82
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.82

	Sus. + W1{1}	19847.52	0.00	0.00	0.00	0.00	OCC	109.62	361.97
	Sus. + W2{1}	19847.52	0.00	0.00	0.00	0.00	OCC	109.62	361.97
	Sus. + W3{1}	19847.52	0.00	0.00	0.00	0.00	OCC	109.62	361.97
	Sus. + W4{1}	19847.52	0.00	0.00	0.00	0.00	OCC	109.62	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	42260.91	0.00	0.07	73.58	4.55	OCC	78.13	434.37
+3 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	13401.72	0.00	0.01	0.00	1.44	SUST	108.92	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.51
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.51
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.51
	Sus. + W1{1}	13401.72	0.00	0.00	0.00	0.00	OCC	108.92	361.97
	Sus. + W2{1}	13401.72	0.00	0.00	0.00	0.00	OCC	108.92	361.97
	Sus. + W3{1}	13401.72	0.00	0.00	0.00	0.00	OCC	108.93	361.97
	Sus. + W4{1}	13401.72	0.00	0.00	0.00	0.00	OCC	108.93	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	28536.00	0.00	0.07	73.58	3.07	OCC	76.66	434.37
+3 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	13401.72	0.00	0.01	0.00	1.44	SUST	108.92	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.51
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.51
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.51
	Sus. + W1{1}	13401.72	0.00	0.00	0.00	0.00	OCC	108.92	361.97
	Sus. + W2{1}	13401.72	0.00	0.00	0.00	0.00	OCC	108.92	361.97
	Sus. + W3{1}	13401.72	0.00	0.00	0.00	0.00	OCC	108.93	361.97
	Sus. + W4{1}	13401.72	0.00	0.00	0.00	0.00	OCC	108.93	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	28536.00	0.00	0.07	73.58	3.07	OCC	76.66	434.37
+4 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	8046.94	0.00	0.01	0.00	0.87	SUST	108.34	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.09
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.09
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.09
	Sus. + W1{1}	8046.94	0.00	0.00	0.00	0.00	OCC	108.34	361.97
	Sus. + W2{1}	8046.94	0.00	0.00	0.00	0.00	OCC	108.34	361.97
	Sus. + W3{1}	8046.94	0.00	0.00	0.00	0.00	OCC	108.35	361.97
	Sus. + W4{1}	8046.94	0.00	0.00	0.00	0.00	OCC	108.35	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	17134.19	0.00	0.07	73.58	1.84	OCC	75.43	434.37
+4 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	8046.94	0.00	0.01	0.00	0.87	SUST	108.34	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.09
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.09
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.09
	Sus. + W1{1}	8046.94	0.00	0.00	0.00	0.00	OCC	108.34	361.97
	Sus. + W2{1}	8046.94	0.00	0.00	0.00	0.00	OCC	108.34	361.97
	Sus. + W3{1}	8046.94	0.00	0.00	0.00	0.00	OCC	108.35	361.97
	Sus. + W4{1}	8046.94	0.00	0.00	0.00	0.00	OCC	108.35	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	17134.19	0.00	0.07	73.58	1.84	OCC	75.43	434.37
+5 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	3687.66	0.00	0.01	0.00	0.40	SUST	107.88	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.56
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.56
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.56
	Sus. + W1{1}	3687.66	0.00	0.00	0.00	0.00	OCC	107.88	361.97
	Sus. + W2{1}	3687.66	0.00	0.00	0.00	0.00	OCC	107.88	361.97

	Sus. + W3{1}	3687.66	0.00	0.00	0.00	0.00	OCC	107.88	361.97
	Sus. + W4{1}	3687.66	0.00	0.00	0.00	0.00	OCC	107.88	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	7852.06	0.00	0.07	73.58	0.85	OCC	74.44	434.37
+5	+ SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	3687.66	0.00	0.01	0.00	0.40	SUST	107.87	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.56
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.56
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.56
	Sus. + W1{1}	3687.66	0.00	0.00	0.00	0.00	OCC	107.88	361.97
	Sus. + W2{1}	3687.66	0.00	0.00	0.00	0.00	OCC	107.88	361.97
	Sus. + W3{1}	3687.66	0.00	0.00	0.00	0.00	OCC	107.88	361.97
	Sus. + W4{1}	3687.66	0.00	0.00	0.00	0.00	OCC	107.88	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	7852.06	0.00	0.07	73.58	0.85	OCC	74.44	434.37
+6	- SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	221.80	0.00	0.01	0.00	0.02	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	221.80	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	221.80	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	221.80	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	221.80	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	472.28	0.00	0.07	73.58	0.05	OCC	73.74	434.37
+6	+ SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	221.80	0.00	0.01	0.00	0.02	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	221.80	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	221.80	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	221.80	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	221.80	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	472.28	0.00	0.07	73.58	0.05	OCC	73.74	434.37
+7	- SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	2456.01	0.00	0.01	0.00	0.26	SUST	107.74	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.69
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.69
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.69
	Sus. + W1{1}	2456.01	0.00	0.00	0.00	0.00	OCC	107.74	361.97
	Sus. + W2{1}	2456.01	0.00	0.00	0.00	0.00	OCC	107.74	361.97
	Sus. + W3{1}	2456.01	0.00	0.00	0.00	0.00	OCC	107.75	361.97
	Sus. + W4{1}	2456.01	0.00	0.00	0.00	0.00	OCC	107.75	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	5229.53	0.00	0.07	73.58	0.56	OCC	74.16	434.37
+7	+ SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	2456.01	0.00	0.01	0.00	0.26	SUST	107.74	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.69
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.69
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.69
	Sus. + W1{1}	2456.01	0.00	0.00	0.00	0.00	OCC	107.74	361.97
	Sus. + W2{1}	2456.01	0.00	0.00	0.00	0.00	OCC	107.74	361.97
	Sus. + W3{1}	2456.01	0.00	0.00	0.00	0.00	OCC	107.75	361.97

	Sus. + W4{1}	2456.01	0.00	0.00	0.00	0.00	OCC	107.75	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	5229.53	0.00	0.07	73.58	0.56	OCC	74.16	434.37
+8 -	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	4448.84	0.00	0.01	0.00	0.48	SUST	107.96	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.47
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.47
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.47
	Sus. + W1{1}	4448.84	0.00	0.00	0.00	0.00	OCC	107.96	361.97
	Sus. + W2{1}	4448.84	0.00	0.00	0.00	0.00	OCC	107.96	361.97
	Sus. + W3{1}	4448.84	0.00	0.00	0.00	0.00	OCC	107.96	361.97
	Sus. + W4{1}	4448.84	0.00	0.00	0.00	0.00	OCC	107.96	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	9472.83	0.00	0.07	73.58	1.02	OCC	74.61	434.37
+8 +	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	4448.84	0.00	0.01	0.00	0.48	SUST	107.96	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.47
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.47
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.47
	Sus. + W1{1}	4448.84	0.00	0.00	0.00	0.00	OCC	107.96	361.97
	Sus. + W2{1}	4448.84	0.00	0.00	0.00	0.00	OCC	107.96	361.97
	Sus. + W3{1}	4448.84	0.00	0.00	0.00	0.00	OCC	107.96	361.97
	Sus. + W4{1}	4448.84	0.00	0.00	0.00	0.00	OCC	107.96	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	9472.83	0.00	0.07	73.58	1.02	OCC	74.61	434.37
+9 -	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	5856.21	0.00	0.01	0.00	0.63	SUST	108.11	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.32
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.32
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.32
	Sus. + W1{1}	5856.21	0.00	0.00	0.00	0.00	OCC	108.11	361.97
	Sus. + W2{1}	5856.21	0.00	0.00	0.00	0.00	OCC	108.11	361.97
	Sus. + W3{1}	5856.21	0.00	0.00	0.00	0.00	OCC	108.11	361.97
	Sus. + W4{1}	5856.21	0.00	0.00	0.00	0.00	OCC	108.11	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	12469.52	0.00	0.07	73.58	1.34	OCC	74.93	434.37
+9 +	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	5856.21	0.00	0.01	0.00	0.63	SUST	108.11	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.32
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.32
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.32
	Sus. + W1{1}	5856.21	0.00	0.00	0.00	0.00	OCC	108.11	361.97
	Sus. + W2{1}	5856.21	0.00	0.00	0.00	0.00	OCC	108.11	361.97
	Sus. + W3{1}	5856.21	0.00	0.00	0.00	0.00	OCC	108.11	361.97
	Sus. + W4{1}	5856.21	0.00	0.00	0.00	0.00	OCC	108.11	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	12469.52	0.00	0.07	73.58	1.34	OCC	74.93	434.37
+10 -	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	6771.66	0.00	0.01	0.00	0.73	SUST	108.21	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.22
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.22
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.22
	Sus. + W1{1}	6771.66	0.00	0.00	0.00	0.00	OCC	108.21	361.97
	Sus. + W2{1}	6771.66	0.00	0.00	0.00	0.00	OCC	108.21	361.97
	Sus. + W3{1}	6771.66	0.00	0.00	0.00	0.00	OCC	108.21	361.97
	Sus. + W4{1}	6771.66	0.00	0.00	0.00	0.00	OCC	108.21	361.97
	Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	14418.75	0.00	0.07	73.58	1.55	OCC	75.14	434.37
+10 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	6771.66	0.00	0.01	0.00	0.73	SUST	108.21	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.22
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.22
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.22
Sus. + W1{1}	6771.66	0.00	0.00	0.00	0.00	OCC	108.21	361.97
Sus. + W2{1}	6771.66	0.00	0.00	0.00	0.00	OCC	108.21	361.97
Sus. + W3{1}	6771.66	0.00	0.00	0.00	0.00	OCC	108.21	361.97
Sus. + W4{1}	6771.66	0.00	0.00	0.00	0.00	OCC	108.21	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	14418.75	0.00	0.07	73.58	1.55	OCC	75.14	434.37
+11 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	7281.70	0.00	0.01	0.00	0.78	SUST	108.26	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.17
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.17
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.17
Sus. + W1{1}	7281.70	0.00	0.00	0.00	0.00	OCC	108.26	361.97
Sus. + W2{1}	7281.70	0.00	0.00	0.00	0.00	OCC	108.26	361.97
Sus. + W3{1}	7281.70	0.00	0.00	0.00	0.00	OCC	108.27	361.97
Sus. + W4{1}	7281.70	0.00	0.00	0.00	0.00	OCC	108.27	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	15504.77	0.00	0.07	73.58	1.67	OCC	75.26	434.37
+11 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	7281.70	0.00	0.01	0.00	0.78	SUST	108.26	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.17
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.17
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.17
Sus. + W1{1}	7281.70	0.00	0.00	0.00	0.00	OCC	108.26	361.97
Sus. + W2{1}	7281.70	0.00	0.00	0.00	0.00	OCC	108.26	361.97
Sus. + W3{1}	7281.70	0.00	0.00	0.00	0.00	OCC	108.27	361.97
Sus. + W4{1}	7281.70	0.00	0.00	0.00	0.00	OCC	108.27	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	15504.77	0.00	0.07	73.58	1.67	OCC	75.26	434.37
+12 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	7464.48	0.00	0.01	0.00	0.80	SUST	108.28	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.15
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.15
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.15
Sus. + W1{1}	7464.48	0.00	0.00	0.00	0.00	OCC	108.28	361.97
Sus. + W2{1}	7464.48	0.00	0.00	0.00	0.00	OCC	108.28	361.97
Sus. + W3{1}	7464.48	0.00	0.00	0.00	0.00	OCC	108.29	361.97
Sus. + W4{1}	7464.48	0.00	0.00	0.00	0.00	OCC	108.29	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	15893.96	0.00	0.07	73.58	1.71	OCC	75.30	434.37
+12 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	7464.48	0.00	0.01	0.00	0.80	SUST	108.28	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.15
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.15
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.15
Sus. + W1{1}	7464.48	0.00	0.00	0.00	0.00	OCC	108.28	361.97
Sus. + W2{1}	7464.48	0.00	0.00	0.00	0.00	OCC	108.28	361.97
Sus. + W3{1}	7464.48	0.00	0.00	0.00	0.00	OCC	108.29	361.97
Sus. + W4{1}	7464.48	0.00	0.00	0.00	0.00	OCC	108.29	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	15893.96	0.00	0.07	73.58	1.71	OCC	75.30	434.37

+13 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	7389.76	0.00	0.01	0.00	0.80	SUST	108.27	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.16	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.16	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.16	
Sus. + W1{1}	7389.76	0.00	0.00	0.00	0.00	OCC	108.27	361.97	
Sus. + W2{1}	7389.76	0.00	0.00	0.00	0.00	OCC	108.27	361.97	
Sus. + W3{1}	7389.76	0.00	0.00	0.00	0.00	OCC	108.28	361.97	
Sus. + W4{1}	7389.76	0.00	0.00	0.00	0.00	OCC	108.28	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	15734.87	0.00	0.07	73.58	1.69	OCC	75.28	434.37	
+13 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	7389.76	0.00	0.01	0.00	0.80	SUST	108.27	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.16	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.16	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.16	
Sus. + W1{1}	7389.76	0.00	0.00	0.00	0.00	OCC	108.27	361.97	
Sus. + W2{1}	7389.76	0.00	0.00	0.00	0.00	OCC	108.27	361.97	
Sus. + W3{1}	7389.76	0.00	0.00	0.00	0.00	OCC	108.28	361.97	
Sus. + W4{1}	7389.76	0.00	0.00	0.00	0.00	OCC	108.28	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	15734.87	0.00	0.07	73.58	1.69	OCC	75.28	434.37	
+14 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	7118.79	0.00	0.01	0.00	0.77	SUST	108.24	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.19	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.19	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.19	
Sus. + W1{1}	7118.79	0.00	0.00	0.00	0.00	OCC	108.24	361.97	
Sus. + W2{1}	7118.79	0.00	0.00	0.00	0.00	OCC	108.24	361.97	
Sus. + W3{1}	7118.79	0.00	0.00	0.00	0.00	OCC	108.25	361.97	
Sus. + W4{1}	7118.79	0.00	0.00	0.00	0.00	OCC	108.25	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	15157.90	0.00	0.07	73.58	1.63	OCC	75.22	434.37	
+14 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	7118.79	0.00	0.01	0.00	0.77	SUST	108.24	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.19	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.19	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.19	
Sus. + W1{1}	7118.79	0.00	0.00	0.00	0.00	OCC	108.24	361.97	
Sus. + W2{1}	7118.79	0.00	0.00	0.00	0.00	OCC	108.24	361.97	
Sus. + W3{1}	7118.79	0.00	0.00	0.00	0.00	OCC	108.25	361.97	
Sus. + W4{1}	7118.79	0.00	0.00	0.00	0.00	OCC	108.25	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	15157.90	0.00	0.07	73.58	1.63	OCC	75.22	434.37	
+15 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	6704.34	0.00	0.01	0.00	0.72	SUST	108.20	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.23	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.23	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.23	
Sus. + W1{1}	6704.34	0.00	0.00	0.00	0.00	OCC	108.20	361.97	
Sus. + W2{1}	6704.34	0.00	0.00	0.00	0.00	OCC	108.20	361.97	
Sus. + W3{1}	6704.34	0.00	0.00	0.00	0.00	OCC	108.20	361.97	
Sus. + W4{1}	6704.34	0.00	0.00	0.00	0.00	OCC	108.20	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	14275.42	0.00	0.07	73.58	1.54	OCC	75.13	434.37	
+15 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	6704.34	0.00	0.01	0.00	0.72	SUST	108.20	361.97	

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.23
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.23
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.23
	Sus. + W1{1}	6704.34	0.00	0.00	0.00	0.00 OCC	108.20	361.97
	Sus. + W2{1}	6704.34	0.00	0.00	0.00	0.00 OCC	108.20	361.97
	Sus. + W3{1}	6704.34	0.00	0.00	0.00	0.00 OCC	108.20	361.97
	Sus. + W4{1}	6704.34	0.00	0.00	0.00	0.00 OCC	108.20	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	14275.42	0.00	0.07	73.58	1.54 OCC	75.13	434.37
+16 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	6191.30	0.00	0.01	0.00	0.67 SUST	108.14	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.29
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.29
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.29
	Sus. + W1{1}	6191.30	0.00	0.00	0.00	0.00 OCC	108.14	361.97
	Sus. + W2{1}	6191.30	0.00	0.00	0.00	0.00 OCC	108.14	361.97
	Sus. + W3{1}	6191.30	0.00	0.00	0.00	0.00 OCC	108.15	361.97
	Sus. + W4{1}	6191.30	0.00	0.00	0.00	0.00 OCC	108.15	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	13183.02	0.00	0.07	73.58	1.42 OCC	75.01	434.37
+16 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	6191.30	0.00	0.01	0.00	0.67 SUST	108.14	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.29
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.29
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.29
	Sus. + W1{1}	6191.30	0.00	0.00	0.00	0.00 OCC	108.14	361.97
	Sus. + W2{1}	6191.30	0.00	0.00	0.00	0.00 OCC	108.14	361.97
	Sus. + W3{1}	6191.30	0.00	0.00	0.00	0.00 OCC	108.15	361.97
	Sus. + W4{1}	6191.30	0.00	0.00	0.00	0.00 OCC	108.15	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	13183.02	0.00	0.07	73.58	1.42 OCC	75.01	434.37
+17 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	5617.10	0.00	0.01	0.00	0.60 SUST	108.08	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.35
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.35
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.35
	Sus. + W1{1}	5617.10	0.00	0.00	0.00	0.00 OCC	108.08	361.97
	Sus. + W2{1}	5617.10	0.00	0.00	0.00	0.00 OCC	108.08	361.97
	Sus. + W3{1}	5617.10	0.00	0.00	0.00	0.00 OCC	108.09	361.97
	Sus. + W4{1}	5617.10	0.00	0.00	0.00	0.00 OCC	108.09	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	11960.37	0.00	0.07	73.58	1.29 OCC	74.88	434.37
+17 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	5617.10	0.00	0.01	0.00	0.60 SUST	108.08	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.35
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.35
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.35
	Sus. + W1{1}	5617.10	0.00	0.00	0.00	0.00 OCC	108.08	361.97
	Sus. + W2{1}	5617.10	0.00	0.00	0.00	0.00 OCC	108.08	361.97
	Sus. + W3{1}	5617.10	0.00	0.00	0.00	0.00 OCC	108.09	361.97
	Sus. + W4{1}	5617.10	0.00	0.00	0.00	0.00 OCC	108.09	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	11960.37	0.00	0.07	73.58	1.29 OCC	74.88	434.37
+18 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	5012.39	0.00	0.01	0.00	0.54 SUST	108.02	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.41
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.41

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.41
Sus. + W1{1}	5012.39	0.00	0.00	0.00	0.00	OCC	108.02	361.97
Sus. + W2{1}	5012.39	0.00	0.00	0.00	0.00	OCC	108.02	361.97
Sus. + W3{1}	5012.39	0.00	0.00	0.00	0.00	OCC	108.02	361.97
Sus. + W4{1}	5012.39	0.00	0.00	0.00	0.00	OCC	108.02	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	10672.79	0.00	0.07	73.58	1.15	OCC	74.74	434.37
+18 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	5012.39	0.00	0.01	0.00	0.54	SUST	108.02	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.42
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.42
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.42
Sus. + W1{1}	5012.39	0.00	0.00	0.00	0.00	OCC	108.02	361.97
Sus. + W2{1}	5012.39	0.00	0.00	0.00	0.00	OCC	108.02	361.97
Sus. + W3{1}	5012.39	0.00	0.00	0.00	0.00	OCC	108.02	361.97
Sus. + W4{1}	5012.39	0.00	0.00	0.00	0.00	OCC	108.02	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	10672.79	0.00	0.07	73.58	1.15	OCC	74.74	434.37
+19 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	4401.55	0.00	0.01	0.00	0.47	SUST	107.95	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.48
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.48
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.48
Sus. + W1{1}	4401.55	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W2{1}	4401.55	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W3{1}	4401.55	0.00	0.00	0.00	0.00	OCC	107.96	361.97
Sus. + W4{1}	4401.55	0.00	0.00	0.00	0.00	OCC	107.96	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	9372.12	0.00	0.07	73.58	1.01	OCC	74.60	434.37
+19 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	4401.55	0.00	0.01	0.00	0.47	SUST	107.95	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.48
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.48
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.48
Sus. + W1{1}	4401.55	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W2{1}	4401.55	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W3{1}	4401.55	0.00	0.00	0.00	0.00	OCC	107.96	361.97
Sus. + W4{1}	4401.55	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	9372.12	0.00	0.07	73.58	1.01	OCC	74.60	434.37
+20 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	3803.65	0.00	0.01	0.00	0.41	SUST	107.88	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.55
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.55
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.55
Sus. + W1{1}	3803.65	0.00	0.00	0.00	0.00	OCC	107.89	361.97
Sus. + W2{1}	3803.65	0.00	0.00	0.00	0.00	OCC	107.89	361.97
Sus. + W3{1}	3803.65	0.00	0.00	0.00	0.00	OCC	107.89	361.97
Sus. + W4{1}	3803.65	0.00	0.00	0.00	0.00	OCC	107.89	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	8099.03	0.00	0.07	73.58	0.87	OCC	74.47	434.37
+20 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	3803.65	0.00	0.01	0.00	0.41	SUST	107.88	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.55
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.55
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.55

	Sus. + W1{1}	3803.65	0.00	0.00	0.00	0.00	OCC	107.88	361.97
	Sus. + W2{1}	3803.65	0.00	0.00	0.00	0.00	OCC	107.88	361.97
	Sus. + W3{1}	3803.65	0.00	0.00	0.00	0.00	OCC	107.89	361.97
	Sus. + W4{1}	3803.65	0.00	0.00	0.00	0.00	OCC	107.89	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	8099.03	0.00	0.07	73.58	0.87	OCC	74.47	434.37
+21 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	3233.00	0.00	0.01	0.00	0.35	SUST	107.82	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.61
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.61
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.61
	Sus. + W1{1}	3233.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
	Sus. + W2{1}	3233.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
	Sus. + W3{1}	3233.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
	Sus. + W4{1}	3233.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	6883.97	0.00	0.07	73.58	0.74	OCC	74.34	434.37
+21 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	3233.00	0.00	0.01	0.00	0.35	SUST	107.82	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.61
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.61
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.61
	Sus. + W1{1}	3233.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
	Sus. + W2{1}	3233.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
	Sus. + W3{1}	3233.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
	Sus. + W4{1}	3233.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	6883.97	0.00	0.07	73.58	0.74	OCC	74.34	434.37
+22 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	2699.89	0.00	0.01	0.00	0.29	SUST	107.77	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.66
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.66
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.66
	Sus. + W1{1}	2699.89	0.00	0.00	0.00	0.00	OCC	107.77	361.97
	Sus. + W2{1}	2699.89	0.00	0.00	0.00	0.00	OCC	107.77	361.97
	Sus. + W3{1}	2699.89	0.00	0.00	0.00	0.00	OCC	107.77	361.97
	Sus. + W4{1}	2699.89	0.00	0.00	0.00	0.00	OCC	107.77	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	5748.82	0.00	0.07	73.58	0.62	OCC	74.22	434.37
+22 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	2699.89	0.00	0.01	0.00	0.29	SUST	107.77	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.66
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.66
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.66
	Sus. + W1{1}	2699.89	0.00	0.00	0.00	0.00	OCC	107.77	361.97
	Sus. + W2{1}	2699.89	0.00	0.00	0.00	0.00	OCC	107.77	361.97
	Sus. + W3{1}	2699.89	0.00	0.00	0.00	0.00	OCC	107.77	361.97
	Sus. + W4{1}	2699.89	0.00	0.00	0.00	0.00	OCC	107.77	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	5748.82	0.00	0.07	73.58	0.62	OCC	74.22	434.37
+23 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	2211.00	0.00	0.01	0.00	0.24	SUST	107.71	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.72
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.72
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.72
	Sus. + W1{1}	2211.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W2{1}	2211.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97

Sus. + W3{1}	2211.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
Sus. + W4{1}	2211.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	4707.85	0.00	0.07	73.58	0.51	OCC	74.11	434.37
+23 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	2211.00	0.00	0.01	0.00	0.24	SUST	107.71	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.72
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.72
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.72
Sus. + W1{1}	2211.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
Sus. + W2{1}	2211.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
Sus. + W3{1}	2211.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
Sus. + W4{1}	2211.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	4707.85	0.00	0.07	73.58	0.51	OCC	74.11	434.37
+24 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1770.37	0.00	0.01	0.00	0.19	SUST	107.67	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.76
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.76
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.76
Sus. + W1{1}	1770.37	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Sus. + W2{1}	1770.37	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Sus. + W3{1}	1770.37	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Sus. + W4{1}	1770.37	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	3769.61	0.00	0.07	73.58	0.41	OCC	74.02	434.37
+24 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1770.37	0.00	0.01	0.00	0.19	SUST	107.67	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.76
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.76
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.76
Sus. + W1{1}	1770.37	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Sus. + W2{1}	1770.37	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Sus. + W3{1}	1770.37	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Sus. + W4{1}	1770.37	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	3769.61	0.00	0.07	73.59	0.41	OCC	74.02	434.37
+25 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1379.68	0.00	0.01	0.00	0.15	SUST	107.62	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.81
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.81
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.81
Sus. + W1{1}	1379.68	0.00	0.00	0.00	0.00	OCC	107.62	361.97
Sus. + W2{1}	1379.68	0.00	0.00	0.00	0.00	OCC	107.62	361.97
Sus. + W3{1}	1379.68	0.00	0.00	0.00	0.00	OCC	107.63	361.97
Sus. + W4{1}	1379.68	0.00	0.00	0.00	0.00	OCC	107.63	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	2937.73	0.00	0.07	73.59	0.32	OCC	73.93	434.37
+25 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1379.68	0.00	0.01	0.00	0.15	SUST	107.62	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.81
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.81
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.81
Sus. + W1{1}	1379.68	0.00	0.00	0.00	0.00	OCC	107.62	361.97
Sus. + W2{1}	1379.68	0.00	0.00	0.00	0.00	OCC	107.62	361.97
Sus. + W3{1}	1379.68	0.00	0.00	0.00	0.00	OCC	107.63	361.97

Sus. + W4{1}	1379.68	0.00	0.00	0.00	0.00	OCC	107.63	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	2937.73	0.00	0.07	73.59	0.32	OCC	73.93	434.37
+26 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1038.70	0.00	0.01	0.00	0.11	SUST	107.59	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.84
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
Sus. + W1{1}	1038.70	0.00	0.00	0.00	0.00	OCC	107.59	361.97
Sus. + W2{1}	1038.70	0.00	0.00	0.00	0.00	OCC	107.59	361.97
Sus. + W3{1}	1038.70	0.00	0.00	0.00	0.00	OCC	107.59	361.97
Sus. + W4{1}	1038.70	0.00	0.00	0.00	0.00	OCC	107.59	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	2211.69	0.00	0.07	73.59	0.24	OCC	73.86	434.37
+26 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1038.70	0.00	0.01	0.00	0.11	SUST	107.59	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.84
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
Sus. + W1{1}	1038.70	0.00	0.00	0.00	0.00	OCC	107.59	361.97
Sus. + W2{1}	1038.70	0.00	0.00	0.00	0.00	OCC	107.59	361.97
Sus. + W3{1}	1038.70	0.00	0.00	0.00	0.00	OCC	107.59	361.97
Sus. + W4{1}	1038.70	0.00	0.00	0.00	0.00	OCC	107.59	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	2211.69	0.00	0.07	73.59	0.24	OCC	73.86	434.37
+27 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	745.92	0.00	0.01	0.00	0.08	SUST	107.56	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87
Sus. + W1{1}	745.92	0.00	0.00	0.00	0.00	OCC	107.56	361.97
Sus. + W2{1}	745.92	0.00	0.00	0.00	0.00	OCC	107.56	361.97
Sus. + W3{1}	745.92	0.00	0.00	0.00	0.00	OCC	107.56	361.97
Sus. + W4{1}	745.92	0.00	0.00	0.00	0.00	OCC	107.56	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1588.27	0.00	0.07	73.59	0.17	OCC	73.81	434.37
+27 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	745.92	0.00	0.01	0.00	0.08	SUST	107.56	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87
Sus. + W1{1}	745.92	0.00	0.00	0.00	0.00	OCC	107.56	361.97
Sus. + W2{1}	745.92	0.00	0.00	0.00	0.00	OCC	107.56	361.97
Sus. + W3{1}	745.92	0.00	0.00	0.00	0.00	OCC	107.56	361.97
Sus. + W4{1}	745.92	0.00	0.00	0.00	0.00	OCC	107.56	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1588.27	0.00	0.07	73.59	0.17	OCC	73.81	434.37
+28 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	498.73	0.00	0.01	0.00	0.05	SUST	107.53	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
Sus. + W1{1}	498.73	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Sus. + W2{1}	498.73	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Sus. + W3{1}	498.73	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Sus. + W4{1}	498.73	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	1061.93	0.00	0.07	73.59	0.11	OCC	73.77	434.37
+28 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	498.73	0.00	0.01	0.00	0.05	SUST	107.53	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
Sus. + W1{1}	498.73	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Sus. + W2{1}	498.73	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Sus. + W3{1}	498.73	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Sus. + W4{1}	498.73	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1061.93	0.00	0.07	73.59	0.11	OCC	73.77	434.37
+29 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	293.83	0.00	0.01	0.00	0.03	SUST	107.51	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
Sus. + W1{1}	293.83	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W2{1}	293.83	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W3{1}	293.83	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W4{1}	293.83	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	625.65	0.00	0.07	73.59	0.07	OCC	73.75	434.37
+29 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	293.83	0.00	0.01	0.00	0.03	SUST	107.51	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
Sus. + W1{1}	293.83	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W2{1}	293.83	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W3{1}	293.83	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W4{1}	293.83	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	625.65	0.00	0.07	73.59	0.07	OCC	73.75	434.37
+30 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	127.42	0.00	0.01	0.00	0.01	SUST	107.49	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
Sus. + W1{1}	127.42	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}	127.42	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}	127.42	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W4{1}	127.42	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	271.31	0.00	0.07	73.59	0.03	OCC	73.74	434.37
+30 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	127.42	0.00	0.01	0.00	0.01	SUST	107.49	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
Sus. + W1{1}	127.42	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}	127.42	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}	127.42	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W4{1}	127.42	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	271.31	0.00	0.07	73.59	0.03	OCC	73.74	434.37

+31 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	4.51	0.00	0.01	0.00	0.00	SUST	107.49	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
Sus. + W1{1}	4.51	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W2{1}	4.51	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}	4.51	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	4.51	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	9.61	0.00	0.07	73.59	0.00	OCC	73.73	434.37	
+31 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	4.51	0.00	0.01	0.00	0.00	SUST	107.49	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
Sus. + W1{1}	4.51	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W2{1}	4.51	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}	4.51	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	4.51	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	9.61	0.00	0.07	73.59	0.00	OCC	73.73	434.37	
+32 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	106.06	0.00	0.01	0.00	0.01	SUST	107.49	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
Sus. + W1{1}	106.06	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W2{1}	106.06	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}	106.06	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W4{1}	106.06	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	225.84	0.00	0.07	73.59	0.02	OCC	73.73	434.37	
+32 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	106.06	0.00	0.01	0.00	0.01	SUST	107.49	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
Sus. + W1{1}	106.06	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W2{1}	106.06	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}	106.06	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W4{1}	106.06	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	225.84	0.00	0.07	73.59	0.02	OCC	73.73	434.37	
+33 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	181.26	0.00	0.01	0.00	0.02	SUST	107.50	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93	
Sus. + W1{1}	181.26	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W2{1}	181.26	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W3{1}	181.26	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W4{1}	181.26	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	385.95	0.00	0.07	73.59	0.04	OCC	73.74	434.37	
+33 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	181.26	0.00	0.01	0.00	0.02	SUST	107.50	361.97	

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.93
	Sus. + W1{1}	181.26	0.00	0.00	0.00	0.00 OCC	107.50	361.97
	Sus. + W2{1}	181.26	0.00	0.00	0.00	0.00 OCC	107.50	361.97
	Sus. + W3{1}	181.26	0.00	0.00	0.00	0.00 OCC	107.50	361.97
	Sus. + W4{1}	181.26	0.00	0.00	0.00	0.00 OCC	107.50	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	385.95	0.00	0.07	73.59	0.04 OCC	73.74	434.37
+34 -	SIFI= 1.00 SIFO= 1.00							
UNREST	GR + Max P{1}	233.98	0.00	0.01	0.00	0.03 SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.93
	Sus. + W1{1}	233.98	0.00	0.00	0.00	0.00 OCC	107.50	361.97
	Sus. + W2{1}	233.98	0.00	0.00	0.00	0.00 OCC	107.50	361.97
	Sus. + W3{1}	233.98	0.00	0.00	0.00	0.00 OCC	107.51	361.97
	Sus. + W4{1}	233.98	0.00	0.00	0.00	0.00 OCC	107.51	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	498.21	0.00	0.07	73.59	0.05 OCC	73.74	434.37
+34 +	SIFI= 1.00 SIFO= 1.00							
UNREST	GR + Max P{1}	233.98	0.00	0.01	0.00	0.03 SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.93
	Sus. + W1{1}	233.98	0.00	0.00	0.00	0.00 OCC	107.50	361.97
	Sus. + W2{1}	233.98	0.00	0.00	0.00	0.00 OCC	107.50	361.97
	Sus. + W3{1}	233.98	0.00	0.00	0.00	0.00 OCC	107.51	361.97
	Sus. + W4{1}	233.98	0.00	0.00	0.00	0.00 OCC	107.51	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	498.21	0.00	0.07	73.59	0.05 OCC	73.74	434.37
+35 -	SIFI= 1.00 SIFO= 1.00							
UNREST	GR + Max P{1}	267.86	0.00	0.01	0.00	0.03 SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.93
	Sus. + W1{1}	267.86	0.00	0.00	0.00	0.00 OCC	107.50	361.97
	Sus. + W2{1}	267.86	0.00	0.00	0.00	0.00 OCC	107.50	361.97
	Sus. + W3{1}	267.86	0.00	0.00	0.00	0.00 OCC	107.51	361.97
	Sus. + W4{1}	267.86	0.00	0.00	0.00	0.00 OCC	107.51	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	570.34	0.00	0.07	73.59	0.06 OCC	73.75	434.37
+35 +	SIFI= 1.00 SIFO= 1.00							
UNREST	GR + Max P{1}	267.86	0.00	0.01	0.00	0.03 SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.93
	Sus. + W1{1}	267.86	0.00	0.00	0.00	0.00 OCC	107.50	361.97
	Sus. + W2{1}	267.86	0.00	0.00	0.00	0.00 OCC	107.50	361.97
	Sus. + W3{1}	267.86	0.00	0.00	0.00	0.00 OCC	107.51	361.97
	Sus. + W4{1}	267.86	0.00	0.00	0.00	0.00 OCC	107.51	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	570.34	0.00	0.07	73.59	0.06 OCC	73.75	434.37
+36 -	SIFI= 1.00 SIFO= 1.00							
UNREST	GR + Max P{1}	286.23	0.00	0.01	0.00	0.03 SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.92

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
Sus. + W1{1}	286.23	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W2{1}	286.23	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W3{1}	286.23	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W4{1}	286.23	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	609.46	0.00	0.07	73.59	0.07	OCC	73.75	434.37
+36 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	286.23	0.00	0.01	0.00	0.03	SUST	107.51	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
Sus. + W1{1}	286.23	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W2{1}	286.23	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W3{1}	286.23	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W4{1}	286.23	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	609.46	0.00	0.07	73.59	0.07	OCC	73.75	434.37
+37 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	292.12	0.00	0.01	0.00	0.03	SUST	107.51	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
Sus. + W1{1}	292.12	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W2{1}	292.12	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W3{1}	292.12	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W4{1}	292.12	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	622.00	0.00	0.07	73.59	0.07	OCC	73.75	434.37
+37 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	292.12	0.00	0.01	0.00	0.03	SUST	107.51	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
Sus. + W1{1}	292.12	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W2{1}	292.12	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W3{1}	292.12	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W4{1}	292.12	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	622.00	0.00	0.07	73.59	0.07	OCC	73.75	434.37
+38 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	288.22	0.00	0.01	0.00	0.03	SUST	107.51	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
Sus. + W1{1}	288.22	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W2{1}	288.22	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W3{1}	288.22	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W4{1}	288.22	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	613.71	0.00	0.07	73.59	0.07	OCC	73.75	434.37
+38 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	288.22	0.00	0.01	0.00	0.03	SUST	107.51	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92

	Sus. + W1{1}	288.22	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	288.22	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	288.22	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	288.22	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	613.71	0.00	0.07	73.59	0.07	OCC	73.75	434.37
+39 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	276.90	0.00	0.01	0.00	0.03	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	276.90	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	276.90	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	276.90	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	276.90	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	589.59	0.00	0.07	73.59	0.06	OCC	73.75	434.37
+39 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	276.90	0.00	0.01	0.00	0.03	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	276.90	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	276.90	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	276.90	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	276.90	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	589.59	0.00	0.07	73.59	0.06	OCC	73.75	434.37
+40 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	260.17	0.00	0.01	0.00	0.03	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	260.17	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	260.17	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	260.17	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	260.17	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	553.98	0.00	0.07	73.59	0.06	OCC	73.75	434.37
+40 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	260.17	0.00	0.01	0.00	0.03	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	260.17	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	260.17	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	260.17	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	260.17	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	553.98	0.00	0.07	73.59	0.06	OCC	73.75	434.37
+41 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	239.77	0.00	0.01	0.00	0.03	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	239.77	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	239.77	0.00	0.00	0.00	0.00	OCC	107.50	361.97

	Sus. + W3{1}	239.77	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	239.77	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	510.54	0.00	0.07	73.59	0.05	OCC	73.74	434.37
+41	+ SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	239.77	0.00	0.01	0.00	0.03	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	239.77	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	239.77	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	239.77	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	239.77	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	510.54	0.00	0.07	73.59	0.05	OCC	73.74	434.37
+42	- SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	217.12	0.00	0.01	0.00	0.02	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	217.12	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	217.12	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	217.12	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	217.12	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	462.31	0.00	0.07	73.59	0.05	OCC	73.74	434.37
+42	+ SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	217.12	0.00	0.01	0.00	0.02	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	217.12	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	217.12	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	217.12	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	217.12	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	462.31	0.00	0.07	73.59	0.05	OCC	73.74	434.37
+43	- SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	193.39	0.00	0.01	0.00	0.02	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	193.39	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	193.39	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	193.39	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	193.39	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	411.79	0.00	0.07	73.59	0.04	OCC	73.74	434.37
+43	+ SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	193.39	0.00	0.01	0.00	0.02	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	193.39	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	193.39	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	193.39	0.00	0.00	0.00	0.00	OCC	107.50	361.97

Sus. + W4{1}	193.39	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	411.79	0.00	0.07	73.59	0.04	OCC	73.74	434.37
+44 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	169.52	0.00	0.01	0.00	0.02	SUST	107.49	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
Sus. + W1{1}	169.52	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}	169.52	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}	169.52	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W4{1}	169.52	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	360.96	0.00	0.07	73.59	0.04	OCC	73.74	434.37
+44 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	169.52	0.00	0.01	0.00	0.02	SUST	107.49	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
Sus. + W1{1}	169.52	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}	169.52	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}	169.52	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W4{1}	169.52	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	360.96	0.00	0.07	73.59	0.04	OCC	73.74	434.37
+45 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	146.23	0.00	0.01	0.00	0.02	SUST	107.49	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
Sus. + W1{1}	146.23	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}	146.23	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}	146.23	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W4{1}	146.23	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	311.36	0.00	0.07	73.59	0.03	OCC	73.74	434.37
+45 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	146.23	0.00	0.01	0.00	0.02	SUST	107.49	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
Sus. + W1{1}	146.23	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}	146.23	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}	146.23	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W4{1}	146.23	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	311.36	0.00	0.07	73.59	0.03	OCC	73.74	434.37
+46 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	124.05	0.00	0.01	0.00	0.01	SUST	107.49	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
Sus. + W1{1}	124.05	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}	124.05	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}	124.05	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W4{1}	124.05	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	264.15	0.00	0.07	73.59	0.03	OCC	73.74	434.37
+46 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	124.05	0.00	0.01	0.00	0.01	SUST	107.49	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
Sus. + W1{1}	124.05	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}	124.05	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}	124.05	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W4{1}	124.05	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	264.15	0.00	0.07	73.59	0.03	OCC	73.74	434.37
+47 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	103.38	0.00	0.01	0.00	0.01	SUST	107.49	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
Sus. + W1{1}	103.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}	103.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}	103.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	103.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	220.13	0.00	0.07	73.59	0.02	OCC	73.74	434.37
+47 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	103.38	0.00	0.01	0.00	0.01	SUST	107.49	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
Sus. + W1{1}	103.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}	103.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}	103.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	103.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	220.13	0.00	0.07	73.59	0.02	OCC	73.74	434.37
+48 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	84.46	0.00	0.01	0.00	0.01	SUST	107.49	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
Sus. + W1{1}	84.46	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}	84.46	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}	84.46	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	84.46	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	179.85	0.00	0.07	73.59	0.02	OCC	73.74	434.37
+48 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	84.46	0.00	0.01	0.00	0.01	SUST	107.49	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
Sus. + W1{1}	84.46	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}	84.46	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}	84.46	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	84.46	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	179.85	0.00	0.07	73.59	0.02	OCC	73.74	434.37

+49 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	67.44	0.00	0.01	0.00	0.01	SUST	107.49	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
Sus. + W1{1}	67.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W2{1}	67.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}	67.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	67.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	143.61	0.00	0.07	73.59	0.02	OCC	73.74	434.37	
+49 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	67.44	0.00	0.01	0.00	0.01	SUST	107.49	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
Sus. + W1{1}	67.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W2{1}	67.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}	67.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	67.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	143.61	0.00	0.07	73.59	0.02	OCC	73.74	434.37	
+50 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	52.38	0.00	0.01	0.00	0.01	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	52.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W2{1}	52.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}	52.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	52.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	111.53	0.00	0.07	73.59	0.01	OCC	73.74	434.37	
+50 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	52.38	0.00	0.01	0.00	0.01	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	52.38	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	52.38	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	52.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	52.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	111.53	0.00	0.07	73.59	0.01	OCC	73.74	434.37	
+51 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	39.26	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	39.26	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	39.26	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	39.26	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	39.26	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	83.59	0.00	0.07	73.59	0.01	OCC	73.74	434.37	
+51 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	39.26	0.00	0.01	0.00	0.00	SUST	107.48	361.97	

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	39.26	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	39.26	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	39.26	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	39.26	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	83.59	0.00	0.07	73.59	0.01	OCC	73.74	434.37
+52 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	28.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	28.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	28.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	28.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	28.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	59.64	0.00	0.07	73.59	0.01	OCC	73.74	434.37
+52 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	28.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	28.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	28.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	28.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	28.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	59.64	0.00	0.07	73.59	0.01	OCC	73.74	434.37
+53 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	18.53	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	18.53	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	18.53	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	18.53	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	18.53	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	39.46	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+53 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	18.53	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	18.53	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	18.53	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	18.53	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	18.53	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	39.46	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+54 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	10.69	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	10.69	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	10.69	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	10.69	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	10.69	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	22.77	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+54 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	10.69	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	10.69	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	10.69	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	10.69	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	10.69	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	22.77	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+55 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	4.34	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	4.34	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	4.34	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	4.34	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	4.34	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	9.25	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+55 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	4.34	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	4.34	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	4.34	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	4.34	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	4.34	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	9.25	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+56 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.68	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.68	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.68	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.68	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.68	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.44	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+56 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.68	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95

Sus. + W1{1}	0.68	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.68	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.68	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.68	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.44	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+57 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	4.53	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	4.53	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	4.53	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	4.53	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	4.53	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	9.64	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+57 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	4.53	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	4.53	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	4.53	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	4.53	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	4.53	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	9.64	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+58 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	7.36	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	7.36	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	7.36	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	7.36	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	7.36	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	15.68	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+58 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	7.36	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	7.36	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	7.36	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	7.36	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	7.36	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	15.68	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+59 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	9.34	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	9.34	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	9.34	0.00	0.00	0.00	0.00	OCC	107.48	361.97

Sus. + W3{1}	9.34	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	9.34	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	19.88	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+59 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	9.34	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	9.34	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	9.34	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	9.34	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	9.34	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	19.88	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+60 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	10.59	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	10.59	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	10.59	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	10.59	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	10.59	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	22.54	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+60 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	10.59	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	10.59	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	10.59	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	10.59	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	10.59	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	22.54	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+61 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	11.24	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	23.94	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+61 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	11.24	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.49	361.97

Sus. + W4{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	23.94	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+62 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	11.43	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	11.43	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	11.43	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	11.43	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	11.43	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	24.33	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+62 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	11.43	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	11.43	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	11.43	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	11.43	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	11.43	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	24.33	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+63 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	11.24	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	23.93	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+63 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	11.24	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	23.93	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+64 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	10.77	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	10.77	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	10.77	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	10.77	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	10.77	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	22.93	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+64 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	10.77	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	10.77	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	10.77	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	10.77	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	10.77	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	22.93	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+65 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	10.09	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	10.09	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	10.09	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	10.09	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	10.09	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	21.49	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+65 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	10.09	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	10.09	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	10.09	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	10.09	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	10.09	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	21.49	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+66 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	9.28	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	9.28	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	9.28	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	9.28	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	9.28	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	19.77	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+66 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	9.28	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	9.28	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	9.28	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	9.28	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	9.28	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	19.77	0.00	0.07	73.59	0.00	OCC	73.74	434.37

+67 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	8.39	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	8.39	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	8.39	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	8.39	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	8.39	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	17.87	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+67 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	8.39	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	8.39	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	8.39	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	8.39	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	8.39	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	17.87	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+68 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	7.46	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	7.46	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	7.46	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	7.46	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	7.46	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	15.89	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+68 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	7.46	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	7.46	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	7.46	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	7.46	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	7.46	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	15.89	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+69 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	6.53	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	6.53	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	6.53	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	6.53	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	6.53	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	13.90	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+69 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	6.53	0.00	0.01	0.00	0.00	SUST	107.48	361.97	

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	6.53	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	6.53	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	6.53	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	6.53	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	13.90	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+70 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	5.62	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	5.62	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	5.62	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	5.62	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	5.62	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	11.97	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+70 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	5.62	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	5.62	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	5.62	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	5.62	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	5.62	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	11.97	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+71 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	4.76	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	4.76	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	4.76	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	4.76	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	4.76	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	10.13	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+71 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	4.76	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	4.76	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	4.76	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	4.76	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	4.76	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	10.13	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+72 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	3.96	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	3.96	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	3.96	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	3.96	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	3.96	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	8.43	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+72 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	3.96	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	3.96	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	3.96	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	3.96	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	3.96	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	8.43	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+73 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	3.23	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	3.23	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	3.23	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	3.23	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	3.23	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	6.87	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+73 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	3.23	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	3.23	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	3.23	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	3.23	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	3.23	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	6.87	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+74 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	2.57	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	2.57	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	2.57	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	2.57	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	2.57	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	5.47	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+74 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	2.57	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95

Sus. + W1{1}	2.57	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	2.57	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	2.57	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	2.57	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	5.47	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+75 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1.99	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	1.99	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	1.99	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	1.99	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	1.99	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	4.23	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+75 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1.99	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	1.99	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	1.99	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	1.99	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	1.99	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	4.23	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+76 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1.48	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	1.48	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	1.48	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	1.48	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	1.48	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	3.16	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+76 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1.48	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	1.48	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	1.48	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	1.48	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	1.48	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	3.16	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+77 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1.05	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	1.05	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	1.05	0.00	0.00	0.00	0.00	OCC	107.48	361.97

Sus. + W3{1}	1.05	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	1.05	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	2.24	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+77 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1.05	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	1.05	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	1.05	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	1.05	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	1.05	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	2.24	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+78 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.69	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.69	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.69	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.69	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.69	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.46	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+78 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.69	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.69	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.69	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.69	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.69	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.46	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+79 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.39	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.83	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+79 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.39	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.49	361.97

Sus. + W4{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.83	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+80 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.15	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.31	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+80 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.15	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.31	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+81 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.05	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.05	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.05	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.05	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.05	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.10	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+81 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.05	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.05	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.05	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.05	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.05	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.10	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+82 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.19	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.19	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.19	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.19	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.19	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.41	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+82 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.19	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.19	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.19	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.19	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.19	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.41	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+83 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.30	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.30	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.30	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.30	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.30	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.63	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+83 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.30	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.30	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.30	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.30	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.30	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.63	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+84 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.37	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.37	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.37	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.37	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.37	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.79	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+84 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.37	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.37	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.37	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.37	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.37	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.79	0.00	0.07	73.59	0.00	OCC	73.74	434.37

+85 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.42	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.89	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+85 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.42	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.89	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+86 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.44	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.94	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+86 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.44	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.94	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+87 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.45	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.45	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.45	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.45	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.45	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.95	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+87 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.45	0.00	0.01	0.00	0.00	SUST	107.48	361.97	

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.45	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.45	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.45	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.45	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.95	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+88 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.44	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.93	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+88 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.44	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.93	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+89 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.42	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.89	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+89 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.42	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.89	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+90 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.39	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.83	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+90 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.39	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.83	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+91 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.36	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.36	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.36	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.36	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.36	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.77	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+91 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.36	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.36	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.36	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.36	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.36	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.77	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+92 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.32	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.32	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.32	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.32	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.32	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.69	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+92 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.32	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95

	Sus. + W1{1}	0.32	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.32	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.32	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.32	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.69	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+93 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	0.29	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.29	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.29	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.29	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.29	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.61	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+93 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	0.29	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.29	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.29	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.29	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.29	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.61	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+94 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	0.25	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.25	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.25	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.25	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.25	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.54	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+94 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	0.25	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.25	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.25	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.25	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.25	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.54	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+95 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	0.22	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.22	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.22	0.00	0.00	0.00	0.00	OCC	107.48	361.97

Sus. + W3{1}	0.22	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.22	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.46	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+95 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.22	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.22	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.22	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.22	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.22	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.46	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+96 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.18	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.18	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.18	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.18	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.18	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.39	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+96 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.18	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.18	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.18	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.18	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.18	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.39	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+97 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.15	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.32	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+97 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.15	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.49	361.97

Sus. + W4{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.32	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+98 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.12	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.12	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.12	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.12	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.12	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.26	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+98 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.12	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.12	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.12	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.12	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.12	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.26	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+99 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.10	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.10	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.10	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.10	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.10	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.21	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+99 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.10	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.10	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.10	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.10	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.10	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.21	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+10 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.08	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.08	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.08	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.08	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.08	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.16	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+10 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.08	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.08	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.08	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.08	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.08	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.16	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+10 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.06	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.06	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.06	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.06	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.06	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.12	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+10 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.06	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.06	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.06	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.06	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.06	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.12	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+10 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.04	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.04	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.04	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.04	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.04	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.08	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+10 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.04	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.04	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.04	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.04	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.04	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.08	0.00	0.07	73.59	0.00	OCC	73.74	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.01	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+10 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.01	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+10 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.01	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+10 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.02	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+10 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.02	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+10 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.03	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+10 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.03	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+10 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.03	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+10 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.03	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+11 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.02	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.04	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+11 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.02	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95

+11 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.04	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.04	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	+11 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.02	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}		0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.04	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+11 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.02	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.04	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	+11 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.02	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}		0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.04	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+11 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.02	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.04	0.00	0.07	73.59	0.00	OCC	73.74	434.37	

+11 UNREST	Sus. + W3{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.04	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.02	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+11 UNREST	Sus. + W3{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.04	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.02	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+11 UNREST	Sus. + W3{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.03	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.02	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+11 UNREST	Sus. + W3{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.03	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.02	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+11 UNREST	Sus. + W3{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.03	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.02	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to								

	Hydrotest-NL{2}	0.02	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+11 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.02	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+11 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.02	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+11 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.02	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+12 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.02	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+12 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.02	0.00	0.07	73.59	0.00	OCC	73.74	434.37

+12	- SIFI= 1.00	SIFO= 1.00							
UNREST	GR + Max P{1}		0.01	0.00	0.01	0.00	0.00	SUST	107.48 361.97
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01 358.95
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01 358.95
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00 358.95
	Sus. + W1{1}		0.01	0.00	0.00	0.00	0.00	OCC	107.48 361.97
	Sus. + W2{1}		0.01	0.00	0.00	0.00	0.00	OCC	107.48 361.97
	Sus. + W3{1}		0.01	0.00	0.00	0.00	0.00	OCC	107.49 361.97
	Sus. + W4{1}		0.01	0.00	0.00	0.00	0.00	OCC	107.48 361.97
	Max P{1}							HOOP	211.04 289.58
	Hydrotest-NL{2}		0.01	0.00	0.07	73.59	0.00	OCC	73.74 434.37
+12	+ SIFI= 1.00	SIFO= 1.00							
UNREST	GR + Max P{1}		0.01	0.00	0.01	0.00	0.00	SUST	107.48 361.97
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01 358.95
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01 358.95
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00 358.95
	Sus. + W1{1}		0.01	0.00	0.00	0.00	0.00	OCC	107.48 361.97
	Sus. + W2{1}		0.01	0.00	0.00	0.00	0.00	OCC	107.48 361.97
	Sus. + W3{1}		0.01	0.00	0.00	0.00	0.00	OCC	107.49 361.97
	Sus. + W4{1}		0.01	0.00	0.00	0.00	0.00	OCC	107.48 361.97
	Max P{1}							HOOP	211.04 289.58
	Hydrotest-NL{2}		0.01	0.00	0.07	73.59	0.00	OCC	73.74 434.37
+12	- SIFI= 1.00	SIFO= 1.00							
UNREST	GR + Max P{1}		0.01	0.00	0.01	0.00	0.00	SUST	107.48 361.97
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01 358.95
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01 358.95
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00 358.95
	Sus. + W1{1}		0.01	0.00	0.00	0.00	0.00	OCC	107.48 361.97
	Sus. + W2{1}		0.01	0.00	0.00	0.00	0.00	OCC	107.48 361.97
	Sus. + W3{1}		0.01	0.00	0.00	0.00	0.00	OCC	107.49 361.97
	Sus. + W4{1}		0.01	0.00	0.00	0.00	0.00	OCC	107.48 361.97
	Max P{1}							HOOP	211.04 289.58
	Hydrotest-NL{2}		0.01	0.00	0.07	73.59	0.00	OCC	73.74 434.37
+12	+ SIFI= 1.00	SIFO= 1.00							
UNREST	GR + Max P{1}		0.01	0.00	0.01	0.00	0.00	SUST	107.48 361.97
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01 358.95
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01 358.95
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00 358.95
	Sus. + W1{1}		0.01	0.00	0.00	0.00	0.00	OCC	107.48 361.97
	Sus. + W2{1}		0.01	0.00	0.00	0.00	0.00	OCC	107.48 361.97
	Sus. + W3{1}		0.01	0.00	0.00	0.00	0.00	OCC	107.49 361.97
	Sus. + W4{1}		0.01	0.00	0.00	0.00	0.00	OCC	107.48 361.97
	Max P{1}							HOOP	211.04 289.58
	Hydrotest-NL{2}		0.01	0.00	0.07	73.59	0.00	OCC	73.74 434.37
+12	- SIFI= 1.00	SIFO= 1.00							
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48 361.97
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01 358

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.01	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+12 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.01	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+12 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.01	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+12 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.01	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+12 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.01	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+12 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

+12 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+12 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+12 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	7	

+12 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	+12 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+13 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	+13 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+13 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	

+13 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP			

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+13 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+13 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+13 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+13 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+13 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+13 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+13 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+13 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+13 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+13 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+14 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+14 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+14 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+14 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00</				

+14 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+14 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+14 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	7	

+14 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	+14 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+14 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	+14 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+14 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	

+14 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+15 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+15 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00					

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+15 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+15 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+15 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+15 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+15 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+15 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+15 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+15 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+15 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+15 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37

+15	- SIFI= 1.00	SIFO= 1.00
UNREST GR + Max P{1}		
Amb to T1{1}		
Amb to T2{1}		
Amb to T3{1}		
Sus. + W1{1}		
Sus. + W2{1}		
Sus. + W3{1}		
Sus. + W4{1}		
Max P{1}		
Hydrotest-NL{2}		
+15	+ SIFI= 1.00	SIFO= 1.00
UNREST GR + Max P{1}		
Amb to T1{1}		
Amb to T2{1}		
Amb to T3{1}		
Sus. + W1{1}		
Sus. + W2{1}		
Sus. + W3{1}		
Sus. + W4{1}		
Max P{1}		
Hydrotest-NL{2}		
+15	- SIFI= 1.00	SIFO= 1.00
UNREST GR + Max P{1}		
Amb to T1{1}		
Amb to T2{1}		
Amb to T3{1}		
Sus. + W1{1}		
Sus. + W2{1}		
Sus. + W3{1}		
Sus. + W4{1}		
Max P{1}		
Hydrotest-NL{2}		
+15	+ SIFI= 1.00	SIFO= 1.00
UNREST GR + Max P{1}		
Amb to T1{1}		
Amb to T2{1}		
Amb to T3{1}		
Sus. + W1{1}		
Sus. + W2{1}		
Sus. + W3{1}		
Sus. + W4{1}		
Max P{1}		
Hydrotest-NL{2}		
+15	- SIFI= 1.00	SIFO= 1.00
UNREST GR + Max P{1}		
Amb to T1{1}		
Amb to T2{1}		
Amb to T3{1}		
Sus. + W1{1}		
Sus. + W2{1}		
Sus. + W3{1}		
Sus. + W4{1}		
Max P{1}		
Hydrotest-NL{2}		
+15	+ SIFI= 1.00	SIFO= 1.00
UNREST GR + Max P{1}		
Amb to T1{1}		
Amb to T2{1}		
Amb to T3{1}		
Sus. + W1{1}		
Sus. + W2{1}		
Sus. + W3{1}		
Sus. + W4{1}		
Max P{1}		
Hydrotest-NL{2}		
+15	- SIFI= 1.00	SIFO= 1.00
UNREST GR + Max P{1}		
Amb to T1{1}		
Amb to T2{1}		
Amb to T3{1}		
Sus. + W1{1}		
Sus. + W2{1}		
Sus. + W3{1}		
Sus. + W4{1}		
Max P{1}		
Hydrotest-NL{2}		
+15	+ SIFI= 1.00	SIFO= 1.00
UNREST GR + Max P{1}		
Amb to T1{1}		
Amb to T2{1}		
Amb to T3{1}		
Sus. + W1{1}		
Sus. + W2{1}		
Sus. + W3{1}		
Sus. + W4{1}		
Max P{1}		
Hydrotest-NL{2}		

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+16 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+16 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+16 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+16 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00</				

+16 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	+16 UNREST	Max P{1}						HOOP	211.04
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+16 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+16 UNREST	GR + Max P{1}	0.00</							

+16 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+16 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+16 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	

	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+16 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+16 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+16 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+16 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+16 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.0					

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+17 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+17 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+17 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+17 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+17 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+17 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+17 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+17 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+17 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+17 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+17 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+17 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+17 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+17 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00</				

+18 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	+18 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+18 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	7	

+18 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+18 + SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+18 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	

	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+18 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+18 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+18 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+18 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+18 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.0					

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+18 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+18 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+18 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+18 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+19 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+19 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+19 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+19 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+19 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+19 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+19 - SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+19 + SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+19 - SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+19 + SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0				

+19 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	+19 UNREST	Max P{1}						HOOP	211.04
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+20 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+20 UNREST	GR + Max P{1}	0.00							

	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+20 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+20 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+20 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+20 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+20 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97

+20 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+20 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+20 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0					

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+20 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+20 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+20 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+20 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+20 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+20 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+20 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+20 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+21 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+21 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37

[illegible]

+21 - SIFI= 1.00 SIFO= 1.00 UNREST	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	+21 + SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+21 - SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+21 + SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37

+21 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	+21 UNREST	Max P{1}						HOOP	211.04
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+21 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+21 UNREST	GR + Max P{1}	0.00</							

+22 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+22 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+22 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0					

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+22 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+22 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+22 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+22 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+22 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+22 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+22 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+22 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+22 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+22 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+23 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+23 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+23 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+23 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+23 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

+23 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	+23 UNREST	Max P{1}						HOOP	211.04
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+23 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+23 UNREST	GR + Max P{1}	0.00</							

	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+23 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+23 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+23 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+23 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+23 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97

+23 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97		
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97		
Max P{1}						HOOP	211.04	289.58		
Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37		
+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95		
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95		
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95		
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97		
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97		
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97		
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97		
Max P{1}						HOOP	211.04	289.58		
Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37		
- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95		
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95		
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95		
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97		
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97		
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97		
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97		
Max P{1}						HOOP	211.04	289.58		
Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37		
+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95		
Amb to T2{1}	0.00	0.00								

+24 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	+24 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+24 - UNREST		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37

	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+24 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+24 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+24 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+24 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+24 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37

+24 UNREST	- SIFI= 1.00 GR + Max P{1}	SIFO= 1.00											
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97			
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97			
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97			
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97			
	Max P{1}							HOOP	211.04	289.58			
	Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37			
+24 UNREST	+ SIFI= 1.00 GR + Max P{1}	SIFO= 1.00											
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97			
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97			
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97			
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97			
	Max P{1}							HOOP	211.04	289.58			
	Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37			
+24 UNREST	- SIFI= 1.00 GR + Max P{1}	SIFO= 1.00											
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97			
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95			
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97			
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97			
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97			
	Max P{1}							HOOP	211.04	289.58			
	Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37			
+24 UNREST	+ SIFI= 1.00 GR + Max P{1}	SIFO= 1.00											
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97			
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95			
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97			
	Sus. + W3{1}		0.										

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+25 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+25 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+25 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+25 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+25 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

+25 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	+25 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+25 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0					

+25 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	+25 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+25 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	+25 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+25 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	

+25 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	+25 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
+25 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0					

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+26 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+26 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+26 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+26 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+26 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+26 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+26 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+26 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+26 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+26 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+26 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+26 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+26 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+26 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+27 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

+27 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	+27 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+27 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	7	

+27 - SIFI= 1.00 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+27 + SIFI= 1.00 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+27 - SIFI= 1.00 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	

	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+27 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+27 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+27 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+27 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+27 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97

+27 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00								
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	+27 + UNREST	+ SIFI= 1.00 SIFO= 1.00							
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+27 - UNREST	- SIFI= 1.00 SIFO= 1.00								
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+27 + UNREST	+ SIFI= 1.00 SIFO= 1.00								
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+28 - UNREST	- SIFI= 1.00 SIFO= 1.00								
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}						HOOP	211.04	289.58	

	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+28 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+28 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+28 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+28 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+28 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+28 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+28 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+28 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+28 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+28 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

+28 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	+28 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+28 UNREST		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	+29 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+29 UNREST		GR + Max								

+29 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+29 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+29 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0					

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+29 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+29 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+29 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+29 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+29 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+29 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+29 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+29 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+30 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+30 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+30 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+30 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+30 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+30 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+30 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

+30 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+30 UNREST	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
+30 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}						HOOP	211.04	289.58	
+30 UNREST	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00</							

+30 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	+30 + UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+31 - UNREST		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	+31 + UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+31 - UNREST		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97

	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+31 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+31 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+31 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+31 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+31 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.0					

+31 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
+31 - UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+31 - UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.					

	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+31 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+31 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+31 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+31 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+31 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+32 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+32 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+32 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+32 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+32 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

+32 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+32 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+32 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00						

	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+32 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+32 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+32 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+32 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+32 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97

+32 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+33 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+33 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.0							

+33 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
+33 + UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+33 - UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.					

	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+33 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+33 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+33 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+33 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+33 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+34 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+34 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+34 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+34 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+34 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

+34 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	+34 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+34 UNREST		+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	+34 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.				

+34 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	+34 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+34 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	+34 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+34 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	

+34 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+34 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+34 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+34 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+34 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to								

+35 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+35 - UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	+35 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.					

	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+35 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+35 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+35 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+35 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+35 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+35 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+35 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+35 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+35 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+36 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

+36 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+36 UNREST	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
+36 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+36 UNREST	GR + Max P{1}	0.00</							

+36 - SIFI= 1.00 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+36 + SIFI= 1.00 UNREST	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+36 - SIFI= 1.00 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+36 + SIFI= 1.00 UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97

	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+36 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+36 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+36 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+36 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+36 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.0					

+36 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
+36 + UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+36 - UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.					

	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+37 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+37 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+37 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+37 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+37 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+37 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+37 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+37 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+37 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00</				

	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+37 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+37 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+37 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.					

	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97

	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.0					

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+39 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+39 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+39 - SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+39 + SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+39 - SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+39 + SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+39 - SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

+39 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	+39 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37		
+39 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	GR + Max P{1}	0.00	0.00	0						

+39 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	+39 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+40 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	+40 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+40 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	

+40 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP			

+40 - UNREST	- SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}									
	Amb to T1{1}									
	Amb to T2{1}									
	Amb to T3{1}									
	Sus. + W1{1}									
	Sus. + W2{1}									
	Sus. + W3{1}									
	Sus. + W4{1}									
	Max P{1}									
	Hydrotest-NL{2}									
	- SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}									
	Amb to T1{1}									
	Amb to T2{1}									
	Amb to T3{1}									
	Sus. + W1{1}									
	Sus. + W2{1}									
	Sus. + W3{1}									
	Sus. + W4{1}									
+40 - UNREST	- SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}									
	Amb to T1{1}									
	Amb to T2{1}									
	Amb to T3{1}									
	Sus. + W1{1}									
	Sus. + W2{1}									
	Sus. + W3{1}									
	Sus. + W4{1}									
	Max P{1}									
	Hydrotest-NL{2}									
	- SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}									
	Amb to T1{1}									
	Amb to T2{1}									
	Amb to T3{1}									
	Sus. + W1{1}									
	Sus. + W2{1}									
	Sus. + W3{1}									
	Sus. + W4{1}									
+40 - UNREST	- SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}									
	Amb to T1{1}									
	Amb to T2{1}									
	Amb to T3{1}									
	Sus. + W1{1}									
	Sus. + W2{1}									
	Sus. + W3{1}									
	Sus. + W4{1}									
	Max P{1}									
	Hydrotest-NL{2}									
	- SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}									
	Amb to T1{1}									
	Amb to T2{1}									
	Amb to T3{1}									
	Sus. + W1{1}									
	Sus. + W2{1}									
	Sus. + W3{1}									
	Sus. + W4{1}									
+40 - UNREST	- SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}									
	Amb to T1{1}									
	Amb to T2{1}									
	Amb to T3{1}									
	Sus. + W1{1}									
	Sus. + W2{1}									
	Sus. + W3{1}									
	Sus. + W4{1}									
	Max P{1}									
	Hydrotest-NL{2}									
	- SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}									
	Amb to T1{1}									
	Amb to T2{1}									
	Amb to T3{1}									
	Sus. + W1{1}									
	Sus. + W2{1}									
	Sus. + W3{1}									
	Sus. + W4{1}									
+40 - UNREST	- SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}									
	Amb to T1{1}									
	Amb to T2{1}									
	Amb to T3{1}									
	Sus. + W1{1}									
	Sus. + W2{1}									
	Sus. + W3{1}									
	Sus. + W4{1}									
	Max P{1}									
	Hydrotest-NL{2}									
	- SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}									
	Amb to T1{1}									
	Amb to T2{1}									
	Amb to T3{1}									
	Sus. + W1{1}									
	Sus. + W2{1}									
	Sus. + W3{1}									
	Sus. + W4{1}									
+40 - UNREST	- SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}									
	Amb to T1{1}									
	Amb to T2{1}									
	Amb to T3{1}									
	Sus. + W1{1}									
	Sus. + W2{1}									
	Sus. + W3{1}									
	Sus. + W4{1}									
	Max P{1}									
	Hydrotest-NL{2}									
	- SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}									
	Amb to T1{1}									
	Amb to T2{1}									
	Amb to T3{1}									
	Sus. + W1{1}									
	Sus. + W2{1}									
	Sus. + W3{1}									
	Sus. + W4{1}									
+40 - UNREST	- SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}									
	Amb to T1{1}									
	Amb to T2{1}									
	Amb to T3{1}									
	Sus. + W1{1}									
	Sus. + W2{1}									
	Sus. + W3{1}									
	Sus. + W4{1}									
	Max P{1}									
	Hydrotest-NL{2}									
	- SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}									
	Amb to T1{1}									
	Amb to T2{1}									
	Amb to T3{1}									
	Sus. + W1{1}									
	Sus. + W2{1}									
	Sus. + W3{1}									
	Sus. + W4{1}									
+40 - UNREST	- SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}									
	Amb to T1{1}									
	Amb to T2{1}									
	Amb to T3{1}									
	Sus. + W1{1}									
	Sus. + W2{1}									
	Sus. + W3{1}									
	Sus. + W4{1}									
	Max P{1}									
	Hydrotest-NL{2}									
	- SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}									
	Amb to T1{1}									
	Amb to T2{1}									
	Amb to T3{1}									
	Sus. + W1{1}									
	Sus. + W2{1}									
	Sus. + W3{1}									
	Sus. + W4{1}									
+40 - UNREST	- SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}									
	Amb to T1{1}									
	Amb to T2{1}									
	Amb to T3{1}									
	Sus. + W1{1}									
	Sus. + W2{1}									
	Sus. + W3{1}									
	Sus. + W4{1}									
	Max P{1}									
	Hydrotest-NL{2}									
	- SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}									
	Amb to T1{1}									
	Amb to T2{1}									
	Amb to T3{1}									
	Sus. + W1{1}									
	Sus. + W2{1}									
	Sus. + W3{1}									
	Sus. + W4{1}									
+40 - UNREST	- SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}									
	Amb to T1{1}									
	Amb to T2{1}									
	Amb to T3{1}									
	Sus. + W1{1}									
	Sus. + W2{1}									
	Sus. + W3{1}									
	Sus. + W4{1}									
	Max P{1}									
	Hydrotest-NL{2}									
	- SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}									
	Amb to T1{1}									
	Amb to T2{1}									
	Amb to T3{1}									
	Sus. + W1{1}									
	Sus. + W2{1}									
	Sus. + W3{1}									
	Sus. + W4{1}									
+40 - UNREST	- SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}									
	Amb to T1{1}									
	Amb to T2{1}									
	Amb to T3{1}									
	Sus. + W1{1}									
	Sus. + W2{1}									
	Sus. + W3{1}									
	Sus. + W4{1}									
	Max P{1}									
	Hydrotest-NL{2}									
	- SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}									
	Amb to T1{1}									
	Amb to T2{1}									
	Amb to T3{1}									
	Sus. + W1{1}									
	Sus. + W2{1}									
	Sus. + W3{1}									
	Sus. + W4{1}									
+40 - UNREST	- SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}									
	Amb to T1{1}									
	Amb to T2{1}									
	Amb to T3{1}									
	Sus. + W1{1}									
	Sus. + W2{1}									
	Sus. + W3{1}									
	Sus. + W4{1}									
	Max P{1}									
	Hydrotest-NL{2}									
	- SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}									

	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+40 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+40 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+40 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+40 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+40 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+41 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+41 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+41 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+41 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00</				

+41 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	+41 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37		
+41 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	7		

	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+41 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+41 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+41 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+41 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+41 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97

+41 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+42 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+42 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+42 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+42 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	

+42 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	+42 + UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
+42 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.					

	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+42 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+42 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+42 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+42 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+43 - SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+43 + SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+43 - SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+43 + SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+43 - SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

+43 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
	+43 UNREST	SIFI= 1.00 SIFO= 1.00							
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37	
+43 UNREST	SIFI= 1.00 SIFO= 1.00								
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2								

+43 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37	
	+43 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37	
+43 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37	
	+43 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37	
+43 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37	

+43 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+43 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+43 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+43 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+43 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to								

+44 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+44 - UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	+44 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	

	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+44 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+44 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+44 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+44 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+44 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37

+44	-	SIFI= 1.00	SIFO= 1.00										
UNREST	GR + Max P{1}			0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97		
	Amb to T1{1}			0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95		
	Amb to T2{1}			0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95		
	Amb to T3{1}			0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95		
	Sus. + W1{1}			0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97		
	Sus. + W2{1}			0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97		
	Sus. + W3{1}			0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97		
	Sus. + W4{1}			0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97		
	Max P{1}								HOOP	211.04	289.58		
	Hydrotest-NL{2}			0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37		
+44	+	SIFI= 1.00	SIFO= 1.00										
UNREST	GR + Max P{1}			0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97		
	Amb to T1{1}			0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95		
	Amb to T2{1}			0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95		
	Amb to T3{1}			0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95		
	Sus. + W1{1}			0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97		
	Sus. + W2{1}			0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97		
	Sus. + W3{1}			0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97		
	Sus. + W4{1}			0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97		
	Max P{1}								HOOP	211.04	289.58		
	Hydrotest-NL{2}			0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37		
+44	-	SIFI= 1.00	SIFO= 1.00										
UNREST	GR + Max P{1}			0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97		
	Amb to T1{1}			0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95		
	Amb to T2{1}			0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95		
	Amb to T3{1}			0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95		
	Sus. + W1{1}			0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97		
	Sus. + W2{1}			0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97		
	Sus. + W3{1}			0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97		
	Sus. + W4{1}			0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97		
	Max P{1}								HOOP	211.04	289.58		
	Hydrotest-NL{2}			0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37		
+44	+	SIFI= 1.00	SIFO= 1.00										
UNREST	GR + Max P{1}			0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97		
	Amb to T1{1}			0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95		
	Amb to T2{1}			0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95		
	Amb to T3{1}			0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95		
	Sus. + W1{1}			0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97		
	Sus. + W2{1}			0.00	0.00	0.00	0						

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+44 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+44 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+44 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+44 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+45 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

+45 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
	+45 UNREST	SIFI= 1.00 SIFO= 1.00							
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37	
+45 UNREST	SIFI= 1.00 SIFO= 1.00								
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2								

+45 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37	
	+45 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37	
+45 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37	
	+45 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37	
+45 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37	

+45 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37	
+45 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+45 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0					

+45 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37	
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37	
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37	
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC			

	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+46 + UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+46 - UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+46 + UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+46 - UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+46 + UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+46 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+46 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+46 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+46 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00</				

+46 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37	
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37	
	+46 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37	
+46 UNREST		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37	
	+47 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37	
+47 UNREST		GR + Max								

	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+47 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+47 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+47 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+47 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+47 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.0					

+47 UNREST	-	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
		SIFI= 1.00								
		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
		SIFI= 1.00								
		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	+47 UNREST	+	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
		SIFI= 1.00								
		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
		SIFI= 1.00								
		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
+47 UNREST		+	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
		SIFI= 1.00								
		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC		

	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+47 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+47 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+47 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+48 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+48 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
+48 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
+48 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
+48 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
+48 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00</				

+48 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
+48 UNREST	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
+48 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58	
+48 UNREST	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
	GR + Max P{1}	0.00</							

+48 - SIFI= 1.00 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37	
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37	
	+48 + SIFI= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37	
+49 - SIFI= 1.00 UNREST		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37	
	+49 + SIFI= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37	
+49 - SIFI= 1.00 UNREST		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97

+49 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
+49 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
+49 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
+49 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
+49 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to								

+49 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
+49 - UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	+49 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
Sus. + W1{1}		0.00	0.00	0.					

	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
+49 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+49 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+49 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+49 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+49 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+50 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+50 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+50 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+50 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+50 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94

+50 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
+50 UNREST	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
+50 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58	
+50 UNREST	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
	GR + Max P{1}	0.00</							

+50 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37	
	+50 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37	
+50 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37	
	+50 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37	
+50 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37	

+50 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37	
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37	
	+51 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97		
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97		
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97		
Max P{1}						HOOP	211.04	289.58		
Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37		
+51 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94		
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94		
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94		
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97		
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97		
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97		
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97		
Max P{1}						HOOP	211.04	289.58		
Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37		
+51 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94		
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94		
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94		
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97		
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97		
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97		
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97		
Max P{1}						HOOP	211.04	289.58		
Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37		
+51 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94		
Amb to T2{1}	0.00	0.								

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+51 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+51 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+51 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+51 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37
+51 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37
+51 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37
+51 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37
+51 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37
+51 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37
+51 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37

+51	- SIFI= 1.00	SIFO= 1.00											
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97			
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94			
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97			
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97			
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97			
	Max P{1}							HOOP	211.04	289.58			
	Hydrotest-NL{2}		0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37			
+51	+ SIFI= 1.00	SIFO= 1.00											
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97			
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94			
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97			
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97			
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97			
	Max P{1}							HOOP	211.04	289.58			
	Hydrotest-NL{2}		0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37			
+51	- SIFI= 1.00	SIFO= 1.00											
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97			
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94			
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97			
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97			
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97			
	Max P{1}							HOOP	211.04	289.58			
	Hydrotest-NL{2}		0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37			
+51	+ SIFI= 1.00	SIFO= 1.00											
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97			
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94			
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00</							

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37
+52 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37
+52 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37
+52 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37
+52 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00</				

+52 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
	+52 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37	
+52 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
	GR + Max P{1}	0.00	0.00	0					

+52 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37	
	+52 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37	
+52 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37	
	+52 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37	
+52 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37	

	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
+52 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
+52 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
+52 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
+52 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
+52 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.0					

+53 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
+53 - UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	+53 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
Sus. + W1{1}		0.00	0.00	0.					

	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
+53 + UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
+53 - UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
+53 + UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
+53 - UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
+53 + UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.70	434.37

[illegible]

+53 - SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.70	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.70	434.37
	+53 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.56	0.00	OCC	73.70	434.37
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.70	434.37	
+53 - SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.70	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.70	434.37	
+54 - SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.70	434.37

+54 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.70	434.37	
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37	
	+54 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93	
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37	
+54 UNREST		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37	
	+54 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37	
+54 UNREST		GR +								

+54 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97	
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37	
	+54 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37	
+54 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37	
	+54 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37	
+54 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37	

	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
+54 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
+54 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
+54 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
+54 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
+54 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.0					

+54 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93	
+54 + UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
+54 - UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.					

	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
+55 + UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.69	434.37
+55 - UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.69	434.37
+55 + UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.69	434.37
+55 - UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.69	434.37
+55 + UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.69	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37
+55 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37
+55 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37
+55 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37
+55 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00</				

+55 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
+55 UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93	
+56 UNREST	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	

+56 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97	
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37	
	+56 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37	
+56 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37	
	+56 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37	
+56 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37	

+56 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.68	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	+56 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.54	0.00	OCC	73.68	434.37
+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.54	0.00	OCC	73.68	434.37
- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93	
+56 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.68	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0					

+56 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.68	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.68	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93	
+56 + UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.68	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.68	434.37
+56 - UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.68	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.					

	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.68	434.37
+56 + UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.68	434.37
+56 - UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.68	434.37
+56 + UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.68	434.37
+57 - UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.68	434.37
+57 + UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.68	434.37

+57	- SIFI= 1.00	SIFO= 1.00											
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97			
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92			
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97			
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97			
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97			
	Max P{1}							HOOP	211.04	289.58			
	Hydrotest-NL{2}		0.00	0.00	0.07	73.53	0.00	OCC	73.68	434.37			
+57	+ SIFI= 1.00	SIFO= 1.00											
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97			
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92			
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97			
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97			
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97			
	Max P{1}							HOOP	211.04	289.58			
	Hydrotest-NL{2}		0.00	0.00	0.07	73.53	0.00	OCC	73.68	434.37			
+57	- SIFI= 1.00	SIFO= 1.00											
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97			
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92			
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97			
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97			
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97			
	Max P{1}							HOOP	211.04	289.58			
	Hydrotest-NL{2}		0.00	0.00	0.07	73.53	0.00	OCC	73.68	434.37			
+57	+ SIFI= 1.00	SIFO= 1.00											
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97			
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92			
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00</							

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.68	434.37
+57 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.68	434.37
+57 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.67	434.37
+57 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.67	434.37
+57 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00</				

+57 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.67	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.67	434.37
	+57 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.53	0.00	OCC	73.67	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.52	0.00	OCC	73.67	434.37	
+57 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.52	0.00	OCC	73.67	434.37
	GR + Max P{1}	0.00	0.00	0					

+57 - SIFI= 1.00 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.52	0.00	OCC	73.67	434.37	
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.52	0.00	OCC	73.67	434.37	
	+57 + SIFI= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.52	0.00	OCC	73.67	434.37	
+58 - SIFI= 1.00 UNREST		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.52	0.00	OCC	73.67	434.37	
	+58 + SIFI= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.52	0.00	OCC	73.67	434.37	
+58 - SIFI= 1.00 UNREST		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97

+58 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.52	0.00	OCC	73.67	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.52	0.00	OCC	73.67	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
+58 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.52	0.00	OCC	73.67	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.52	0.00	OCC	73.67	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
+58 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.52	0.00	OCC	73.67	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00					

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.52	0.00	OCC	73.66	434.37
+58 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.52	0.00	OCC	73.66	434.37
+58 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.52	0.00	OCC	73.66	434.37
+58 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.52	0.00	OCC	73.66	434.37
+58 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.52	0.00	OCC	73.66	434.37
+58 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.52	0.00	OCC	73.66	434.37
+58 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.51	0.00	OCC	73.66	434.37
+58 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.51	0.00	OCC	73.66	434.37
+58 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.51	0.00	OCC	73.66	434.37
+58 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.51	0.00	OCC	73.66	434.37
+58 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.51	0.00	OCC	73.66	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.51	0.00	OCC	73.65	434.37
+59 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.51	0.00	OCC	73.65	434.37
+59 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.51	0.00	OCC	73.65	434.37
+59 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.51	0.00	OCC	73.65	434.37
+59 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00</				

+59 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.51	0.00	OCC	73.65	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.50	0.00	OCC	73.65	434.37
	+59 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.50	0.00	OCC	73.65	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.50	0.00	OCC	73.65	434.37	
+59 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.50	0.00	OCC	73.65	434.37
	GR + Max P{1}	0.00	0.00	0					

+59 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.50	0.00	OCC	73.65	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.50	0.00	OCC	73.65	434.37
	+59 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.50	0.00	OCC	73.65	434.37
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
+59 - SIFI= 1.00 UNREST GR + Max P{1}	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.50	0.00	OCC	73.65	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.50	0.00	OCC	73.65	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97

+59 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.50	0.00	OCC	73.65	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.50	0.00	OCC	73.64	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	+60 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.50	0.00	OCC	73.64	434.37
+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.50	0.00	OCC	73.64	434.37
- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91	
+60 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.50	0.00	OCC	73.64	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.50	0.00	OCC	73.64	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91	

+60 UNREST	-	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97	
		Max P{1}						HOOP	211.04	289.58	
		Hydrotest-NL{2}	0.00	0.00	0.07	73.49	0.00	OCC	73.64	434.37	
	-	SIFI= 1.00 SIFO= 1.00									
	GR +	Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97	
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91	
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91	
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91	
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97	
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97	
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97	
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97	
		Max P{1}						HOOP	211.04	289.58	
		Hydrotest-NL{2}	0.00	0.00	0.07	73.49	0.00	OCC	73.64	434.37	
	+	SIFI= 1.00 SIFO= 1.00									
	GR +	Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97	
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91	
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91	
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91	
+60 UNREST	-	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97	
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97	
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97	
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97	
		Max P{1}						HOOP	211.04	289.58	
		Hydrotest-NL{2}	0.00	0.00	0.07	73.49	0.00	OCC	73.64	434.37	
	+	SIFI= 1.00 SIFO= 1.00									
	GR +	Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97	
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91	
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91	
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91	
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97	
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97	
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97	
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97	
		Max P{1}						HOOP	211.04	289.58	
		Hydrotest-NL{2}	0.00	0.00	0.07	73.49	0.00	OCC	73.64	434.37	
	+60 UNREST	-	Sus. + W1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
			Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91	
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91	
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97	
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97	
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97	
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97	
		Max P{1}						HOOP	211.04	289.58	
		Hydrotest-NL{2}	0.00	0.00	0.07	73.49	0.00	OCC	73.64	434.37	
+		SIFI= 1.00 SIFO= 1.00									

	Hydrotest-NL{2}	0.00	0.00	0.07	73.49	0.00	OCC	73.64	434.37
+60 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.49	0.00	OCC	73.64	434.37
+60 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.49	0.00	OCC	73.64	434.37
+60 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.49	0.00	OCC	73.63	434.37
+60 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.49	0.00	OCC	73.63	434.37
+60 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.49	0.00	OCC	73.63	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.48	0.00	OCC	73.63	434.37
+61 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.48	0.00	OCC	73.63	434.37
+61 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.48	0.00	OCC	73.63	434.37
+61 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.48	0.00	OCC	73.63	434.37
+61 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.48	0.00	OCC	73.63	434.37
+61 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90

+61 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.48	0.00	OCC	73.63	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.48	0.00	OCC	73.62	434.37
	+61 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.48	0.00	OCC	73.62	434.37
- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.48	0.00	OCC	73.62	434.37	
+61 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.48	0.00	OCC	7	

+61 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.47	0.00	OCC	73.62	434.37	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.47	0.00	OCC	73.62	434.37	
	+61 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.47	0.00	OCC	73.62	434.37	
+61 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.47	0.00	OCC	73.62	434.37	
	+61 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.47	0.00	OCC	73.62	434.37	
+61 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.47	0.00	OCC	73.62	434.37	

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.47	0.00	OCC	73.62	434.37
+61 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.47	0.00	OCC	73.61	434.37
+61 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.47	0.00	OCC	73.61	434.37
+61 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.47	0.00	OCC	73.61	434.37
+61 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.47	0.00	OCC	73.61	434.37
+61 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.46	0.00	OCC	73.61	434.37
+62 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.46	0.00	OCC	73.61	434.37
+62 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.46	0.00	OCC	73.61	434.37
+62 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.46	0.00	OCC	73.61	434.37
+62 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.46	0.00	OCC	73.61	434.37
+62 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
	Amb to T1{1}	0.00	0.00						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.46	0.00	OCC	73.61	434.37
+62 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.46	0.00	OCC	73.60	434.37
+62 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.46	0.00	OCC	73.60	434.37
+62 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.46	0.00	OCC	73.60	434.37
+62 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.46	0.00	OCC	73.60	434.37
+62 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.45	0.00	OCC	73.60	434.37

+62	- SIFI= 1.00	SIFO= 1.00									
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97	
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89	
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89	
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89	
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97	
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97	
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97	
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97	
	Max P{1}							HOOP	211.04	289.58	
	Hydrotest-NL{2}		0.00	0.00	0.07	73.45	0.00	OCC	73.60	434.37	
+62	+ SIFI= 1.00	SIFO= 1.00									
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97	
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89	
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89	
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89	
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97	
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97	
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97	
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97	
	Max P{1}							HOOP	211.04	289.58	
	Hydrotest-NL{2}		0.00	0.00	0.07	73.45	0.00	OCC	73.60	434.37	
+62	- SIFI= 1.00	SIFO= 1.00									
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97	
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89	
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89	
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89	
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97	
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97	
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97	
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97	
	Max P{1}							HOOP	211.04	289.58	
	Hydrotest-NL{2}		0.00	0.00	0.07	73.45	0.00	OCC	73.60	434.37	
+62	+ SIFI= 1.00	SIFO= 1.00									
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97	
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89	
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89	
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89	
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97	
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97	
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97	
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97	
	Max P{1}							HOOP	211.04	289.58	

+62 - SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.45	0.00	OCC	73.59	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.45	0.00	OCC	73.59	434.37
+62 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.45	0.00	OCC	73.59	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.45	0.00	OCC	73.59	434.37	
+62 - SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00				

+63 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.44	0.00	OCC	73.59	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.55	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
+63 UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.44	0.00	OCC	73.59	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.55	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.44	0.00	OCC	73.59	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.55	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88	
+63 UNREST	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.44	0.00	OCC	73.59	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.55	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97	

+63 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.44	0.00	OCC	73.58	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.55	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.44	0.00	OCC	73.58	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
	+63 + SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.43	0.00	OCC	73.58	434.37
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.43	0.00	OCC	73.58	434.37
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
+63 - SIFI= 1.00 UNREST GR + Max P{1}		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.43	0.00	OCC	73.58	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.43	0.00	OCC	73.58	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97	

+63 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.43	0.00	OCC	73.58	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.55	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
+63 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.43	0.00	OCC	73.58	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.55	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
+63 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.43	0.00	OCC	73.58	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.55	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
+63 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.43	0.00	OCC	73.57	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.55	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
+63 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.43	0.00	OCC	73.57	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.55	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
	Amb to								

+63 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.42	0.00	OCC	73.57	434.37
	SIFI= 1.00								
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.55	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.42	0.00	OCC	73.57	434.37
	SIFI= 1.00								
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97
+63 - UNREST	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.42	0.00	OCC	73.57	434.37
	SIFI= 1.00								
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
+63 - UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.42	0.00	OCC	73.57	434.37
	SIFI= 1.00								
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.42	0.00	OCC	73.57	434.37
	SIFI= 1.00								
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97	
+64 - UNREST	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.42	0.00	OCC	73.57	434.37
	SIFI= 1.00								
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.42	0.00	OCC	73.57	434.37	
SIFI= 1.00									
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.42	0.00	OCC	73.57	434.37	
SIFI= 1.00									
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.42	0.00	OCC	73.57	434.37	
SIFI= 1.00									
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.42	0.00	OCC	73.57	434.37	
SIFI= 1.00									
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.42	0.00	OCC	73.57	434.37	
SIFI= 1.00									
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.42	0.00	OCC	73.57	434.37	
SIFI= 1.00									
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.42	0.00	OCC	73.57	434.37	
SIFI= 1.00									
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.42	0.00	OCC	73.57	434.37	
SIFI= 1.00									
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87	
Amb to T3{1}	0.00</								

	Hydrotest-NL{2}	0.00	0.00	0.07	73.42	0.00	OCC	73.57	434.37
+64 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.42	0.00	OCC	73.56	434.37
+64 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.42	0.00	OCC	73.56	434.37
+64 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.41	0.00	OCC	73.56	434.37
+64 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.41	0.00	OCC	73.56	434.37
+64 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.41	0.00	OCC	73.56	434.37

[illegible]

+64 - SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.40	0.00	OCC	73.55	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.40	0.00	OCC	73.55	434.37
+64 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.40	0.00	OCC	73.55	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.40	0.00	OCC	73.55	434.37	
+64 - SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00				

+64 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.40	0.00	OCC	73.54	434.37	
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.39	0.00	OCC	73.54	434.37	
	+64 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86	
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86	
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.39	0.00	OCC	73.54	434.37	
+64 UNREST		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.39	0.00	OCC	73.54	434.37	
	+65 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.39	0.00	OCC	73.54	434.37	
+65 UNREST		GR + Max								

+65 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.39	0.00	OCC	73.54	434.37	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97	
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.39	0.00	OCC	73.54	434.37	
	+65 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.39	0.00	OCC	73.53	434.37	
+65 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.39	0.00	OCC	73.53	434.37	
	+65 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.38	0.00	OCC	73.53	434.37	
+65 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.38	0.00	OCC	73.53	434.37	
	+65 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.38	0.00	OCC	73.53	434.37	
+65 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.38	0.00	OCC	73.53	434.37	
	+65 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.38	0.00	OCC	73.53	434.37	
+65 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.38	0.00	OCC	73.53	434.37	
	+65 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.38	0.00	OCC	73.53	434.37	
+65 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.38	0.00	OCC	73.53	434.37	
	+65 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.38	0.00	OCC	73.53	434.37	
+65 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.38	0.00	OCC	73.53	434.37	
	+65 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
		Amb to T3{1}	0.00	0.00	0.00	0.00				

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.38	0.00	OCC	73.53	434.37
+65 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.38	0.00	OCC	73.53	434.37
+65 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.38	0.00	OCC	73.53	434.37
+65 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.58	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.85
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.85
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.85
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.38	0.00	OCC	73.52	434.37
+65 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.58	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.85
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.85
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.85
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.38	0.00	OCC	73.52	434.37
+65 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.58	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.85
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.85
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.85
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.37	0.00	OCC	73.52	434.37
+65 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.58	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.85
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.85
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.85
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.37	0.00	OCC	73.52	434.37
+65 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.58	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.85
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.85
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.85
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.37	0.00	OCC	73.52	434.37
+65 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.58	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.85
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.85
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.85
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.37	0.00	OCC	73.52	434.37
+65 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.58	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.85
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.85
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.85
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.37	0.00	OCC	73.51	434.37
+65 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.58	361.97
	Amb to T1{1}	0.00	0.00						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.37	0.00	OCC	73.51	434.37
+65 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.58	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.85
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.85
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.85
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.36	0.00	OCC	73.51	434.37
+65 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.58	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.85
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.85
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.85
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.36	0.00	OCC	73.51	434.37
+65 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.58	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.85
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.85
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.85
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.36	0.00	OCC	73.51	434.37
+66 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.58	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.85
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.85
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.85
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.36	0.00	OCC	73.51	434.37
+66 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.59	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.85
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.85
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.85
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.36	0.00	OCC	73.50	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.84
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.84
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.84
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.59	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.59	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.60	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.60	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.35	0.00 OCC	73.49	434.37
+66 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00 SUST	107.59	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.84
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.84
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.84
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.59	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.59	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.60	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.60	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.35	0.00 OCC	73.49	434.37
+66 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00 SUST	107.59	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.84
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.84
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.84
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.59	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.59	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.60	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.60	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.34	0.00 OCC	73.49	434.37
+66 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00 SUST	107.59	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.84
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.84
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.84
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.59	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.59	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.60	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.60	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.34	0.00 OCC	73.49	434.37
+66 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00 SUST	107.59	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.84
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.84
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.84
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.59	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.59	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.60	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.60	361.97

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.34	0.00	OCC	73.48	434.37
+66 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.59	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.84
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.33	0.00	OCC	73.48	434.37
+66 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.59	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.84
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.33	0.00	OCC	73.48	434.37
+66 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.83
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.33	0.00	OCC	73.48	434.37
+66 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.83
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.33	0.00	OCC	73.48	434.37
+66 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.83

+66 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.33	0.00	OCC	73.47	434.37	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97	
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.83	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.33	0.00	OCC	73.47	434.37	
	+66 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.83	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.32	0.00	OCC	73.47	434.37	
+67 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.83
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.32	0.00	OCC	73.47	434.37	
	+67 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.83
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.32	0.00	OCC	73.46	434.37	
+67 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.83
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.32	0.00	OCC	73.46	434.37	
	+67 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.83
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.32	0.00	OCC	73.46	434.37	
+67 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.83
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.32	0.00	OCC	73.46	434.37	
	+67 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.83
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.32	0.00	OCC	73.46	434.37	
+67 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.83
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.32	0.00	OCC	73.46	434.37	
	+67 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.83
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.32	0.00	OCC	73.46	434.37	
+67 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.83
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.32	0.00	OCC	73.46	434.37	
	+67 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.83
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.32	0.00	OCC	73.46	434.37	
+67 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.83
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.32	0.00	OCC	73.46	434.37	
	+67 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83
		Amb to T3{1}	0.00	0.00	0.00	0.00				

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.32	0.00	OCC	73.46	434.37
+67 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.83
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.31	0.00	OCC	73.46	434.37
+67 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.83
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.31	0.00	OCC	73.46	434.37
+67 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.61	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.82
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.82
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.82
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.31	0.00	OCC	73.46	434.37
+67 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.61	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.82
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.82
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.82
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.31	0.00	OCC	73.46	434.37
+67 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.61	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.82
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.82
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.82
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97

+67 UNREST	-	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	0.00	0.00	0.07	73.31	0.00	OCC	73.45	434.37
		SIFI= 1.00								
		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.61	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.82
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.82
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.82
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	0.00	0.00	0.07	73.31	0.00	OCC	73.45	434.37
		SIFI= 1.00								
		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.61	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.82
	+67 UNREST	+	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	0.00	0.00	0.07	73.31	0.00	OCC	73.45	434.37
		SIFI= 1.00								
		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.61	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.82
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.82
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.82
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	0.00	0.00	0.07	73.30	0.00	OCC	73.45	434.37
		SIFI= 1.00								
		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.61	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.82
+67 UNREST		+	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	0.00	0.00	0.07	73.30	0.00	OCC	73.45	434.37
		SIFI= 1.00								
		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.61	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.82
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.82
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.82
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	0.00	0.00	0.07	73.30	0.00	OCC		

	Hydrotest-NL{2}	0.00	0.00	0.07	73.30	0.00	OCC	73.44	434.37
+67 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.61	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.82
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.82
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.82
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.29	0.00	OCC	73.44	434.37
+67 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.61	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.82
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.82
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.82
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.29	0.00	OCC	73.44	434.37
+67 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.62	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.81
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.81
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.81
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.29	0.00	OCC	73.44	434.37
+67 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.62	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.81
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.81
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.81
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.29	0.00	OCC	73.44	434.37
+67 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.62	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.81
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.81
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.81
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.28	0.00	OCC	73.43	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.81
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.81
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.81
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.27	0.00	OCC	73.42	434.37
+68 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.62	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.81
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.81
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.81
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.27	0.00	OCC	73.42	434.37
+68 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.63	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.80
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.80
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.80
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.27	0.00	OCC	73.41	434.37
+68 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.63	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.80
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.80
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.80
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.27	0.00	OCC	73.41	434.37
+68 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.63	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.80
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.80
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.80
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00</				

+68 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.80
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.26	0.00	OCC	73.41	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.63	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.80
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.80
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.80
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.26	0.00	OCC	73.40	434.37
	+68 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.63
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.80
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.80
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.80
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.26	0.00	OCC	73.40	434.37
- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.63	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.80
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.80
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.80
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.25	0.00	OCC	73.40	434.37	
+68 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.63	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.80
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.80
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.80
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.25	0.00	OCC	7	

+68 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.25	0.00	OCC	73.39	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.63	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.80
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.80
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.80
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.25	0.00	OCC	73.39	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.79
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.79
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.79
	+68 + SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.24	0.00	OCC	73.39	434.37
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.64	361.97
Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.79
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.79
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.79
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.24	0.00	OCC	73.39	434.37
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.79
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.79
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.79
+68 - SIFI= 1.00 UNREST GR + Max P{1}		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.24	0.00	OCC	73.38	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.64	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.79
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.79
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.79
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.24	0.00	OCC	73.38	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.79
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.79
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.79
	+68 + SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.24	0.00	OCC	73.38	434.37
+68 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.64	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.79
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.79
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.79
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.23	0.00	OCC	73.38	434.37
+69 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.64	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.79
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.79
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.79
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.23	0.00	OCC	73.38	434.37
+69 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.64	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.79
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.79
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.79
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.22	0.00	OCC	73.37	434.37
+69 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.64	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.79
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.79
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.79
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.22	0.00	OCC	73.37	434.37
+69 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.65	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.78
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.78
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.78
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.22	0.00	OCC	73.37	434.37
+69 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.65	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.78
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.78
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.78
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.22	0.00	OCC	73.37	434.37
+69 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.65	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.78
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.78
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.78
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.21	0.00	OCC	73.36	434.37
+69 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.65	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.78
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.78
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.78
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.21	0.00	OCC	73.36	434.37
+69 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.65	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.78
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.78
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.78
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.21	0.00	OCC	73.35	434.37
+69 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.65	361.97
	Amb to T1{1}	0.00	0.00						

Hydrotest-NL{2}	0.00	0.00	0.07	73.21	0.00	OCC	73.35	434.37
+69 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.65	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.78
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.78
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.78
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.20	0.00	OCC	73.35	434.37
+69 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.65	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.78
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.78
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.78
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.20	0.00	OCC	73.35	434.37
+69 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.66	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.77
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.77
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.77
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.20	0.00	OCC	73.34	434.37
+69 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.66	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.77
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.77
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.77
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.20	0.00	OCC	73.34	434.37
+69 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.66	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.77
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.77
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.77
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.19	0.00	OCC	73.34	434.37

[illegible]

+70 - SIFI= 1.00 SIFO= 1.00 UNREST	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.76
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.76
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.76
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.17	0.00	OCC	73.32	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.67	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.76
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.76
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.76
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.17	0.00	OCC	73.32	434.37
+70 + SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.67	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.76
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.76
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.76
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.17	0.00	OCC	73.31	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.67	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.76
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.76
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.76
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
	Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.17	0.00	OCC	73.31	434.37	
+70 + SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.67	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.76
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.76
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.76
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
	Sus. + W4{1}	0.00	0.00	0.00					

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.76
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.16	0.00	OCC	73.31	434.37
+70 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.68	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.75
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.75
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.75
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.15	0.00	OCC	73.30	434.37
+70 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.68	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.75
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.75
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.75
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.15	0.00	OCC	73.30	434.37
+70 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.68	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.75
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.75
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.75
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.15	0.00	OCC	73.29	434.37
+70 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.68	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.75
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.75
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.75
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.15	0.00	OCC	73.29	434.37
+70 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.68	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.75
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.75
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.75

+70 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.14	0.00	OCC	73.29	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.68	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.75
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.75
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.75
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.14	0.00	OCC	73.29	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.75
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.75
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.75
	+70 + SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.13	0.00	OCC	73.28	434.37
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.69	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.75
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.75
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.75
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.13	0.00	OCC	73.28	434.37
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.69	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.74
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.74
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.74
+70 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.13	0.00	OCC	73.27	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.69	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.74
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.74
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.74

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.13	0.00	OCC	73.27	434.37
+70 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.69	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.74
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.74
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.74
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.12	0.00	OCC	73.27	434.37
+70 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.69	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.74
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.74
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.74
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.12	0.00	OCC	73.27	434.37
+70 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.69	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.74
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.74
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.74
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.11	0.00	OCC	73.26	434.37
+70 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.69	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.74
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.74
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.74
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.11	0.00	OCC	73.26	434.37
+70 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.70	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.73
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.73
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.73
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97

+71 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.11	0.00	OCC	73.25	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.70	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.73
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.73
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.73
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.11	0.00	OCC	73.25	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.70	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.73
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.73
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.73
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.10	0.00	OCC	73.25	434.37	
+71 - UNREST	Sus. + W4{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.70	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.73
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.73
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.73
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.10	0.00	OCC	73.25	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.70	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.73
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.73
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.73
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.09	0.00	OCC	73.24	434.37
+71 - UNREST	Sus. + W4{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.70	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.73
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.73
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.73
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.09	0.00	OCC	73.24	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.70	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.73
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.73
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.73
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Max P{1}						HOOP	211.04	289.58

	Hydrotest-NL{2}	0.00	0.00	0.07	73.09	0.00	OCC	73.24	434.37
+71 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.71	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.72
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.72
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.72
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.08	0.00	OCC	73.23	434.37
+71 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.71	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.72
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.72
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.72
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.08	0.00	OCC	73.23	434.37
+71 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.71	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.72
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.72
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.72
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.08	0.00	OCC	73.22	434.37
+71 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.71	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.72
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.72
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.72
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.08	0.00	OCC	73.22	434.37
+71 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.71	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.72
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.72
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.72
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.07	0.00	OCC	73.22	434.37

[illegible]

+71 - SIFI= 1.00 UNREST	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.71
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.71
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.71
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.05	0.00	OCC	73.19	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.72	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.71
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.71
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.71
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.05	0.00	OCC	73.19	434.37
	+71 + SIFI= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.73
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.70
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.70
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.70
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.04	0.00	OCC	73.18	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.73	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.70
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.70
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.70
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.04	0.00	OCC	73.18	434.37
+71 + SIFI= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.73	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.70
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.70
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.70
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.03	0.00	OCC	73.18	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.73	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.70
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.70

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.70
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.03	0.00	OCC	73.18	434.37
+72 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.74	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.69
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.69
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.69
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.02	0.00	OCC	73.17	434.37
+72 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.74	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.69
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.69
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.69
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.02	0.00	OCC	73.17	434.37
+72 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.74	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.69
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.69
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.69
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.01	0.00	OCC	73.16	434.37
+72 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.74	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.69
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.69
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.69
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.01	0.00	OCC	73.16	434.37
+72 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.74	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.69
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.69
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.69

+72 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.00	0.00	OCC	73.15	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.74	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.69
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.69
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.69
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.00	0.00	OCC	73.15	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.68
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.68
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.68
	+72 + SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.00	0.00	OCC	73.14	434.37
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.75	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.68
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.68
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.68
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.68
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.00	0.00	OCC	73.14	434.37
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.75	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.68
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.68
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.68	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.68	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	72.99	0.00	OCC	73.13	434.37	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.75	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.68	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.68	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.68	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.68	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97	

+72 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	72.99	0.00	OCC	73.13	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.76	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.67
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.67
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.67
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	72.98	0.00	OCC	73.12	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.76	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.67
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.67
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.67
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	72.98	0.00	OCC	73.12	434.37	
+72 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.76	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.67
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.67
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.67
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	72.97	0.00	OCC	73.11	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.76	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.67
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.67
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.67
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.77	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.77	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	72.97	0.00	OCC	73.11	434.37
+72 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.76	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.67
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.67
	Amb to T3{1}	0.00	0.00	0.00					

Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.77	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.96	0.00	OCC	73.11	434.37
+72 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.76	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.67
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.67
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.67
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.77	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.77	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.96	0.00	OCC	73.11	434.37
+72 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.77	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.66
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.66
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.66
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.77	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.77	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.77	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.77	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.95	0.00	OCC	73.10	434.37
+72 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.77	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.66
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.66
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.66
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.77	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.77	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.77	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.77	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.95	0.00	OCC	73.10	434.37
+72 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.77	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.66
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.66
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.66
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.77	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.77	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.94	0.00	OCC	73.09	434.37
+73 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.77	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.66
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.66
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.66
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.77	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.77	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.00	0.00	0.07	72.94	0.00	OCC	73.09	434.37
+73 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.78	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.65
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.65
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.65
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.93	0.00	OCC	73.08	434.37
+73 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.78	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.65
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.65
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.65
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.93	0.00	OCC	73.08	434.37
+73 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.78	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.65
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.65
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.65
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.92	0.00	OCC	73.07	434.37
+73 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.78	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.65
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.65
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.65
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.92	0.00	OCC	73.07	434.37
+73 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.79	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.64
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.64
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.64
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.91	0.00	OCC	73.06	434.37

[illegible]

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.63
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.63
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.63
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.88	0.00	OCC	73.03	434.37
+73 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.80	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.63
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.63
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.63
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.88	0.00	OCC	73.03	434.37
+73 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.80	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.63
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.63
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.63
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.87	0.00	OCC	73.02	434.37
+73 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.80	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.63
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.63
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.63
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.87	0.00	OCC	73.02	434.37
+73 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.81	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.62
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.62
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.62
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.86	0.00	OCC	73.01	434.37
+73 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.81	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.62
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.62

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.62
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.86	0.00	OCC	73.01	434.37
+73 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.81	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.62
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.62
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.62
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.85	0.00	OCC	72.99	434.37
+73 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.81	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.62
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.62
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.62
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.85	0.00	OCC	72.99	434.37
+73 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.82	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.61
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.61
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.61
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.84	0.00	OCC	72.98	434.37
+74 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.82	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.61
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.61
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.61
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.84	0.00	OCC	72.98	434.37
+74 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.82	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.61
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.61
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.61

Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.83	0.00	OCC	72.97	434.37
+74 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.82	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.61
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.61
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.61
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.83	0.00	OCC	72.97	434.37
+74 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.83	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.60
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.60
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.60
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.82	0.00	OCC	72.96	434.37
+74 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.83	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.60
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.60
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.60
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.82	0.00	OCC	72.96	434.37
+74 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.83	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.60
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.60
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.60
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.80	0.00	OCC	72.95	434.37
+74 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.83	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.60
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.60
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.60
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.80	0.00	OCC	72.95	434.37
+74 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.84	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.59
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.59
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.59
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.85	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.79	0.00	OCC	72.94	434.37
+74 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.84	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.59
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.59
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.59
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.85	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.79	0.00	OCC	72.94	434.37
+74 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.84	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.59
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.59
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.59
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.85	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.85	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.78	0.00	OCC	72.93	434.37
+74 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.84	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.59
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.59
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.59
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.85	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.85	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.78	0.00	OCC	72.93	434.37
+74 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.85	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.58
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.58
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.58
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.85	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.85	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.86	361.97

Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.86	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.77	0.00	OCC	72.91	434.37
+74 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.85	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.58
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.58
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.58
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.85	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.85	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.86	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.86	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.77	0.00	OCC	72.91	434.37
+74 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.86	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.57
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.57
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.57
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.86	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.86	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.86	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.86	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.76	0.00	OCC	72.90	434.37
+74 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.86	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.57
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.57
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.57
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.86	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.86	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.86	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.86	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.76	0.00	OCC	72.90	434.37
+74 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.86	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.57
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.57
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.57
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.86	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.86	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.74	0.00	OCC	72.89	434.37
+74 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.86	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.57
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.57
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.57
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.86	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.86	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.00	0.00	0.07	72.74	0.00	OCC	72.89	434.37
+74 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.87	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.56
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.56
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.56
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.73	0.00	OCC	72.88	434.37
+74 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.87	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.56
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.56
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.56
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.73	0.00	OCC	72.88	434.37
+74 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.87	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.56
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.56
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.56
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.88	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.88	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.72	0.00	OCC	72.86	434.37
+75 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.87	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.56
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.56
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.56
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.88	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.88	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.72	0.00	OCC	72.86	434.37
+75 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.88	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.55
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.55
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.55
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.88	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.88	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.88	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.88	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.71	0.00	OCC	72.85	434.37

[illegible]

+75 - SIFI= 1.00 SIFO= 1.00 UNREST	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.53
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.53
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.53
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	72.67	0.00	OCC	72.81	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.90	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.53
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.53
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.53
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	72.67	0.00	OCC	72.81	434.37
+75 + SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.90	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.53
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.53
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.53
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	72.65	0.00	OCC	72.80	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.90	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.53
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.53
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.53
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
	Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.65	0.00	OCC	72.80	434.37	
+75 + SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.91	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.52
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.52
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.52
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	72.64	0.00	OCC	72.78	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.91	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.52
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.52

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.52
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.64	0.00	OCC	72.78	434.37
+75 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.91	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.52
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.52
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.52
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.92	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.92	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.62	0.00	OCC	72.77	434.37
+75 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.91	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.52
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.52
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.52
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.92	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.92	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.62	0.00	OCC	72.77	434.37
+75 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.92	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.51
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.51
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.51
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.92	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.92	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.61	0.00	OCC	72.76	434.37
+75 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.92	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.51
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.51
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.51
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.92	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.92	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.61	0.00	OCC	72.76	434.37
+75 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.93	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.50
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.50
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.50

Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.60	0.00	OCC	72.74	434.37
+75 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.93	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.50
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.50
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.50
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.60	0.00	OCC	72.74	434.37
+75 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.93	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.50
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.50
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.50
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.94	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.94	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.58	0.00	OCC	72.73	434.37
+76 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.93	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.50
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.50
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.50
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.94	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.94	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.58	0.00	OCC	72.73	434.37
+76 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.94	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.49
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.49
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.49
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.94	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.94	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.57	0.00	OCC	72.71	434.37
+76 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.94	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.49
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.49
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.49
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.94	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.94	361.97

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.57	0.00	OCC	72.71	434.37
+76 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.95	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.48
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.48
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.48
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.55	0.00	OCC	72.70	434.37
+76 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.95	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.48
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.48
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.48
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.55	0.00	OCC	72.70	434.37
+76 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.95	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.48
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.48
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.48
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.96	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.96	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.54	0.00	OCC	72.68	434.37
+76 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.95	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.48
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.48
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.48
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.96	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.96	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.54	0.00	OCC	72.68	434.37
+76 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.96	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.47
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.47
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.47
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.96	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.96	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.97	361.97

Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.97	361.97
Max P{1}						HOOP	211.04	289.58
Hydrottest-NL{2}	0.00	0.00	0.07	72.52	0.00	OCC	72.67	434.37
+76 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.96	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.47
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.47
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.47
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.96	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.96	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.97	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.97	361.97
Max P{1}						HOOP	211.04	289.58
Hydrottest-NL{2}	0.00	0.00	0.07	72.52	0.00	OCC	72.67	434.37
+76 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.97	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.46
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.46
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.46
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.97	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.97	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.97	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.97	361.97
Max P{1}						HOOP	211.04	289.58
Hydrottest-NL{2}	0.00	0.00	0.07	72.50	0.00	OCC	72.65	434.37
+76 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.97	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.46
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.46
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.46
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.97	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.97	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.97	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.97	361.97
Max P{1}						HOOP	211.04	289.58
Hydrottest-NL{2}	0.00	0.00	0.07	72.50	0.00	OCC	72.65	434.37
+76 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.98	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.45
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.45
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.45
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.98	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.98	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.98	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.98	361.97
Max P{1}						HOOP	211.04	289.58
Hydrottest-NL{2}	0.00	0.00	0.07	72.49	0.00	OCC	72.63	434.37
+76 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.98	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.45
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.45
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.45
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.98	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.98	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.98	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.98	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.00	0.00	0.07	72.49	0.00	OCC	72.63	434.37
+76 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.98	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.45
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.45
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.45
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.98	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.98	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.99	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.99	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.47	0.00	OCC	72.62	434.37
+76 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.98	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.45
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.45
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.45
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.98	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.98	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.99	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.99	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.47	0.00	OCC	72.62	434.37
+76 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.99	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.44
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.44
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.44
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.99	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.99	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.00	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.00	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.46	0.00	OCC	72.60	434.37
+76 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.99	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.44
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.44
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.44
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.99	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.99	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.00	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.00	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.46	0.00	OCC	72.60	434.37
+76 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.00	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.43
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.43
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.43
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.00	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.00	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.00	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.00	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.44	0.00	OCC	72.59	434.37

+76	-	SIFI= 1.00	SIFO= 1.00
UNREST	GR + Max P{1}		
Amb to T1{1}			
Amb to T2{1}			
Amb to T3{1}			
Sus. + W1{1}			
Sus. + W2{1}			
Sus. + W3{1}			
Sus. + W4{1}			
Max P{1}			
Hydrotest-NL{2}			
+76	+	SIFI= 1.00	SIFO= 1.00
UNREST	GR + Max P{1}		
Amb to T1{1}			
Amb to T2{1}			
Amb to T3{1}			
Sus. + W1{1}			
Sus. + W2{1}			
Sus. + W3{1}			
Sus. + W4{1}			
Max P{1}			
Hydrotest-NL{2}			
+77	-	SIFI= 1.00	SIFO= 1.00
UNREST	GR + Max P{1}		
Amb to T1{1}			
Amb to T2{1}			
Amb to T3{1}			
Sus. + W1{1}			
Sus. + W2{1}			
Sus. + W3{1}			
Sus. + W4{1}			
Max P{1}			
Hydrotest-NL{2}			
+77	+	SIFI= 1.00	SIFO= 1.00
UNREST	GR + Max P{1}		
Amb to T1{1}			
Amb to T2{1}			
Amb to T3{1}			
Sus. + W1{1}			
Sus. + W2{1}			
Sus. + W3{1}			
Sus. + W4{1}			
Max P{1}			
Hydrotest-NL{2}			
+77	-	SIFI= 1.00	SIFO= 1.00
UNREST	GR + Max P{1}		
Amb to T1{1}			
Amb to T2{1}			
Amb to T3{1}			
Sus. + W1{1}			
Sus. + W2{1}			
Sus. + W3{1}			
Sus. + W4{1}			
Max P{1}			
Hydrotest-NL{2}			
+77	+	SIFI= 1.00	SIFO= 1.00
UNREST	GR + Max P{1}		
Amb to T1{1}			
Amb to T2{1}			
Amb to T3{1}			
Sus. + W1{1}			
Sus. + W2{1}			
Sus. + W3{1}			
Sus. + W4{1}			
Max P{1}			
Hydrotest-NL{2}			
+77	-	SIFI= 1.00	SIFO= 1.00
UNREST	GR + Max P{1}		
Amb to T1{1}			
Amb to T2{1}			
Amb to T3{1}			
Sus. + W1{1}			
Sus. + W2{1}			
Sus. + W3{1}			
Sus. + W4{1}			
Max P{1}			
Hydrotest-NL{2}			
+77	+	SIFI= 1.00	SIFO= 1.00
UNREST	GR + Max P{1}		
Amb to T1{1}			
Amb to T2{1}			
Amb to T3{1}			
Sus. + W1{1}			
Sus. + W2{1}			
Sus. + W3{1}			
Sus. + W4{1}			
Max P{1}			
Hydrotest-NL{2}			

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.41
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.41
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.41
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.02	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.02	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.03	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.03	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.39	0.00	OCC	72.53	434.37
+77 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.02	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.41
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.41
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.41
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.02	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.02	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.03	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.03	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.39	0.00	OCC	72.53	434.37
+77 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.03	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.40
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.40
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.40
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.03	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.03	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.04	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.37	0.00	OCC	72.52	434.37
+77 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.03	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.40
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.40
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.40
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.03	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.03	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.04	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.37	0.00	OCC	72.52	434.37
+77 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.04	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.39
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.39
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.39
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.04	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.04	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.04	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.35	0.00	OCC	72.50	434.37
+77 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.04	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.39
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.39

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.39
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.04	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.04	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.04	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.35	0.00	OCC	72.50	434.37
+77 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.05	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.38
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.38
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.38
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.05	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.05	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.05	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.05	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.33	0.00	OCC	72.48	434.37
+77 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.05	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.38
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.38
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.38
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.05	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.05	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.05	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.05	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.33	0.00	OCC	72.48	434.37
+77 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.05	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.38
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.38
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.38
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.05	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.05	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.06	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.06	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.31	0.00	OCC	72.46	434.37
+77 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.05	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.38
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.38
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.38
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.05	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.05	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.06	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.06	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.31	0.00	OCC	72.46	434.37
+77 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.06	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.37
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.37
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.37

Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.06	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.06	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.07	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.07	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.30	0.00	OCC	72.44	434.37
+77 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.06	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.37
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.37
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.37
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.06	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.06	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.07	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.07	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.30	0.00	OCC	72.44	434.37
+77 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.07	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.36
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.36
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.36
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.07	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.07	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.08	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.08	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.28	0.00	OCC	72.42	434.37
+77 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.07	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.36
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.36
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.36
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.07	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.07	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.08	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.08	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.28	0.00	OCC	72.42	434.37
+77 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.08	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.35
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.35
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.35
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.08	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.08	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.09	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.09	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.26	0.00	OCC	72.40	434.37
+77 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.08	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.35
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.35
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.35
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.08	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.08	361.97

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.09	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.09	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.26	0.00	OCC	72.40	434.37
+77 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.09	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.34
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.34
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.34
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.09	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.09	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.09	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.09	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.24	0.00	OCC	72.38	434.37
+78 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.09	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.34
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.34
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.34
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.09	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.09	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.09	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.09	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.24	0.00	OCC	72.38	434.37
+78 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.10	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.33
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.33
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.33
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.10	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.10	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.10	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.10	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.22	0.00	OCC	72.36	434.37
+78 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.10	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.33
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.33
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.33
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.10	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.10	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.10	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.10	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.22	0.00	OCC	72.36	434.37
+78 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.11	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.32
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.32
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.32
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.11	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.11	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.11	361.97

Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.11	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.20	0.00	OCC	72.34	434.37
+78 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.11	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.32
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.32
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.32
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.11	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.11	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.11	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.11	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.20	0.00	OCC	72.34	434.37
+78 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.12	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.31
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.31
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.31
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.12	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.12	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.12	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.12	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.18	0.00	OCC	72.32	434.37
+78 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.12	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.31
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.31
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.31
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.12	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.12	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.12	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.12	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.18	0.00	OCC	72.32	434.37
+78 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.13	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.30
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.30
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.30
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.13	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.13	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.13	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.13	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.16	0.00	OCC	72.30	434.37
+78 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.13	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.30
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.30
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.30
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.13	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.13	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.13	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.13	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.00	0.00	0.07	72.16	0.00	OCC	72.30	434.37
+78 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.13	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.30
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.30
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.30
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.14	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.14	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.14	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.14	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.14	0.00	OCC	72.28	434.37
+78 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.13	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.30
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.30
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.30
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.14	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.14	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.14	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.14	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.14	0.00	OCC	72.28	434.37
+78 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.14	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.29
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.29
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.29
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.14	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.14	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.15	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.15	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.11	0.00	OCC	72.26	434.37
+78 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.14	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.29
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.29
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.29
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.14	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.14	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.15	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.15	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.11	0.00	OCC	72.26	434.37
+78 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.15	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.28
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.28
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.28
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.15	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.15	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.16	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.16	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.09	0.00	OCC	72.24	434.37

+78 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.15	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.28	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.28	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.28	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.15	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.15	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.16	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.16	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	72.09	0.00	OCC	72.24	434.37	
+78 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.16	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.27	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.27	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.27	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.16	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.16	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.17	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.17	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	72.07	0.00	OCC	72.22	434.37	
+78 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.16	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.27	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.27	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.27	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.16	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.16	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.17	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.17	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	72.07	0.00	OCC	72.22	434.37	
+78 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.17	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.26	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.26	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.26	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.17	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.17	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.18	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.18	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	72.05	0.00	OCC	72.19	434.37	
+78 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.17	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.26	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.26	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.26	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.17	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.17	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.18	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.18	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	72.05	0.00	OCC	72.19	434.37	
+78 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.18	361.97	

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.25
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.25
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.25
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.18	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.18	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.19	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.19	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.02	0.00	OCC	72.17	434.37
+79 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.18	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.25
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.25
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.25
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.18	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.18	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.19	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.19	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.02	0.00	OCC	72.17	434.37
+79 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.19	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.24
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.24
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.24
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.20	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.20	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.20	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.00	0.00	OCC	72.15	434.37
+79 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.19	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.24
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.24
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.24
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.20	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.20	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.20	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.00	0.00	OCC	72.15	434.37
+79 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.21	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.22
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.22
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.22
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.21	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.21	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.21	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.21	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.98	0.00	OCC	72.12	434.37
+79 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.21	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.22
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.22

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.22
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.21	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.21	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.21	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.21	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.98	0.00	OCC	72.12	434.37
+79 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.22	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.21
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.21
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.21
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.22	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.22	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.22	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.22	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.95	0.00	OCC	72.10	434.37
+79 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.22	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.21
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.21
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.21
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.22	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.22	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.22	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.22	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.95	0.00	OCC	72.10	434.37
+79 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.23	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.20
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.20
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.20
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.23	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.23	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.23	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.23	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.93	0.00	OCC	72.08	434.37
+79 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.23	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.20
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.20
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.20
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.23	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.23	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.23	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.23	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.93	0.00	OCC	72.08	434.37
+79 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.24	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.19
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.19
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.19

Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.24	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.24	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.24	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.24	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.91	0.00	OCC	72.05	434.37
+79 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.24	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.19
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.19
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.19
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.24	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.24	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.24	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.24	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.91	0.00	OCC	72.05	434.37
+79 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.25	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.18
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.18
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.18
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.25	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.25	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.26	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.25	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.88	0.00	OCC	72.03	434.37
+79 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.25	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.18
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.18
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.18
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.25	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.25	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.26	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.25	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.88	0.00	OCC	72.03	434.37
+79 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.26	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.17
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.17
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.17
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.26	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.26	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.27	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.27	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.86	0.00	OCC	72.00	434.37
+79 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.26	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.17
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.17
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.17
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.26	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.26	361.97

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.27	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.27	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.86	0.00	OCC	72.00	434.37
+79 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.27	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.16
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.16
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.16
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.27	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.27	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.28	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.28	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.83	0.00	OCC	71.98	434.37
+79 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.27	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.16
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.16
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.16
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.27	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.27	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.28	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.28	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.83	0.00	OCC	71.98	434.37
+79 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.28	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.15
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.15
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.15
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.28	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.28	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.29	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.29	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.80	0.00	OCC	71.95	434.37
+79 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.28	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.15
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.15
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.15
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.28	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.28	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.29	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.29	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.80	0.00	OCC	71.95	434.37
+79 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.30	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.13
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.13
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.13
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.30	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.30	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.30	361.97

Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.30	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.78	0.00	OCC	71.92	434.37
+80 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.30	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.13
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.13
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.13
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.30	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.30	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.30	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.30	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.78	0.00	OCC	71.92	434.37
+80 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.31	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.12
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.12
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.12
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.31	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.31	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.31	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.31	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.75	0.00	OCC	71.90	434.37
+80 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.31	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.12
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.12
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.12
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.31	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.31	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.31	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.31	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.75	0.00	OCC	71.90	434.37
+80 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.32	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.11
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.11
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.11
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.32	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.32	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.33	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.33	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.73	0.00	OCC	71.87	434.37
+80 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.32	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.11
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.11
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.11
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.32	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.32	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.33	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.33	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.00	0.00	0.07	71.73	0.00	OCC	71.87	434.37
+80 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.33	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.10
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.10
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.10
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.33	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.33	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.34	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.34	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.70	0.00	OCC	71.84	434.37
+80 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.33	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.10
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.10
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.10
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.33	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.33	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.34	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.34	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.70	0.00	OCC	71.84	434.37
+80 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.34	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.09
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.09
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.09
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.34	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.34	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.35	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.35	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.67	0.00	OCC	71.82	434.37
+80 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.34	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.09
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.09
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.09
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.34	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.34	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.35	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.35	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.67	0.00	OCC	71.82	434.37
+80 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.36	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.07
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.07
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.07
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.36	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.36	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.36	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.36	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.64	0.00	OCC	71.79	434.37

+80 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.36	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.07	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.07	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.07	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.36	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.36	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.36	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.36	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	71.64	0.00	OCC	71.79	434.37	
+80 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.37	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.06	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.06	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.06	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.37	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.37	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.38	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.38	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	71.61	0.00	OCC	71.76	434.37	
+80 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.37	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.06	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.06	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.06	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.37	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.37	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.38	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.38	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	71.61	0.00	OCC	71.76	434.37	
+80 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.38	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.05	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.05	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.05	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.38	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.38	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.39	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.39	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	71.58	0.00	OCC	71.73	434.37	
+80 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.38	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.05	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.05	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.05	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.38	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.38	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.39	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.39	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	71.58	0.00	OCC	71.73	434.37	
+80 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.40	361.97	

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.03
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.03
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.03
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.40	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.40	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.40	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.40	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.55	0.00	OCC	71.70	434.37
+80 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.40	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.03
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.03
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.03
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.40	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.40	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.40	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.40	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.55	0.00	OCC	71.70	434.37
+80 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.41	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.02
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.02
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.02
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.41	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.41	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.42	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.42	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.52	0.00	OCC	71.67	434.37
+80 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.41	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.02
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.02
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.02
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.41	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.41	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.42	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.42	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.52	0.00	OCC	71.67	434.37
+80 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.42	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.01
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.01
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.01
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.42	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.42	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.43	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.43	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.49	0.00	OCC	71.64	434.37
+81 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.42	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.01
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.01

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.01
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.42	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.42	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.43	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.43	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.49	0.00	OCC	71.64	434.37
+81 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.44	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.99
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.99
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.99
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.44	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.44	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.44	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.44	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.46	0.00	OCC	71.61	434.37
+81 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.44	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.99
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.99
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.99
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.44	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.44	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.44	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.44	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.46	0.00	OCC	71.61	434.37
+81 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.45	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.98
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.98
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.98
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.45	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.45	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.46	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.46	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.43	0.00	OCC	71.58	434.37
+81 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.45	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.98
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.98
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.98
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.45	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.45	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.46	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.46	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.43	0.00	OCC	71.58	434.37
+81 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.47	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.96
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.96
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.96

Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.47	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.47	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.47	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.47	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.40	0.00	OCC	71.55	434.37
+81 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.47	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.96
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.96
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.96
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.47	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.47	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.47	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.47	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.40	0.00	OCC	71.55	434.37
+81 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.95
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.48	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.48	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.49	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.37	0.00	OCC	71.51	434.37
+81 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.95
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.48	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.48	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.49	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.37	0.00	OCC	71.51	434.37
+81 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.50	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.94
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.50	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.50	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.50	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.34	0.00	OCC	71.48	434.37
+81 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.50	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.94
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.50	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.50	361.97

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.50	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.34	0.00	OCC	71.48	434.37
+81 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.51	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.92
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.92
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.92
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.51	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.51	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.52	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.52	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.30	0.00	OCC	71.45	434.37
+81 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.51	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.92
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.92
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.92
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.51	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.51	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.52	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.52	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.30	0.00	OCC	71.45	434.37
+81 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.53	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.91
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.91
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.91
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.53	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.53	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.53	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.53	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.27	0.00	OCC	71.41	434.37
+81 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.53	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.91
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.91
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.91
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.53	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.53	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.53	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.53	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.27	0.00	OCC	71.41	434.37
+81 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.54	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.89
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.89
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.89
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.54	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.54	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.55	361.97

Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.55	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.23	0.00	OCC	71.38	434.37
+81 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.54	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.89
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.89
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.89
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.54	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.54	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.55	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.55	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.23	0.00	OCC	71.38	434.37
+81 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.56	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.87
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.87
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.87
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.56	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.56	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.56	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.56	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.20	0.00	OCC	71.35	434.37
+81 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.56	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.87
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.87
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.87
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.56	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.56	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.56	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.56	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.20	0.00	OCC	71.35	434.37
+81 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.57	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.86
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.86
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.86
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.57	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.57	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.58	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.58	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.16	0.00	OCC	71.31	434.37
+82 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.57	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.86
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.86
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.86
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.57	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.57	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.58	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.58	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.00	0.00	0.07	71.16	0.00	OCC	71.31	434.37
+82 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.59	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.84
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.84
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.84
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.59	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.59	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.59	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.59	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.13	0.00	OCC	71.27	434.37
+82 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.59	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.84
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.84
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.84
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.59	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.59	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.59	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.59	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.13	0.00	OCC	71.27	434.37
+82 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.60	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.83
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.83
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.83
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.60	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.60	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.61	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.61	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.09	0.00	OCC	71.24	434.37
+82 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.60	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.83
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.83
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.83
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.60	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.60	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.61	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.61	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.09	0.00	OCC	71.24	434.37
+82 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.62	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.81
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.81
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.81
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.62	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.62	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.63	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.63	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.06	0.00	OCC	71.20	434.37

[illegible]

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.76
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.76
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.76
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.67	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.67	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.68	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.68	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.94	0.00	OCC	71.09	434.37
+82 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.67	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.76
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.76
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.76
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.67	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.67	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.68	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.68	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.94	0.00	OCC	71.09	434.37
+82 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.69	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.74
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.74
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.74
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.69	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.69	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.70	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.70	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.90	0.00	OCC	71.05	434.37
+82 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.69	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.74
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.74
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.74
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.69	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.69	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.70	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.70	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.90	0.00	OCC	71.05	434.37
+82 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.71	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.72
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.72
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.72
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.71	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.71	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.71	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.71	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.86	0.00	OCC	71.01	434.37
+82 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.71	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.72
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.72

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.72
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.71	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.71	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.71	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.71	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.86	0.00	OCC	71.01	434.37
+82 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.73	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.71
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.71
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.71
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.73	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.73	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.73	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.73	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.82	0.00	OCC	70.97	434.37
+82 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.73	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.71
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.71
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.71
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.73	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.73	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.73	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.73	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.82	0.00	OCC	70.97	434.37
+82 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.74	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.69
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.69
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.69
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.74	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.74	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.75	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.78	0.00	OCC	70.93	434.37
+83 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.74	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.69
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.69
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.69
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.74	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.74	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.75	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.78	0.00	OCC	70.93	434.37
+83 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.76	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.67
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.67
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.67

Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.76	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.76	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.77	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.77	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.74	0.00	OCC	70.89	434.37
+83 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.76	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.67
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.67
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.67
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.76	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.76	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.77	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.77	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.74	0.00	OCC	70.89	434.37
+83 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.78	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.65
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.65
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.65
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.78	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.78	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.79	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.79	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.70	0.00	OCC	70.85	434.37
+83 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.78	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.65
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.65
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.65
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.78	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.78	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.79	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.79	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.70	0.00	OCC	70.85	434.37
+83 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.80	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.63
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.63
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.63
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.80	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.80	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.81	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.81	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.66	0.00	OCC	70.80	434.37
+83 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.80	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.63
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.63
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.63
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.80	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.80	361.97

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.81	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.81	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.66	0.00	OCC	70.80	434.37
+83 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.82	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.61
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.61
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.61
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.82	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.82	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.83	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.83	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.61	0.00	OCC	70.76	434.37
+83 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.82	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.61
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.61
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.61
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.82	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.82	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.83	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.83	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.61	0.00	OCC	70.76	434.37
+83 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.84	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.59
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.59
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.59
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.84	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.84	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.85	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.84	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.57	0.00	OCC	70.72	434.37
+83 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.84	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.59
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.59
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.59
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.84	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.84	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.85	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.84	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.57	0.00	OCC	70.72	434.37
+83 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.86	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.57
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.57
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.57
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.86	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.86	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.87	361.97

Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.86	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.53	0.00	OCC	70.67	434.37
+83 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.86	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.57
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.57
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.57
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.86	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.86	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.87	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.86	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.53	0.00	OCC	70.67	434.37
+83 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.88	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.55
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.55
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.55
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.88	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.88	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.89	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.89	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.48	0.00	OCC	70.63	434.37
+83 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.88	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.55
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.55
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.55
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.88	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.88	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.89	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.89	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.48	0.00	OCC	70.63	434.37
+83 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.90	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.53
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.53
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.53
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.90	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.90	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.91	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.91	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.44	0.00	OCC	70.58	434.37
+83 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.90	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.53
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.53
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.53
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.90	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.90	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.91	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.91	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.00	0.00	0.07	70.44	0.00	OCC	70.58	434.37
+83 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.92	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.51
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.51
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.51
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.92	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.92	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.93	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.93	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.39	0.00	OCC	70.54	434.37
+83 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.92	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.51
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.51
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.51
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.92	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.92	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.93	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.93	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.39	0.00	OCC	70.54	434.37
+83 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.94	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.49
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.49
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.49
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.94	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.94	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.95	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.95	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.34	0.00	OCC	70.49	434.37
+84 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.94	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.49
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.49
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.49
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.94	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.94	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.95	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.95	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.34	0.00	OCC	70.49	434.37
+84 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.96	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.47
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.47
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.47
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.96	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.96	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.97	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.97	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.29	0.00	OCC	70.44	434.37

[illegible]

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.40
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.40
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.40
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.03	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.03	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.04	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.15	0.00	OCC	70.29	434.37
+84 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.03	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.40
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.40
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.40
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.03	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.03	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.04	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.15	0.00	OCC	70.29	434.37
+84 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.05	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.38
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.38
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.38
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.05	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.05	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.06	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.06	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.10	0.00	OCC	70.24	434.37
+84 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.05	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.38
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.38
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.38
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.05	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.05	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.06	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.06	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.10	0.00	OCC	70.24	434.37
+84 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.08	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.35
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.35
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.35
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.08	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.08	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.08	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.08	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.05	0.00	OCC	70.19	434.37
+84 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.08	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.35
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.35

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.35
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.08	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.08	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.08	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.08	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.05	0.00	OCC	70.19	434.37
+84 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.10	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.33
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.33
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.33
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.10	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.10	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.11	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.10	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.99	0.00	OCC	70.14	434.37
+84 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.10	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.33
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.33
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.33
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.10	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.10	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.11	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.10	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.99	0.00	OCC	70.14	434.37
+84 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.12	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.31
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.31
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.31
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.12	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.12	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.13	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.13	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.94	0.00	OCC	70.09	434.37
+84 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.12	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.31
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.31
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.31
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.12	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.12	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.13	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.13	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.94	0.00	OCC	70.09	434.37
+84 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.15	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.28
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.28
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.28

Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.15	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.15	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.15	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.15	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.89	0.00	OCC	70.03	434.37
+84 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.15	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.28
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.28
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.28
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.15	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.15	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.15	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.15	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.89	0.00	OCC	70.03	434.37
+84 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.17	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.26
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.26
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.26
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.17	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.17	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.18	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.18	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.83	0.00	OCC	69.98	434.37
+85 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.17	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.26
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.26
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.26
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.17	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.17	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.18	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.18	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.83	0.00	OCC	69.98	434.37
+85 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.20	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.23
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.23
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.23
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.20	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.20	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.20	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.78	0.00	OCC	69.92	434.37
+85 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.20	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.23
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.23
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.23
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.20	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.20	361.97

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.20	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.78	0.00	OCC	69.92	434.37
+85 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.22	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.21
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.21
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.21
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.22	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.22	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.23	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.23	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.72	0.00	OCC	69.87	434.37
+85 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.22	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.21
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.21
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.21
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.22	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.22	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.23	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.23	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.72	0.00	OCC	69.87	434.37
+85 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.25	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.18
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.18
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.18
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.25	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.25	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.25	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.25	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.66	0.00	OCC	69.81	434.37
+85 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.25	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.18
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.18
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.18
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.25	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.25	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.25	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.25	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.66	0.00	OCC	69.81	434.37
+85 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.27	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.16
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.16
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.16
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.27	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.27	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.28	361.97

Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.28	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.61	0.00	OCC	69.75	434.37
+85 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.27	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.16
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.16
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.16
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.27	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.27	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.28	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.28	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.61	0.00	OCC	69.75	434.37
+85 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.30	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.13
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.13
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.13
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.30	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.30	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.31	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.31	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.55	0.00	OCC	69.69	434.37
+85 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.30	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.13
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.13
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.13
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.30	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.30	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.31	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.31	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.55	0.00	OCC	69.69	434.37
+85 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.33	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.10
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.10
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.10
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.33	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.33	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.33	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.33	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.49	0.00	OCC	69.64	434.37
+85 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.33	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.10
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.10
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.10
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.33	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.33	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.33	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.33	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.00	0.00	0.07	69.49	0.00	OCC	69.64	434.37
+85 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.35	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.08
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.08
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.08
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.35	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.35	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.36	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.36	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.43	0.00	OCC	69.57	434.37
+85 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.35	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.08
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.08
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.08
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.35	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.35	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.36	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.36	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.43	0.00	OCC	69.57	434.37
+85 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.38	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.05
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.05
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.05
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.38	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.38	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.39	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.39	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.37	0.00	OCC	69.51	434.37
+85 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.38	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.05
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.05
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.05
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.38	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.38	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.39	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.39	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.37	0.00	OCC	69.51	434.37
+85 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.41	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.02
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.02
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.02
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.41	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.41	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.41	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.41	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.31	0.00	OCC	69.45	434.37

[illegible]

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.94
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.50	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.50	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.50	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.11	0.00	OCC	69.26	434.37
+86 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.49	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.94
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.50	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.50	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.50	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.11	0.00	OCC	69.26	434.37
+86 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.52	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.91
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.91
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.91
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.53	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.53	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.53	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.53	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.05	0.00	OCC	69.19	434.37
+86 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.52	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.91
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.91
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.91
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.53	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.53	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.53	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.53	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.05	0.00	OCC	69.19	434.37
+86 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.55	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.88
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.88
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.88
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.56	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.56	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.56	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.56	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.98	0.00	OCC	69.13	434.37
+86 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.55	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.88
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.88

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.88
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.56	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.56	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.56	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.56	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.98	0.00	OCC	69.13	434.37
+86 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.59	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.85
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.85
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.85
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.59	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.59	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.59	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.59	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.91	0.00	OCC	69.06	434.37
+86 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.59	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.85
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.85
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.85
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.59	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.59	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.59	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.59	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.91	0.00	OCC	69.06	434.37
+86 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.62	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.81
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.81
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.81
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.62	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.62	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.62	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.62	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.85	0.00	OCC	68.99	434.37
+86 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.62	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.81
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.81
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.81
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.62	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.62	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.62	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.62	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.85	0.00	OCC	68.99	434.37
+86 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.65	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.78
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.78
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.78

Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.65	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.65	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.65	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.65	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.78	0.00	OCC	68.92	434.37
+86 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.65	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.78
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.78
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.78
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.65	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.65	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.65	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.65	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.78	0.00	OCC	68.92	434.37
+86 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.68	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.75
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.75
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.75
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.68	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.68	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.69	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.68	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.70	0.00	OCC	68.85	434.37
+86 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.68	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.75
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.75
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.75
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.68	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.68	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.69	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.68	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.70	0.00	OCC	68.85	434.37
+86 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.71	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.72
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.72
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.72
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.71	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.71	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.72	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.72	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.63	0.00	OCC	68.78	434.37
+86 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.71	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.72
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.72
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.72
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.71	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.71	361.97

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.72	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.72	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.63	0.00	OCC	68.78	434.37
+86 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.74	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.69
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.69
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.69
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.74	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.74	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.75	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.56	0.00	OCC	68.71	434.37
+87 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.74	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.69
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.69
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.69
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.74	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.74	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.75	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.56	0.00	OCC	68.71	434.37
+87 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.78	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.65
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.65
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.65
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.78	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.78	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.78	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.78	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.49	0.00	OCC	68.63	434.37
+87 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.78	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.65
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.65
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.65
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.78	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.78	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.78	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.78	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.49	0.00	OCC	68.63	434.37
+87 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	109.81	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.62
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.62
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.62
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.81	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.81	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.82	361.97

Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.82	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.41	0.00	OCC	68.56	434.37
+87 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	109.81	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.62
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.62
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.62
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.81	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.81	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.82	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.82	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.41	0.00	OCC	68.56	434.37
+87 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	109.85	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.58
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.58
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.58
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.85	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.85	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.85	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.85	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.34	0.00	OCC	68.48	434.37
+87 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	109.85	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.58
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.58
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.58
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.85	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.85	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.85	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.85	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.34	0.00	OCC	68.48	434.37
+87 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	109.88	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.55
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.55
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.55
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.88	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.88	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.89	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.89	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.26	0.00	OCC	68.40	434.37
+87 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	109.88	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.55
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.55
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.55
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.88	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.88	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.89	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.89	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.00	0.00	0.07	68.26	0.00	OCC	68.40	434.37
+87 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	109.92	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.51
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.51
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.51
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.92	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.92	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.92	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.92	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.18	0.00	OCC	68.33	434.37
+87 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	109.92	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.51
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.51
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.51
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.92	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.92	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.92	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.92	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.18	0.00	OCC	68.33	434.37
+87 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	109.95	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.48
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.48
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.48
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.95	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.95	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.96	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.96	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.10	0.00	OCC	68.25	434.37
+87 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	109.95	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.48
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.48
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.48
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.95	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.95	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.96	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.96	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.10	0.00	OCC	68.25	434.37
+87 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	109.99	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.44
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.44
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.44
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.99	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.99	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.99	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.99	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.02	0.00	OCC	68.17	434.37

+87 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	109.99	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.44	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.44	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.44	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.99	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.99	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.99	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.99	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	68.02	0.00	OCC	68.17	434.37	
+87 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.02	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.41	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.41	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.41	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.02	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.02	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.03	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.03	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	67.94	0.00	OCC	68.08	434.37	
+87 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.02	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.41	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.41	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.41	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.02	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.02	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.03	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.03	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	67.94	0.00	OCC	68.08	434.37	
+87 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.06	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.37	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.37	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.37	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.06	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.06	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.07	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.07	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	67.86	0.00	OCC	68.00	434.37	
+87 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.06	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.37	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.37	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.37	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.06	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.06	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.07	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.07	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	67.86	0.00	OCC	68.00	434.37	
+87 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.10	361.97	

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.33
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.33
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.33
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.10	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.10	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.11	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.11	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.77	0.00	OCC	67.92	434.37
+88 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.10	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.33
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.33
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.33
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.10	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.10	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.11	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.11	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.77	0.00	OCC	67.92	434.37
+88 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.14	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.29
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.29
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.29
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.14	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.14	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.14	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.14	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.69	0.00	OCC	67.83	434.37
+88 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.14	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.29
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.29
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.29
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.14	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.14	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.14	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.14	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.69	0.00	OCC	67.83	434.37
+88 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.18	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.25
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.25
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.25
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.18	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.18	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.18	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.18	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.60	0.00	OCC	67.75	434.37
+88 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.18	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.25
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.25

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.25
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.18	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.18	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.18	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.18	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.60	0.00	OCC	67.75	434.37
+88 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.22	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.21
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.21
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.21
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.22	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.22	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.22	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.22	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.51	0.00	OCC	67.66	434.37
+88 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.22	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.21
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.21
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.21
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.22	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.22	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.22	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.22	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.51	0.00	OCC	67.66	434.37
+88 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.26	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.17
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.17
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.17
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.26	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.26	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.26	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.26	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.42	0.00	OCC	67.57	434.37
+88 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.26	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.17
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.17
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.17
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.26	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.26	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.26	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.26	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.42	0.00	OCC	67.57	434.37
+88 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.30	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.13
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.13
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.13

Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.30	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.30	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.30	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.30	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.33	0.00	OCC	67.48	434.37
+88 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.30	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.13
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.13
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.13
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.30	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.30	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.30	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.30	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.33	0.00	OCC	67.48	434.37
+88 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.34	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.09
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.09
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.09
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.34	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.34	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.35	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.34	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.24	0.00	OCC	67.39	434.37
+88 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.34	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.09
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.09
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.09
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.34	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.34	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.35	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.34	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.24	0.00	OCC	67.39	434.37
+88 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.38	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.05
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.05
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.05
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.38	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.38	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.39	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.39	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.15	0.00	OCC	67.29	434.37
+88 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.38	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.05
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.05
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.05
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.38	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.38	361.97

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.39	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.39	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.15	0.00	OCC	67.29	434.37
+88 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.42	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.01
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.01
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.01
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.42	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.42	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.43	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.43	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.05	0.00	OCC	67.20	434.37
+88 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.42	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.01
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.01
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.01
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.42	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.42	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.43	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.43	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.05	0.00	OCC	67.20	434.37
+88 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.47	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.96
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.96
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.96
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.47	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.47	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.47	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.47	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	66.96	0.00	OCC	67.10	434.37
+88 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.47	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.96
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.96
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.96
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.47	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.47	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.47	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.47	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	66.96	0.00	OCC	67.10	434.37
+88 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.51	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.92
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.92
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.92
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.51	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.51	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.52	361.97

Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.52	361.97
Max P{1}						HOOP	211.04	289.58
Hydrottest-NL{2}	0.00	0.00	0.07	66.86	0.00	OCC	67.00	434.37
+89 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.51	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.92
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.92
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.92
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.51	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.51	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.52	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.52	361.97
Max P{1}						HOOP	211.04	289.58
Hydrottest-NL{2}	0.00	0.00	0.07	66.86	0.00	OCC	67.00	434.37
+89 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.55	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.88
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.88
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.88
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.56	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.56	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.56	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.56	361.97
Max P{1}						HOOP	211.04	289.58
Hydrottest-NL{2}	0.00	0.00	0.07	66.76	0.00	OCC	66.91	434.37
+89 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.55	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.88
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.88
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.88
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.56	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.56	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.56	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.56	361.97
Max P{1}						HOOP	211.04	289.58
Hydrottest-NL{2}	0.00	0.00	0.07	66.76	0.00	OCC	66.91	434.37
+89 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.60	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.83
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.83
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.83
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.60	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.60	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.61	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.61	361.97
Max P{1}						HOOP	211.04	289.58
Hydrottest-NL{2}	0.00	0.00	0.07	66.66	0.00	OCC	66.81	434.37
+89 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.60	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.83
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.83
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.83
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.60	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.60	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.61	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.61	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.00	0.00	0.07	66.66	0.00	OCC	66.81	434.37
+89 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.65	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.78
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.78
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.78
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.65	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.65	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.65	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.65	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	66.56	0.00	OCC	66.70	434.37
+89 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.65	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.78
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.78
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.78
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.65	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.65	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.65	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.65	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	66.56	0.00	OCC	66.70	434.37
+89 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.69	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.74
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.74
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.74
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.69	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.69	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.70	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.70	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	66.45	0.00	OCC	66.60	434.37
+89 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.69	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.74
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.74
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.74
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.69	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.69	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.70	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.70	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	66.45	0.00	OCC	66.60	434.37
+89 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.74	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.69
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.69
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.69
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.74	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.74	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.75	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	66.35	0.00	OCC	66.50	434.37

[illegible]

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.55
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.55
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.55
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.89	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.89	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.89	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.89	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	66.03	0.00	OCC	66.17	434.37
+89 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.88	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.55
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.55
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.55
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.89	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.89	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.89	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.89	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	66.03	0.00	OCC	66.17	434.37
+89 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.93	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.50
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.50
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.50
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.94	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.94	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.94	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.94	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.92	0.00	OCC	66.06	434.37
+89 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.93	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.50
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.50
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.50
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.94	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.94	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.94	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.94	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.92	0.00	OCC	66.06	434.37
+89 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.99	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.44
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.44
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.44
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.99	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.99	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.99	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.99	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.80	0.00	OCC	65.95	434.37
+90 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.99	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.44
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.44

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.44
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.99	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.99	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.99	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.99	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.80	0.00	OCC	65.95	434.37
+90 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.04	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.39
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.39
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.39
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.04	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.04	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.04	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.69	0.00	OCC	65.83	434.37
+90 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.04	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.39
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.39
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.39
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.04	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.04	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.04	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.69	0.00	OCC	65.83	434.37
+90 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.09	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.34
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.34
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.34
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.09	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.09	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.10	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.10	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.57	0.00	OCC	65.72	434.37
+90 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.09	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.34
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.34
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.34
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.09	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.09	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.10	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.10	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.57	0.00	OCC	65.72	434.37
+90 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.14	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.29
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.29
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.29

Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.14	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.14	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.15	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.15	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.45	0.00	OCC	65.60	434.37
+90 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.14	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.29
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.29
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.29
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.14	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.14	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.15	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.15	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.45	0.00	OCC	65.60	434.37
+90 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.20	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.23
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.23
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.23
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.20	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.20	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.20	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.34	0.00	OCC	65.48	434.37
+90 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.20	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.23
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.23
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.23
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.20	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.20	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.20	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.34	0.00	OCC	65.48	434.37
+90 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.25	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.18
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.18
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.18
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.25	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.25	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.26	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.26	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.21	0.00	OCC	65.36	434.37
+90 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.25	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.18
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.18
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.18
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.25	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.25	361.97

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.26	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.26	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.21	0.00	OCC	65.36	434.37
+90 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.31	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.12
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.12
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.12
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.31	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.31	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.31	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.31	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.09	0.00	OCC	65.24	434.37
+90 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.31	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.12
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.12
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.12
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.31	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.31	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.31	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.31	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.09	0.00	OCC	65.24	434.37
+90 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.36	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.07
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.07
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.07
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.36	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.36	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.37	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.37	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	64.97	0.00	OCC	65.11	434.37
+90 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.36	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.07
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.07
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.07
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.36	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.36	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.37	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.37	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	64.97	0.00	OCC	65.11	434.37
+90 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.42	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.01
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.01
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.01
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.42	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.42	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.43	361.97

Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.42	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	64.84	0.00	OCC	64.99	434.37
+90 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.42	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.01
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.01
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.01
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.42	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.42	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.43	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.42	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	64.84	0.00	OCC	64.99	434.37
+90 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.95
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.48	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.48	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.48	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.48	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	64.71	0.00	OCC	64.86	434.37
+90 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.95
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.48	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.48	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.48	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.48	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	64.71	0.00	OCC	64.86	434.37
+90 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.54	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.89
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.89
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.89
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.54	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.54	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.54	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.54	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	64.58	0.00	OCC	64.73	434.37
+91 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.54	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.89
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.89
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.89
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.54	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.54	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.54	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.54	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.00	0.00	0.07	64.58	0.00	OCC	64.73	434.37
+91 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.59	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.84
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.84
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.84
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.60	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.60	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.60	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.60	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	64.45	0.00	OCC	64.60	434.37
+91 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.59	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.84
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.84
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.84
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.60	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.60	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.60	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.60	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	64.45	0.00	OCC	64.60	434.37
+91 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.66	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.77
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.77
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.77
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.66	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.66	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.66	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.66	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	64.32	0.00	OCC	64.46	434.37
+91 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.66	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.77
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.77
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.77
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.66	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.66	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.66	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.66	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	64.32	0.00	OCC	64.46	434.37
+91 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.72	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.71
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.71
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.71
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.72	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.72	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.72	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.72	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	64.18	0.00	OCC	64.33	434.37

[illegible]

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.52
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.52
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.52
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.91	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.91	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.91	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.91	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	63.76	0.00	OCC	63.91	434.37
+91 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.91	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.52
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.52
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.52
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.91	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.91	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.91	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.91	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	63.76	0.00	OCC	63.91	434.37
+91 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.97	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.46
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.46
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.46
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.97	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.97	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.98	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.98	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	63.61	0.00	OCC	63.76	434.37
+91 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.97	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.46
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.46
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.46
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.97	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.97	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.98	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.98	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	63.61	0.00	OCC	63.76	434.37
+91 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.04	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.39
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.39
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.39
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.04	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.04	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.04	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	63.47	0.00	OCC	63.61	434.37
+91 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.04	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.39
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.39

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.39
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.04	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.04	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.04	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	63.47	0.00	OCC	63.61	434.37
+91 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.10	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.33
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.33
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.33
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.10	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.10	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.11	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.11	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	63.32	0.00	OCC	63.47	434.37
+91 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.10	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.33
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.33
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.33
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.10	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.10	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.11	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.11	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	63.32	0.00	OCC	63.47	434.37
+91 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.17	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.26
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.26
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.26
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.17	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.17	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.18	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.18	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	63.17	0.00	OCC	63.32	434.37
+92 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.17	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.26
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.26
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.26
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.17	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.17	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.18	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.18	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	63.17	0.00	OCC	63.32	434.37
+92 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.24	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.19
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.19
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.19

Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.24	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.24	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.25	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.25	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	63.02	0.00	OCC	63.16	434.37
+92 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.24	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.19
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.19
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.19
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.24	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.24	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.25	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.25	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	63.02	0.00	OCC	63.16	434.37
+92 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.31	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.12
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.12
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.12
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.31	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.31	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.32	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.32	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	62.86	0.00	OCC	63.01	434.37
+92 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.31	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.12
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.12
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.12
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.31	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.31	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.32	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.32	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	62.86	0.00	OCC	63.01	434.37
+92 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.38	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.05
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.05
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.05
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.38	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.38	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.39	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.39	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	62.70	0.00	OCC	62.85	434.37
+92 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.38	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.05
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.05
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.05
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.38	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.38	361.97

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.39	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.39	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	62.70	0.00	OCC	62.85	434.37
+92 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.45	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.98
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.98
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.98
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.45	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.45	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.46	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.46	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	62.54	0.00	OCC	62.69	434.37
+92 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.45	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.98
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.98
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.98
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.45	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.45	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.46	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.46	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	62.54	0.00	OCC	62.69	434.37
+92 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.53	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.90
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.90
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.90
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.53	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.53	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.53	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.53	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	62.38	0.00	OCC	62.53	434.37
+92 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.53	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.90
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.90
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.90
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.53	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.53	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.53	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.53	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	62.38	0.00	OCC	62.53	434.37
+92 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.60	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.83
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.83
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.83
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.60	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.60	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.61	361.97

Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.61	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	62.22	0.00	OCC	62.36	434.37
+92 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.60	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.83
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.83
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.83
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.60	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.60	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.61	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.61	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	62.22	0.00	OCC	62.36	434.37
+92 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.67	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.76
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.76
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.76
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.68	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.68	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.68	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.68	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	62.05	0.00	OCC	62.20	434.37
+92 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.67	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.76
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.76
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.76
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.68	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.68	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.68	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.68	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	62.05	0.00	OCC	62.20	434.37
+92 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.75	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.68
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.68
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.68
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.75	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.75	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.76	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.76	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	61.88	0.00	OCC	62.03	434.37
+92 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.75	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.68
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.68
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.68
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.75	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.75	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.76	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.76	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.00	0.00	0.07	61.88	0.00	OCC	62.03	434.37
+92 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.83	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.60
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.60
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.60
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.83	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.83	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.83	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.83	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	61.71	0.00	OCC	61.86	434.37
+92 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.83	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.60
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.60
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.60
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.83	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.83	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.83	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.83	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	61.71	0.00	OCC	61.86	434.37
+92 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.91	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.52
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.52
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.52
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.91	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.91	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.91	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.91	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	61.54	0.00	OCC	61.68	434.37
+93 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.91	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.52
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.52
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.52
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.91	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.91	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.91	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.91	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	61.54	0.00	OCC	61.68	434.37
+93 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.99	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.44
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.44
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.44
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.99	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.99	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.99	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.99	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	61.36	0.00	OCC	61.50	434.37

[illegible]

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.20
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.20
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.20
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.23	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.23	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.24	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.24	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	60.81	0.00	OCC	60.96	434.37
+93 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.23	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.20
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.20
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.20
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.23	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.23	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.24	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.24	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	60.81	0.00	OCC	60.96	434.37
+93 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.32	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.11
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.11
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.11
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.32	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.32	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.32	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.32	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	60.62	0.00	OCC	60.77	434.37
+93 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.32	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.11
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.11
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.11
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.32	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.32	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.32	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.32	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	60.62	0.00	OCC	60.77	434.37
+93 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.40	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.03
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.03
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.03
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.40	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.40	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.41	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.41	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	60.43	0.00	OCC	60.58	434.37
+93 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.40	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.03
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.03

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.03
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.40	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.40	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.41	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.41	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	60.43	0.00	OCC	60.58	434.37
+93 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.49	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.94
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.49	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.49	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.50	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	60.24	0.00	OCC	60.39	434.37
+93 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.49	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.94
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.49	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.49	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.50	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	60.24	0.00	OCC	60.39	434.37
+93 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.58	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.85
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.85
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.85
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.58	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.58	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.58	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.58	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	60.05	0.00	OCC	60.19	434.37
+93 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.58	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.85
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.85
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.85
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.58	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.58	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.58	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.58	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	60.05	0.00	OCC	60.19	434.37
+93 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.67	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.76
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.76
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.76

Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.67	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.67	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.67	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.67	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	59.85	0.00	OCC	59.99	434.37
+93 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.67	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.76
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.76
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.76
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.67	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.67	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.67	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.67	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	59.85	0.00	OCC	59.99	434.37
+93 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.76	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.67
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.67
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.67
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.76	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.76	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.76	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.76	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	59.65	0.00	OCC	59.79	434.37
+94 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.76	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.67
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.67
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.67
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.76	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.76	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.76	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.76	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	59.65	0.00	OCC	59.79	434.37
+94 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.85	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.58
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.58
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.58
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.85	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.85	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.86	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.86	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	59.44	0.00	OCC	59.59	434.37
+94 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.85	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.58
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.58
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.58
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.85	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.85	361.97

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.86	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.86	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	59.44	0.00	OCC	59.59	434.37
+94 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.94	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.49
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.49
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.49
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.94	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.94	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.95	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.95	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	59.23	0.00	OCC	59.38	434.37
+94 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.94	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.49
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.49
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.49
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.94	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.94	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.95	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.95	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.01	0.07	59.23	0.00	OCC	59.38	434.37
+94 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	114.04	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.39
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.39
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.39
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.04	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.04	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.04	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.01	0.07	59.02	0.00	OCC	59.17	434.37
+94 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	114.04	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.39
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.39
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.39
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.04	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.04	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.04	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.01	0.07	59.02	0.00	OCC	59.17	434.37
+94 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	114.13	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.30
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.30
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.30
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.14	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.14	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.14	361.97

Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.14	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.01	0.07	58.81	0.00	OCC	58.96	434.37
+94 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	114.13	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.30
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.30
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.30
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.14	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.14	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.14	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.14	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.01	0.07	58.81	0.00	OCC	58.96	434.37
+94 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	114.23	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.20
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.20
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.20
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.23	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.23	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.24	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.24	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.01	0.07	58.59	0.00	OCC	58.74	434.37
+94 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	114.23	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.20
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.20
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.20
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.23	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.23	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.24	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.24	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.01	0.01	0.07	58.59	0.00	OCC	58.74	434.37
+94 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	114.33	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.10
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.10
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.10
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.33	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.33	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.34	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.34	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.01	0.01	0.07	58.37	0.00	OCC	58.52	434.37
+94 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	114.33	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.10
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.10
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.10
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.33	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.33	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.34	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.34	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.01	0.01	0.07	58.37	0.00	OCC	58.52	434.37
+94 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	114.43	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.00
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.00
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.00
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.43	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.43	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.44	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.44	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.01	0.01	0.07	58.15	0.00	OCC	58.30	434.37
+94 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	114.43	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.00
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.00
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.00
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.43	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.43	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.44	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.44	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.01	0.01	0.07	58.15	0.00	OCC	58.30	434.37
+94 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	114.53	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.90
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.90
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.90
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.53	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.53	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.54	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.54	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.01	0.01	0.07	57.92	0.00	OCC	58.07	434.37
+94 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	114.53	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.90
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.90
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.90
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.53	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.53	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.54	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.54	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.01	0.01	0.07	57.92	0.00	OCC	58.07	434.37
+94 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	114.64	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.79
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.79
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.79
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.64	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.64	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.64	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.64	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.01	0.01	0.07	57.69	0.00	OCC	57.84	434.37

+94 -	SIFI= 1.00	SIFO= 1.00						
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	114.64	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.79
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.79
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.79
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.64	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.64	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.64	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.64	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.02	0.01	0.07	57.69	0.00	OCC	57.84	434.37
+94 +	SIFI= 1.00	SIFO= 1.00						
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	114.74	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.69
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.69
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.69
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.74	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.74	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.75	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.02	0.01	0.07	57.46	0.00	OCC	57.61	434.37
+95 -	SIFI= 1.00	SIFO= 1.00						
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	114.74	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.69
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.69
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.69
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.74	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.74	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.75	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.02	0.01	0.07	57.46	0.00	OCC	57.61	434.37
+95 +	SIFI= 1.00	SIFO= 1.00						
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	114.85	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.58
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.58
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.58
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.85	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.85	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.85	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.85	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.02	0.01	0.07	57.22	0.00	OCC	57.37	434.37
+95 -	SIFI= 1.00	SIFO= 1.00						
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	114.85	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.58
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.58
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.58
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.85	361.97
Sus. + W2{1}	0.00	0.00	0.00					

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.47
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.47
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.47
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.96	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.96	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.96	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.96	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.03	0.01	0.07	56.98	0.00	OCC	57.13	434.37
+95 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	114.96	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.47
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.47
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.47
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.96	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.96	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.96	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.96	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.03	0.02	0.07	56.98	0.00	OCC	57.13	434.37
+95 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	115.07	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.36
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.36
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.36
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.07	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.07	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.07	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.07	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.03	0.02	0.07	56.74	0.00	OCC	56.89	434.37
+95 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	115.07	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.36
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.36
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.36
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.07	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.07	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.07	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.07	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.04	0.02	0.07	56.74	0.00	OCC	56.89	434.37
+95 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	115.18	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.25
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.25
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.25
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.18	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.18	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.18	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.18	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.04	0.02	0.07	56.49	0.00	OCC	56.64	434.37
+95 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	115.18	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.25
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.25

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.25
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.18	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.18	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.18	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.18	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.04	0.02	0.07	56.49	0.00	OCC	56.64	434.37
+95 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	115.29	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.14
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.14
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.14
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.29	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.29	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.30	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.30	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.04	0.02	0.07	56.24	0.00	OCC	56.39	434.37
+95 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	115.29	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.14
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.14
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.14
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.29	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.29	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.30	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.30	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.05	0.02	0.07	56.24	0.00	OCC	56.39	434.37
+95 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	115.40	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.03
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.03
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.03
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.41	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.41	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.41	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.41	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.05	0.02	0.07	55.99	0.00	OCC	56.13	434.37
+95 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	115.40	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.03
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.03
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.03
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.41	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.41	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.41	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.41	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.05	0.02	0.07	55.99	0.00	OCC	56.13	434.37
+95 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	115.52	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.91
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	350.91
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.91

Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.52	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.52	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.53	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.53	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.05	0.02	0.07	55.73	0.00	OCC	55.87	434.37
+95 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	115.52	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.91
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	350.91
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.91
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.52	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.52	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.53	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.53	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.05	0.02	0.07	55.73	0.00	OCC	55.87	434.37
+95 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	115.64	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.79
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	350.79
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.79
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.64	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.64	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.65	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.64	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.05	0.02	0.07	55.47	0.00	OCC	55.61	434.37
+95 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	115.64	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.79
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	350.79
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.79
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.64	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.64	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.65	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.64	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.06	0.02	0.07	55.47	0.00	OCC	55.61	434.37
+95 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	115.76	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.67
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	350.67
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.67
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.76	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.76	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.77	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.76	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.06	0.02	0.07	55.20	0.00	OCC	55.35	434.37
+95 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	115.76	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.67
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	350.67
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.67
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.76	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.76	361.97

Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.77	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.76	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.06	0.02	0.07	55.20	0.00	OCC	55.35	434.37
+95 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	115.88	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.55
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	350.55
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.55
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.88	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.88	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.89	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.89	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.06	0.02	0.07	54.93	0.00	OCC	55.08	434.37
+96 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	115.88	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.55
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	350.55
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.55
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.88	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.88	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.89	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.89	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.07	0.02	0.07	54.93	0.00	OCC	55.08	434.37
+96 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	116.00	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.43
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	350.43
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.43
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.00	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.00	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.01	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.01	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.07	0.02	0.07	54.66	0.00	OCC	54.80	434.37
+96 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	116.00	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.43
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	350.43
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.43
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.00	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.00	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.01	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.01	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.07	0.02	0.07	54.66	0.00	OCC	54.80	434.37
+96 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	116.13	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.30
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	350.30
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.30
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.13	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.13	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.13	361.97

Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.13	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.07	0.02	0.07	54.38	0.00	OCC	54.53	434.37
+96 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	116.13	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.30
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	350.30
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.30
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.13	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.13	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.13	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.13	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.08	0.02	0.07	54.38	0.00	OCC	54.53	434.37
+96 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	116.26	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.18
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	350.18
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.18
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.26	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.26	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.26	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.26	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.08	0.02	0.07	54.10	0.00	OCC	54.24	434.37
+96 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	116.26	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.18
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	350.18
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.18
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.26	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.26	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.26	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.26	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.08	0.02	0.07	54.10	0.00	OCC	54.24	434.37
+96 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	116.38	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.05
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	350.05
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.05
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.39	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.39	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.39	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.39	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.08	0.02	0.07	53.81	0.00	OCC	53.96	434.37
+96 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	116.38	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.05
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	350.05
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.05
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.39	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.39	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.39	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.39	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.08	0.02	0.07	53.81	0.00	OCC	53.96	434.37
+96 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	116.51	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	349.92
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	349.92
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	349.92
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.52	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.52	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.52	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.52	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.08	0.02	0.07	53.52	0.00	OCC	53.67	434.37
+96 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	116.51	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	349.92
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	349.92
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	349.92
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.52	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.52	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.52	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.52	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.08	0.02	0.07	53.52	0.00	OCC	53.67	434.37
+96 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	116.65	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	349.78
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	349.78
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	349.78
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.65	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.65	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.65	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.65	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.08	0.02	0.07	53.23	0.00	OCC	53.37	434.37
+96 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	116.65	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	349.78
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	349.78
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	349.78
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.65	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.65	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.65	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.65	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.09	0.01	0.07	53.23	0.00	OCC	53.37	434.37
+96 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	116.78	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	349.65
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	349.65
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	349.65
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.78	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.78	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.79	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.79	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.09	0.01	0.07	52.93	0.00	OCC	53.08	434.37

+96 UNREST	- SIFI= 1.00 GR + Max P{1}	SIFO= 1.00											
	Amb to T1{1}		0.00	0.01	0.01	0.02	0.00	SUST	116.78	361.97			
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	349.65			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	349.65			
	Sus. + W1{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.78	361.97			
	Sus. + W2{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.78	361.97			
	Sus. + W3{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.79	361.97			
	Sus. + W4{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.79	361.97			
	Max P{1}							HOOP	211.04	289.58			
	Hydrotest-NL{2}		0.09	0.01	0.07	52.93	0.00	OCC	53.08	434.37			
+96 UNREST	+ SIFI= 1.00 GR + Max P{1}	SIFO= 1.00											
	Amb to T1{1}		0.00	0.01	0.01	0.02	0.00	SUST	116.92	361.97			
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	349.51			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	349.51			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	349.51			
	Sus. + W1{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.92	361.97			
	Sus. + W2{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.92	361.97			
	Sus. + W3{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.92	361.97			
	Sus. + W4{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.92	361.97			
	Max P{1}							HOOP	211.04	289.58			
	Hydrotest-NL{2}		0.09	0.01	0.07	52.63	0.00	OCC	52.77	434.37			
+96 UNREST	- SIFI= 1.00 GR + Max P{1}	SIFO= 1.00											
	Amb to T1{1}		0.00	0.01	0.01	0.02	0.00	SUST	116.92	361.97			
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	349.51			
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	349.51			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	349.51			
	Sus. + W1{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.92	361.97			
	Sus. + W2{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.92	361.97			
	Sus. + W3{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.92	361.97			
	Sus. + W4{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.92	361.97			
	Max P{1}							HOOP	211.04	289.58			
	Hydrotest-NL{2}		0.09	0.01	0.07	52.63	0.00	OCC	52.77	434.37			
+96 UNREST	+ SIFI= 1.00 GR + Max P{1}	SIFO= 1.00											
	Amb to T1{1}		0.00	0.01	0.01	0.02	0.00	SUST	117.06	361.97			
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	349.37			
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	349.37			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	349.37			
	Sus. + W1{1}		0.00	0.01	0.00	0.00	0.00	OCC	117.06	361.97			
	Sus. + W2{1}		0.00	0.01	0.00	0.00	0.00	OCC	117.06	361.97			
	Sus. + W3{1}		0.										

Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	349.23
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	349.23
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	349.23
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.20	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.20	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.20	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.09	0.00	0.07	52.01	0.00	OCC	52.15	434.37
+97 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	117.20	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	349.23
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	349.23
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	349.23
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.20	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.20	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.20	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.09	0.00	0.07	52.01	0.00	OCC	52.15	434.37
+97 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	117.34	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	349.09
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	349.09
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	349.09
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.34	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.34	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.35	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.35	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.09	0.00	0.07	51.69	0.00	OCC	51.84	434.37
+97 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	117.34	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	349.09
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	349.09
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	349.09
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.34	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.34	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.35	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.35	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.08	0.01	0.07	51.69	0.00	OCC	51.84	434.37
+97 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	117.48	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.95
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.49	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.49	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.49	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.08	0.01	0.07	51.37	0.00	OCC	51.51	434.37
+97 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	117.48	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.95

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.95
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.49	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.49	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.49	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.08	0.02	0.07	51.37	0.00	OCC	51.51	434.37
+97 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	117.63	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.80
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.80
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.80
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.63	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.63	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.64	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.64	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.08	0.02	0.07	51.04	0.00	OCC	51.19	434.37
+97 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	117.63	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.80
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.80
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.80
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.63	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.63	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.64	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.64	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.08	0.02	0.07	51.04	0.00	OCC	51.19	434.37
+97 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	117.78	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.65
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.65
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.65
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.78	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.78	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.79	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.79	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.08	0.02	0.07	50.71	0.00	OCC	50.86	434.37
+97 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	117.78	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.65
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.65
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.65
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.78	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.78	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.79	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.79	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.07	0.03	0.07	50.71	0.00	OCC	50.86	434.37
+97 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	117.93	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.50
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.50
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.50

Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.93	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.93	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.94	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.94	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.07	0.03	0.07	50.38	0.00	OCC	50.52	434.37
+97 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	117.93	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.50
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.50
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.50
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.93	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.93	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.94	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.94	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.06	0.04	0.07	50.38	0.00	OCC	50.52	434.37
+97 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	118.08	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.35
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.35
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.35
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	118.09	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	118.09	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.09	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.09	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.06	0.04	0.07	50.04	0.00	OCC	50.18	434.37
+97 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	118.08	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.35
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.35
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.35
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	118.09	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	118.09	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.09	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.09	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.05	0.06	0.07	50.04	0.00	OCC	50.18	434.37
+97 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	118.24	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.19
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.19
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.19
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	118.24	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	118.24	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.25	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.25	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.05	0.06	0.07	49.69	0.00	OCC	49.84	434.37
+97 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	118.24	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.19
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.19
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.19
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.24	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.24	361.97

Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.25	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.25	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.04	0.07	0.07	49.69	0.00	OCC	49.84	434.37
+97 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	118.40	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.03
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.03
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.03
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.40	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.40	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.40	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.40	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.04	0.07	0.07	49.35	0.00	OCC	49.50	434.37
+97 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	118.40	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.03
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.03
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.03
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.40	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.40	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.40	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.40	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.03	0.08	0.07	49.35	0.00	OCC	49.50	434.37
+97 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	118.56	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	347.87
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	347.87
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	347.87
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.56	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.56	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.56	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.56	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.03	0.08	0.07	49.01	0.00	OCC	49.16	434.37
+97 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	118.56	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	347.87
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	347.87
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	347.87
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.56	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.56	361.97
Sus. + W3{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.56	361.97
Sus. + W4{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.56	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.01	0.10	0.07	49.01	0.00	OCC	49.16	434.37
+97 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	118.72	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	347.71
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	347.71
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	347.71
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.72	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.72	361.97
Sus. + W3{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.73	361.97

Sus. + W4{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.73	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.01	0.10	0.07	48.67	0.00	OCC	48.81	434.37
+98 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.02	0.01	0.02	0.00	SUST	118.72	361.97
Amb to T1{1}	0.01	0.01	0.01	0.00	0.00	DISP	0.01	347.71
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	347.71
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	347.71
Sus. + W1{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.72	361.97
Sus. + W2{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.72	361.97
Sus. + W3{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.73	361.97
Sus. + W4{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.73	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.01	0.12	0.07	48.67	0.00	OCC	48.81	434.37
+98 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.02	0.01	0.02	0.00	SUST	118.88	361.97
Amb to T1{1}	0.01	0.01	0.01	0.00	0.00	DISP	0.01	347.55
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	347.55
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	347.55
Sus. + W1{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.89	361.97
Sus. + W2{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.89	361.97
Sus. + W3{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.89	361.97
Sus. + W4{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.89	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.01	0.12	0.07	48.33	0.00	OCC	48.47	434.37
+98 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.02	0.01	0.02	0.00	SUST	118.88	361.97
Amb to T1{1}	0.01	0.01	0.01	0.00	0.00	DISP	0.01	347.55
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	347.55
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	347.55
Sus. + W1{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.89	361.97
Sus. + W2{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.89	361.97
Sus. + W3{1}	0.00	0.03	0.00	0.00	0.00	OCC	118.89	361.97
Sus. + W4{1}	0.00	0.03	0.00	0.00	0.00	OCC	118.89	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.03	0.14	0.07	48.33	0.00	OCC	48.47	434.37
+98 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.02	0.01	0.02	0.00	SUST	119.05	361.97
Amb to T1{1}	0.01	0.01	0.01	0.00	0.00	DISP	0.01	347.38
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	347.38
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	347.38
Sus. + W1{1}	0.00	0.02	0.00	0.00	0.00	OCC	119.05	361.97
Sus. + W2{1}	0.00	0.02	0.00	0.00	0.00	OCC	119.05	361.97
Sus. + W3{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.06	361.97
Sus. + W4{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.06	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.03	0.14	0.07	47.98	0.00	OCC	48.13	434.37
+98 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.03	0.01	0.02	0.00	SUST	119.05	361.97
Amb to T1{1}	0.01	0.01	0.01	0.00	0.00	DISP	0.01	347.38
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	347.38
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	347.38
Sus. + W1{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.05	361.97
Sus. + W2{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.05	361.97
Sus. + W3{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.06	361.97
Sus. + W4{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.06	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.06	0.16	0.07	47.98	0.00	OCC	48.13	434.37
+98 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.03	0.01	0.03	0.00	SUST	119.22	361.97
Amb to T1{1}	0.01	0.01	0.01	0.00	0.00	DISP	0.01	347.21
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	347.21
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	347.21
Sus. + W1{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.22	361.97
Sus. + W2{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.22	361.97
Sus. + W3{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.23	361.97
Sus. + W4{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.23	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.06	0.16	0.07	47.64	0.00	OCC	47.79	434.37
+98 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.03	0.01	0.03	0.00	SUST	119.22	361.97
Amb to T1{1}	0.01	0.01	0.01	0.00	0.00	DISP	0.01	347.21
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	347.21
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	347.21
Sus. + W1{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.22	361.97
Sus. + W2{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.22	361.97
Sus. + W3{1}	0.00	0.04	0.00	0.00	0.00	OCC	119.23	361.97
Sus. + W4{1}	0.00	0.04	0.00	0.00	0.00	OCC	119.23	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.09	0.18	0.07	47.64	0.00	OCC	47.79	434.37
+98 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.03	0.01	0.03	0.00	SUST	119.39	361.97
Amb to T1{1}	0.01	0.01	0.01	0.00	0.00	DISP	0.01	347.04
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	347.04
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	347.04
Sus. + W1{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.40	361.97
Sus. + W2{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.40	361.97
Sus. + W3{1}	0.00	0.04	0.00	0.00	0.00	OCC	119.40	361.97
Sus. + W4{1}	0.00	0.04	0.00	0.00	0.00	OCC	119.40	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.09	0.18	0.07	47.30	0.00	OCC	47.45	434.37
+98 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.04	0.01	0.03	0.00	SUST	119.39	361.97
Amb to T1{1}	0.00	0.01	0.01	0.00	0.00	DISP	0.01	347.04
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	347.04
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	347.04
Sus. + W1{1}	0.00	0.04	0.00	0.00	0.00	OCC	119.40	361.97
Sus. + W2{1}	0.00	0.04	0.00	0.00	0.00	OCC	119.40	361.97
Sus. + W3{1}	0.00	0.04	0.00	0.00	0.00	OCC	119.40	361.97
Sus. + W4{1}	0.00	0.04	0.00	0.00	0.00	OCC	119.40	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.12	0.20	0.07	47.30	0.00	OCC	47.45	434.37
+98 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.04	0.01	0.03	0.00	SUST	119.57	361.97
Amb to T1{1}	0.00	0.01	0.01	0.00	0.00	DISP	0.01	346.86
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	346.86
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	346.86
Sus. + W1{1}	0.00	0.04	0.00	0.00	0.00	OCC	119.57	361.97
Sus. + W2{1}	0.00	0.04	0.00	0.00	0.00	OCC	119.57	361.97
Sus. + W3{1}	0.00	0.04	0.00	0.00	0.00	OCC	119.57	361.97
Sus. + W4{1}	0.00	0.04	0.00	0.00	0.00	OCC	119.57	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.12	0.20	0.07	46.96	0.00	OCC	47.10	434.37

[illegible]

Amb to T1{1}	0.02	0.01	0.01	0.00	0.00	DISP	0.01	346.32
Amb to T2{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.01	346.32
Amb to T3{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.00	346.32
Sus. + W1{1}	0.00	0.06	0.00	0.00	0.00	OCC	120.11	361.97
Sus. + W2{1}	0.00	0.06	0.00	0.00	0.00	OCC	120.11	361.97
Sus. + W3{1}	0.00	0.06	0.00	0.00	0.00	OCC	120.11	361.97
Sus. + W4{1}	0.00	0.06	0.00	0.00	0.00	OCC	120.11	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.23	0.27	0.07	45.93	0.00	OCC	46.08	434.37
+98 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.07	0.01	0.03	0.00	SUST	120.11	361.97
Amb to T1{1}	0.03	0.01	0.01	0.00	0.00	DISP	0.01	346.32
Amb to T2{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.01	346.32
Amb to T3{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.00	346.32
Sus. + W1{1}	0.00	0.07	0.00	0.00	0.00	OCC	120.11	361.97
Sus. + W2{1}	0.00	0.07	0.00	0.00	0.00	OCC	120.11	361.97
Sus. + W3{1}	0.00	0.07	0.00	0.00	0.00	OCC	120.11	361.97
Sus. + W4{1}	0.00	0.07	0.00	0.00	0.00	OCC	120.11	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.28	0.30	0.07	45.93	0.00	OCC	46.08	434.37
+98 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.07	0.01	0.03	0.00	SUST	120.29	361.97
Amb to T1{1}	0.03	0.01	0.01	0.00	0.00	DISP	0.01	346.14
Amb to T2{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.01	346.14
Amb to T3{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.00	346.14
Sus. + W1{1}	0.00	0.07	0.00	0.00	0.00	OCC	120.30	361.97
Sus. + W2{1}	0.00	0.07	0.00	0.00	0.00	OCC	120.30	361.97
Sus. + W3{1}	0.00	0.07	0.00	0.00	0.00	OCC	120.30	361.97
Sus. + W4{1}	0.00	0.07	0.00	0.00	0.00	OCC	120.30	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.28	0.30	0.07	45.59	0.00	OCC	45.74	434.37
+98 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.08	0.01	0.03	0.00	SUST	120.29	361.97
Amb to T1{1}	0.05	0.01	0.01	0.00	0.00	DISP	0.01	346.14
Amb to T2{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.01	346.14
Amb to T3{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.00	346.14
Sus. + W1{1}	0.00	0.08	0.00	0.00	0.00	OCC	120.30	361.97
Sus. + W2{1}	0.00	0.08	0.00	0.00	0.00	OCC	120.30	361.97
Sus. + W3{1}	0.00	0.08	0.00	0.00	0.00	OCC	120.30	361.97
Sus. + W4{1}	0.00	0.08	0.00	0.00	0.00	OCC	120.30	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.33	0.32	0.07	45.59	0.00	OCC	45.74	434.37
+98 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.08	0.01	0.03	0.00	SUST	120.48	361.97
Amb to T1{1}	0.05	0.01	0.01	0.00	0.00	DISP	0.01	345.95
Amb to T2{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.01	345.95
Amb to T3{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.00	345.95
Sus. + W1{1}	0.00	0.08	0.00	0.00	0.00	OCC	120.48	361.97
Sus. + W2{1}	0.00	0.08	0.00	0.00	0.00	OCC	120.48	361.97
Sus. + W3{1}	0.00	0.08	0.00	0.00	0.00	OCC	120.49	361.97
Sus. + W4{1}	0.00	0.08	0.00	0.00	0.00	OCC	120.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.33	0.32	0.07	45.25	0.00	OCC	45.40	434.37
+99 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.09	0.01	0.03	0.00	SUST	120.48	361.97
Amb to T1{1}	0.06	0.01	0.01	0.00	0.00	DISP	0.01	345.95
Amb to T2{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.01	345.95

Amb to T3{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.00	345.95
Sus. + W1{1}	0.00	0.09	0.00	0.00	0.00	OCC	120.48	361.97
Sus. + W2{1}	0.00	0.09	0.00	0.00	0.00	OCC	120.48	361.97
Sus. + W3{1}	0.00	0.09	0.00	0.00	0.00	OCC	120.49	361.97
Sus. + W4{1}	0.00	0.09	0.00	0.00	0.00	OCC	120.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.39	0.35	0.07	45.25	0.00	OCC	45.40	434.37
+99 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.09	0.01	0.03	0.00	SUST	120.67	361.97
Amb to T1{1}	0.06	0.01	0.01	0.00	0.00	DISP	0.01	345.76
Amb to T2{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.01	345.76
Amb to T3{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.00	345.76
Sus. + W1{1}	0.00	0.09	0.00	0.00	0.00	OCC	120.67	361.97
Sus. + W2{1}	0.00	0.09	0.00	0.00	0.00	OCC	120.67	361.97
Sus. + W3{1}	0.00	0.09	0.00	0.00	0.00	OCC	120.68	361.97
Sus. + W4{1}	0.00	0.09	0.00	0.00	0.00	OCC	120.68	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.39	0.35	0.07	44.91	0.00	OCC	45.06	434.37
+99 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.10	0.01	0.03	0.00	SUST	120.67	361.97
Amb to T1{1}	0.08	0.01	0.01	0.00	0.00	DISP	0.01	345.76
Amb to T2{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.01	345.76
Amb to T3{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.00	345.76
Sus. + W1{1}	0.00	0.10	0.00	0.00	0.00	OCC	120.67	361.97
Sus. + W2{1}	0.00	0.10	0.00	0.00	0.00	OCC	120.67	361.97
Sus. + W3{1}	0.00	0.10	0.00	0.00	0.00	OCC	120.68	361.97
Sus. + W4{1}	0.00	0.10	0.00	0.00	0.00	OCC	120.68	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.45	0.38	0.07	44.91	0.00	OCC	45.06	434.37
+99 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.10	0.01	0.03	0.00	SUST	120.87	361.97
Amb to T1{1}	0.08	0.01	0.01	0.00	0.00	DISP	0.01	345.57
Amb to T2{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.01	345.57
Amb to T3{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.00	345.57
Sus. + W1{1}	0.00	0.10	0.00	0.00	0.00	OCC	120.87	361.97
Sus. + W2{1}	0.00	0.10	0.00	0.00	0.00	OCC	120.87	361.97
Sus. + W3{1}	0.00	0.10	0.00	0.00	0.00	OCC	120.87	361.97
Sus. + W4{1}	0.00	0.10	0.00	0.00	0.00	OCC	120.87	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.45	0.38	0.07	44.57	0.00	OCC	44.71	434.37
+99 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.11	0.01	0.03	0.00	SUST	120.87	361.97
Amb to T1{1}	0.10	0.01	0.01	0.00	0.00	DISP	0.01	345.57
Amb to T2{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.01	345.57
Amb to T3{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.00	345.57
Sus. + W1{1}	0.00	0.11	0.00	0.00	0.00	OCC	120.87	361.97
Sus. + W2{1}	0.00	0.11	0.00	0.00	0.00	OCC	120.87	361.97
Sus. + W3{1}	0.00	0.11	0.00	0.00	0.00	OCC	120.87	361.97
Sus. + W4{1}	0.00	0.11	0.00	0.00	0.00	OCC	120.87	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.51	0.40	0.07	44.57	0.00	OCC	44.71	434.37
+99 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.11	0.01	0.03	0.00	SUST	121.06	361.97
Amb to T1{1}	0.10	0.01	0.01	0.00	0.00	DISP	0.01	345.37
Amb to T2{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.01	345.37
Amb to T3{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.00	345.37

Sus. + W1{1}	0.00	0.11	0.00	0.00	0.00	OCC	121.06	361.97
Sus. + W2{1}	0.00	0.11	0.00	0.00	0.00	OCC	121.06	361.97
Sus. + W3{1}	0.00	0.11	0.00	0.00	0.00	OCC	121.07	361.97
Sus. + W4{1}	0.00	0.11	0.00	0.00	0.00	OCC	121.07	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.51	0.40	0.07	44.23	0.00	OCC	44.37	434.37
+99 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.12	0.01	0.03	0.00	SUST	121.06	361.97
Amb to T1{1}	0.12	0.01	0.01	0.00	0.00	DISP	0.01	345.37
Amb to T2{1}	0.00	0.03	0.00	0.00	0.00	DISP	0.01	345.37
Amb to T3{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.00	345.37
Sus. + W1{1}	0.00	0.12	0.00	0.00	0.00	OCC	121.06	361.97
Sus. + W2{1}	0.00	0.12	0.00	0.00	0.00	OCC	121.06	361.97
Sus. + W3{1}	0.00	0.13	0.00	0.00	0.00	OCC	121.07	361.97
Sus. + W4{1}	0.00	0.12	0.00	0.00	0.00	OCC	121.07	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.58	0.42	0.07	44.23	0.00	OCC	44.37	434.37
+99 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.12	0.01	0.03	0.00	SUST	121.26	361.97
Amb to T1{1}	0.12	0.01	0.01	0.00	0.00	DISP	0.01	345.17
Amb to T2{1}	0.00	0.03	0.00	0.00	0.00	DISP	0.01	345.17
Amb to T3{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.00	345.17
Sus. + W1{1}	0.00	0.12	0.00	0.00	0.00	OCC	121.26	361.97
Sus. + W2{1}	0.00	0.12	0.00	0.00	0.00	OCC	121.26	361.97
Sus. + W3{1}	0.00	0.13	0.00	0.00	0.00	OCC	121.27	361.97
Sus. + W4{1}	0.00	0.12	0.00	0.00	0.00	OCC	121.27	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.58	0.42	0.07	43.89	0.00	OCC	44.03	434.37
+99 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.13	0.01	0.03	0.00	SUST	121.26	361.97
Amb to T1{1}	0.15	0.01	0.01	0.00	0.00	DISP	0.01	345.17
Amb to T2{1}	0.00	0.03	0.00	0.00	0.00	DISP	0.01	345.17
Amb to T3{1}	0.00	0.03	0.00	0.00	0.00	DISP	0.00	345.17
Sus. + W1{1}	0.00	0.13	0.00	0.00	0.00	OCC	121.26	361.97
Sus. + W2{1}	0.00	0.13	0.00	0.00	0.00	OCC	121.26	361.97
Sus. + W3{1}	0.00	0.14	0.00	0.00	0.00	OCC	121.27	361.97
Sus. + W4{1}	0.00	0.14	0.00	0.00	0.00	OCC	121.27	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.65	0.45	0.07	43.89	0.00	OCC	44.03	434.37
+99 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.13	0.01	0.03	0.00	SUST	121.46	361.97
Amb to T1{1}	0.15	0.01	0.01	0.00	0.00	DISP	0.01	344.97
Amb to T2{1}	0.00	0.03	0.00	0.00	0.00	DISP	0.01	344.97
Amb to T3{1}	0.00	0.03	0.00	0.00	0.00	DISP	0.00	344.97
Sus. + W1{1}	0.00	0.13	0.00	0.00	0.00	OCC	121.47	361.97
Sus. + W2{1}	0.00	0.13	0.00	0.00	0.00	OCC	121.47	361.97
Sus. + W3{1}	0.00	0.14	0.00	0.00	0.00	OCC	121.47	361.97
Sus. + W4{1}	0.00	0.14	0.00	0.00	0.00	OCC	121.47	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.65	0.45	0.07	43.55	0.00	OCC	43.69	434.37
+99 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.14	0.01	0.03	0.00	SUST	121.46	361.97
Amb to T1{1}	0.17	0.01	0.01	0.00	0.00	DISP	0.01	344.97
Amb to T2{1}	0.00	0.04	0.00	0.00	0.00	DISP	0.01	344.97
Amb to T3{1}	0.00	0.03	0.00	0.00	0.00	DISP	0.00	344.97
Sus. + W1{1}	0.00	0.14	0.00	0.00	0.00	OCC	121.47	361.97
Sus. + W2{1}	0.00	0.14	0.00	0.00	0.00	OCC	121.47	361.97

Sus. + W3{1}	0.00	0.15	0.00	0.00	0.00	OCC	121.47	361.97
Sus. + W4{1}	0.00	0.15	0.00	0.00	0.00	OCC	121.47	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.72	0.47	0.07	43.55	0.00	OCC	43.69	434.37
+99 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.14	0.01	0.03	0.00	SUST	121.67	361.97
Amb to T1{1}	0.17	0.01	0.01	0.00	0.00	DISP	0.01	344.76
Amb to T2{1}	0.00	0.04	0.00	0.00	0.00	DISP	0.01	344.76
Amb to T3{1}	0.00	0.03	0.00	0.00	0.00	DISP	0.00	344.76
Sus. + W1{1}	0.00	0.14	0.00	0.00	0.00	OCC	121.67	361.97
Sus. + W2{1}	0.00	0.14	0.00	0.00	0.00	OCC	121.67	361.97
Sus. + W3{1}	0.00	0.15	0.00	0.00	0.00	OCC	121.67	361.97
Sus. + W4{1}	0.00	0.15	0.00	0.00	0.00	OCC	121.67	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.72	0.47	0.07	43.21	0.00	OCC	43.35	434.37
+99 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.15	0.01	0.03	0.00	SUST	121.67	361.97
Amb to T1{1}	0.20	0.01	0.01	0.00	0.00	DISP	0.01	344.76
Amb to T2{1}	0.00	0.04	0.00	0.00	0.00	DISP	0.01	344.76
Amb to T3{1}	0.00	0.03	0.00	0.00	0.00	DISP	0.00	344.76
Sus. + W1{1}	0.00	0.15	0.00	0.00	0.00	OCC	121.67	361.97
Sus. + W2{1}	0.00	0.15	0.00	0.00	0.00	OCC	121.67	361.97
Sus. + W3{1}	0.00	0.17	0.00	0.00	0.00	OCC	121.67	361.97
Sus. + W4{1}	0.00	0.16	0.00	0.00	0.00	OCC	121.67	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.80	0.48	0.07	43.21	0.00	OCC	43.35	434.37
+99 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.15	0.01	0.03	0.00	SUST	121.88	361.97
Amb to T1{1}	0.20	0.01	0.01	0.00	0.00	DISP	0.01	344.55
Amb to T2{1}	0.00	0.04	0.00	0.00	0.00	DISP	0.01	344.55
Amb to T3{1}	0.00	0.03	0.00	0.00	0.00	DISP	0.00	344.55
Sus. + W1{1}	0.00	0.15	0.00	0.00	0.00	OCC	121.88	361.97
Sus. + W2{1}	0.00	0.15	0.00	0.00	0.00	OCC	121.88	361.97
Sus. + W3{1}	0.00	0.17	0.00	0.00	0.00	OCC	121.88	361.97
Sus. + W4{1}	0.00	0.16	0.00	0.00	0.00	OCC	121.88	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.80	0.48	0.07	42.86	0.00	OCC	43.01	434.37
+99 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.01	0.16	0.01	0.03	0.00	SUST	121.88	361.97
Amb to T1{1}	0.23	0.01	0.01	0.00	0.00	DISP	0.01	344.55
Amb to T2{1}	0.00	0.05	0.00	0.00	0.00	DISP	0.01	344.55
Amb to T3{1}	0.00	0.04	0.00	0.00	0.00	DISP	0.00	344.55
Sus. + W1{1}	0.01	0.16	0.00	0.00	0.00	OCC	121.88	361.97
Sus. + W2{1}	0.01	0.16	0.00	0.00	0.00	OCC	121.88	361.97
Sus. + W3{1}	0.01	0.18	0.00	0.00	0.00	OCC	121.88	361.97
Sus. + W4{1}	0.01	0.18	0.00	0.00	0.00	OCC	121.88	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.89	0.49	0.07	42.86	0.00	OCC	43.01	434.37
+99 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.01	0.16	0.01	0.03	0.00	SUST	122.09	361.97
Amb to T1{1}	0.23	0.01	0.01	0.00	0.00	DISP	0.01	344.34
Amb to T2{1}	0.00	0.05	0.00	0.00	0.00	DISP	0.01	344.34
Amb to T3{1}	0.00	0.04	0.00	0.00	0.00	DISP	0.00	344.34
Sus. + W1{1}	0.01	0.16	0.00	0.00	0.00	OCC	122.09	361.97
Sus. + W2{1}	0.01	0.16	0.00	0.00	0.00	OCC	122.09	361.97
Sus. + W3{1}	0.01	0.18	0.00	0.00	0.00	OCC	122.09	361.97

Sus. + W4{1}	0.01	0.18	0.00	0.00	0.00	OCC	122.09	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.89	0.49	0.07	42.52	0.00	OCC	42.67	434.37
+99 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.01	0.17	0.01	0.03	0.00	SUST	122.09	361.97
Amb to T1{1}	0.26	0.01	0.01	0.00	0.00	DISP	0.01	344.34
Amb to T2{1}	0.00	0.05	0.00	0.00	0.00	DISP	0.01	344.34
Amb to T3{1}	0.00	0.04	0.00	0.00	0.00	DISP	0.00	344.34
Sus. + W1{1}	0.01	0.17	0.00	0.00	0.00	OCC	122.09	361.97
Sus. + W2{1}	0.01	0.17	0.00	0.00	0.00	OCC	122.09	361.97
Sus. + W3{1}	0.01	0.19	0.00	0.00	0.00	OCC	122.09	361.97
Sus. + W4{1}	0.01	0.19	0.00	0.00	0.00	OCC	122.09	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.97	0.50	0.07	42.52	0.00	OCC	42.67	434.37
+99 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.01	0.17	0.01	0.03	0.00	SUST	122.30	361.97
Amb to T1{1}	0.26	0.01	0.01	0.00	0.00	DISP	0.01	344.13
Amb to T2{1}	0.00	0.05	0.00	0.00	0.00	DISP	0.01	344.13
Amb to T3{1}	0.00	0.04	0.00	0.00	0.00	DISP	0.00	344.13
Sus. + W1{1}	0.01	0.17	0.00	0.00	0.00	OCC	122.30	361.97
Sus. + W2{1}	0.01	0.17	0.00	0.00	0.00	OCC	122.30	361.97
Sus. + W3{1}	0.01	0.19	0.00	0.00	0.00	OCC	122.31	361.97
Sus. + W4{1}	0.01	0.19	0.00	0.00	0.00	OCC	122.31	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.97	0.50	0.07	42.18	0.00	OCC	42.33	434.37
+99 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.02	0.17	0.01	0.03	0.00	SUST	122.30	361.97
Amb to T1{1}	0.29	0.01	0.01	0.00	0.00	DISP	0.01	344.13
Amb to T2{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.01	344.13
Amb to T3{1}	0.00	0.05	0.00	0.00	0.00	DISP	0.00	344.13
Sus. + W1{1}	0.02	0.18	0.00	0.00	0.00	OCC	122.30	361.97
Sus. + W2{1}	0.02	0.18	0.00	0.00	0.00	OCC	122.30	361.97
Sus. + W3{1}	0.02	0.20	0.00	0.00	0.00	OCC	122.31	361.97
Sus. + W4{1}	0.02	0.20	0.00	0.00	0.00	OCC	122.31	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.06	0.50	0.07	42.18	0.00	OCC	42.33	434.37
+99 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.02	0.17	0.01	0.03	0.00	SUST	122.52	361.97
Amb to T1{1}	0.29	0.01	0.01	0.00	0.00	DISP	0.01	343.91
Amb to T2{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.01	343.91
Amb to T3{1}	0.00	0.05	0.00	0.00	0.00	DISP	0.00	343.91
Sus. + W1{1}	0.02	0.18	0.00	0.00	0.00	OCC	122.52	361.97
Sus. + W2{1}	0.02	0.18	0.00	0.00	0.00	OCC	122.52	361.97
Sus. + W3{1}	0.02	0.20	0.00	0.00	0.00	OCC	122.53	361.97
Sus. + W4{1}	0.02	0.20	0.00	0.00	0.00	OCC	122.52	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.06	0.50	0.07	41.84	0.00	OCC	41.99	434.37
+** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.02	0.18	0.01	0.03	0.00	SUST	122.52	361.97
Amb to T1{1}	0.31	0.01	0.01	0.00	0.00	DISP	0.01	343.91
Amb to T2{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.01	343.91
Amb to T3{1}	0.00	0.05	0.00	0.00	0.00	DISP	0.00	343.91
Sus. + W1{1}	0.02	0.19	0.00	0.00	0.00	OCC	122.52	361.97
Sus. + W2{1}	0.02	0.19	0.00	0.00	0.00	OCC	122.52	361.97
Sus. + W3{1}	0.02	0.22	0.00	0.00	0.00	OCC	122.53	361.97
Sus. + W4{1}	0.02	0.21	0.00	0.00	0.00	OCC	122.52	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	1.15	0.49	0.07	41.84	0.00	OCC	41.99	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.02	0.18	0.01	0.03	0.00	SUST	122.74	361.97
Amb to T1{1}	0.31	0.01	0.01	0.00	0.00	DISP	0.01	343.69
Amb to T2{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.01	343.69
Amb to T3{1}	0.00	0.05	0.00	0.00	0.00	DISP	0.00	343.69
Sus. + W1{1}	0.02	0.19	0.00	0.00	0.00	OCC	122.74	361.97
Sus. + W2{1}	0.02	0.19	0.00	0.00	0.00	OCC	122.74	361.97
Sus. + W3{1}	0.02	0.22	0.00	0.00	0.00	OCC	122.75	361.97
Sus. + W4{1}	0.02	0.21	0.00	0.00	0.00	OCC	122.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.15	0.49	0.07	41.50	0.00	OCC	41.65	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.03	0.19	0.01	0.03	0.00	SUST	122.74	361.97
Amb to T1{1}	0.33	0.00	0.01	0.00	0.00	DISP	0.01	343.69
Amb to T2{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.01	343.69
Amb to T3{1}	0.00	0.05	0.00	0.00	0.00	DISP	0.00	343.69
Sus. + W1{1}	0.03	0.20	0.00	0.00	0.00	OCC	122.74	361.97
Sus. + W2{1}	0.03	0.20	0.00	0.00	0.00	OCC	122.74	361.97
Sus. + W3{1}	0.03	0.23	0.00	0.00	0.00	OCC	122.75	361.97
Sus. + W4{1}	0.03	0.22	0.00	0.00	0.00	OCC	122.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.25	0.47	0.07	41.50	0.00	OCC	41.65	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.03	0.19	0.01	0.03	0.00	SUST	122.96	361.97
Amb to T1{1}	0.33	0.00	0.01	0.00	0.00	DISP	0.01	343.47
Amb to T2{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.01	343.47
Amb to T3{1}	0.00	0.05	0.00	0.00	0.00	DISP	0.00	343.47
Sus. + W1{1}	0.03	0.20	0.00	0.00	0.00	OCC	122.97	361.97
Sus. + W2{1}	0.03	0.20	0.00	0.00	0.00	OCC	122.97	361.97
Sus. + W3{1}	0.03	0.23	0.00	0.00	0.00	OCC	122.97	361.97
Sus. + W4{1}	0.03	0.22	0.00	0.00	0.00	OCC	122.97	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.25	0.47	0.07	41.16	0.00	OCC	41.31	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.03	0.19	0.01	0.03	0.00	SUST	122.96	361.97
Amb to T1{1}	0.35	0.00	0.01	0.00	0.00	DISP	0.01	343.47
Amb to T2{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.01	343.47
Amb to T3{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.00	343.47
Sus. + W1{1}	0.03	0.20	0.00	0.00	0.00	OCC	122.97	361.97
Sus. + W2{1}	0.03	0.20	0.00	0.00	0.00	OCC	122.97	361.97
Sus. + W3{1}	0.03	0.24	0.00	0.00	0.00	OCC	122.97	361.97
Sus. + W4{1}	0.03	0.23	0.00	0.00	0.00	OCC	122.97	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.34	0.45	0.07	41.16	0.00	OCC	41.31	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.03	0.19	0.01	0.03	0.00	SUST	123.19	361.97
Amb to T1{1}	0.35	0.00	0.01	0.00	0.00	DISP	0.01	343.24
Amb to T2{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.01	343.24
Amb to T3{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.00	343.24
Sus. + W1{1}	0.03	0.20	0.00	0.00	0.00	OCC	123.19	361.97
Sus. + W2{1}	0.03	0.20	0.00	0.00	0.00	OCC	123.19	361.97
Sus. + W3{1}	0.03	0.24	0.00	0.00	0.00	OCC	123.20	361.97
Sus. + W4{1}	0.03	0.23	0.00	0.00	0.00	OCC	123.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.34	0.45	0.07	40.82	0.00	OCC	40.97	434.37

*** - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.04	0.20	0.01	0.03	0.00	SUST	123.19	361.97	
Amb to T1{1}	0.35	0.00	0.01	0.00	0.00	DISP	0.01	343.24	
Amb to T2{1}	0.00	0.08	0.00	0.00	0.00	DISP	0.01	343.24	
Amb to T3{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.00	343.24	
Sus. + W1{1}	0.04	0.21	0.00	0.00	0.00	OCC	123.19	361.97	
Sus. + W2{1}	0.04	0.21	0.00	0.00	0.00	OCC	123.19	361.97	
Sus. + W3{1}	0.04	0.25	0.00	0.00	0.00	OCC	123.20	361.97	
Sus. + W4{1}	0.04	0.24	0.00	0.00	0.00	OCC	123.20	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	1.43	0.41	0.07	40.82	0.00	OCC	40.97	434.37	
*** + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.04	0.20	0.01	0.03	0.00	SUST	123.42	361.97	
Amb to T1{1}	0.35	0.00	0.01	0.00	0.00	DISP	0.01	343.01	
Amb to T2{1}	0.00	0.08	0.00	0.00	0.00	DISP	0.01	343.01	
Amb to T3{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.00	343.01	
Sus. + W1{1}	0.04	0.21	0.00	0.00	0.00	OCC	123.42	361.97	
Sus. + W2{1}	0.04	0.21	0.00	0.00	0.00	OCC	123.42	361.97	
Sus. + W3{1}	0.04	0.25	0.00	0.00	0.00	OCC	123.43	361.97	
Sus. + W4{1}	0.04	0.24	0.00	0.00	0.00	OCC	123.43	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	1.43	0.41	0.07	40.48	0.00	OCC	40.63	434.37	
*** - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.04	0.20	0.01	0.03	0.00	SUST	123.42	361.97	
Amb to T1{1}	0.35	0.00	0.01	0.00	0.00	DISP	0.01	343.01	
Amb to T2{1}	0.00	0.09	0.00	0.00	0.00	DISP	0.01	343.01	
Amb to T3{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.00	343.01	
Sus. + W1{1}	0.05	0.21	0.00	0.00	0.00	OCC	123.42	361.97	
Sus. + W2{1}	0.05	0.21	0.00	0.00	0.00	OCC	123.42	361.97	
Sus. + W3{1}	0.04	0.25	0.00	0.00	0.00	OCC	123.43	361.97	
Sus. + W4{1}	0.04	0.25	0.00	0.00	0.00	OCC	123.43	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	1.51	0.36	0.07	40.48	0.00	OCC	40.63	434.37	
*** + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.04	0.20	0.01	0.03	0.00	SUST	123.65	361.97	
Amb to T1{1}	0.35	0.00	0.01	0.00	0.00	DISP	0.01	342.78	
Amb to T2{1}	0.00	0.09	0.00	0.00	0.00	DISP	0.01	342.78	
Amb to T3{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.00	342.78	
Sus. + W1{1}	0.05	0.21	0.00	0.00	0.00	OCC	123.66	361.97	
Sus. + W2{1}	0.05	0.21	0.00	0.00	0.00	OCC	123.66	361.97	
Sus. + W3{1}	0.04	0.25	0.00	0.00	0.00	OCC	123.66	361.97	
Sus. + W4{1}	0.04	0.25	0.00	0.00	0.00	OCC	123.66	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	1.51	0.36	0.07	40.14	0.00	OCC	40.29	434.37	
*** - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.05	0.19	0.01	0.03	0.00	SUST	123.65	361.97	
Amb to T1{1}	0.33	0.01	0.01	0.00	0.00	DISP	0.01	342.78	
Amb to T2{1}	0.00	0.09	0.00	0.00	0.00	DISP	0.01	342.78	
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	342.78	
Sus. + W1{1}</									

Amb to T1{1}	0.33	0.01	0.01	0.00	0.00	DISP	0.01	342.54
Amb to T2{1}	0.00	0.09	0.00	0.00	0.00	DISP	0.01	342.54
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	342.54
Sus. + W1{1}	0.05	0.20	0.00	0.00	0.00	OCC	123.89	361.97
Sus. + W2{1}	0.05	0.20	0.00	0.00	0.00	OCC	123.89	361.97
Sus. + W3{1}	0.05	0.26	0.00	0.00	0.00	OCC	123.90	361.97
Sus. + W4{1}	0.05	0.25	0.00	0.00	0.00	OCC	123.90	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.56	0.30	0.07	39.80	0.00	OCC	39.95	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.06	0.19	0.01	0.04	0.00	SUST	123.89	361.97
Amb to T1{1}	0.29	0.01	0.01	0.00	0.00	DISP	0.01	342.54
Amb to T2{1}	0.00	0.10	0.00	0.00	0.00	DISP	0.01	342.54
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	342.54
Sus. + W1{1}	0.06	0.20	0.00	0.00	0.00	OCC	123.89	361.97
Sus. + W2{1}	0.06	0.20	0.00	0.00	0.00	OCC	123.89	361.97
Sus. + W3{1}	0.06	0.26	0.00	0.00	0.00	OCC	123.90	361.97
Sus. + W4{1}	0.06	0.25	0.00	0.00	0.00	OCC	123.90	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.57	0.22	0.07	39.80	0.00	OCC	39.95	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.06	0.19	0.01	0.04	0.00	SUST	124.13	361.97
Amb to T1{1}	0.29	0.01	0.01	0.00	0.00	DISP	0.01	342.30
Amb to T2{1}	0.00	0.10	0.00	0.00	0.00	DISP	0.01	342.30
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	342.30
Sus. + W1{1}	0.06	0.20	0.00	0.00	0.00	OCC	124.14	361.97
Sus. + W2{1}	0.06	0.20	0.00	0.00	0.00	OCC	124.14	361.97
Sus. + W3{1}	0.06	0.26	0.00	0.00	0.00	OCC	124.14	361.97
Sus. + W4{1}	0.06	0.25	0.00	0.00	0.00	OCC	124.14	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.57	0.22	0.07	39.47	0.00	OCC	39.61	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.07	0.18	0.01	0.04	0.00	SUST	124.13	361.97
Amb to T1{1}	0.23	0.02	0.01	0.00	0.00	DISP	0.01	342.30
Amb to T2{1}	0.00	0.10	0.00	0.00	0.00	DISP	0.01	342.30
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	342.30
Sus. + W1{1}	0.07	0.19	0.00	0.00	0.00	OCC	124.14	361.97
Sus. + W2{1}	0.07	0.19	0.00	0.00	0.00	OCC	124.14	361.97
Sus. + W3{1}	0.07	0.25	0.00	0.00	0.00	OCC	124.14	361.97
Sus. + W4{1}	0.07	0.24	0.00	0.00	0.00	OCC	124.14	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.52	0.12	0.07	39.47	0.00	OCC	39.61	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.07	0.18	0.01	0.04	0.00	SUST	124.38	361.97
Amb to T1{1}	0.23	0.02	0.01	0.00	0.00	DISP	0.01	342.05
Amb to T2{1}	0.00	0.10	0.00	0.00	0.00	DISP	0.01	342.05
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	342.05
Sus. + W1{1}	0.07	0.19	0.00	0.00	0.00	OCC	124.38	361.97
Sus. + W2{1}	0.07	0.19	0.00	0.00	0.00	OCC	124.38	361.97
Sus. + W3{1}	0.07	0.25	0.00	0.00	0.00	OCC	124.38	361.97
Sus. + W4{1}	0.07	0.24	0.00	0.00	0.00	OCC	124.38	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.52	0.12	0.07	39.13	0.00	OCC	39.27	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.08	0.16	0.01	0.04	0.00	SUST	124.38	361.97
Amb to T1{1}	0.14	0.02	0.01	0.00	0.00	DISP	0.01	342.05
Amb to T2{1}	0.01	0.10	0.00	0.00	0.00	DISP	0.01	342.05

Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	342.05
Sus. + W1{1}	0.08	0.17	0.00	0.00	0.00	OCC	124.38	361.97
Sus. + W2{1}	0.08	0.17	0.00	0.00	0.00	OCC	124.38	361.97
Sus. + W3{1}	0.08	0.24	0.00	0.00	0.00	OCC	124.38	361.97
Sus. + W4{1}	0.08	0.24	0.00	0.00	0.00	OCC	124.38	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.41	0.00	0.07	39.13	0.00	OCC	39.27	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.08	0.16	0.01	0.04	0.00	SUST	124.62	361.97
Amb to T1{1}	0.14	0.02	0.01	0.00	0.00	DISP	0.01	341.81
Amb to T2{1}	0.01	0.10	0.00	0.00	0.00	DISP	0.01	341.81
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	341.81
Sus. + W1{1}	0.08	0.17	0.00	0.00	0.00	OCC	124.63	361.97
Sus. + W2{1}	0.08	0.17	0.00	0.00	0.00	OCC	124.63	361.97
Sus. + W3{1}	0.08	0.24	0.00	0.00	0.00	OCC	124.63	361.97
Sus. + W4{1}	0.08	0.24	0.00	0.00	0.00	OCC	124.63	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.41	0.00	0.07	38.79	0.00	OCC	38.93	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.08	0.15	0.01	0.04	0.00	SUST	124.62	361.97
Amb to T1{1}	0.02	0.03	0.01	0.00	0.00	DISP	0.01	341.81
Amb to T2{1}	0.01	0.11	0.00	0.00	0.00	DISP	0.01	341.81
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	341.81
Sus. + W1{1}	0.08	0.16	0.00	0.00	0.00	OCC	124.63	361.97
Sus. + W2{1}	0.08	0.16	0.00	0.00	0.00	OCC	124.63	361.97
Sus. + W3{1}	0.08	0.23	0.00	0.00	0.00	OCC	124.63	361.97
Sus. + W4{1}	0.08	0.22	0.00	0.00	0.00	OCC	124.63	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.19	0.13	0.07	38.79	0.00	OCC	38.93	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.08	0.15	0.01	0.04	0.00	SUST	124.88	361.97
Amb to T1{1}	0.02	0.03	0.01	0.00	0.00	DISP	0.01	341.55
Amb to T2{1}	0.01	0.11	0.00	0.00	0.00	DISP	0.01	341.55
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	341.55
Sus. + W1{1}	0.08	0.16	0.00	0.00	0.00	OCC	124.88	361.97
Sus. + W2{1}	0.08	0.16	0.00	0.00	0.00	OCC	124.88	361.97
Sus. + W3{1}	0.08	0.23	0.00	0.00	0.00	OCC	124.88	361.97
Sus. + W4{1}	0.08	0.22	0.00	0.00	0.00	OCC	124.88	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.19	0.13	0.07	38.45	0.00	OCC	38.59	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.09	0.12	0.01	0.04	0.00	SUST	124.88	361.97
Amb to T1{1}	0.14	0.04	0.01	0.00	0.00	DISP	0.01	341.55
Amb to T2{1}	0.01	0.11	0.00	0.00	0.00	DISP	0.01	341.55
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	341.55
Sus. + W1{1}	0.09	0.13	0.00	0.00	0.00	OCC	124.88	361.97
Sus. + W2{1}	0.09	0.13	0.00	0.00	0.00	OCC	124.88	361.97
Sus. + W3{1}	0.09	0.21	0.00	0.00	0.00	OCC	124.88	361.97
Sus. + W4{1}	0.09	0.20	0.00	0.00	0.00	OCC	124.88	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.86	0.29	0.07	38.45	0.00	OCC	38.59	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.09	0.12	0.01	0.04	0.00	SUST	125.13	361.97
Amb to T1{1}	0.14	0.04	0.01	0.00	0.00	DISP	0.01	341.30
Amb to T2{1}	0.01	0.11	0.00	0.00	0.00	DISP	0.01	341.30
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	341.30

Sus. + W1{1}	0.09	0.13	0.00	0.00	0.00	OCC	125.13	361.97
Sus. + W2{1}	0.09	0.13	0.00	0.00	0.00	OCC	125.13	361.97
Sus. + W3{1}	0.09	0.21	0.00	0.00	0.00	OCC	125.14	361.97
Sus. + W4{1}	0.09	0.20	0.00	0.00	0.00	OCC	125.14	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.86	0.29	0.07	38.11	0.00	OCC	38.25	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.09	0.09	0.01	0.04	0.00	SUST	125.13	361.97
Amb to T1{1}	0.34	0.04	0.01	0.00	0.00	DISP	0.01	341.30
Amb to T2{1}	0.02	0.11	0.00	0.00	0.00	DISP	0.01	341.30
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	341.30
Sus. + W1{1}	0.09	0.10	0.00	0.00	0.00	OCC	125.13	361.97
Sus. + W2{1}	0.09	0.10	0.00	0.00	0.00	OCC	125.13	361.97
Sus. + W3{1}	0.09	0.19	0.00	0.00	0.00	OCC	125.14	361.97
Sus. + W4{1}	0.09	0.18	0.00	0.00	0.00	OCC	125.14	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.39	0.48	0.07	38.11	0.00	OCC	38.25	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.09	0.09	0.01	0.04	0.00	SUST	125.39	361.97
Amb to T1{1}	0.34	0.04	0.01	0.00	0.00	DISP	0.01	341.04
Amb to T2{1}	0.02	0.11	0.00	0.00	0.00	DISP	0.01	341.04
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	341.04
Sus. + W1{1}	0.09	0.10	0.00	0.00	0.00	OCC	125.39	361.97
Sus. + W2{1}	0.09	0.10	0.00	0.00	0.00	OCC	125.39	361.97
Sus. + W3{1}	0.09	0.19	0.00	0.00	0.00	OCC	125.40	361.97
Sus. + W4{1}	0.09	0.18	0.00	0.00	0.00	OCC	125.40	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.39	0.48	0.07	37.77	0.00	OCC	37.92	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.10	0.05	0.01	0.04	0.00	SUST	125.39	361.97
Amb to T1{1}	0.58	0.05	0.01	0.00	0.00	DISP	0.01	341.04
Amb to T2{1}	0.02	0.11	0.00	0.00	0.00	DISP	0.01	341.04
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	341.04
Sus. + W1{1}	0.10	0.06	0.00	0.00	0.00	OCC	125.39	361.97
Sus. + W2{1}	0.10	0.06	0.00	0.00	0.00	OCC	125.39	361.97
Sus. + W3{1}	0.10	0.16	0.00	0.00	0.00	OCC	125.40	361.97
Sus. + W4{1}	0.10	0.15	0.00	0.00	0.00	OCC	125.40	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.23	0.69	0.07	37.77	0.00	OCC	37.92	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.10	0.05	0.01	0.04	0.00	SUST	125.65	361.97
Amb to T1{1}	0.58	0.05	0.01	0.00	0.00	DISP	0.01	340.78
Amb to T2{1}	0.02	0.11	0.00	0.00	0.00	DISP	0.01	340.78
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	340.78
Sus. + W1{1}	0.10	0.06	0.00	0.00	0.00	OCC	125.66	361.97
Sus. + W2{1}	0.10	0.06	0.00	0.00	0.00	OCC	125.66	361.97
Sus. + W3{1}	0.10	0.16	0.00	0.00	0.00	OCC	125.66	361.97
Sus. + W4{1}	0.10	0.15	0.00	0.00	0.00	OCC	125.66	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.23	0.69	0.07	37.43	0.00	OCC	37.58	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.10	0.01	0.01	0.04	0.00	SUST	125.65	361.97
Amb to T1{1}	0.88	0.06	0.01	0.00	0.00	DISP	0.01	340.78
Amb to T2{1}	0.02	0.10	0.00	0.00	0.00	DISP	0.01	340.78
Amb to T3{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.00	340.78
Sus. + W1{1}	0.10	0.01	0.00	0.00	0.00	OCC	125.66	361.97
Sus. + W2{1}	0.10	0.01	0.00	0.00	0.00	OCC	125.66	361.97

Sus. + W3{1}	0.10	0.12	0.00	0.00	0.00	OCC	125.66	361.97
Sus. + W4{1}	0.10	0.11	0.00	0.00	0.00	OCC	125.66	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.05	0.92	0.07	37.43	0.00	OCC	37.58	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.10	0.01	0.01	0.04	0.00	SUST	125.92	361.97
Amb to T1{1}	0.88	0.06	0.01	0.00	0.00	DISP	0.01	340.51
Amb to T2{1}	0.02	0.10	0.00	0.00	0.00	DISP	0.01	340.51
Amb to T3{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.00	340.51
Sus. + W1{1}	0.10	0.01	0.00	0.00	0.00	OCC	125.92	361.97
Sus. + W2{1}	0.10	0.01	0.00	0.00	0.00	OCC	125.92	361.97
Sus. + W3{1}	0.10	0.12	0.00	0.00	0.00	OCC	125.93	361.97
Sus. + W4{1}	0.10	0.11	0.00	0.00	0.00	OCC	125.92	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.05	0.92	0.07	37.09	0.00	OCC	37.24	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.09	0.04	0.01	0.04	0.00	SUST	125.92	361.97
Amb to T1{1}	1.23	0.07	0.01	0.00	0.00	DISP	0.01	340.51
Amb to T2{1}	0.03	0.10	0.00	0.00	0.00	DISP	0.01	340.51
Amb to T3{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.00	340.51
Sus. + W1{1}	0.09	0.05	0.00	0.00	0.00	OCC	125.92	361.97
Sus. + W2{1}	0.09	0.05	0.00	0.00	0.00	OCC	125.92	361.97
Sus. + W3{1}	0.09	0.16	0.00	0.00	0.00	OCC	125.93	361.97
Sus. + W4{1}	0.09	0.15	0.00	0.00	0.00	OCC	125.92	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	2.08	1.19	0.07	37.09	0.00	OCC	37.24	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.09	0.04	0.01	0.04	0.00	SUST	126.19	361.97
Amb to T1{1}	1.23	0.07	0.01	0.00	0.00	DISP	0.01	340.24
Amb to T2{1}	0.03	0.10	0.00	0.00	0.00	DISP	0.01	340.24
Amb to T3{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.00	340.24
Sus. + W1{1}	0.09	0.05	0.00	0.00	0.00	OCC	126.19	361.97
Sus. + W2{1}	0.09	0.05	0.00	0.00	0.00	OCC	126.19	361.97
Sus. + W3{1}	0.09	0.16	0.00	0.00	0.00	OCC	126.20	361.97
Sus. + W4{1}	0.09	0.15	0.00	0.00	0.00	OCC	126.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	2.08	1.19	0.07	36.75	0.00	OCC	36.90	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.08	0.10	0.01	0.04	0.00	SUST	126.19	361.97
Amb to T1{1}	1.63	0.08	0.01	0.00	0.00	DISP	0.01	340.24
Amb to T2{1}	0.03	0.09	0.00	0.00	0.00	DISP	0.01	340.24
Amb to T3{1}	0.00	0.05	0.00	0.00	0.00	DISP	0.00	340.24
Sus. + W1{1}	0.08	0.11	0.00	0.00	0.00	OCC	126.19	361.97
Sus. + W2{1}	0.08	0.11	0.00	0.00	0.00	OCC	126.19	361.97
Sus. + W3{1}	0.08	0.22	0.00	0.00	0.00	OCC	126.20	361.97
Sus. + W4{1}	0.08	0.21	0.00	0.00	0.00	OCC	126.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	3.35	1.49	0.07	36.75	0.00	OCC	36.90	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.08	0.10	0.01	0.04	0.00	SUST	126.46	361.97
Amb to T1{1}	1.63	0.08	0.01	0.00	0.00	DISP	0.01	339.97
Amb to T2{1}	0.03	0.09	0.00	0.00	0.00	DISP	0.01	339.97
Amb to T3{1}	0.00	0.05	0.00	0.00	0.00	DISP	0.00	339.97
Sus. + W1{1}	0.08	0.11	0.00	0.00	0.00	OCC	126.47	361.97
Sus. + W2{1}	0.08	0.11	0.00	0.00	0.00	OCC	126.47	361.97
Sus. + W3{1}	0.08	0.22	0.00	0.00	0.00	OCC	126.47	361.97

Sus. + W4{1}	0.08	0.21	0.00	0.00	0.00	OCC	126.47	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	3.35	1.49	0.07	36.41	0.00	OCC	36.56	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.07	0.18	0.01	0.04	0.00	SUST	126.46	361.97
Amb to T1{1}	2.10	0.10	0.01	0.00	0.00	DISP	0.01	339.97
Amb to T2{1}	0.04	0.08	0.00	0.00	0.00	DISP	0.01	339.97
Amb to T3{1}	0.01	0.04	0.00	0.00	0.00	DISP	0.00	339.97
Sus. + W1{1}	0.07	0.18	0.00	0.00	0.00	OCC	126.47	361.97
Sus. + W2{1}	0.07	0.18	0.00	0.00	0.00	OCC	126.47	361.97
Sus. + W3{1}	0.07	0.29	0.00	0.00	0.00	OCC	126.47	361.97
Sus. + W4{1}	0.07	0.28	0.00	0.00	0.00	OCC	126.47	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	4.87	1.82	0.07	36.41	0.00	OCC	36.56	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.07	0.18	0.01	0.04	0.00	SUST	126.74	361.97
Amb to T1{1}	2.10	0.10	0.01	0.00	0.00	DISP	0.01	339.69
Amb to T2{1}	0.04	0.08	0.00	0.00	0.00	DISP	0.01	339.69
Amb to T3{1}	0.01	0.04	0.00	0.00	0.00	DISP	0.00	339.69
Sus. + W1{1}	0.07	0.18	0.00	0.00	0.00	OCC	126.75	361.97
Sus. + W2{1}	0.07	0.18	0.00	0.00	0.00	OCC	126.75	361.97
Sus. + W3{1}	0.07	0.29	0.00	0.00	0.00	OCC	126.75	361.97
Sus. + W4{1}	0.07	0.28	0.00	0.00	0.00	OCC	126.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	4.87	1.82	0.07	36.08	0.00	OCC	36.22	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.05	0.26	0.01	0.04	0.00	SUST	126.74	361.97
Amb to T1{1}	2.63	0.11	0.01	0.00	0.00	DISP	0.01	339.69
Amb to T2{1}	0.05	0.07	0.00	0.00	0.00	DISP	0.01	339.69
Amb to T3{1}	0.01	0.02	0.00	0.00	0.00	DISP	0.00	339.69
Sus. + W1{1}	0.05	0.26	0.00	0.00	0.00	OCC	126.75	361.97
Sus. + W2{1}	0.05	0.26	0.00	0.00	0.00	OCC	126.75	361.97
Sus. + W3{1}	0.05	0.37	0.00	0.00	0.00	OCC	126.75	361.97
Sus. + W4{1}	0.05	0.37	0.00	0.00	0.00	OCC	126.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	6.67	2.18	0.07	36.08	0.00	OCC	36.22	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.05	0.26	0.01	0.04	0.00	SUST	127.02	361.97
Amb to T1{1}	2.63	0.11	0.01	0.00	0.00	DISP	0.01	339.41
Amb to T2{1}	0.05	0.07	0.00	0.00	0.00	DISP	0.01	339.41
Amb to T3{1}	0.01	0.02	0.00	0.00	0.00	DISP	0.00	339.41
Sus. + W1{1}	0.05	0.26	0.00	0.00	0.00	OCC	127.03	361.97
Sus. + W2{1}	0.05	0.26	0.00	0.00	0.00	OCC	127.03	361.97
Sus. + W3{1}	0.05	0.37	0.00	0.00	0.00	OCC	127.03	361.97
Sus. + W4{1}	0.05	0.37	0.00	0.00	0.00	OCC	127.03	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	6.67	2.18	0.07	35.74	0.00	OCC	35.88	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.02	0.35	0.01	0.04	0.00	SUST	127.02	361.97
Amb to T1{1}	3.22	0.12	0.01	0.00	0.00	DISP	0.01	339.41
Amb to T2{1}	0.05	0.05	0.00	0.00	0.00	DISP	0.01	339.41
Amb to T3{1}	0.01	0.01	0.00	0.00	0.00	DISP	0.00	339.41
Sus. + W1{1}	0.02	0.36	0.00	0.00	0.00	OCC	127.03	361.97
Sus. + W2{1}	0.02	0.36	0.00	0.00	0.00	OCC	127.03	361.97
Sus. + W3{1}	0.02	0.47	0.00	0.00	0.00	OCC	127.03	361.97
Sus. + W4{1}	0.02	0.46	0.00	0.00	0.00	OCC	127.03	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	8.77	2.57	0.07	35.74	0.00	OCC	35.88	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.02	0.35	0.01	0.04	0.00	SUST	127.31	361.97
Amb to T1{1}	3.22	0.12	0.01	0.00	0.00	DISP	0.01	339.12
Amb to T2{1}	0.05	0.05	0.00	0.00	0.00	DISP	0.01	339.12
Amb to T3{1}	0.01	0.01	0.00	0.00	0.00	DISP	0.00	339.12
Sus. + W1{1}	0.02	0.36	0.00	0.00	0.00	OCC	127.31	361.97
Sus. + W2{1}	0.02	0.36	0.00	0.00	0.00	OCC	127.31	361.97
Sus. + W3{1}	0.02	0.47	0.00	0.00	0.00	OCC	127.32	361.97
Sus. + W4{1}	0.02	0.46	0.00	0.00	0.00	OCC	127.32	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	8.77	2.57	0.07	35.40	0.00	OCC	35.55	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.02	0.45	0.01	0.04	0.00	SUST	127.31	361.97
Amb to T1{1}	3.86	0.13	0.01	0.00	0.00	DISP	0.01	339.12
Amb to T2{1}	0.06	0.03	0.00	0.00	0.00	DISP	0.01	339.12
Amb to T3{1}	0.01	0.01	0.00	0.00	0.00	DISP	0.00	339.12
Sus. + W1{1}	0.02	0.46	0.00	0.00	0.00	OCC	127.31	361.97
Sus. + W2{1}	0.02	0.46	0.00	0.00	0.00	OCC	127.31	361.97
Sus. + W3{1}	0.02	0.57	0.00	0.00	0.00	OCC	127.32	361.97
Sus. + W4{1}	0.02	0.56	0.00	0.00	0.00	OCC	127.32	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	11.16	3.00	0.07	35.40	0.00	OCC	35.55	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.02	0.45	0.01	0.04	0.00	SUST	127.60	361.97
Amb to T1{1}	3.86	0.13	0.01	0.00	0.00	DISP	0.01	338.83
Amb to T2{1}	0.06	0.03	0.00	0.00	0.00	DISP	0.01	338.83
Amb to T3{1}	0.01	0.01	0.00	0.00	0.00	DISP	0.00	338.83
Sus. + W1{1}	0.02	0.46	0.00	0.00	0.00	OCC	127.61	361.97
Sus. + W2{1}	0.02	0.46	0.00	0.00	0.00	OCC	127.61	361.97
Sus. + W3{1}	0.02	0.57	0.00	0.00	0.00	OCC	127.61	361.97
Sus. + W4{1}	0.02	0.56	0.00	0.00	0.00	OCC	127.61	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	11.16	3.00	0.07	35.06	0.00	OCC	35.21	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.07	0.57	0.01	0.04	0.00	SUST	127.60	361.97
Amb to T1{1}	4.55	0.15	0.01	0.00	0.00	DISP	0.01	338.83
Amb to T2{1}	0.06	0.01	0.00	0.00	0.00	DISP	0.01	338.83
Amb to T3{1}	0.02	0.03	0.00	0.00	0.00	DISP	0.00	338.83
Sus. + W1{1}	0.07	0.58	0.00	0.00	0.00	OCC	127.61	361.97
Sus. + W2{1}	0.07	0.58	0.00	0.00	0.00	OCC	127.61	361.97
Sus. + W3{1}	0.07	0.68	0.00	0.00	0.00	OCC	127.61	361.97
Sus. + W4{1}	0.07	0.67	0.00	0.00	0.00	OCC	127.61	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	13.85	3.46	0.07	35.06	0.00	OCC	35.21	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.07	0.57	0.01	0.04	0.00	SUST	127.90	361.97
Amb to T1{1}	4.55	0.15	0.01	0.00	0.00	DISP	0.01	338.53
Amb to T2{1}	0.06	0.01	0.00	0.00	0.00	DISP	0.01	338.53
Amb to T3{1}	0.02	0.03	0.00	0.00	0.00	DISP	0.00	338.53
Sus. + W1{1}	0.07	0.58	0.00	0.00	0.00	OCC	127.90	361.97
Sus. + W2{1}	0.07	0.58	0.00	0.00	0.00	OCC	127.90	361.97
Sus. + W3{1}	0.07	0.68	0.00	0.00	0.00	OCC	127.90	361.97
Sus. + W4{1}	0.07	0.67	0.00	0.00	0.00	OCC	127.90	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	13.85	3.46	0.07	34.73	0.00	OCC	34.87	434.37

*** - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.13	0.70	0.01	0.04	0.00	SUST	127.90	361.97	
Amb to T1{1}	5.27	0.16	0.01	0.00	0.00	DISP	0.01	338.53	
Amb to T2{1}	0.07	0.02	0.00	0.00	0.00	DISP	0.01	338.53	
Amb to T3{1}	0.02	0.06	0.00	0.00	0.00	DISP	0.00	338.53	
Sus. + W1{1}	0.13	0.72	0.00	0.00	0.00	OCC	127.90	361.97	
Sus. + W2{1}	0.13	0.72	0.00	0.00	0.00	OCC	127.90	361.97	
Sus. + W3{1}	0.13	0.80	0.00	0.00	0.00	OCC	127.90	361.97	
Sus. + W4{1}	0.13	0.79	0.00	0.00	0.00	OCC	127.90	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	16.83	3.96	0.07	34.73	0.00	OCC	34.87	434.37	
*** + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.13	0.70	0.01	0.04	0.00	SUST	128.20	361.97	
Amb to T1{1}	5.27	0.16	0.01	0.00	0.00	DISP	0.01	338.23	
Amb to T2{1}	0.07	0.02	0.00	0.00	0.00	DISP	0.01	338.23	
Amb to T3{1}	0.02	0.06	0.00	0.00	0.00	DISP	0.00	338.23	
Sus. + W1{1}	0.13	0.72	0.00	0.00	0.00	OCC	128.20	361.97	
Sus. + W2{1}	0.13	0.72	0.00	0.00	0.00	OCC	128.20	361.97	
Sus. + W3{1}	0.13	0.80	0.00	0.00	0.00	OCC	128.20	361.97	
Sus. + W4{1}	0.13	0.79	0.00	0.00	0.00	OCC	128.20	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	16.83	3.96	0.07	34.39	0.00	OCC	34.53	434.37	
*** - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.21	0.84	0.01	0.04	0.00	SUST	128.20	361.97	
Amb to T1{1}	6.01	0.18	0.01	0.00	0.00	DISP	0.01	338.23	
Amb to T2{1}	0.07	0.05	0.00	0.00	0.00	DISP	0.01	338.23	
Amb to T3{1}	0.03	0.09	0.00	0.00	0.00	DISP	0.00	338.23	
Sus. + W1{1}	0.21	0.86	0.00	0.00	0.00	OCC	128.20	361.97	
Sus. + W2{1}	0.21	0.86	0.00	0.00	0.00	OCC	128.20	361.97	
Sus. + W3{1}	0.21	0.93	0.00	0.00	0.00	OCC	128.20	361.97	
Sus. + W4{1}	0.21	0.92	0.00	0.00	0.00	OCC	128.20	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	20.07	4.48	0.07	34.39	0.00	OCC	34.53	434.37	
*** + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.21	0.84	0.01	0.05	0.00	SUST	128.50	361.97	
Amb to T1{1}	6.01	0.18	0.01	0.00	0.00	DISP	0.01	337.93	
Amb to T2{1}	0.07	0.05	0.00	0.00	0.00	DISP	0.01	337.93	
Amb to T3{1}	0.03	0.09	0.00	0.00	0.00	DISP	0.00	337.93	
Sus. + W1{1}	0.21	0.86	0.00	0.00	0.00	OCC	128.50	361.97	
Sus. + W2{1}	0.21	0.86	0.00	0.00	0.00	OCC	128.50	361.97	
Sus. + W3{1}	0.21	0.93	0.00	0.00	0.00	OCC	128.51	361.97	
Sus. + W4{1}	0.21	0.92	0.00	0.00	0.00	OCC	128.51	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	20.07	4.48	0.07	34.05	0.00	OCC	34.20	434.37	
*** - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.30	0.99	0.01	0.05	0.00	SUST	128.50	361.97	
Amb to T1{1}	6.74	0.19	0.01	0.00	0.00	DISP	0.01	337.93	
Amb to T2{1}	0.07	0.09	0.00	0.00	0.00	DISP	0.01	337.93	
Amb to T3{1}	0.03	0.12	0.00	0.00	0.00	DISP	0.00	337.93	
Sus. + W									

Amb to T1{1}	6.74	0.19	0.01	0.00	0.00	DISP	0.01	337.62
Amb to T2{1}	0.07	0.09	0.00	0.00	0.00	DISP	0.01	337.62
Amb to T3{1}	0.03	0.12	0.00	0.00	0.00	DISP	0.00	337.62
Sus. + W1{1}	0.30	1.02	0.00	0.00	0.00	OCC	128.81	361.97
Sus. + W2{1}	0.30	1.02	0.00	0.00	0.00	OCC	128.81	361.97
Sus. + W3{1}	0.30	1.07	0.00	0.00	0.00	OCC	128.81	361.97
Sus. + W4{1}	0.30	1.07	0.00	0.00	0.00	OCC	128.81	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	23.52	5.03	0.07	33.71	0.00	OCC	33.86	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.40	1.16	0.01	0.05	0.00	SUST	128.81	361.97
Amb to T1{1}	7.44	0.21	0.01	0.00	0.00	DISP	0.01	337.62
Amb to T2{1}	0.07	0.14	0.00	0.00	0.00	DISP	0.01	337.62
Amb to T3{1}	0.04	0.16	0.00	0.00	0.00	DISP	0.00	337.62
Sus. + W1{1}	0.40	1.20	0.00	0.00	0.00	OCC	128.81	361.97
Sus. + W2{1}	0.40	1.20	0.00	0.00	0.00	OCC	128.81	361.97
Sus. + W3{1}	0.40	1.22	0.00	0.00	0.00	OCC	128.81	361.97
Sus. + W4{1}	0.40	1.22	0.00	0.00	0.00	OCC	128.81	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	27.12	5.61	0.07	33.71	0.00	OCC	33.86	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.40	1.16	0.01	0.05	0.00	SUST	129.12	361.97
Amb to T1{1}	7.44	0.21	0.01	0.00	0.00	DISP	0.01	337.31
Amb to T2{1}	0.07	0.14	0.00	0.00	0.00	DISP	0.01	337.31
Amb to T3{1}	0.04	0.16	0.00	0.00	0.00	DISP	0.00	337.31
Sus. + W1{1}	0.40	1.20	0.00	0.00	0.00	OCC	129.12	361.97
Sus. + W2{1}	0.40	1.20	0.00	0.00	0.00	OCC	129.12	361.97
Sus. + W3{1}	0.40	1.22	0.00	0.00	0.00	OCC	129.13	361.97
Sus. + W4{1}	0.40	1.22	0.00	0.00	0.00	OCC	129.13	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	27.12	5.61	0.07	33.38	0.00	OCC	33.52	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.52	1.34	0.01	0.05	0.00	SUST	129.12	361.97
Amb to T1{1}	8.07	0.22	0.01	0.00	0.00	DISP	0.01	337.31
Amb to T2{1}	0.06	0.19	0.00	0.00	0.00	DISP	0.01	337.31
Amb to T3{1}	0.04	0.20	0.00	0.00	0.00	DISP	0.00	337.31
Sus. + W1{1}	0.52	1.39	0.00	0.00	0.00	OCC	129.12	361.97
Sus. + W2{1}	0.52	1.38	0.00	0.00	0.00	OCC	129.12	361.97
Sus. + W3{1}	0.52	1.38	0.00	0.00	0.00	OCC	129.13	361.97
Sus. + W4{1}	0.52	1.38	0.00	0.00	0.00	OCC	129.13	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	30.78	6.21	0.07	33.38	0.00	OCC	33.52	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.52	1.34	0.01	0.05	0.00	SUST	129.44	361.97
Amb to T1{1}	8.07	0.22	0.01	0.00	0.00	DISP	0.01	336.99
Amb to T2{1}	0.06	0.19	0.00	0.00	0.00	DISP	0.01	336.99
Amb to T3{1}	0.04	0.20	0.00	0.00	0.00	DISP	0.00	336.99
Sus. + W1{1}	0.52	1.39	0.00	0.00	0.00	OCC	129.44	361.97
Sus. + W2{1}	0.52	1.38	0.00	0.00	0.00	OCC	129.44	361.97
Sus. + W3{1}	0.52	1.38	0.00	0.00	0.00	OCC	129.44	361.97
Sus. + W4{1}	0.52	1.38	0.00	0.00	0.00	OCC	129.44	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	30.78	6.21	0.07	33.04	0.00	OCC	33.18	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.66	1.53	0.01	0.05	0.00	SUST	129.44	361.97
Amb to T1{1}	8.58	0.23	0.01	0.00	0.00	DISP	0.01	336.99
Amb to T2{1}	0.06	0.24	0.00	0.00	0.00	DISP	0.01	336.99

Amb to T3{1}	0.05	0.24	0.00	0.00	0.00	DISP	0.00	336.99
Sus. + W1{1}	0.66	1.59	0.00	0.00	0.00	OCC	129.44	361.97
Sus. + W2{1}	0.66	1.59	0.00	0.00	0.00	OCC	129.44	361.97
Sus. + W3{1}	0.66	1.54	0.00	0.00	0.00	OCC	129.44	361.97
Sus. + W4{1}	0.66	1.55	0.00	0.00	0.00	OCC	129.44	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	34.43	6.83	0.07	33.04	0.00	OCC	33.18	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.66	1.53	0.01	0.05	0.00	SUST	129.76	361.97
Amb to T1{1}	8.58	0.23	0.01	0.00	0.00	DISP	0.01	336.67
Amb to T2{1}	0.06	0.24	0.00	0.00	0.00	DISP	0.01	336.67
Amb to T3{1}	0.05	0.24	0.00	0.00	0.00	DISP	0.00	336.67
Sus. + W1{1}	0.66	1.59	0.00	0.00	0.00	OCC	129.76	361.97
Sus. + W2{1}	0.66	1.59	0.00	0.00	0.00	OCC	129.76	361.97
Sus. + W3{1}	0.66	1.54	0.00	0.00	0.00	OCC	129.77	361.97
Sus. + W4{1}	0.66	1.55	0.00	0.00	0.00	OCC	129.77	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	34.43	6.83	0.07	32.70	0.00	OCC	32.85	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.82	1.73	0.01	0.05	0.00	SUST	129.76	361.97
Amb to T1{1}	8.93	0.25	0.01	0.00	0.00	DISP	0.01	336.67
Amb to T2{1}	0.04	0.31	0.00	0.00	0.00	DISP	0.01	336.67
Amb to T3{1}	0.06	0.29	0.00	0.00	0.00	DISP	0.00	336.67
Sus. + W1{1}	0.82	1.80	0.00	0.00	0.00	OCC	129.76	361.97
Sus. + W2{1}	0.82	1.80	0.00	0.00	0.00	OCC	129.76	361.97
Sus. + W3{1}	0.82	1.75	0.00	0.00	0.00	OCC	129.77	361.97
Sus. + W4{1}	0.82	1.74	0.00	0.00	0.00	OCC	129.77	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	38.06	7.45	0.07	32.70	0.00	OCC	32.85	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.82	1.73	0.01	0.05	0.00	SUST	130.09	361.97
Amb to T1{1}	8.93	0.25	0.01	0.00	0.00	DISP	0.01	336.34
Amb to T2{1}	0.04	0.31	0.00	0.00	0.00	DISP	0.01	336.34
Amb to T3{1}	0.06	0.29	0.00	0.00	0.00	DISP	0.00	336.34
Sus. + W1{1}	0.82	1.80	0.00	0.00	0.00	OCC	130.09	361.97
Sus. + W2{1}	0.82	1.80	0.00	0.00	0.00	OCC	130.09	361.97
Sus. + W3{1}	0.82	1.75	0.00	0.00	0.00	OCC	130.09	361.97
Sus. + W4{1}	0.82	1.74	0.00	0.00	0.00	OCC	130.09	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	38.06	7.45	0.07	32.37	0.00	OCC	32.51	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.99	1.95	0.01	0.05	0.00	SUST	130.09	361.97
Amb to T1{1}	9.04	0.26	0.01	0.00	0.00	DISP	0.01	336.34
Amb to T2{1}	0.03	0.38	0.00	0.00	0.00	DISP	0.01	336.34
Amb to T3{1}	0.06	0.35	0.00	0.00	0.00	DISP	0.00	336.34
Sus. + W1{1}	0.99	2.03	0.00	0.00	0.00	OCC	130.09	361.97
Sus. + W2{1}	0.99	2.03	0.00	0.00	0.00	OCC	130.09	361.97
Sus. + W3{1}	0.99	2.00	0.00	0.00	0.00	OCC	130.09	361.97
Sus. + W4{1}	0.99	1.98	0.00	0.00	0.00	OCC	130.09	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	41.65	8.08	0.07	32.37	0.00	OCC	32.51	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.99	1.95	0.01	0.05	0.00	SUST	130.42	361.97
Amb to T1{1}	9.04	0.26	0.01	0.00	0.00	DISP	0.01	336.01
Amb to T2{1}	0.03	0.38	0.00	0.00	0.00	DISP	0.01	336.01
Amb to T3{1}	0.06	0.35	0.00	0.00	0.00	DISP	0.00	336.01

Sus. + W1{1}	0.99	2.03	0.00	0.00	0.00	OCC	130.42	361.97
Sus. + W2{1}	0.99	2.03	0.00	0.00	0.00	OCC	130.42	361.97
Sus. + W3{1}	0.99	2.00	0.00	0.00	0.00	OCC	130.43	361.97
Sus. + W4{1}	0.99	1.98	0.00	0.00	0.00	OCC	130.42	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	41.65	8.08	0.07	32.03	0.00	OCC	32.17	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1.17	2.17	0.01	0.05	0.00	SUST	130.42	361.97
Amb to T1{1}	8.85	0.27	0.01	0.00	0.00	DISP	0.01	336.01
Amb to T2{1}	0.00	0.45	0.00	0.00	0.00	DISP	0.01	336.01
Amb to T3{1}	0.07	0.41	0.00	0.00	0.00	DISP	0.00	336.01
Sus. + W1{1}	1.17	2.26	0.00	0.00	0.00	OCC	130.42	361.97
Sus. + W2{1}	1.17	2.26	0.00	0.00	0.00	OCC	130.42	361.97
Sus. + W3{1}	1.17	2.26	0.00	0.00	0.00	OCC	130.43	361.97
Sus. + W4{1}	1.17	2.24	0.00	0.00	0.00	OCC	130.42	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	45.20	8.71	0.07	32.03	0.00	OCC	32.17	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1.17	2.17	0.01	0.05	0.00	SUST	130.75	361.97
Amb to T1{1}	8.85	0.27	0.01	0.00	0.00	DISP	0.01	335.68
Amb to T2{1}	0.00	0.45	0.00	0.00	0.00	DISP	0.01	335.68
Amb to T3{1}	0.07	0.41	0.00	0.00	0.00	DISP	0.00	335.68
Sus. + W1{1}	1.17	2.26	0.00	0.00	0.00	OCC	130.76	361.97
Sus. + W2{1}	1.17	2.26	0.00	0.00	0.00	OCC	130.76	361.97
Sus. + W3{1}	1.17	2.26	0.00	0.00	0.00	OCC	130.76	361.97
Sus. + W4{1}	1.17	2.24	0.00	0.00	0.00	OCC	130.76	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	45.20	8.71	0.07	31.69	0.00	OCC	31.84	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1.36	2.41	0.01	0.05	0.00	SUST	130.75	361.97
Amb to T1{1}	8.27	0.28	0.01	0.00	0.00	DISP	0.01	335.68
Amb to T2{1}	0.03	0.54	0.00	0.00	0.00	DISP	0.01	335.68
Amb to T3{1}	0.07	0.47	0.00	0.00	0.00	DISP	0.00	335.68
Sus. + W1{1}	1.37	2.51	0.00	0.00	0.00	OCC	130.76	361.97
Sus. + W2{1}	1.37	2.51	0.00	0.00	0.00	OCC	130.76	361.97
Sus. + W3{1}	1.36	2.55	0.00	0.00	0.00	OCC	130.76	361.97
Sus. + W4{1}	1.36	2.52	0.00	0.00	0.00	OCC	130.76	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	48.66	9.32	0.07	31.69	0.01	OCC	31.84	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1.36	2.41	0.01	0.05	0.00	SUST	131.10	361.97
Amb to T1{1}	8.27	0.28	0.01	0.00	0.00	DISP	0.01	335.33
Amb to T2{1}	0.03	0.54	0.00	0.00	0.00	DISP	0.01	335.33
Amb to T3{1}	0.07	0.47	0.00	0.00	0.00	DISP	0.00	335.33
Sus. + W1{1}	1.37	2.51	0.00	0.00	0.00	OCC	131.10	361.97
Sus. + W2{1}	1.37	2.51	0.00	0.00	0.00	OCC	131.10	361.97
Sus. + W3{1}	1.36	2.55	0.00	0.00	0.00	OCC	131.10	361.97
Sus. + W4{1}	1.36	2.52	0.00	0.00	0.00	OCC	131.10	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	48.66	9.32	0.07	31.36	0.01	OCC	31.50	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1.57	2.65	0.01	0.05	0.00	SUST	131.10	361.97
Amb to T1{1}	7.20	0.28	0.01	0.00	0.00	DISP	0.01	335.33
Amb to T2{1}	0.07	0.63	0.00	0.00	0.00	DISP	0.01	335.33
Amb to T3{1}	0.07	0.54	0.00	0.00	0.00	DISP	0.00	335.33
Sus. + W1{1}	1.57	2.76	0.00	0.00	0.00	OCC	131.10	361.97
Sus. + W2{1}	1.57	2.76	0.00	0.00	0.00	OCC	131.10	361.97

Sus. + W3{1}	1.57	2.84	0.00	0.00	0.00	OCC	131.10	361.97
Sus. + W4{1}	1.57	2.81	0.00	0.00	0.00	OCC	131.10	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	52.02	9.91	0.07	31.36	0.01	OCC	31.50	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1.57	2.65	0.01	0.05	0.00	SUST	131.44	361.97
Amb to T1{1}	7.20	0.28	0.01	0.00	0.00	DISP	0.01	334.99
Amb to T2{1}	0.07	0.63	0.00	0.00	0.00	DISP	0.01	334.99
Amb to T3{1}	0.07	0.54	0.00	0.00	0.00	DISP	0.00	334.99
Sus. + W1{1}	1.57	2.76	0.00	0.00	0.00	OCC	131.45	361.97
Sus. + W2{1}	1.57	2.76	0.00	0.00	0.00	OCC	131.45	361.97
Sus. + W3{1}	1.57	2.84	0.00	0.00	0.00	OCC	131.45	361.97
Sus. + W4{1}	1.57	2.81	0.00	0.00	0.00	OCC	131.45	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	52.02	9.91	0.07	31.02	0.01	OCC	31.17	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1.77	2.90	0.01	0.05	0.00	SUST	131.44	361.97
Amb to T1{1}	5.55	0.28	0.01	0.00	0.00	DISP	0.01	334.99
Amb to T2{1}	0.11	0.72	0.00	0.00	0.00	DISP	0.01	334.99
Amb to T3{1}	0.07	0.62	0.00	0.00	0.00	DISP	0.00	334.99
Sus. + W1{1}	1.77	3.02	0.00	0.00	0.00	OCC	131.45	361.97
Sus. + W2{1}	1.77	3.02	0.00	0.00	0.00	OCC	131.45	361.97
Sus. + W3{1}	1.77	3.15	0.00	0.00	0.00	OCC	131.45	361.97
Sus. + W4{1}	1.77	3.11	0.00	0.00	0.00	OCC	131.45	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	55.23	10.45	0.07	31.02	0.01	OCC	31.17	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1.77	2.90	0.01	0.05	0.00	SUST	131.79	361.97
Amb to T1{1}	5.55	0.28	0.01	0.00	0.00	DISP	0.01	334.64
Amb to T2{1}	0.11	0.72	0.00	0.00	0.00	DISP	0.01	334.64
Amb to T3{1}	0.07	0.62	0.00	0.00	0.00	DISP	0.00	334.64
Sus. + W1{1}	1.77	3.02	0.00	0.00	0.00	OCC	131.80	361.97
Sus. + W2{1}	1.77	3.02	0.00	0.00	0.00	OCC	131.80	361.97
Sus. + W3{1}	1.77	3.15	0.00	0.00	0.00	OCC	131.80	361.97
Sus. + W4{1}	1.77	3.11	0.00	0.00	0.00	OCC	131.80	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	55.23	10.45	0.07	30.68	0.01	OCC	30.83	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1.96	3.15	0.01	0.05	0.00	SUST	131.79	361.97
Amb to T1{1}	3.20	0.28	0.01	0.00	0.00	DISP	0.01	334.64
Amb to T2{1}	0.17	0.83	0.00	0.00	0.00	DISP	0.01	334.64
Amb to T3{1}	0.07	0.70	0.00	0.00	0.00	DISP	0.00	334.64
Sus. + W1{1}	1.97	3.28	0.00	0.00	0.00	OCC	131.80	361.97
Sus. + W2{1}	1.97	3.28	0.00	0.00	0.00	OCC	131.80	361.97
Sus. + W3{1}	1.97	3.46	0.00	0.00	0.00	OCC	131.80	361.97
Sus. + W4{1}	1.97	3.42	0.00	0.00	0.00	OCC	131.80	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	58.27	10.95	0.07	30.68	0.01	OCC	30.83	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1.96	3.15	0.01	0.05	0.00	SUST	132.15	361.97
Amb to T1{1}	3.20	0.28	0.01	0.00	0.00	DISP	0.01	334.28
Amb to T2{1}	0.17	0.83	0.00	0.00	0.00	DISP	0.01	334.28
Amb to T3{1}	0.07	0.70	0.00	0.00	0.00	DISP	0.00	334.28
Sus. + W1{1}	1.97	3.28	0.00	0.00	0.00	OCC	132.15	361.97
Sus. + W2{1}	1.97	3.28	0.00	0.00	0.00	OCC	132.15	361.97
Sus. + W3{1}	1.97	3.46	0.00	0.00	0.00	OCC	132.16	361.97

Sus. + W4{1}	1.97	3.42	0.00	0.00	0.00	OCC	132.16	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	58.27	10.95	0.07	30.35	0.01	OCC	30.49	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	2.15	3.39	0.01	0.05	0.00	SUST	132.15	361.97
Amb to T1{1}	0.04	0.27	0.01	0.00	0.00	DISP	0.01	334.28
Amb to T2{1}	0.24	0.94	0.00	0.00	0.00	DISP	0.01	334.28
Amb to T3{1}	0.06	0.78	0.00	0.00	0.00	DISP	0.00	334.28
Sus. + W1{1}	2.15	3.54	0.00	0.00	0.00	OCC	132.15	361.97
Sus. + W2{1}	2.15	3.54	0.00	0.00	0.00	OCC	132.15	361.97
Sus. + W3{1}	2.15	3.79	0.00	0.00	0.00	OCC	132.16	361.97
Sus. + W4{1}	2.15	3.73	0.00	0.00	0.00	OCC	132.16	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	61.08	11.37	0.07	30.35	0.01	OCC	30.49	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	2.15	3.39	0.01	0.05	0.00	SUST	132.51	361.97
Amb to T1{1}	0.04	0.27	0.01	0.00	0.00	DISP	0.01	333.92
Amb to T2{1}	0.24	0.94	0.00	0.00	0.00	DISP	0.01	333.92
Amb to T3{1}	0.06	0.78	0.00	0.00	0.00	DISP	0.00	333.92
Sus. + W1{1}	2.15	3.54	0.00	0.00	0.00	OCC	132.51	361.97
Sus. + W2{1}	2.15	3.54	0.00	0.00	0.00	OCC	132.51	361.97
Sus. + W3{1}	2.15	3.79	0.00	0.00	0.00	OCC	132.52	361.97
Sus. + W4{1}	2.15	3.73	0.00	0.00	0.00	OCC	132.52	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	61.08	11.37	0.07	30.01	0.01	OCC	30.16	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	2.30	3.64	0.01	0.05	0.00	SUST	132.51	361.97
Amb to T1{1}	4.07	0.26	0.01	0.00	0.00	DISP	0.01	333.92
Amb to T2{1}	0.32	1.06	0.00	0.00	0.00	DISP	0.01	333.92
Amb to T3{1}	0.05	0.87	0.00	0.00	0.00	DISP	0.00	333.92
Sus. + W1{1}	2.31	3.80	0.00	0.00	0.00	OCC	132.51	361.97
Sus. + W2{1}	2.31	3.80	0.00	0.00	0.00	OCC	132.51	361.97
Sus. + W3{1}	2.30	4.11	0.00	0.00	0.00	OCC	132.52	361.97
Sus. + W4{1}	2.30	4.04	0.00	0.00	0.00	OCC	132.52	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	63.61	11.70	0.07	30.01	0.01	OCC	30.16	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	2.30	3.64	0.01	0.05	0.00	SUST	132.87	361.97
Amb to T1{1}	4.07	0.26	0.01	0.00	0.00	DISP	0.01	333.56
Amb to T2{1}	0.32	1.06	0.00	0.00	0.00	DISP	0.01	333.56
Amb to T3{1}	0.05	0.87	0.00	0.00	0.00	DISP	0.00	333.56
Sus. + W1{1}	2.31	3.80	0.00	0.00	0.00	OCC	132.87	361.97
Sus. + W2{1}	2.31	3.80	0.00	0.00	0.00	OCC	132.87	361.97
Sus. + W3{1}	2.30	4.11	0.00	0.00	0.00	OCC	132.88	361.97
Sus. + W4{1}	2.30	4.04	0.00	0.00	0.00	OCC	132.88	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	63.61	11.70	0.07	29.68	0.01	OCC	29.82	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	2.42	3.87	0.01	0.05	0.00	SUST	132.87	361.97
Amb to T1{1}	9.26	0.24	0.01	0.00	0.00	DISP	0.01	333.56
Amb to T2{1}	0.41	1.18	0.00	0.00	0.00	DISP	0.01	333.56
Amb to T3{1}	0.04	0.96	0.00	0.00	0.00	DISP	0.00	333.56
Sus. + W1{1}	2.42	4.05	0.00	0.00	0.00	OCC	132.87	361.97
Sus. + W2{1}	2.42	4.04	0.00	0.00	0.00	OCC	132.87	361.97
Sus. + W3{1}	2.42	4.43	0.00	0.00	0.00	OCC	132.88	361.97
Sus. + W4{1}	2.42	4.36	0.00	0.00	0.00	OCC	132.88	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	65.81	11.92	0.07	29.68	0.01	OCC	29.82	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	2.42	3.87	0.01	0.06	0.00	SUST	133.23	361.97
Amb to T1{1}	9.26	0.24	0.01	0.00	0.00	DISP	0.01	333.20
Amb to T2{1}	0.41	1.18	0.00	0.00	0.00	DISP	0.01	333.20
Amb to T3{1}	0.04	0.96	0.00	0.00	0.00	DISP	0.00	333.20
Sus. + W1{1}	2.42	4.05	0.00	0.00	0.00	OCC	133.23	361.97
Sus. + W2{1}	2.42	4.04	0.00	0.00	0.00	OCC	133.23	361.97
Sus. + W3{1}	2.42	4.43	0.00	0.00	0.00	OCC	133.24	361.97
Sus. + W4{1}	2.42	4.36	0.00	0.00	0.00	OCC	133.24	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	65.81	11.92	0.07	29.34	0.01	OCC	29.49	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	2.48	4.09	0.01	0.06	0.00	SUST	133.23	361.97
Amb to T1{1}	15.64	0.21	0.01	0.00	0.00	DISP	0.01	333.20
Amb to T2{1}	0.52	1.31	0.00	0.00	0.00	DISP	0.01	333.20
Amb to T3{1}	0.01	1.05	0.00	0.00	0.00	DISP	0.00	333.20
Sus. + W1{1}	2.48	4.28	0.00	0.00	0.00	OCC	133.23	361.97
Sus. + W2{1}	2.48	4.28	0.00	0.00	0.00	OCC	133.23	361.97
Sus. + W3{1}	2.48	4.75	0.00	0.00	0.00	OCC	133.24	361.97
Sus. + W4{1}	2.48	4.66	0.00	0.00	0.00	OCC	133.24	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	67.61	12.00	0.07	29.34	0.01	OCC	29.49	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	2.48	4.09	0.01	0.06	0.00	SUST	133.59	361.97
Amb to T1{1}	15.64	0.21	0.01	0.00	0.00	DISP	0.01	332.84
Amb to T2{1}	0.52	1.31	0.00	0.00	0.00	DISP	0.01	332.84
Amb to T3{1}	0.01	1.05	0.00	0.00	0.00	DISP	0.00	332.84
Sus. + W1{1}	2.48	4.28	0.00	0.00	0.00	OCC	133.59	361.97
Sus. + W2{1}	2.48	4.28	0.00	0.00	0.00	OCC	133.59	361.97
Sus. + W3{1}	2.48	4.75	0.00	0.00	0.00	OCC	133.60	361.97
Sus. + W4{1}	2.48	4.66	0.00	0.00	0.00	OCC	133.60	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	67.61	12.00	0.07	29.01	0.01	OCC	29.15	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	2.46	4.28	0.01	0.06	0.00	SUST	133.59	361.97
Amb to T1{1}	23.32	0.18	0.01	0.00	0.00	DISP	0.01	332.84
Amb to T2{1}	0.63	1.45	0.00	0.00	0.00	DISP	0.01	332.84
Amb to T3{1}	0.02	1.14	0.00	0.00	0.00	DISP	0.00	332.84
Sus. + W1{1}	2.46	4.49	0.00	0.00	0.00	OCC	133.59	361.97
Sus. + W2{1}	2.46	4.49	0.00	0.00	0.00	OCC	133.59	361.97
Sus. + W3{1}	2.46	5.05	0.00	0.00	0.00	OCC	133.60	361.97
Sus. + W4{1}	2.46	4.96	0.00	0.00	0.00	OCC	133.60	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	68.94	11.92	0.07	29.01	0.01	OCC	29.15	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	2.46	4.28	0.01	0.06	0.00	SUST	133.95	361.97
Amb to T1{1}	23.32	0.18	0.01	0.00	0.00	DISP	0.01	332.48
Amb to T2{1}	0.63	1.45	0.00	0.00	0.00	DISP	0.01	332.48
Amb to T3{1}	0.02	1.14	0.00	0.00	0.00	DISP	0.00	332.48
Sus. + W1{1}	2.46	4.49	0.00	0.00	0.00	OCC	133.95	361.97
Sus. + W2{1}	2.46	4.49	0.00	0.01	0.00	OCC	133.95	361.97
Sus. + W3{1}	2.46	5.05	0.00	0.00	0.00	OCC	133.96	361.97
Sus. + W4{1}	2.46	4.96	0.00	0.00	0.00	OCC	133.96	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	68.94	11.92	0.07	28.67	0.01	OCC	28.82	434.37

*** - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	2.35	4.46	0.01	0.06	0.00	SUST	133.95	361.97	
Amb to T1{1}	32.43	0.14	0.01	0.00	0.00	DISP	0.01	332.48	
Amb to T2{1}	0.76	1.58	0.00	0.00	0.00	DISP	0.01	332.48	
Amb to T3{1}	0.05	1.23	0.00	0.00	0.00	DISP	0.00	332.48	
Sus. + W1{1}	2.35	4.67	0.00	0.00	0.00	OCC	133.95	361.97	
Sus. + W2{1}	2.35	4.67	0.00	0.01	0.00	OCC	133.95	361.97	
Sus. + W3{1}	2.35	5.34	0.00	0.00	0.00	OCC	133.96	361.97	
Sus. + W4{1}	2.35	5.23	0.00	0.00	0.00	OCC	133.96	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	69.72	11.66	0.07	28.67	0.01	OCC	28.82	434.37	
*** + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	2.35	4.46	0.01	0.06	0.00	SUST	134.31	361.97	
Amb to T1{1}	32.43	0.14	0.01	0.00	0.00	DISP	0.01	332.12	
Amb to T2{1}	0.76	1.58	0.00	0.00	0.00	DISP	0.01	332.12	
Amb to T3{1}	0.05	1.23	0.00	0.00	0.00	DISP	0.00	332.12	
Sus. + W1{1}	2.35	4.67	0.00	0.01	0.00	OCC	134.31	361.97	
Sus. + W2{1}	2.35	4.67	0.00	0.01	0.00	OCC	134.31	361.97	
Sus. + W3{1}	2.35	5.34	0.00	0.00	0.00	OCC	134.32	361.97	
Sus. + W4{1}	2.35	5.23	0.00	0.00	0.00	OCC	134.32	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	69.72	11.66	0.07	28.34	0.01	OCC	28.48	434.37	
*** - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	2.11	4.59	0.01	0.06	0.00	SUST	134.31	361.97	
Amb to T1{1}	43.02	0.09	0.01	0.00	0.00	DISP	0.01	332.12	
Amb to T2{1}	0.90	1.72	0.00	0.00	0.00	DISP	0.01	332.12	
Amb to T3{1}	0.10	1.32	0.00	0.00	0.00	DISP	0.00	332.12	
Sus. + W1{1}	2.11	4.82	0.00	0.01	0.00	OCC	134.31	361.97	
Sus. + W2{1}	2.11	4.82	0.00	0.01	0.00	OCC	134.31	361.97	
Sus. + W3{1}	2.11	5.59	0.00	0.00	0.00	OCC	134.32	361.97	
Sus. + W4{1}	2.11	5.47	0.00	0.00	0.00	OCC	134.32	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	69.87	11.18	0.07	28.34	0.01	OCC	28.48	434.37	
*** + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	2.11	4.59	0.01	0.06	0.00	SUST	134.67	361.97	
Amb to T1{1}	43.02	0.09	0.01	0.00	0.00	DISP	0.01	331.76	
Amb to T2{1}	0.90	1.72	0.00	0.00	0.00	DISP	0.01	331.76	
Amb to T3{1}	0.10	1.32	0.00	0.00	0.00	DISP	0.00	331.76	
Sus. + W1{1}	2.11	4.82	0.00	0.01	0.00	OCC	134.68	361.97	
Sus. + W2{1}	2.11	4.82	0.00	0.01	0.00	OCC	134.68	361.97	
Sus. + W3{1}	2.11	5.59	0.00	0.00	0.00	OCC	134.68	361.97	
Sus. + W4{1}	2.11	5.47	0.00	0.00	0.00	OCC	134.68	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	69.87	11.18	0.07	28.00	0.01	OCC	28.15	434.37	
*** - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	1.73	4.69	0.01	0.06	0.00	SUST	134.67	361.97	
Amb to T1{1}	55.16	0.03	0.01	0.00	0.01	DISP	0.01	331.76	
Amb to T2{1}	1.04	1.86	0.00	0.00	0.00	DISP	0.01	331.76	
Amb to T3{1}	0.15	1.41	0.00	0.00	0.00	DISP	0.00	331.76	

Amb to T1{1}	55.16	0.03	0.01	0.00	0.01	DISP	0.01	331.40
Amb to T2{1}	1.04	1.86	0.00	0.00	0.00	DISP	0.01	331.40
Amb to T3{1}	0.15	1.41	0.00	0.00	0.00	DISP	0.00	331.40
Sus. + W1{1}	1.73	4.92	0.00	0.01	0.00	OCC	135.04	361.97
Sus. + W2{1}	1.73	4.92	0.00	0.01	0.00	OCC	135.04	361.97
Sus. + W3{1}	1.73	5.81	0.00	0.00	0.00	OCC	135.04	361.97
Sus. + W4{1}	1.73	5.68	0.00	0.00	0.00	OCC	135.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	69.30	10.45	0.07	27.67	0.01	OCC	27.82	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1.16	4.73	0.01	0.06	0.00	SUST	135.03	361.97
Amb to T1{1}	68.84	0.05	0.01	0.00	0.01	DISP	0.02	331.40
Amb to T2{1}	1.18	1.99	0.00	0.00	0.00	DISP	0.01	331.40
Amb to T3{1}	0.22	1.50	0.00	0.00	0.00	DISP	0.00	331.40
Sus. + W1{1}	1.17	4.97	0.00	0.01	0.00	OCC	135.04	361.97
Sus. + W2{1}	1.17	4.97	0.00	0.01	0.00	OCC	135.04	361.97
Sus. + W3{1}	1.16	5.99	0.00	0.00	0.00	OCC	135.04	361.97
Sus. + W4{1}	1.16	5.84	0.00	0.00	0.00	OCC	135.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	67.89	9.44	0.07	27.67	0.01	OCC	27.82	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1.16	4.73	0.01	0.06	0.00	SUST	135.39	361.97
Amb to T1{1}	68.84	0.05	0.01	0.00	0.01	DISP	0.02	331.04
Amb to T2{1}	1.18	1.99	0.00	0.00	0.00	DISP	0.01	331.04
Amb to T3{1}	0.22	1.50	0.00	0.00	0.00	DISP	0.00	331.04
Sus. + W1{1}	1.17	4.97	0.00	0.01	0.00	OCC	135.40	361.97
Sus. + W2{1}	1.17	4.97	0.00	0.01	0.00	OCC	135.40	361.97
Sus. + W3{1}	1.16	5.99	0.00	0.00	0.00	OCC	135.40	361.97
Sus. + W4{1}	1.16	5.84	0.00	0.00	0.00	OCC	135.40	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	67.89	9.44	0.07	27.34	0.01	OCC	27.48	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.39	4.71	0.01	0.06	0.00	SUST	135.39	361.97
Amb to T1{1}	84.01	0.13	0.01	0.00	0.01	DISP	0.02	331.04
Amb to T2{1}	1.33	2.12	0.00	0.00	0.00	DISP	0.01	331.04
Amb to T3{1}	0.30	1.57	0.00	0.00	0.00	DISP	0.00	331.04
Sus. + W1{1}	0.40	4.96	0.00	0.01	0.00	OCC	135.40	361.97
Sus. + W2{1}	0.40	4.96	0.00	0.01	0.00	OCC	135.40	361.97
Sus. + W3{1}	0.39	6.11	0.00	0.00	0.00	OCC	135.40	361.97
Sus. + W4{1}	0.39	5.95	0.00	0.00	0.00	OCC	135.40	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	65.55	8.11	0.07	27.34	0.01	OCC	27.48	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.39	4.71	0.01	0.06	0.00	SUST	135.75	361.97
Amb to T1{1}	84.01	0.13	0.01	0.00	0.01	DISP	0.02	330.68
Amb to T2{1}	1.33	2.12	0.00	0.00	0.00	DISP	0.01	330.68
Amb to T3{1}	0.30	1.57	0.00	0.00	0.00	DISP	0.00	330.68
Sus. + W1{1}	0.40	4.96	0.00	0.01	0.00	OCC	135.76	361.97
Sus. + W2{1}	0.40	4.96	0.00	0.01	0.00	OCC	135.76	361.97
Sus. + W3{1}	0.39	6.11	0.00	0.00	0.00	OCC	135.76	361.97
Sus. + W4{1}	0.39	5.95	0.00	0.00	0.00	OCC	135.76	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	65.55	8.11	0.07	27.00	0.01	OCC	27.15	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.63	4.62	0.01	0.06	0.00	SUST	135.75	361.97
Amb to T1{1}	100.55	0.23	0.01	0.00	0.01	DISP	0.02	330.68
Amb to T2{1}	1.46	2.24	0.00	0.00	0.00	DISP	0.01	330.68

Amb to T3{1}	0.39	1.64	0.00	0.00	0.00	DISP	0.00	330.68
Sus. + W1{1}	0.64	4.87	0.00	0.01	0.00	OCC	135.76	361.97
Sus. + W2{1}	0.64	4.87	0.00	0.01	0.00	OCC	135.76	361.97
Sus. + W3{1}	0.63	6.16	0.00	0.00	0.00	OCC	135.76	361.97
Sus. + W4{1}	0.63	5.99	0.00	0.00	0.00	OCC	135.76	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	62.15	6.42	0.07	27.00	0.01	OCC	27.15	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.63	4.62	0.01	0.06	0.00	SUST	136.11	361.97
Amb to T1{1}	100.55	0.23	0.01	0.00	0.01	DISP	0.02	330.32
Amb to T2{1}	1.46	2.24	0.00	0.00	0.00	DISP	0.01	330.32
Amb to T3{1}	0.39	1.64	0.00	0.00	0.00	DISP	0.00	330.32
Sus. + W1{1}	0.64	4.87	0.00	0.01	0.00	OCC	136.12	361.97
Sus. + W2{1}	0.64	4.87	0.00	0.01	0.00	OCC	136.12	361.97
Sus. + W3{1}	0.63	6.16	0.00	0.00	0.00	OCC	136.12	361.97
Sus. + W4{1}	0.63	5.99	0.00	0.00	0.00	OCC	136.12	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	62.15	6.42	0.07	26.67	0.01	OCC	26.81	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1.93	4.44	0.01	0.06	0.00	SUST	136.11	361.97
Amb to T1{1}	118.24	0.34	0.01	0.00	0.01	DISP	0.02	330.32
Amb to T2{1}	1.59	2.35	0.00	0.00	0.00	DISP	0.01	330.32
Amb to T3{1}	0.49	1.69	0.00	0.00	0.00	DISP	0.00	330.32
Sus. + W1{1}	1.94	4.70	0.00	0.01	0.00	OCC	136.12	361.97
Sus. + W2{1}	1.94	4.69	0.00	0.01	0.00	OCC	136.12	361.97
Sus. + W3{1}	1.93	6.14	0.00	0.00	0.00	OCC	136.12	361.97
Sus. + W4{1}	1.93	5.95	0.00	0.00	0.00	OCC	136.12	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	57.56	4.34	0.07	26.67	0.01	OCC	26.81	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1.93	4.44	0.01	0.06	0.00	SUST	136.48	361.97
Amb to T1{1}	118.24	0.34	0.01	0.00	0.01	DISP	0.02	329.95
Amb to T2{1}	1.59	2.35	0.00	0.00	0.00	DISP	0.01	329.95
Amb to T3{1}	0.49	1.69	0.00	0.00	0.00	DISP	0.00	329.95
Sus. + W1{1}	1.94	4.70	0.00	0.01	0.00	OCC	136.48	361.97
Sus. + W2{1}	1.94	4.69	0.00	0.01	0.00	OCC	136.48	361.97
Sus. + W3{1}	1.93	6.14	0.00	0.00	0.00	OCC	136.48	361.97
Sus. + W4{1}	1.93	5.95	0.00	0.00	0.00	OCC	136.48	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	57.56	4.34	0.07	26.33	0.01	OCC	26.48	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	3.54	4.17	0.01	0.06	0.00	SUST	136.48	361.97
Amb to T1{1}	136.77	0.47	0.01	0.00	0.01	DISP	0.02	329.95
Amb to T2{1}	1.69	2.45	0.00	0.00	0.00	DISP	0.01	329.95
Amb to T3{1}	0.60	1.73	0.00	0.00	0.00	DISP	0.00	329.95
Sus. + W1{1}	3.56	4.42	0.00	0.01	0.00	OCC	136.48	361.97
Sus. + W2{1}	3.56	4.42	0.00	0.01	0.00	OCC	136.48	361.97
Sus. + W3{1}	3.54	6.02	0.00	0.00	0.00	OCC	136.48	361.97
Sus. + W4{1}	3.54	5.82	0.00	0.00	0.00	OCC	136.48	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	51.65	1.81	0.07	26.33	0.01	OCC	26.48	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	3.54	4.17	0.01	0.06	0.00	SUST	136.84	361.97
Amb to T1{1}	136.77	0.47	0.01	0.00	0.01	DISP	0.02	329.59
Amb to T2{1}	1.69	2.45	0.00	0.00	0.00	DISP	0.01	329.59
Amb to T3{1}	0.60	1.73	0.00	0.00	0.00	DISP	0.00	329.59

Sus. + W1{1}	3.56	4.42	0.00	0.01	0.00	OCC	136.84	361.97
Sus. + W2{1}	3.56	4.42	0.00	0.01	0.00	OCC	136.84	361.97
Sus. + W3{1}	3.54	6.02	0.00	0.00	0.00	OCC	136.85	361.97
Sus. + W4{1}	3.54	5.82	0.00	0.00	0.00	OCC	136.84	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	51.65	1.81	0.07	26.00	0.01	OCC	26.15	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	5.50	3.79	0.01	0.06	0.00	SUST	136.84	361.97
Amb to T1{1}	155.68	0.61	0.01	0.00	0.02	DISP	0.02	329.59
Amb to T2{1}	1.76	2.52	0.00	0.00	0.00	DISP	0.01	329.59
Amb to T3{1}	0.73	1.76	0.00	0.00	0.00	DISP	0.00	329.59
Sus. + W1{1}	5.53	4.03	0.00	0.01	0.00	OCC	136.84	361.97
Sus. + W2{1}	5.53	4.03	0.00	0.01	0.00	OCC	136.84	361.97
Sus. + W3{1}	5.50	5.78	0.00	0.00	0.00	OCC	136.85	361.97
Sus. + W4{1}	5.50	5.58	0.00	0.00	0.00	OCC	136.84	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	44.28	1.19	0.07	26.00	0.00	OCC	26.15	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	5.50	3.79	0.01	0.07	0.00	SUST	137.20	361.97
Amb to T1{1}	155.68	0.61	0.01	0.00	0.02	DISP	0.02	329.23
Amb to T2{1}	1.76	2.52	0.00	0.00	0.00	DISP	0.01	329.23
Amb to T3{1}	0.73	1.76	0.00	0.00	0.00	DISP	0.00	329.23
Sus. + W1{1}	5.53	4.03	0.00	0.01	0.00	OCC	137.21	361.97
Sus. + W2{1}	5.53	4.03	0.00	0.01	0.00	OCC	137.21	361.97
Sus. + W3{1}	5.50	5.78	0.00	0.00	0.00	OCC	137.21	361.97
Sus. + W4{1}	5.50	5.58	0.00	0.00	0.00	OCC	137.21	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	44.28	1.19	0.07	25.67	0.00	OCC	25.81	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	7.84	3.29	0.01	0.07	0.00	SUST	137.20	361.97
Amb to T1{1}	174.38	0.78	0.01	0.00	0.02	DISP	0.02	329.23
Amb to T2{1}	1.78	2.58	0.00	0.00	0.00	DISP	0.01	329.23
Amb to T3{1}	0.86	1.76	0.00	0.00	0.00	DISP	0.00	329.23
Sus. + W1{1}	7.87	3.52	0.00	0.01	0.00	OCC	137.21	361.97
Sus. + W2{1}	7.87	3.52	0.00	0.01	0.00	OCC	137.21	361.97
Sus. + W3{1}	7.84	5.43	0.00	0.00	0.00	OCC	137.21	361.97
Sus. + W4{1}	7.84	5.21	0.00	0.00	0.00	OCC	137.21	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	35.28	4.71	0.07	25.67	0.00	OCC	25.81	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	7.84	3.29	0.01	0.07	0.00	SUST	137.56	361.97
Amb to T1{1}	174.38	0.78	0.01	0.00	0.02	DISP	0.02	328.87
Amb to T2{1}	1.78	2.58	0.00	0.00	0.00	DISP	0.01	328.87
Amb to T3{1}	0.86	1.76	0.00	0.00	0.00	DISP	0.00	328.87
Sus. + W1{1}	7.87	3.52	0.00	0.01	0.00	OCC	137.57	361.97
Sus. + W2{1}	7.87	3.52	0.00	0.01	0.00	OCC	137.57	361.97
Sus. + W3{1}	7.84	5.43	0.00	0.00	0.00	OCC	137.57	361.97
Sus. + W4{1}	7.84	5.21	0.00	0.00	0.00	OCC	137.57	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	35.28	4.71	0.07	25.34	0.00	OCC	25.48	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	10.58	2.65	0.01	0.07	0.00	SUST	137.56	361.97
Amb to T1{1}	192.11	0.96	0.01	0.00	0.02	DISP	0.02	328.87
Amb to T2{1}	1.74	2.60	0.00	0.00	0.00	DISP	0.01	328.87
Amb to T3{1}	1.01	1.73	0.00	0.00	0.00	DISP	0.00	328.87
Sus. + W1{1}	10.62	2.86	0.00	0.01	0.00	OCC	137.57	361.97
Sus. + W2{1}	10.62	2.86	0.00	0.01	0.00	OCC	137.57	361.97

Sus. + W3{1}	10.58	4.93	0.00	0.00	0.00	OCC	137.57	361.97
Sus. + W4{1}	10.58	4.70	0.00	0.00	0.00	OCC	137.57	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	24.52	8.79	0.07	25.34	0.00	OCC	25.48	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	10.58	2.65	0.01	0.07	0.00	SUST	137.92	361.97
Amb to T1{1}	192.11	0.96	0.01	0.00	0.02	DISP	0.02	328.51
Amb to T2{1}	1.74	2.60	0.00	0.00	0.00	DISP	0.01	328.51
Amb to T3{1}	1.01	1.73	0.00	0.00	0.00	DISP	0.00	328.51
Sus. + W1{1}	10.62	2.86	0.00	0.01	0.00	OCC	137.93	361.97
Sus. + W2{1}	10.62	2.86	0.00	0.01	0.00	OCC	137.93	361.97
Sus. + W3{1}	10.58	4.93	0.00	0.00	0.00	OCC	137.93	361.97
Sus. + W4{1}	10.58	4.70	0.00	0.00	0.00	OCC	137.93	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	24.52	8.79	0.07	25.00	0.00	OCC	25.15	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	13.73	1.85	0.01	0.07	0.00	SUST	137.92	361.97
Amb to T1{1}	207.92	1.15	0.01	0.00	0.02	DISP	0.03	328.51
Amb to T2{1}	1.62	2.60	0.00	0.00	0.00	DISP	0.01	328.51
Amb to T3{1}	1.16	1.68	0.00	0.00	0.00	DISP	0.00	328.51
Sus. + W1{1}	13.78	2.04	0.00	0.01	0.00	OCC	137.93	361.97
Sus. + W2{1}	13.78	2.04	0.00	0.01	0.00	OCC	137.93	361.97
Sus. + W3{1}	13.74	4.27	0.00	0.00	0.00	OCC	137.93	361.97
Sus. + W4{1}	13.74	4.03	0.00	0.00	0.00	OCC	137.93	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	11.81	13.48	0.07	25.00	0.00	OCC	25.15	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	13.73	1.85	0.01	0.07	0.00	SUST	138.29	361.97
Amb to T1{1}	207.92	1.15	0.01	0.00	0.02	DISP	0.03	328.14
Amb to T2{1}	1.62	2.60	0.00	0.00	0.00	DISP	0.01	328.14
Amb to T3{1}	1.16	1.68	0.00	0.00	0.00	DISP	0.00	328.14
Sus. + W1{1}	13.78	2.04	0.00	0.01	0.00	OCC	138.29	361.97
Sus. + W2{1}	13.78	2.04	0.00	0.01	0.00	OCC	138.29	361.97
Sus. + W3{1}	13.74	4.27	0.00	0.00	0.00	OCC	138.29	361.97
Sus. + W4{1}	13.74	4.03	0.00	0.00	0.00	OCC	138.29	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	11.81	13.48	0.07	24.67	0.00	OCC	24.82	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	17.31	0.89	0.01	0.07	0.00	SUST	138.29	361.97
Amb to T1{1}	220.64	1.37	0.01	0.00	0.02	DISP	0.03	328.14
Amb to T2{1}	1.41	2.55	0.00	0.00	0.00	DISP	0.01	328.14
Amb to T3{1}	1.30	1.59	0.00	0.00	0.00	DISP	0.00	328.14
Sus. + W1{1}	17.37	1.04	0.00	0.01	0.00	OCC	138.29	361.97
Sus. + W2{1}	17.37	1.04	0.00	0.01	0.00	OCC	138.29	361.97
Sus. + W3{1}	17.32	3.43	0.00	0.00	0.00	OCC	138.29	361.97
Sus. + W4{1}	17.32	3.18	0.00	0.00	0.00	OCC	138.29	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	3.01	18.81	0.07	24.67	0.00	OCC	24.82	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	17.31	0.89	0.01	0.07	0.00	SUST	138.65	361.97
Amb to T1{1}	220.64	1.37	0.01	0.00	0.02	DISP	0.03	327.78
Amb to T2{1}	1.41	2.55	0.00	0.00	0.00	DISP	0.01	327.78
Amb to T3{1}	1.30	1.59	0.00	0.00	0.00	DISP	0.00	327.78
Sus. + W1{1}	17.37	1.04	0.00	0.01	0.00	OCC	138.66	361.97
Sus. + W2{1}	17.37	1.04	0.00	0.01	0.00	OCC	138.66	361.97
Sus. + W3{1}	17.32	3.43	0.00	0.00	0.00	OCC	138.66	361.97

Sus. + W4{1}	17.32	3.18	0.00	0.00	0.00	OCC	138.66	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	3.01	18.81	0.07	24.34	0.00	OCC	24.48	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	21.31	0.27	0.01	0.07	0.00	SUST	138.65	361.97
Amb to T1{1}	228.88	1.60	0.01	0.00	0.02	DISP	0.03	327.78
Amb to T2{1}	1.09	2.46	0.00	0.00	0.00	DISP	0.01	327.78
Amb to T3{1}	1.45	1.46	0.00	0.00	0.00	DISP	0.00	327.78
Sus. + W1{1}	21.38	0.38	0.00	0.01	0.00	OCC	138.66	361.97
Sus. + W2{1}	21.38	0.38	0.00	0.01	0.00	OCC	138.66	361.97
Sus. + W3{1}	21.32	2.91	0.00	0.00	0.00	OCC	138.66	361.97
Sus. + W4{1}	21.32	2.67	0.00	0.00	0.00	OCC	138.66	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	20.13	24.82	0.07	24.34	0.00	OCC	24.48	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	21.31	0.27	0.01	0.07	0.00	SUST	139.01	361.97
Amb to T1{1}	228.88	1.60	0.01	0.00	0.02	DISP	0.03	327.42
Amb to T2{1}	1.09	2.46	0.00	0.00	0.00	DISP	0.01	327.42
Amb to T3{1}	1.45	1.46	0.00	0.00	0.00	DISP	0.00	327.42
Sus. + W1{1}	21.38	0.38	0.00	0.01	0.00	OCC	139.02	361.97
Sus. + W2{1}	21.38	0.38	0.00	0.01	0.00	OCC	139.02	361.97
Sus. + W3{1}	21.32	2.91	0.00	0.00	0.00	OCC	139.02	361.97
Sus. + W4{1}	21.32	2.67	0.00	0.00	0.00	OCC	139.02	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	20.13	24.82	0.07	24.01	0.00	OCC	24.15	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	25.70	1.62	0.01	0.07	0.00	SUST	139.01	361.97
Amb to T1{1}	230.99	1.85	0.01	0.00	0.02	DISP	0.03	327.42
Amb to T2{1}	0.62	2.32	0.00	0.00	0.00	DISP	0.01	327.42
Amb to T3{1}	1.58	1.29	0.00	0.00	0.00	DISP	0.00	327.42
Sus. + W1{1}	25.78	1.69	0.00	0.01	0.00	OCC	139.02	361.97
Sus. + W2{1}	25.78	1.69	0.00	0.01	0.00	OCC	139.02	361.97
Sus. + W3{1}	25.71	4.36	0.00	0.00	0.00	OCC	139.02	361.97
Sus. + W4{1}	25.71	4.11	0.00	0.00	0.00	OCC	139.02	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	39.71	31.54	0.07	24.01	0.01	OCC	24.15	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	25.70	1.62	0.01	0.07	0.00	SUST	139.38	361.97
Amb to T1{1}	230.99	1.85	0.01	0.00	0.02	DISP	0.03	327.05
Amb to T2{1}	0.62	2.32	0.00	0.00	0.00	DISP	0.01	327.05
Amb to T3{1}	1.58	1.29	0.00	0.00	0.00	DISP	0.00	327.05
Sus. + W1{1}	25.78	1.69	0.00	0.01	0.00	OCC	139.38	361.97
Sus. + W2{1}	25.78	1.69	0.00	0.01	0.00	OCC	139.38	361.97
Sus. + W3{1}	25.71	4.36	0.00	0.00	0.00	OCC	139.38	361.97
Sus. + W4{1}	25.71	4.11	0.00	0.00	0.00	OCC	139.38	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	39.71	31.54	0.07	23.67	0.01	OCC	23.82	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	30.44	3.19	0.01	0.07	0.00	SUST	139.38	361.97
Amb to T1{1}	225.08	2.13	0.01	0.00	0.02	DISP	0.03	327.05
Amb to T2{1}	0.00	2.11	0.00	0.00	0.00	DISP	0.01	327.05
Amb to T3{1}	1.70	1.07	0.00	0.00	0.00	DISP	0.00	327.05
Sus. + W1{1}	30.52	3.20	0.00	0.01	0.00	OCC	139.38	361.97
Sus. + W2{1}	30.52	3.20	0.00	0.01	0.00	OCC	139.38	361.97
Sus. + W3{1}	30.45	6.00	0.00	0.00	0.00	OCC	139.38	361.97
Sus. + W4{1}	30.45	5.75	0.00	0.00	0.00	OCC	139.38	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	61.94	39.02	0.07	23.67	0.01	OCC	23.82	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	30.44	3.19	0.01	0.07	0.00	SUST	139.74	361.97
Amb to T1{1}	225.08	2.13	0.01	0.00	0.02	DISP	0.03	326.69
Amb to T2{1}	0.00	2.11	0.00	0.00	0.00	DISP	0.01	326.69
Amb to T3{1}	1.70	1.07	0.00	0.00	0.00	DISP	0.00	326.69
Sus. + W1{1}	30.52	3.20	0.00	0.01	0.00	OCC	139.75	361.97
Sus. + W2{1}	30.52	3.20	0.00	0.01	0.00	OCC	139.75	361.97
Sus. + W3{1}	30.45	6.00	0.00	0.00	0.00	OCC	139.75	361.97
Sus. + W4{1}	30.45	5.75	0.00	0.00	0.00	OCC	139.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	61.94	39.02	0.07	23.34	0.01	OCC	23.49	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	35.44	5.00	0.01	0.07	0.00	SUST	139.74	361.97
Amb to T1{1}	208.97	2.41	0.01	0.00	0.02	DISP	0.03	326.69
Amb to T2{1}	0.81	1.84	0.00	0.00	0.00	DISP	0.01	326.69
Amb to T3{1}	1.78	0.79	0.00	0.00	0.00	DISP	0.00	326.69
Sus. + W1{1}	35.53	5.06	0.00	0.01	0.00	OCC	139.75	361.97
Sus. + W2{1}	35.53	5.06	0.00	0.01	0.00	OCC	139.75	361.97
Sus. + W3{1}	35.45	7.84	0.00	0.00	0.00	OCC	139.75	361.97
Sus. + W4{1}	35.45	7.60	0.00	0.00	0.00	OCC	139.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	87.00	47.26	0.07	23.34	0.01	OCC	23.49	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	35.44	5.00	0.01	0.07	0.00	SUST	140.10	361.97
Amb to T1{1}	208.97	2.41	0.01	0.00	0.02	DISP	0.03	326.33
Amb to T2{1}	0.81	1.84	0.00	0.00	0.00	DISP	0.01	326.33
Amb to T3{1}	1.78	0.79	0.00	0.00	0.00	DISP	0.00	326.33
Sus. + W1{1}	35.53	5.06	0.00	0.01	0.00	OCC	140.11	361.97
Sus. + W2{1}	35.53	5.06	0.00	0.01	0.00	OCC	140.11	361.97
Sus. + W3{1}	35.45	7.84	0.00	0.00	0.00	OCC	140.11	361.97
Sus. + W4{1}	35.45	7.60	0.00	0.00	0.00	OCC	140.11	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	87.00	47.26	0.07	23.01	0.01	OCC	23.16	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	40.60	7.06	0.01	0.07	0.00	SUST	140.10	361.97
Amb to T1{1}	180.23	2.72	0.01	0.00	0.02	DISP	0.02	326.33
Amb to T2{1}	1.83	1.50	0.00	0.00	0.00	DISP	0.01	326.33
Amb to T3{1}	1.82	0.45	0.00	0.00	0.00	DISP	0.00	326.33
Sus. + W1{1}	40.69	7.20	0.00	0.01	0.00	OCC	140.11	361.97
Sus. + W2{1}	40.69	7.20	0.00	0.01	0.00	OCC	140.11	361.97
Sus. + W3{1}	40.61	9.90	0.00	0.00	0.00	OCC	140.11	361.97
Sus. + W4{1}	40.61	9.68	0.00	0.00	0.00	OCC	140.11	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	115.07	56.30	0.07	23.01	0.01	OCC	23.16	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	40.60	7.06	0.01	0.07	0.00	SUST	140.47	361.97
Amb to T1{1}	180.23	2.72	0.01	0.00	0.02	DISP	0.02	325.96
Amb to T2{1}	1.83	1.50	0.00	0.00	0.00	DISP	0.01	325.96
Amb to T3{1}	1.82	0.45	0.00	0.00	0.00	DISP	0.00	325.96
Sus. + W1{1}	40.69	7.20	0.00	0.01	0.00	OCC	140.47	361.97
Sus. + W2{1}	40.69	7.20	0.00	0.01	0.00	OCC	140.47	361.97
Sus. + W3{1}	40.61	9.90	0.00	0.00	0.00	OCC	140.48	361.97
Sus. + W4{1}	40.61	9.68	0.00	0.00	0.00	OCC	140.48	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	115.07	56.30	0.07	22.68	0.01	OCC	22.83	434.37

+***	- SIFI= 1.00	SIFO= 1.00									
UNREST	GR + Max P{1}		45.77	9.39	0.01	0.07	0.01	SUST	140.47	361.97	
	Amb to T1{1}		136.20	3.04	0.01	0.00	0.01	DISP	0.02	325.96	
	Amb to T2{1}		3.09	1.07	0.00	0.00	0.00	DISP	0.01	325.96	
	Amb to T3{1}		1.81	0.05	0.00	0.00	0.00	DISP	0.00	325.96	
	Sus. + W1{1}		45.87	9.62	0.00	0.01	0.00	OCC	140.47	361.97	
	Sus. + W2{1}		45.87	9.62	0.00	0.01	0.00	OCC	140.47	361.97	
	Sus. + W3{1}		45.79	12.19	0.00	0.00	0.00	OCC	140.48	361.97	
	Sus. + W4{1}		45.79	11.98	0.00	0.00	0.00	OCC	140.48	361.97	
	Max P{1}							HOOP	211.04	289.58	
	Hydrotest-NL{2}		146.32	66.13	0.07	22.68	0.02	OCC	22.83	434.37	
+***	+ SIFI= 1.00	SIFO= 1.00									
UNREST	GR + Max P{1}		45.77	9.39	0.01	0.08	0.01	SUST	140.83	361.97	
	Amb to T1{1}		136.20	3.04	0.01	0.00	0.01	DISP	0.02	325.60	
	Amb to T2{1}		3.09	1.07	0.00	0.00	0.00	DISP	0.01	325.60	
	Amb to T3{1}		1.81	0.05	0.00	0.00	0.00	DISP	0.00	325.60	
	Sus. + W1{1}		45.87	9.62	0.00	0.01	0.00	OCC	140.84	361.97	
	Sus. + W2{1}		45.87	9.62	0.00	0.01	0.00	OCC	140.84	361.97	
	Sus. + W3{1}		45.79	12.19	0.00	0.00	0.00	OCC	140.84	361.97	
	Sus. + W4{1}		45.79	11.98	0.00	0.00	0.00	OCC	140.84	361.97	
	Max P{1}							HOOP	211.04	289.58	
	Hydrotest-NL{2}		146.32	66.13	0.07	22.35	0.02	OCC	22.50	434.37	
+***	- SIFI= 1.00	SIFO= 1.00									
UNREST	GR + Max P{1}		50.77	11.99	0.01	0.08	0.01	SUST	140.83	361.97	
	Amb to T1{1}		73.96	3.37	0.01	0.00	0.01	DISP	0.02	325.60	
	Amb to T2{1}		4.60	0.55	0.00	0.00	0.00	DISP	0.01	325.60	
	Amb to T3{1}		1.73	0.43	0.00	0.00	0.00	DISP	0.00	325.60	
	Sus. + W1{1}		50.87	12.33	0.00	0.01	0.00	OCC	140.84	361.97	
	Sus. + W2{1}		50.87	12.33	0.00	0.01	0.00	OCC	140.84	361.97	
	Sus. + W3{1}		50.79	14.70	0.00	0.00	0.00	OCC	140.84	361.97	
	Sus. + W4{1}		50.79	14.52	0.00	0.00	0.00	OCC	140.84	361.97	
	Max P{1}							HOOP	211.04	289.58	
	Hydrotest-NL{2}		180.90	76.76	0.07	22.35	0.02	OCC	22.50	434.37	
+***	+ SIFI= 1.00	SIFO= 1.00									
UNREST	GR + Max P{1}		50.77	11.99	0.01	0.08	0.01	SUST	141.20	361.97	
	Amb to T1{1}		73.96	3.37	0.01	0.00	0.01	DISP	0.02	325.23	
	Amb to T2{1}		4.60	0.55	0.00	0.00	0.00	DISP	0.01	325.23	
	Amb to T3{1}		1.73	0.43	0.00	0.00	0.00	DISP	0.00	325.23	
	Sus. + W1{1}		50.87	12.33	0.00	0.01	0.00	OCC	141.20	361.97	
	Sus. + W2{1}		50.87	12.33	0.00	0.01	0.00	OCC	141.20	361.97	
	Sus. + W3{1}		50.79	14.70	0.00	0.00	0.00	OCC	141.20	361.97	
	Sus. + W4{1}		50.79	14.52	0.00	0.00	0.00	OCC	141.20	361.97	
	Max P{1}										

Amb to T1{1}	9.57	3.72	0.01	0.00	0.00	DISP	0.01	324.87
Amb to T2{1}	6.39	0.07	0.00	0.00	0.00	DISP	0.01	324.87
Amb to T3{1}	1.55	0.99	0.00	0.00	0.00	DISP	0.00	324.87
Sus. + W1{1}	55.46	15.35	0.00	0.01	0.00	OCC	141.57	361.97
Sus. + W2{1}	55.46	15.34	0.00	0.01	0.00	OCC	141.57	361.97
Sus. + W3{1}	55.38	17.46	0.00	0.00	0.00	OCC	141.57	361.97
Sus. + W4{1}	55.38	17.31	0.00	0.00	0.00	OCC	141.57	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	218.98	88.18	0.07	21.69	0.03	OCC	21.84	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	59.23	18.09	0.01	0.08	0.01	SUST	141.56	361.97
Amb to T1{1}	117.59	4.07	0.01	0.00	0.01	DISP	0.02	324.87
Amb to T2{1}	8.48	0.81	0.00	0.00	0.00	DISP	0.01	324.87
Amb to T3{1}	1.27	1.63	0.00	0.00	0.00	DISP	0.00	324.87
Sus. + W1{1}	59.33	18.68	0.00	0.01	0.00	OCC	141.57	361.97
Sus. + W2{1}	59.33	18.68	0.00	0.01	0.00	OCC	141.57	361.97
Sus. + W3{1}	59.25	20.45	0.00	0.00	0.00	OCC	141.57	361.97
Sus. + W4{1}	59.25	20.34	0.00	0.00	0.00	OCC	141.57	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	260.67	100.36	0.07	21.69	0.03	OCC	21.84	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	59.23	18.09	0.01	0.08	0.01	SUST	141.93	361.97
Amb to T1{1}	117.59	4.07	0.01	0.00	0.01	DISP	0.02	324.50
Amb to T2{1}	8.48	0.81	0.00	0.00	0.00	DISP	0.01	324.50
Amb to T3{1}	1.27	1.63	0.00	0.00	0.00	DISP	0.00	324.50
Sus. + W1{1}	59.33	18.68	0.00	0.01	0.00	OCC	141.93	361.97
Sus. + W2{1}	59.33	18.68	0.00	0.01	0.00	OCC	141.93	361.97
Sus. + W3{1}	59.25	20.45	0.00	0.00	0.00	OCC	141.94	361.97
Sus. + W4{1}	59.25	20.34	0.00	0.00	0.00	OCC	141.93	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	260.67	100.36	0.07	21.36	0.03	OCC	21.51	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	62.03	21.60	0.01	0.08	0.01	SUST	141.93	361.97
Amb to T1{1}	253.33	4.43	0.01	0.00	0.03	DISP	0.03	324.50
Amb to T2{1}	10.87	1.66	0.00	0.00	0.00	DISP	0.01	324.50
Amb to T3{1}	0.85	2.37	0.00	0.00	0.00	DISP	0.00	324.50
Sus. + W1{1}	62.12	22.34	0.00	0.01	0.00	OCC	141.93	361.97
Sus. + W2{1}	62.12	22.34	0.00	0.01	0.00	OCC	141.93	361.97
Sus. + W3{1}	62.06	23.69	0.00	0.00	0.00	OCC	141.94	361.97
Sus. + W4{1}	62.06	23.62	0.00	0.00	0.00	OCC	141.93	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	306.06	113.26	0.07	21.36	0.04	OCC	21.51	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	62.03	21.60	0.01	0.08	0.01	SUST	142.29	361.97
Amb to T1{1}	253.33	4.43	0.01	0.00	0.03	DISP	0.03	324.14
Amb to T2{1}	10.87	1.66	0.00	0.00	0.00	DISP	0.01	324.14
Amb to T3{1}	0.85	2.37	0.00	0.00	0.00	DISP	0.00	324.14
Sus. + W1{1}	62.12	22.34	0.00	0.01	0.00	OCC	142.30	361.97
Sus. + W2{1}	62.12	22.34	0.00	0.01	0.00	OCC	142.30	361.97
Sus. + W3{1}	62.06	23.69	0.00	0.00	0.00	OCC	142.30	361.97
Sus. + W4{1}	62.06	23.62	0.00	0.00	0.00	OCC	142.30	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	306.06	113.26	0.07	21.03	0.04	OCC	21.18	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	63.35	25.42	0.01	0.08	0.01	SUST	142.29	361.97
Amb to T1{1}	419.99	4.78	0.01	0.00	0.05	DISP	0.05	324.14
Amb to T2{1}	13.56	2.64	0.00	0.00	0.00	DISP	0.01	324.14

Amb to T3{1}	0.28	3.20	0.00	0.00	0.00	DISP	0.00	324.14
Sus. + W1{1}	63.43	26.33	0.00	0.01	0.00	OCC	142.30	361.97
Sus. + W2{1}	63.43	26.33	0.00	0.01	0.00	OCC	142.30	361.97
Sus. + W3{1}	63.37	27.15	0.00	0.00	0.00	OCC	142.30	361.97
Sus. + W4{1}	63.37	27.14	0.00	0.00	0.00	OCC	142.30	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	355.25	126.82	0.07	21.03	0.04	OCC	21.18	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	63.35	25.42	0.01	0.08	0.01	SUST	142.66	361.97
Amb to T1{1}	419.99	4.78	0.01	0.00	0.05	DISP	0.05	323.77
Amb to T2{1}	13.56	2.64	0.00	0.00	0.00	DISP	0.01	323.77
Amb to T3{1}	0.28	3.20	0.00	0.00	0.00	DISP	0.00	323.77
Sus. + W1{1}	63.43	26.33	0.00	0.01	0.00	OCC	142.67	361.97
Sus. + W2{1}	63.43	26.33	0.00	0.01	0.00	OCC	142.67	361.97
Sus. + W3{1}	63.37	27.15	0.00	0.00	0.00	OCC	142.67	361.97
Sus. + W4{1}	63.37	27.14	0.00	0.00	0.00	OCC	142.67	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	355.25	126.82	0.07	20.70	0.04	OCC	20.85	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	62.69	29.57	0.01	0.08	0.01	SUST	142.66	361.97
Amb to T1{1}	620.49	5.13	0.01	0.00	0.07	DISP	0.07	323.77
Amb to T2{1}	16.55	3.76	0.00	0.00	0.00	DISP	0.01	323.77
Amb to T3{1}	0.48	4.14	0.00	0.00	0.00	DISP	0.00	323.77
Sus. + W1{1}	62.74	30.65	0.00	0.01	0.00	OCC	142.67	361.97
Sus. + W2{1}	62.74	30.65	0.00	0.01	0.00	OCC	142.67	361.97
Sus. + W3{1}	62.71	30.85	0.00	0.00	0.00	OCC	142.67	361.97
Sus. + W4{1}	62.71	30.90	0.00	0.00	0.00	OCC	142.67	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	408.26	140.97	0.07	20.70	0.05	OCC	20.85	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	62.69	29.57	0.01	0.08	0.01	SUST	143.02	361.97
Amb to T1{1}	620.49	5.13	0.01	0.00	0.07	DISP	0.07	323.41
Amb to T2{1}	16.55	3.76	0.00	0.00	0.00	DISP	0.01	323.41
Amb to T3{1}	0.48	4.14	0.00	0.00	0.00	DISP	0.00	323.41
Sus. + W1{1}	62.74	30.65	0.00	0.01	0.00	OCC	143.03	361.97
Sus. + W2{1}	62.74	30.65	0.00	0.01	0.00	OCC	143.03	361.97
Sus. + W3{1}	62.71	30.85	0.00	0.00	0.00	OCC	143.03	361.97
Sus. + W4{1}	62.71	30.90	0.00	0.00	0.00	OCC	143.03	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	408.26	140.97	0.07	20.37	0.05	OCC	20.52	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	59.47	34.02	0.01	0.08	0.01	SUST	143.02	361.97
Amb to T1{1}	857.40	5.47	0.01	0.00	0.09	DISP	0.09	323.41
Amb to T2{1}	19.80	5.02	0.00	0.00	0.00	DISP	0.01	323.41
Amb to T3{1}	1.44	5.18	0.00	0.00	0.00	DISP	0.00	323.41
Sus. + W1{1}	59.49	35.30	0.00	0.01	0.00	OCC	143.03	361.97
Sus. + W2{1}	59.49	35.30	0.00	0.01	0.00	OCC	143.03	361.97
Sus. + W3{1}	59.49	34.75	0.00	0.00	0.00	OCC	143.03	361.97
Sus. + W4{1}	59.49	34.88	0.00	0.00	0.00	OCC	143.03	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	465.06	155.59	0.07	20.37	0.05	OCC	20.53	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	59.47	34.02	0.01	0.08	0.01	SUST	143.39	361.97
Amb to T1{1}	857.40	5.47	0.01	0.00	0.09	DISP	0.09	323.04
Amb to T2{1}	19.80	5.02	0.00	0.00	0.00	DISP	0.01	323.04
Amb to T3{1}	1.44	5.18	0.00	0.00	0.00	DISP	0.00	323.04

Sus. + W1{1}	59.49	35.30	0.00	0.01	0.00	OCC	143.40	361.97
Sus. + W2{1}	59.49	35.30	0.00	0.01	0.00	OCC	143.40	361.97
Sus. + W3{1}	59.49	34.75	0.00	0.00	0.00	OCC	143.40	361.97
Sus. + W4{1}	59.49	34.88	0.00	0.00	0.00	OCC	143.40	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	465.06	155.59	0.07	20.04	0.05	OCC	20.20	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	53.08	38.77	0.01	0.08	0.01	SUST	143.39	361.97
Amb to T1{1}	1132.64	5.78	0.01	0.00	0.12	DISP	0.12	323.04
Amb to T2{1}	23.28	6.44	0.00	0.00	0.00	DISP	0.01	323.04
Amb to T3{1}	2.63	6.33	0.00	0.00	0.00	DISP	0.00	323.04
Sus. + W1{1}	53.10	40.27	0.00	0.01	0.00	OCC	143.40	361.97
Sus. + W2{1}	53.10	40.26	0.00	0.01	0.00	OCC	143.40	361.97
Sus. + W3{1}	53.09	38.85	0.00	0.00	0.00	OCC	143.40	361.97
Sus. + W4{1}	53.09	39.07	0.00	0.00	0.00	OCC	143.40	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	525.59	170.57	0.07	20.04	0.06	OCC	20.20	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	53.08	38.77	0.01	0.08	0.01	SUST	143.76	361.97
Amb to T1{1}	1132.64	5.78	0.01	0.00	0.12	DISP	0.12	322.67
Amb to T2{1}	23.28	6.44	0.00	0.00	0.00	DISP	0.01	322.67
Amb to T3{1}	2.63	6.33	0.00	0.00	0.00	DISP	0.00	322.67
Sus. + W1{1}	53.10	40.27	0.00	0.01	0.00	OCC	143.76	361.97
Sus. + W2{1}	53.10	40.26	0.00	0.01	0.00	OCC	143.76	361.97
Sus. + W3{1}	53.09	38.85	0.00	0.00	0.00	OCC	143.76	361.97
Sus. + W4{1}	53.09	39.07	0.00	0.00	0.00	OCC	143.76	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	525.59	170.57	0.07	19.71	0.06	OCC	19.87	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	42.79	43.81	0.01	0.08	0.01	SUST	143.76	361.97
Amb to T1{1}	1447.36	6.07	0.01	0.00	0.16	DISP	0.16	322.67
Amb to T2{1}	26.92	8.02	0.00	0.00	0.00	DISP	0.01	322.67
Amb to T3{1}	4.08	7.60	0.00	0.00	0.00	DISP	0.00	322.67
Sus. + W1{1}	42.87	45.55	0.00	0.01	0.00	OCC	143.76	361.97
Sus. + W2{1}	42.87	45.53	0.00	0.01	0.00	OCC	143.76	361.97
Sus. + W3{1}	42.80	44.50	0.00	0.00	0.00	OCC	143.76	361.97
Sus. + W4{1}	42.80	44.18	0.00	0.00	0.00	OCC	143.76	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	589.72	185.75	0.07	19.71	0.07	OCC	19.87	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	42.79	43.81	0.01	0.09	0.01	SUST	144.12	361.97
Amb to T1{1}	1447.36	6.07	0.01	0.00	0.16	DISP	0.16	322.31
Amb to T2{1}	26.92	8.02	0.00	0.00	0.00	DISP	0.01	322.31
Amb to T3{1}	4.08	7.60	0.00	0.00	0.00	DISP	0.00	322.31
Sus. + W1{1}	42.87	45.55	0.00	0.01	0.00	OCC	144.13	361.97
Sus. + W2{1}	42.87	45.53	0.00	0.01	0.00	OCC	144.13	361.97
Sus. + W3{1}	42.80	44.50	0.00	0.00	0.00	OCC	144.13	361.97
Sus. + W4{1}	42.80	44.18	0.00	0.00	0.00	OCC	144.13	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	589.72	185.75	0.07	19.38	0.07	OCC	19.55	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	27.84	49.11	0.01	0.09	0.01	SUST	144.12	361.97
Amb to T1{1}	1801.47	6.32	0.01	0.00	0.19	DISP	0.19	322.31
Amb to T2{1}	30.64	9.77	0.00	0.00	0.00	DISP	0.01	322.31
Amb to T3{1}	5.80	8.99	0.00	0.00	0.00	DISP	0.00	322.31
Sus. + W1{1}	27.98	51.10	0.00	0.01	0.00	OCC	144.13	361.97
Sus. + W2{1}	27.98	51.09	0.00	0.01	0.00	OCC	144.13	361.97

Sus. + W3{1}	27.84	50.71	0.00	0.00	0.00	OCC	144.13	361.97
Sus. + W4{1}	27.84	50.27	0.00	0.00	0.00	OCC	144.13	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	657.23	200.94	0.07	19.38	0.07	OCC	19.55	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	27.84	49.11	0.01	0.09	0.01	SUST	144.49	361.97
Amb to T1{1}	1801.47	6.32	0.01	0.00	0.19	DISP	0.19	321.94
Amb to T2{1}	30.64	9.77	0.00	0.00	0.00	DISP	0.01	321.94
Amb to T3{1}	5.80	8.99	0.00	0.00	0.00	DISP	0.00	321.94
Sus. + W1{1}	27.98	51.10	0.00	0.01	0.00	OCC	144.50	361.97
Sus. + W2{1}	27.98	51.09	0.00	0.01	0.00	OCC	144.50	361.97
Sus. + W3{1}	27.84	50.71	0.00	0.00	0.00	OCC	144.50	361.97
Sus. + W4{1}	27.84	50.27	0.00	0.00	0.00	OCC	144.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	657.23	200.94	0.07	19.06	0.07	OCC	19.22	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	7.39	54.65	0.01	0.09	0.01	SUST	144.49	361.97
Amb to T1{1}	2193.45	6.53	0.01	0.00	0.24	DISP	0.24	321.94
Amb to T2{1}	34.32	11.68	0.00	0.00	0.00	DISP	0.01	321.94
Amb to T3{1}	7.83	10.49	0.00	0.00	0.00	DISP	0.00	321.94
Sus. + W1{1}	7.61	56.91	0.00	0.01	0.00	OCC	144.50	361.97
Sus. + W2{1}	7.61	56.89	0.00	0.01	0.00	OCC	144.50	361.97
Sus. + W3{1}	7.40	57.29	0.00	0.00	0.00	OCC	144.50	361.97
Sus. + W4{1}	7.40	56.73	0.00	0.00	0.00	OCC	144.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	727.82	215.92	0.07	19.06	0.08	OCC	19.22	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	7.39	54.65	0.01	0.09	0.01	SUST	144.86	361.97
Amb to T1{1}	2193.45	6.53	0.01	0.00	0.24	DISP	0.24	321.57
Amb to T2{1}	34.32	11.68	0.00	0.00	0.00	DISP	0.01	321.57
Amb to T3{1}	7.83	10.49	0.00	0.00	0.00	DISP	0.00	321.57
Sus. + W1{1}	7.61	56.91	0.00	0.01	0.00	OCC	144.86	361.97
Sus. + W2{1}	7.61	56.89	0.00	0.01	0.00	OCC	144.86	361.97
Sus. + W3{1}	7.40	57.29	0.00	0.00	0.00	OCC	144.86	361.97
Sus. + W4{1}	7.40	56.73	0.00	0.00	0.00	OCC	144.86	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	727.82	215.92	0.07	18.73	0.08	OCC	18.90	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	19.41	60.39	0.01	0.09	0.01	SUST	144.86	361.97
Amb to T1{1}	2619.81	6.68	0.01	0.00	0.28	DISP	0.28	321.57
Amb to T2{1}	37.80	13.77	0.00	0.00	0.00	DISP	0.01	321.57
Amb to T3{1}	10.16	12.11	0.00	0.00	0.00	DISP	0.00	321.57
Sus. + W1{1}	19.73	62.92	0.00	0.01	0.00	OCC	144.87	361.97
Sus. + W2{1}	19.73	62.90	0.00	0.01	0.00	OCC	144.87	361.97
Sus. + W3{1}	19.43	64.21	0.00	0.00	0.00	OCC	144.86	361.97
Sus. + W4{1}	19.43	63.50	0.00	0.00	0.00	OCC	144.86	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	801.06	230.44	0.07	18.73	0.09	OCC	18.90	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	19.41	60.39	0.01	0.09	0.01	SUST	145.22	361.97
Amb to T1{1}	2619.81	6.68	0.01	0.00	0.28	DISP	0.28	321.21
Amb to T2{1}	37.80	13.77	0.00	0.00	0.00	DISP	0.01	321.21
Amb to T3{1}	10.16	12.11	0.00	0.00	0.00	DISP	0.00	321.21
Sus. + W1{1}	19.73	62.92	0.00	0.01	0.00	OCC	145.23	361.97
Sus. + W2{1}	19.73	62.90	0.00	0.01	0.00	OCC	145.23	361.97
Sus. + W3{1}	19.43	64.21	0.00	0.00	0.00	OCC	145.23	361.97

Sus. + W4{1}	19.43	63.50	0.00	0.00	0.00	OCC	145.23	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	801.06	230.44	0.07	18.40	0.09	OCC	18.57	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	53.47	66.28	0.01	0.09	0.01	SUST	145.23	361.97
Amb to T1{1}	3074.90	6.76	0.01	0.00	0.33	DISP	0.33	321.20
Amb to T2{1}	40.90	16.03	0.00	0.00	0.00	DISP	0.01	321.20
Amb to T3{1}	12.80	13.84	0.00	0.00	0.00	DISP	0.00	321.20
Sus. + W1{1}	53.90	69.10	0.00	0.01	0.00	OCC	145.23	361.97
Sus. + W2{1}	53.90	69.08	0.00	0.01	0.00	OCC	145.23	361.97
Sus. + W3{1}	53.50	71.44	0.00	0.00	0.00	OCC	145.23	361.97
Sus. + W4{1}	53.50	70.57	0.00	0.00	0.00	OCC	145.23	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	876.47	244.21	0.07	18.40	0.10	OCC	18.58	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	53.47	66.28	0.01	0.09	0.01	SUST	145.59	361.97
Amb to T1{1}	3074.90	6.76	0.01	0.00	0.33	DISP	0.33	320.84
Amb to T2{1}	40.90	16.03	0.00	0.00	0.00	DISP	0.01	320.84
Amb to T3{1}	12.80	13.84	0.00	0.00	0.00	DISP	0.00	320.84
Sus. + W1{1}	53.90	69.10	0.00	0.01	0.00	OCC	145.60	361.97
Sus. + W2{1}	53.90	69.08	0.00	0.01	0.00	OCC	145.60	361.97
Sus. + W3{1}	53.50	71.44	0.00	0.00	0.00	OCC	145.60	361.97
Sus. + W4{1}	53.50	70.57	0.00	0.00	0.00	OCC	145.60	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	876.47	244.21	0.07	18.07	0.10	OCC	18.25	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	95.65	72.25	0.01	0.09	0.01	SUST	145.60	361.97
Amb to T1{1}	3550.17	6.75	0.01	0.00	0.38	DISP	0.38	320.83
Amb to T2{1}	43.40	18.47	0.00	0.00	0.01	DISP	0.01	320.83
Amb to T3{1}	15.75	15.68	0.00	0.00	0.00	DISP	0.00	320.83
Sus. + W1{1}	96.21	75.38	0.00	0.01	0.00	OCC	145.60	361.97
Sus. + W2{1}	96.21	75.35	0.00	0.01	0.00	OCC	145.60	361.97
Sus. + W3{1}	95.70	78.92	0.00	0.00	0.00	OCC	145.60	361.97
Sus. + W4{1}	95.70	77.88	0.00	0.00	0.00	OCC	145.60	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	953.36	256.88	0.07	18.07	0.11	OCC	18.25	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	95.65	72.25	0.01	0.09	0.01	SUST	145.96	361.97
Amb to T1{1}	3550.17	6.75	0.01	0.00	0.38	DISP	0.38	320.47
Amb to T2{1}	43.40	18.47	0.00	0.00	0.01	DISP	0.01	320.47
Amb to T3{1}	15.75	15.68	0.00	0.00	0.00	DISP	0.00	320.47
Sus. + W1{1}	96.21	75.38	0.00	0.01	0.00	OCC	145.97	361.97
Sus. + W2{1}	96.21	75.35	0.00	0.01	0.00	OCC	145.97	361.97
Sus. + W3{1}	95.70	78.92	0.00	0.00	0.00	OCC	145.97	361.97
Sus. + W4{1}	95.70	77.88	0.00	0.00	0.00	OCC	145.97	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	953.36	256.88	0.07	17.75	0.11	OCC	17.93	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	146.80	78.24	0.01	0.09	0.02	SUST	145.97	361.97
Amb to T1{1}	4033.82	6.64	0.01	0.00	0.43	DISP	0.43	320.46
Amb to T2{1}	45.00	21.07	0.00	0.00	0.01	DISP	0.01	320.46
Amb to T3{1}	18.99	17.63	0.00	0.00	0.00	DISP	0.00	320.46
Sus. + W1{1}	147.51	81.68	0.00	0.01	0.00	OCC	145.98	361.97
Sus. + W2{1}	147.51	81.65	0.00	0.01	0.00	OCC	145.98	361.97
Sus. + W3{1}	146.87	86.60	0.00	0.00	0.00	OCC	145.98	361.97
Sus. + W4{1}	146.87	85.37	0.00	0.00	0.00	OCC	145.98	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	1030.97	268.08	0.07	17.75	0.11	OCC	17.93	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	146.80	78.24	0.01	0.09	0.02	SUST	146.34	361.97
Amb to T1{1}	4033.82	6.64	0.01	0.00	0.43	DISP	0.43	320.09
Amb to T2{1}	45.00	21.07	0.00	0.00	0.01	DISP	0.01	320.09
Amb to T3{1}	18.99	17.63	0.00	0.00	0.00	DISP	0.00	320.09
Sus. + W1{1}	147.51	81.68	0.00	0.01	0.00	OCC	146.34	361.97
Sus. + W2{1}	147.51	81.65	0.00	0.01	0.00	OCC	146.34	361.97
Sus. + W3{1}	146.87	86.60	0.00	0.00	0.00	OCC	146.34	361.97
Sus. + W4{1}	146.87	85.37	0.00	0.00	0.00	OCC	146.34	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1030.97	268.08	0.07	17.42	0.11	OCC	17.61	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	207.65	84.16	0.01	0.09	0.02	SUST	146.34	361.97
Amb to T1{1}	4510.15	6.42	0.01	0.00	0.49	DISP	0.49	320.09
Amb to T2{1}	45.41	23.83	0.00	0.00	0.01	DISP	0.01	320.09
Amb to T3{1}	22.48	19.66	0.00	0.00	0.00	DISP	0.00	320.09
Sus. + W1{1}	208.53	87.92	0.00	0.01	0.00	OCC	146.35	361.97
Sus. + W2{1}	208.54	87.89	0.00	0.01	0.00	OCC	146.35	361.97
Sus. + W3{1}	207.76	94.39	0.00	0.00	0.00	OCC	146.35	361.97
Sus. + W4{1}	207.76	92.95	0.00	0.00	0.00	OCC	146.35	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1108.32	277.38	0.07	17.42	0.12	OCC	17.61	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	207.65	84.16	0.01	0.09	0.02	SUST	146.71	361.97
Amb to T1{1}	4510.15	6.42	0.01	0.00	0.49	DISP	0.49	319.72
Amb to T2{1}	45.41	23.83	0.00	0.00	0.01	DISP	0.01	319.72
Amb to T3{1}	22.48	19.66	0.00	0.00	0.00	DISP	0.00	319.72
Sus. + W1{1}	208.53	87.92	0.00	0.01	0.00	OCC	146.72	361.97
Sus. + W2{1}	208.54	87.89	0.00	0.01	0.00	OCC	146.72	361.97
Sus. + W3{1}	207.76	94.39	0.00	0.00	0.00	OCC	146.72	361.97
Sus. + W4{1}	207.76	92.95	0.00	0.00	0.00	OCC	146.72	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1108.32	277.38	0.07	17.09	0.12	OCC	17.28	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	278.85	89.92	0.01	0.09	0.03	SUST	146.72	361.97
Amb to T1{1}	4959.26	6.06	0.01	0.00	0.53	DISP	0.53	319.71
Amb to T2{1}	44.22	26.74	0.00	0.00	0.01	DISP	0.01	319.71
Amb to T3{1}	26.16	21.77	0.00	0.00	0.00	DISP	0.00	319.71
Sus. + W1{1}	279.91	94.01	0.00	0.01	0.00	OCC	146.73	361.97
Sus. + W2{1}	279.91	93.97	0.00	0.01	0.00	OCC	146.73	361.97
Sus. + W3{1}	278.98	102.20	0.00	0.00	0.00	OCC	146.73	361.97
Sus. + W4{1}	278.98	100.53	0.00	0.00	0.00	OCC	146.72	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1182.70	284.30	0.07	17.09	0.13	OCC	17.29	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	278.85	89.92	0.01	0.10	0.03	SUST	147.09	361.97
Amb to T1{1}	4959.26	6.06	0.01	0.00	0.53	DISP	0.53	319.34
Amb to T2{1}	44.22	26.74	0.00	0.00	0.01	DISP	0.01	319.34
Amb to T3{1}	26.16	21.77	0.00	0.00	0.00	DISP	0.00	319.34
Sus. + W1{1}	279.91	94.01	0.00	0.01	0.00	OCC	147.09	361.97
Sus. + W2{1}	279.91	93.97	0.00	0.01	0.00	OCC	147.09	361.97
Sus. + W3{1}	278.98	102.20	0.00	0.00	0.00	OCC	147.09	361.97
Sus. + W4{1}	278.98	100.53	0.00	0.00	0.00	OCC	147.09	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1182.70	284.30	0.07	16.77	0.13	OCC	16.96	434.37

*** - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	360.77	95.40	0.01	0.10	0.04	SUST	147.09	361.97	
Amb to T1{1}	5356.15	5.55	0.01	0.00	0.58	DISP	0.58	319.34	
Amb to T2{1}	41.03	29.77	0.00	0.00	0.01	DISP	0.01	319.34	
Amb to T3{1}	29.96	23.95	0.00	0.00	0.00	DISP	0.00	319.34	
Sus. + W1{1}	362.03	99.81	0.00	0.01	0.00	OCC	147.10	361.97	
Sus. + W2{1}	362.04	99.77	0.00	0.01	0.00	OCC	147.10	361.97	
Sus. + W3{1}	360.94	109.92	0.00	0.00	0.00	OCC	147.10	361.97	
Sus. + W4{1}	360.94	108.01	0.00	0.00	0.00	OCC	147.10	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	1245.88	288.32	0.07	16.77	0.14	OCC	16.97	434.37	
*** + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	360.77	95.40	0.01	0.10	0.04	SUST	147.46	361.97	
Amb to T1{1}	5356.15	5.55	0.01	0.00	0.58	DISP	0.58	318.97	
Amb to T2{1}	41.03	29.77	0.00	0.00	0.01	DISP	0.01	318.97	
Amb to T3{1}	29.96	23.95	0.00	0.00	0.00	DISP	0.00	318.97	
Sus. + W1{1}	362.03	99.81	0.00	0.01	0.00	OCC	147.47	361.97	
Sus. + W2{1}	362.04	99.77	0.00	0.01	0.00	OCC	147.47	361.97	
Sus. + W3{1}	360.94	109.92	0.00	0.00	0.00	OCC	147.47	361.97	
Sus. + W4{1}	360.94	108.01	0.00	0.00	0.00	OCC	147.47	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	1245.88	288.32	0.07	16.44	0.14	OCC	16.64	434.37	
*** - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	453.54	100.48	0.01	0.10	0.05	SUST	147.47	361.97	
Amb to T1{1}	5670.38	4.87	0.01	0.00	0.61	DISP	0.61	318.96	
Amb to T2{1}	35.36	32.92	0.00	0.00	0.01	DISP	0.01	318.96	
Amb to T3{1}	33.77	26.16	0.00	0.00	0.00	DISP	0.01	318.96	
Sus. + W1{1}	455.01	105.19	0.00	0.01	0.00	OCC	147.48	361.97	
Sus. + W2{1}	455.02	105.15	0.00	0.01	0.00	OCC	147.48	361.97	
Sus. + W3{1}	453.75	117.42	0.00	0.00	0.00	OCC	147.48	361.97	
Sus. + W4{1}	453.75	115.25	0.00	0.00	0.00	OCC	147.48	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	1287.54	288.86	0.07	16.44	0.14	OCC	16.65	434.37	
*** + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	453.54	100.48	0.01	0.10	0.05	SUST	147.84	361.97	
Amb to T1{1}	5670.38	4.87	0.01	0.00	0.61	DISP	0.61	318.59	
Amb to T2{1}	35.36	32.92	0.00	0.00	0.01	DISP	0.01	318.59	
Amb to T3{1}	33.77	26.16	0.00	0.00	0.00	DISP	0.01	318.59	
Sus. + W1{1}	455.01	105.19	0.00	0.01	0.00	OCC	147.85	361.97	
Sus. + W2{1}	455.02	105.15	0.00	0.01	0.00	OCC	147.85	361.97	
Sus. + W3{1}	453.75	117.42	0.00	0.00	0.00	OCC	147.85	361.97	
Sus. + W4{1}	453.75	115.25	0.00	0.00	0.00	OCC	147.85	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	1287.54	288.86	0.07	16.12	0.14	OCC	16.32	434.37	
*** - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	556.93	104.99	0.01	0.10	0.06	SUST	147.85	361.97	
Amb to T1{1}	5865.66	3.99	0.01	0.00	0.63	DISP	0.63	318.58	
Amb to T2{1}	26.67	36.16	0.00	0.00	0.00	DISP	0.01	318.58	
Amb to T3{1}	37.45	28.39	0.00	0.00	0.01	DISP	0.01	318.58	
Sus. + W1{1}	558.62	110.01	0.00	0.01	0.00	OCC	147.86	361.97	
Sus. + W2{1}	558.63	109.97	0.00	0.01	0.00	OCC	147.86	361.97	
Sus. + W3{1}	557.18	124.55	0.00	0.00	0.00	OCC	147.86	361.97	
Sus. + W4{1}	557.18	122.11	0.00	0.00	0.00	OCC	147.86	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	1295.99	285.28	0.07	16.12	0.14	OCC	16.32	434.37	
*** + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	556.93	104.99	0.01	0.10	0.06	SUST	148.22	361.97	

Amb to T1{1}	5865.66	3.99	0.01	0.00	0.63	DISP	0.63	318.21
Amb to T2{1}	26.67	36.16	0.00	0.00	0.00	DISP	0.01	318.21
Amb to T3{1}	37.45	28.39	0.00	0.00	0.01	DISP	0.01	318.21
Sus. + W1{1}	558.62	110.01	0.00	0.01	0.00	OCC	148.23	361.97
Sus. + W2{1}	558.63	109.97	0.00	0.01	0.00	OCC	148.23	361.97
Sus. + W3{1}	557.18	124.55	0.00	0.00	0.00	OCC	148.23	361.97
Sus. + W4{1}	557.18	122.11	0.00	0.00	0.00	OCC	148.23	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1295.99	285.28	0.07	15.79	0.14	OCC	16.00	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	670.21	108.79	0.01	0.10	0.07	SUST	148.24	361.97
Amb to T1{1}	5899.24	2.90	0.01	0.00	0.64	DISP	0.64	318.20
Amb to T2{1}	14.39	39.45	0.00	0.00	0.00	DISP	0.01	318.20
Amb to T3{1}	40.81	30.61	0.00	0.00	0.01	DISP	0.01	318.20
Sus. + W1{1}	672.12	114.09	0.00	0.01	0.00	OCC	148.24	361.97
Sus. + W2{1}	672.12	114.04	0.00	0.01	0.00	OCC	148.24	361.97
Sus. + W3{1}	670.50	131.15	0.00	0.00	0.00	OCC	148.24	361.97
Sus. + W4{1}	670.50	128.43	0.00	0.00	0.00	OCC	148.24	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1258.05	276.90	0.07	15.79	0.14	OCC	15.99	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	670.21	108.79	0.01	0.10	0.07	SUST	148.61	361.97
Amb to T1{1}	5899.24	2.90	0.01	0.00	0.64	DISP	0.64	317.82
Amb to T2{1}	14.39	39.45	0.00	0.00	0.00	DISP	0.01	317.82
Amb to T3{1}	40.81	30.61	0.00	0.00	0.01	DISP	0.01	317.82
Sus. + W1{1}	672.12	114.09	0.00	0.01	0.00	OCC	148.61	361.97
Sus. + W2{1}	672.12	114.04	0.00	0.01	0.00	OCC	148.62	361.97
Sus. + W3{1}	670.50	131.15	0.00	0.00	0.00	OCC	148.61	361.97
Sus. + W4{1}	670.50	128.43	0.00	0.00	0.00	OCC	148.61	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1258.05	276.90	0.07	15.47	0.14	OCC	15.67	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	792.08	111.68	0.01	0.10	0.09	SUST	148.62	361.97
Amb to T1{1}	5721.74	1.57	0.01	0.00	0.62	DISP	0.62	317.81
Amb to T2{1}	2.07	42.75	0.00	0.00	0.00	DISP	0.01	317.81
Amb to T3{1}	43.65	32.78	0.00	0.00	0.01	DISP	0.01	317.81
Sus. + W1{1}	794.20	117.23	0.00	0.01	0.00	OCC	148.63	361.97
Sus. + W2{1}	794.21	117.18	0.00	0.01	0.00	OCC	148.63	361.97
Sus. + W3{1}	792.42	137.01	0.00	0.00	0.00	OCC	148.63	361.97
Sus. + W4{1}	792.42	134.00	0.00	0.00	0.00	OCC	148.63	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1159.08	262.99	0.07	15.47	0.13	OCC	15.66	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	792.08	111.68	0.01	0.10	0.09	SUST	148.99	361.97
Amb to T1{1}	5721.74	1.57	0.01	0.00	0.62	DISP	0.62	317.44
Amb to T2{1}	2.07	42.75	0.00	0.00	0.00	DISP	0.01	317.44
Amb to T3{1}	43.65	32.78	0.00	0.00	0.01	DISP	0.01	317.44
Sus. + W1{1}	794.20	117.23	0.00	0.01	0.00	OCC	149.00	361.97
Sus. + W2{1}	794.21	117.18	0.00	0.01	0.00	OCC	149.00	361.97
Sus. + W3{1}	792.42	137.01	0.00	0.00	0.00	OCC	149.00	361.97
Sus. + W4{1}	792.42	134.00	0.00	0.00	0.00	OCC	149.00	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1159.08	262.99	0.07	15.14	0.13	OCC	15.34	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	920.52	113.46	0.01	0.10	0.10	SUST	149.00	361.97
Amb to T1{1}	5277.07	0.02	0.01	0.00	0.57	DISP	0.57	317.43
Amb to T2{1}	23.36	46.02	0.00	0.00	0.01	DISP	0.01	317.43

Amb to T3{1}	45.70	34.85	0.00	0.00	0.01	DISP	0.01	317.43
Sus. + W1{1}	922.83	119.23	0.00	0.01	0.00	OCC	149.01	361.97
Sus. + W2{1}	922.84	119.18	0.00	0.01	0.00	OCC	149.01	361.97
Sus. + W3{1}	920.91	141.93	0.00	0.00	0.00	OCC	149.01	361.97
Sus. + W4{1}	920.90	138.61	0.00	0.00	0.00	OCC	149.01	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	982.96	242.74	0.07	15.14	0.11	OCC	15.32	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	920.52	113.46	0.01	0.11	0.10	SUST	149.37	361.97
Amb to T1{1}	5277.07	0.02	0.01	0.00	0.57	DISP	0.57	317.06
Amb to T2{1}	23.36	46.02	0.00	0.00	0.01	DISP	0.01	317.06
Amb to T3{1}	45.70	34.85	0.00	0.00	0.01	DISP	0.01	317.06
Sus. + W1{1}	922.83	119.23	0.00	0.01	0.00	OCC	149.38	361.97
Sus. + W2{1}	922.84	119.18	0.00	0.01	0.00	OCC	149.38	361.97
Sus. + W3{1}	920.91	141.93	0.00	0.00	0.00	OCC	149.38	361.97
Sus. + W4{1}	920.90	138.61	0.00	0.00	0.00	OCC	149.38	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	982.96	242.74	0.07	14.82	0.11	OCC	15.00	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1052.69	113.91	0.01	0.11	0.11	SUST	149.39	361.97
Amb to T1{1}	4502.29	1.89	0.01	0.00	0.48	DISP	0.48	317.04
Amb to T2{1}	50.11	49.20	0.00	0.00	0.01	DISP	0.01	317.04
Amb to T3{1}	46.65	36.80	0.00	0.00	0.01	DISP	0.01	317.04
Sus. + W1{1}	1055.16	119.85	0.00	0.01	0.00	OCC	149.40	361.97
Sus. + W2{1}	1055.17	119.80	0.00	0.01	0.00	OCC	149.40	361.97
Sus. + W3{1}	1053.12	145.67	0.00	0.00	0.00	OCC	149.40	361.97
Sus. + W4{1}	1053.12	142.04	0.00	0.00	0.00	OCC	149.40	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	712.14	215.33	0.07	14.82	0.08	OCC	14.98	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1052.69	113.91	0.01	0.11	0.11	SUST	149.76	361.97
Amb to T1{1}	4502.29	1.89	0.01	0.00	0.48	DISP	0.48	316.67
Amb to T2{1}	50.11	49.20	0.00	0.00	0.01	DISP	0.01	316.67
Amb to T3{1}	46.65	36.80	0.00	0.00	0.01	DISP	0.01	316.67
Sus. + W1{1}	1055.16	119.85	0.00	0.01	0.00	OCC	149.77	361.97
Sus. + W2{1}	1055.17	119.80	0.00	0.01	0.00	OCC	149.77	361.97
Sus. + W3{1}	1053.12	145.67	0.00	0.00	0.00	OCC	149.77	361.97
Sus. + W4{1}	1053.12	142.04	0.00	0.00	0.00	OCC	149.77	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	712.14	215.33	0.07	14.49	0.08	OCC	14.66	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1184.74	112.77	0.01	0.11	0.13	SUST	149.77	361.97
Amb to T1{1}	3328.27	4.07	0.01	0.00	0.36	DISP	0.36	316.66
Amb to T2{1}	82.94	52.24	0.00	0.00	0.01	DISP	0.01	316.66
Amb to T3{1}	46.13	38.55	0.00	0.00	0.01	DISP	0.01	316.66
Sus. + W1{1}	1187.33	118.83	0.00	0.01	0.00	OCC	149.78	361.97
Sus. + W2{1}	1187.34	118.78	0.00	0.01	0.00	OCC	149.78	361.97
Sus. + W3{1}	1185.22	147.95	0.00	0.00	0.00	OCC	149.78	361.97
Sus. + W4{1}	1185.22	144.01	0.00	0.00	0.00	OCC	149.78	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	327.87	179.86	0.07	14.49	0.04	OCC	14.65	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1184.74	112.77	0.01	0.11	0.13	SUST	150.14	361.97
Amb to T1{1}	3328.27	4.07	0.01	0.00	0.36	DISP	0.36	316.29
Amb to T2{1}	82.94	52.24	0.00	0.00	0.01	DISP	0.01	316.29
Amb to T3{1}	46.13	38.55	0.00	0.00	0.01	DISP	0.01	316.29

Sus. + W1{1}	1187.33	118.83	0.00	0.01	0.00	OCC	150.15	361.97
Sus. + W2{1}	1187.34	118.78	0.00	0.01	0.00	OCC	150.15	361.97
Sus. + W3{1}	1185.22	147.95	0.00	0.00	0.00	OCC	150.15	361.97
Sus. + W4{1}	1185.22	144.01	0.00	0.00	0.00	OCC	150.15	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	327.87	179.86	0.07	14.17	0.04	OCC	14.32	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1311.68	109.79	0.01	0.11	0.14	SUST	150.16	361.97
Amb to T1{1}	1680.22	6.59	0.01	0.00	0.18	DISP	0.18	316.27
Amb to T2{1}	122.42	55.06	0.00	0.00	0.01	DISP	0.02	316.27
Amb to T3{1}	43.72	40.06	0.00	0.00	0.01	DISP	0.01	316.27
Sus. + W1{1}	1314.33	115.90	0.00	0.01	0.00	OCC	150.17	361.97
Sus. + W2{1}	1314.34	115.85	0.00	0.01	0.00	OCC	150.17	361.97
Sus. + W3{1}	1312.20	148.48	0.00	0.00	0.00	OCC	150.17	361.97
Sus. + W4{1}	1312.20	144.23	0.00	0.00	0.00	OCC	150.17	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	189.62	135.41	0.07	14.17	0.03	OCC	14.32	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1311.68	109.79	0.01	0.11	0.14	SUST	150.53	361.97
Amb to T1{1}	1680.22	6.59	0.01	0.00	0.18	DISP	0.18	315.90
Amb to T2{1}	122.42	55.06	0.00	0.00	0.01	DISP	0.02	315.90
Amb to T3{1}	43.72	40.06	0.00	0.00	0.01	DISP	0.01	315.90
Sus. + W1{1}	1314.33	115.90	0.00	0.01	0.00	OCC	150.54	361.97
Sus. + W2{1}	1314.34	115.85	0.00	0.01	0.00	OCC	150.54	361.97
Sus. + W3{1}	1312.20	148.48	0.00	0.00	0.00	OCC	150.54	361.97
Sus. + W4{1}	1312.20	144.23	0.00	0.00	0.00	OCC	150.54	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	189.62	135.41	0.07	13.85	0.03	OCC	14.00	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1427.22	104.67	0.01	0.11	0.15	SUST	150.54	361.97
Amb to T1{1}	520.91	9.46	0.01	0.00	0.06	DISP	0.06	315.89
Amb to T2{1}	169.07	57.59	0.00	0.00	0.02	DISP	0.02	315.89
Amb to T3{1}	38.97	41.25	0.00	0.00	0.01	DISP	0.01	315.89
Sus. + W1{1}	1429.85	110.76	0.00	0.01	0.00	OCC	150.55	361.97
Sus. + W2{1}	1429.87	110.70	0.00	0.01	0.00	OCC	150.55	361.97
Sus. + W3{1}	1427.78	146.94	0.00	0.00	0.00	OCC	150.55	361.97
Sus. + W4{1}	1427.78	142.38	0.00	0.00	0.00	OCC	150.55	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	860.58	81.03	0.07	13.85	0.09	OCC	14.02	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1427.22	104.67	0.01	0.11	0.15	SUST	150.91	361.97
Amb to T1{1}	520.91	9.46	0.01	0.00	0.06	DISP	0.06	315.52
Amb to T2{1}	169.07	57.59	0.00	0.00	0.02	DISP	0.02	315.52
Amb to T3{1}	38.97	41.25	0.00	0.00	0.01	DISP	0.01	315.52
Sus. + W1{1}	1429.85	110.76	0.00	0.01	0.00	OCC	150.93	361.97
Sus. + W2{1}	1429.87	110.70	0.00	0.01	0.00	OCC	150.93	361.97
Sus. + W3{1}	1427.78	146.94	0.00	0.00	0.00	OCC	150.92	361.97
Sus. + W4{1}	1427.78	142.38	0.00	0.00	0.00	OCC	150.92	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	860.58	81.03	0.07	13.52	0.09	OCC	13.70	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1523.67	97.11	0.01	0.11	0.16	SUST	150.92	361.97
Amb to T1{1}	3357.68	12.70	0.01	0.00	0.36	DISP	0.36	315.51
Amb to T2{1}	223.26	59.73	0.00	0.00	0.02	DISP	0.03	315.51
Amb to T3{1}	31.33	42.05	0.00	0.00	0.01	DISP	0.01	315.51
Sus. + W1{1}	1526.18	103.07	0.00	0.01	0.00	OCC	150.94	361.97
Sus. + W2{1}	1526.19	103.02	0.00	0.01	0.00	OCC	150.94	361.97

Sus. + W3{1}	1524.26	142.99	0.00	0.00	0.00	OCC	150.93	361.97
Sus. + W4{1}	1524.25	138.14	0.00	0.00	0.00	OCC	150.93	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1705.61	15.70	0.07	13.52	0.18	OCC	13.76	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1523.67	97.11	0.01	0.11	0.16	SUST	151.30	361.97
Amb to T1{1}	3357.68	12.70	0.01	0.00	0.36	DISP	0.36	315.13
Amb to T2{1}	223.26	59.73	0.00	0.00	0.02	DISP	0.03	315.13
Amb to T3{1}	31.33	42.05	0.00	0.00	0.01	DISP	0.01	315.13
Sus. + W1{1}	1526.18	103.07	0.00	0.01	0.00	OCC	151.31	361.97
Sus. + W2{1}	1526.19	103.02	0.00	0.01	0.00	OCC	151.31	361.97
Sus. + W3{1}	1524.26	142.99	0.00	0.00	0.00	OCC	151.31	361.97
Sus. + W4{1}	1524.25	138.14	0.00	0.00	0.00	OCC	151.31	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1705.61	15.70	0.07	13.20	0.18	OCC	13.44	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1591.72	86.78	0.01	0.11	0.17	SUST	151.30	361.97
Amb to T1{1}	6912.67	16.35	0.01	0.00	0.74	DISP	0.74	315.13
Amb to T2{1}	285.21	61.38	0.00	0.00	0.03	DISP	0.03	315.13
Amb to T3{1}	20.25	42.39	0.00	0.00	0.01	DISP	0.01	315.13
Sus. + W1{1}	1593.98	92.51	0.00	0.01	0.00	OCC	151.32	361.97
Sus. + W2{1}	1593.99	92.46	0.00	0.01	0.00	OCC	151.32	361.97
Sus. + W3{1}	1592.32	136.24	0.00	0.00	0.01	OCC	151.31	361.97
Sus. + W4{1}	1592.32	131.11	0.00	0.00	0.00	OCC	151.31	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	2744.46	61.56	0.07	13.20	0.30	OCC	13.53	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1591.72	86.78	0.01	0.11	0.17	SUST	151.68	361.97
Amb to T1{1}	6912.67	16.35	0.01	0.00	0.74	DISP	0.74	314.75
Amb to T2{1}	285.21	61.38	0.00	0.00	0.03	DISP	0.03	314.75
Amb to T3{1}	20.25	42.39	0.00	0.00	0.01	DISP	0.01	314.75
Sus. + W1{1}	1593.98	92.51	0.00	0.01	0.00	OCC	151.69	361.97
Sus. + W2{1}	1593.99	92.46	0.00	0.01	0.00	OCC	151.69	361.97
Sus. + W3{1}	1592.32	136.24	0.00	0.00	0.01	OCC	151.69	361.97
Sus. + W4{1}	1592.32	131.11	0.00	0.00	0.00	OCC	151.69	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	2744.46	61.56	0.07	12.88	0.30	OCC	13.21	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1620.38	73.33	0.01	0.11	0.17	SUST	151.68	361.97
Amb to T1{1}	11266.35	20.40	0.01	0.00	1.21	DISP	1.21	314.75
Amb to T2{1}	354.90	62.43	0.00	0.00	0.04	DISP	0.04	314.75
Amb to T3{1}	5.12	42.17	0.00	0.00	0.00	DISP	0.01	314.75
Sus. + W1{1}	1622.21	78.71	0.00	0.01	0.00	OCC	151.69	361.97
Sus. + W2{1}	1622.22	78.65	0.00	0.01	0.00	OCC	151.69	361.97
Sus. + W3{1}	1620.96	126.30	0.00	0.00	0.01	OCC	151.69	361.97
Sus. + W4{1}	1620.96	120.92	0.00	0.00	0.01	OCC	151.69	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	3995.49	151.77	0.07	12.88	0.43	OCC	13.33	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1620.38	73.33	0.01	0.12	0.17	SUST	152.05	361.97
Amb to T1{1}	11266.35	20.40	0.01	0.00	1.21	DISP	1.21	314.38
Amb to T2{1}	354.90	62.43	0.00	0.00	0.04	DISP	0.04	314.38
Amb to T3{1}	5.12	42.17	0.00	0.00	0.00	DISP	0.01	314.38
Sus. + W1{1}	1622.21	78.71	0.00	0.01	0.00	OCC	152.07	361.97
Sus. + W2{1}	1622.22	78.65	0.00	0.01	0.00	OCC	152.07	361.97
Sus. + W3{1}	1620.96	126.30	0.00	0.00	0.01	OCC	152.06	361.97

Sus. + W4{1}	1620.96	120.92	0.00	0.00	0.01	OCC	152.06	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	3995.49	151.77	0.07	12.56	0.43	OCC	13.01	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1596.84	56.40	0.01	0.12	0.17	SUST	152.05	361.97
Amb to T1{1}	16492.65	24.89	0.01	0.00	1.78	DISP	1.78	314.38
Amb to T2{1}	432.02	62.76	0.00	0.00	0.05	DISP	0.05	314.38
Amb to T3{1}	14.71	41.29	0.00	0.00	0.00	DISP	0.01	314.38
Sus. + W1{1}	1598.06	61.28	0.00	0.01	0.00	OCC	152.06	361.97
Sus. + W2{1}	1598.07	61.23	0.00	0.01	0.00	OCC	152.06	361.97
Sus. + W3{1}	1597.39	112.73	0.00	0.00	0.01	OCC	152.06	361.97
Sus. + W4{1}	1597.39	107.13	0.00	0.00	0.01	OCC	152.06	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	5474.32	255.94	0.07	12.56	0.59	OCC	13.17	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1596.84	56.40	0.01	0.12	0.17	SUST	152.43	361.97
Amb to T1{1}	16492.65	24.89	0.01	0.00	1.78	DISP	1.78	314.00
Amb to T2{1}	432.02	62.76	0.00	0.00	0.05	DISP	0.05	314.00
Amb to T3{1}	14.71	41.29	0.00	0.00	0.00	DISP	0.01	314.00
Sus. + W1{1}	1598.06	61.28	0.00	0.01	0.00	OCC	152.44	361.97
Sus. + W2{1}	1598.07	61.23	0.00	0.01	0.00	OCC	152.44	361.97
Sus. + W3{1}	1597.39	112.73	0.00	0.00	0.01	OCC	152.44	361.97
Sus. + W4{1}	1597.39	107.13	0.00	0.00	0.01	OCC	152.44	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	5474.32	255.94	0.07	12.24	0.59	OCC	12.84	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1506.45	35.62	0.01	0.12	0.16	SUST	152.42	361.97
Amb to T1{1}	22656.54	29.82	0.01	0.00	2.44	DISP	2.44	314.01
Amb to T2{1}	515.91	62.24	0.00	0.00	0.06	DISP	0.06	314.01
Amb to T3{1}	39.89	39.66	0.00	0.00	0.01	DISP	0.01	314.01
Sus. + W1{1}	1506.84	39.83	0.00	0.01	0.00	OCC	152.43	361.97
Sus. + W2{1}	1506.85	39.79	0.00	0.01	0.00	OCC	152.43	361.97
Sus. + W3{1}	1506.95	95.08	0.00	0.00	0.01	OCC	152.43	361.97
Sus. + W4{1}	1506.94	89.31	0.00	0.00	0.01	OCC	152.43	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	7193.11	375.06	0.07	12.24	0.78	OCC	13.03	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1506.45	35.62	0.01	0.12	0.16	SUST	152.79	361.97
Amb to T1{1}	22656.54	29.82	0.01	0.00	2.44	DISP	2.44	313.64
Amb to T2{1}	515.91	62.24	0.00	0.00	0.06	DISP	0.06	313.64
Amb to T3{1}	39.89	39.66	0.00	0.00	0.01	DISP	0.01	313.64
Sus. + W1{1}	1506.84	39.83	0.00	0.01	0.00	OCC	152.80	361.97
Sus. + W2{1}	1506.85	39.79	0.00	0.01	0.00	OCC	152.80	361.97
Sus. + W3{1}	1506.95	95.08	0.00	0.00	0.01	OCC	152.80	361.97
Sus. + W4{1}	1506.94	89.31	0.00	0.00	0.01	OCC	152.80	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	7193.11	375.06	0.07	11.92	0.78	OCC	12.71	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1332.73	10.58	0.01	0.12	0.14	SUST	152.77	361.97
Amb to T1{1}	29805.36	35.19	0.01	0.00	3.21	DISP	3.21	313.66
Amb to T2{1}	605.42	60.71	0.00	0.00	0.07	DISP	0.07	313.66
Amb to T3{1}	71.06	37.15	0.00	0.00	0.01	DISP	0.01	313.66
Sus. + W1{1}	1333.44	13.96	0.00	0.01	0.00	OCC	152.78	361.97
Sus. + W2{1}	1333.44	13.92	0.00	0.01	0.00	OCC	152.78	361.97
Sus. + W3{1}	1333.12	72.89	0.00	0.00	0.01	OCC	152.78	361.97
Sus. + W4{1}	1333.11	67.00	0.00	0.00	0.01	OCC	152.78	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	9158.14	510.07	0.07	11.92	0.99	OCC	12.91	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1332.73	10.58	0.01	0.12	0.14	SUST	153.15	361.97
Amb to T1{1}	29805.36	35.19	0.01	0.00	3.21	DISP	3.21	313.28
Amb to T2{1}	605.42	60.71	0.00	0.00	0.07	DISP	0.07	313.28
Amb to T3{1}	71.06	37.15	0.00	0.00	0.01	DISP	0.01	313.28
Sus. + W1{1}	1333.44	13.96	0.00	0.01	0.00	OCC	153.16	361.97
Sus. + W2{1}	1333.44	13.92	0.00	0.01	0.00	OCC	153.16	361.97
Sus. + W3{1}	1333.12	72.89	0.00	0.00	0.01	OCC	153.16	361.97
Sus. + W4{1}	1333.11	67.00	0.00	0.00	0.01	OCC	153.16	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	9158.14	510.07	0.07	11.60	0.99	OCC	12.59	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1057.36	19.09	0.01	0.12	0.11	SUST	153.12	361.97
Amb to T1{1}	37964.30	41.02	0.01	0.00	4.09	DISP	4.09	313.31
Amb to T2{1}	698.88	58.03	0.00	0.00	0.08	DISP	0.08	313.31
Amb to T3{1}	108.84	33.65	0.00	0.00	0.01	DISP	0.01	313.31
Sus. + W1{1}	1059.48	21.43	0.00	0.01	0.00	OCC	153.13	361.97
Sus. + W2{1}	1059.48	21.40	0.00	0.01	0.00	OCC	153.13	361.97
Sus. + W3{1}	1057.61	83.84	0.00	0.00	0.01	OCC	153.13	361.97
Sus. + W4{1}	1057.60	77.89	0.00	0.00	0.01	OCC	153.13	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	11368.48	661.84	0.07	11.60	1.23	OCC	12.83	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1057.36	19.09	0.01	0.12	0.11	SUST	153.49	361.97
Amb to T1{1}	37964.30	41.02	0.01	0.00	4.09	DISP	4.09	312.94
Amb to T2{1}	698.88	58.03	0.00	0.00	0.08	DISP	0.08	312.94
Amb to T3{1}	108.84	33.65	0.00	0.00	0.01	DISP	0.01	312.94
Sus. + W1{1}	1059.48	21.43	0.00	0.01	0.00	OCC	153.50	361.97
Sus. + W2{1}	1059.48	21.40	0.00	0.01	0.00	OCC	153.50	361.97
Sus. + W3{1}	1057.61	83.84	0.00	0.00	0.01	OCC	153.50	361.97
Sus. + W4{1}	1057.60	77.89	0.00	0.00	0.01	OCC	153.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	11368.48	661.84	0.07	11.28	1.23	OCC	12.51	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	660.49	53.80	0.01	0.12	0.07	SUST	153.45	361.97
Amb to T1{1}	47127.17	47.30	0.01	0.00	5.07	DISP	5.07	312.98
Amb to T2{1}	793.95	54.02	0.00	0.00	0.09	DISP	0.09	312.98
Amb to T3{1}	153.79	29.04	0.00	0.00	0.02	DISP	0.02	312.98
Sus. + W1{1}	664.34	54.88	0.00	0.01	0.00	OCC	153.46	361.97
Sus. + W2{1}	664.36	54.86	0.00	0.01	0.00	OCC	153.46	361.97
Sus. + W3{1}	660.54	120.48	0.00	0.00	0.01	OCC	153.46	361.97
Sus. + W4{1}	660.54	114.55	0.00	0.00	0.01	OCC	153.46	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	13813.51	831.16	0.07	11.28	1.49	OCC	12.77	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	660.49	53.80	0.01	0.13	0.07	SUST	153.82	361.97
Amb to T1{1}	47127.17	47.30	0.01	0.00	5.07	DISP	5.07	312.61
Amb to T2{1}	793.95	54.02	0.00	0.00	0.09	DISP	0.09	312.61
Amb to T3{1}	153.79	29.04	0.00	0.00	0.02	DISP	0.02	312.61
Sus. + W1{1}	664.34	54.88	0.00	0.01	0.00	OCC	153.84	361.97
Sus. + W2{1}	664.36	54.86	0.00	0.01	0.00	OCC	153.84	361.97
Sus. + W3{1}	660.54	120.48	0.00	0.00	0.01	OCC	153.84	361.97
Sus. + W4{1}	660.54	114.55	0.00	0.00	0.01	OCC	153.84	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	13813.51	831.16	0.07	10.96	1.49	OCC	12.45	434.37

*** - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	120.74	93.96	0.01	0.13	0.02	SUST	153.77	361.97	
Amb to T1{1}	57251.39	54.01	0.01	0.00	6.16	DISP	6.16	312.66	
Amb to T2{1}	887.57	48.50	0.00	0.00	0.10	DISP	0.10	312.66	
Amb to T3{1}	206.35	23.17	0.00	0.00	0.02	DISP	0.02	312.66	
Sus. + W1{1}	126.71	94.38	0.00	0.01	0.00	OCC	153.78	361.97	
Sus. + W2{1}	126.73	94.39	0.00	0.01	0.00	OCC	153.78	361.97	
Sus. + W3{1}	120.95	161.94	0.00	0.00	0.01	OCC	153.78	361.97	
Sus. + W4{1}	120.96	156.12	0.00	0.00	0.01	OCC	153.78	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	16471.47	1018.73	0.07	10.96	1.78	OCC	12.74	434.37	
*** + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	120.74	93.96	0.01	0.13	0.02	SUST	154.15	361.97	
Amb to T1{1}	57251.39	54.01	0.01	0.00	6.16	DISP	6.16	312.28	
Amb to T2{1}	887.57	48.50	0.00	0.00	0.10	DISP	0.10	312.28	
Amb to T3{1}	206.35	23.17	0.00	0.00	0.02	DISP	0.02	312.28	
Sus. + W1{1}	126.71	94.38	0.00	0.01	0.00	OCC	154.16	361.97	
Sus. + W2{1}	126.73	94.39	0.00	0.01	0.00	OCC	154.16	361.97	
Sus. + W3{1}	120.95	161.94	0.00	0.00	0.01	OCC	154.16	361.97	
Sus. + W4{1}	120.96	156.12	0.00	0.00	0.01	OCC	154.16	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	16471.47	1018.73	0.07	10.64	1.78	OCC	12.42	434.37	
*** - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	584.12	139.94	0.01	0.13	0.06	SUST	154.19	361.97	
Amb to T1{1}	68242.50	61.13	0.01	0.00	7.35	DISP	7.35	312.24	
Amb to T2{1}	975.77	41.29	0.00	0.00	0.11	DISP	0.11	312.24	
Amb to T3{1}	266.81	15.92	0.00	0.00	0.03	DISP	0.03	312.24	
Sus. + W1{1}	592.61	142.12	0.00	0.01	0.00	OCC	154.21	361.97	
Sus. + W2{1}	592.64	142.12	0.00	0.01	0.00	OCC	154.21	361.97	
Sus. + W3{1}	584.66	208.48	0.00	0.00	0.01	OCC	154.21	361.97	
Sus. + W4{1}	584.67	202.87	0.00	0.00	0.01	OCC	154.20	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	19305.36	1225.08	0.07	10.64	2.08	OCC	12.72	434.37	
*** + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	584.12	139.94	0.01	0.13	0.06	SUST	154.57	361.97	
Amb to T1{1}	68242.50	61.13	0.01	0.00	7.35	DISP	7.35	311.86	
Amb to T2{1}	975.77	41.29	0.00	0.00	0.11	DISP	0.11	311.86	
Amb to T3{1}	266.81	15.92	0.00	0.00	0.03	DISP	0.03	311.86	
Sus. + W1{1}	592.61	142.12	0.00	0.01	0.00	OCC	154.58	361.97	
Sus. + W2{1}	592.64	142.12	0.00	0.01	0.00	OCC	154.58	361.97	
Sus. + W3{1}	584.66	208.48	0.00	0.00	0.01	OCC	154.58	361.97	
Sus. + W4{1}	584.67	202.87	0.00	0.00	0.01	OCC	154.58	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	19305.36	1225.08	0.07	10.32	2.08	OCC	12.41	434.37	
*** - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	1476.83	192.13	0.01	0.13	0.16	SUST	154.67	361.97	
Amb to T1{1}	79946.52	68.64	0.01	0.00	8.61	DISP	8.61	311.77	
Amb to T2{1}	1053.66	32.18	0.00	0.00	0.11	DISP	0.11	311.77	
Amb to T3{1}	335.27	7.13	0.00	0.00	0.04	DISP	0.04	311.77	
Sus. + W1{1}	1488.26	196.36	0.00	0.01	0.00	OCC	154.68	361.97	
Sus. + W2{1}	1488.31	196.34	0.00	0.01	0.00	OCC	154.68	361.97	
Sus. + W3{1}	1477.77	260.31	0.00	0.00	0.01	OCC	154.68	361.97	
Sus. + W4{1}	1477.77	255.04	0.00	0.00	0.01	OCC	154.68	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	22260.87	1450.56	0.07	10.32	2.40	OCC	12.72	434.37	
*** + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	1476.83	192.13	0.01	0.13	0.16	SUST	155.04	361.97	

Amb to T1{1}	79946.52	68.64	0.01	0.00	8.61	DISP	8.61	311.39
Amb to T2{1}	1053.66	32.18	0.00	0.00	0.11	DISP	0.11	311.39
Amb to T3{1}	335.27	7.13	0.00	0.00	0.04	DISP	0.04	311.39
Sus. + W1{1}	1488.26	196.36	0.00	0.01	0.00	OCC	155.05	361.97
Sus. + W2{1}	1488.31	196.34	0.00	0.01	0.00	OCC	155.05	361.97
Sus. + W3{1}	1477.77	260.31	0.00	0.00	0.01	OCC	155.05	361.97
Sus. + W4{1}	1477.77	255.04	0.00	0.00	0.01	OCC	155.05	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	22260.87	1450.56	0.07	10.00	2.40	OCC	12.41	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	2579.68	250.86	0.01	0.13	0.28	SUST	155.16	361.97
Amb to T1{1}	92135.76	76.50	0.01	0.00	9.92	DISP	9.92	311.27
Amb to T2{1}	1115.23	20.97	0.00	0.00	0.12	DISP	0.12	311.27
Amb to T3{1}	411.53	3.34	0.00	0.00	0.04	DISP	0.04	311.27
Sus. + W1{1}	2594.51	257.44	0.00	0.01	0.00	OCC	155.17	361.97
Sus. + W2{1}	2594.57	257.41	0.00	0.01	0.00	OCC	155.17	361.97
Sus. + W3{1}	2581.11	317.64	0.00	0.00	0.01	OCC	155.17	361.97
Sus. + W4{1}	2581.11	312.84	0.00	0.00	0.01	OCC	155.17	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	25262.76	1695.29	0.07	10.00	2.73	OCC	12.73	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	2579.68	250.86	0.01	0.13	0.28	SUST	155.54	361.97
Amb to T1{1}	92135.76	76.50	0.01	0.00	9.92	DISP	9.92	310.89
Amb to T2{1}	1115.23	20.97	0.00	0.00	0.12	DISP	0.12	310.89
Amb to T3{1}	411.53	3.34	0.00	0.00	0.04	DISP	0.04	310.89
Sus. + W1{1}	2594.51	257.44	0.00	0.01	0.00	OCC	155.55	361.97
Sus. + W2{1}	2594.57	257.41	0.00	0.01	0.00	OCC	155.55	361.97
Sus. + W3{1}	2581.11	317.64	0.00	0.00	0.01	OCC	155.55	361.97
Sus. + W4{1}	2581.11	312.84	0.00	0.00	0.01	OCC	155.55	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	25262.76	1695.29	0.07	9.68	2.73	OCC	12.41	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	3914.12	316.48	0.01	0.13	0.42	SUST	155.68	361.97
Amb to T1{1}	104500.6	84.65	0.01	0.00	11.25	DISP	11.25	310.75
Amb to T2{1}	1153.33	7.44	0.00	0.00	0.12	DISP	0.12	310.75
Amb to T3{1}	495.06	15.63	0.00	0.00	0.05	DISP	0.05	310.75
Sus. + W1{1}	3932.80	325.74	0.00	0.01	0.00	OCC	155.69	361.97
Sus. + W2{1}	3932.89	325.68	0.00	0.01	0.00	OCC	155.69	361.97
Sus. + W3{1}	3916.14	380.62	0.00	0.00	0.01	OCC	155.69	361.97
Sus. + W4{1}	3916.14	376.44	0.00	0.00	0.01	OCC	155.69	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	28245.87	1959.20	0.07	9.68	3.05	OCC	12.73	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	3914.12	316.48	0.01	0.13	0.42	SUST	156.06	361.97
Amb to T1{1}	104500.6	84.65	0.01	0.00	11.25	DISP	11.25	310.37
Amb to T2{1}	1153.33	7.44	0.00	0.00	0.12	DISP	0.12	310.37
Amb to T3{1}	495.06	15.63	0.00	0.00	0.05	DISP	0.05	310.37
Sus. + W1{1}	3932.80	325.74	0.00	0.01	0.00	OCC	156.07	361.97
Sus. + W2{1}	3932.89	325.68	0.00	0.01	0.00	OCC	156.07	361.97
Sus. + W3{1}	3916.14	380.62	0.00	0.00	0.01	OCC	156.07	361.97
Sus. + W4{1}	3916.14	376.44	0.00	0.00	0.01	OCC	156.07	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	28245.87	1959.20	0.07	9.36	3.05	OCC	12.42	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	5498.94	389.24	0.01	0.13	0.59	SUST	156.23	361.97
Amb to T1{1}	116628.3	93.03	0.01	0.00	12.56	DISP	12.56	310.20
Amb to T2{1}	1159.56	8.62	0.00	0.00	0.12	DISP	0.12	310.20

Amb to T3{1}	584.89	29.90	0.00	0.00	0.06	DISP	0.06	310.20
Sus. + W1{1}	5521.92	401.52	0.00	0.01	0.00	OCC	156.24	361.97
Sus. + W2{1}	5522.02	401.44	0.00	0.01	0.00	OCC	156.24	361.97
Sus. + W3{1}	5501.63	449.34	0.00	0.00	0.01	OCC	156.24	361.97
Sus. + W4{1}	5501.63	445.96	0.00	0.00	0.01	OCC	156.24	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	31191.43	2241.87	0.07	9.36	3.37	OCC	12.73	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	5498.94	389.24	0.01	0.14	0.59	SUST	156.61	361.97
Amb to T1{1}	116628.3	93.03	0.01	0.00	12.56	DISP	12.56	309.82
Amb to T2{1}	1159.56	8.62	0.00	0.00	0.12	DISP	0.12	309.82
Amb to T3{1}	584.89	29.90	0.00	0.00	0.06	DISP	0.06	309.82
Sus. + W1{1}	5521.92	401.52	0.00	0.01	0.00	OCC	156.62	361.97
Sus. + W2{1}	5522.02	401.44	0.00	0.01	0.00	OCC	156.62	361.97
Sus. + W3{1}	5501.63	449.34	0.00	0.00	0.01	OCC	156.62	361.97
Sus. + W4{1}	5501.63	445.96	0.00	0.00	0.01	OCC	156.62	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	31191.43	2241.87	0.07	9.05	3.37	OCC	12.42	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	7349.22	469.37	0.01	0.14	0.79	SUST	156.81	361.97
Amb to T1{1}	127993.9	101.55	0.01	0.00	13.78	DISP	13.78	309.62
Amb to T2{1}	1124.18	27.44	0.00	0.00	0.12	DISP	0.12	309.62
Amb to T3{1}	679.53	46.30	0.00	0.00	0.07	DISP	0.07	309.62
Sus. + W1{1}	7376.92	485.04	0.00	0.01	0.00	OCC	156.82	361.97
Sus. + W2{1}	7377.05	484.93	0.00	0.01	0.00	OCC	156.82	361.97
Sus. + W3{1}	7352.69	523.83	0.00	0.00	0.01	OCC	156.82	361.97
Sus. + W4{1}	7352.69	521.44	0.00	0.00	0.01	OCC	156.82	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	34074.50	2542.53	0.07	9.05	3.68	OCC	12.73	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	7349.22	469.37	0.01	0.14	0.79	SUST	157.18	361.97
Amb to T1{1}	127993.9	101.55	0.01	0.00	13.78	DISP	13.78	309.25
Amb to T2{1}	1124.18	27.44	0.00	0.00	0.12	DISP	0.12	309.25
Amb to T3{1}	679.53	46.30	0.00	0.00	0.07	DISP	0.07	309.25
Sus. + W1{1}	7376.92	485.04	0.00	0.01	0.00	OCC	157.20	361.97
Sus. + W2{1}	7377.05	484.93	0.00	0.01	0.00	OCC	157.20	361.97
Sus. + W3{1}	7352.69	523.83	0.00	0.00	0.01	OCC	157.20	361.97
Sus. + W4{1}	7352.69	521.44	0.00	0.00	0.01	OCC	157.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	34074.50	2542.53	0.07	8.73	3.68	OCC	12.41	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	9474.41	557.02	0.01	0.14	1.02	SUST	157.41	361.97
Amb to T1{1}	138128.0	110.12	0.01	0.00	14.87	DISP	14.87	309.02
Amb to T2{1}	1036.16	49.22	0.00	0.00	0.11	DISP	0.11	309.02
Amb to T3{1}	776.86	64.95	0.00	0.00	0.08	DISP	0.08	309.02
Sus. + W1{1}	9507.19	576.45	0.00	0.01	0.00	OCC	157.43	361.97
Sus. + W2{1}	9507.34	576.32	0.00	0.01	0.00	OCC	157.43	361.97
Sus. + W3{1}	9478.76	604.03	0.00	0.00	0.01	OCC	157.42	361.97
Sus. + W4{1}	9478.75	602.85	0.00	0.00	0.00	OCC	157.42	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	36864.79	2859.98	0.07	8.73	3.98	OCC	12.71	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	9474.41	557.02	0.01	0.14	1.02	SUST	157.79	361.97
Amb to T1{1}	138128.0	110.12	0.01	0.00	14.87	DISP	14.87	308.64
Amb to T2{1}	1036.16	49.22	0.00	0.00	0.11	DISP	0.11	308.64
Amb to T3{1}	776.86	64.95	0.00	0.00	0.08	DISP	0.08	308.64

Sus. + W1{1}	9507.19	576.45	0.00	0.01	0.00	OCC	157.81	361.97
Sus. + W2{1}	9507.34	576.32	0.00	0.01	0.00	OCC	157.81	361.97
Sus. + W3{1}	9478.76	604.03	0.00	0.00	0.01	OCC	157.80	361.97
Sus. + W4{1}	9478.75	602.85	0.00	0.00	0.00	OCC	157.80	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	36864.79	2859.98	0.07	8.41	3.98	OCC	12.40	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	11877.12	652.27	0.01	0.14	1.28	SUST	158.05	361.97
Amb to T1{1}	146928.6	118.62	0.01	0.00	15.82	DISP	15.82	308.38
Amb to T2{1}	883.11	74.20	0.00	0.00	0.10	DISP	0.10	308.38
Amb to T3{1}	874.04	86.01	0.00	0.00	0.09	DISP	0.09	308.38
Sus. + W1{1}	11915.27	675.86	0.00	0.01	0.00	OCC	158.07	361.97
Sus. + W2{1}	11915.44	675.69	0.00	0.01	0.00	OCC	158.07	361.97
Sus. + W3{1}	11882.45	689.81	0.00	0.00	0.00	OCC	158.06	361.97
Sus. + W4{1}	11882.44	690.06	0.00	0.00	0.00	OCC	158.06	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	39527.38	3192.69	0.07	8.41	4.27	OCC	12.69	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	11877.12	652.27	0.01	0.14	1.28	SUST	158.43	361.97
Amb to T1{1}	146928.6	118.62	0.01	0.00	15.82	DISP	15.82	308.00
Amb to T2{1}	883.11	74.20	0.00	0.00	0.10	DISP	0.10	308.00
Amb to T3{1}	874.04	86.01	0.00	0.00	0.09	DISP	0.09	308.00
Sus. + W1{1}	11915.27	675.86	0.00	0.01	0.00	OCC	158.45	361.97
Sus. + W2{1}	11915.44	675.69	0.00	0.01	0.00	OCC	158.45	361.97
Sus. + W3{1}	11882.45	689.81	0.00	0.00	0.00	OCC	158.44	361.97
Sus. + W4{1}	11882.44	690.06	0.00	0.00	0.00	OCC	158.44	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	39527.38	3192.69	0.07	8.10	4.27	OCC	12.37	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	14549.64	755.08	0.01	0.14	1.57	SUST	158.72	361.97
Amb to T1{1}	154311.7	126.92	0.01	0.00	16.61	DISP	16.61	307.71
Amb to T2{1}	651.44	102.57	0.00	0.00	0.07	DISP	0.07	307.71
Amb to T3{1}	967.39	109.58	0.00	0.00	0.10	DISP	0.10	307.71
Sus. + W1{1}	14593.32	783.23	0.00	0.01	0.01	OCC	158.74	361.97
Sus. + W2{1}	14593.53	783.03	0.00	0.01	0.01	OCC	158.74	361.97
Sus. + W3{1}	14556.05	780.92	0.00	0.00	0.00	OCC	158.73	361.97
Sus. + W4{1}	14556.03	782.85	0.00	0.00	0.00	OCC	158.73	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	42020.70	3538.50	0.07	8.10	4.54	OCC	12.64	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	14549.64	755.08	0.01	0.14	1.57	SUST	159.10	361.97
Amb to T1{1}	154311.7	126.92	0.01	0.00	16.61	DISP	16.61	307.33
Amb to T2{1}	651.44	102.57	0.00	0.00	0.07	DISP	0.07	307.33
Amb to T3{1}	967.39	109.58	0.00	0.00	0.10	DISP	0.10	307.33
Sus. + W1{1}	14593.32	783.23	0.00	0.01	0.01	OCC	159.12	361.97
Sus. + W2{1}	14593.53	783.03	0.00	0.01	0.01	OCC	159.12	361.97
Sus. + W3{1}	14556.05	780.92	0.00	0.00	0.00	OCC	159.11	361.97
Sus. + W4{1}	14556.03	782.85	0.00	0.00	0.00	OCC	159.11	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	42020.70	3538.50	0.07	7.78	4.54	OCC	12.32	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	17471.79	865.31	0.01	0.14	1.88	SUST	159.41	361.97
Amb to T1{1}	160179.4	134.86	0.01	0.00	17.25	DISP	17.25	307.02
Amb to T2{1}	326.45	134.53	0.00	0.00	0.04	DISP	0.04	307.02
Amb to T3{1}	1052.25	135.79	0.00	0.00	0.11	DISP	0.11	307.02
Sus. + W1{1}	17521.02	898.42	0.00	0.01	0.01	OCC	159.43	361.97
Sus. + W2{1}	17521.26	898.18	0.00	0.01	0.01	OCC	159.43	361.97

Sus. + W3{1}	17479.36	876.96	0.00	0.00	0.00	OCC	159.42	361.97
Sus. + W4{1}	17479.33	880.86	0.00	0.00	0.00	OCC	159.42	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	44297.15	3894.68	0.07	7.78	4.79	OCC	12.57	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	17471.79	865.31	0.01	0.15	1.88	SUST	159.79	361.97
Amb to T1{1}	160179.4	134.86	0.01	0.00	17.25	DISP	17.25	306.64
Amb to T2{1}	326.45	134.53	0.00	0.00	0.04	DISP	0.04	306.64
Amb to T3{1}	1052.25	135.79	0.00	0.00	0.11	DISP	0.11	306.64
Sus. + W1{1}	17521.02	898.42	0.00	0.01	0.01	OCC	159.81	361.97
Sus. + W2{1}	17521.26	898.18	0.00	0.01	0.01	OCC	159.81	361.97
Sus. + W3{1}	17479.36	876.96	0.00	0.00	0.00	OCC	159.80	361.97
Sus. + W4{1}	17479.33	880.86	0.00	0.00	0.00	OCC	159.80	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	44297.15	3894.68	0.07	7.47	4.79	OCC	12.26	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	20609.02	982.70	0.01	0.15	2.22	SUST	160.13	361.97
Amb to T1{1}	164419.5	142.25	0.01	0.00	17.70	DISP	17.70	306.30
Amb to T2{1}	107.50	170.26	0.00	0.00	0.02	DISP	0.02	306.30
Amb to T3{1}	1122.94	164.71	0.00	0.00	0.12	DISP	0.12	306.30
Sus. + W1{1}	20663.60	1021.18	0.00	0.01	0.01	OCC	160.15	361.97
Sus. + W2{1}	20663.86	1020.89	0.00	0.01	0.01	OCC	160.15	361.97
Sus. + W3{1}	20617.79	987.95	0.00	0.00	0.00	OCC	160.14	361.97
Sus. + W4{1}	20617.76	983.60	0.00	0.00	0.00	OCC	160.14	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	46303.52	4257.98	0.07	7.47	5.01	OCC	12.48	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	20609.02	982.70	0.01	0.15	2.22	SUST	160.51	361.97
Amb to T1{1}	164419.5	142.25	0.01	0.00	17.70	DISP	17.70	305.92
Amb to T2{1}	107.50	170.26	0.00	0.00	0.02	DISP	0.02	305.92
Amb to T3{1}	1122.94	164.71	0.00	0.00	0.12	DISP	0.12	305.92
Sus. + W1{1}	20663.60	1021.18	0.00	0.01	0.01	OCC	160.53	361.97
Sus. + W2{1}	20663.86	1020.89	0.00	0.01	0.01	OCC	160.53	361.97
Sus. + W3{1}	20617.79	987.95	0.00	0.00	0.00	OCC	160.52	361.97
Sus. + W4{1}	20617.76	983.60	0.00	0.00	0.00	OCC	160.52	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	46303.52	4257.98	0.07	7.15	5.01	OCC	12.16	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	23907.38	1106.80	0.01	0.15	2.58	SUST	160.87	361.97
Amb to T1{1}	166901.5	148.89	0.01	0.00	17.97	DISP	17.97	305.56
Amb to T2{1}	666.54	209.91	0.00	0.00	0.08	DISP	0.08	305.56
Amb to T3{1}	1172.58	196.41	0.00	0.00	0.13	DISP	0.13	305.56
Sus. + W1{1}	23966.85	1151.06	0.00	0.01	0.01	OCC	160.89	361.97
Sus. + W2{1}	23967.14	1150.72	0.00	0.01	0.01	OCC	160.89	361.97
Sus. + W3{1}	23917.39	1131.91	0.00	0.00	0.00	OCC	160.88	361.97
Sus. + W4{1}	23917.35	1123.17	0.00	0.00	0.00	OCC	160.88	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	47979.52	4624.32	0.07	7.15	5.19	OCC	12.34	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	23907.38	1106.80	0.01	0.15	2.58	SUST	161.25	361.97
Amb to T1{1}	166901.5	148.89	0.01	0.00	17.97	DISP	17.97	305.18
Amb to T2{1}	666.54	209.91	0.00	0.00	0.08	DISP	0.08	305.18
Amb to T3{1}	1172.58	196.41	0.00	0.00	0.13	DISP	0.13	305.18
Sus. + W1{1}	23966.85	1151.06	0.00	0.01	0.01	OCC	161.27	361.97
Sus. + W2{1}	23967.14	1150.72	0.00	0.01	0.01	OCC	161.27	361.97
Sus. + W3{1}	23917.39	1131.91	0.00	0.00	0.00	OCC	161.26	361.97

Sus. + W4{1}	23917.35	1123.17	0.00	0.00	0.00	OCC	161.26	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	47979.52	4624.32	0.07	6.84	5.19	OCC	12.03	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	27291.21	1237.01	0.01	0.15	2.94	SUST	161.61	361.97
Amb to T1{1}	167478.3	154.55	0.01	0.00	18.03	DISP	18.03	304.82
Amb to T2{1}	1366.93	253.61	0.00	0.00	0.15	DISP	0.15	304.82
Amb to T3{1}	1193.05	230.94	0.00	0.00	0.13	DISP	0.13	304.82
Sus. + W1{1}	27354.80	1287.44	0.00	0.01	0.01	OCC	161.64	361.97
Sus. + W2{1}	27355.12	1287.05	0.00	0.01	0.01	OCC	161.64	361.97
Sus. + W3{1}	27302.46	1285.17	0.00	0.00	0.01	OCC	161.62	361.97
Sus. + W4{1}	27302.41	1273.53	0.00	0.00	0.00	OCC	161.62	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	49258.84	4988.93	0.07	6.84	5.33	OCC	12.17	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	27291.21	1237.01	0.01	0.15	2.94	SUST	162.00	361.97
Amb to T1{1}	167478.3	154.55	0.01	0.00	18.03	DISP	18.03	304.43
Amb to T2{1}	1366.93	253.61	0.00	0.00	0.15	DISP	0.15	304.43
Amb to T3{1}	1193.05	230.94	0.00	0.00	0.13	DISP	0.13	304.43
Sus. + W1{1}	27354.80	1287.44	0.00	0.01	0.01	OCC	162.02	361.97
Sus. + W2{1}	27355.12	1287.05	0.00	0.01	0.01	OCC	162.02	361.97
Sus. + W3{1}	27302.46	1285.17	0.00	0.00	0.01	OCC	162.01	361.97
Sus. + W4{1}	27302.41	1273.53	0.00	0.00	0.00	OCC	162.01	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	49258.84	4988.93	0.07	6.53	5.33	OCC	11.86	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	30658.80	1372.53	0.01	0.15	3.30	SUST	162.36	361.97
Amb to T1{1}	165985.1	158.97	0.01	0.00	17.87	DISP	17.87	304.07
Amb to T2{1}	2224.40	301.45	0.00	0.00	0.24	DISP	0.24	304.07
Amb to T3{1}	1174.91	268.29	0.00	0.00	0.13	DISP	0.13	304.07
Sus. + W1{1}	30725.36	1429.48	0.00	0.01	0.01	OCC	162.38	361.97
Sus. + W2{1}	30725.70	1429.04	0.00	0.01	0.01	OCC	162.38	361.97
Sus. + W3{1}	30671.24	1447.16	0.00	0.00	0.01	OCC	162.37	361.97
Sus. + W4{1}	30671.18	1432.25	0.00	0.00	0.01	OCC	162.37	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	50069.05	5346.13	0.07	6.53	5.42	OCC	11.95	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	30658.80	1372.53	0.01	0.16	3.30	SUST	162.74	361.97
Amb to T1{1}	165985.1	158.97	0.01	0.00	17.87	DISP	17.87	303.69
Amb to T2{1}	2224.40	301.45	0.00	0.00	0.24	DISP	0.24	303.69
Amb to T3{1}	1174.91	268.29	0.00	0.00	0.13	DISP	0.13	303.69
Sus. + W1{1}	30725.36	1429.48	0.00	0.01	0.01	OCC	162.76	361.97
Sus. + W2{1}	30725.70	1429.04	0.00	0.01	0.01	OCC	162.76	361.97
Sus. + W3{1}	30671.24	1447.16	0.00	0.00	0.01	OCC	162.75	361.97
Sus. + W4{1}	30671.18	1432.25	0.00	0.00	0.01	OCC	162.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	50069.05	5346.13	0.07	6.21	5.42	OCC	11.64	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	33879.90	1512.34	0.01	0.16	3.65	SUST	163.09	361.97
Amb to T1{1}	162238.3	161.87	0.01	0.00	17.47	DISP	17.47	303.34
Amb to T2{1}	3253.73	353.47	0.00	0.00	0.35	DISP	0.35	303.34
Amb to T3{1}	1107.33	308.42	0.00	0.00	0.12	DISP	0.12	303.34
Sus. + W1{1}	33947.82	1576.17	0.00	0.01	0.01	OCC	163.11	361.97
Sus. + W2{1}	33948.16	1575.67	0.00	0.01	0.01	OCC	163.11	361.97
Sus. + W3{1}	33893.41	1617.10	0.00	0.00	0.01	OCC	163.10	361.97
Sus. + W4{1}	33893.34	1598.57	0.00	0.00	0.01	OCC	163.10	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	50332.37	5689.47	0.07	6.21	5.45	OCC	11.67	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	33879.90	1512.34	0.01	0.16	3.65	SUST	163.47	361.97
Amb to T1{1}	162238.3	161.87	0.01	0.00	17.47	DISP	17.47	302.96
Amb to T2{1}	3253.73	353.47	0.00	0.00	0.35	DISP	0.35	302.96
Amb to T3{1}	1107.33	308.42	0.00	0.00	0.12	DISP	0.12	302.96
Sus. + W1{1}	33947.82	1576.17	0.00	0.01	0.01	OCC	163.49	361.97
Sus. + W2{1}	33948.16	1575.67	0.00	0.01	0.01	OCC	163.49	361.97
Sus. + W3{1}	33893.41	1617.10	0.00	0.00	0.01	OCC	163.49	361.97
Sus. + W4{1}	33893.34	1598.57	0.00	0.00	0.01	OCC	163.48	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	50332.37	5689.47	0.07	5.90	5.45	OCC	11.36	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	36789.77	1655.16	0.01	0.16	3.97	SUST	163.78	361.97
Amb to T1{1}	156036.2	162.93	0.01	0.00	16.80	DISP	16.80	302.65
Amb to T2{1}	4467.41	409.66	0.00	0.00	0.48	DISP	0.48	302.65
Amb to T3{1}	978.16	351.26	0.00	0.00	0.11	DISP	0.11	302.65
Sus. + W1{1}	36856.90	1726.17	0.00	0.01	0.01	OCC	163.81	361.97
Sus. + W2{1}	36857.25	1725.61	0.00	0.01	0.01	OCC	163.81	361.97
Sus. + W3{1}	36804.17	1793.94	0.00	0.00	0.02	OCC	163.80	361.97
Sus. + W4{1}	36804.09	1771.41	0.00	0.00	0.01	OCC	163.80	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	49965.83	6011.41	0.07	5.90	5.42	OCC	11.32	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	36789.77	1655.16	0.01	0.16	3.97	SUST	164.17	361.97
Amb to T1{1}	156036.2	162.93	0.01	0.00	16.80	DISP	16.80	302.26
Amb to T2{1}	4467.41	409.66	0.00	0.00	0.48	DISP	0.48	302.26
Amb to T3{1}	978.16	351.26	0.00	0.00	0.11	DISP	0.11	302.26
Sus. + W1{1}	36856.90	1726.17	0.00	0.01	0.01	OCC	164.19	361.97
Sus. + W2{1}	36857.25	1725.61	0.00	0.01	0.01	OCC	164.19	361.97
Sus. + W3{1}	36804.17	1793.94	0.00	0.00	0.02	OCC	164.19	361.97
Sus. + W4{1}	36804.09	1771.41	0.00	0.00	0.01	OCC	164.18	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	49965.83	6011.41	0.07	5.59	5.42	OCC	11.01	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	39186.77	1799.46	0.01	0.16	4.22	SUST	164.43	361.97
Amb to T1{1}	147157.8	161.80	0.01	0.00	15.84	DISP	15.84	302.00
Amb to T2{1}	5874.78	469.96	0.00	0.00	0.63	DISP	0.63	302.00
Amb to T3{1}	773.90	396.65	0.00	0.00	0.09	DISP	0.09	302.00
Sus. + W1{1}	39250.36	1877.90	0.00	0.01	0.01	OCC	164.45	361.97
Sus. + W2{1}	39250.70	1877.28	0.00	0.01	0.01	OCC	164.45	361.97
Sus. + W3{1}	39201.78	1976.33	0.00	0.00	0.02	OCC	164.45	361.97
Sus. + W4{1}	39201.68	1949.40	0.00	0.00	0.02	OCC	164.45	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	48882.66	6303.43	0.07	5.59	5.31	OCC	10.90	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	39186.77	1799.46	0.01	0.16	4.22	SUST	164.81	361.97
Amb to T1{1}	147157.8	161.80	0.01	0.00	15.84	DISP	15.84	301.62
Amb to T2{1}	5874.78	469.96	0.00	0.00	0.63	DISP	0.63	301.62
Amb to T3{1}	773.90	396.65	0.00	0.00	0.09	DISP	0.09	301.62
Sus. + W1{1}	39250.36	1877.90	0.00	0.01	0.01	OCC	164.83	361.97
Sus. + W2{1}	39250.70	1877.28	0.00	0.01	0.01	OCC	164.83	361.97
Sus. + W3{1}	39201.78	1976.33	0.00	0.00	0.02	OCC	164.83	361.97
Sus. + W4{1}	39201.68	1949.40	0.00	0.00	0.02	OCC	164.83	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	48882.66	6303.43	0.07	5.28	5.31	OCC	10.59	434.37

*** - UNREST	SIFI= 1.00 GR + Max P{1}	SIFO= 1.00								
			40828.34	1943.39	0.01	0.16	4.40	SUST	164.99	361.97
	Amb to T1{1}		135365.0	158.12	0.01	0.00	14.57	DISP	14.57	301.44
	Amb to T2{1}		7480.58	534.20	0.00	0.00	0.81	DISP	0.81	301.44
	Amb to T3{1}		479.89	444.39	0.00	0.00	0.07	DISP	0.07	301.44
	Sus. + W1{1}		40884.97	2029.44	0.00	0.01	0.01	OCC	165.01	361.97
	Sus. + W2{1}		40885.29	2028.75	0.00	0.01	0.01	OCC	165.01	361.97
	Sus. + W3{1}		40843.58	2162.58	0.00	0.00	0.02	OCC	165.01	361.97
	Sus. + W4{1}		40843.48	2130.86	0.00	0.00	0.02	OCC	165.01	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		46993.70	6555.88	0.07	5.28	5.11	OCC	10.39	434.37
*** + UNREST	SIFI= 1.00 GR + Max P{1}	SIFO= 1.00	40828.34	1943.39	0.01	0.17	4.40	SUST	165.37	361.97
	Amb to T1{1}		135365.0	158.12	0.01	0.00	14.57	DISP	14.57	301.06
	Amb to T2{1}		7480.58	534.20	0.00	0.00	0.81	DISP	0.81	301.06
	Amb to T3{1}		479.89	444.39	0.00	0.00	0.07	DISP	0.07	301.06
	Sus. + W1{1}		40884.97	2029.44	0.00	0.01	0.01	OCC	165.40	361.97
	Sus. + W2{1}		40885.29	2028.75	0.00	0.01	0.01	OCC	165.40	361.97
	Sus. + W3{1}		40843.58	2162.58	0.00	0.00	0.02	OCC	165.40	361.97
	Sus. + W4{1}		40843.48	2130.86	0.00	0.00	0.02	OCC	165.40	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		46993.70	6555.88	0.07	4.97	5.11	OCC	10.08	434.37
*** - UNREST	SIFI= 1.00 GR + Max P{1}	SIFO= 1.00	41428.61	2084.79	0.01	0.17	4.47	SUST	165.44	361.97
	Amb to T1{1}		120397.0	151.46	0.01	0.00	12.96	DISP	12.96	300.99
	Amb to T2{1}		9284.02	602.18	0.00	0.00	1.00	DISP	1.00	300.99
	Amb to T3{1}		80.40	494.22	0.00	0.00	0.05	DISP	0.05	300.99
	Sus. + W1{1}		41474.07	2178.57	0.00	0.01	0.01	OCC	165.46	361.97
	Sus. + W2{1}		41474.34	2177.82	0.00	0.01	0.01	OCC	165.46	361.97
	Sus. + W3{1}		41443.57	2350.72	0.00	0.00	0.03	OCC	165.47	361.97
	Sus. + W4{1}		41443.45	2313.80	0.00	0.00	0.02	OCC	165.46	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		44208.23	6758.05	0.07	4.97	4.82	OCC	9.78	434.37
*** + UNREST	SIFI= 1.00 GR + Max P{1}	SIFO= 1.00	41428.61	2084.79	0.01	0.17	4.47	SUST	165.82	361.97
	Amb to T1{1}		120397.0	151.46	0.01	0.00	12.96	DISP	12.96	300.61
	Amb to T2{1}		9284.02	602.18	0.00	0.00	1.00	DISP	1.00	300.61
	Amb to T3{1}		80.40	494.22	0.00	0.00	0.05	DISP	0.05	300.61
	Sus. + W1{1}		41474.07	2178.57	0.00	0.01	0.01	OCC	165.85	361.97
	Sus. + W2{1}		41474.34	2177.82	0.00	0.01	0.01	OCC	165.85	361.97
	Sus. + W3{1}		41443.57	2350.72	0.00	0.00	0.03	OCC	165.85	361.97
	Sus. + W4{1}		41443.45	2313.80	0.00	0.00	0.02	OCC	165.85	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		44208.23	6758.05	0.07	4.66	4.82	OCC	9.47	

Amb to T1{1}	101978.3	141.41	0.01	0.00	10.98	DISP	10.98	300.29
Amb to T2{1}	11276.14	673.58	0.00	0.00	1.22	DISP	1.22	300.29
Amb to T3{1}	440.98	545.77	0.00	0.00	0.08	DISP	0.08	300.29
Sus. + W1{1}	40836.96	2322.68	0.00	0.01	0.01	OCC	166.17	361.97
Sus. + W2{1}	40837.17	2321.86	0.00	0.01	0.01	OCC	166.17	361.97
Sus. + W3{1}	40821.74	2538.31	0.00	0.00	0.03	OCC	166.18	361.97
Sus. + W4{1}	40821.61	2495.82	0.00	0.00	0.03	OCC	166.17	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	40437.08	6897.93	0.07	4.35	4.42	OCC	8.76	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	38987.27	2349.59	0.01	0.17	4.21	SUST	165.95	361.97
Amb to T1{1}	79814.47	127.49	0.01	0.00	8.59	DISP	8.59	300.48
Amb to T2{1}	13438.43	747.95	0.00	0.00	1.45	DISP	1.45	300.48
Amb to T3{1}	1100.96	598.61	0.00	0.00	0.13	DISP	0.13	300.48
Sus. + W1{1}	38994.43	2458.77	0.00	0.01	0.01	OCC	165.97	361.97
Sus. + W2{1}	38994.55	2457.88	0.00	0.01	0.01	OCC	165.97	361.97
Sus. + W3{1}	38999.60	2722.53	0.00	0.00	0.04	OCC	165.99	361.97
Sus. + W4{1}	38999.46	2674.07	0.00	0.00	0.03	OCC	165.98	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	35594.50	6962.32	0.07	4.35	3.91	OCC	8.25	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	38987.27	2349.59	0.01	0.17	4.21	SUST	166.33	361.97
Amb to T1{1}	79814.47	127.49	0.01	0.00	8.59	DISP	8.59	300.10
Amb to T2{1}	13438.43	747.95	0.00	0.00	1.45	DISP	1.45	300.10
Amb to T3{1}	1100.96	598.61	0.00	0.00	0.13	DISP	0.13	300.10
Sus. + W1{1}	38994.43	2458.77	0.00	0.02	0.01	OCC	166.36	361.97
Sus. + W2{1}	38994.55	2457.88	0.00	0.02	0.01	OCC	166.36	361.97
Sus. + W3{1}	38999.60	2722.53	0.00	0.00	0.04	OCC	166.38	361.97
Sus. + W4{1}	38999.46	2674.07	0.00	0.00	0.03	OCC	166.37	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	35594.50	6962.32	0.07	4.04	3.91	OCC	7.94	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	35942.76	2466.78	0.01	0.17	3.88	SUST	166.01	361.97
Amb to T1{1}	53597.04	109.22	0.01	0.00	5.77	DISP	5.77	300.42
Amb to T2{1}	15740.25	824.74	0.00	0.00	1.70	DISP	1.70	300.42
Amb to T3{1}	1915.96	652.19	0.00	0.00	0.22	DISP	0.22	300.42
Sus. + W1{1}	35964.55	2583.39	0.00	0.02	0.01	OCC	166.03	361.97
Sus. + W2{1}	35964.55	2582.43	0.00	0.02	0.01	OCC	166.03	361.97
Sus. + W3{1}	35952.39	2900.07	0.00	0.00	0.05	OCC	166.06	361.97
Sus. + W4{1}	35952.25	2845.28	0.00	0.00	0.04	OCC	166.05	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	29601.81	6936.76	0.07	4.04	3.27	OCC	7.31	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	35942.76	2466.78	0.01	0.17	3.88	SUST	166.39	361.97
Amb to T1{1}	53597.04	109.22	0.01	0.00	5.77	DISP	5.77	300.04
Amb to T2{1}	15740.25	824.74	0.00	0.00	1.70	DISP	1.70	300.04
Amb to T3{1}	1915.96	652.19	0.00	0.00	0.22	DISP	0.22	300.04
Sus. + W1{1}	35964.55	2583.39	0.00	0.02	0.01	OCC	166.42	361.97
Sus. + W2{1}	35964.55	2582.43	0.00	0.02	0.01	OCC	166.42	361.97
Sus. + W3{1}	35952.39	2900.07	0.00	0.00	0.05	OCC	166.44	361.97
Sus. + W4{1}	35952.25	2845.28	0.00	0.00	0.04	OCC	166.44	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	29601.81	6936.76	0.07	3.73	3.27	OCC	7.00	434.37
A01 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	31643.57	2569.02	0.01	0.17	3.42	SUST	165.93	361.97
Amb to T1{1}	22993.67	86.08	0.01	0.00	2.48	DISP	2.48	300.50
Amb to T2{1}	18137.39	903.28	0.00	0.00	1.96	DISP	1.96	300.50

	Amb to T3{1}	2901.75	705.88	0.00	0.00	0.32	DISP	0.32	300.50
	Sus. + W1{1}	31702.11	2692.70	0.00	0.02	0.01	OCC	165.96	361.97
	Sus. + W2{1}	31702.28	2691.68	0.00	0.02	0.01	OCC	165.96	361.97
	Sus. + W3{1}	31649.36	3067.17	0.00	0.00	0.05	OCC	165.99	361.97
	Sus. + W4{1}	31649.21	3005.73	0.00	0.00	0.05	OCC	165.98	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	22388.25	6805.48	0.07	3.73	2.52	OCC	6.25	434.37
A01 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	31643.57	2569.02	0.01	0.18	3.42	SUST	166.30	361.97
	Amb to T1{1}	22993.67	86.08	0.01	0.00	2.48	DISP	2.48	300.13
	Amb to T2{1}	18137.39	903.28	0.00	0.00	1.96	DISP	1.96	300.13
	Amb to T3{1}	2901.75	705.88	0.00	0.00	0.32	DISP	0.32	300.13
	Sus. + W1{1}	31702.11	2692.70	0.00	0.02	0.01	OCC	166.33	361.97
	Sus. + W2{1}	31702.28	2691.68	0.00	0.02	0.01	OCC	166.33	361.97
	Sus. + W3{1}	31649.35	3067.17	0.00	0.00	0.05	OCC	166.35	361.97
	Sus. + W4{1}	31649.21	3005.73	0.00	0.00	0.05	OCC	166.35	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	22388.25	6805.48	0.07	3.44	2.52	OCC	5.96	434.37
+1 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	26716.63	2644.31	0.01	0.18	2.89	SUST	165.77	361.97
	Amb to T1{1}	8314.54	60.86	0.01	0.00	0.90	DISP	0.90	300.66
	Amb to T2{1}	20308.61	974.21	0.00	0.00	2.19	DISP	2.19	300.66
	Amb to T3{1}	3937.63	753.27	0.00	0.00	0.43	DISP	0.43	300.66
	Sus. + W1{1}	26815.35	2773.85	0.00	0.02	0.02	OCC	165.80	361.97
	Sus. + W2{1}	26815.70	2772.77	0.00	0.02	0.02	OCC	165.80	361.97
	Sus. + W3{1}	26717.83	3204.06	0.00	0.00	0.06	OCC	165.83	361.97
	Sus. + W4{1}	26717.69	3136.42	0.00	0.00	0.05	OCC	165.83	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	14869.82	6585.08	0.07	3.44	1.75	OCC	5.19	434.37
+1 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	26716.63	2644.31	0.01	0.18	2.89	SUST	166.12	361.97
	Amb to T1{1}	8314.54	60.86	0.01	0.00	0.90	DISP	0.90	300.31
	Amb to T2{1}	20308.61	974.21	0.00	0.00	2.19	DISP	2.19	300.31
	Amb to T3{1}	3937.63	753.27	0.00	0.00	0.43	DISP	0.43	300.31
	Sus. + W1{1}	26815.35	2773.85	0.00	0.02	0.02	OCC	166.15	361.97
	Sus. + W2{1}	26815.70	2772.77	0.00	0.02	0.02	OCC	166.15	361.97
	Sus. + W3{1}	26717.83	3204.06	0.00	0.00	0.06	OCC	166.18	361.97
	Sus. + W4{1}	26717.69	3136.42	0.00	0.00	0.05	OCC	166.17	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	14869.82	6585.08	0.07	3.16	1.75	OCC	4.92	434.37
+2 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	20732.46	2701.07	0.01	0.18	2.25	SUST	165.48	361.97
	Amb to T1{1}	43640.29	30.95	0.01	0.00	4.70	DISP	4.70	300.95
	Amb to T2{1}	22450.24	1045.18	0.00	0.00	2.42	DISP	2.42	300.95
	Amb to T3{1}	5128.77	799.52	0.00	0.00	0.56	DISP	0.56	300.95
	Sus. + W1{1}	20878.96	2835.91	0.00	0.02	0.02	OCC	165.51	361.97
	Sus. + W2{1}	20879.53	2834.78	0.00	0.02	0.02	OCC	165.51	361.97
	Sus. + W3{1}	20737.08	3325.76	0.00	0.00	0.07	OCC	165.55	361.97
	Sus. + W4{1}	20737.21	3251.70	0.00	0.00	0.06	OCC	165.54	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	6305.53	6253.86	0.07	3.16	0.96	OCC	4.13	434.37
+2 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	20732.46	2701.07	0.01	0.18	2.25	SUST	165.82	361.97
	Amb to T1{1}	43640.29	30.95	0.01	0.00	4.70	DISP	4.70	300.61
	Amb to T2{1}	22450.24	1045.18	0.00	0.00	2.42	DISP	2.42	300.61
	Amb to T3{1}	5128.77	799.52	0.00	0.00	0.56	DISP	0.56	300.61

	Sus. + W1{1}	20878.96	2835.91	0.00	0.02	0.02	OCC	165.86	361.97
	Sus. + W2{1}	20879.53	2834.78	0.00	0.02	0.02	OCC	165.86	361.97
	Sus. + W3{1}	20737.08	3325.76	0.00	0.00	0.07	OCC	165.89	361.97
	Sus. + W4{1}	20737.21	3251.70	0.00	0.00	0.06	OCC	165.89	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	6305.53	6253.86	0.07	2.89	0.96	OCC	3.85	434.37
+3 -	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	13657.78	2735.72	0.01	0.18	1.50	SUST	165.07	361.97
	Amb to T1{1}	83240.95	4.07	0.01	0.00	8.96	DISP	8.96	301.36
	Amb to T2{1}	24491.40	1115.36	0.00	0.00	2.64	DISP	2.64	301.36
	Amb to T3{1}	6480.76	843.88	0.00	0.00	0.70	DISP	0.70	301.36
	Sus. + W1{1}	13860.27	2875.15	0.00	0.02	0.03	OCC	165.11	361.97
	Sus. + W2{1}	13861.09	2873.97	0.00	0.02	0.03	OCC	165.11	361.97
	Sus. + W3{1}	13669.61	3428.44	0.00	0.00	0.07	OCC	165.15	361.97
	Sus. + W4{1}	13669.73	3347.82	0.00	0.00	0.07	OCC	165.14	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	3318.47	5798.04	0.07	2.89	0.72	OCC	3.62	434.37
+3 +	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	13657.78	2735.72	0.01	0.18	1.50	SUST	165.42	361.97
	Amb to T1{1}	83240.95	4.07	0.01	0.00	8.96	DISP	8.96	301.01
	Amb to T2{1}	24491.40	1115.36	0.00	0.00	2.64	DISP	2.64	301.01
	Amb to T3{1}	6480.76	843.88	0.00	0.00	0.70	DISP	0.70	301.01
	Sus. + W1{1}	13860.27	2875.15	0.00	0.02	0.03	OCC	165.46	361.97
	Sus. + W2{1}	13861.09	2873.97	0.00	0.02	0.03	OCC	165.46	361.97
	Sus. + W3{1}	13669.61	3428.44	0.00	0.00	0.07	OCC	165.50	361.97
	Sus. + W4{1}	13669.73	3347.82	0.00	0.00	0.07	OCC	165.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	3318.47	5798.04	0.07	2.61	0.72	OCC	3.35	434.37
A02 N-	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	5454.87	2744.35	0.01	0.18	0.66	SUST	164.58	361.97
	Amb to T1{1}	127378.6	44.60	0.01	0.00	13.71	DISP	13.71	301.85
	Amb to T2{1}	26345.61	1183.83	0.00	0.00	2.84	DISP	2.84	301.85
	Amb to T3{1}	7995.88	885.56	0.00	0.00	0.87	DISP	0.87	301.85
	Sus. + W1{1}	5722.05	2887.49	0.00	0.02	0.03	OCC	164.63	361.97
	Sus. + W2{1}	5723.16	2886.26	0.00	0.02	0.03	OCC	164.63	361.97
	Sus. + W3{1}	5475.45	3507.92	0.00	0.00	0.08	OCC	164.66	361.97
	Sus. + W4{1}	5475.55	3420.62	0.00	0.00	0.07	OCC	164.65	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	13999.04	5203.12	0.07	2.61	1.61	OCC	4.23	434.37
A02 N+	SIFI= 2.99 SIFO= 2.49								
UNREST	GR + Max P{1}	5454.87	2744.34	0.01	0.19	1.43	SUST	165.60	361.97
	Amb to T1{1}	127378.6	44.66	0.01	0.00	41.06	DISP	41.06	300.83
	Amb to T2{1}	26345.61	1183.81	0.00	0.00	8.50	DISP	8.50	300.83
	Amb to T3{1}	7995.88	885.56	0.00	0.00	2.59	DISP	2.59	300.83
	Sus. + W1{1}	5722.05	2887.48	0.00	0.02	0.07	OCC	165.69	361.97
	Sus. + W2{1}	5723.16	2886.26	0.00	0.02	0.07	OCC	165.69	361.97
	Sus. + W3{1}	5475.45	3507.92	0.00	0.00	0.15	OCC	165.76	361.97
	Sus. + W4{1}	5475.55	3420.62	0.00	0.00	0.14	OCC	165.74	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	13999.04	5203.13	0.07	2.41	3.54	OCC	5.96	434.37
+1 -	SIFI= 2.99 SIFO= 2.49								
UNREST	GR + Max P{1}	2396.78	2687.94	0.03	0.18	0.79	SUST	165.11	361.97
	Amb to T1{1}	153483.8	84.76	0.01	0.00	49.47	DISP	49.47	301.32
	Amb to T2{1}	24817.32	1209.77	0.01	0.00	8.01	DISP	8.01	301.32
	Amb to T3{1}	8195.02	896.94	0.01	0.00	2.65	DISP	2.65	301.32
	Sus. + W1{1}	2686.51	2830.55	0.00	0.02	0.08	OCC	165.20	361.97
	Sus. + W2{1}	2687.72	2829.33	0.00	0.02	0.08	OCC	165.20	361.97

	Sus. + W3{1}	2419.75	3485.64	0.00	0.00	0.16	OCC	165.27	361.97
	Sus. + W4{1}	2419.85	3395.40	0.00	0.00	0.14	OCC	165.25	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	21089.13	4597.00	0.11	2.29	5.18	OCC	7.48	434.37
+1	+ SIFI= 2.99 SIFO= 2.49								
UNREST	GR + Max P{1}	2396.78	2687.94	0.03	0.18	0.79	SUST	165.28	361.97
	Amb to T1{1}	153483.8	84.76	0.01	0.00	49.47	DISP	49.47	301.15
	Amb to T2{1}	24817.32	1209.77	0.01	0.00	8.01	DISP	8.01	301.15
	Amb to T3{1}	8195.02	896.94	0.01	0.00	2.65	DISP	2.65	301.15
	Sus. + W1{1}	2686.51	2830.55	0.00	0.02	0.08	OCC	165.37	361.97
	Sus. + W2{1}	2687.72	2829.33	0.00	0.02	0.08	OCC	165.37	361.97
	Sus. + W3{1}	2419.75	3485.64	0.00	0.00	0.16	OCC	165.44	361.97
	Sus. + W4{1}	2419.85	3395.40	0.00	0.00	0.14	OCC	165.42	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	21089.13	4597.00	0.11	2.15	5.18	OCC	7.34	434.37
A02 F-	SIFI= 2.99 SIFO= 2.49								
UNREST	GR + Max P{1}	16648.51	2560.07	0.05	0.17	4.06	SUST	168.79	361.97
	Amb to T1{1}	186374.5	123.95	0.01	0.00	60.07	DISP	60.07	297.64
	Amb to T2{1}	18855.68	1205.88	0.02	0.00	6.09	DISP	6.09	297.64
	Amb to T3{1}	7321.19	885.88	0.01	0.00	2.37	DISP	2.37	297.64
	Sus. + W1{1}	16939.47	2698.48	0.00	0.02	0.08	OCC	168.88	361.97
	Sus. + W2{1}	16940.68	2697.29	0.00	0.02	0.08	OCC	168.88	361.97
	Sus. + W3{1}	16669.47	3373.16	0.01	0.00	0.16	OCC	168.96	361.97
	Sus. + W4{1}	16669.59	3282.16	0.01	0.00	0.15	OCC	168.94	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	31071.69	3847.06	0.15	1.98	7.55	OCC	9.54	434.37
A02 F+	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	16648.51	2560.06	0.05	0.17	1.81	SUST	166.82	361.97
	Amb to T1{1}	186374.5	123.84	0.01	0.00	20.07	DISP	20.07	299.61
	Amb to T2{1}	18855.68	1205.89	0.02	0.00	2.03	DISP	2.03	299.61
	Amb to T3{1}	7321.19	885.88	0.01	0.00	0.79	DISP	0.79	299.61
	Sus. + W1{1}	16939.47	2698.47	0.00	0.02	0.03	OCC	166.87	361.97
	Sus. + W2{1}	16940.68	2697.27	0.00	0.02	0.03	OCC	166.87	361.97
	Sus. + W3{1}	16669.47	3373.15	0.01	0.00	0.09	OCC	166.91	361.97
	Sus. + W4{1}	16669.60	3282.15	0.01	0.00	0.08	OCC	166.90	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	31071.69	3847.04	0.15	1.76	3.37	OCC	5.14	434.37
+1	- SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	50490.62	2503.86	0.05	0.17	5.44	SUST	170.45	361.97
	Amb to T1{1}	257551.6	174.72	0.01	0.00	27.73	DISP	27.73	295.98
	Amb to T2{1}	1995.76	1268.39	0.02	0.00	0.25	DISP	0.26	295.98
	Amb to T3{1}	4547.91	920.01	0.01	0.00	0.50	DISP	0.50	295.98
	Sus. + W1{1}	50762.82	2643.74	0.00	0.02	0.03	OCC	170.50	361.97
	Sus. + W2{1}	50763.89	2642.52	0.00	0.02	0.03	OCC	170.50	361.97
	Sus. + W3{1}	50502.80	3393.83	0.01	0.00	0.10	OCC	170.55	361.97
	Sus. + W4{1}	50503.00	3295.97	0.01	0.00	0.09	OCC	170.54	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	52088.16	2927.40	0.15	1.76	5.62	OCC	7.38	434.37
+1	+ SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	50490.62	2503.86	0.05	0.16	5.44	SUST	170.83	361.97
	Amb to T1{1}	257551.6	174.72	0.01	0.00	27.73	DISP	27.73	295.60
	Amb to T2{1}	1995.76	1268.39	0.02	0.00	0.25	DISP	0.26	295.60
	Amb to T3{1}	4547.91	920.01	0.01	0.00	0.50	DISP	0.50	295.60
	Sus. + W1{1}	50762.82	2643.74	0.00	0.02	0.03	OCC	170.88	361.97
	Sus. + W2{1}	50763.89	2642.52	0.00	0.02	0.03	OCC	170.88	361.97
	Sus. + W3{1}	50502.80	3393.83	0.01	0.00	0.10	OCC	170.93	361.97

	Sus. + W4{1}	50503.00	3295.97	0.01	0.00	0.09	OCC	170.92	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	52088.16	2927.40	0.15	1.45	5.62	OCC	7.08	434.37
+2 -	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	77083.44	2410.29	0.05	0.16	8.30	SUST	173.69	361.97
	Amb to T1{1}	313570.2	220.64	0.01	0.00	33.76	DISP	33.76	292.74
	Amb to T2{1}	12878.70	1317.60	0.02	0.00	1.39	DISP	1.39	292.74
	Amb to T3{1}	2315.80	944.19	0.01	0.00	0.27	DISP	0.27	292.74
	Sus. + W1{1}	77340.86	2549.90	0.00	0.02	0.03	OCC	173.74	361.97
	Sus. + W2{1}	77341.83	2548.67	0.00	0.02	0.03	OCC	173.74	361.97
	Sus. + W3{1}	77088.06	3371.86	0.01	0.00	0.10	OCC	173.80	361.97
	Sus. + W4{1}	77088.34	3267.90	0.01	0.00	0.09	OCC	173.79	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	66263.96	1925.50	0.15	1.45	7.14	OCC	8.60	434.37
+2 +	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	77083.44	2410.29	0.05	0.16	8.30	SUST	174.07	361.97
	Amb to T1{1}	313570.2	220.64	0.01	0.00	33.76	DISP	33.76	292.36
	Amb to T2{1}	12878.70	1317.60	0.02	0.00	1.39	DISP	1.39	292.36
	Amb to T3{1}	2315.80	944.19	0.01	0.00	0.27	DISP	0.27	292.36
	Sus. + W1{1}	77340.86	2549.90	0.00	0.02	0.03	OCC	174.12	361.97
	Sus. + W2{1}	77341.83	2548.67	0.00	0.02	0.03	OCC	174.12	361.97
	Sus. + W3{1}	77088.06	3371.86	0.01	0.00	0.10	OCC	174.18	361.97
	Sus. + W4{1}	77088.34	3267.90	0.01	0.00	0.09	OCC	174.17	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	66263.96	1925.50	0.15	1.15	7.14	OCC	8.29	434.37
+3 -	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	96896.41	2278.04	0.05	0.16	10.44	SUST	176.21	361.97
	Amb to T1{1}	355587.0	253.50	0.01	0.00	38.29	DISP	38.29	290.22
	Amb to T2{1}	25634.94	1346.73	0.02	0.00	2.76	DISP	2.76	290.22
	Amb to T3{1}	543.90	954.53	0.01	0.00	0.12	DISP	0.12	290.22
	Sus. + W1{1}	97140.66	2415.31	0.00	0.02	0.03	OCC	176.25	361.97
	Sus. + W2{1}	97141.54	2414.08	0.00	0.02	0.03	OCC	176.25	361.97
	Sus. + W3{1}	96898.16	3300.46	0.01	0.00	0.11	OCC	176.32	361.97
	Sus. + W4{1}	96897.83	3191.69	0.01	0.00	0.10	OCC	176.31	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	74259.61	908.37	0.15	1.15	8.00	OCC	9.15	434.37
+3 +	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	96896.41	2278.04	0.05	0.16	10.44	SUST	176.59	361.97
	Amb to T1{1}	355587.0	253.50	0.01	0.00	38.29	DISP	38.29	289.84
	Amb to T2{1}	25634.94	1346.73	0.02	0.00	2.76	DISP	2.76	289.84
	Amb to T3{1}	543.90	954.53	0.01	0.00	0.12	DISP	0.12	289.84
	Sus. + W1{1}	97140.66	2415.31	0.00	0.02	0.03	OCC	176.64	361.97
	Sus. + W2{1}	97141.54	2414.08	0.00	0.02	0.03	OCC	176.64	361.97
	Sus. + W3{1}	96898.16	3300.46	0.01	0.00	0.11	OCC	176.71	361.97
	Sus. + W4{1}	96897.83	3191.69	0.01	0.00	0.10	OCC	176.69	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	74259.61	908.37	0.15	0.84	8.00	OCC	8.84	434.37
A03 -	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	110321.5	2105.44	0.05	0.16	11.88	SUST	178.03	361.97
	Amb to T1{1}	384466.7	265.13	0.01	0.00	41.40	DISP	41.40	288.40
	Amb to T2{1}	36126.55	1348.80	0.02	0.00	3.89	DISP	3.89	288.40
	Amb to T3{1}	849.98	946.99	0.01	0.00	0.14	DISP	0.14	288.40
	Sus. + W1{1}	110551.6	2237.97	0.00	0.02	0.03	OCC	178.08	361.97
	Sus. + W2{1}	110552.4	2236.77	0.00	0.02	0.03	OCC	178.08	361.97
	Sus. + W3{1}	110328.5	3172.33	0.01	0.00	0.11	OCC	178.15	361.97
	Sus. + W4{1}	110328.1	3060.62	0.01	0.00	0.10	OCC	178.14	361.97
	Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}		76668.42	57.21	0.15	0.84	8.25	OCC	9.10	434.37
A03 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	110321.5	2105.45	0.05	0.15	11.88	SUST	178.40	361.97
	Amb to T1{1}	384466.7	265.15	0.01	0.00	41.40	DISP	41.40	288.03
	Amb to T2{1}	36126.55	1348.80	0.02	0.00	3.89	DISP	3.89	288.03
	Amb to T3{1}	849.98	946.99	0.01	0.00	0.14	DISP	0.14	288.03
	Sus. + W1{1}	110551.6	2237.97	0.00	0.02	0.03	OCC	178.44	361.97
	Sus. + W2{1}	110552.4	2236.77	0.00	0.02	0.03	OCC	178.44	361.97
	Sus. + W3{1}	110328.5	3172.34	0.01	0.00	0.11	OCC	178.52	361.97
	Sus. + W4{1}	110328.1	3060.63	0.01	0.00	0.10	OCC	178.51	361.97
	Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		76668.42	57.21	0.15	0.55	8.25	OCC	8.81	434.37
+1 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	117146.1	1916.11	0.05	0.15	12.61	SUST	179.13	361.97
	Amb to T1{1}	399576.3	250.99	0.01	0.00	43.02	DISP	43.02	287.30
	Amb to T2{1}	43434.94	1322.01	0.02	0.00	4.68	DISP	4.68	287.30
	Amb to T3{1}	1839.87	921.85	0.01	0.00	0.22	DISP	0.22	287.30
	Sus. + W1{1}	117360.5	2042.07	0.00	0.02	0.03	OCC	179.18	361.97
	Sus. + W2{1}	117361.2	2040.91	0.00	0.02	0.03	OCC	179.18	361.97
	Sus. + W3{1}	117156.9	3004.14	0.01	0.00	0.12	OCC	179.25	361.97
	Sus. + W4{1}	117156.5	2891.84	0.01	0.00	0.11	OCC	179.24	361.97
	Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		74533.42	819.88	0.15	0.55	8.03	OCC	8.58	434.37
+1 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	117146.1	1916.11	0.05	0.15	12.61	SUST	179.47	361.97
	Amb to T1{1}	399576.3	250.99	0.01	0.00	43.02	DISP	43.02	286.96
	Amb to T2{1}	43434.94	1322.01	0.02	0.00	4.68	DISP	4.68	286.96
	Amb to T3{1}	1839.87	921.85	0.01	0.00	0.22	DISP	0.22	286.96
	Sus. + W1{1}	117360.5	2042.07	0.00	0.02	0.03	OCC	179.52	361.97
	Sus. + W2{1}	117361.2	2040.91	0.00	0.02	0.03	OCC	179.52	361.97
	Sus. + W3{1}	117156.9	3004.14	0.01	0.00	0.12	OCC	179.60	361.97
	Sus. + W4{1}	117156.5	2891.84	0.01	0.00	0.11	OCC	179.58	361.97
	Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		74533.42	819.88	0.15	0.28	8.03	OCC	8.31	434.37
+2 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	119282.1	1691.56	0.05	0.15	12.84	SUST	179.70	361.97
	Amb to T1{1}	404844.4	207.63	0.01	0.00	43.59	DISP	43.59	286.73
	Amb to T2{1}	48693.91	1262.82	0.02	0.00	5.24	DISP	5.24	286.73
	Amb to T3{1}	2652.03	876.17	0.01	0.00	0.30	DISP	0.30	286.73
	Sus. + W1{1}	119475.6	1808.47	0.00	0.02	0.02	OCC	179.75	361.97
	Sus. + W2{1}	119476.2	1807.38	0.00	0.02	0.02	OCC	179.75	361.97
	Sus. + W3{1}	119295.9	2778.94	0.01	0.00	0.12	OCC	179.83	361.97
	Sus. + W4{1}	119295.5	2668.42	0.01	0.00	0.11	OCC	179.81	361.97
	Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		68697.88	1441.62	0.15	0.28	7.40	OCC	7.68	434.37
+2 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	119282.1	1691.56	0.05	0.14	12.84	SUST	180.05	361.97
	Amb to T1{1}	404844.4	207.63	0.01	0.00	43.59	DISP	43.59	286.38
	Amb to T2{1}	48693.91	1262.82	0.02	0.00	5.24	DISP	5.24	286.38
	Amb to T3{1}	2652.03	876.17	0.01	0.00	0.30	DISP	0.30	286.38
	Sus. + W1{1}	119475.6	1808.47	0.00	0.02	0.02	OCC	180.09	361.97
	Sus. + W2{1}	119476.2	1807.38	0.00	0.02	0.02	OCC	180.09	361.97
	Sus. + W3{1}	119295.9	2778.94	0.01	0.00	0.12	OCC	180.17	361.97
	Sus. + W4{1}	119295.5	2668.42	0.01	0.00	0.11	OCC	180.16	361.97
	Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		68697.88	1441.62	0.15	0.01	7.40	OCC	7.41	434.37

	Amb to T1{1}	62559.18	1974.01	0.01	0.00	6.74	DISP	6.74	297.83
	Amb to T2{1}	22143.32	1205.98	0.02	0.00	2.39	DISP	2.39	297.83
	Amb to T3{1}	10432.47	769.12	0.01	0.00	1.13	DISP	1.13	297.83
	Sus. + W1{1}	2706.95	2774.69	0.00	0.02	0.05	OCC	168.67	361.97
	Sus. + W2{1}	2708.79	2773.87	0.00	0.02	0.05	OCC	168.67	361.97
	Sus. + W3{1}	2264.39	2799.58	0.01	0.00	0.02	OCC	168.63	361.97
	Sus. + W4{1}	2264.73	2758.23	0.01	0.00	0.01	OCC	168.62	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	49925.24	316.48	0.15	-0.98	5.38	OCC	6.37	434.37
A05 N+	SIFI= 2.99 SIFO= 2.49								
UNREST	GR + Max P{1}	2242.74	2655.97	0.05	-0.01	0.76	SUST	168.98	361.97
	Amb to T1{1}	62559.18	1974.01	0.01	0.00	20.17	DISP	20.17	297.45
	Amb to T2{1}	22143.32	1205.98	0.02	0.00	7.14	DISP	7.14	297.45
	Amb to T3{1}	10432.47	769.12	0.01	0.00	3.37	DISP	3.37	297.45
	Sus. + W1{1}	2706.95	2774.69	0.00	0.02	0.11	OCC	169.11	361.97
	Sus. + W2{1}	2708.79	2773.87	0.00	0.02	0.12	OCC	169.11	361.97
	Sus. + W3{1}	2264.39	2799.58	0.01	0.00	0.03	OCC	169.02	361.97
	Sus. + W4{1}	2264.73	2758.23	0.01	0.00	0.02	OCC	169.01	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	49925.24	316.49	0.15	-0.98	12.07	OCC	13.06	434.37
A05 F-	SIFI= 2.99 SIFO= 2.49								
UNREST	GR + Max P{1}	6314.74	2603.93	0.09	0.00	1.61	SUST	169.99	361.97
	Amb to T1{1}	28315.81	2101.13	0.03	0.00	9.14	DISP	9.14	296.44
	Amb to T2{1}	17648.06	1266.14	0.04	0.00	5.70	DISP	5.70	296.44
	Amb to T3{1}	9743.75	796.96	0.03	0.00	3.15	DISP	3.15	296.44
	Sus. + W1{1}	6782.51	2723.18	0.00	0.02	0.12	OCC	170.13	361.97
	Sus. + W2{1}	6784.29	2722.35	0.00	0.02	0.12	OCC	170.13	361.97
	Sus. + W3{1}	6325.93	2793.80	0.01	0.00	0.04	OCC	170.04	361.97
	Sus. + W4{1}	6326.40	2747.92	0.01	0.00	0.03	OCC	170.03	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	46132.74	1388.20	0.13	-0.93	11.16	OCC	12.09	434.37
A05 F+	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	6314.74	2603.94	0.09	0.00	0.74	SUST	169.13	361.97
	Amb to T1{1}	28315.81	2101.13	0.03	0.00	3.06	DISP	3.06	297.30
	Amb to T2{1}	17648.06	1266.15	0.04	0.00	1.91	DISP	1.91	297.30
	Amb to T3{1}	9743.75	796.96	0.03	0.00	1.05	DISP	1.05	297.30
	Sus. + W1{1}	6782.51	2723.18	0.00	0.02	0.05	OCC	169.20	361.97
	Sus. + W2{1}	6784.29	2722.35	0.00	0.02	0.05	OCC	169.20	361.97
	Sus. + W3{1}	6325.93	2793.81	0.01	0.00	0.02	OCC	169.16	361.97
	Sus. + W4{1}	6326.40	2747.92	0.01	0.00	0.02	OCC	169.16	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	46132.74	1388.19	0.13	-0.93	4.97	OCC	5.91	434.37
A06	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	35061.55	3715.00	0.09	0.00	3.80	SUST	172.17	361.97
	Amb to T1{1}	81502.18	2687.59	0.03	0.00	8.78	DISP	8.78	294.26
	Amb to T2{1}	107.31	1925.19	0.04	0.00	0.21	DISP	0.22	294.26
	Amb to T3{1}	3717.27	1233.57	0.03	0.00	0.42	DISP	0.43	294.26
	Sus. + W1{1}	35376.03	3895.74	0.00	0.02	0.04	OCC	172.23	361.97
	Sus. + W2{1}	35376.79	3894.41	0.00	0.02	0.04	OCC	172.23	361.97
	Sus. + W3{1}	35114.26	4245.23	0.01	0.00	0.06	OCC	172.23	361.97
	Sus. + W4{1}	35113.22	4158.04	0.01	0.00	0.05	OCC	172.22	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	14629.76	2131.65	0.13	-0.93	1.59	OCC	2.55	434.37
A07 -	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	57894.02	5011.07	0.09	0.00	6.26	SUST	174.63	361.97
	Amb to T1{1}	209605.5	3371.71	0.03	0.00	22.57	DISP	22.57	291.80
	Amb to T2{1}	20819.05	2693.97	0.04	0.00	2.26	DISP	2.26	291.80

		Amb to T3{1}	3312.66	1742.89	0.03	0.00	0.40	DISP	0.41	291.80
		Sus. + W1{1}	58029.68	5263.54	0.00	0.02	0.03	OCC	174.68	361.97
		Sus. + W2{1}	58029.25	5261.63	0.00	0.02	0.03	OCC	174.68	361.97
		Sus. + W3{1}	58021.27	5938.31	0.01	0.00	0.10	OCC	174.73	361.97
		Sus. + W4{1}	58019.57	5802.95	0.01	0.00	0.09	OCC	174.72	361.97
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	44903.75	2998.89	0.13	-0.93	4.85	OCC	5.79	434.37
A07	+ SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	57894.02	5011.07	0.09	0.00	6.26	SUST	174.63	361.97
		Amb to T1{1}	209605.5	3371.71	0.03	0.00	22.57	DISP	22.57	291.80
		Amb to T2{1}	20819.05	2693.97	0.04	0.00	2.26	DISP	2.26	291.80
		Amb to T3{1}	3312.66	1742.89	0.03	0.00	0.40	DISP	0.41	291.80
		Sus. + W1{1}	58029.68	5263.54	0.00	0.02	0.03	OCC	174.68	361.97
		Sus. + W2{1}	58029.25	5261.63	0.00	0.02	0.03	OCC	174.68	361.97
		Sus. + W3{1}	58021.27	5938.31	0.01	0.00	0.10	OCC	174.73	361.97
		Sus. + W4{1}	58019.57	5802.95	0.01	0.00	0.09	OCC	174.72	361.97
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	44903.75	2998.89	0.13	-0.93	4.85	OCC	5.79	434.37
A08	SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	27381.53	7257.58	0.09	0.00	3.05	SUST	171.42	361.97
		Amb to T1{1}	431651.3	4557.50	0.03	0.00	46.48	DISP	46.48	295.01
		Amb to T2{1}	56719.41	4026.51	0.04	0.00	6.12	DISP	6.12	295.01
		Amb to T3{1}	15497.87	2625.70	0.03	0.00	1.69	DISP	1.69	295.01
		Sus. + W1{1}	27555.82	7634.40	0.00	0.02	0.04	OCC	171.49	361.97
		Sus. + W2{1}	27558.31	7631.46	0.00	0.02	0.04	OCC	171.49	361.97
		Sus. + W3{1}	27637.97	8873.00	0.01	0.00	0.18	OCC	171.60	361.97
		Sus. + W4{1}	27635.14	8654.13	0.01	0.00	0.15	OCC	171.58	361.97
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	249010.3	4502.11	0.13	-0.93	26.82	OCC	27.75	434.37
A09	SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	20446.53	9232.78	0.09	0.00	2.42	SUST	170.79	361.97
		Amb to T1{1}	405772.7	5600.09	0.03	0.00	43.69	DISP	43.69	295.64
		Amb to T2{1}	55112.86	5198.13	0.04	0.00	5.96	DISP	5.96	295.64
		Amb to T3{1}	15998.02	3401.90	0.03	0.00	1.76	DISP	1.76	295.64
		Sus. + W1{1}	21126.24	9718.92	0.00	0.02	0.09	OCC	170.90	361.97
		Sus. + W2{1}	21128.50	9715.09	0.00	0.02	0.09	OCC	170.90	361.97
		Sus. + W3{1}	20550.88	11453.26	0.01	0.00	0.24	OCC	171.03	361.97
		Sus. + W4{1}	20551.38	11160.97	0.01	0.00	0.21	OCC	171.00	361.97
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	241872.3	5823.79	0.13	-0.93	26.05	OCC	26.99	434.37
A10	- SIFI= 2.02 SIFO= 2.36	UNREST GR + Max P{1}	33250.96	12081.36	0.09	0.00	5.89	SUST	174.26	361.97
		Amb to T1{1}	49576.20	7103.67	0.03	0.00	10.93	DISP	10.93	292.17
		Amb to T2{1}	4957.40	6887.80	0.04	0.00	2.06	DISP	2.06	292.17
		Amb to T3{1}	1989.80	4521.31	0.03	0.00	1.23	DISP	1.23	292.17
		Sus. + W1{1}	34995.45	12725.17	0.00	0.02	0.31	OCC	174.59	361.97
		Sus. + W2{1}	34994.41	12720.04	0.00	0.02	0.31	OCC	174.59	361.97
		Sus. + W3{1}	33749.11	15174.44	0.01	0.00	0.60	OCC	174.86	361.97
		Sus. + W4{1}	33737.59	14776.27	0.01	0.00	0.52	OCC	174.79	361.97
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	24997.46	7729.88	0.13	-0.93	4.34	OCC	5.28	434.37
A10	+ SIFI= 2.02 SIFO= 2.36	UNREST GR + Max P{1}	19132.83	8320.22	0.16	-0.06	3.50	SUST	172.09	361.97
		Amb to T1{1}	51430.68	4233.32	0.19	0.00	11.24	DISP	11.24	294.34
		Amb to T2{1}	3767.31	2611.71	0.11	0.00	1.05	DISP	1.08	294.34
		Amb to T3{1}	520.45	548.28	0.08	0.00	0.18	DISP	0.24	294.34

	Sus. + W1{1}	20809.25	8636.16	0.00	0.02	0.28	OCC	172.39	361.97
	Sus. + W2{1}	20807.80	8635.22	0.00	0.02	0.28	OCC	172.39	361.97
	Sus. + W3{1}	20092.9311435.60		0.11	0.00	0.61	OCC	172.74	361.97
	Sus. + W4{1}	20097.2311081.47		0.11	0.00	0.55	OCC	172.68	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	6097.2819450.78		0.20	-1.05	3.84	OCC	4.91	434.37
A11	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	15714.99	8624.01	0.16	-0.06	1.93	SUST	170.53	361.97
	Amb to T1{1}	77211.41	3946.01	0.19	0.00	8.32	DISP	8.33	295.90
	Amb to T2{1}	14385.72	2339.06	0.11	0.00	1.57	DISP	1.58	295.90
	Amb to T3{1}	4572.35	470.52	0.08	0.00	0.49	DISP	0.52	295.90
	Sus. + W1{1}	17120.67	8873.07	0.00	0.02	0.15	OCC	170.70	361.97
	Sus. + W2{1}	17120.36	8872.43	0.00	0.02	0.15	OCC	170.70	361.97
	Sus. + W3{1}	15863.7611711.96		0.11	0.00	0.33	OCC	170.93	361.97
	Sus. + W4{1}	15866.9111410.16		0.11	0.00	0.30	OCC	170.90	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	18036.7919404.89		0.20	-1.05	2.85	OCC	3.93	434.37
A12	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	36707.76	9202.72	0.16	-0.06	4.07	SUST	172.66	361.97
	Amb to T1{1}	144504.3	3398.68	0.19	0.00	15.56	DISP	15.57	293.77
	Amb to T2{1}	22887.50	1819.67	0.11	0.00	2.47	DISP	2.48	293.77
	Amb to T3{1}	6778.47	322.37	0.08	0.00	0.73	DISP	0.75	293.77
	Sus. + W1{1}	37431.69	9324.38	0.00	0.02	0.08	OCC	172.76	361.97
	Sus. + W2{1}	37432.31	9324.32	0.00	0.02	0.08	OCC	172.76	361.97
	Sus. + W3{1}	37262.8612238.43		0.11	0.00	0.33	OCC	173.06	361.97
	Sus. + W4{1}	37259.6612036.32		0.11	0.00	0.31	OCC	173.04	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	15634.3219317.46		0.20	-1.05	2.68	OCC	3.76	434.37
A13	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	19220.9710037.32		0.16	-0.06	2.33	SUST	170.93	361.97
	Amb to T1{1}	14823.18	2609.34	0.19	0.00	1.62	DISP	1.66	295.50
	Amb to T2{1}	2462.95	1070.61	0.11	0.00	0.29	DISP	0.36	295.50
	Amb to T3{1}	849.97	108.71	0.08	0.00	0.09	DISP	0.18	295.50
	Sus. + W1{1}	19719.6010099.40		0.00	0.02	0.05	OCC	171.01	361.97
	Sus. + W2{1}	19719.3710098.64		0.00	0.02	0.05	OCC	171.00	361.97
	Sus. + W3{1}	19577.2712997.69		0.11	0.00	0.32	OCC	171.32	361.97
	Sus. + W4{1}	19570.7212939.35		0.11	0.00	0.31	OCC	171.32	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	61788.7219191.38		0.20	-1.05	6.97	OCC	8.03	434.37
A14	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	3136.3710616.04		0.16	-0.06	1.19	SUST	169.81	361.97
	Amb to T1{1}	54799.17	2062.01	0.19	0.00	5.90	DISP	5.92	296.62
	Amb to T2{1}	9244.07	551.21	0.11	0.00	1.00	DISP	1.02	296.62
	Amb to T3{1}	3205.35	39.44	0.08	0.00	0.35	DISP	0.38	296.62
	Sus. + W1{1}	4525.4010805.52		0.00	0.02	0.15	OCC	169.98	361.97
	Sus. + W2{1}	4524.5410804.18		0.00	0.02	0.15	OCC	169.98	361.97
	Sus. + W3{1}	3306.9413524.16		0.11	0.00	0.31	OCC	170.19	361.97
	Sus. + W4{1}	3312.6113565.51		0.11	0.00	0.32	OCC	170.20	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	41898.0819103.95		0.20	-1.05	4.96	OCC	6.03	434.37
A15	- SIFI= 2.02 SIFO= 2.36								
UNREST	GR + Max P{1}	23217.6510868.38		0.16	-0.06	4.32	SUST	172.90	361.97
	Amb to T1{1}	41488.61	1823.35	0.19	0.00	9.04	DISP	9.04	293.53
	Amb to T2{1}	7493.00	324.73	0.11	0.00	1.63	DISP	1.65	293.53
	Amb to T3{1}	2952.97	104.04	0.08	0.00	0.64	DISP	0.66	293.53
	Sus. + W1{1}	25013.5411113.42		0.00	0.02	0.30	OCC	173.22	361.97
	Sus. + W2{1}	25012.0111111.83		0.00	0.02	0.30	OCC	173.22	361.97

	Sus. + W3{1}	23787.6013753.72	0.11	0.00	0.56	OCC	173.50	361.97
	Sus. + W4{1}	23791.4913838.54	0.11	0.00	0.57	OCC	173.52	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	11358.2019065.83	0.20	-1.05	4.08	OCC	5.15	434.37
A15 + SIFI= 2.02 SIFO= 2.36	UNREST GR + Max P{1}	29149.34 7675.45	0.00	0.00	4.98	SUST	173.52	361.97
	Amb to T1{1}	38059.99 4242.69	0.00	0.00	8.35	DISP	8.35	292.91
	Amb to T2{1}	5271.68 4076.96	0.00	0.00	1.55	DISP	1.55	292.91
	Amb to T3{1}	908.63 4282.33	0.00	0.00	1.11	DISP	1.11	292.91
	Sus. + W1{1}	30655.58 8350.58	0.00	0.06	0.28	OCC	173.85	361.97
	Sus. + W2{1}	30653.87 8345.56	0.00	0.06	0.28	OCC	173.85	361.97
	Sus. + W3{1}	29766.7411397.68	0.00	0.01	0.72	OCC	174.24	361.97
	Sus. + W4{1}	29751.0211444.03	0.00	0.01	0.72	OCC	174.25	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	33950.79 8439.35	0.00	-0.76	5.77	OCC	6.53	434.37
A16 SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	2547.61 5572.08	0.00	0.00	0.66	SUST	169.20	361.97
	Amb to T1{1}	787.01 3425.46	0.00	0.00	0.38	DISP	0.38	297.23
	Amb to T2{1}	0.01 3271.16	0.00	0.00	0.35	DISP	0.35	297.23
	Amb to T3{1}	104.04 2900.58	0.00	0.00	0.31	DISP	0.31	297.23
	Sus. + W1{1}	2795.95 5874.08	0.00	0.06	0.04	OCC	169.30	361.97
	Sus. + W2{1}	2795.70 5872.53	0.00	0.06	0.04	OCC	169.30	361.97
	Sus. + W3{1}	2572.06 8057.02	0.00	0.01	0.27	OCC	169.48	361.97
	Sus. + W4{1}	2570.36 7837.33	0.00	0.01	0.24	OCC	169.45	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	7868.05 4935.65	0.00	-0.76	1.00	OCC	1.76	434.37
A17 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	22565.20 4560.84	0.00	0.00	2.48	SUST	171.02	361.97
	Amb to T1{1}	17132.72 3032.56	0.00	0.00	1.87	DISP	1.87	295.41
	Amb to T2{1}	2534.48 2883.76	0.00	0.00	0.41	DISP	0.41	295.41
	Amb to T3{1}	590.91 2236.27	0.00	0.00	0.25	DISP	0.25	295.41
	Sus. + W1{1}	22921.62 4683.45	0.00	0.06	0.04	OCC	171.12	361.97
	Sus. + W2{1}	22921.17 4683.57	0.00	0.06	0.04	OCC	171.12	361.97
	Sus. + W3{1}	22825.8210030.00	0.00	0.01	0.59	OCC	171.62	361.97
	Sus. + W4{1}	22820.79 9726.98	0.00	0.01	0.56	OCC	171.58	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	30911.91 3251.18	0.00	-0.76	3.35	OCC	4.10	434.37
A17 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	22565.20 4560.84	0.00	0.00	2.48	SUST	171.19	361.97
	Amb to T1{1}	17132.72 3032.56	0.00	0.00	1.87	DISP	1.87	295.24
	Amb to T2{1}	2534.48 2883.76	0.00	0.00	0.41	DISP	0.41	295.24
	Amb to T3{1}	590.91 2236.27	0.00	0.00	0.25	DISP	0.25	295.24
	Sus. + W1{1}	22921.62 4683.45	0.00	0.04	0.04	OCC	171.28	361.97
	Sus. + W2{1}	22921.17 4683.57	0.00	0.04	0.04	OCC	171.28	361.97
	Sus. + W3{1}	22825.8210030.00	0.00	0.00	0.59	OCC	171.79	361.97
	Sus. + W4{1}	22820.79 9726.98	0.00	0.00	0.56	OCC	171.75	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	30911.91 3251.18	0.00	-0.59	3.35	OCC	3.94	434.37
A18 SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	5273.75 3920.40	0.00	0.00	0.71	SUST	169.42	361.97
	Amb to T1{1}	10337.55 2730.80	0.00	0.00	1.15	DISP	1.15	297.01
	Amb to T2{1}	1529.25 2569.30	0.00	0.00	0.32	DISP	0.32	297.01
	Amb to T3{1}	356.54 1849.80	0.00	0.00	0.20	DISP	0.20	297.01
	Sus. + W1{1}	5488.88 4014.05	0.00	0.04	0.03	OCC	169.49	361.97
	Sus. + W2{1}	5488.60 4014.01	0.00	0.04	0.03	OCC	169.49	361.97
	Sus. + W3{1}	5431.01 8925.64	0.00	0.00	0.54	OCC	169.97	361.97

	Sus. + W4{1}	5427.97	8673.13	0.00	0.00	0.51	OCC	169.94	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	611.33	2544.18	0.00	-0.59	0.28	OCC	0.87	434.37
A19 UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	5404.57	2665.15	0.00	0.00	0.65	SUST	169.36	361.97
	Amb to T1{1}	2981.01	2139.34	0.00	0.00	0.40	DISP	0.40	297.07
	Amb to T2{1}	441.00	1952.96	0.00	0.00	0.22	DISP	0.22	297.07
	Amb to T3{1}	102.83	1092.31	0.00	0.00	0.12	DISP	0.12	297.07
	Sus. + W1{1}	5466.39	2702.01	0.00	0.04	0.01	OCC	169.41	361.97
	Sus. + W2{1}	5466.31	2701.67	0.00	0.04	0.01	OCC	169.41	361.97
	Sus. + W3{1}	5449.92	6761.10	0.00	0.00	0.44	OCC	169.81	361.97
	Sus. + W4{1}	5449.04	6607.60	0.00	0.00	0.42	OCC	169.79	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	12970.13	1158.44	0.00	-0.59	1.40	OCC	1.99	434.37
A20 UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	26784.83	1493.91	0.00	0.00	2.89	SUST	172.82	361.97
	Amb to T1{1}	4478.72	1587.47	0.00	0.00	0.51	DISP	0.51	293.61
	Amb to T2{1}	662.55	1377.88	0.00	0.00	0.16	DISP	0.16	293.61
	Amb to T3{1}	154.48	385.54	0.00	0.00	0.04	DISP	0.04	293.61
	Sus. + W1{1}	26878.92	1510.02	0.00	0.04	0.01	OCC	172.87	361.97
	Sus. + W2{1}	26878.80	1510.64	0.00	0.04	0.01	OCC	172.87	361.97
	Sus. + W3{1}	26852.96	4741.45	0.00	0.00	0.35	OCC	173.17	361.97
	Sus. + W4{1}	26851.64	4680.32	0.00	0.00	0.34	OCC	173.16	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	59451.26	134.53	0.00	0.59	6.40	OCC	6.99	434.37
A21 UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	22703.70	1572.41	0.00	0.00	2.45	SUST	172.38	361.97
	Amb to T1{1}	5110.80	1624.46	0.00	0.00	0.58	DISP	0.58	294.05
	Amb to T2{1}	756.06	1416.42	0.00	0.00	0.17	DISP	0.17	294.05
	Amb to T3{1}	176.28	432.90	0.00	0.00	0.05	DISP	0.05	294.05
	Sus. + W1{1}	22810.78	1584.96	0.00	0.04	0.01	OCC	172.43	361.97
	Sus. + W2{1}	22810.65	1585.57	0.00	0.04	0.01	OCC	172.43	361.97
	Sus. + W3{1}	22781.44	4876.80	0.00	0.00	0.36	OCC	172.74	361.97
	Sus. + W4{1}	22779.94	4809.48	0.00	0.00	0.35	OCC	172.73	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	50890.16	47.88	0.00	0.59	5.48	OCC	6.07	434.37
*** Segment A end *** Line # AKABP-36"-PL-012-X70-CL900_UG									
*** Segment B begin *** Line # AKAB-A-100									
A21 UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	22703.70	1572.41	0.00	0.00	2.45	SUST	171.17	361.97
	Amb to T1{1}	5110.80	1624.46	0.00	0.00	0.58	DISP	0.58	295.27
	Amb to T2{1}	756.06	1416.42	0.00	0.00	0.17	DISP	0.17	295.27
	Amb to T3{1}	176.28	432.90	0.00	0.00	0.05	DISP	0.05	295.27
	Sus. + W1{1}	22810.78	1584.96	0.00	0.04	0.01	OCC	171.22	361.97
	Sus. + W2{1}	22810.65	1585.57	0.00	0.04	0.01	OCC	171.22	361.97
	Sus. + W3{1}	22781.44	4876.80	0.00	0.00	0.36	OCC	171.53	361.97
	Sus. + W4{1}	22779.94	4809.48	0.00	0.00	0.35	OCC	171.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	50890.16	47.88	0.00	-0.59	5.48	OCC	6.07	434.37
B01 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	62172.36	906.35	0.00	0.00	6.69	SUST	175.41	361.97
	Amb to T1{1}	252.77	1310.62	0.00	0.00	0.14	DISP	0.14	291.02
	Amb to T2{1}	37.39	1089.38	0.00	0.00	0.12	DISP	0.12	291.02
	Amb to T3{1}	8.72	30.97	0.00	0.00	0.00	DISP	0.00	291.02
	Sus. + W1{1}	62175.54	949.04	0.00	0.04	0.00	OCC	175.46	361.97
	Sus. + W2{1}	62175.53	949.80	0.00	0.04	0.00	OCC	175.46	361.97
	Sus. + W3{1}	62176.20	3974.95	0.00	0.00	0.33	OCC	175.74	361.97

	Sus. + W4{1}	62176.13	3960.16	0.00	0.00	0.33	OCC	175.74	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	133837.4	783.17	0.00	-0.59	14.41	OCC	15.00	434.37
B01 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	62172.36	906.35	0.00	0.00	6.69	SUST	175.73	361.97
	Amb to T1{1}	252.77	1310.62	0.00	0.00	0.14	DISP	0.14	290.70
	Amb to T2{1}	37.39	1089.38	0.00	0.00	0.12	DISP	0.12	290.70
	Amb to T3{1}	8.72	30.97	0.00	0.00	0.00	DISP	0.00	290.70
	Sus. + W1{1}	62175.54	949.04	0.00	0.02	0.00	OCC	175.75	361.97
	Sus. + W2{1}	62175.53	949.80	0.00	0.02	0.00	OCC	175.75	361.97
	Sus. + W3{1}	62176.20	3974.95	0.00	0.00	0.33	OCC	176.07	361.97
	Sus. + W4{1}	62176.13	3960.16	0.00	0.00	0.33	OCC	176.06	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	133837.4	783.17	0.00	-0.24	14.41	OCC	14.65	434.37
B02 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	17635.20	793.26	0.00	0.00	1.90	SUST	170.94	361.97
	Amb to T1{1}	221.23	1147.09	0.00	0.00	0.13	DISP	0.13	295.49
	Amb to T2{1}	32.73	953.45	0.00	0.00	0.10	DISP	0.10	295.49
	Amb to T3{1}	7.63	27.11	0.00	0.00	0.00	DISP	0.00	295.49
	Sus. + W1{1}	17645.08	830.62	0.00	0.02	0.00	OCC	170.96	361.97
	Sus. + W2{1}	17645.08	831.28	0.00	0.02	0.00	OCC	170.96	361.97
	Sus. + W3{1}	17638.56	1340.38	0.00	0.00	0.06	OCC	171.00	361.97
	Sus. + W4{1}	17638.50	1327.43	0.00	0.00	0.06	OCC	171.00	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	38262.68	685.45	0.00	-0.24	4.12	OCC	4.36	434.37
B02 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	17635.20	793.26	0.00	0.00	1.90	SUST	170.94	361.97
	Amb to T1{1}	221.23	1147.09	0.00	0.00	0.13	DISP	0.13	295.49
	Amb to T2{1}	32.73	953.45	0.00	0.00	0.10	DISP	0.10	295.49
	Amb to T3{1}	7.63	27.11	0.00	0.00	0.00	DISP	0.00	295.49
	Sus. + W1{1}	17640.90	830.62	0.00	0.02	0.00	OCC	170.96	361.97
	Sus. + W2{1}	17640.91	831.28	0.00	0.02	0.00	OCC	170.96	361.97
	Sus. + W3{1}	17638.56	1340.38	0.00	0.00	0.06	OCC	171.00	361.97
	Sus. + W4{1}	17638.50	1327.43	0.00	0.00	0.06	OCC	171.00	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	38262.68	685.45	0.00	-0.24	4.12	OCC	4.36	434.37
B03 SIFI= 2.00 SIFO= 2.00	UNREST GR + Max P{1}	50936.05	470.14	0.00	0.00	8.23	SUST	177.27	361.97
	Amb to T1{1}	131.11	679.84	0.00	0.00	0.15	DISP	0.15	289.16
	Amb to T2{1}	19.40	565.08	0.00	0.00	0.12	DISP	0.12	289.16
	Amb to T3{1}	4.52	16.07	0.00	0.00	0.00	DISP	0.00	289.16
	Sus. + W1{1}	50949.52	492.28	0.00	0.02	0.00	OCC	177.29	361.97
	Sus. + W2{1}	50949.52	492.68	0.00	0.02	0.00	OCC	177.29	361.97
	Sus. + W3{1}	50938.05	3796.23	0.00	0.00	0.54	OCC	177.80	361.97
	Sus. + W4{1}	50938.01	3803.90	0.00	0.00	0.54	OCC	177.81	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	113529.8	406.24	0.00	-0.24	18.34	OCC	18.58	434.37
B04 SIFI= 2.00 SIFO= 2.00	UNREST GR + Max P{1}	54169.68	420.06	0.00	0.00	5.87	SUST	160.88	361.97
	Amb to T1{1}	117.15	607.42	0.00	0.00	0.09	DISP	0.09	305.55
	Amb to T2{1}	17.33	504.88	0.00	0.00	0.07	DISP	0.07	305.55
	Amb to T3{1}	4.04	14.35	0.00	0.00	0.00	DISP	0.00	305.55
	Sus. + W1{1}	54186.12	439.84	0.00	0.01	0.00	OCC	160.90	361.97
	Sus. + W2{1}	54186.12	440.19	0.00	0.01	0.00	OCC	160.90	361.97
	Sus. + W3{1}	54171.46	3928.40	0.00	0.00	0.38	OCC	161.27	361.97
	Sus. + W4{1}	54171.43	3935.25	0.00	0.00	0.38	OCC	161.27	361.97

	Max P{1}						HOOP	232.83	289.58
	Hydrotest-NL{2}	121242.1	362.97	0.00	-0.18	13.14	OCC	13.32	434.37
B05 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	55254.21	371.59	0.00	0.00	3.99	SUST	159.01	361.97
	Amb to T1{1}	103.63	537.33	0.00	0.00	0.04	DISP	0.04	307.42
	Amb to T2{1}	15.33	446.63	0.00	0.00	0.03	DISP	0.03	307.42
	Amb to T3{1}	3.57	12.70	0.00	0.00	0.00	DISP	0.00	307.42
	Sus. + W1{1}	55273.53	389.09	0.00	0.01	0.00	OCC	159.02	361.97
	Sus. + W2{1}	55273.52	389.40	0.00	0.01	0.00	OCC	159.02	361.97
	Sus. + W3{1}	55255.79	3943.62	0.00	0.00	0.26	OCC	159.26	361.97
	Sus. + W4{1}	55255.76	3949.68	0.00	0.00	0.26	OCC	159.27	361.97
	Max P{1}						HOOP	232.83	289.58
	Hydrotest-NL{2}	124153.5	321.08	0.00	-0.18	8.97	OCC	9.15	434.37
B05 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	55254.21	371.59	0.00	0.00	3.99	SUST	159.01	361.97
	Amb to T1{1}	103.63	537.33	0.00	0.00	0.04	DISP	0.04	307.42
	Amb to T2{1}	15.33	446.63	0.00	0.00	0.03	DISP	0.03	307.42
	Amb to T3{1}	3.57	12.70	0.00	0.00	0.00	DISP	0.00	307.42
	Sus. + W1{1}	55260.67	389.09	0.00	0.01	0.00	OCC	159.02	361.97
	Sus. + W2{1}	55260.67	389.40	0.00	0.01	0.00	OCC	159.02	361.97
	Sus. + W3{1}	55255.79	3943.62	0.00	0.00	0.26	OCC	159.26	361.97
	Sus. + W4{1}	55255.76	3949.68	0.00	0.00	0.26	OCC	159.27	361.97
	Max P{1}						HOOP	232.83	289.58
	Hydrotest-NL{2}	124153.5	321.08	0.00	-0.18	8.97	OCC	9.15	434.37
B06 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	17296.99	137.32	0.00	0.00	1.25	SUST	156.26	361.97
	Amb to T1{1}	38.30	198.58	0.00	0.00	0.01	DISP	0.01	310.17
	Amb to T2{1}	5.67	165.06	0.00	0.00	0.01	DISP	0.01	310.17
	Amb to T3{1}	1.32	4.69	0.00	0.00	0.00	DISP	0.00	310.17
	Sus. + W1{1}	17304.43	143.79	0.00	0.01	0.00	OCC	156.28	361.97
	Sus. + W2{1}	17304.43	143.91	0.00	0.01	0.00	OCC	156.28	361.97
	Sus. + W3{1}	17297.57	2157.49	0.00	0.00	0.15	OCC	156.41	361.97
	Sus. + W4{1}	17297.56	2159.73	0.00	0.00	0.15	OCC	156.41	361.97
	Max P{1}						HOOP	232.83	289.58
	Hydrotest-NL{2}	57304.45	118.65	0.00	-0.18	4.14	OCC	4.32	434.37
B06 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	17296.99	137.32	0.00	0.00	1.25	SUST	156.26	361.97
	Amb to T1{1}	38.30	198.58	0.00	0.00	0.01	DISP	0.01	310.17
	Amb to T2{1}	5.67	165.06	0.00	0.00	0.01	DISP	0.01	310.17
	Amb to T3{1}	1.32	4.69	0.00	0.00	0.00	DISP	0.00	310.17
	Sus. + W1{1}	17305.13	143.79	0.00	0.01	0.00	OCC	156.28	361.97
	Sus. + W2{1}	17305.14	143.91	0.00	0.02	0.00	OCC	156.28	361.97
	Sus. + W3{1}	17297.57	2157.49	0.00	0.00	0.15	OCC	156.41	361.97
	Sus. + W4{1}	17297.56	2159.73	0.00	0.00	0.15	OCC	156.41	361.97
	Max P{1}						HOOP	232.83	289.58
	Hydrotest-NL{2}	57304.45	118.65	0.00	-0.18	4.14	OCC	4.32	434.37
B07 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	28849.13	0.00	0.00	0.00	2.09	SUST	157.10	361.97
	Amb to T1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	309.33
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	309.33
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	309.33
	Sus. + W1{1}	28849.13	0.00	0.00	0.01	0.00	OCC	157.11	361.97
	Sus. + W2{1}	28849.13	0.00	0.00	0.02	0.00	OCC	157.11	361.97
	Sus. + W3{1}	28849.13	233.54	0.00	0.00	0.02	OCC	157.12	361.97
	Sus. + W4{1}	28849.13	233.54	0.00	0.00	0.02	OCC	157.12	361.97
	Max P{1}						HOOP	232.83	289.58
	Hydrotest-NL{2}	34043.12	0.00	0.00	-0.18	2.46	OCC	2.64	434.37

B07	+	SIFI= 1.00	SIFO= 1.00									
UNREST	GR + Max P{1}	28849.13	0.00	0.00	0.00	2.09	SUST	157.31	361.97			
	Amb to T1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	309.12			
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	309.12			
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	309.12			
	Sus. + W1{1}	28849.13	0.00	0.00	0.00	0.00	OCC	157.31	361.97			
	Sus. + W2{1}	28849.13	0.00	0.00	0.00	0.00	OCC	157.31	361.97			
	Sus. + W3{1}	28849.13	233.54	0.00	0.00	0.02	OCC	157.32	361.97			
	Sus. + W4{1}	28849.13	233.54	0.00	0.00	0.02	OCC	157.32	361.97			
	Max P{1}						HOOP	232.83	289.58			
	Hydrotest-NL{2}	34043.12	0.00	0.00	0.00	2.46	OCC	2.46	434.37			
B08	SIFI= 1.00	SIFO= 1.00										
UNREST	GR + Max P{1}	0.00	0.00	0.00	0.00	0.00	SUST	155.22	361.97			
	Amb to T1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	311.21			
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	311.21			
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	311.21			
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	155.22	361.97			
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	155.22	361.97			
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	155.22	361.97			
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	155.22	361.97			
	Max P{1}						HOOP	232.83	289.58			
	Hydrotest-NL{2}	0.00	0.00	0.00	0.00	0.00	OCC	0.00	434.37			
*** Segment B end *** Line # AKAB-A-100												
*** Segment C begin *** Line # AKAB-A-100_N9												
B05	SIFI= 1.00	SIFO= 1.00										
UNREST	GR + Max P{1}	0.00	0.00	0.00	0.27	0.00	SUST	46.60	180.99			
	Amb to T1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	294.69			
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	294.69			
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	294.69			
	Sus. + W1{1}	25.77	0.00	0.00	0.00	0.02	OCC	46.62	180.99			
	Sus. + W2{1}	25.77	0.00	0.00	0.00	0.02	OCC	46.62	180.99			
	Sus. + W3{1}	0.00	25.77	0.00	0.00	0.02	OCC	46.62	180.99			
	Sus. + W4{1}	0.00	25.77	0.00	0.00	0.02	OCC	46.62	180.99			
	Max P{1}						HOOP	62.33	144.79			
	Hydrotest-NL{2}	0.00	0.00	0.00	0.29	0.00	OCC	0.29	217.19			
C01	SIFI= 1.00	SIFO= 1.00										
UNREST	GR + Max P{1}	0.00	0.00	0.00	0.19	0.00	SUST	46.68	180.99			
	Amb to T1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	294.62			
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	294.62			
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	294.62			
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	46.68	180.99			
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	46.68	180.99			
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	46.68	180.99			
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	46.68	180.99			
	Max P{1}						HOOP	62.33	144.79			
	Hydrotest-NL{2}	0.00	0.00	0.00	0.19	0.00	OCC	0.19	217.19			
*** Segment C end *** Line # AKAB-A-100_N9												
*** Segment F begin *** Line # AKABP-36"-PL-012-X70-CL900_B												
A15	SIFI= 2.02	SIFO= 2.36										
UNREST	GR + Max P{1}	5931.69	2975.20	0.17	0.49	1.12	SUST	169.99	361.97			
	Amb to T1{1}	3428.61	3523.59	0.33	0.00	1.17	DISP	1.34	296.44			
	Amb to T2{1}	2221.33	2046.10	0.24	0.00	0.71	DISP	0.85	296.44			
	Amb to T3{1}	2044.34	1466.23	0.22	0.00	0.58	DISP	0.73	296.44			
	Sus. + W1{1}	9233.81	3029.48	0.05	0.00	0.54	OCC	170.54	361.97			
	Sus. + W2{1}	9230.58	3031.23	0.05	0.00	0.54	OCC	170.54	361.97			
	Sus. + W3{1}	5979.14	4897.66	0.05	0.01	0.37	OCC	170.38	361.97			

	Sus. + W4{1}	5959.53	4965.52	0.04	0.01	0.38	OCC	170.39	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	22592.59	3692.71	1.48	1.04	3.75	OCC	5.82	434.37
F01 N- UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	1458.03	4006.84	0.17	0.32	0.46	SUST	169.57	361.97
	Amb to T1{1}	2732.62	479.66	0.33	0.00	0.30	DISP	0.72	296.86
	Amb to T2{1}	1278.87	648.98	0.24	0.00	0.15	DISP	0.50	296.86
	Amb to T3{1}	614.55	682.17	0.22	0.00	0.10	DISP	0.46	296.86
	Sus. + W1{1}	1637.70	5287.12	0.05	0.00	0.14	OCC	169.74	361.97
	Sus. + W2{1}	1637.90	5288.28	0.05	0.00	0.14	OCC	169.74	361.97
	Sus. + W3{1}	2605.09	4272.94	0.05	0.01	0.13	OCC	169.74	361.97
	Sus. + W4{1}	2504.29	4262.48	0.04	0.01	0.12	OCC	169.72	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	1713.20	4838.83	1.48	0.67	0.55	OCC	3.69	434.37
F01 N+ UNREST	SIFI= 2.99 SIFO= 2.49 GR + Max P{1}	1458.03	4006.84	0.17	0.32	0.88	SUST	169.94	361.97
	Amb to T1{1}	2732.62	479.66	0.33	0.00	0.89	DISP	1.10	296.49
	Amb to T2{1}	1278.87	648.98	0.24	0.00	0.45	DISP	0.65	296.49
	Amb to T3{1}	614.55	682.17	0.22	0.00	0.27	DISP	0.52	296.49
	Sus. + W1{1}	1637.70	5287.12	0.05	0.00	0.26	OCC	170.22	361.97
	Sus. + W2{1}	1637.90	5288.28	0.05	0.00	0.26	OCC	170.22	361.97
	Sus. + W3{1}	2605.09	4272.94	0.05	0.01	0.28	OCC	170.25	361.97
	Sus. + W4{1}	2504.29	4262.48	0.04	0.01	0.26	OCC	170.22	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	1713.20	4838.83	1.48	0.67	1.06	OCC	3.82	434.37
F01 F- UNREST	SIFI= 2.99 SIFO= 2.49 GR + Max P{1}	9362.28	1344.63	0.12	0.00	2.28	SUST	171.64	361.97
	Amb to T1{1}	625.53	2313.18	0.23	0.00	0.65	DISP	0.80	294.79
	Amb to T2{1}	170.58	1645.52	0.18	0.00	0.45	DISP	0.58	294.79
	Amb to T3{1}	390.21	1560.21	0.18	0.00	0.44	DISP	0.56	294.79
	Sus. + W1{1}	9558.60	1468.00	0.00	0.00	0.05	OCC	171.69	361.97
	Sus. + W2{1}	9557.16	1470.38	0.00	0.00	0.05	OCC	171.69	361.97
	Sus. + W3{1}	12079.90	1880.44	0.03	0.04	0.67	OCC	172.34	361.97
	Sus. + W4{1}	11957.32	1870.85	0.03	0.04	0.64	OCC	172.31	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	18073.15	10457.40	0.66	0.03	4.85	OCC	5.06	434.37
F01 F+ UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	9362.28	1344.63	0.12	0.00	1.02	SUST	170.39	361.97
	Amb to T1{1}	625.53	2313.18	0.23	0.00	0.26	DISP	0.52	296.04
	Amb to T2{1}	170.58	1645.52	0.18	0.00	0.18	DISP	0.41	296.04
	Amb to T3{1}	390.21	1560.21	0.18	0.00	0.17	DISP	0.40	296.04
	Sus. + W1{1}	9558.60	1467.99	0.00	0.00	0.02	OCC	170.42	361.97
	Sus. + W2{1}	9557.16	1470.38	0.00	0.00	0.02	OCC	170.42	361.97
	Sus. + W3{1}	12079.90	1880.43	0.03	0.04	0.30	OCC	170.73	361.97
	Sus. + W4{1}	11957.32	1870.85	0.03	0.04	0.29	OCC	170.72	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	18073.15	10457.40	0.66	0.03	2.25	OCC	2.64	434.37
F02 N- UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	9479.49	79.47	0.12	0.00	1.02	SUST	170.39	361.97
	Amb to T1{1}	412.77	578.36	0.23	0.00	0.08	DISP	0.46	296.04
	Amb to T2{1}	115.70	478.08	0.18	0.00	0.05	DISP	0.37	296.04
	Amb to T3{1}	534.25	456.99	0.18	0.00	0.08	DISP	0.36	296.04
	Sus. + W1{1}	9595.86	558.68	0.00	0.00	0.05	OCC	170.45	361.97
	Sus. + W2{1}	9594.31	557.81	0.00	0.00	0.05	OCC	170.45	361.97
	Sus. + W3{1}	11532.68	383.29	0.03	0.04	0.22	OCC	170.66	361.97
	Sus. + W4{1}	11417.68	395.96	0.03	0.04	0.21	OCC	170.65	361.97
	Max P{1}						HOOP	211.04	289.58

	Hydrotest-NL{2}	17030.82	2677.69	0.66	0.03	1.86	OCC	2.31	434.37
F02 N+ UNREST	SIFI= 2.99 GR + Max P{1}	SIFO= 2.49	9479.49	79.47	0.12	0.00	2.29	SUST	171.65 361.97
	Amb to T1{1}		412.77	578.36	0.23	0.00	0.20	DISP	0.50 294.78
	Amb to T2{1}		115.70	478.08	0.18	0.00	0.13	DISP	0.39 294.78
	Amb to T3{1}		534.25	456.99	0.18	0.00	0.21	DISP	0.41 294.78
	Sus. + W1{1}		9595.86	558.68	0.00	0.00	0.10	OCC	171.75 361.97
	Sus. + W2{1}		9594.31	557.81	0.00	0.00	0.10	OCC	171.75 361.97
	Sus. + W3{1}		11532.68	383.29	0.03	0.04	0.50	OCC	172.19 361.97
	Sus. + W4{1}		11417.68	395.96	0.03	0.04	0.47	OCC	172.16 361.97
	Max P{1}							HOOP	211.04 289.58
	Hydrotest-NL{2}		17030.82	2677.70	0.66	0.03	4.15	OCC	4.39 434.37
F02 F- UNREST	SIFI= 2.99 GR + Max P{1}	SIFO= 2.49	1036.59	4006.84	0.10	0.34	0.85	SUST	169.87 361.97
	Amb to T1{1}		1000.83	479.66	0.23	0.00	0.35	DISP	0.58 296.56
	Amb to T2{1}		249.47	648.98	0.17	0.00	0.19	DISP	0.40 296.56
	Amb to T3{1}		96.63	682.17	0.17	0.00	0.19	DISP	0.38 296.56
	Sus. + W1{1}		1144.37	4406.87	0.02	0.00	0.08	OCC	169.96 361.97
	Sus. + W2{1}		1144.59	4405.71	0.02	0.00	0.08	OCC	169.96 361.97
	Sus. + W3{1}		1511.93	4272.94	0.00	0.01	0.13	OCC	170.01 361.97
	Sus. + W4{1}		1585.46	4262.48	0.00	0.01	0.14	OCC	170.02 361.97
	Max P{1}							HOOP	211.04 289.58
	Hydrotest-NL{2}		2034.78	4838.83	1.06	0.72	1.09	OCC	3.11 434.37
F02 F+ UNREST	SIFI= 1.00 GR + Max P{1}	SIFO= 1.00	1036.59	4006.84	0.10	0.34	0.45	SUST	169.49 361.97
	Amb to T1{1}		1000.83	479.66	0.23	0.00	0.12	DISP	0.48 296.94
	Amb to T2{1}		249.47	648.98	0.17	0.00	0.07	DISP	0.36 296.94
	Amb to T3{1}		96.63	682.17	0.17	0.00	0.07	DISP	0.34 296.94
	Sus. + W1{1}		1144.37	4406.87	0.02	0.00	0.04	OCC	169.55 361.97
	Sus. + W2{1}		1144.59	4405.71	0.02	0.00	0.04	OCC	169.55 361.97
	Sus. + W3{1}		1511.93	4272.94	0.00	0.01	0.06	OCC	169.56 361.97
	Sus. + W4{1}		1585.46	4262.48	0.00	0.01	0.07	OCC	169.57 361.97
	Max P{1}							HOOP	211.04 289.58
	Hydrotest-NL{2}		2034.78	4838.83	1.06	0.72	0.57	OCC	2.92 434.37
F03 N- UNREST	SIFI= 1.00 GR + Max P{1}	SIFO= 1.00	1096.92	4083.38	0.10	0.34	0.46	SUST	169.49 361.97
	Amb to T1{1}		969.38	324.25	0.23	0.00	0.11	DISP	0.48 296.94
	Amb to T2{1}		279.98	534.85	0.17	0.00	0.07	DISP	0.35 296.94
	Amb to T3{1}		130.49	573.75	0.17	0.00	0.06	DISP	0.34 296.94
	Sus. + W1{1}		1209.69	4513.81	0.02	0.00	0.05	OCC	169.55 361.97
	Sus. + W2{1}		1209.84	4512.83	0.02	0.00	0.05	OCC	169.55 361.97
	Sus. + W3{1}		1631.69	4337.01	0.00	0.01	0.06	OCC	169.57 361.97
	Sus. + W4{1}		1703.92	4327.74	0.00	0.01	0.07	OCC	169.58 361.97
	Max P{1}							HOOP	211.04 289.58
	Hydrotest-NL{2}		1956.07	5544.79	1.06	0.74	0.63	OCC	2.95 434.37
F03 N+ UNREST	SIFI= 2.22 GR + Max P{1}	SIFO= 1.85	4083.38	1096.92	0.10	0.34	0.75	SUST	169.77 361.97
	Amb to T1{1}		324.25	969.38	0.23	0.00	0.21	DISP	0.51 296.66
	Amb to T2{1}		534.85	279.98	0.17	0.00	0.14	DISP	0.38 296.66
	Amb to T3{1}		573.75	130.50	0.17	0.00	0.14	DISP	0.36 296.66
	Sus. + W1{1}		4513.81	1209.68	0.02	0.00	0.08	OCC	169.86 361.97
	Sus. + W2{1}		4512.83	1209.84	0.02	0.00	0.08	OCC	169.86 361.97
	Sus. + W3{1}		4337.01	1631.69	0.00	0.01	0.09	OCC	169.87 361.97
	Sus. + W4{1}		4327.74	1703.92	0.00	0.01	0.10	OCC	169.88 361.97
	Max P{1}							HOOP	211.04 289.58
	Hydrotest-NL{2}		5544.79	1956.06	1.06	0.74	1.03	OCC	3.10 434.37

[illegible]

	Amb to T1{1}	3688.23	35.61	0.01	0.00	0.40 DISP	0.40	293.28
	Amb to T2{1}	1002.99	1001.54	0.05	0.00	0.15 DISP	0.19	293.28
	Amb to T3{1}	1458.38	1626.97	0.05	0.00	0.24 DISP	0.26	293.28
	Sus. + W1{1}	36969.6110636.74		0.01	0.02	0.12 OCC	173.29	361.97
	Sus. + W2{1}	36972.2310633.28		0.01	0.02	0.12 OCC	173.29	361.97
	Sus. + W3{1}	37327.7713112.43		0.09	0.00	0.34 OCC	173.53	361.97
	Sus. + W4{1}	37306.7513252.69		0.09	0.00	0.35 OCC	173.55	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	85690.21	8796.90	0.00	0.12	9.27 OCC	9.40	434.37
F07 N- UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	14278.1111206.55		0.14	0.06	1.95 SUST	171.09	361.97
	Amb to T1{1}	3008.44	597.57	0.01	0.00	0.33 DISP	0.33	295.34
	Amb to T2{1}	1072.35	1599.24	0.05	0.00	0.21 DISP	0.23	295.34
	Amb to T3{1}	1462.45	1953.69	0.05	0.00	0.26 DISP	0.28	295.34
	Sus. + W1{1}	15408.6611533.05		0.01	0.02	0.13 OCC	171.24	361.97
	Sus. + W2{1}	15411.2211529.47		0.01	0.02	0.13 OCC	171.24	361.97
	Sus. + W3{1}	14994.1812555.07		0.09	0.00	0.16 OCC	171.33	361.97
	Sus. + W4{1}	14975.0912634.15		0.09	0.00	0.17 OCC	171.34	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	40336.27	8298.84	0.00	0.12	4.43 OCC	4.55	434.37
F07 N+ UNREST	SIFI= 2.99 SIFO= 2.49 GR + Max P{1}	14278.1111206.55		0.14	0.06	4.12 SUST	173.25	361.97
	Amb to T1{1}	3008.44	597.57	0.01	0.00	0.98 DISP	0.98	293.18
	Amb to T2{1}	1072.35	1599.24	0.05	0.00	0.55 DISP	0.56	293.18
	Amb to T3{1}	1462.45	1953.69	0.05	0.00	0.71 DISP	0.71	293.18
	Sus. + W1{1}	15408.6611533.05		0.01	0.02	0.28 OCC	173.55	361.97
	Sus. + W2{1}	15411.2211529.48		0.01	0.02	0.28 OCC	173.55	361.97
	Sus. + W3{1}	14994.1812555.07		0.09	0.00	0.32 OCC	173.62	361.97
	Sus. + W4{1}	14975.0912634.15		0.09	0.00	0.33 OCC	173.63	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	40336.27	8298.84	0.00	0.12	9.89 OCC	10.01	434.37
F07 F- UNREST	SIFI= 2.99 SIFO= 2.49 GR + Max P{1}	2156.16	1021.40	0.69	0.32	0.56 SUST	170.48	361.97
	Amb to T1{1}	3450.55	1163.82	0.08	0.00	1.16 DISP	1.17	295.95
	Amb to T2{1}	1296.82	2.10	0.14	0.00	0.42 DISP	0.50	295.95
	Amb to T3{1}	870.06	393.71	0.14	0.00	0.30 DISP	0.40	295.95
	Sus. + W1{1}	2466.32	1265.41	0.02	0.00	0.09 OCC	170.58	361.97
	Sus. + W2{1}	2465.26	1264.28	0.02	0.00	0.09 OCC	170.58	361.97
	Sus. + W3{1}	2377.47	1136.77	0.03	0.02	0.06 OCC	170.59	361.97
	Sus. + W4{1}	2368.44	1200.03	0.04	0.02	0.06 OCC	170.59	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	11979.27	900.73	0.40	0.67	2.90 OCC	3.68	434.37
F07 F+ UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	1021.41	2156.16	0.69	0.32	0.26 SUST	170.39	361.97
	Amb to T1{1}	1163.81	3450.55	0.08	0.00	0.39 DISP	0.43	296.04
	Amb to T2{1}	2.10	1296.82	0.14	0.00	0.14 DISP	0.31	296.04
	Amb to T3{1}	393.71	870.06	0.14	0.00	0.10 DISP	0.29	296.04
	Sus. + W1{1}	1265.42	2466.32	0.02	0.00	0.04 OCC	170.45	361.97
	Sus. + W2{1}	1264.28	2465.26	0.02	0.00	0.04 OCC	170.45	361.97
	Sus. + W3{1}	1136.78	2377.47	0.03	0.02	0.03 OCC	170.49	361.97
	Sus. + W4{1}	1200.04	2368.44	0.04	0.02	0.03 OCC	170.49	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	900.7411979.27		0.40	0.67	1.29 OCC	2.19	434.37
F08 N- UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	957.95	1660.80	0.69	0.31	0.21 SUST	170.39	361.97
	Amb to T1{1}	1203.32	3516.65	0.08	0.00	0.40 DISP	0.43	296.04
	Amb to T2{1}	39.92	1399.80	0.14	0.00	0.15 DISP	0.32	296.04

	Amb to T3{1}	370.74	966.94	0.14	0.00	0.11	DISP	0.29	296.04
	Sus. + W1{1}	1202.41	1940.50	0.02	0.00	0.04	OCC	170.44	361.97
	Sus. + W2{1}	1201.29	1939.29	0.02	0.00	0.04	OCC	170.44	361.97
	Sus. + W3{1}	1131.86	1872.14	0.03	0.02	0.03	OCC	170.49	361.97
	Sus. + W4{1}	1199.42	1862.09	0.04	0.02	0.03	OCC	170.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	935.75	11692.67	0.40	0.66	1.26	OCC	2.15	434.37
F08 N+ UNREST	SIFI= 2.99 GR + Max P{1}	957.95	1660.80	0.69	0.31	0.41	SUST	170.43	361.97
	Amb to T1{1}	1203.32	3516.65	0.08	0.00	1.02	DISP	1.03	296.00
	Amb to T2{1}	39.92	1399.80	0.14	0.00	0.38	DISP	0.47	296.00
	Amb to T3{1}	370.74	966.94	0.14	0.00	0.29	DISP	0.39	296.00
	Sus. + W1{1}	1202.41	1940.50	0.02	0.00	0.08	OCC	170.52	361.97
	Sus. + W2{1}	1201.29	1939.29	0.02	0.00	0.08	OCC	170.52	361.97
	Sus. + W3{1}	1131.86	1872.14	0.03	0.02	0.06	OCC	170.55	361.97
	Sus. + W4{1}	1199.42	1862.09	0.04	0.02	0.07	OCC	170.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	935.75	11692.67	0.40	0.66	2.37	OCC	3.16	434.37
F08 F- UNREST	SIFI= 2.99 GR + Max P{1}	8152.98	776.93	0.55	0.00	1.98	SUST	171.56	361.97
	Amb to T1{1}	1003.32	44.54	0.28	0.00	0.32	DISP	0.64	294.87
	Amb to T2{1}	936.78	126.95	0.21	0.00	0.30	DISP	0.52	294.87
	Amb to T3{1}	176.97	168.88	0.18	0.00	0.07	DISP	0.36	294.87
	Sus. + W1{1}	8274.76	1213.93	0.01	0.00	0.09	OCC	171.66	361.97
	Sus. + W2{1}	8273.90	1213.71	0.01	0.00	0.09	OCC	171.66	361.97
	Sus. + W3{1}	8331.47	1180.69	0.00	0.01	0.09	OCC	171.67	361.97
	Sus. + W4{1}	8506.17	1180.64	0.00	0.02	0.12	OCC	171.70	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	19137.17	532.47	0.26	-0.01	4.63	OCC	4.67	434.37
F08 F+ UNREST	SIFI= 1.00 GR + Max P{1}	8152.98	776.93	0.55	0.00	0.88	SUST	170.71	361.97
	Amb to T1{1}	1003.32	44.54	0.28	0.00	0.11	DISP	0.56	295.72
	Amb to T2{1}	936.78	126.95	0.21	0.00	0.10	DISP	0.43	295.72
	Amb to T3{1}	176.97	168.88	0.18	0.00	0.03	DISP	0.36	295.72
	Sus. + W1{1}	8274.76	1213.93	0.01	0.00	0.05	OCC	170.76	361.97
	Sus. + W2{1}	8273.90	1213.71	0.01	0.00	0.05	OCC	170.76	361.97
	Sus. + W3{1}	8331.47	1180.69	0.00	0.01	0.05	OCC	170.77	361.97
	Sus. + W4{1}	8506.17	1180.64	0.00	0.02	0.06	OCC	170.79	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	19137.17	532.47	0.26	-0.01	2.06	OCC	2.14	434.37
F09 N- UNREST	SIFI= 1.00 GR + Max P{1}	7780.07	8439.61	0.55	0.00	1.24	SUST	170.96	361.97
	Amb to T1{1}	114.21	1274.29	0.28	0.00	0.14	DISP	0.57	295.47
	Amb to T2{1}	846.07	1789.18	0.21	0.00	0.21	DISP	0.47	295.47
	Amb to T3{1}	171.65	1633.61	0.18	0.00	0.18	DISP	0.40	295.47
	Sus. + W1{1}	7798.97	8521.92	0.01	0.00	0.01	OCC	170.97	361.97
	Sus. + W2{1}	7798.18	8524.43	0.01	0.00	0.01	OCC	170.97	361.97
	Sus. + W3{1}	8509.23	8657.96	0.00	0.01	0.08	OCC	171.05	361.97
	Sus. + W4{1}	8332.01	8638.76	0.00	0.02	0.06	OCC	171.04	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	17397.71	4800.00	0.26	-0.01	1.94	OCC	2.02	434.37
F09 N+ UNREST	SIFI= 2.99 GR + Max P{1}	7780.07	8439.61	0.55	0.00	2.54	SUST	172.06	361.97
	Amb to T1{1}	114.21	1274.29	0.28	0.00	0.34	DISP	0.65	294.37
	Amb to T2{1}	846.07	1789.18	0.21	0.00	0.55	DISP	0.69	294.37
	Amb to T3{1}	171.65	1633.61	0.18	0.00	0.44	DISP	0.57	294.37

	Sus. + W1{1}	7798.97	8521.92	0.01	0.00	0.02	OCC	172.08	361.97
	Sus. + W2{1}	7798.18	8524.43	0.01	0.00	0.02	OCC	172.08	361.97
	Sus. + W3{1}	8509.23	8657.96	0.00	0.01	0.18	OCC	172.26	361.97
	Sus. + W4{1}	8332.01	8638.76	0.00	0.02	0.14	OCC	172.22	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	17397.71	4800.00	0.26	-0.01	4.32	OCC	4.36	434.37
F09 F-	SIFI= 2.99 SIFO= 2.49								
UNREST	GR + Max P{1}	382.92	1660.80	1.10	0.34	0.35	SUST	171.21	361.97
	Amb to T1{1}	1993.69	3516.65	0.15	0.00	1.14	DISP	1.18	295.22
	Amb to T2{1}	286.27	1399.80	0.23	0.00	0.39	DISP	0.60	295.22
	Amb to T3{1}	389.86	966.94	0.21	0.00	0.29	DISP	0.52	295.22
	Sus. + W1{1}	508.40	3061.42	0.05	0.00	0.28	OCC	171.51	361.97
	Sus. + W2{1}	509.31	3062.62	0.05	0.00	0.28	OCC	171.51	361.97
	Sus. + W3{1}	2705.98	1872.14	0.00	0.02	0.56	OCC	171.79	361.97
	Sus. + W4{1}	2629.35	1862.09	0.00	0.02	0.54	OCC	171.78	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	5318.92	11692.67	0.63	0.74	2.68	OCC	3.70	434.37
F09 F+	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	382.92	1660.80	1.10	0.34	0.18	SUST	171.19	361.97
	Amb to T1{1}	1993.69	3516.65	0.15	0.00	0.44	DISP	0.53	295.24
	Amb to T2{1}	286.27	1399.80	0.23	0.00	0.15	DISP	0.49	295.24
	Amb to T3{1}	389.86	966.94	0.21	0.00	0.11	DISP	0.44	295.24
	Sus. + W1{1}	508.40	3061.42	0.05	0.00	0.15	OCC	171.38	361.97
	Sus. + W2{1}	509.31	3062.62	0.05	0.00	0.15	OCC	171.38	361.97
	Sus. + W3{1}	2705.98	1872.14	0.00	0.02	0.25	OCC	171.46	361.97
	Sus. + W4{1}	2629.35	1862.08	0.00	0.02	0.24	OCC	171.45	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	5318.92	11692.67	0.63	0.74	1.38	OCC	2.61	434.37
A10	SIFI= 2.02 SIFO= 2.36								
UNREST	GR + Max P{1}	14118.13	1212.88	1.10	0.52	2.31	SUST	172.00	361.97
	Amb to T1{1}	1854.49	2987.14	0.15	0.00	0.86	DISP	0.91	294.43
	Amb to T2{1}	1190.09	1342.90	0.23	0.00	0.43	DISP	0.63	294.43
	Amb to T3{1}	1469.35	967.43	0.21	0.00	0.40	DISP	0.59	294.43
	Sus. + W1{1}	17539.04	1349.66	0.05	0.00	0.56	OCC	172.57	361.97
	Sus. + W2{1}	17536.56	1350.77	0.05	0.00	0.56	OCC	172.57	361.97
	Sus. + W3{1}	14580.08	3433.19	0.00	0.02	0.43	OCC	172.45	361.97
	Sus. + W4{1}	14595.90	3464.73	0.00	0.02	0.44	OCC	172.46	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	18900.18	6199.39	0.63	1.11	3.30	OCC	4.64	434.37
*** Segment F end *** Line # AKABP-36"-PL-012-X70-CL900_B									
*** Segment G begin *** Line # AKAB-A-100_N4									
B02	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	0.00	0.00	0.00	0.28	0.00	SUST	34.72	180.99
	Amb to T1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	306.57
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	306.57
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	306.57
	Sus. + W1{1}	15.59	0.00	0.00	0.00	0.21	OCC	34.94	180.99
	Sus. + W2{1}	15.59	0.00	0.00	0.00	0.21	OCC	34.94	180.99
	Sus. + W3{1}	0.00	15.59	0.00	0.00	0.21	OCC	34.94	180.99
	Sus. + W4{1}	0.00	15.59	0.00	0.00	0.21	OCC	34.94	180.99
	Max P{1}						HOOP	36.72	144.79
	Hydrotest-NL{2}	0.00	0.00	0.00	0.29	0.00	OCC	0.29	217.19
G01	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	0.00	0.00	0.00	0.19	0.00	SUST	34.82	180.99
	Amb to T1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	306.48
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	306.48
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	306.48

Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	34.82	180.99
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	34.82	180.99
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	34.82	180.99
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	34.82	180.99
Max P{1}						HOOP	36.72	144.79
Hydrotest-NL{2}	0.00	0.00	0.00	0.19	0.00	OCC	0.19	217.19
*** Segment G end *** Line # AKAB-A-100_N4								
*** Segment I begin *** Line # AKAB-A-100_N7								
B06 SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.00	0.28	0.00	SUST	34.72	180.99
Amb to T1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	306.57
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	306.57
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	306.57
Sus. + W1{1}	15.59	0.00	0.00	0.00	0.21	OCC	34.94	180.99
Sus. + W2{1}	15.59	0.00	0.00	0.00	0.21	OCC	34.94	180.99
Sus. + W3{1}	0.00	15.59	0.00	0.00	0.21	OCC	34.94	180.99
Sus. + W4{1}	0.00	15.59	0.00	0.00	0.21	OCC	34.94	180.99
Max P{1}						HOOP	36.72	144.79
Hydrotest-NL{2}	0.00	0.00	0.00	0.29	0.00	OCC	0.29	217.19
I01 SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.00	0.19	0.00	SUST	34.82	180.99
Amb to T1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	306.48
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	306.48
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	306.48
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	34.82	180.99
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	34.82	180.99
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	34.82	180.99
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	34.82	180.99
Max P{1}						HOOP	36.72	144.79
Hydrotest-NL{2}	0.00	0.00	0.00	0.19	0.00	OCC	0.19	217.19
*** Segment I end *** Line # AKAB-A-100_N7								

ASME B31.8 (2016) CODE COMPLIANCE									
Point name	Load combination	(Moments in N.m)		(Stress in N/mm2)				Code Stress	Code Allow.
		In-Pl. Moment	Out-Pl. Moment	Shear Stress	Axial Stress	Bending Stress	Type		
*** Segment A begin *** Line # AKABP-36"-PL-012-X70-CL900_UG									
A00	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	36324.23	0.00	0.01	0.00	3.91	SUST	111.39	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.04
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.04
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.04
	Sus. + W1{1}	36324.23	0.00	0.00	0.00	0.00	OCC	111.39	361.97
	Sus. + W2{1}	36324.23	0.00	0.00	0.00	0.00	OCC	111.39	361.97
	Sus. + W3{1}	36324.23	0.00	0.00	0.00	0.00	OCC	111.40	361.97
	Sus. + W4{1}	36324.23	0.00	0.00	0.00	0.00	OCC	111.40	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	77344.45	0.00	0.07	73.58	8.33	OCC	81.91	434.37
+1	- SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	27466.59	0.00	0.01	0.00	2.96	SUST	110.44	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.99
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.99
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.99
	Sus. + W1{1}	27466.59	0.00	0.00	0.00	0.00	OCC	110.44	361.97
	Sus. + W2{1}	27466.59	0.00	0.00	0.00	0.00	OCC	110.44	361.97
	Sus. + W3{1}	27466.59	0.00	0.00	0.00	0.00	OCC	110.44	361.97
	Sus. + W4{1}	27466.59	0.00	0.00	0.00	0.00	OCC	110.44	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	58484.05	0.00	0.07	73.58	6.30	OCC	79.88	434.37
+1	+ SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	27466.59	0.00	0.01	0.00	2.96	SUST	110.44	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.99
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.99
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.99
	Sus. + W1{1}	27466.59	0.00	0.00	0.00	0.00	OCC	110.44	361.97
	Sus. + W2{1}	27466.59	0.00	0.00	0.00	0.00	OCC	110.44	361.97
	Sus. + W3{1}	27466.59	0.00	0.00	0.00	0.00	OCC	110.44	361.97
	Sus. + W4{1}	27466.59	0.00	0.00	0.00	0.00	OCC	110.44	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	58484.05	0.00	0.07	73.58	6.30	OCC	79.88	434.37
+2	- SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	19847.52	0.00	0.01	0.00	2.14	SUST	109.62	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.81
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.81
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.81
	Sus. + W1{1}	19847.52	0.00	0.00	0.00	0.00	OCC	109.62	361.97
	Sus. + W2{1}	19847.52	0.00	0.00	0.00	0.00	OCC	109.62	361.97
	Sus. + W3{1}	19847.52	0.00	0.00	0.00	0.00	OCC	109.62	361.97
	Sus. + W4{1}	19847.52	0.00	0.00	0.00	0.00	OCC	109.62	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	42260.91	0.00	0.07	73.58	4.55	OCC	78.13	434.37
+2	+ SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	19847.52	0.00	0.01	0.00	2.14	SUST	109.62	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.82
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.82
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.82
	Sus. + W1{1}	19847.52	0.00	0.00	0.00	0.00	OCC	109.62	361.97
	Sus. + W2{1}	19847.52	0.00	0.00	0.00	0.00	OCC	109.62	361.97
	Sus. + W3{1}	19847.52	0.00	0.00	0.00	0.00	OCC	109.62	361.97

	Sus. + W4{1}	19847.52	0.00	0.00	0.00	0.00	OCC	109.62	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	42260.91	0.00	0.07	73.58	4.55	OCC	78.13	434.37
+3 -	SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	13401.72	0.00	0.01	0.00	1.44	SUST	108.92	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.51
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.51
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.51
	Sus. + W1{1}	13401.72	0.00	0.00	0.00	0.00	OCC	108.92	361.97
	Sus. + W2{1}	13401.72	0.00	0.00	0.00	0.00	OCC	108.92	361.97
	Sus. + W3{1}	13401.72	0.00	0.00	0.00	0.00	OCC	108.93	361.97
	Sus. + W4{1}	13401.72	0.00	0.00	0.00	0.00	OCC	108.93	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	28536.00	0.00	0.07	73.58	3.07	OCC	76.66	434.37
+3 +	SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	13401.72	0.00	0.01	0.00	1.44	SUST	108.92	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.51
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.51
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.51
	Sus. + W1{1}	13401.72	0.00	0.00	0.00	0.00	OCC	108.92	361.97
	Sus. + W2{1}	13401.72	0.00	0.00	0.00	0.00	OCC	108.92	361.97
	Sus. + W3{1}	13401.72	0.00	0.00	0.00	0.00	OCC	108.93	361.97
	Sus. + W4{1}	13401.72	0.00	0.00	0.00	0.00	OCC	108.93	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	28536.00	0.00	0.07	73.58	3.07	OCC	76.66	434.37
+4 -	SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	8046.94	0.00	0.01	0.00	0.87	SUST	108.34	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.09
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.09
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.09
	Sus. + W1{1}	8046.94	0.00	0.00	0.00	0.00	OCC	108.34	361.97
	Sus. + W2{1}	8046.94	0.00	0.00	0.00	0.00	OCC	108.34	361.97
	Sus. + W3{1}	8046.94	0.00	0.00	0.00	0.00	OCC	108.35	361.97
	Sus. + W4{1}	8046.94	0.00	0.00	0.00	0.00	OCC	108.35	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	17134.19	0.00	0.07	73.58	1.84	OCC	75.43	434.37
+4 +	SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	8046.94	0.00	0.01	0.00	0.87	SUST	108.34	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.09
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.09
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.09
	Sus. + W1{1}	8046.94	0.00	0.00	0.00	0.00	OCC	108.34	361.97
	Sus. + W2{1}	8046.94	0.00	0.00	0.00	0.00	OCC	108.34	361.97
	Sus. + W3{1}	8046.94	0.00	0.00	0.00	0.00	OCC	108.35	361.97
	Sus. + W4{1}	8046.94	0.00	0.00	0.00	0.00	OCC	108.35	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	17134.19	0.00	0.07	73.58	1.84	OCC	75.43	434.37
+5 -	SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	3687.66	0.00	0.01	0.00	0.40	SUST	107.88	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.56
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.56
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.56
	Sus. + W1{1}	3687.66	0.00	0.00	0.00	0.00	OCC	107.88	361.97
	Sus. + W2{1}	3687.66	0.00	0.00	0.00	0.00	OCC	107.88	361.97
	Sus. + W3{1}	3687.66	0.00	0.00	0.00	0.00	OCC	107.88	361.97
	Sus. + W4{1}	3687.66	0.00	0.00	0.00	0.00	OCC	107.88	361.97
	Max P{1}						HOOP	211.04	289.58

	Hydrotest-NL{2}	7852.06	0.00	0.07	73.58	0.85	OCC	74.44	434.37
+5	+ SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	3687.66	0.00	0.01	0.00	0.40	SUST	107.87	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.56
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.56
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.56
	Sus. + W1{1}	3687.66	0.00	0.00	0.00	0.00	OCC	107.88	361.97
	Sus. + W2{1}	3687.66	0.00	0.00	0.00	0.00	OCC	107.88	361.97
	Sus. + W3{1}	3687.66	0.00	0.00	0.00	0.00	OCC	107.88	361.97
	Sus. + W4{1}	3687.66	0.00	0.00	0.00	0.00	OCC	107.88	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	7852.06	0.00	0.07	73.58	0.85	OCC	74.44	434.37
+6	- SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	221.80	0.00	0.01	0.00	0.02	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	221.80	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	221.80	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	221.80	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	221.80	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	472.28	0.00	0.07	73.58	0.05	OCC	73.74	434.37
+6	+ SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	221.80	0.00	0.01	0.00	0.02	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	221.80	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	221.80	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	221.80	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	221.80	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	472.28	0.00	0.07	73.58	0.05	OCC	73.74	434.37
+7	- SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	2456.01	0.00	0.01	0.00	0.26	SUST	107.74	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.69
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.69
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.69
	Sus. + W1{1}	2456.01	0.00	0.00	0.00	0.00	OCC	107.74	361.97
	Sus. + W2{1}	2456.01	0.00	0.00	0.00	0.00	OCC	107.74	361.97
	Sus. + W3{1}	2456.01	0.00	0.00	0.00	0.00	OCC	107.75	361.97
	Sus. + W4{1}	2456.01	0.00	0.00	0.00	0.00	OCC	107.75	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	5229.53	0.00	0.07	73.58	0.56	OCC	74.16	434.37
+7	+ SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	2456.01	0.00	0.01	0.00	0.26	SUST	107.74	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.69
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.69
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.69
	Sus. + W1{1}	2456.01	0.00	0.00	0.00	0.00	OCC	107.74	361.97
	Sus. + W2{1}	2456.01	0.00	0.00	0.00	0.00	OCC	107.74	361.97
	Sus. + W3{1}	2456.01	0.00	0.00	0.00	0.00	OCC	107.75	361.97
	Sus. + W4{1}	2456.01	0.00	0.00	0.00	0.00	OCC	107.75	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	5229.53	0.00	0.07	73.58	0.56	OCC	74.16	434.37

+8 UNREST	- SIFI= 1.00 GR + Max P{1}	SIFO= 1.00	4448.84	0.00	0.01	0.00	0.48	SUST	107.96	361.97
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.47
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.47
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.47
	Sus. + W1{1}		4448.84	0.00	0.00	0.00	0.00	OCC	107.96	361.97
	Sus. + W2{1}		4448.84	0.00	0.00	0.00	0.00	OCC	107.96	361.97
	Sus. + W3{1}		4448.84	0.00	0.00	0.00	0.00	OCC	107.96	361.97
	Sus. + W4{1}		4448.84	0.00	0.00	0.00	0.00	OCC	107.96	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		9472.83	0.00	0.07	73.58	1.02	OCC	74.61	434.37
+8 UNREST	+ SIFI= 1.00 GR + Max P{1}	SIFO= 1.00	4448.84	0.00	0.01	0.00	0.48	SUST	107.96	361.97
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.47
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.47
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.47
	Sus. + W1{1}		4448.84	0.00	0.00	0.00	0.00	OCC	107.96	361.97
	Sus. + W2{1}		4448.84	0.00	0.00	0.00	0.00	OCC	107.96	361.97
	Sus. + W3{1}		4448.84	0.00	0.00	0.00	0.00	OCC	107.96	361.97
	Sus. + W4{1}		4448.84	0.00	0.00	0.00	0.00	OCC	107.96	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		9472.83	0.00	0.07	73.58	1.02	OCC	74.61	434.37
+9 UNREST	- SIFI= 1.00 GR + Max P{1}	SIFO= 1.00	5856.21	0.00	0.01	0.00	0.63	SUST	108.11	361.97
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.32
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.32
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.32
	Sus. + W1{1}		5856.21	0.00	0.00	0.00	0.00	OCC	108.11	361.97
	Sus. + W2{1}		5856.21	0.00	0.00	0.00	0.00	OCC	108.11	361.97
	Sus. + W3{1}		5856.21	0.00	0.00	0.00	0.00	OCC	108.11	361.97
	Sus. + W4{1}		5856.21	0.00	0.00	0.00	0.00	OCC	108.11	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		12469.52	0.00	0.07	73.58	1.34	OCC	74.93	434.37
+9 UNREST	+ SIFI= 1.00 GR + Max P{1}	SIFO= 1.00	5856.21	0.00	0.01	0.00	0.63	SUST	108.11	361.97
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.32
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.32
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.32
	Sus. + W1{1}		5856.21	0.00	0.00	0.00	0.00	OCC	108.11	361.97
	Sus. + W2{1}		5856.21	0.00	0.00	0.00	0.00	OCC	108.11	361.97
	Sus. + W3{1}		5856.21	0.00	0.00	0.00	0.00	OCC	108.11	361.97
	Sus. + W4{1}		5856.21	0.00	0.00	0.00	0.00	OCC	108.11	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		12469.52	0.00	0.07	73.58	1.34	OCC	74.93	434.37
+10 UNREST	- SIFI= 1.00 GR + Max P{1}	SIFO= 1.00	6771.66	0.00	0.01	0.00	0.73	SUST	108.21	361.97
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.22
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.22
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.22
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.22
	Sus. + W1{1}	6771.66	0.00	0.00	0.00	0.00 OCC	108.21	361.97
	Sus. + W2{1}	6771.66	0.00	0.00	0.00	0.00 OCC	108.21	361.97
	Sus. + W3{1}	6771.66	0.00	0.00	0.00	0.00 OCC	108.21	361.97
	Sus. + W4{1}	6771.66	0.00	0.00	0.00	0.00 OCC	108.21	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	14418.75	0.00	0.07	73.58	1.55 OCC	75.14	434.37
+11 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	7281.70	0.00	0.01	0.00	0.78 SUST	108.26	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.17
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.17
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.17
	Sus. + W1{1}	7281.70	0.00	0.00	0.00	0.00 OCC	108.26	361.97
	Sus. + W2{1}	7281.70	0.00	0.00	0.00	0.00 OCC	108.26	361.97
	Sus. + W3{1}	7281.70	0.00	0.00	0.00	0.00 OCC	108.27	361.97
	Sus. + W4{1}	7281.70	0.00	0.00	0.00	0.00 OCC	108.27	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	15504.77	0.00	0.07	73.58	1.67 OCC	75.26	434.37
+11 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	7281.70	0.00	0.01	0.00	0.78 SUST	108.26	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.17
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.17
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.17
	Sus. + W1{1}	7281.70	0.00	0.00	0.00	0.00 OCC	108.26	361.97
	Sus. + W2{1}	7281.70	0.00	0.00	0.00	0.00 OCC	108.26	361.97
	Sus. + W3{1}	7281.70	0.00	0.00	0.00	0.00 OCC	108.27	361.97
	Sus. + W4{1}	7281.70	0.00	0.00	0.00	0.00 OCC	108.27	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	15504.77	0.00	0.07	73.58	1.67 OCC	75.26	434.37
+12 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	7464.48	0.00	0.01	0.00	0.80 SUST	108.28	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.15
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.15
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.15
	Sus. + W1{1}	7464.48	0.00	0.00	0.00	0.00 OCC	108.28	361.97
	Sus. + W2{1}	7464.48	0.00	0.00	0.00	0.00 OCC	108.28	361.97
	Sus. + W3{1}	7464.48	0.00	0.00	0.00	0.00 OCC	108.29	361.97
	Sus. + W4{1}	7464.48	0.00	0.00	0.00	0.00 OCC	108.29	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	15893.96	0.00	0.07	73.58	1.71 OCC	75.30	434.37
+12 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	7464.48	0.00	0.01	0.00	0.80 SUST	108.28	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.15
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.15
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.15
	Sus. + W1{1}	7464.48	0.00	0.00	0.00	0.00 OCC	108.28	361.97
	Sus. + W2{1}	7464.48	0.00	0.00	0.00	0.00 OCC	108.28	361.97
	Sus. + W3{1}	7464.48	0.00	0.00	0.00	0.00 OCC	108.29	361.97
	Sus. + W4{1}	7464.48	0.00	0.00	0.00	0.00 OCC	108.29	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	15893.96	0.00	0.07	73.58	1.71 OCC	75.30	434.37
+13 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	7389.76	0.00	0.01	0.00	0.80 SUST	108.27	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.16
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.16

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.16
Sus. + W1{1}	7389.76	0.00	0.00	0.00	0.00	OCC	108.27	361.97
Sus. + W2{1}	7389.76	0.00	0.00	0.00	0.00	OCC	108.27	361.97
Sus. + W3{1}	7389.76	0.00	0.00	0.00	0.00	OCC	108.28	361.97
Sus. + W4{1}	7389.76	0.00	0.00	0.00	0.00	OCC	108.28	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	15734.87	0.00	0.07	73.58	1.69	OCC	75.28	434.37
+13 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	7389.76	0.00	0.01	0.00	0.80	SUST	108.27	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.16
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.16
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.16
Sus. + W1{1}	7389.76	0.00	0.00	0.00	0.00	OCC	108.27	361.97
Sus. + W2{1}	7389.76	0.00	0.00	0.00	0.00	OCC	108.27	361.97
Sus. + W3{1}	7389.76	0.00	0.00	0.00	0.00	OCC	108.28	361.97
Sus. + W4{1}	7389.76	0.00	0.00	0.00	0.00	OCC	108.28	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	15734.87	0.00	0.07	73.58	1.69	OCC	75.28	434.37
+14 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	7118.79	0.00	0.01	0.00	0.77	SUST	108.24	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.19
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.19
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.19
Sus. + W1{1}	7118.79	0.00	0.00	0.00	0.00	OCC	108.24	361.97
Sus. + W2{1}	7118.79	0.00	0.00	0.00	0.00	OCC	108.24	361.97
Sus. + W3{1}	7118.79	0.00	0.00	0.00	0.00	OCC	108.25	361.97
Sus. + W4{1}	7118.79	0.00	0.00	0.00	0.00	OCC	108.25	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	15157.90	0.00	0.07	73.58	1.63	OCC	75.22	434.37
+14 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	7118.79	0.00	0.01	0.00	0.77	SUST	108.24	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.19
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.19
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.19
Sus. + W1{1}	7118.79	0.00	0.00	0.00	0.00	OCC	108.24	361.97
Sus. + W2{1}	7118.79	0.00	0.00	0.00	0.00	OCC	108.24	361.97
Sus. + W3{1}	7118.79	0.00	0.00	0.00	0.00	OCC	108.25	361.97
Sus. + W4{1}	7118.79	0.00	0.00	0.00	0.00	OCC	108.25	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	15157.90	0.00	0.07	73.58	1.63	OCC	75.22	434.37
+15 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	6704.34	0.00	0.01	0.00	0.72	SUST	108.20	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.23
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.23
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.23
Sus. + W1{1}	6704.34	0.00	0.00	0.00	0.00	OCC	108.20	361.97
Sus. + W2{1}	6704.34	0.00	0.00	0.00	0.00	OCC	108.20	361.97
Sus. + W3{1}	6704.34	0.00	0.00	0.00	0.00	OCC	108.20	361.97
Sus. + W4{1}	6704.34	0.00	0.00	0.00	0.00	OCC	108.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	14275.42	0.00	0.07	73.58	1.54	OCC	75.13	434.37
+15 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	6704.34	0.00	0.01	0.00	0.72	SUST	108.20	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.23
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.23
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.23

	Sus. + W1{1}	6704.34	0.00	0.00	0.00	0.00	OCC	108.20	361.97
	Sus. + W2{1}	6704.34	0.00	0.00	0.00	0.00	OCC	108.20	361.97
	Sus. + W3{1}	6704.34	0.00	0.00	0.00	0.00	OCC	108.20	361.97
	Sus. + W4{1}	6704.34	0.00	0.00	0.00	0.00	OCC	108.20	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	14275.42	0.00	0.07	73.58	1.54	OCC	75.13	434.37
+16 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	6191.30	0.00	0.01	0.00	0.67	SUST	108.14	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.29
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.29
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.29
	Sus. + W1{1}	6191.30	0.00	0.00	0.00	0.00	OCC	108.14	361.97
	Sus. + W2{1}	6191.30	0.00	0.00	0.00	0.00	OCC	108.14	361.97
	Sus. + W3{1}	6191.30	0.00	0.00	0.00	0.00	OCC	108.15	361.97
	Sus. + W4{1}	6191.30	0.00	0.00	0.00	0.00	OCC	108.15	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	13183.02	0.00	0.07	73.58	1.42	OCC	75.01	434.37
+16 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	6191.30	0.00	0.01	0.00	0.67	SUST	108.14	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.29
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.29
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.29
	Sus. + W1{1}	6191.30	0.00	0.00	0.00	0.00	OCC	108.14	361.97
	Sus. + W2{1}	6191.30	0.00	0.00	0.00	0.00	OCC	108.14	361.97
	Sus. + W3{1}	6191.30	0.00	0.00	0.00	0.00	OCC	108.15	361.97
	Sus. + W4{1}	6191.30	0.00	0.00	0.00	0.00	OCC	108.15	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	13183.02	0.00	0.07	73.58	1.42	OCC	75.01	434.37
+17 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	5617.10	0.00	0.01	0.00	0.60	SUST	108.08	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.35
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.35
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.35
	Sus. + W1{1}	5617.10	0.00	0.00	0.00	0.00	OCC	108.08	361.97
	Sus. + W2{1}	5617.10	0.00	0.00	0.00	0.00	OCC	108.08	361.97
	Sus. + W3{1}	5617.10	0.00	0.00	0.00	0.00	OCC	108.09	361.97
	Sus. + W4{1}	5617.10	0.00	0.00	0.00	0.00	OCC	108.09	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	11960.37	0.00	0.07	73.58	1.29	OCC	74.88	434.37
+17 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	5617.10	0.00	0.01	0.00	0.60	SUST	108.08	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.35
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.35
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.35
	Sus. + W1{1}	5617.10	0.00	0.00	0.00	0.00	OCC	108.08	361.97
	Sus. + W2{1}	5617.10	0.00	0.00	0.00	0.00	OCC	108.08	361.97
	Sus. + W3{1}	5617.10	0.00	0.00	0.00	0.00	OCC	108.09	361.97
	Sus. + W4{1}	5617.10	0.00	0.00	0.00	0.00	OCC	108.09	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	11960.37	0.00	0.07	73.58	1.29	OCC	74.88	434.37
+18 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	5012.39	0.00	0.01	0.00	0.54	SUST	108.02	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.41
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.41
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.41
	Sus. + W1{1}	5012.39	0.00	0.00	0.00	0.00	OCC	108.02	361.97
	Sus. + W2{1}	5012.39	0.00	0.00	0.00	0.00	OCC	108.02	361.97

Sus. + W3{1}	5012.39	0.00	0.00	0.00	0.00	OCC	108.02	361.97
Sus. + W4{1}	5012.39	0.00	0.00	0.00	0.00	OCC	108.02	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	10672.79	0.00	0.07	73.58	1.15	OCC	74.74	434.37
+18 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	5012.39	0.00	0.01	0.00	0.54	SUST	108.02	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.42
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.42
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.42
Sus. + W1{1}	5012.39	0.00	0.00	0.00	0.00	OCC	108.02	361.97
Sus. + W2{1}	5012.39	0.00	0.00	0.00	0.00	OCC	108.02	361.97
Sus. + W3{1}	5012.39	0.00	0.00	0.00	0.00	OCC	108.02	361.97
Sus. + W4{1}	5012.39	0.00	0.00	0.00	0.00	OCC	108.02	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	10672.79	0.00	0.07	73.58	1.15	OCC	74.74	434.37
+19 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	4401.55	0.00	0.01	0.00	0.47	SUST	107.95	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.48
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.48
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.48
Sus. + W1{1}	4401.55	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W2{1}	4401.55	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W3{1}	4401.55	0.00	0.00	0.00	0.00	OCC	107.96	361.97
Sus. + W4{1}	4401.55	0.00	0.00	0.00	0.00	OCC	107.96	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	9372.12	0.00	0.07	73.58	1.01	OCC	74.60	434.37
+19 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	4401.55	0.00	0.01	0.00	0.47	SUST	107.95	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.48
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.48
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.48
Sus. + W1{1}	4401.55	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W2{1}	4401.55	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W3{1}	4401.55	0.00	0.00	0.00	0.00	OCC	107.96	361.97
Sus. + W4{1}	4401.55	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	9372.12	0.00	0.07	73.58	1.01	OCC	74.60	434.37
+20 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	3803.65	0.00	0.01	0.00	0.41	SUST	107.88	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.55
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.55
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.55
Sus. + W1{1}	3803.65	0.00	0.00	0.00	0.00	OCC	107.89	361.97
Sus. + W2{1}	3803.65	0.00	0.00	0.00	0.00	OCC	107.89	361.97
Sus. + W3{1}	3803.65	0.00	0.00	0.00	0.00	OCC	107.89	361.97
Sus. + W4{1}	3803.65	0.00	0.00	0.00	0.00	OCC	107.89	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	8099.03	0.00	0.07	73.58	0.87	OCC	74.47	434.37
+20 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	3803.65	0.00	0.01	0.00	0.41	SUST	107.88	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.55
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.55
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.55
Sus. + W1{1}	3803.65	0.00	0.00	0.00	0.00	OCC	107.88	361.97
Sus. + W2{1}	3803.65	0.00	0.00	0.00	0.00	OCC	107.88	361.97
Sus. + W3{1}	3803.65	0.00	0.00	0.00	0.00	OCC	107.89	361.97

Sus. + W4{1}	3803.65	0.00	0.00	0.00	0.00	OCC	107.89	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	8099.03	0.00	0.07	73.58	0.87	OCC	74.47	434.37
+21 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	3233.00	0.00	0.01	0.00	0.35	SUST	107.82	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.61
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.61
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.61
Sus. + W1{1}	3233.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W2{1}	3233.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W3{1}	3233.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Sus. + W4{1}	3233.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	6883.97	0.00	0.07	73.58	0.74	OCC	74.34	434.37
+21 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	3233.00	0.00	0.01	0.00	0.35	SUST	107.82	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.61
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.61
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.61
Sus. + W1{1}	3233.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W2{1}	3233.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W3{1}	3233.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Sus. + W4{1}	3233.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	6883.97	0.00	0.07	73.58	0.74	OCC	74.34	434.37
+22 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	2699.89	0.00	0.01	0.00	0.29	SUST	107.77	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.66
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.66
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.66
Sus. + W1{1}	2699.89	0.00	0.00	0.00	0.00	OCC	107.77	361.97
Sus. + W2{1}	2699.89	0.00	0.00	0.00	0.00	OCC	107.77	361.97
Sus. + W3{1}	2699.89	0.00	0.00	0.00	0.00	OCC	107.77	361.97
Sus. + W4{1}	2699.89	0.00	0.00	0.00	0.00	OCC	107.77	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	5748.82	0.00	0.07	73.58	0.62	OCC	74.22	434.37
+22 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	2699.89	0.00	0.01	0.00	0.29	SUST	107.77	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.66
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.66
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.66
Sus. + W1{1}	2699.89	0.00	0.00	0.00	0.00	OCC	107.77	361.97
Sus. + W2{1}	2699.89	0.00	0.00	0.00	0.00	OCC	107.77	361.97
Sus. + W3{1}	2699.89	0.00	0.00	0.00	0.00	OCC	107.77	361.97
Sus. + W4{1}	2699.89	0.00	0.00	0.00	0.00	OCC	107.77	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	5748.82	0.00	0.07	73.58	0.62	OCC	74.22	434.37
+23 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	2211.00	0.00	0.01	0.00	0.24	SUST	107.71	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.72
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.72
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.72
Sus. + W1{1}	2211.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
Sus. + W2{1}	2211.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
Sus. + W3{1}	2211.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
Sus. + W4{1}	2211.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	4707.85	0.00	0.07	73.58	0.51	OCC	74.11	434.37
+23 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	2211.00	0.00	0.01	0.00	0.24	SUST	107.71	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.72
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.72
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.72
Sus. + W1{1}	2211.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
Sus. + W2{1}	2211.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
Sus. + W3{1}	2211.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
Sus. + W4{1}	2211.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	4707.85	0.00	0.07	73.58	0.51	OCC	74.11	434.37
+24 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1770.37	0.00	0.01	0.00	0.19	SUST	107.67	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.76
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.76
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.76
Sus. + W1{1}	1770.37	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Sus. + W2{1}	1770.37	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Sus. + W3{1}	1770.37	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Sus. + W4{1}	1770.37	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	3769.61	0.00	0.07	73.58	0.41	OCC	74.02	434.37
+24 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1770.37	0.00	0.01	0.00	0.19	SUST	107.67	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.76
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.76
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.76
Sus. + W1{1}	1770.37	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Sus. + W2{1}	1770.37	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Sus. + W3{1}	1770.37	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Sus. + W4{1}	1770.37	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	3769.61	0.00	0.07	73.59	0.41	OCC	74.02	434.37
+25 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1379.68	0.00	0.01	0.00	0.15	SUST	107.62	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.81
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.81
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.81
Sus. + W1{1}	1379.68	0.00	0.00	0.00	0.00	OCC	107.62	361.97
Sus. + W2{1}	1379.68	0.00	0.00	0.00	0.00	OCC	107.62	361.97
Sus. + W3{1}	1379.68	0.00	0.00	0.00	0.00	OCC	107.63	361.97
Sus. + W4{1}	1379.68	0.00	0.00	0.00	0.00	OCC	107.63	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	2937.73	0.00	0.07	73.59	0.32	OCC	73.93	434.37
+25 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1379.68	0.00	0.01	0.00	0.15	SUST	107.62	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.81
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.81
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.81
Sus. + W1{1}	1379.68	0.00	0.00	0.00	0.00	OCC	107.62	361.97
Sus. + W2{1}	1379.68	0.00	0.00	0.00	0.00	OCC	107.62	361.97
Sus. + W3{1}	1379.68	0.00	0.00	0.00	0.00	OCC	107.63	361.97
Sus. + W4{1}	1379.68	0.00	0.00	0.00	0.00	OCC	107.63	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	2937.73	0.00	0.07	73.59	0.32	OCC	73.93	434.37

+26 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	1038.70	0.00	0.01	0.00	0.11	SUST	107.59	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.84	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84	
Sus. + W1{1}	1038.70	0.00	0.00	0.00	0.00	OCC	107.59	361.97	
Sus. + W2{1}	1038.70	0.00	0.00	0.00	0.00	OCC	107.59	361.97	
Sus. + W3{1}	1038.70	0.00	0.00	0.00	0.00	OCC	107.59	361.97	
Sus. + W4{1}	1038.70	0.00	0.00	0.00	0.00	OCC	107.59	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	2211.69	0.00	0.07	73.59	0.24	OCC	73.86	434.37	
+26 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	1038.70	0.00	0.01	0.00	0.11	SUST	107.59	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.84	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84	
Sus. + W1{1}	1038.70	0.00	0.00	0.00	0.00	OCC	107.59	361.97	
Sus. + W2{1}	1038.70	0.00	0.00	0.00	0.00	OCC	107.59	361.97	
Sus. + W3{1}	1038.70	0.00	0.00	0.00	0.00	OCC	107.59	361.97	
Sus. + W4{1}	1038.70	0.00	0.00	0.00	0.00	OCC	107.59	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	2211.69	0.00	0.07	73.59	0.24	OCC	73.86	434.37	
+27 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	745.92	0.00	0.01	0.00	0.08	SUST	107.56	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87	
Sus. + W1{1}	745.92	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W2{1}	745.92	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W3{1}	745.92	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W4{1}	745.92	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	1588.27	0.00	0.07	73.59	0.17	OCC	73.81	434.37	
+27 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	745.92	0.00	0.01	0.00	0.08	SUST	107.56	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87	
Sus. + W1{1}	745.92	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W2{1}	745.92	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W3{1}	745.92	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W4{1}	745.92	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	1588.27	0.00	0.07	73.59	0.17	OCC	73.81	434.37	
+28 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	498.73	0.00	0.01	0.00	0.05	SUST	107.53	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90	
Sus. + W1{1}	498.73	0.00	0.00	0.00	0.00	OCC	107.53	361.97	
Sus. + W2{1}	498.73	0.00	0.00	0.00	0.00	OCC	107.53	361.97	
Sus. + W3{1}	498.73	0.00	0.00	0.00	0.00	OCC	107.54	361.97	
Sus. + W4{1}	498.73	0.00	0.00	0.00	0.00	OCC	107.53	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	1061.93	0.00	0.07	73.59	0.11	OCC	73.77	434.37	
+28 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	498.73	0.00	0.01	0.00	0.05	SUST	107.53	361.97	

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.90
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.90
	Sus. + W1{1}	498.73	0.00	0.00	0.00	0.00 OCC	107.53	361.97
	Sus. + W2{1}	498.73	0.00	0.00	0.00	0.00 OCC	107.53	361.97
	Sus. + W3{1}	498.73	0.00	0.00	0.00	0.00 OCC	107.54	361.97
	Sus. + W4{1}	498.73	0.00	0.00	0.00	0.00 OCC	107.53	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	1061.93	0.00	0.07	73.59	0.11 OCC	73.77	434.37
+29 -	SIFI= 1.00 SIFO= 1.00							
UNREST	GR + Max P{1}	293.83	0.00	0.01	0.00	0.03 SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.92
	Sus. + W1{1}	293.83	0.00	0.00	0.00	0.00 OCC	107.51	361.97
	Sus. + W2{1}	293.83	0.00	0.00	0.00	0.00 OCC	107.51	361.97
	Sus. + W3{1}	293.83	0.00	0.00	0.00	0.00 OCC	107.51	361.97
	Sus. + W4{1}	293.83	0.00	0.00	0.00	0.00 OCC	107.51	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	625.65	0.00	0.07	73.59	0.07 OCC	73.75	434.37
+29 +	SIFI= 1.00 SIFO= 1.00							
UNREST	GR + Max P{1}	293.83	0.00	0.01	0.00	0.03 SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.92
	Sus. + W1{1}	293.83	0.00	0.00	0.00	0.00 OCC	107.51	361.97
	Sus. + W2{1}	293.83	0.00	0.00	0.00	0.00 OCC	107.51	361.97
	Sus. + W3{1}	293.83	0.00	0.00	0.00	0.00 OCC	107.51	361.97
	Sus. + W4{1}	293.83	0.00	0.00	0.00	0.00 OCC	107.51	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	625.65	0.00	0.07	73.59	0.07 OCC	73.75	434.37
+30 -	SIFI= 1.00 SIFO= 1.00							
UNREST	GR + Max P{1}	127.42	0.00	0.01	0.00	0.01 SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.94
	Sus. + W1{1}	127.42	0.00	0.00	0.00	0.00 OCC	107.49	361.97
	Sus. + W2{1}	127.42	0.00	0.00	0.00	0.00 OCC	107.49	361.97
	Sus. + W3{1}	127.42	0.00	0.00	0.00	0.00 OCC	107.50	361.97
	Sus. + W4{1}	127.42	0.00	0.00	0.00	0.00 OCC	107.50	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	271.31	0.00	0.07	73.59	0.03 OCC	73.74	434.37
+30 +	SIFI= 1.00 SIFO= 1.00							
UNREST	GR + Max P{1}	127.42	0.00	0.01	0.00	0.01 SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.94
	Sus. + W1{1}	127.42	0.00	0.00	0.00	0.00 OCC	107.49	361.97
	Sus. + W2{1}	127.42	0.00	0.00	0.00	0.00 OCC	107.49	361.97
	Sus. + W3{1}	127.42	0.00	0.00	0.00	0.00 OCC	107.50	361.97
	Sus. + W4{1}	127.42	0.00	0.00	0.00	0.00 OCC	107.50	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	271.31	0.00	0.07	73.59	0.03 OCC	73.74	434.37
+31 -	SIFI= 1.00 SIFO= 1.00							
UNREST	GR + Max P{1}	4.51	0.00	0.01	0.00	0.00 SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.94

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
Sus. + W1{1}	4.51	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}	4.51	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}	4.51	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	4.51	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	9.61	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+31 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	4.51	0.00	0.01	0.00	0.00	SUST	107.49	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
Sus. + W1{1}	4.51	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}	4.51	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}	4.51	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	4.51	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	9.61	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+32 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	106.06	0.00	0.01	0.00	0.01	SUST	107.49	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
Sus. + W1{1}	106.06	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}	106.06	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}	106.06	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W4{1}	106.06	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	225.84	0.00	0.07	73.59	0.02	OCC	73.73	434.37
+32 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	106.06	0.00	0.01	0.00	0.01	SUST	107.49	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
Sus. + W1{1}	106.06	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}	106.06	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}	106.06	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W4{1}	106.06	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	225.84	0.00	0.07	73.59	0.02	OCC	73.73	434.37
+33 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	181.26	0.00	0.01	0.00	0.02	SUST	107.50	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
Sus. + W1{1}	181.26	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W2{1}	181.26	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W3{1}	181.26	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W4{1}	181.26	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	385.95	0.00	0.07	73.59	0.04	OCC	73.74	434.37
+33 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	181.26	0.00	0.01	0.00	0.02	SUST	107.50	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93

	Sus. + W1{1}	181.26	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	181.26	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	181.26	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	181.26	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	385.95	0.00	0.07	73.59	0.04	OCC	73.74	434.37
+34 -	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	233.98	0.00	0.01	0.00	0.03	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	233.98	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	233.98	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	233.98	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	233.98	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	498.21	0.00	0.07	73.59	0.05	OCC	73.74	434.37
+34 +	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	233.98	0.00	0.01	0.00	0.03	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	233.98	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	233.98	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	233.98	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	233.98	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	498.21	0.00	0.07	73.59	0.05	OCC	73.74	434.37
+35 -	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	267.86	0.00	0.01	0.00	0.03	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	267.86	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	267.86	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	267.86	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	267.86	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	570.34	0.00	0.07	73.59	0.06	OCC	73.75	434.37
+35 +	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	267.86	0.00	0.01	0.00	0.03	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	267.86	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	267.86	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	267.86	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	267.86	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	570.34	0.00	0.07	73.59	0.06	OCC	73.75	434.37
+36 -	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	286.23	0.00	0.01	0.00	0.03	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	286.23	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	286.23	0.00	0.00	0.00	0.00	OCC	107.51	361.97

Sus. + W3{1}	286.23	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W4{1}	286.23	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	609.46	0.00	0.07	73.59	0.07	OCC	73.75	434.37
+36 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	286.23	0.00	0.01	0.00	0.03	SUST	107.51	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
Sus. + W1{1}	286.23	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W2{1}	286.23	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W3{1}	286.23	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W4{1}	286.23	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	609.46	0.00	0.07	73.59	0.07	OCC	73.75	434.37
+37 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	292.12	0.00	0.01	0.00	0.03	SUST	107.51	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
Sus. + W1{1}	292.12	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W2{1}	292.12	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W3{1}	292.12	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W4{1}	292.12	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	622.00	0.00	0.07	73.59	0.07	OCC	73.75	434.37
+37 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	292.12	0.00	0.01	0.00	0.03	SUST	107.51	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
Sus. + W1{1}	292.12	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W2{1}	292.12	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W3{1}	292.12	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W4{1}	292.12	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	622.00	0.00	0.07	73.59	0.07	OCC	73.75	434.37
+38 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	288.22	0.00	0.01	0.00	0.03	SUST	107.51	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
Sus. + W1{1}	288.22	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W2{1}	288.22	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W3{1}	288.22	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W4{1}	288.22	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	613.71	0.00	0.07	73.59	0.07	OCC	73.75	434.37
+38 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	288.22	0.00	0.01	0.00	0.03	SUST	107.51	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
Sus. + W1{1}	288.22	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W2{1}	288.22	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W3{1}	288.22	0.00	0.00	0.00	0.00	OCC	107.51	361.97

Sus. + W4{1}	288.22	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	613.71	0.00	0.07	73.59	0.07	OCC	73.75	434.37
+39 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	276.90	0.00	0.01	0.00	0.03	SUST	107.50	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
Sus. + W1{1}	276.90	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W2{1}	276.90	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W3{1}	276.90	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W4{1}	276.90	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	589.59	0.00	0.07	73.59	0.06	OCC	73.75	434.37
+39 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	276.90	0.00	0.01	0.00	0.03	SUST	107.50	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
Sus. + W1{1}	276.90	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W2{1}	276.90	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W3{1}	276.90	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W4{1}	276.90	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	589.59	0.00	0.07	73.59	0.06	OCC	73.75	434.37
+40 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	260.17	0.00	0.01	0.00	0.03	SUST	107.50	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
Sus. + W1{1}	260.17	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W2{1}	260.17	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W3{1}	260.17	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W4{1}	260.17	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	553.98	0.00	0.07	73.59	0.06	OCC	73.75	434.37
+40 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	260.17	0.00	0.01	0.00	0.03	SUST	107.50	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
Sus. + W1{1}	260.17	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W2{1}	260.17	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W3{1}	260.17	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W4{1}	260.17	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	553.98	0.00	0.07	73.59	0.06	OCC	73.75	434.37
+41 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	239.77	0.00	0.01	0.00	0.03	SUST	107.50	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
Sus. + W1{1}	239.77	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W2{1}	239.77	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W3{1}	239.77	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W4{1}	239.77	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Max P{1}						HOOP	211.04	289.58

	Hydrotest-NL{2}	510.54	0.00	0.07	73.59	0.05	OCC	73.74	434.37
+41	+ SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	239.77	0.00	0.01	0.00	0.03	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	239.77	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	239.77	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	239.77	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	239.77	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	510.54	0.00	0.07	73.59	0.05	OCC	73.74	434.37
+42	- SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	217.12	0.00	0.01	0.00	0.02	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	217.12	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	217.12	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	217.12	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	217.12	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	462.31	0.00	0.07	73.59	0.05	OCC	73.74	434.37
+42	+ SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	217.12	0.00	0.01	0.00	0.02	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	217.12	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	217.12	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	217.12	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	217.12	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	462.31	0.00	0.07	73.59	0.05	OCC	73.74	434.37
+43	- SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	193.39	0.00	0.01	0.00	0.02	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	193.39	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	193.39	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	193.39	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	193.39	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	411.79	0.00	0.07	73.59	0.04	OCC	73.74	434.37
+43	+ SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	193.39	0.00	0.01	0.00	0.02	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	193.39	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	193.39	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	193.39	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	193.39	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	411.79	0.00	0.07	73.59	0.04	OCC	73.74	434.37

+44 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	169.52	0.00	0.01	0.00	0.02	SUST	107.49	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
Sus. + W1{1}	169.52	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W2{1}	169.52	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}	169.52	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W4{1}	169.52	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	360.96	0.00	0.07	73.59	0.04	OCC	73.74	434.37	
+44 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	169.52	0.00	0.01	0.00	0.02	SUST	107.49	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
Sus. + W1{1}	169.52	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W2{1}	169.52	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}	169.52	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W4{1}	169.52	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	360.96	0.00	0.07	73.59	0.04	OCC	73.74	434.37	
+45 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	146.23	0.00	0.01	0.00	0.02	SUST	107.49	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
Sus. + W1{1}	146.23	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W2{1}	146.23	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}	146.23	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W4{1}	146.23	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	311.36	0.00	0.07	73.59	0.03	OCC	73.74	434.37	
+45 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	146.23	0.00	0.01	0.00	0.02	SUST	107.49	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
Sus. + W1{1}	146.23	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W2{1}	146.23	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}	146.23	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W4{1}	146.23	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	311.36	0.00	0.07	73.59	0.03	OCC	73.74	434.37	
+46 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	124.05	0.00	0.01	0.00	0.01	SUST	107.49	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
Sus. + W1{1}	124.05	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W2{1}	124.05	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}	124.05	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W4{1}	124.05	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	264.15	0.00	0.07	73.59	0.03	OCC	73.74	434.37	
+46 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	124.05	0.00	0.01	0.00	0.01	SUST	107.49	361.97	

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	124.05	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	124.05	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	124.05	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	124.05	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	264.15	0.00	0.07	73.59	0.03	OCC	73.74	434.37
+47 -	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	103.38	0.00	0.01	0.00	0.01	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	103.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	103.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	103.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	103.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	220.13	0.00	0.07	73.59	0.02	OCC	73.74	434.37
+47 +	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	103.38	0.00	0.01	0.00	0.01	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	103.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	103.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	103.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	103.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	220.13	0.00	0.07	73.59	0.02	OCC	73.74	434.37
+48 -	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	84.46	0.00	0.01	0.00	0.01	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	84.46	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	84.46	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	84.46	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	84.46	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	179.85	0.00	0.07	73.59	0.02	OCC	73.74	434.37
+48 +	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	84.46	0.00	0.01	0.00	0.01	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	84.46	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	84.46	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	84.46	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	84.46	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	179.85	0.00	0.07	73.59	0.02	OCC	73.74	434.37
+49 -	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	67.44	0.00	0.01	0.00	0.01	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
Sus. + W1{1}	67.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}	67.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}	67.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	67.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	143.61	0.00	0.07	73.59	0.02	OCC	73.74	434.37
+49 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	67.44	0.00	0.01	0.00	0.01	SUST	107.49	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
Sus. + W1{1}	67.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}	67.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}	67.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	67.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	143.61	0.00	0.07	73.59	0.02	OCC	73.74	434.37
+50 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	52.38	0.00	0.01	0.00	0.01	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	52.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}	52.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}	52.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	52.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	111.53	0.00	0.07	73.59	0.01	OCC	73.74	434.37
+50 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	52.38	0.00	0.01	0.00	0.01	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	52.38	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	52.38	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	52.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	52.38	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	111.53	0.00	0.07	73.59	0.01	OCC	73.74	434.37
+51 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	39.26	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	39.26	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	39.26	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	39.26	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	39.26	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	83.59	0.00	0.07	73.59	0.01	OCC	73.74	434.37
+51 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	39.26	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95

Sus. + W1{1}	39.26	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	39.26	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	39.26	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	39.26	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	83.59	0.00	0.07	73.59	0.01	OCC	73.74	434.37
+52 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	28.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	28.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	28.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	28.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	28.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	59.64	0.00	0.07	73.59	0.01	OCC	73.74	434.37
+52 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	28.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	28.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	28.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	28.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	28.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	59.64	0.00	0.07	73.59	0.01	OCC	73.74	434.37
+53 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	18.53	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	18.53	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	18.53	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	18.53	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	18.53	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	39.46	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+53 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	18.53	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	18.53	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	18.53	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	18.53	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	18.53	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	39.46	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+54 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	10.69	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	10.69	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	10.69	0.00	0.00	0.00	0.00	OCC	107.48	361.97

Sus. + W3{1}	10.69	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	10.69	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	22.77	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+54 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	10.69	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	10.69	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	10.69	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	10.69	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	10.69	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	22.77	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+55 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	4.34	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	4.34	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	4.34	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	4.34	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	4.34	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	9.25	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+55 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	4.34	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	4.34	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	4.34	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	4.34	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	4.34	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	9.25	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+56 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.68	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.68	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.68	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.68	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.68	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.44	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+56 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.68	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.68	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.68	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.68	0.00	0.00	0.00	0.00	OCC	107.49	361.97

Sus. + W4{1}	0.68	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.44	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+57 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	4.53	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	4.53	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	4.53	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	4.53	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	4.53	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	9.64	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+57 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	4.53	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	4.53	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	4.53	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	4.53	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	4.53	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	9.64	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+58 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	7.36	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	7.36	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	7.36	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	7.36	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	7.36	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	15.68	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+58 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	7.36	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	7.36	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	7.36	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	7.36	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	7.36	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	15.68	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+59 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	9.34	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	9.34	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	9.34	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	9.34	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	9.34	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	19.88	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+59 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	9.34	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	9.34	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	9.34	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	9.34	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	9.34	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	19.88	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+60 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	10.59	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	10.59	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	10.59	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	10.59	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	10.59	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	22.54	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+60 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	10.59	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	10.59	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	10.59	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	10.59	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	10.59	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	22.54	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+61 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	11.24	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	23.94	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+61 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	11.24	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	23.94	0.00	0.07	73.59	0.00	OCC	73.74	434.37

+62 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	11.43	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	11.43	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	11.43	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	11.43	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	11.43	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	24.33	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+62 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	11.43	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	11.43	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	11.43	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	11.43	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	11.43	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	24.33	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+63 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	11.24	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	23.93	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+63 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	11.24	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	11.24	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	23.93	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+64 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	10.77	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	10.77	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	10.77	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	10.77	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	10.77	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	22.93	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+64 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	10.77	0.00	0.01	0.00	0.00	SUST	107.48	361.97	

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	10.77	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	10.77	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	10.77	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	10.77	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	22.93	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+65 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	10.09	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	10.09	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	10.09	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	10.09	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	10.09	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	21.49	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+65 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	10.09	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	10.09	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	10.09	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	10.09	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	10.09	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	21.49	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+66 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	9.28	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	9.28	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	9.28	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	9.28	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	9.28	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	19.77	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+66 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	9.28	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	9.28	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	9.28	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	9.28	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	9.28	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	19.77	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+67 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	8.39	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	8.39	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	8.39	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	8.39	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	8.39	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	17.87	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+67 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	8.39	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	8.39	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	8.39	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	8.39	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	8.39	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	17.87	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+68 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	7.46	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	7.46	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	7.46	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	7.46	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	7.46	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	15.89	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+68 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	7.46	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	7.46	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	7.46	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	7.46	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	7.46	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	15.89	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+69 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	6.53	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	6.53	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	6.53	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	6.53	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	6.53	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	13.90	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+69 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	6.53	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95

	Sus. + W1{1}	6.53	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	6.53	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	6.53	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	6.53	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	13.90	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+70 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	5.62	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	5.62	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	5.62	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	5.62	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	5.62	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	11.97	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+70 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	5.62	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	5.62	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	5.62	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	5.62	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	5.62	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	11.97	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+71 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	4.76	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	4.76	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	4.76	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	4.76	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	4.76	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	10.13	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+71 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	4.76	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	4.76	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	4.76	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	4.76	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	4.76	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	10.13	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+72 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	3.96	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	3.96	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	3.96	0.00	0.00	0.00	0.00	OCC	107.48	361.97

Sus. + W3{1}	3.96	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	3.96	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	8.43	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+72 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	3.96	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	3.96	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	3.96	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	3.96	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	3.96	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	8.43	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+73 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	3.23	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	3.23	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	3.23	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	3.23	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	3.23	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	6.87	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+73 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	3.23	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	3.23	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	3.23	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	3.23	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	3.23	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	6.87	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+74 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	2.57	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	2.57	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	2.57	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	2.57	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	2.57	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	5.47	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+74 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	2.57	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	2.57	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	2.57	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	2.57	0.00	0.00	0.00	0.00	OCC	107.49	361.97

Sus. + W4{1}	2.57	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	5.47	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+75 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1.99	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	1.99	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	1.99	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	1.99	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	1.99	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	4.23	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+75 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1.99	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	1.99	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	1.99	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	1.99	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	1.99	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	4.23	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+76 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1.48	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	1.48	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	1.48	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	1.48	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	1.48	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	3.16	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+76 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1.48	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	1.48	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	1.48	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	1.48	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	1.48	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	3.16	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+77 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1.05	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	1.05	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	1.05	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	1.05	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	1.05	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	2.24	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+77 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1.05	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	1.05	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	1.05	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	1.05	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	1.05	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	2.24	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+78 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.69	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.69	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.69	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.69	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.69	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.46	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+78 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.69	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.69	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.69	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.69	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.69	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.46	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+79 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.39	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.83	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+79 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.39	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.83	0.00	0.07	73.59	0.00	OCC	73.74	434.37

+80 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.15	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.31	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+80 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.15	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.31	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+81 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.05	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.05	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.05	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.05	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.05	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.10	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+81 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.05	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.05	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.05	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.05	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.05	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.10	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+82 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.19	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.19	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.19	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.19	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.19	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.41	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+82 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.19	0.00	0.01	0.00	0.00	SUST	107.48	361.97	

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.19	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.19	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.19	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.19	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.41	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+83 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.30	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.30	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.30	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.30	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.30	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.63	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+83 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.30	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.30	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.30	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.30	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.30	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.63	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+84 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.37	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.37	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.37	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.37	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.37	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.79	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+84 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.37	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.37	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.37	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.37	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.37	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.79	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+85 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.42	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.89	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+85 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.42	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.89	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+86 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.44	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.94	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+86 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.44	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.94	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+87 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.45	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.45	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.45	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.45	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.45	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.95	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+87 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.45	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95

Sus. + W1{1}	0.45	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.45	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.45	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.45	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.95	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+88 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.44	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.93	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+88 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.44	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.44	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.93	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+89 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.42	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.89	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+89 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.42	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.42	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.89	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+90 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.39	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.48	361.97

Sus. + W3{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.83	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+90 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.39	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.39	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.83	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+91 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.36	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.36	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.36	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.36	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.36	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.77	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+91 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.36	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.36	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.36	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.36	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.36	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.77	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+92 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.32	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.32	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.32	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.32	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.32	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.69	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+92 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.32	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.32	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.32	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.32	0.00	0.00	0.00	0.00	OCC	107.49	361.97

Sus. + W4{1}	0.32	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.69	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+93 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.29	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.29	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.29	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.29	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.29	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.61	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+93 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.29	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.29	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.29	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.29	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.29	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.61	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+94 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.25	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.25	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.25	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.25	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.25	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.54	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+94 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.25	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.25	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.25	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.25	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.25	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.54	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+95 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.22	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.22	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.22	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.22	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.22	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.46	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+95 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.22	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.22	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.22	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.22	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.22	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.46	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+96 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.18	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.18	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.18	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.18	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.18	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.39	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+96 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.18	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.18	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.18	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.18	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.18	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.39	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+97 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.15	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.32	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+97 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.15	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.15	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.32	0.00	0.07	73.59	0.00	OCC	73.74	434.37

+98 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.12	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.12	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.12	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.12	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.12	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.26	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+98 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.12	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.12	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.12	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.12	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.12	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.26	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+99 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.10	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.10	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.10	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.10	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.10	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.21	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+99 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.10	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.10	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.10	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.10	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.10	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.21	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+10 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.08	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.08	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.08	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.08	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.08	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.16	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+10 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.08	0.00	0.01	0.00	0.00	SUST	107.48	361.97	

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.08	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.08	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.08	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.08	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.16	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+10 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.06	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.06	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.06	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.06	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.06	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.12	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+10 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.06	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.06	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.06	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.06	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.06	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.12	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+10 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.04	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.04	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.04	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.04	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.04	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.08	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+10 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.04	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.04	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.04	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.04	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.04	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.08	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+10 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.03	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.03	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.03	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.03	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.03	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.05	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+10 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.03	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.03	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.03	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.03	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.03	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.05	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+10 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.03	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+10 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.03	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+10 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.01	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+10 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95

	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.01	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+10 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.01	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+10 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.01	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+10 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.02	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+10 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.02	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+10 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.02	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+10 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.02	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+10 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.02	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+10 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.02	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+10 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.02	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+10 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.02	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+10 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.02	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+10 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.02	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+10 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.02	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+10 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00				

Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.03	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+10 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.03	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+10 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.03	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+10 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.03	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+11 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.02	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.04	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+11 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.02	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97

+11 - UNREST	Sus. + W4{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.04	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.02	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.04	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.02	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+11 - UNREST	Sus. + W3{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.04	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.02	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.04	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.02	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	+11 - UNREST	Sus. + W1{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48
Sus. + W2{1}		0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}		0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.04	0.00	0.07	73.59	0.00	OCC	73.74	434.37
GR + Max P{1}		0.02	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}		0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.04	0.00	0.07	73.59	0.00	OCC	73.74	434.37
GR + Max P{1}		0.02	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	

	Hydrotest-NL{2}	0.04	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+11 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.02	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.04	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+11 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.02	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.03	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+11 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.02	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.03	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+11 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.02	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.03	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+11 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.02	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.02	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.03	0.00	0.07	73.59	0.00	OCC	73.74	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.02	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+11 - SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.02	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+11 + SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.02	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+12 - SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.02	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+12 + SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.02	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+12 - SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

+12 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.01	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.01	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+12 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.01	0.00	0.01	0.00	0.00	SUST	107.48
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}		0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.01	0.00	0.07	73.59	0.00	OCC	73.74	434.37
- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.01	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.01	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}		0.01	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.01	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+12 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.01	0.00	0.07	73.59	0.00	OCC	7	

+12 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.01	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.01	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+12 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.01	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.01	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+12 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.01	0.00	0.07	73.59	0.00	OCC	73.74	434.37

+12 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP			

+12 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
+13 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+13 - UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.					

	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+13 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+13 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+13 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+13 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+13 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+13 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+13 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+13 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+13 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+13 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

+13 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+14 UNREST	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
+14 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+14 UNREST	GR + Max P{1}	0.00							

+14 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	+14 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+14 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	+14 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+14 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	

+14 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+14 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	+14 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+14 UNREST		- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	+14 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T								

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+14 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+14 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+14 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+14 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+14 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+14 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+15 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+15 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+15 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+15 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+15 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+15 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+15 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+15 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00</				

+15 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+15 UNREST	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
+15 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}						HOOP	211.04	289.58	
+15 UNREST	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00</							

+16 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+16 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+16 - SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97

	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+16 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+16 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+16 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+16 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+16 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.0					

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+16 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+16 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+16 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+16 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+16 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+16 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+16 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+16 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+16 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+16 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+17 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+17 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+17 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+17 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00</				

+17 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	+17 UNREST	- SIFI= 1.00 SIFO= 1.00								
		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
- SIFI= 1.00 SIFO= 1.00										
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97		
Max P{1}						HOOP	211.04	289.58		
Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37		
+17 UNREST	- SIFI= 1.00 SIFO= 1.00									
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}									

+17 - SIFI= 1.00 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
+17 + SIFI= 1.00 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
+18 - SIFI= 1.00 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	

	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+18 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+18 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+18 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+18 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+18 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.0					

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+18 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+18 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+18 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+18 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+18 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+18 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+18 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+18 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+18 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+18 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+19 - SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+19 + SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+19 - SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+19 + SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0				

+19 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	+19 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37		
+19 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	7		

+19 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+19 + SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+19 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+19 + SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+19 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+19 + SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+19 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+19 + SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	O		

+19 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+19 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+20 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0					

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+20 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+20 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+20 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+20 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+20 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+20 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+20 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+20 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+20 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+20 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37

[illegible]

+20 - UNREST	SIFI= 1.00 SIFO= 1.00		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
			Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
			Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
			Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
			Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
			Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
			Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
			Max P{1}						HOOP	211.04	289.58	
			Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	GR + Max P{1}			0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
			Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
			Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
			Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
			Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
			Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
			Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
			Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
			Max P{1}						HOOP	211.04	289.58	
			Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+20 + UNREST	SIFI= 1.00 SIFO= 1.00		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
			Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
			Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
			Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
			Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
			Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
			Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
			Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
			Max P{1}						HOOP	211.04	289.58	
			Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	+21 - UNREST	SIFI= 1.00 SIFO= 1.00		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
				Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
				Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
				Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
				Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
				Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
				Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
				Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
				Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37		
+21 + UNREST		SIFI= 1.00 SIFO= 1.00		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
				Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
				Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
				Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
				Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
				Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
				Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
				Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
				Max P{1}						HOOP	211.04	289.58
			Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	+21 - UNREST	SIFI= 1.00 SIFO= 1.00		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
				Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
				Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

+21 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+21 UNREST	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
+21 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}						HOOP	211.04	289.58	
+21 UNREST	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00</							

+21 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+21 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+21 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+21 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+21 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+21 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+21 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+21 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1								

+21 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	+21 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
+21 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0					

+21 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
+22 - UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}						HOOP	211.04	289.58	
+22 - UNREST	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.00	0.00	0.						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+22 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+22 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+22 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+22 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+22 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37

+22 - SIFI= 1.00 UNREST	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+22 + SIFI= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+22 - SIFI= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC		

+22 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	+23 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+23 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00						

+23 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+23 + SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+23 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+23 + SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+23 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+23 + SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+23 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+23 + SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	O		

+23 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	+23 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
+23 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00					

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+23 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+23 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+23 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+23 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+23 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+23 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+24 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+24 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+24 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+24 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+24 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+24 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+24 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+24 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+24 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

+24 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	+24 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+24 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	7	

+25 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	+25 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+25 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	+25 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+25 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	

+25 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	+25 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
+25 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0					

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+25 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+25 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+25 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+25 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+25 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+25 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+25 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+25 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+25 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+25 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37

[illegible]

[illegible]

+26 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	+26 UNREST	Max P{1}						HOOP	211.04
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+26 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+26 UNREST	GR + Max P{1}	0.00</							

	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+26 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+26 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+26 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+26 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+27 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97

	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+27 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+27 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+27 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+27 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+27 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+27 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+27 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+27 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+27 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+27 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+27 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+27 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+27 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+27 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+27 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+28 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+28 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+28 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+28 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+28 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

+28 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	+28 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+28 UNREST		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	+28 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+28 UNREST		GR +								

+28 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	+28 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+28 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	+28 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+28 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	

+28 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	+28 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
+29 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0					

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+29 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+29 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+29 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+29 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+29 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+29 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+29 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+29 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+29 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+29 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+29 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+29 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+30 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+30 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00</				

+30 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	+30 UNREST	Max P{1}						HOOP	211.04
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+30 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+30 UNREST	GR + Max P{1}	0.00</							

+30 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	+30 - UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+30 - UNREST		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
	+30 - UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	
+30 - UNREST		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37	

+30 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+30 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+30 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+30 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+30 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to								

+30 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	SIFI= 1.00								
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	SIFI= 1.00								
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+31 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	SIFI= 1.00								
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	SIFI= 1.00								
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
+31 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
	SIFI= 1.00								
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00			

	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+31 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+31 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+31 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+31 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+31 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+31 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+31 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+31 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.60	0.00	OCC	73.74	434.37
+31 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+31 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

+31 UNREST	+ SIFI= 1.00 SIFO= 1.00		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
			Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
			Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
			Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
			Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
			Max P{1}						HOOP	211.04	289.58
			Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}			0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
			Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
			Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
			Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
			Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
			Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
			Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
			Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+32 UNREST	- SIFI= 1.00 SIFO= 1.00		Max P{1}						HOOP	211.04	289.58
			Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}			0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
			Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
			Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
			Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
			Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
			Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
			Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
			Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
			Max P{1}						HOOP	211.04	289.58
			Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}			0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
			Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
			Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
+32 UNREST	+ SIFI= 1.00 SIFO= 1.00		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
			Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
			Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
			Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
			Max P{1}						HOOP	211.04	289.58
			Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}			0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
			Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
			Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
			Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
			Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
			Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97</

	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+32 - UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+32 - UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+32 - UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+32 - UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+32 - UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97

+32 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+32 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+32 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.0							

+32 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
+32 - UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+32 - UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.					

	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+32 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+33 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+33 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+33 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+33 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+33 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+33 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+33 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+33 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+33 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

+33 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+33 UNREST	SIFI= 1.00 SIFO= 1.00							
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+33 UNREST	SIFI= 1.00 SIFO= 1.00								
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2								

+34 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	+34 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+34 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	+34 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+34 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	

+34 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+34 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+34 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+34 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+34 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to								

+34 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+34 - UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	+34 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.					

	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+34 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+34 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+34 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+34 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+34 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+35 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+35 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+35 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+35 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00</				

+35 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+35 UNREST	SIFI= 1.00 SIFO= 1.00							
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+35 UNREST	SIFI= 1.00 SIFO= 1.00								
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2								

	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+35 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+35 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+35 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+35 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+36 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97

	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+36 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+36 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+36 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+36 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+36 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.0					

+36 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
+36 + UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+36 - UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.					

	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+36 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+36 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+36 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+36 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+36 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37

+36	- SIFI= 1.00	SIFO= 1.00									
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}							HOOP	211.04	289.58	
	Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+36	+ SIFI= 1.00	SIFO= 1.00									
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}							HOOP	211.04	289.58	
	Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+36	- SIFI= 1.00	SIFO= 1.00									
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}							HOOP	211.04	289.58	
	Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+36	+ SIFI= 1.00	SIFO= 1.00									
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}							HOOP	211.04	289.58	

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+37 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+37 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+37 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+37 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+37 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

+37 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+37 UNREST	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
+37 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+37 UNREST	GR + Max P{1}	0.00</							

	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+37 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+37 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+37 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+37 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+37 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97

+37 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+37 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0					

+38 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
+38 + UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 - UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.					

	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+38 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+39 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+39 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00</				

+39 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+39 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+39 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0					

+39 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	+39 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+39 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
	+39 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+39 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	

+39 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+39 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+39 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+39 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+39 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to								

+39 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
+39 + UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Max P{1}						HOOP	211.04	289.58	
+40 - UNREST	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}	0.00	0.00	0.						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+40 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+40 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+40 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+40 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+40 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37

[illegible]

+40 - SIFI= 1.00 SIFO= 1.00 UNREST	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+40 + SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+40 - SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+40 - SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	

+40 UNREST	+ SIFI= 1.00 SIFO= 1.00		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
			Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
			Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
			Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
			Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
			Max P{1}						HOOP	211.04	289.58
			Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}			0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
			Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
			Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
			Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
			Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
			Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
			Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
+41 UNREST	- SIFI= 1.00 SIFO= 1.00		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
			Max P{1}						HOOP	211.04	289.58
			Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}			0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
			Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
			Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
			Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
			Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
			Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
			Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
			Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
			Max P{1}						HOOP	211.04	289.58
			Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}			0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
+41 UNREST	+ SIFI= 1.00 SIFO= 1.00		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
			Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
			Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
			Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
			Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
			Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
			Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
			Max P{1}						HOOP	211.04	289.58
			Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}			0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
			Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
			Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
			Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
			Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	

	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+41 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+41 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+41 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+41 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+41 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97

+41 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+41 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+41 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+41 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+41 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to								

+41 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
+41 - UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37	
+41 - UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	

		Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+41	+	SIFI= 1.00 SIFO= 1.00								
UNREST	GR	+ Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+42	-	SIFI= 1.00 SIFO= 1.00								
UNREST	GR	+ Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+42	+	SIFI= 1.00 SIFO= 1.00								
UNREST	GR	+ Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+42	-	SIFI= 1.00 SIFO= 1.00								
UNREST	GR	+ Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+42	+	SIFI= 1.00 SIFO= 1.00								
UNREST	GR	+ Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+42 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+42 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+42 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.74	434.37
+42 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00</				

+42 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
	+42 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37	
+42 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
	GR + Max P{1}	0.00	0.00	0					

+43 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37	
	+43 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37	
+43 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37	
	+43 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37	
+43 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37	

+43 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+43 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+43 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+43 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
+43 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to								

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+43 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+43 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+43 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+43 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+43 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+43 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+43 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+43 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+43 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+43 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37

+44	- SIFI= 1.00 UNREST GR + Max P{1}	SIFO= 1.00											
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97			
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97			
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97			
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97			
	Max P{1}							HOOP	211.04	289.58			
	Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37			
+44	+ SIFI= 1.00 UNREST GR + Max P{1}	SIFO= 1.00											
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97			
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97			
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97			
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97			
	Max P{1}							HOOP	211.04	289.58			
	Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37			
+44	- SIFI= 1.00 UNREST GR + Max P{1}	SIFO= 1.00											
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97			
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97			
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97			
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97			
	Max P{1}							HOOP	211.04	289.58			
	Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37			
+44	+ SIFI= 1.00 UNREST GR + Max P{1}	SIFO= 1.00											
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97			
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97			
	Sus. + W3{1}		0.										

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+44 - SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+44 + SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+44 - SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+44 + SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+44 - SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

+44 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
	+44 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37	
+44 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	7	

+44 - SIFI= 1.00 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37	
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37	
	+44 + SIFI= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37	
+44 - SIFI= 1.00 UNREST		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
	+44 + SIFI= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+45 - SIFI= 1.00 UNREST		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97

+45 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37	
+45 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+45 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0					

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+45 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.59	0.00	OCC	73.73	434.37
+45 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+45 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+45 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+45 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+45 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+45 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+45 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+45 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+45 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.49	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00 OCC	73.73	434.37
+46 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00 SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.49	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00 OCC	73.73	434.37
+46 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00 SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.49	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00 OCC	73.73	434.37
+46 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00 SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.49	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00 OCC	73.73	434.37
+46 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00 SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.49	361.97

+46 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	+46 UNREST	Max P{1}						HOOP	211.04
Hydrotest-NL{2}		0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
+46 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+46 UNREST	GR + Max P{1}	0.00</							

+46 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37	
	+46 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37	
+46 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37	
	+46 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37	
+46 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37	

	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
	+46 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
	+46 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
	+46 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
	+47 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
	+47 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}</								

+47 UNREST	-	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
		Max P{1}						HOOP	211.04	289.58	
		Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37	
	-	SIFI= 1.00 SIFO= 1.00									
	GR +	Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
		Max P{1}						HOOP	211.04	289.58	
		Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37	
	+47 UNREST	+	SIFI= 1.00 SIFO= 1.00								
	GR +	Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95		
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97		
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97		
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97		
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97		
	Max P{1}						HOOP	211.04	289.58		
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37		
+47 UNREST	-	SIFI= 1.00 SIFO= 1.00									
	GR +	Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
		Max P{1}						HOOP	211.04	289.58	
		Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37	
	+47 UNREST	+	SIFI= 1.00 SIFO= 1.00								
	GR +	Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97		
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97		
	Max P{1}						HOOP	211.04	289.58		
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+47 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+47 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+47 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+47 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+47 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+47 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+47 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+48 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+48 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37
+48 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95

+48 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.48	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37	
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37	
	+48 UNREST	SIFI= 1.00 SIFO= 1.00								
		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.58	0.00	OCC	73.73	434.37	
SIFI= 1.00 SIFO= 1.00										
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.48	361.97	
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97		
Max P{1}						HOOP	211.04	289.58		
Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37		
+48 UNREST	SIFI= 1.00 SIFO= 1.00									
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}		</							

+48 - SIFI= 1.00 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37	
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37	
	+48 + SIFI= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37	
+48 - SIFI= 1.00 UNREST		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.95
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.95
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.95
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
	+48 + SIFI= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
+48 - SIFI= 1.00 UNREST		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97

	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
+48 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
+48 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
+48 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
+48 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
+48 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.0					

+48 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37	
+49 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37	
+49 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.5

	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
+49 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
+49 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
+49 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
+49 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37
+49 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.58	0.00	OCC	73.72	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+49 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+49 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+49 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+49 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+49 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94

+49 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
+50 UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94	
+50 UNREST	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	

+50 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37	
	+50 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37	
+50 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37	
	+50 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37	
+50 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37	

+50 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	+50 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
+50 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0					

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+50 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+50 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+50 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+50 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+50 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+50 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+51 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+51 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+51 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+51 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37

+51	- SIFI= 1.00	SIFO= 1.00								
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+51	+ SIFI= 1.00	SIFO= 1.00								
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+51	- SIFI= 1.00	SIFO= 1.00								
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		0.00	0.00	0.07	73.57	0.00	OCC	73.72	434.37
+51	+ SIFI= 1.00	SIFO= 1.00								
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37
+51	- SIFI= 1.00	SIFO= 1.00								

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37
+51 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37
+51 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37
+51 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37
+51 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00</				

+51 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	+51 UNREST	Max P{1}						HOOP	211.04
Hydrotest-NL{2}		0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
+51 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37
+51 UNREST	GR + Max P{1}	0.00</							

+52 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37	
	+52 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94	
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94	
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37	
+52 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37	
	+52 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37	
+52 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37	
	+52 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37	
+52 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37	
	+52 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37	
+52 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37	
	+52 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37	
+52 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37	
	+52 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	

+52 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.57	0.00	OCC	73.71	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
+52 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
+52 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
+52 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
+52 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to								

+52 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37	
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37	
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37	
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC			

	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
+52 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
+52 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
+52 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
+52 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
+52 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
+53 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
+53 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
+53 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.71	434.37
+53 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00</				

+53 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.70	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	+53 UNREST	Max P{1}						HOOP	211.04
Hydrotest-NL{2}		0.00	0.00	0.07	73.56	0.00	OCC	73.70	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.56	0.00	OCC	73.70	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
+53 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.70	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.49	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.70	434.37
+53 UNREST	GR + Max P{1}	0.00</							

+53 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.70	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.49	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
+53 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.70	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
+53 + UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.70	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.94
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.94
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.94
+53 + UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.70	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
+54 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.70	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93

+54 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.56	0.00	OCC	73.70	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37	
+54 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
+54 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
+54 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
+54 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
+54 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
+54 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
+54 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
+54 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
+54 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
+54 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
+54 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
+54 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37

+54	- SIFI= 1.00	SIFO= 1.00								
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
+54	+ SIFI= 1.00	SIFO= 1.00								
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
+54	- SIFI= 1.00	SIFO= 1.00								
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
+54	+ SIFI= 1.00	SIFO= 1.00								
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		0.00	0.00	0.07	73.55	0.00	OCC	73.70	434.37
+54	- SIFI= 1.00	SIFO= 1.00								

+55 - SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.69	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.69	434.37
+55 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.69	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.69	434.37	
+55 - SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00				

+55 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.69	434.37	
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.69	434.37	
	+55 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93	
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.55	0.00	OCC	73.69	434.37	
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97	
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93	
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93	
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.69	434.37		
+55 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.55	0.00	OCC	73.69	434.37	
	GR + Max P{1}	0.00	0.00	0						

	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37
	+55 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37
	+55 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37
	+55 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37
	+55 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37
	+55 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93

+55 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37	
+55 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37
+56 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0					

+56 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
+56 - UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37	
+56 - UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.					

	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.69	434.37
+56 + UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.68	434.37
+56 - UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.68	434.37
+56 + UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.68	434.37
+56 - UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.68	434.37
+56 + UNREST	SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.54	0.00	OCC	73.68	434.37

+56 UNREST	- SIFI= 1.00 GR + Max P{1}	SIFO= 1.00											
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97			
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97			
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97			
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97			
	Max P{1}							HOOP	211.04	289.58			
	Hydrotest-NL{2}		0.00	0.00	0.07	73.54	0.00	OCC	73.68	434.37			
+56 UNREST	+ SIFI= 1.00 GR + Max P{1}	SIFO= 1.00											
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97			
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97			
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97			
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97			
	Max P{1}							HOOP	211.04	289.58			
	Hydrotest-NL{2}		0.00	0.00	0.07	73.54	0.00	OCC	73.68	434.37			
+56 UNREST	- SIFI= 1.00 GR + Max P{1}	SIFO= 1.00											
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97			
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93			
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97			
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97			
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97			
	Max P{1}							HOOP	211.04	289.58			
	Hydrotest-NL{2}		0.00	0.00	0.07	73.54	0.00	OCC	73.68	434.37			
+56 UNREST	+ SIFI= 1.00 GR + Max P{1}	SIFO= 1.00											
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.50	361.97			
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.93			
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.93			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.93			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.50	361.97			
	Sus. + W3{1}		0.										

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.68	434.37
+56 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.68	434.37
+56 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.68	434.37
+57 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.68	434.37
+57 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00</				

+57 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.68	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	+57 UNREST	Max P{1}						HOOP	211.04
Hydrotest-NL{2}		0.00	0.00	0.07	73.53	0.00	OCC	73.68	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.53	0.00	OCC	73.68	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
+57 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.68	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.68	434.37
+57 UNREST	GR + Max P{1}	0.00</							

+57 - SIFI= 1.00 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.68	434.37	
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.68	434.37	
	+57 + SIFI= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.53	0.00	OCC	73.67	434.37	
+57 - SIFI= 1.00 UNREST		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.67	434.37	
	+57 + SIFI= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.53	0.00	OCC	73.67	434.37	
+57 - SIFI= 1.00 UNREST		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.67	434.37	
	+57 + SIFI= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.53	0.00	OCC	73.67	434.37	
+57 - SIFI= 1.00 UNREST		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.67	434.37	
	+57 + SIFI= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.53	0.00	OCC	73.67	434.37	
+57 - SIFI= 1.00 UNREST		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.67	434.37	
	+57 + SIFI= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.53	0.00	OCC	73.67	434.37	
+57 - SIFI= 1.00 UNREST		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.67	434.37	
	+57 + SIFI= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.53	0.00	OCC	73.67	434.37	
+57 - SIFI= 1.00 UNREST		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.67	434.37	
	+57 + SIFI= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
		Sus. + W1{1}	0.00	0.00	0.00	0.00</				

+57 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.67	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.67	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.53	0.00	OCC	73.67	434.37	
+57 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.52	0.00	OCC	73.67	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.52	0.00	OCC	73.67	434.37
+57 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00							

+57 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.52	0.00	OCC	73.67	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.52	0.00	OCC	73.67	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
+58 - UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.52	0.00	OCC	73.67	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.52	0.00	OCC	73.67	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	+58 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.52	0.00	OCC	73.67	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
Sus. + W1{1}		0.00	0.00	0.					

	Hydrotest-NL{2}	0.00	0.00	0.07	73.52	0.00	OCC	73.67	434.37
+58 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.52	0.00	OCC	73.67	434.37
+58 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.52	0.00	OCC	73.67	434.37
+58 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.52	0.00	OCC	73.67	434.37
+58 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.52	0.00	OCC	73.66	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.51	0.00	OCC	73.66	434.37
+58 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.51	0.00	OCC	73.66	434.37
+58 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.51	0.00	OCC	73.66	434.37
+58 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.51	0.00	OCC	73.66	434.37
+58 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.51	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.92
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.92
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00</				

+58 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.92
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.51	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.51	0.00	OCC	73.66	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
+59 UNREST	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.51	0.00	OCC	73.66	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.51	0.00	OCC	73.66	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
+59 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.51	0.00	OCC	73.66	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.51	0.00	OCC	73.66	434.37	
+59 UNREST	GR + Max P{1}	0.00</							

+59 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.51	0.00	OCC	73.65	434.37	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.51	0.00	OCC	73.65	434.37	
	+59 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.51	0.00	OCC	73.65	434.37	
+59 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.51	0.00	OCC	73.65	434.37	
	+59 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.51	0.00	OCC	73.65	434.37	
+59 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
		Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.51	0.00	OCC	73.65	434.37	

+59 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.51	0.00	OCC	73.65	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.50	0.00	OCC	73.65	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	+59 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.50	0.00	OCC	73.65	434.37
+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.50	0.00	OCC	73.65	434.37
- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91	
+59 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.50	0.00	OCC	73.65	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0					

+59 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.50	0.00	OCC	73.65	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.50	0.00	OCC	73.65	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91	
+59 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.50	0.00	OCC	73.65	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.50	0.00	OCC	73.65	434.37
+59 - UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.50	0.00	OCC	73.65	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.					

	Hydrotest-NL{2}	0.00	0.00	0.07	73.50	0.00	OCC	73.65	434.37
+59 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.50	0.00	OCC	73.64	434.37
+60 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.50	0.00	OCC	73.64	434.37
+60 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.50	0.00	OCC	73.64	434.37
+60 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.50	0.00	OCC	73.64	434.37
+60 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.49	0.00	OCC	73.64	434.37

+60 UNREST	- SIFI= 1.00 GR + Max P{1}	SIFO= 1.00											
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97			
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97			
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97			
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97			
	Max P{1}							HOOP	211.04	289.58			
	Hydrotest-NL{2}		0.00	0.00	0.07	73.49	0.00	OCC	73.64	434.37			
+60 UNREST	+ SIFI= 1.00 GR + Max P{1}	SIFO= 1.00											
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97			
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97			
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97			
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97			
	Max P{1}							HOOP	211.04	289.58			
	Hydrotest-NL{2}		0.00	0.00	0.07	73.49	0.00	OCC	73.64	434.37			
+60 UNREST	- SIFI= 1.00 GR + Max P{1}	SIFO= 1.00											
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97			
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91			
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97			
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97			
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97			
	Max P{1}							HOOP	211.04	289.58			
	Hydrotest-NL{2}		0.00	0.00	0.07	73.49	0.00	OCC	73.64	434.37			
+60 UNREST	+ SIFI= 1.00 GR + Max P{1}	SIFO= 1.00											
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97			
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91			
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97			
	Sus. + W3{1}		0.										

+60 - SIFI= 1.00 SIFO= 1.00 UNREST	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.49	0.00	OCC	73.64	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.52	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.91
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.91
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.91
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.52	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.49	0.00	OCC	73.64	434.37
+60 + SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.49	0.00	OCC	73.63	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.49	0.00	OCC	73.63	434.37	
+60 + SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00					

+60 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.49	0.00	OCC	73.63	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.49	0.00	OCC	73.63	434.37
	+60 UNREST	SIFI= 1.00 SIFO= 1.00							
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.49	0.00	OCC	73.63	434.37
SIFI= 1.00 SIFO= 1.00									
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.48	0.00	OCC	73.63	434.37	
+60 UNREST	SIFI= 1.00 SIFO= 1.00								
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}		</						

	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.48	0.00	OCC	73.63	434.37
+61 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.48	0.00	OCC	73.63	434.37
+61 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.48	0.00	OCC	73.63	434.37
+61 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.48	0.00	OCC	73.63	434.37
+61 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.48	0.00	OCC	73.63	434.37
+61 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97

+61 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.48	0.00	OCC	73.63	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.48	0.00	OCC	73.62	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.48	0.00	OCC	73.62	434.37	
+61 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.48	0.00	OCC	73.62	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.48	0.00	OCC	73.62	434.37
+61 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0					

+61 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.47	0.00	OCC	73.62	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.47	0.00	OCC	73.62	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.47	0.00	OCC	73.62	434.37	
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.47	0.00	OCC	73.62	434.37	
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.47	0.00	OCC	73.62	434.37	
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC			

		Hydrotest-NL{2}	0.00	0.00	0.07	73.47	0.00	OCC	73.62	434.37
+61 UNREST	+ SIFI= 1.00 GR + Max P{1}	SIFO= 1.00	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		0.00	0.00	0.07	73.47	0.00	OCC	73.61	434.37
+61 UNREST	- SIFI= 1.00 GR + Max P{1}	SIFO= 1.00	0.00	0.00	0.01	0.00	0.00	SUST	107.53	361.97
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.90
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.90
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.90
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.53	361.97
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		0.00	0.00	0.07	73.47	0.00	OCC	73.61	434.37
+61 UNREST	+ SIFI= 1.00 GR + Max P{1}	SIFO= 1.00	0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		0.00	0.00	0.07	73.47	0.00	OCC	73.61	434.37
+61 UNREST	- SIFI= 1.00 GR + Max P{1}	SIFO= 1.00	0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		0.00	0.00	0.07	73.47	0.00	OCC	73.61	434.37
+61 UNREST	+ SIFI= 1.00 GR + Max P{1}	SIFO= 1.00	0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		0.00	0.00	0.07	73.46	0.00	OCC	73.61	434.37

+62	- SIFI= 1.00	SIFO= 1.00										
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97		
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89		
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89		
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89		
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97		
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97		
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97		
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97		
	Max P{1}							HOOP	211.04	289.58		
	Hydrotest-NL{2}		0.00	0.00	0.07	73.46	0.00	OCC	73.61	434.37		
+62	+ SIFI= 1.00	SIFO= 1.00										
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97		
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89		
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89		
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89		
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97		
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97		
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97		
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97		
	Max P{1}							HOOP	211.04	289.58		
	Hydrotest-NL{2}		0.00	0.00	0.07	73.46	0.00	OCC	73.61	434.37		
+62	- SIFI= 1.00	SIFO= 1.00										
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97		
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89		
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89		
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89		
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97		
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97		
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97		
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97		
	Max P{1}							HOOP	211.04	289.58		
	Hydrotest-NL{2}		0.00	0.00	0.07	73.46	0.00	OCC	73.61	434.37		
+62	+ SIFI= 1.00	SIFO= 1.00										
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97		
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89		
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89		
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89		
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97		
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97		
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97		

	Amb	to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.89
	Amb	to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.89
	Amb	to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.89
	Sus.	+ W1{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.54	361.97
	Sus.	+ W2{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.54	361.97
	Sus.	+ W3{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.55	361.97
	Sus.	+ W4{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.54	361.97
	Max	P{1}					HOOB	211.04	289.58
	Hydrotest-NL{2}		0.00	0.00	0.07	73.46	0.00 OCC	73.60	434.37
+62 - UNREST	- SIFI= 1.00 GR + Max P{1}	SIFO= 1.00	0.00	0.00	0.01	0.00	0.00 SUST	107.54	361.97
	Amb	to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.89
	Amb	to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.89
	Amb	to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.89
	Sus.	+ W1{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.54	361.97
	Sus.	+ W2{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.54	361.97
	Sus.	+ W3{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.55	361.97
	Sus.	+ W4{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.54	361.97
	Max	P{1}					HOOB	211.04	289.58
	Hydrotest-NL{2}		0.00	0.00	0.07	73.46	0.00 OCC	73.60	434.37
+62 - UNREST	+ SIFI= 1.00 GR + Max P{1}	SIFO= 1.00	0.00	0.00	0.01	0.00	0.00 SUST	107.54	361.97
	Amb	to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.89
	Amb	to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.89
	Amb	to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.89
	Sus.	+ W1{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.54	361.97
	Sus.	+ W2{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.54	361.97
	Sus.	+ W3{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.55	361.97
	Sus.	+ W4{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.55	361.97
	Max	P{1}					HOOB	211.04	289.58
	Hydrotest-NL{2}		0.00	0.00	0.07	73.46	0.00 OCC	73.60	434.37
+62 - UNREST	- SIFI= 1.00 GR + Max P{1}	SIFO= 1.00	0.00	0.00	0.01	0.00	0.00 SUST	107.54	361.97
	Amb	to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.89
	Amb	to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.89
	Amb	to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.89
	Sus.	+ W1{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.54	361.97
	Sus.	+ W2{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.54	361.97
	Sus.	+ W3{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.55	361.97
	Sus.	+ W4{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.55	361.97
	Max	P{1}					HOOB	211.04	289.58
	Hydrotest-NL{2}		0.00	0.00	0.07	73.46	0.00 OCC	73.60	434.37
+62 - UNREST	+ SIFI= 1.00 GR + Max P{1}	SIFO= 1.00	0.00	0.00	0.01	0.00	0.00 SUST	107.54	361.97
	Amb	to T1{1}	0.00	0.00	0.01	0.00	0.00 DISP	0.01	358.89
	Amb	to T2{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.01	358.89
	Amb	to T3{1}	0.00	0.00	0.00	0.00	0.00 DISP	0.00	358.89
	Sus.	+ W1{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.54	361.97
	Sus.	+ W2{1}	0.00	0.00	0.00	0.00	0.00 OCC	107.54	361.97
	Sus.</								

+62 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.45	0.00	OCC	73.60	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.45	0.00	OCC	73.60	434.37
	+62 UNREST	SIFI= 1.00 SIFO= 1.00							
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.45	0.00	OCC	73.60	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.45	0.00	OCC	73.60	434.37	
+62 UNREST	SIFI= 1.00 SIFO= 1.00								
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.89
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2								

+62 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.45	0.00	OCC	73.59	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.45	0.00	OCC	73.59	434.37	
+62 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.45	0.00	OCC	73.59	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97	
+62 - SIFI= 1.00 UNREST GR + Max P{1}	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.45	0.00	OCC	73.59	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.45	0.00	OCC	73.59	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.54	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.89
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.89
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.54	361.97	
+62 + SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.44	0.00	OCC	73.59	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.55	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.44	0.00	OCC	73.59	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.55	361.97
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97	

+63 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.44	0.00	OCC	73.59	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.55	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.44	0.00	OCC	73.59	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.55	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
	+63 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.44	0.00	OCC	73.59	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.55	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.44	0.00	OCC	73.59	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.55	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88	
+63 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.44	0.00	OCC	73.59	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.55	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
	Amb to T3{1}	0.00	0.00	0.00					

+63 UNREST	-	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	0.00	0.00	0.07	73.44	0.00	OCC	73.58	434.37
		SIFI= 1.00								
		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.55	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	0.00	0.00	0.07	73.44	0.00	OCC	73.58	434.37
		SIFI= 1.00								
		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.55	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
+63 UNREST	+	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	0.00	0.00	0.07	73.43	0.00	OCC	73.58	434.37
		SIFI= 1.00								
		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.55	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	0.00	0.00	0.07	73.43	0.00	OCC	73.58	434.37
		SIFI= 1.00								
		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.55	361.97
+63 UNREST	-	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
		Max P{1}						HOOP	211.04	289.58
		Hydrotest-NL{2}	0.00	0.00	0.07	73.43	0.00	OCC	73.58	434.37

	Hydrotest-NL{2}	0.00	0.00	0.07	73.43	0.00	OCC	73.58	434.37
+63 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.55	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.43	0.00	OCC	73.58	434.37
+63 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.55	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.43	0.00	OCC	73.58	434.37
+63 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.55	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.43	0.00	OCC	73.57	434.37
+63 UNREST	- SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.55	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.43	0.00	OCC	73.57	434.37
+63 UNREST	+ SIFI= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.55	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.88
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.88
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.88
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.55	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.42	0.00	OCC	73.57	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.42	0.00	OCC	73.56	434.37
+64 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.42	0.00	OCC	73.56	434.37
+64 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.41	0.00	OCC	73.56	434.37
+64 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.41	0.00	OCC	73.56	434.37
+64 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.41	0.00	OCC	73.56	434.37
+64 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87

+64 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.41	0.00	OCC	73.56	434.37	
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.41	0.00	OCC	73.56	434.37	
	+64 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87	
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.41	0.00	OCC	73.56	434.37	
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97	
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87	
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87	
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.41	0.00	OCC	73.55	434.37		
+64 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.41	0.00	OCC	73.55	434.37	
	GR + Max P{1}	0.00	0.00	0						

+64 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.40	0.00	OCC	73.55	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.56	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.56	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.40	0.00	OCC	73.55	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87
	+64 + SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.40	0.00	OCC	73.55	434.37
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.40	0.00	OCC	73.55	434.37
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.87
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.87
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.87
+64 - SIFI= 1.00 UNREST GR + Max P{1}		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.40	0.00	OCC	73.54	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.40	0.00	OCC	73.54	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97	

+64 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.40	0.00	OCC	73.54	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
+64 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.39	0.00	OCC	73.54	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
+64 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.39	0.00	OCC	73.54	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
+65 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.39	0.00	OCC	73.54	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
+65 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.39	0.00	OCC	73.54	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
	Amb to								

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.39	0.00	OCC	73.54	434.37
+65 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.39	0.00	OCC	73.54	434.37
+65 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.39	0.00	OCC	73.53	434.37
+65 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.39	0.00	OCC	73.53	434.37
+65 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.38	0.00	OCC	73.53	434.37
+65 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
	Amb to T1{1}	0.00	0.00						

	Hydrotest-NL{2}	0.00	0.00	0.07	73.38	0.00	OCC	73.53	434.37
+65 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.38	0.00	OCC	73.53	434.37
+65 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.57	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.86
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.86
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.86
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.57	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.38	0.00	OCC	73.53	434.37
+65 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.58	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.85
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.85
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.85
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.38	0.00	OCC	73.52	434.37
+65 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.58	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.85
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.85
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.85
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.38	0.00	OCC	73.52	434.37
+65 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.58	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.85
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.85
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.85
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.37	0.00	OCC	73.52	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.85
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.85
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.85
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.36	0.00	OCC	73.51	434.37
+65 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.58	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.85
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.85
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.85
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.36	0.00	OCC	73.51	434.37
+65 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.58	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.85
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.85
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.85
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.36	0.00	OCC	73.51	434.37
+66 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.58	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.85
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.85
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.85
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.58	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.36	0.00	OCC	73.51	434.37
+66 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.59	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.85
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.85
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.85
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00</				

+66 UNREST	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.85
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.36	0.00	OCC	73.50	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.59	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.84
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.35	0.00	OCC	73.50	434.37
	+66 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.59
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.84
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.35	0.00	OCC	73.50	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.59	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.84
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.35	0.00	OCC	73.50	434.37	
+66 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.59	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.84
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.35	0.00	OCC	73.50	434.37
	GR + Max P{1}	0.00	0.00						

+66 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.35	0.00	OCC	73.49	434.37	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.59	361.97	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.35	0.00	OCC	73.49	434.37	
	+66 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.59	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.84
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84	
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84	
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.34	0.00	OCC	73.49	434.37	
+66 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.59	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.84
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.34	0.00	OCC	73.49	434.37	
	+66 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.59	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.84
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.34	0.00	OCC	73.48	434.37	
+66 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.59	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.84
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.34	0.00	OCC	73.48	434.37	
	+66 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.59	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.84
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.34	0.00	OCC	73.48	434.37	
+66 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.59	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.84
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.34	0.00	OCC	73.48	434.37	
	+66 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.59	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.84
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.34	0.00	OCC	73.48	434.37	
+66 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.59	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.84
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.34	0.00	OCC	73.48	434.37	
	+66 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.59	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.84
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.34	0.00	OCC	73.48	434.37	
+66 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.59	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.84
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.59	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.34	0.00	OCC	73.48	434.37	
	+66 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.59	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.84
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	

+66 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.34	0.00	OCC	73.48	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.59	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.84
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
+66 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.33	0.00	OCC	73.48	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.59	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.84
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.84
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.84
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
+66 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.33	0.00	OCC	73.48	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.83
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
+66 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.33	0.00	OCC	73.48	434.37
	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.83
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
+66 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.33	0.00	OCC	73.48	434.37
	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
	Amb to								

+66 - UNREST	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.33	0.00	OCC	73.47	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.83
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.33	0.00	OCC	73.47	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.83
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
+66 + UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.32	0.00	OCC	73.47	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.83
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.32	0.00	OCC	73.47	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.83
	+67 - UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.32	0.00	OCC	73.47	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.83
Sus. + W1{1}		0.00	0.00	0.					

	Hydrotest-NL{2}	0.00	0.00	0.07	73.32	0.00	OCC	73.46	434.37
+67 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.83
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.31	0.00	OCC	73.46	434.37
+67 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.60	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.83
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.83
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.83
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.60	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.31	0.00	OCC	73.46	434.37
+67 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.61	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.82
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.82
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.82
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.31	0.00	OCC	73.46	434.37
+67 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.61	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.82
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.82
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.82
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.31	0.00	OCC	73.46	434.37
+67 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.61	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.82
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.82
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.82
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.31	0.00	OCC	73.45	434.37

+67 UNREST	- SIFI= 1.00 GR + Max P{1}	SIFO= 1.00									
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.61	361.97	
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.82	
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.82	
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97	
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97	
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97	
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97	
	Max P{1}							HOOP	211.04	289.58	
	Hydrotest-NL{2}		0.00	0.00	0.07	73.31	0.00	OCC	73.45	434.37	
+67 UNREST	+ SIFI= 1.00 GR + Max P{1}	SIFO= 1.00									
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.61	361.97	
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.82	
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.82	
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97	
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97	
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97	
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97	
	Max P{1}							HOOP	211.04	289.58	
	Hydrotest-NL{2}		0.00	0.00	0.07	73.30	0.00	OCC	73.45	434.37	
+67 UNREST	- SIFI= 1.00 GR + Max P{1}	SIFO= 1.00									
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.61	361.97	
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.82	
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.82	
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97	
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97	
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97	
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97	
	Max P{1}							HOOP	211.04	289.58	
	Hydrotest-NL{2}		0.00	0.00	0.07	73.30	0.00	OCC	73.45	434.37	
+67 UNREST	+ SIFI= 1.00 GR + Max P{1}	SIFO= 1.00									
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.61	361.97	
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.82	
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.82	
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97	
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97	
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97	
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97	
	Max P{1}							HOOP	211.04	289.58	
	Hydrotest-NL{2}		0.00	0.00	0.07	73.30	0.00	OCC	73.44	434.37	
+67 UNREST	- SIFI= 1.00 GR + Max P{1}	SIFO= 1.00									
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.61	361.97	
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0		

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.82
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.82
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.82
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.29	0.00	OCC	73.44	434.37
+67 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.61	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.82
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.82
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.82
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.61	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.29	0.00	OCC	73.44	434.37
+67 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.62	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.81
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.81
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.81
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.29	0.00	OCC	73.44	434.37
+67 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.62	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.81
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.81
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.81
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.29	0.00	OCC	73.44	434.37
+67 + UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.62	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.81
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.81
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.81
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.28	0.00	OCC	73.43	434.37
+67 - UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.62	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.81
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.81

+67 UNREST	+ SIFI= 1.00 SIFO= 1.00		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.81
			Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
			Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
			Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
			Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
			Max P{1}						HOOP	211.04	289.58
			Hydrotest-NL{2}	0.00	0.00	0.07	73.28	0.00	OCC	73.43	434.37
	GR + Max P{1}			0.00	0.00	0.01	0.00	0.00	SUST	107.62	361.97
			Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.81
			Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.81
			Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.81
			Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
			Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
			Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
			Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
			Max P{1}						HOOP	211.04	289.58
			Hydrotest-NL{2}	0.00	0.00	0.07	73.28	0.00	OCC	73.43	434.37
	+68 UNREST	- SIFI= 1.00 SIFO= 1.00		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.62
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.81	
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.81	
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.81	
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97	
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97	
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97	
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97	
		Max P{1}						HOOP	211.04	289.58	
		Hydrotest-NL{2}	0.00	0.00	0.07	73.28	0.00	OCC	73.43	434.37	
+ SIFI= 1.00 SIFO= 1.00		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.62	361.97	
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.81	
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.81	
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.81	
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97	
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97	
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97	
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97	
		Max P{1}						HOOP	211.04	289.58	
		Hydrotest-NL{2}	0.00	0.00	0.07	73.28	0.00	OCC	73.42	434.37	
+68 UNREST	- SIFI= 1.00 SIFO= 1.00		GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.62	361.97
			Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.81
			Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.81
			Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.81
			Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97
			Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	3

+68 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.27	0.00	OCC	73.42	434.37	
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.62	361.97	
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.81	
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.81	
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.81	
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97	
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.62	361.97	
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97	
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97	
	Max P{1}						HOOP	211.04	289.58	
	Hydrotest-NL{2}	0.00	0.00	0.07	73.27	0.00	OCC	73.42	434.37	
	+68 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.63	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.80
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.80
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.80	
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97	
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97	
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97	
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97	
Max P{1}							HOOP	211.04	289.58	
Hydrotest-NL{2}		0.00	0.00	0.07	73.27	0.00	OCC	73.41	434.37	
+68 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.63	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.80
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.80
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.80
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
		Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.27	0.00	OCC	73.41	434.37	
	+68 + SIFI= 1.00 UNREST GR + Max P{1}	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.63	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.80
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.80
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.80
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
		Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
		Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.26	0.00	OCC	73.41	434.37	
+68 - SIFI= 1.00 UNREST GR + Max P{1}		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.63	361.97
		Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.80
		Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.80
		Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.80
		Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
		Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
		Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97

+68 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.26	0.00	OCC	73.41	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.63	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.80
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.80
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.80
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.26	0.00	OCC	73.40	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.63	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.80
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.80
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.80
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.26	0.00	OCC	73.40	434.37	
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.63	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.80	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.80	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.80	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.25	0.00	OCC	73.40	434.37	
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.63	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.80	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.80	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.80	
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.63	361.97	
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.25	0.00	OCC	73.40	434.37	
GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.63	361.97	
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.80	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.80	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP			

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.25	0.00	OCC	73.39	434.37
+68 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.63	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.80
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.80
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.80
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.25	0.00	OCC	73.39	434.37
+68 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.64	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.79
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.79
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.79
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.24	0.00	OCC	73.39	434.37
+68 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.64	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.79
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.79
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.79
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.24	0.00	OCC	73.39	434.37
+68 - UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.64	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.79
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.79
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.79
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.24	0.00	OCC	73.38	434.37
+68 - UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.64	361.97
	Amb to T1{1}	0.00	0.00						

Hydrotest-NL{2}	0.00	0.00	0.07	73.24	0.00	OCC	73.38	434.37
+68 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.64	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.79
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.79
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.79
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.23	0.00	OCC	73.38	434.37
+69 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.64	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.79
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.79
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.79
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.23	0.00	OCC	73.38	434.37
+69 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.64	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.79
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.79
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.79
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.22	0.00	OCC	73.37	434.37
+69 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.64	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.79
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.79
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.79
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.64	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.22	0.00	OCC	73.37	434.37
+69 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.65	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.78
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.78
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.78
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.22	0.00	OCC	73.37	434.37

[illegible]

	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.78
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.78
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.78
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.20	0.00	OCC	73.35	434.37
+69 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.65	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.78
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.78
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.78
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.65	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.20	0.00	OCC	73.35	434.37
+69 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.66	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.77
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.77
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.77
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.20	0.00	OCC	73.34	434.37
+69 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.66	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.77
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.77
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.77
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.20	0.00	OCC	73.34	434.37
+69 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.66	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.77
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.77
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.77
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00</				

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.77
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.19	0.00	OCC	73.34	434.37
+69 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.66	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.77
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.77
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.77
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.18	0.00	OCC	73.33	434.37
+69 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.66	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.77
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.77
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.77
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.66	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.18	0.00	OCC	73.33	434.37
+69 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.67	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.77
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.77
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.77
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.18	0.00	OCC	73.32	434.37
+69 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.67	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.77
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.77
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.77
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.18	0.00	OCC	73.32	434.37
+69 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.67	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.76
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.76
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.76

+70 - SIFI= 1.00 SIFO= 1.00 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.17	0.00	OCC	73.32	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.67	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.76
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.76
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.76
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.17	0.00	OCC	73.32	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.67	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.76
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.76
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.76
+70 + SIFI= 1.00 SIFO= 1.00 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.17	0.00	OCC	73.31	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.67	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.76
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.76
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.76
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.17	0.00	OCC	73.31	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.67	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.76
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.76
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.76
+70 + SIFI= 1.00 SIFO= 1.00 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.16	0.00	OCC	73.31	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.67	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.76
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.76
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.76
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.16	0.00	OCC	73.31	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.67	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.76
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.76
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.76
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97	
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.67	361.97	

+70 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.16	0.00	OCC	73.31	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.68	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.75
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.75
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.75
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.15	0.00	OCC	73.30	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.68	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.75
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.75
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.75
	+70 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.15	0.00	OCC	73.30	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.68	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.75
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.75
Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.75
Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		0.00	0.00	0.07	73.15	0.00	OCC	73.29	434.37
GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.68	361.97
Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.75
Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.75
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.75	
+70 UNREST	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.15	0.00	OCC	73.29	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.68	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.75
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.75
	Amb to T3{1}	0.00	0.00	0.00					

Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.14	0.00	OCC	73.29	434.37
+70 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.68	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.75
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.75
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.75
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.68	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.14	0.00	OCC	73.29	434.37
+70 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.69	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.75
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.75
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.75
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.13	0.00	OCC	73.28	434.37
+70 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.69	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.75
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.75
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.75
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.13	0.00	OCC	73.28	434.37
+70 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.69	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.74
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.74
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.74
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.13	0.00	OCC	73.27	434.37
+70 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.69	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.74
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.74
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.74
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.00	0.00	0.07	73.13	0.00	OCC	73.27	434.37
+70 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.69	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.74
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.74
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.74
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.12	0.00	OCC	73.27	434.37
+70 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.69	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.74
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.74
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.74
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.12	0.00	OCC	73.27	434.37
+70 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.69	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.74
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.74
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.74
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.11	0.00	OCC	73.26	434.37
+70 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.69	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.74
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.74
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.74
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.69	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.11	0.00	OCC	73.26	434.37
+70 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.70	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.73
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.73
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.73
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.11	0.00	OCC	73.25	434.37

+71	- SIFI= 1.00	SIFO= 1.00								
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.70	361.97
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.73
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.73
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.73
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		0.00	0.00	0.07	73.11	0.00	OCC	73.25	434.37
+71	+ SIFI= 1.00	SIFO= 1.00								
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.70	361.97
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.73
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.73
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.73
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		0.00	0.00	0.07	73.10	0.00	OCC	73.25	434.37
+71	- SIFI= 1.00	SIFO= 1.00								
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.70	361.97
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.73
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.73
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.73
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		0.00	0.00	0.07	73.10	0.00	OCC	73.25	434.37
+71	+ SIFI= 1.00	SIFO= 1.00								
UNREST	GR + Max P{1}		0.00	0.00	0.01	0.00	0.00	SUST	107.70	361.97
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.73
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.73
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.73
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.70	361.97
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		0.00	0.00	0.07	73.09	0.00	OCC	73.24	434.37
+71	- SIFI= 1.00	SIFO= 1.00								

+71 - SIFI= 1.00 SIFO= 1.00 UNREST	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.72
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.72
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.72
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.08	0.00	OCC	73.23	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.71	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.72
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.72
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.72
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.08	0.00	OCC	73.23	434.37
+71 + SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.71	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.72
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.72
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.72
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.08	0.00	OCC	73.22	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.71	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.72
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.72
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.72
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
	Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.08	0.00	OCC	73.22	434.37	
+71 + SIFI= 1.00 SIFO= 1.00 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.71	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.72
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.72
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.72
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
	Sus. + W4{1}	0.00	0.00	0.00					

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.72
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.71	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.07	0.00	OCC	73.22	434.37
+71 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.72	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.71
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.71
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.71
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.06	0.00	OCC	73.21	434.37
+71 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.72	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.71
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.71
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.71
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.06	0.00	OCC	73.21	434.37
+71 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.72	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.71
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.71
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.71
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.05	0.00	OCC	73.20	434.37
+71 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.72	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.71
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.71
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.71
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.72	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.05	0.00	OCC	73.20	434.37
+71 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.72	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.71
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.71
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.71

+71 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.05	0.00	OCC	73.19	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.72	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.71
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.71
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.71
+71 + SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.05	0.00	OCC	73.19	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.73	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.70
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.70
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.70
+71 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.04	0.00	OCC	73.18	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.73	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.70
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.70
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.70
+71 + SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.04	0.00	OCC	73.18	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.73	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.70
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.70
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.70
+72 - SIFI= 1.00 UNREST GR + Max P{1}	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.73	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.03	0.00	OCC	73.18	434.37
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.73	361.97
	Amb to T2{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.70
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.70
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.70

+72 UNREST	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.03	0.00	OCC	73.18	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.74	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.69
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.69
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.69
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.02	0.00	OCC	73.17	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.74	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.69
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.69
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.69
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97	
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.00	0.00	0.07	73.02	0.00	OCC	73.17	434.37	
+72 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.74	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.69
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.69
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.69
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.01	0.00	OCC	73.16	434.37
	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.74	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.69
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.69
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.69
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	73.01	0.00	OCC	73.16	434.37
+72 UNREST	GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.74	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.69
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.69
	Amb to T3{1}	0.00	0.00	0.00					

Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.00	0.00	OCC	73.15	434.37
+72 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.74	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.69
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.69
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.69
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.74	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.00	0.00	OCC	73.15	434.37
+72 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.75	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.68
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.68
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.68
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.00	0.00	OCC	73.14	434.37
+72 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.75	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.68
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.68
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.68
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	73.00	0.00	OCC	73.14	434.37
+72 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.75	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.68
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.68
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.68
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.99	0.00	OCC	73.13	434.37
+72 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.75	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.68
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.68
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.68
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.75	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
Max P{1}						HOOP	211.04	289.58

	Hydrotest-NL{2}	0.00	0.00	0.07	72.99	0.00	OCC	73.13	434.37
+72 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.76	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.67
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.67
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.67
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	72.98	0.00	OCC	73.12	434.37
+72 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.76	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.67
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.67
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.67
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	72.98	0.00	OCC	73.12	434.37
+72 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.76	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.67
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.67
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.67
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.77	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.77	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	72.97	0.00	OCC	73.11	434.37
+72 UNREST	- SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.76	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.67
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.67
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.67
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.77	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.77	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	72.97	0.00	OCC	73.11	434.37
+72 UNREST	+ SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.76	361.97
	Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.67
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.67
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.67
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.76	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.77	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.77	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	0.00	0.00	0.07	72.96	0.00	OCC	73.11	434.37

[illegible]

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.65
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.65
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.65
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.93	0.00	OCC	73.08	434.37
+73 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.78	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.65
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.65
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.65
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.93	0.00	OCC	73.08	434.37
+73 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.78	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.65
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.65
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.65
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.92	0.00	OCC	73.07	434.37
+73 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.78	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.65
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.65
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.65
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.78	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.92	0.00	OCC	73.07	434.37
+73 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.79	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.64
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.64
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.64
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.91	0.00	OCC	73.06	434.37
+73 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.79	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.64
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.64

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.64
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.91	0.00	OCC	73.06	434.37
+73 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.79	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.64
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.64
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.64
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.90	0.00	OCC	73.05	434.37
+73 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.79	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.64
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.64
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.64
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.90	0.00	OCC	73.05	434.37
+73 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.79	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.64
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.64
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.64
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.89	0.00	OCC	73.04	434.37
+73 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.79	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.64
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.64
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.64
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.79	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.89	0.00	OCC	73.04	434.37
+73 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.80	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.63
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.63
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.63

Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.88	0.00	OCC	73.03	434.37
+73 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.80	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.63
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.63
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.63
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.88	0.00	OCC	73.03	434.37
+73 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.80	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.63
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.63
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.63
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.87	0.00	OCC	73.02	434.37
+73 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.80	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.63
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.63
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.63
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.80	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.87	0.00	OCC	73.02	434.37
+73 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.81	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.62
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.62
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.62
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.86	0.00	OCC	73.01	434.37
+73 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.81	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.62
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.62
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.62
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.86	0.00	OCC	73.01	434.37
+73 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.81	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.62
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.62
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.62
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.85	0.00	OCC	72.99	434.37
+73 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.81	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.62
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.62
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.62
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.81	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.85	0.00	OCC	72.99	434.37
+73 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.82	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.61
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.61
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.61
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.84	0.00	OCC	72.98	434.37
+74 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.82	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.61
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.61
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.61
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.84	0.00	OCC	72.98	434.37
+74 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.82	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.61
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.61
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.61
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97

Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Max P{1}						HOOP	211.04	289.58
Hydrottest-NL{2}	0.00	0.00	0.07	72.83	0.00	OCC	72.97	434.37
+74 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.82	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.61
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.61
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.61
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.82	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Max P{1}						HOOP	211.04	289.58
Hydrottest-NL{2}	0.00	0.00	0.07	72.83	0.00	OCC	72.97	434.37
+74 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.83	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.60
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.60
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.60
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Max P{1}						HOOP	211.04	289.58
Hydrottest-NL{2}	0.00	0.00	0.07	72.82	0.00	OCC	72.96	434.37
+74 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.83	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.60
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.60
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.60
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Max P{1}						HOOP	211.04	289.58
Hydrottest-NL{2}	0.00	0.00	0.07	72.82	0.00	OCC	72.96	434.37
+74 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.83	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.60
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.60
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.60
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Max P{1}						HOOP	211.04	289.58
Hydrottest-NL{2}	0.00	0.00	0.07	72.80	0.00	OCC	72.95	434.37
+74 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.83	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.60
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.60
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.60
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.83	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.00	0.00	0.07	72.80	0.00	OCC	72.95	434.37
+74 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.84	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.59
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.59
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.59
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.85	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.79	0.00	OCC	72.94	434.37
+74 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.84	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.59
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.59
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.59
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.85	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.79	0.00	OCC	72.94	434.37
+74 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.84	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.59
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.59
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.59
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.85	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.85	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.78	0.00	OCC	72.93	434.37
+74 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.84	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.59
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.59
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.59
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.84	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.85	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.85	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.78	0.00	OCC	72.93	434.37
+74 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.85	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.58
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.58
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.58
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.85	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.85	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.86	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.86	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.77	0.00	OCC	72.91	434.37

[illegible]

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.56
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.56
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.56
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.73	0.00	OCC	72.88	434.37
+74 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.87	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.56
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.56
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.56
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.73	0.00	OCC	72.88	434.37
+74 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.87	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.56
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.56
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.56
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.88	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.88	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.72	0.00	OCC	72.86	434.37
+75 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.87	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.56
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.56
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.56
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.87	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.88	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.88	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.72	0.00	OCC	72.86	434.37
+75 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.88	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.55
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.55
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.55
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.88	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.88	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.88	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.88	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.71	0.00	OCC	72.85	434.37
+75 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.88	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.55
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.55

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.55
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.88	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.88	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.88	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.88	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.71	0.00	OCC	72.85	434.37
+75 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.88	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.55
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.55
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.55
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.88	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.88	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.89	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.89	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.69	0.00	OCC	72.84	434.37
+75 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.88	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.55
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.55
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.55
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.88	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.88	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.89	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.89	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.69	0.00	OCC	72.84	434.37
+75 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.89	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.54
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.54
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.54
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.89	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.89	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.68	0.00	OCC	72.83	434.37
+75 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.89	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.54
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.54
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.54
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.89	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.89	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.68	0.00	OCC	72.83	434.37
+75 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.90	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.53
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.53
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.53

Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.67	0.00	OCC	72.81	434.37
+75 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.90	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.53
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.53
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.53
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.67	0.00	OCC	72.81	434.37
+75 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.90	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.53
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.53
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.53
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.65	0.00	OCC	72.80	434.37
+75 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.90	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.53
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.53
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.53
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.90	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.65	0.00	OCC	72.80	434.37
+75 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.91	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.52
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.52
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.52
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.64	0.00	OCC	72.78	434.37
+75 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.91	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.52
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.52
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.52
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.64	0.00	OCC	72.78	434.37
+75 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.91	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.52
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.52
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.52
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.92	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.92	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.62	0.00	OCC	72.77	434.37
+75 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.91	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.52
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.52
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.52
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.91	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.92	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.92	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.62	0.00	OCC	72.77	434.37
+75 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.92	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.51
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.51
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.51
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.92	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.92	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.61	0.00	OCC	72.76	434.37
+75 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.92	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.51
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.51
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.51
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.92	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.92	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.61	0.00	OCC	72.76	434.37
+75 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.93	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.50
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.50
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.50
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97

Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.60	0.00	OCC	72.74	434.37
+75 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.93	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.50
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.50
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.50
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.60	0.00	OCC	72.74	434.37
+75 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.93	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.50
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.50
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.50
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.94	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.94	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.58	0.00	OCC	72.73	434.37
+76 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.93	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.50
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.50
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.50
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.93	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.94	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.94	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.58	0.00	OCC	72.73	434.37
+76 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.94	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.49
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.49
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.49
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.94	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.94	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.57	0.00	OCC	72.71	434.37
+76 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.94	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.49
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.49
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.49
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.94	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.94	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.00	0.00	0.07	72.57	0.00	OCC	72.71	434.37
+76 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.95	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.48
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.48
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.48
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.55	0.00	OCC	72.70	434.37
+76 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.95	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.48
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.48
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.48
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.55	0.00	OCC	72.70	434.37
+76 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.95	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.48
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.48
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.48
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.96	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.96	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.54	0.00	OCC	72.68	434.37
+76 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.95	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.48
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.48
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.48
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.95	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.96	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.96	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.54	0.00	OCC	72.68	434.37
+76 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.96	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.47
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.47
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.47
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.96	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.96	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.97	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.97	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.52	0.00	OCC	72.67	434.37

[illegible]

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.45
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.45
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.45
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.98	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.98	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.99	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.99	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.47	0.00	OCC	72.62	434.37
+76 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.98	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.45
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.45
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.45
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.98	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.98	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.99	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.99	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.47	0.00	OCC	72.62	434.37
+76 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.99	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.44
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.44
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.44
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.99	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.99	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.00	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.00	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.46	0.00	OCC	72.60	434.37
+76 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	107.99	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.44
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.44
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.44
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.99	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	107.99	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.00	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.00	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.46	0.00	OCC	72.60	434.37
+76 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.00	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.43
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.43
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.43
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.00	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.00	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.00	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.00	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.44	0.00	OCC	72.59	434.37
+76 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.00	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.43
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.43

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.43
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.00	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.00	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.00	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.00	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.44	0.00	OCC	72.59	434.37
+76 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.01	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.42
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.42
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.42
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.01	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.01	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.01	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.01	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.42	0.00	OCC	72.57	434.37
+77 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.01	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.42
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.42
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.42
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.01	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.01	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.01	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.01	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.42	0.00	OCC	72.57	434.37
+77 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.01	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.42
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.42
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.42
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.01	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.01	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.02	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.02	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.40	0.00	OCC	72.55	434.37
+77 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.01	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.42
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.42
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.42
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.01	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.01	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.02	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.02	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.40	0.00	OCC	72.55	434.37
+77 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.02	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.41
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.41
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.41

Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.02	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.02	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.03	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.03	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.39	0.00	OCC	72.53	434.37
+77 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.02	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.41
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.41
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.41
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.02	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.02	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.03	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.03	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.39	0.00	OCC	72.53	434.37
+77 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.03	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.40
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.40
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.40
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.03	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.03	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.04	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.37	0.00	OCC	72.52	434.37
+77 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.03	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.40
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.40
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.40
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.03	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.03	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.04	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.37	0.00	OCC	72.52	434.37
+77 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.04	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.39
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.39
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.39
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.04	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.04	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.04	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.35	0.00	OCC	72.50	434.37
+77 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.04	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.39
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.39
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.39
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.04	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.04	361.97

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.04	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.35	0.00	OCC	72.50	434.37
+77 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.05	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.38
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.38
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.38
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.05	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.05	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.05	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.05	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.33	0.00	OCC	72.48	434.37
+77 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.05	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.38
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.38
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.38
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.05	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.05	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.05	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.05	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.33	0.00	OCC	72.48	434.37
+77 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.05	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.38
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.38
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.38
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.05	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.05	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.06	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.06	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.31	0.00	OCC	72.46	434.37
+77 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.05	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.38
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.38
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.38
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.05	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.05	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.06	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.06	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.31	0.00	OCC	72.46	434.37
+77 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.06	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.37
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.37
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.37
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.06	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.06	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.07	361.97

Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.07	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.30	0.00	OCC	72.44	434.37
+77 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.06	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.37
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.37
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.37
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.06	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.06	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.07	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.07	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.30	0.00	OCC	72.44	434.37
+77 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.07	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.36
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.36
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.36
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.07	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.07	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.08	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.08	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.28	0.00	OCC	72.42	434.37
+77 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.07	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.36
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.36
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.36
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.07	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.07	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.08	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.08	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.28	0.00	OCC	72.42	434.37
+77 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.08	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.35
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.35
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.35
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.08	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.08	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.09	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.09	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.26	0.00	OCC	72.40	434.37
+77 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.08	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.35
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.35
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.35
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.08	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.08	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.09	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.09	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.00	0.00	0.07	72.26	0.00	OCC	72.40	434.37
+77 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.09	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.34
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.34
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.34
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.09	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.09	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.09	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.09	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.24	0.00	OCC	72.38	434.37
+78 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.09	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.34
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.34
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.34
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.09	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.09	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.09	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.09	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.24	0.00	OCC	72.38	434.37
+78 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.10	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.33
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.33
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.33
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.10	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.10	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.10	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.10	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.22	0.00	OCC	72.36	434.37
+78 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.10	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.33
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.33
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.33
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.10	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.10	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.10	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.10	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.22	0.00	OCC	72.36	434.37
+78 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.11	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.32
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.32
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.32
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.11	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.11	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.11	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.11	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.20	0.00	OCC	72.34	434.37

+78 UNREST	- SIFI= 1.00 GR + Max P{1}	SIFO= 1.00											
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	108.11	361.97			
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.32			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.32			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	108.11	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	108.11	361.97			
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	108.11	361.97			
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	108.11	361.97			
	Max P{1}							HOOP	211.04	289.58			
	Hydrotest-NL{2}		0.00	0.00	0.07	72.20	0.00	OCC	72.34	434.37			
+78 UNREST	+ SIFI= 1.00 GR + Max P{1}	SIFO= 1.00											
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	108.12	361.97			
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.31			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.31			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.31			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	108.12	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	108.12	361.97			
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	108.12	361.97			
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	108.12	361.97			
	Max P{1}							HOOP	211.04	289.58			
	Hydrotest-NL{2}		0.00	0.00	0.07	72.18	0.00	OCC	72.32	434.37			
+78 UNREST	- SIFI= 1.00 GR + Max P{1}	SIFO= 1.00											
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	108.12	361.97			
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.31			
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.31			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.31			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	108.12	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	108.12	361.97			
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	108.12	361.97			
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	108.12	361.97			
	Max P{1}							HOOP	211.04	289.58			
	Hydrotest-NL{2}		0.00	0.00	0.07	72.18	0.00	OCC	72.32	434.37			
+78 UNREST	+ SIFI= 1.00 GR + Max P{1}	SIFO= 1.00											
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	SUST	108.13	361.97			
	Amb to T1{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.30			
	Amb to T2{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.30			
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.30			
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	108.13	361.97			
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	108.13	361.97			
	Sus. + W3{1}		0.										

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.30
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.30
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.30
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.14	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.14	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.14	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.14	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.14	0.00	OCC	72.28	434.37
+78 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.13	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.30
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.30
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.30
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.14	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.14	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.14	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.14	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.14	0.00	OCC	72.28	434.37
+78 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.14	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.29
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.29
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.29
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.14	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.14	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.15	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.15	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.11	0.00	OCC	72.26	434.37
+78 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.14	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.29
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.29
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.29
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.14	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.14	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.15	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.15	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.11	0.00	OCC	72.26	434.37
+78 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.15	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.28
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.28
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.28
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.15	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.15	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.16	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.16	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.09	0.00	OCC	72.24	434.37
+78 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.15	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.28
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.28

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.28
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.15	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.15	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.16	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.16	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.09	0.00	OCC	72.24	434.37
+78 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.16	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.27
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.27
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.27
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.16	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.16	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.17	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.17	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.07	0.00	OCC	72.22	434.37
+78 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.16	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.27
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.27
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.27
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.16	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.16	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.17	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.17	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.07	0.00	OCC	72.22	434.37
+78 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.17	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.26
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.26
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.26
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.17	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.17	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.18	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.18	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.05	0.00	OCC	72.19	434.37
+78 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.17	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.26
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.26
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.26
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.17	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.17	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.18	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.18	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.05	0.00	OCC	72.19	434.37
+78 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.18	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.25
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.25
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.25

Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.18	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.18	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.19	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.19	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.02	0.00	OCC	72.17	434.37
+79 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.18	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.25
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.25
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.25
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.18	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.18	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.19	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.19	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.02	0.00	OCC	72.17	434.37
+79 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.19	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.24
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.24
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.24
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.20	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.20	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.20	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.00	0.00	OCC	72.15	434.37
+79 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.19	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.24
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.24
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.24
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.20	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.20	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.20	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	72.00	0.00	OCC	72.15	434.37
+79 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.21	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.22
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.22
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.22
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.21	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.21	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.21	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.21	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.98	0.00	OCC	72.12	434.37
+79 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.21	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.22
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.22
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.22
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.21	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.21	361.97

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.21	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.21	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.98	0.00	OCC	72.12	434.37
+79 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.22	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.21
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.21
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.21
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.22	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.22	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.22	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.22	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.95	0.00	OCC	72.10	434.37
+79 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.22	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.21
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.21
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.21
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.22	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.22	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.22	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.22	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.95	0.00	OCC	72.10	434.37
+79 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.23	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.20
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.20
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.20
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.23	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.23	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.23	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.23	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.93	0.00	OCC	72.08	434.37
+79 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.23	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.20
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.20
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.20
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.23	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.23	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.23	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.23	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.93	0.00	OCC	72.08	434.37
+79 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.24	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.19
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.19
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.19
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.24	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.24	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.24	361.97

Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.24	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.91	0.00	OCC	72.05	434.37
+79 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.24	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.19
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.19
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.19
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.24	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.24	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.24	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.24	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.91	0.00	OCC	72.05	434.37
+79 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.25	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.18
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.18
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.18
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.25	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.25	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.26	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.25	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.88	0.00	OCC	72.03	434.37
+79 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.25	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.18
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.18
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.18
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.25	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.25	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.26	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.25	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.88	0.00	OCC	72.03	434.37
+79 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.26	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.17
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.17
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.17
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.26	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.26	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.27	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.27	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.86	0.00	OCC	72.00	434.37
+79 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.26	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.17
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.17
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.17
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.26	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.26	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.27	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.27	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.00	0.00	0.07	71.86	0.00	OCC	72.00	434.37
+79 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.27	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.16
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.16
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.16
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.27	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.27	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.28	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.28	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.83	0.00	OCC	71.98	434.37
+79 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.27	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.16
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.16
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.16
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.27	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.27	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.28	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.28	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.83	0.00	OCC	71.98	434.37
+79 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.28	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.15
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.15
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.15
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.28	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.28	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.29	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.29	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.80	0.00	OCC	71.95	434.37
+79 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.28	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.15
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.15
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.15
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.28	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.28	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.29	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.29	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.80	0.00	OCC	71.95	434.37
+79 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.30	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.13
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.13
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.13
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.30	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.30	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.30	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.30	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.78	0.00	OCC	71.92	434.37

[illegible]

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.10
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.10
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.10
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.33	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.33	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.34	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.34	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.70	0.00	OCC	71.84	434.37
+80 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.33	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.10
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.10
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.10
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.33	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.33	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.34	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.34	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.70	0.00	OCC	71.84	434.37
+80 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.34	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.09
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.09
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.09
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.34	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.34	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.35	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.35	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.67	0.00	OCC	71.82	434.37
+80 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.34	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.09
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.09
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.09
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.34	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.34	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.35	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.35	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.67	0.00	OCC	71.82	434.37
+80 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.36	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.07
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.07
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.07
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.36	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.36	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.36	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.36	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.64	0.00	OCC	71.79	434.37
+80 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.36	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.07
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.07

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.07
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.36	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.36	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.36	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.36	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.64	0.00	OCC	71.79	434.37
+80 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.37	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.06
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.06
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.06
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.37	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.37	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.38	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.38	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.61	0.00	OCC	71.76	434.37
+80 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.37	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.06
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.06
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.06
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.37	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.37	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.38	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.38	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.61	0.00	OCC	71.76	434.37
+80 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.38	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.05
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.05
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.05
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.38	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.38	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.39	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.39	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.58	0.00	OCC	71.73	434.37
+80 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.38	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.05
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.05
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.05
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.38	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.38	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.39	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.39	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.58	0.00	OCC	71.73	434.37
+80 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.40	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.03
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.03
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.03

Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.40	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.40	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.40	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.40	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.55	0.00	OCC	71.70	434.37
+80 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.40	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.03
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.03
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.03
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.40	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.40	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.40	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.40	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.55	0.00	OCC	71.70	434.37
+80 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.41	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.02
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.02
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.02
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.41	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.41	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.42	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.42	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.52	0.00	OCC	71.67	434.37
+80 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.41	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.02
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.02
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.02
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.41	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.41	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.42	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.42	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.52	0.00	OCC	71.67	434.37
+80 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.42	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.01
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.01
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.01
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.42	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.42	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.43	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.43	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.49	0.00	OCC	71.64	434.37
+81 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.42	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	358.01
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	358.01
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	358.01
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.42	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.42	361.97

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.43	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.43	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.49	0.00	OCC	71.64	434.37
+81 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.44	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.99
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.99
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.99
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.44	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.44	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.44	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.44	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.46	0.00	OCC	71.61	434.37
+81 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.44	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.99
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.99
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.99
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.44	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.44	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.44	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.44	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.46	0.00	OCC	71.61	434.37
+81 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.45	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.98
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.98
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.98
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.45	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.45	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.46	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.46	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.43	0.00	OCC	71.58	434.37
+81 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.45	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.98
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.98
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.98
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.45	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.45	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.46	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.46	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.43	0.00	OCC	71.58	434.37
+81 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.47	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.96
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.96
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.96
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.47	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.47	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.47	361.97

Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.47	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.40	0.00	OCC	71.55	434.37
+81 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.47	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.96
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.96
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.96
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.47	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.47	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.47	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.47	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.40	0.00	OCC	71.55	434.37
+81 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.95
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.48	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.48	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.49	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.37	0.00	OCC	71.51	434.37
+81 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.48	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.95
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.48	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.48	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.49	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.37	0.00	OCC	71.51	434.37
+81 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.50	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.94
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.50	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.50	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.50	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.34	0.00	OCC	71.48	434.37
+81 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.50	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.94
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.50	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.50	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.50	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.50	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.00	0.00	0.07	71.34	0.00	OCC	71.48	434.37
+81 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.51	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.92
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.92
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.92
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.51	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.51	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.52	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.52	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.30	0.00	OCC	71.45	434.37
+81 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.51	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.92
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.92
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.92
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.51	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.51	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.52	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.52	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.30	0.00	OCC	71.45	434.37
+81 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.53	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.91
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.91
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.91
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.53	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.53	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.53	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.53	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.27	0.00	OCC	71.41	434.37
+81 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.53	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.91
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.91
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.91
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.53	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.53	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.53	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.53	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.27	0.00	OCC	71.41	434.37
+81 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.54	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.89
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.89
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.89
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.54	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.54	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.55	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.55	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.23	0.00	OCC	71.38	434.37

[illegible]

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.84
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.84
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.84
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.59	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.59	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.59	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.59	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.13	0.00	OCC	71.27	434.37
+82 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.59	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.84
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.84
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.84
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.59	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.59	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.59	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.59	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.13	0.00	OCC	71.27	434.37
+82 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.60	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.83
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.83
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.83
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.60	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.60	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.61	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.61	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.09	0.00	OCC	71.24	434.37
+82 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.60	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.83
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.83
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.83
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.60	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.60	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.61	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.61	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.09	0.00	OCC	71.24	434.37
+82 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.62	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.81
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.81
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.81
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.62	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.62	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.63	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.63	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.06	0.00	OCC	71.20	434.37
+82 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.62	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.81
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.81

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.81
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.62	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.62	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.63	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.63	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.06	0.00	OCC	71.20	434.37
+82 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.64	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.79
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.79
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.79
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.64	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.64	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.64	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.64	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.02	0.00	OCC	71.16	434.37
+82 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.64	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.79
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.79
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.79
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.64	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.64	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.64	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.64	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	71.02	0.00	OCC	71.16	434.37
+82 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.65	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.78
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.78
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.78
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.65	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.65	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.66	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.66	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.98	0.00	OCC	71.13	434.37
+82 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.65	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.78
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.78
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.78
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.65	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.65	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.66	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.66	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.98	0.00	OCC	71.13	434.37
+82 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.67	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.76
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.76
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.76

Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.67	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.67	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.68	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.68	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.94	0.00	OCC	71.09	434.37
+82 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.67	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.76
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.76
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.76
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.67	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.67	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.68	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.68	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.94	0.00	OCC	71.09	434.37
+82 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.69	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.74
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.74
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.74
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.69	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.69	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.70	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.70	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.90	0.00	OCC	71.05	434.37
+82 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.69	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.74
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.74
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.74
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.69	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.69	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.70	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.70	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.90	0.00	OCC	71.05	434.37
+82 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.71	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.72
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.72
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.72
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.71	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.71	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.71	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.71	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.86	0.00	OCC	71.01	434.37
+82 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.71	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.72
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.72
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.72
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.71	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.71	361.97

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.71	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.71	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.86	0.00	OCC	71.01	434.37
+82 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.73	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.71
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.71
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.71
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.73	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.73	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.73	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.73	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.82	0.00	OCC	70.97	434.37
+82 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.73	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.71
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.71
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.71
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.73	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.73	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.73	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.73	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.82	0.00	OCC	70.97	434.37
+82 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.74	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.69
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.69
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.69
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.74	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.74	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.75	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.78	0.00	OCC	70.93	434.37
+83 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.74	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.69
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.69
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.69
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.74	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.74	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.75	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.78	0.00	OCC	70.93	434.37
+83 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.76	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.67
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.67
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.67
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.76	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.76	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.77	361.97

Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.77	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.74	0.00	OCC	70.89	434.37
+83 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.76	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.67
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.67
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.67
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.76	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.76	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.77	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.77	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.74	0.00	OCC	70.89	434.37
+83 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.78	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.65
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.65
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.65
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.78	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.78	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.79	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.79	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.70	0.00	OCC	70.85	434.37
+83 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.78	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.65
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.65
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.65
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.78	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.78	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.79	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.79	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.70	0.00	OCC	70.85	434.37
+83 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.80	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.63
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.63
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.63
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.80	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.80	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.81	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.81	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.66	0.00	OCC	70.80	434.37
+83 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.80	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.63
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.63
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.63
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.80	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.80	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.81	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.81	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.00	0.00	0.07	70.66	0.00	OCC	70.80	434.37
+83 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.82	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.61
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.61
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.61
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.82	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.82	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.83	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.83	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.61	0.00	OCC	70.76	434.37
+83 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.82	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.61
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.61
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.61
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.82	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.82	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.83	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.83	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.61	0.00	OCC	70.76	434.37
+83 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.84	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.59
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.59
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.59
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.84	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.84	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.85	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.84	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.57	0.00	OCC	70.72	434.37
+83 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.84	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.59
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.59
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.59
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.84	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.84	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.85	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.84	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.57	0.00	OCC	70.72	434.37
+83 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.86	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.57
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.57
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.57
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.86	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.86	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.87	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.86	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.53	0.00	OCC	70.67	434.37

[illegible]

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.51
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.51
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.51
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.92	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.92	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.93	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.93	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.39	0.00	OCC	70.54	434.37
+83 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.92	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.51
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.51
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.51
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.92	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.92	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.93	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.93	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.39	0.00	OCC	70.54	434.37
+83 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.94	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.49
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.49
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.49
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.94	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.94	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.95	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.95	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.34	0.00	OCC	70.49	434.37
+84 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.94	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.49
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.49
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.49
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.94	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.94	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.95	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.95	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.34	0.00	OCC	70.49	434.37
+84 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.96	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.47
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.47
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.47
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.96	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.96	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.97	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.97	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.29	0.00	OCC	70.44	434.37
+84 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.96	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.47
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.47

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.47
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.96	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.96	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.97	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.97	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.29	0.00	OCC	70.44	434.37
+84 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.99	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.45
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.45
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.45
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.99	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.99	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.99	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.99	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.25	0.00	OCC	70.39	434.37
+84 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	108.99	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.45
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.45
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.45
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.99	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.99	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.99	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	108.99	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.25	0.00	OCC	70.39	434.37
+84 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.01	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.42
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.42
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.42
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.01	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.01	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.01	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.01	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.20	0.00	OCC	70.34	434.37
+84 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.01	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.42
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.42
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.42
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.01	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.01	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.01	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.01	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.20	0.00	OCC	70.34	434.37
+84 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.03	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.40
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.40
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.40

Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.03	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.03	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.04	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.15	0.00	OCC	70.29	434.37
+84 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.03	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.40
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.40
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.40
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.03	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.03	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.04	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.15	0.00	OCC	70.29	434.37
+84 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.05	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.38
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.38
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.38
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.05	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.05	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.06	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.06	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.10	0.00	OCC	70.24	434.37
+84 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.05	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.38
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.38
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.38
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.05	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.05	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.06	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.06	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.10	0.00	OCC	70.24	434.37
+84 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.08	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.35
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.35
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.35
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.08	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.08	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.08	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.08	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.05	0.00	OCC	70.19	434.37
+84 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.08	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.35
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.35
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.35
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.08	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.08	361.97

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.08	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.08	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	70.05	0.00	OCC	70.19	434.37
+84 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.10	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.33
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.33
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.33
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.10	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.10	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.11	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.10	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.99	0.00	OCC	70.14	434.37
+84 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.10	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.33
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.33
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.33
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.10	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.10	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.11	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.10	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.99	0.00	OCC	70.14	434.37
+84 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.12	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.31
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.31
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.31
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.12	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.12	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.13	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.13	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.94	0.00	OCC	70.09	434.37
+84 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.12	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.31
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.31
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.31
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.12	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.12	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.13	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.13	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.94	0.00	OCC	70.09	434.37
+84 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.15	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.28
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.28
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.28
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.15	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.15	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.15	361.97

Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.15	361.97
Max P{1}						HOOP	211.04	289.58
Hydrottest-NL{2}	0.00	0.00	0.07	69.89	0.00	OCC	70.03	434.37
+84 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.15	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.28
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.28
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.28
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.15	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.15	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.15	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.15	361.97
Max P{1}						HOOP	211.04	289.58
Hydrottest-NL{2}	0.00	0.00	0.07	69.89	0.00	OCC	70.03	434.37
+84 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.17	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.26
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.26
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.26
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.17	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.17	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.18	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.18	361.97
Max P{1}						HOOP	211.04	289.58
Hydrottest-NL{2}	0.00	0.00	0.07	69.83	0.00	OCC	69.98	434.37
+85 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.17	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.26
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.26
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.26
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.17	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.17	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.18	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.18	361.97
Max P{1}						HOOP	211.04	289.58
Hydrottest-NL{2}	0.00	0.00	0.07	69.83	0.00	OCC	69.98	434.37
+85 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.20	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.23
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.23
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.23
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.20	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.20	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.20	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrottest-NL{2}	0.00	0.00	0.07	69.78	0.00	OCC	69.92	434.37
+85 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.20	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.23
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.23
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.23
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.20	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.20	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.20	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.20	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.00	0.00	0.07	69.78	0.00	OCC	69.92	434.37
+85 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.22	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.21
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.21
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.21
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.22	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.22	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.23	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.23	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.72	0.00	OCC	69.87	434.37
+85 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.22	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.21
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.21
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.21
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.22	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.22	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.23	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.23	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.72	0.00	OCC	69.87	434.37
+85 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.25	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.18
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.18
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.18
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.25	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.25	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.25	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.25	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.66	0.00	OCC	69.81	434.37
+85 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.25	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.18
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.18
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.18
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.25	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.25	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.25	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.25	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.66	0.00	OCC	69.81	434.37
+85 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.27	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.16
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.16
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.16
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.27	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.27	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.28	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.28	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.61	0.00	OCC	69.75	434.37

[illegible]

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.08
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.08
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.08
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.35	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.35	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.36	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.36	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.43	0.00	OCC	69.57	434.37
+85 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.35	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.08
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.08
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.08
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.35	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.35	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.36	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.36	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.43	0.00	OCC	69.57	434.37
+85 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.38	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.05
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.05
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.05
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.38	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.38	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.39	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.39	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.37	0.00	OCC	69.51	434.37
+85 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.38	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.05
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.05
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.05
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.38	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.38	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.39	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.39	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.37	0.00	OCC	69.51	434.37
+85 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.41	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.02
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.02
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.02
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.41	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.41	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.41	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.41	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.31	0.00	OCC	69.45	434.37
+85 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.41	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	357.02
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	357.02

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	357.02
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.41	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.41	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.41	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.41	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.31	0.00	OCC	69.45	434.37
+85 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.44	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.99
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.99
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.99
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.44	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.44	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.44	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.44	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.24	0.00	OCC	69.39	434.37
+86 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.44	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.99
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.99
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.99
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.44	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.44	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.44	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.44	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.24	0.00	OCC	69.39	434.37
+86 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.47	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.96
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.96
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.96
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.47	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.47	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.47	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.47	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.18	0.00	OCC	69.32	434.37
+86 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.47	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.96
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.96
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.96
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.47	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.47	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.47	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.47	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.18	0.00	OCC	69.32	434.37
+86 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.49	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.94

Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.50	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.50	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.50	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.11	0.00	OCC	69.26	434.37
+86 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.49	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.94
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.50	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.50	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.50	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.11	0.00	OCC	69.26	434.37
+86 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.52	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.91
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.91
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.91
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.53	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.53	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.53	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.53	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.05	0.00	OCC	69.19	434.37
+86 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.52	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.91
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.91
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.91
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.53	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.53	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.53	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.53	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	69.05	0.00	OCC	69.19	434.37
+86 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.55	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.88
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.88
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.88
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.56	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.56	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.56	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.56	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.98	0.00	OCC	69.13	434.37
+86 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.55	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.88
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.88
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.88
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.56	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.56	361.97

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.56	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.56	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.98	0.00	OCC	69.13	434.37
+86 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.59	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.85
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.85
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.85
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.59	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.59	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.59	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.59	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.91	0.00	OCC	69.06	434.37
+86 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.59	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.85
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.85
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.85
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.59	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.59	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.59	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.59	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.91	0.00	OCC	69.06	434.37
+86 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.62	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.81
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.81
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.81
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.62	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.62	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.62	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.62	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.85	0.00	OCC	68.99	434.37
+86 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.62	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.81
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.81
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.81
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.62	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.62	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.62	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.62	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.85	0.00	OCC	68.99	434.37
+86 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.65	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.78
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.78
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.78
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.65	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.65	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.65	361.97

Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.65	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.78	0.00	OCC	68.92	434.37
+86 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.65	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.78
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.78
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.78
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.65	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.65	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.65	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.65	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.78	0.00	OCC	68.92	434.37
+86 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.68	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.75
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.75
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.75
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.68	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.68	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.69	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.68	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.70	0.00	OCC	68.85	434.37
+86 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.68	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.75
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.75
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.75
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.68	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.68	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.69	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.68	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.70	0.00	OCC	68.85	434.37
+86 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.71	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.72
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.72
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.72
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.71	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.71	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.72	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.72	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.63	0.00	OCC	68.78	434.37
+86 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.71	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.72
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.72
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.72
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.71	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.71	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.72	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.72	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.00	0.00	0.07	68.63	0.00	OCC	68.78	434.37
+86 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.74	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.69
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.69
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.69
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.74	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.74	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.75	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.56	0.00	OCC	68.71	434.37
+87 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.74	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.69
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.69
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.69
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.74	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.74	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.75	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.56	0.00	OCC	68.71	434.37
+87 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.78	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.65
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.65
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.65
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.78	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.78	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.78	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.78	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.49	0.00	OCC	68.63	434.37
+87 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.00	0.00	SUST	109.78	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.65
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.65
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.65
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.78	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.78	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.78	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.78	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.49	0.00	OCC	68.63	434.37
+87 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	109.81	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.62
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.62
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.62
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.81	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.81	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.82	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.82	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.41	0.00	OCC	68.56	434.37

+87 UNREST	- SIFI= 1.00 GR + Max P{1}	SIFO= 1.00									
	Amb to T1{1}		0.00	0.00	0.01	0.01	0.00	SUST	109.81	361.97	
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.62	
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.62	
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	109.81	361.97	
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	109.81	361.97	
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	109.82	361.97	
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	109.82	361.97	
	Max P{1}							HOOP	211.04	289.58	
	Hydrotest-NL{2}		0.00	0.00	0.07	68.41	0.00	OCC	68.56	434.37	
+87 UNREST	+ SIFI= 1.00 GR + Max P{1}	SIFO= 1.00									
	Amb to T1{1}		0.00	0.00	0.01	0.01	0.00	SUST	109.85	361.97	
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.58	
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.58	
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	109.85	361.97	
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	109.85	361.97	
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	109.85	361.97	
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	109.85	361.97	
	Max P{1}							HOOP	211.04	289.58	
	Hydrotest-NL{2}		0.00	0.00	0.07	68.34	0.00	OCC	68.48	434.37	
+87 UNREST	- SIFI= 1.00 GR + Max P{1}	SIFO= 1.00									
	Amb to T1{1}		0.00	0.00	0.01	0.01	0.00	SUST	109.85	361.97	
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.58	
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.58	
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	109.85	361.97	
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	109.85	361.97	
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	109.85	361.97	
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	109.85	361.97	
	Max P{1}							HOOP	211.04	289.58	
	Hydrotest-NL{2}		0.00	0.00	0.07	68.34	0.00	OCC	68.48	434.37	
+87 UNREST	+ SIFI= 1.00 GR + Max P{1}	SIFO= 1.00									
	Amb to T1{1}		0.00	0.00	0.01	0.01	0.00	SUST	109.88	361.97	
	Amb to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.55	
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.55	
	Amb to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.55	
	Sus. + W1{1}		0.00	0.00	0.00	0.00	0.00	OCC	109.88	361.97	
	Sus. + W2{1}		0.00	0.00	0.00	0.00	0.00	OCC	109.88	361.97	
	Sus. + W3{1}		0.00	0.00	0.00	0.00	0.00	OCC	109.89	361.97	
	Sus. + W4{1}		0.00	0.00	0.00	0.00	0.00	OCC	109.89	361.97	
	Max P{1}							HOOP	211.04	289.58	
	Hydrotest-NL{2}		0.00	0.00	0.07	68.26	0.00	OCC	68.40	434.37	
+87 UNREST	- SIFI= 1.00 GR + Max P{1}	SIFO= 1.00									
	Amb to T1{1}		0.00	0.00	0.01	0.01	0.00	SUST	109		

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.51
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.51
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.51
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.92	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.92	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.92	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.92	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.18	0.00	OCC	68.33	434.37
+87 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	109.92	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.51
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.51
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.51
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.92	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.92	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.92	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.92	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.18	0.00	OCC	68.33	434.37
+87 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	109.95	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.48
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.48
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.48
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.95	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.95	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.96	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.96	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.10	0.00	OCC	68.25	434.37
+87 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	109.95	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.48
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.48
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.48
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.95	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.95	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.96	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.96	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.10	0.00	OCC	68.25	434.37
+87 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	109.99	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.44
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.44
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.44
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.99	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.99	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.99	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.99	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.02	0.00	OCC	68.17	434.37
+87 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	109.99	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.44
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.44

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.44
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.99	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.99	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.99	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	109.99	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	68.02	0.00	OCC	68.17	434.37
+87 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.02	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.41
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.41
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.41
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.02	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.02	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.03	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.03	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.94	0.00	OCC	68.08	434.37
+87 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.02	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.41
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.41
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.41
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.02	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.02	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.03	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.03	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.94	0.00	OCC	68.08	434.37
+87 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.06	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.37
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.37
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.37
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.06	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.06	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.07	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.07	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.86	0.00	OCC	68.00	434.37
+87 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.06	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.37
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.37
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.37
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.06	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.06	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.07	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.07	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.86	0.00	OCC	68.00	434.37
+87 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.10	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.33
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.33
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.33

Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.10	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.10	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.11	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.11	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.77	0.00	OCC	67.92	434.37
+88 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.10	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.33
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.33
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.33
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.10	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.10	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.11	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.11	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.77	0.00	OCC	67.92	434.37
+88 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.14	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.29
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.29
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.29
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.14	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.14	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.14	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.14	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.69	0.00	OCC	67.83	434.37
+88 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.14	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.29
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.29
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.29
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.14	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.14	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.14	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.14	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.69	0.00	OCC	67.83	434.37
+88 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.18	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.25
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.25
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.25
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.18	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.18	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.18	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.18	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.60	0.00	OCC	67.75	434.37
+88 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.18	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.25
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.25
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.25
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.18	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.18	361.97

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.18	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.18	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.60	0.00	OCC	67.75	434.37
+88 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.22	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.21
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.21
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.21
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.22	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.22	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.22	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.22	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.51	0.00	OCC	67.66	434.37
+88 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.22	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.21
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.21
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.21
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.22	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.22	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.22	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.22	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.51	0.00	OCC	67.66	434.37
+88 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.26	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.17
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.17
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.17
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.26	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.26	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.26	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.26	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.42	0.00	OCC	67.57	434.37
+88 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.26	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.17
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.17
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.17
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.26	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.26	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.26	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.26	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.42	0.00	OCC	67.57	434.37
+88 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.30	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.13
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.13
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.13
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.30	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.30	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.30	361.97

Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.30	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.33	0.00	OCC	67.48	434.37
+88 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.30	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.13
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.13
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.13
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.30	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.30	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.30	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.30	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.33	0.00	OCC	67.48	434.37
+88 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.34	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.09
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.09
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.09
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.34	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.34	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.35	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.34	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.24	0.00	OCC	67.39	434.37
+88 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.34	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.09
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.09
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.09
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.34	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.34	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.35	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.34	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.24	0.00	OCC	67.39	434.37
+88 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.38	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.05
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.05
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.05
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.38	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.38	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.39	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.39	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.15	0.00	OCC	67.29	434.37
+88 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.38	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.05
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.05
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.05
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.38	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.38	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.39	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.39	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.00	0.00	0.07	67.15	0.00	OCC	67.29	434.37
+88 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.42	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.01
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.01
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.01
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.42	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.42	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.43	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.43	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.05	0.00	OCC	67.20	434.37
+88 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.42	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	356.01
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	356.01
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	356.01
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.42	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.42	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.43	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.43	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	67.05	0.00	OCC	67.20	434.37
+88 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.47	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.96
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.96
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.96
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.47	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.47	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.47	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.47	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	66.96	0.00	OCC	67.10	434.37
+88 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.47	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.96
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.96
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.96
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.47	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.47	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.47	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.47	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	66.96	0.00	OCC	67.10	434.37
+88 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.51	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.92
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.92
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.92
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.51	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.51	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.52	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.52	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	66.86	0.00	OCC	67.00	434.37

+89 - SIFI= 1.00	SIFO= 1.00
UNREST GR + Max P{1}	
Amb to T1{1}	
Amb to T2{1}	
Amb to T3{1}	
Sus. + W1{1}	
Sus. + W2{1}	
Sus. + W3{1}	
Sus. + W4{1}	
Max P{1}	
Hydrotest-NL{2}	
+89 + SIFI= 1.00	SIFO= 1.00
UNREST GR + Max P{1}	
Amb to T1{1}	
Amb to T2{1}	
Amb to T3{1}	
Sus. + W1{1}	
Sus. + W2{1}	
Sus. + W3{1}	
Sus. + W4{1}	
Max P{1}	
Hydrotest-NL{2}	
+89 - SIFI= 1.00	SIFO= 1.00
UNREST GR + Max P{1}	
Amb to T1{1}	
Amb to T2{1}	
Amb to T3{1}	
Sus. + W1{1}	
Sus. + W2{1}	
Sus. + W3{1}	
Sus. + W4{1}	
Max P{1}	
Hydrotest-NL{2}	
+89 + SIFI= 1.00	SIFO= 1.00
UNREST GR + Max P{1}	
Amb to T1{1}	
Amb to T2{1}	
Amb to T3{1}	
Sus. + W1{1}	
Sus. + W2{1}	
Sus. + W3{1}	
Sus. + W4{1}	
Max P{1}	
Hydrotest-NL{2}	
+89 - SIFI= 1.00	SIFO= 1.00
UNREST GR + Max P{1}	
Amb to T1{1}	
Amb to T2{1}	
Amb to T3{1}	
Sus. + W1{1}	
Sus. + W2{1}	
Sus. + W3{1}	
Sus. + W4{1}	
Max P{1}	
Hydrotest-NL{2}	
+89 + SIFI= 1.00	SIFO= 1.00
UNREST GR + Max P{1}	
Amb to T1{1}	
Amb to T2{1}	
Amb to T3{1}	
Sus. + W1{1}	
Sus. + W2{1}	
Sus. + W3{1}	
Sus. + W4{1}	
Max P{1}	
Hydrotest-NL{2}	
+89 - SIFI= 1.00	SIFO= 1.00
UNREST GR + Max P{1}	
Amb to T1{1}	
Amb to T2{1}	
Amb to T3{1}	
Sus. + W1{1}	
Sus. + W2{1}	
Sus. + W3{1}	
Sus. + W4{1}	
Max P{1}	
Hydrotest-NL{2}	
+89 + SIFI= 1.00	SIFO= 1.00
UNREST GR + Max P{1}	
Amb to T1{1}	
Amb to T2{1}	
Amb to T3{1}	
Sus. + W1{1}	
Sus. + W2{1}	
Sus. + W3{1}	
Sus. + W4{1}	
Max P{1}	
Hydrotest-NL{2}	

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.78
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.78
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.78
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.65	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.65	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.65	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.65	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	66.56	0.00	OCC	66.70	434.37
+89 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.65	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.78
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.78
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.78
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.65	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.65	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.65	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.65	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	66.56	0.00	OCC	66.70	434.37
+89 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.69	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.74
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.74
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.74
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.69	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.69	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.70	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.70	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	66.45	0.00	OCC	66.60	434.37
+89 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.69	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.74
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.74
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.74
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.69	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.69	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.70	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.70	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	66.45	0.00	OCC	66.60	434.37
+89 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.74	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.69
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.69
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.69
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.74	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.74	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.75	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	66.35	0.00	OCC	66.50	434.37
+89 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.74	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.69
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.69

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.69
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.74	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.74	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.75	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	66.35	0.00	OCC	66.50	434.37
+89 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.79	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.64
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.64
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.64
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.79	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.79	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.79	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.79	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	66.24	0.00	OCC	66.39	434.37
+89 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.79	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.64
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.64
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.64
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.79	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.79	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.79	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.79	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	66.24	0.00	OCC	66.39	434.37
+89 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.84	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.59
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.59
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.59
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.84	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.84	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.84	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.84	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	66.14	0.00	OCC	66.28	434.37
+89 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.84	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.59
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.59
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.59
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.84	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.84	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.84	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.84	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	66.14	0.00	OCC	66.28	434.37
+89 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.88	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.55
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.55
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.55

Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.89	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.89	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.89	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.89	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	66.03	0.00	OCC	66.17	434.37
+89 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.88	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.55
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.55
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.55
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.89	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.89	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.89	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.89	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	66.03	0.00	OCC	66.17	434.37
+89 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.93	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.50
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.50
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.50
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.94	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.94	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.94	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.94	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.92	0.00	OCC	66.06	434.37
+89 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.93	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.50
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.50
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.50
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.94	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.94	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.94	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.94	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.92	0.00	OCC	66.06	434.37
+89 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.99	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.44
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.44
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.44
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.99	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.99	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.99	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.99	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.80	0.00	OCC	65.95	434.37
+90 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	110.99	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.44
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.44
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.44
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.99	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.99	361.97

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.99	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	110.99	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.80	0.00	OCC	65.95	434.37
+90 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.04	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.39
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.39
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.39
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.04	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.04	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.04	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.69	0.00	OCC	65.83	434.37
+90 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.04	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.39
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.39
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.39
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.04	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.04	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.04	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.69	0.00	OCC	65.83	434.37
+90 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.09	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.34
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.34
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.34
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.09	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.09	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.10	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.10	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.57	0.00	OCC	65.72	434.37
+90 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.09	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.34
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.34
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.34
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.09	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.09	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.10	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.10	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.57	0.00	OCC	65.72	434.37
+90 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.14	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.29
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.29
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.29
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.14	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.14	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.15	361.97

Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.15	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.45	0.00	OCC	65.60	434.37
+90 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.14	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.29
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.29
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.29
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.14	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.14	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.15	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.15	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.45	0.00	OCC	65.60	434.37
+90 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.20	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.23
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.23
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.23
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.20	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.20	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.20	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.34	0.00	OCC	65.48	434.37
+90 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.20	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.23
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.23
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.23
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.20	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.20	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.20	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.34	0.00	OCC	65.48	434.37
+90 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.25	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.18
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.18
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.18
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.25	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.25	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.26	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.26	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.21	0.00	OCC	65.36	434.37
+90 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.25	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.18
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.18
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.18
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.25	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.25	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.26	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.26	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.00	0.00	0.07	65.21	0.00	OCC	65.36	434.37
+90 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.31	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.12
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.12
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.12
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.31	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.31	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.31	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.31	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.09	0.00	OCC	65.24	434.37
+90 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.31	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.12
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.12
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.12
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.31	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.31	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.31	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.31	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	65.09	0.00	OCC	65.24	434.37
+90 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.36	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.07
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.07
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.07
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.36	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.36	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.37	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.37	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	64.97	0.00	OCC	65.11	434.37
+90 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.36	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.07
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.07
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.07
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.36	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.36	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.37	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.37	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	64.97	0.00	OCC	65.11	434.37
+90 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.42	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	355.01
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	355.01
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	355.01
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.42	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.42	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.43	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.42	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	64.84	0.00	OCC	64.99	434.37

[illegible]

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.84
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.84
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.84
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.60	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.60	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.60	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.60	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	64.45	0.00	OCC	64.60	434.37
+91 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.59	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.84
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.84
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.84
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.60	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.60	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.60	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.60	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	64.45	0.00	OCC	64.60	434.37
+91 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.66	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.77
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.77
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.77
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.66	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.66	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.66	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.66	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	64.32	0.00	OCC	64.46	434.37
+91 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.66	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.77
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.77
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.77
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.66	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.66	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.66	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.66	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	64.32	0.00	OCC	64.46	434.37
+91 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.72	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.71
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.71
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.71
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.72	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.72	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.72	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.72	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	64.18	0.00	OCC	64.33	434.37
+91 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.72	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.71
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.71

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.71
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.72	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.72	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.72	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.72	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	64.18	0.00	OCC	64.33	434.37
+91 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.78	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.65
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.65
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.65
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.78	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.78	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.79	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.78	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	64.04	0.00	OCC	64.19	434.37
+91 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.78	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.65
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.65
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.65
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.78	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.78	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.79	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.78	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	64.04	0.00	OCC	64.19	434.37
+91 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.84	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.59
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.59
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.59
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.84	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.84	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.85	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.85	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	63.90	0.00	OCC	64.05	434.37
+91 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.84	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.59
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.59
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.59
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.84	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.84	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.85	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.85	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	63.90	0.00	OCC	64.05	434.37
+91 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.91	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.52
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.52
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.52

Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.91	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.91	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.91	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.91	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	63.76	0.00	OCC	63.91	434.37
+91 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.91	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.52
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.52
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.52
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.91	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.91	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.91	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.91	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	63.76	0.00	OCC	63.91	434.37
+91 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.97	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.46
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.46
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.46
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.97	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.97	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.98	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.98	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	63.61	0.00	OCC	63.76	434.37
+91 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	111.97	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.46
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.46
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.46
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.97	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.97	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.98	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	111.98	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	63.61	0.00	OCC	63.76	434.37
+91 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.04	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.39
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.39
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.39
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.04	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.04	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.04	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	63.47	0.00	OCC	63.61	434.37
+91 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.04	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.39
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.39
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.39
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.04	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.04	361.97

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.04	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	63.47	0.00	OCC	63.61	434.37
+91 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.10	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.33
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.33
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.33
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.10	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.10	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.11	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.11	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	63.32	0.00	OCC	63.47	434.37
+91 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.10	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.33
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.33
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.33
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.10	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.10	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.11	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.11	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	63.32	0.00	OCC	63.47	434.37
+91 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.17	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.26
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.26
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.26
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.17	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.17	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.18	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.18	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	63.17	0.00	OCC	63.32	434.37
+92 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.17	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.26
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.26
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.26
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.17	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.17	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.18	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.18	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	63.17	0.00	OCC	63.32	434.37
+92 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.24	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.19
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.19
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.19
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.24	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.24	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.25	361.97

Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.25	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	63.02	0.00	OCC	63.16	434.37
+92 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.24	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.19
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.19
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.19
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.24	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.24	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.25	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.25	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	63.02	0.00	OCC	63.16	434.37
+92 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.31	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.12
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.12
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.12
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.31	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.31	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.32	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.32	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	62.86	0.00	OCC	63.01	434.37
+92 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.31	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.12
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.12
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.12
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.31	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.31	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.32	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.32	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	62.86	0.00	OCC	63.01	434.37
+92 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.38	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.05
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.05
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.05
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.38	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.38	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.39	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.39	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	62.70	0.00	OCC	62.85	434.37
+92 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.38	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	354.05
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	354.05
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	354.05
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.38	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.38	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.39	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.39	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.00	0.00	0.07	62.70	0.00	OCC	62.85	434.37
+92 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.45	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.98
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.98
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.98
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.45	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.45	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.46	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.46	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	62.54	0.00	OCC	62.69	434.37
+92 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.45	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.98
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.98
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.98
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.45	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.45	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.46	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.46	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	62.54	0.00	OCC	62.69	434.37
+92 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.53	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.90
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.90
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.90
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.53	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.53	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.53	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.53	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	62.38	0.00	OCC	62.53	434.37
+92 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.53	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.90
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.90
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.90
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.53	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.53	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.53	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.53	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	62.38	0.00	OCC	62.53	434.37
+92 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.60	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.83
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.83
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.83
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.60	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.60	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.61	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.61	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	62.22	0.00	OCC	62.36	434.37

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.60
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.60
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.60
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.83	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.83	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.83	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.83	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	61.71	0.00	OCC	61.86	434.37
+92 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.83	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.60
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.60
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.60
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.83	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.83	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.83	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.83	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	61.71	0.00	OCC	61.86	434.37
+92 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.91	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.52
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.52
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.52
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.91	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.91	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.91	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.91	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	61.54	0.00	OCC	61.68	434.37
+93 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.91	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.52
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.52
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.52
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.91	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.91	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.91	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.91	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	61.54	0.00	OCC	61.68	434.37
+93 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.99	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.44
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.44
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.44
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.99	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.99	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.99	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.99	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	61.36	0.00	OCC	61.50	434.37
+93 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	112.99	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.44
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.44

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.44
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.99	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.99	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.99	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	112.99	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	61.36	0.00	OCC	61.50	434.37
+93 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.07	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.36
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.36
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.36
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.07	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.07	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.07	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.07	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	61.18	0.00	OCC	61.33	434.37
+93 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.07	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.36
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.36
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.36
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.07	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.07	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.07	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.07	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	61.18	0.00	OCC	61.33	434.37
+93 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.15	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.28
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.28
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.28
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.15	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.15	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.16	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.16	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	61.00	0.00	OCC	61.14	434.37
+93 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.15	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.28
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.28
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.28
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.15	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.15	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.16	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.16	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	61.00	0.00	OCC	61.14	434.37
+93 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.23	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.20
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.20
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.20

Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.23	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.23	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.24	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.24	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	60.81	0.00	OCC	60.96	434.37
+93 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.23	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.20
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.20
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.20
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.23	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.23	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.24	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.24	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	60.81	0.00	OCC	60.96	434.37
+93 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.32	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.11
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.11
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.11
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.32	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.32	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.32	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.32	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	60.62	0.00	OCC	60.77	434.37
+93 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.32	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.11
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.11
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.11
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.32	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.32	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.32	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.32	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	60.62	0.00	OCC	60.77	434.37
+93 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.40	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.03
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.03
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.03
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.40	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.40	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.41	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.41	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	60.43	0.00	OCC	60.58	434.37
+93 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.40	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	353.03
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	353.03
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	353.03
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.40	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.40	361.97

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.41	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.41	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	60.43	0.00	OCC	60.58	434.37
+93 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.49	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.94
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.49	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.49	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.50	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	60.24	0.00	OCC	60.39	434.37
+93 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.49	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.94
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.94
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.94
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.49	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.49	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.50	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	60.24	0.00	OCC	60.39	434.37
+93 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.58	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.85
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.85
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.85
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.58	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.58	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.58	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.58	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	60.05	0.00	OCC	60.19	434.37
+93 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.58	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.85
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.85
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.85
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.58	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.58	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.58	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.58	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	60.05	0.00	OCC	60.19	434.37
+93 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.67	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.76
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.76
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.76
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.67	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.67	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.67	361.97

Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.67	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	59.85	0.00	OCC	59.99	434.37
+93 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.67	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.76
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.76
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.76
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.67	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.67	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.67	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.67	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	59.85	0.00	OCC	59.99	434.37
+93 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.76	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.67
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.67
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.67
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.76	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.76	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.76	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.76	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	59.65	0.00	OCC	59.79	434.37
+94 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.76	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.67
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.67
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.67
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.76	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.76	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.76	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.76	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	59.65	0.00	OCC	59.79	434.37
+94 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.85	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.58
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.58
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.58
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.85	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.85	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.86	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.86	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	59.44	0.00	OCC	59.59	434.37
+94 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.85	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.58
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.58
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.58
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.85	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.85	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.86	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.86	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.00	0.00	0.07	59.44	0.00	OCC	59.59	434.37
+94 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.94	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.49
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.49
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.49
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.94	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.94	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.95	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.95	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.00	0.07	59.23	0.00	OCC	59.38	434.37
+94 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	113.94	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.49
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.49
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.49
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.94	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.94	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.95	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	113.95	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.01	0.07	59.23	0.00	OCC	59.38	434.37
+94 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	114.04	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.39
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.39
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.39
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.04	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.04	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.04	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.01	0.07	59.02	0.00	OCC	59.17	434.37
+94 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	114.04	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.39
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.39
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.39
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.04	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.04	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.04	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.01	0.07	59.02	0.00	OCC	59.17	434.37
+94 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	114.13	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.30
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.30
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.30
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.14	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.14	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.14	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.14	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.00	0.01	0.07	58.81	0.00	OCC	58.96	434.37

+94	-	SIFI= 1.00	SIFO= 1.00										
UNREST	GR + Max P{1}			0.00	0.00	0.01	0.01	0.00	SUST	114.13	361.97		
	Amb to T1{1}			0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.30		
	Amb to T2{1}			0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.30		
	Amb to T3{1}			0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.30		
	Sus. + W1{1}			0.00	0.00	0.00	0.00	0.00	OCC	114.14	361.97		
	Sus. + W2{1}			0.00	0.00	0.00	0.00	0.00	OCC	114.14	361.97		
	Sus. + W3{1}			0.00	0.00	0.00	0.00	0.00	OCC	114.14	361.97		
	Sus. + W4{1}			0.00	0.00	0.00	0.00	0.00	OCC	114.14	361.97		
	Max P{1}								HOOP	211.04	289.58		
	Hydrotest-NL{2}			0.00	0.01	0.07	58.81	0.00	OCC	58.96	434.37		
+94	+	SIFI= 1.00	SIFO= 1.00										
UNREST	GR + Max P{1}			0.00	0.00	0.01	0.01	0.00	SUST	114.23	361.97		
	Amb to T1{1}			0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.20		
	Amb to T2{1}			0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.20		
	Amb to T3{1}			0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.20		
	Sus. + W1{1}			0.00	0.00	0.00	0.00	0.00	OCC	114.23	361.97		
	Sus. + W2{1}			0.00	0.00	0.00	0.00	0.00	OCC	114.23	361.97		
	Sus. + W3{1}			0.00	0.00	0.00	0.00	0.00	OCC	114.24	361.97		
	Sus. + W4{1}			0.00	0.00	0.00	0.00	0.00	OCC	114.24	361.97		
	Max P{1}								HOOP	211.04	289.58		
	Hydrotest-NL{2}			0.00	0.01	0.07	58.59	0.00	OCC	58.74	434.37		
+94	-	SIFI= 1.00	SIFO= 1.00										
UNREST	GR + Max P{1}			0.00	0.00	0.01	0.01	0.00	SUST	114.23	361.97		
	Amb to T1{1}			0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.20		
	Amb to T2{1}			0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.20		
	Amb to T3{1}			0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.20		
	Sus. + W1{1}			0.00	0.00	0.00	0.00	0.00	OCC	114.23	361.97		
	Sus. + W2{1}			0.00	0.00	0.00	0.00	0.00	OCC	114.23	361.97		
	Sus. + W3{1}			0.00	0.00	0.00	0.00	0.00	OCC	114.24	361.97		
	Sus. + W4{1}			0.00	0.00	0.00	0.00	0.00	OCC	114.24	361.97		
	Max P{1}								HOOP	211.04	289.58		
	Hydrotest-NL{2}			0.01	0.01	0.07	58.59	0.00	OCC	58.74	434.37		
+94	+	SIFI= 1.00	SIFO= 1.00										
UNREST	GR + Max P{1}			0.00	0.00	0.01	0.01	0.00	SUST	114.33	361.97		
	Amb to T1{1}			0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.10		
	Amb to T2{1}			0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.10		
	Amb to T3{1}			0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.10		
	Sus. + W1{1}			0.00	0.00	0.00	0.00	0.00	OCC	114.33	361.97		
	Sus. + W2{1}			0.00	0.00	0.00	0						

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.00
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.00
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.00
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.43	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.43	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.44	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.44	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.01	0.01	0.07	58.15	0.00	OCC	58.30	434.37
+94 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.01	0.00	SUST	114.43	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	352.00
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	352.00
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	352.00
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.43	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.43	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.44	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.44	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.01	0.01	0.07	58.15	0.00	OCC	58.30	434.37
+94 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	114.53	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.90
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.90
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.90
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.53	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.53	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.54	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.54	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.01	0.01	0.07	57.92	0.00	OCC	58.07	434.37
+94 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	114.53	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.90
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.90
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.90
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.53	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.53	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.54	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.54	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.01	0.01	0.07	57.92	0.00	OCC	58.07	434.37
+94 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	114.64	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.79
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.79
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.79
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.64	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.64	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.64	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.64	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.01	0.01	0.07	57.69	0.00	OCC	57.84	434.37
+94 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	114.64	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.79
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.79

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.79
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.64	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.64	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.64	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.64	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.02	0.01	0.07	57.69	0.00	OCC	57.84	434.37
+94 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	114.74	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.69
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.69
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.69
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.74	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.74	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.75	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.02	0.01	0.07	57.46	0.00	OCC	57.61	434.37
+95 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	114.74	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.69
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.69
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.69
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.74	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.74	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.75	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.02	0.01	0.07	57.46	0.00	OCC	57.61	434.37
+95 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	114.85	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.58
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.58
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.58
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.85	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.85	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.85	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.85	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.02	0.01	0.07	57.22	0.00	OCC	57.37	434.37
+95 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	114.85	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.58
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.58
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.58
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.85	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.85	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.85	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.85	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.03	0.01	0.07	57.22	0.00	OCC	57.37	434.37
+95 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	114.96	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.47
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.47
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.47

Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.96	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.96	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.96	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.96	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.03	0.01	0.07	56.98	0.00	OCC	57.13	434.37
+95 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	114.96	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.47
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.47
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.47
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.96	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.96	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.96	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	114.96	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.03	0.02	0.07	56.98	0.00	OCC	57.13	434.37
+95 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	115.07	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.36
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.36
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.36
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.07	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.07	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.07	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.07	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.03	0.02	0.07	56.74	0.00	OCC	56.89	434.37
+95 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	115.07	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.36
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.36
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.36
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.07	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.07	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.07	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.07	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.04	0.02	0.07	56.74	0.00	OCC	56.89	434.37
+95 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	115.18	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.25
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.25
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.25
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.18	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.18	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.18	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.18	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.04	0.02	0.07	56.49	0.00	OCC	56.64	434.37
+95 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	115.18	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.25
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.25
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.25
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.18	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.18	361.97

Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.18	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.18	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.04	0.02	0.07	56.49	0.00	OCC	56.64	434.37
+95 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	115.29	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.14
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.14
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.14
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.29	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.29	361.97
Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.30	361.97
Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	115.30	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.04	0.02	0.07	56.24	0.00	OCC	56.39	434.37
+95 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	115.29	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.14
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.14
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.14
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.29	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.29	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.30	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.30	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.05	0.02	0.07	56.24	0.00	OCC	56.39	434.37
+95 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	115.40	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.03
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.03
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.03
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.41	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.41	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.41	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.41	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.05	0.02	0.07	55.99	0.00	OCC	56.13	434.37
+95 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	115.40	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	351.03
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	351.03
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	351.03
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.41	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.41	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.41	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.41	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.05	0.02	0.07	55.99	0.00	OCC	56.13	434.37
+95 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	115.52	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.91
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	350.91
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.91
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.52	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.52	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.53	361.97

Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.53	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.05	0.02	0.07	55.73	0.00	OCC	55.87	434.37
+95 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	115.52	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.91
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	350.91
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.91
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.52	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.52	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.53	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.53	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.05	0.02	0.07	55.73	0.00	OCC	55.87	434.37
+95 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	115.64	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.79
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	350.79
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.79
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.64	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.64	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.65	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.64	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.05	0.02	0.07	55.47	0.00	OCC	55.61	434.37
+95 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	115.64	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.79
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	350.79
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.79
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.64	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.64	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.65	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.64	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.06	0.02	0.07	55.47	0.00	OCC	55.61	434.37
+95 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	115.76	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.67
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	350.67
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.67
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.76	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.76	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.77	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.76	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.06	0.02	0.07	55.20	0.00	OCC	55.35	434.37
+95 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	115.76	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.67
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	350.67
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.67
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.76	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.76	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.77	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.76	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.06	0.02	0.07	55.20	0.00	OCC	55.35	434.37
+95 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	115.88	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.55
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	350.55
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.55
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.88	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.88	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.89	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.89	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.06	0.02	0.07	54.93	0.00	OCC	55.08	434.37
+96 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	115.88	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.55
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	350.55
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.55
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.88	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.88	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.89	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	115.89	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.07	0.02	0.07	54.93	0.00	OCC	55.08	434.37
+96 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	116.00	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.43
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	350.43
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.43
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.00	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.00	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.01	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.01	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.07	0.02	0.07	54.66	0.00	OCC	54.80	434.37
+96 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	116.00	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.43
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	350.43
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.43
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.00	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.00	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.01	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.01	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.07	0.02	0.07	54.66	0.00	OCC	54.80	434.37
+96 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	116.13	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.30
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	350.30
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.30
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.13	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.13	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.13	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.13	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.07	0.02	0.07	54.38	0.00	OCC	54.53	434.37

+96 UNREST	- SIFI= 1.00 GR + Max P{1}	SIFO= 1.00											
Amb	to T1{1}		0.00	0.01	0.01	0.02	0.00	SUST	116.13	361.97			
Amb	to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.30			
Amb	to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.30			
Sus.	+ W1{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.13	361.97			
Sus.	+ W2{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.13	361.97			
Sus.	+ W3{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.13	361.97			
Sus.	+ W4{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.13	361.97			
Max	P{1}							HOOP	211.04	289.58			
Hydrotest-NL	{2}		0.08	0.02	0.07	54.38	0.00	OCC	54.53	434.37			
+96 UNREST	+ SIFI= 1.00 GR + Max P{1}	SIFO= 1.00											
Amb	to T1{1}		0.00	0.01	0.01	0.02	0.00	SUST	116.26	361.97			
Amb	to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.18			
Amb	to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.18			
Sus.	+ W1{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.26	361.97			
Sus.	+ W2{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.26	361.97			
Sus.	+ W3{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.26	361.97			
Sus.	+ W4{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.26	361.97			
Max	P{1}							HOOP	211.04	289.58			
Hydrotest-NL	{2}		0.08	0.02	0.07	54.10	0.00	OCC	54.24	434.37			
+96 UNREST	- SIFI= 1.00 GR + Max P{1}	SIFO= 1.00											
Amb	to T1{1}		0.00	0.01	0.01	0.02	0.00	SUST	116.26	361.97			
Amb	to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.18			
Amb	to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.18			
Sus.	+ W1{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.26	361.97			
Sus.	+ W2{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.26	361.97			
Sus.	+ W3{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.26	361.97			
Sus.	+ W4{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.26	361.97			
Max	P{1}							HOOP	211.04	289.58			
Hydrotest-NL	{2}		0.08	0.02	0.07	54.10	0.00	OCC	54.24	434.37			
+96 UNREST	+ SIFI= 1.00 GR + Max P{1}	SIFO= 1.00											
Amb	to T1{1}		0.00	0.01	0.01	0.02	0.00	SUST	116.38	361.97			
Amb	to T2{1}		0.00	0.00	0.01	0.00	0.00	DISP	0.01	350.05			
Amb	to T3{1}		0.00	0.00	0.00	0.00	0.00	DISP	0.00	350.05			
Sus.	+ W1{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.39	361.97			
Sus.	+ W2{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.39	361.97			
Sus.	+ W3{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.39	361.97			
Sus.	+ W4{1}		0.00	0.01	0.00	0.00	0.00	OCC	116.39	361.97			
Max	P{1}							HOOP	211.04	289.58			
Hydrotest-NL	{2}		0.08	0.02	0.07								

Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	349.92
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	349.92
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	349.92
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.52	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.52	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.52	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.52	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.08	0.02	0.07	53.52	0.00	OCC	53.67	434.37
+96 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	116.51	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	349.92
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	349.92
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	349.92
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.52	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.52	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.52	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.52	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.08	0.02	0.07	53.52	0.00	OCC	53.67	434.37
+96 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	116.65	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	349.78
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	349.78
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	349.78
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.65	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.65	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.65	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.65	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.08	0.02	0.07	53.23	0.00	OCC	53.37	434.37
+96 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	116.65	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	349.78
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	349.78
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	349.78
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.65	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.65	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.65	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.65	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.09	0.01	0.07	53.23	0.00	OCC	53.37	434.37
+96 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	116.78	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	349.65
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	349.65
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	349.65
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.78	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.78	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.79	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.79	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.09	0.01	0.07	52.93	0.00	OCC	53.08	434.37
+96 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	116.78	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	349.65
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	349.65

Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	349.65
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.78	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.78	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.79	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.79	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.09	0.01	0.07	52.93	0.00	OCC	53.08	434.37
+96 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	116.92	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	349.51
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	349.51
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	349.51
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.92	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.92	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.92	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.92	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.09	0.01	0.07	52.63	0.00	OCC	52.77	434.37
+96 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	116.92	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	349.51
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	349.51
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	349.51
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.92	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.92	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.92	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	116.92	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.09	0.01	0.07	52.63	0.00	OCC	52.77	434.37
+96 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	117.06	361.97
Amb to T1{1}	0.00	0.00	0.01	0.00	0.00	DISP	0.01	349.37
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	349.37
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	349.37
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.06	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.06	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.06	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.06	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.09	0.01	0.07	52.32	0.00	OCC	52.46	434.37
+96 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	117.06	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	349.37
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	349.37
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	349.37
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.06	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.06	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.06	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.06	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.09	0.00	0.07	52.32	0.00	OCC	52.46	434.37
+96 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	117.20	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	349.23
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	349.23
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	349.23

Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.20	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.20	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.20	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.09	0.00	0.07	52.01	0.00	OCC	52.15	434.37
+97 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	117.20	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	349.23
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	349.23
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	349.23
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.20	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.20	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.20	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.09	0.00	0.07	52.01	0.00	OCC	52.15	434.37
+97 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	117.34	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	349.09
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	349.09
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	349.09
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.34	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.34	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.35	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.35	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.09	0.00	0.07	51.69	0.00	OCC	51.84	434.37
+97 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	117.34	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	349.09
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	349.09
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	349.09
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.34	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.34	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.35	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.35	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.08	0.01	0.07	51.69	0.00	OCC	51.84	434.37
+97 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	117.48	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.95
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.49	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.49	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.49	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.08	0.01	0.07	51.37	0.00	OCC	51.51	434.37
+97 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	117.48	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.95
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.95
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.95
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.49	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.49	361.97

Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.49	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.08	0.02	0.07	51.37	0.00	OCC	51.51	434.37
+97 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	117.63	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.80
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.80
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.80
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.63	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.63	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.64	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.64	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.08	0.02	0.07	51.04	0.00	OCC	51.19	434.37
+97 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	117.63	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.80
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.80
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.80
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.63	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.63	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.64	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.64	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.08	0.02	0.07	51.04	0.00	OCC	51.19	434.37
+97 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	117.78	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.65
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.65
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.65
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.78	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.78	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.79	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.79	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.08	0.02	0.07	50.71	0.00	OCC	50.86	434.37
+97 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	117.78	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.65
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.65
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.65
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.78	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.78	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.79	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.79	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.07	0.03	0.07	50.71	0.00	OCC	50.86	434.37
+97 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	117.93	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.50
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.50
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.50
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.93	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.93	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.94	361.97

Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.94	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.07	0.03	0.07	50.38	0.00	OCC	50.52	434.37
+97 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	117.93	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.50
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.50
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.50
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.93	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	117.93	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.94	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	117.94	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.06	0.04	0.07	50.38	0.00	OCC	50.52	434.37
+97 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	118.08	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.35
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.35
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.35
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	118.09	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	118.09	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.09	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.09	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.06	0.04	0.07	50.04	0.00	OCC	50.18	434.37
+97 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	118.08	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.35
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.35
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.35
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	118.09	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	118.09	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.09	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.09	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.05	0.06	0.07	50.04	0.00	OCC	50.18	434.37
+97 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.00	0.01	0.02	0.00	SUST	118.24	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.19
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.19
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.19
Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	118.24	361.97
Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	118.24	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.25	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.25	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.05	0.06	0.07	49.69	0.00	OCC	49.84	434.37
+97 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	118.24	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.19
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.19
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.19
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.24	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.24	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.25	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.25	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.04	0.07	0.07	49.69	0.00	OCC	49.84	434.37
+97 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	118.40	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.03
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.03
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.03
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.40	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.40	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.40	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.40	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.04	0.07	0.07	49.35	0.00	OCC	49.50	434.37
+97 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	118.40	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	348.03
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	348.03
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	348.03
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.40	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.40	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.40	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.40	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.03	0.08	0.07	49.35	0.00	OCC	49.50	434.37
+97 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	118.56	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	347.87
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	347.87
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	347.87
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.56	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.56	361.97
Sus. + W3{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.56	361.97
Sus. + W4{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.56	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.03	0.08	0.07	49.01	0.00	OCC	49.16	434.37
+97 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	118.56	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	347.87
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	347.87
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	347.87
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.56	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.56	361.97
Sus. + W3{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.56	361.97
Sus. + W4{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.56	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.01	0.10	0.07	49.01	0.00	OCC	49.16	434.37
+97 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.01	0.01	0.02	0.00	SUST	118.72	361.97
Amb to T1{1}	0.01	0.00	0.01	0.00	0.00	DISP	0.01	347.71
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	347.71
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	347.71
Sus. + W1{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.72	361.97
Sus. + W2{1}	0.00	0.01	0.00	0.00	0.00	OCC	118.72	361.97
Sus. + W3{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.73	361.97
Sus. + W4{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.73	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.01	0.10	0.07	48.67	0.00	OCC	48.81	434.37

+98 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.00	0.02	0.01	0.02	0.00	SUST	118.72	361.97	
Amb to T1{1}	0.01	0.01	0.01	0.00	0.00	DISP	0.01	347.71	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	347.71	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	347.71	
Sus. + W1{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.72	361.97	
Sus. + W2{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.72	361.97	
Sus. + W3{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.73	361.97	
Sus. + W4{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.73	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.01	0.12	0.07	48.67	0.00	OCC	48.81	434.37	
+98 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.00	0.02	0.01	0.02	0.00	SUST	118.88	361.97	
Amb to T1{1}	0.01	0.01	0.01	0.00	0.00	DISP	0.01	347.55	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	347.55	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	347.55	
Sus. + W1{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.89	361.97	
Sus. + W2{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.89	361.97	
Sus. + W3{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.89	361.97	
Sus. + W4{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.89	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.01	0.12	0.07	48.33	0.00	OCC	48.47	434.37	
+98 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.00	0.02	0.01	0.02	0.00	SUST	118.88	361.97	
Amb to T1{1}	0.01	0.01	0.01	0.00	0.00	DISP	0.01	347.55	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	347.55	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	347.55	
Sus. + W1{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.89	361.97	
Sus. + W2{1}	0.00	0.02	0.00	0.00	0.00	OCC	118.89	361.97	
Sus. + W3{1}	0.00	0.03	0.00	0.00	0.00	OCC	118.89	361.97	
Sus. + W4{1}	0.00	0.03	0.00	0.00	0.00	OCC	118.89	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.03	0.14	0.07	48.33	0.00	OCC	48.47	434.37	
+98 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.00	0.02	0.01	0.02	0.00	SUST	119.05	361.97	
Amb to T1{1}	0.01	0.01	0.01	0.00	0.00	DISP	0.01	347.38	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	347.38	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	347.38	
Sus. + W1{1}	0.00	0.02	0.00	0.00	0.00	OCC	119.05	361.97	
Sus. + W2{1}	0.00	0.02	0.00	0.00	0.00	OCC	119.05	361.97	
Sus. + W3{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.06	361.97	
Sus. + W4{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.06	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.03	0.14	0.07	47.98	0.00	OCC	48.13	434.37	
+98 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.00	0.03	0.01	0.02	0.00	SUST	119.05	361.97	
Amb to T1{1}	0.01	0.01	0.01	0.00	0.00	DISP	0.01	347.38	
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	347.38	
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	347.38	
Sus. + W1{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.05	361.97	
Sus. + W2{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.05	361.97	
Sus. + W3{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.06	361.97	
Sus. + W4{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.06	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.06	0.16	0.07	47.98	0.00	OCC	48.13	434.37	
+98 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.00	0.03	0.01	0.03	0.00	SUST	119.22	361.97	

Amb to T1{1}	0.01	0.01	0.01	0.00	0.00	DISP	0.01	347.21
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	347.21
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	347.21
Sus. + W1{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.22	361.97
Sus. + W2{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.22	361.97
Sus. + W3{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.23	361.97
Sus. + W4{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.23	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.06	0.16	0.07	47.64	0.00	OCC	47.79	434.37
+98 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.03	0.01	0.03	0.00	SUST	119.22	361.97
Amb to T1{1}	0.01	0.01	0.01	0.00	0.00	DISP	0.01	347.21
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	347.21
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	347.21
Sus. + W1{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.22	361.97
Sus. + W2{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.22	361.97
Sus. + W3{1}	0.00	0.04	0.00	0.00	0.00	OCC	119.23	361.97
Sus. + W4{1}	0.00	0.04	0.00	0.00	0.00	OCC	119.23	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.09	0.18	0.07	47.64	0.00	OCC	47.79	434.37
+98 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.03	0.01	0.03	0.00	SUST	119.39	361.97
Amb to T1{1}	0.01	0.01	0.01	0.00	0.00	DISP	0.01	347.04
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	347.04
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	347.04
Sus. + W1{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.40	361.97
Sus. + W2{1}	0.00	0.03	0.00	0.00	0.00	OCC	119.40	361.97
Sus. + W3{1}	0.00	0.04	0.00	0.00	0.00	OCC	119.40	361.97
Sus. + W4{1}	0.00	0.04	0.00	0.00	0.00	OCC	119.40	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.09	0.18	0.07	47.30	0.00	OCC	47.45	434.37
+98 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.04	0.01	0.03	0.00	SUST	119.39	361.97
Amb to T1{1}	0.00	0.01	0.01	0.00	0.00	DISP	0.01	347.04
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	347.04
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	347.04
Sus. + W1{1}	0.00	0.04	0.00	0.00	0.00	OCC	119.40	361.97
Sus. + W2{1}	0.00	0.04	0.00	0.00	0.00	OCC	119.40	361.97
Sus. + W3{1}	0.00	0.04	0.00	0.00	0.00	OCC	119.40	361.97
Sus. + W4{1}	0.00	0.04	0.00	0.00	0.00	OCC	119.40	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.12	0.20	0.07	47.30	0.00	OCC	47.45	434.37
+98 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.04	0.01	0.03	0.00	SUST	119.57	361.97
Amb to T1{1}	0.00	0.01	0.01	0.00	0.00	DISP	0.01	346.86
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	346.86
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	346.86
Sus. + W1{1}	0.00	0.04	0.00	0.00	0.00	OCC	119.57	361.97
Sus. + W2{1}	0.00	0.04	0.00	0.00	0.00	OCC	119.57	361.97
Sus. + W3{1}	0.00	0.04	0.00	0.00	0.00	OCC	119.57	361.97
Sus. + W4{1}	0.00	0.04	0.00	0.00	0.00	OCC	119.57	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.12	0.20	0.07	46.96	0.00	OCC	47.10	434.37
+98 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.05	0.01	0.03	0.00	SUST	119.57	361.97
Amb to T1{1}	0.00	0.01	0.01	0.00	0.00	DISP	0.01	346.86
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	346.86

Amb to T3{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.00	346.86
Sus. + W1{1}	0.00	0.05	0.00	0.00	0.00	OCC	119.57	361.97
Sus. + W2{1}	0.00	0.05	0.00	0.00	0.00	OCC	119.57	361.97
Sus. + W3{1}	0.00	0.05	0.00	0.00	0.00	OCC	119.57	361.97
Sus. + W4{1}	0.00	0.05	0.00	0.00	0.00	OCC	119.57	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.15	0.22	0.07	46.96	0.00	OCC	47.10	434.37
+98 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.05	0.01	0.03	0.00	SUST	119.75	361.97
Amb to T1{1}	0.00	0.01	0.01	0.00	0.00	DISP	0.01	346.68
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.01	346.68
Amb to T3{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.00	346.68
Sus. + W1{1}	0.00	0.05	0.00	0.00	0.00	OCC	119.75	361.97
Sus. + W2{1}	0.00	0.05	0.00	0.00	0.00	OCC	119.75	361.97
Sus. + W3{1}	0.00	0.05	0.00	0.00	0.00	OCC	119.75	361.97
Sus. + W4{1}	0.00	0.05	0.00	0.00	0.00	OCC	119.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.15	0.22	0.07	46.62	0.00	OCC	46.76	434.37
+98 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.05	0.01	0.03	0.00	SUST	119.75	361.97
Amb to T1{1}	0.01	0.01	0.01	0.00	0.00	DISP	0.01	346.68
Amb to T2{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.01	346.68
Amb to T3{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.00	346.68
Sus. + W1{1}	0.00	0.05	0.00	0.00	0.00	OCC	119.75	361.97
Sus. + W2{1}	0.00	0.05	0.00	0.00	0.00	OCC	119.75	361.97
Sus. + W3{1}	0.00	0.05	0.00	0.00	0.00	OCC	119.75	361.97
Sus. + W4{1}	0.00	0.05	0.00	0.00	0.00	OCC	119.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.19	0.25	0.07	46.62	0.00	OCC	46.76	434.37
+98 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.05	0.01	0.03	0.00	SUST	119.93	361.97
Amb to T1{1}	0.01	0.01	0.01	0.00	0.00	DISP	0.01	346.50
Amb to T2{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.01	346.50
Amb to T3{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.00	346.50
Sus. + W1{1}	0.00	0.05	0.00	0.00	0.00	OCC	119.93	361.97
Sus. + W2{1}	0.00	0.05	0.00	0.00	0.00	OCC	119.93	361.97
Sus. + W3{1}	0.00	0.05	0.00	0.00	0.00	OCC	119.93	361.97
Sus. + W4{1}	0.00	0.05	0.00	0.00	0.00	OCC	119.93	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.19	0.25	0.07	46.27	0.00	OCC	46.42	434.37
+98 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.06	0.01	0.03	0.00	SUST	119.93	361.97
Amb to T1{1}	0.02	0.01	0.01	0.00	0.00	DISP	0.01	346.50
Amb to T2{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.01	346.50
Amb to T3{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.00	346.50
Sus. + W1{1}	0.00	0.06	0.00	0.00	0.00	OCC	119.93	361.97
Sus. + W2{1}	0.00	0.06	0.00	0.00	0.00	OCC	119.93	361.97
Sus. + W3{1}	0.00	0.06	0.00	0.00	0.00	OCC	119.93	361.97
Sus. + W4{1}	0.00	0.06	0.00	0.00	0.00	OCC	119.93	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.23	0.27	0.07	46.27	0.00	OCC	46.42	434.37
+98 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.06	0.01	0.03	0.00	SUST	120.11	361.97
Amb to T1{1}	0.02	0.01	0.01	0.00	0.00	DISP	0.01	346.32
Amb to T2{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.01	346.32
Amb to T3{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.00	346.32

Sus. + W1{1}	0.00	0.06	0.00	0.00	0.00	OCC	120.11	361.97
Sus. + W2{1}	0.00	0.06	0.00	0.00	0.00	OCC	120.11	361.97
Sus. + W3{1}	0.00	0.06	0.00	0.00	0.00	OCC	120.11	361.97
Sus. + W4{1}	0.00	0.06	0.00	0.00	0.00	OCC	120.11	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.23	0.27	0.07	45.93	0.00	OCC	46.08	434.37
+98 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.07	0.01	0.03	0.00	SUST	120.11	361.97
Amb to T1{1}	0.03	0.01	0.01	0.00	0.00	DISP	0.01	346.32
Amb to T2{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.01	346.32
Amb to T3{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.00	346.32
Sus. + W1{1}	0.00	0.07	0.00	0.00	0.00	OCC	120.11	361.97
Sus. + W2{1}	0.00	0.07	0.00	0.00	0.00	OCC	120.11	361.97
Sus. + W3{1}	0.00	0.07	0.00	0.00	0.00	OCC	120.11	361.97
Sus. + W4{1}	0.00	0.07	0.00	0.00	0.00	OCC	120.11	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.28	0.30	0.07	45.93	0.00	OCC	46.08	434.37
+98 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.07	0.01	0.03	0.00	SUST	120.29	361.97
Amb to T1{1}	0.03	0.01	0.01	0.00	0.00	DISP	0.01	346.14
Amb to T2{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.01	346.14
Amb to T3{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.00	346.14
Sus. + W1{1}	0.00	0.07	0.00	0.00	0.00	OCC	120.30	361.97
Sus. + W2{1}	0.00	0.07	0.00	0.00	0.00	OCC	120.30	361.97
Sus. + W3{1}	0.00	0.07	0.00	0.00	0.00	OCC	120.30	361.97
Sus. + W4{1}	0.00	0.07	0.00	0.00	0.00	OCC	120.30	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.28	0.30	0.07	45.59	0.00	OCC	45.74	434.37
+98 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.08	0.01	0.03	0.00	SUST	120.29	361.97
Amb to T1{1}	0.05	0.01	0.01	0.00	0.00	DISP	0.01	346.14
Amb to T2{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.01	346.14
Amb to T3{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.00	346.14
Sus. + W1{1}	0.00	0.08	0.00	0.00	0.00	OCC	120.30	361.97
Sus. + W2{1}	0.00	0.08	0.00	0.00	0.00	OCC	120.30	361.97
Sus. + W3{1}	0.00	0.08	0.00	0.00	0.00	OCC	120.30	361.97
Sus. + W4{1}	0.00	0.08	0.00	0.00	0.00	OCC	120.30	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.33	0.32	0.07	45.59	0.00	OCC	45.74	434.37
+98 + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.08	0.01	0.03	0.00	SUST	120.48	361.97
Amb to T1{1}	0.05	0.01	0.01	0.00	0.00	DISP	0.01	345.95
Amb to T2{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.01	345.95
Amb to T3{1}	0.00	0.01	0.00	0.00	0.00	DISP	0.00	345.95
Sus. + W1{1}	0.00	0.08	0.00	0.00	0.00	OCC	120.48	361.97
Sus. + W2{1}	0.00	0.08	0.00	0.00	0.00	OCC	120.48	361.97
Sus. + W3{1}	0.00	0.08	0.00	0.00	0.00	OCC	120.49	361.97
Sus. + W4{1}	0.00	0.08	0.00	0.00	0.00	OCC	120.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.33	0.32	0.07	45.25	0.00	OCC	45.40	434.37
+99 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.00	0.09	0.01	0.03	0.00	SUST	120.48	361.97
Amb to T1{1}	0.06	0.01	0.01	0.00	0.00	DISP	0.01	345.95
Amb to T2{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.01	345.95
Amb to T3{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.00	345.95
Sus. + W1{1}	0.00	0.09	0.00	0.00	0.00	OCC	120.48	361.97
Sus. + W2{1}	0.00	0.09	0.00	0.00	0.00	OCC	120.48	361.97

Sus. + W3{1}	0.00	0.09	0.00	0.00	0.00	OCC	120.49	361.97
Sus. + W4{1}	0.00	0.09	0.00	0.00	0.00	OCC	120.49	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.39	0.35	0.07	45.25	0.00	OCC	45.40	434.37
+99 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.09	0.01	0.03	0.00	SUST	120.67	361.97
Amb to T1{1}	0.06	0.01	0.01	0.00	0.00	DISP	0.01	345.76
Amb to T2{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.01	345.76
Amb to T3{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.00	345.76
Sus. + W1{1}	0.00	0.09	0.00	0.00	0.00	OCC	120.67	361.97
Sus. + W2{1}	0.00	0.09	0.00	0.00	0.00	OCC	120.67	361.97
Sus. + W3{1}	0.00	0.09	0.00	0.00	0.00	OCC	120.68	361.97
Sus. + W4{1}	0.00	0.09	0.00	0.00	0.00	OCC	120.68	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.39	0.35	0.07	44.91	0.00	OCC	45.06	434.37
+99 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.10	0.01	0.03	0.00	SUST	120.67	361.97
Amb to T1{1}	0.08	0.01	0.01	0.00	0.00	DISP	0.01	345.76
Amb to T2{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.01	345.76
Amb to T3{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.00	345.76
Sus. + W1{1}	0.00	0.10	0.00	0.00	0.00	OCC	120.67	361.97
Sus. + W2{1}	0.00	0.10	0.00	0.00	0.00	OCC	120.67	361.97
Sus. + W3{1}	0.00	0.10	0.00	0.00	0.00	OCC	120.68	361.97
Sus. + W4{1}	0.00	0.10	0.00	0.00	0.00	OCC	120.68	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.45	0.38	0.07	44.91	0.00	OCC	45.06	434.37
+99 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.10	0.01	0.03	0.00	SUST	120.87	361.97
Amb to T1{1}	0.08	0.01	0.01	0.00	0.00	DISP	0.01	345.57
Amb to T2{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.01	345.57
Amb to T3{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.00	345.57
Sus. + W1{1}	0.00	0.10	0.00	0.00	0.00	OCC	120.87	361.97
Sus. + W2{1}	0.00	0.10	0.00	0.00	0.00	OCC	120.87	361.97
Sus. + W3{1}	0.00	0.10	0.00	0.00	0.00	OCC	120.87	361.97
Sus. + W4{1}	0.00	0.10	0.00	0.00	0.00	OCC	120.87	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.45	0.38	0.07	44.57	0.00	OCC	44.71	434.37
+99 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.11	0.01	0.03	0.00	SUST	120.87	361.97
Amb to T1{1}	0.10	0.01	0.01	0.00	0.00	DISP	0.01	345.57
Amb to T2{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.01	345.57
Amb to T3{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.00	345.57
Sus. + W1{1}	0.00	0.11	0.00	0.00	0.00	OCC	120.87	361.97
Sus. + W2{1}	0.00	0.11	0.00	0.00	0.00	OCC	120.87	361.97
Sus. + W3{1}	0.00	0.11	0.00	0.00	0.00	OCC	120.87	361.97
Sus. + W4{1}	0.00	0.11	0.00	0.00	0.00	OCC	120.87	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.51	0.40	0.07	44.57	0.00	OCC	44.71	434.37
+99 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.11	0.01	0.03	0.00	SUST	121.06	361.97
Amb to T1{1}	0.10	0.01	0.01	0.00	0.00	DISP	0.01	345.37
Amb to T2{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.01	345.37
Amb to T3{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.00	345.37
Sus. + W1{1}	0.00	0.11	0.00	0.00	0.00	OCC	121.06	361.97
Sus. + W2{1}	0.00	0.11	0.00	0.00	0.00	OCC	121.06	361.97
Sus. + W3{1}	0.00	0.11	0.00	0.00	0.00	OCC	121.07	361.97

Sus. + W4{1}	0.00	0.11	0.00	0.00	0.00	OCC	121.07	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.51	0.40	0.07	44.23	0.00	OCC	44.37	434.37
+99 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.12	0.01	0.03	0.00	SUST	121.06	361.97
Amb to T1{1}	0.12	0.01	0.01	0.00	0.00	DISP	0.01	345.37
Amb to T2{1}	0.00	0.03	0.00	0.00	0.00	DISP	0.01	345.37
Amb to T3{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.00	345.37
Sus. + W1{1}	0.00	0.12	0.00	0.00	0.00	OCC	121.06	361.97
Sus. + W2{1}	0.00	0.12	0.00	0.00	0.00	OCC	121.06	361.97
Sus. + W3{1}	0.00	0.13	0.00	0.00	0.00	OCC	121.07	361.97
Sus. + W4{1}	0.00	0.12	0.00	0.00	0.00	OCC	121.07	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.58	0.42	0.07	44.23	0.00	OCC	44.37	434.37
+99 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.12	0.01	0.03	0.00	SUST	121.26	361.97
Amb to T1{1}	0.12	0.01	0.01	0.00	0.00	DISP	0.01	345.17
Amb to T2{1}	0.00	0.03	0.00	0.00	0.00	DISP	0.01	345.17
Amb to T3{1}	0.00	0.02	0.00	0.00	0.00	DISP	0.00	345.17
Sus. + W1{1}	0.00	0.12	0.00	0.00	0.00	OCC	121.26	361.97
Sus. + W2{1}	0.00	0.12	0.00	0.00	0.00	OCC	121.26	361.97
Sus. + W3{1}	0.00	0.13	0.00	0.00	0.00	OCC	121.27	361.97
Sus. + W4{1}	0.00	0.12	0.00	0.00	0.00	OCC	121.27	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.58	0.42	0.07	43.89	0.00	OCC	44.03	434.37
+99 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.13	0.01	0.03	0.00	SUST	121.26	361.97
Amb to T1{1}	0.15	0.01	0.01	0.00	0.00	DISP	0.01	345.17
Amb to T2{1}	0.00	0.03	0.00	0.00	0.00	DISP	0.01	345.17
Amb to T3{1}	0.00	0.03	0.00	0.00	0.00	DISP	0.00	345.17
Sus. + W1{1}	0.00	0.13	0.00	0.00	0.00	OCC	121.26	361.97
Sus. + W2{1}	0.00	0.13	0.00	0.00	0.00	OCC	121.26	361.97
Sus. + W3{1}	0.00	0.14	0.00	0.00	0.00	OCC	121.27	361.97
Sus. + W4{1}	0.00	0.14	0.00	0.00	0.00	OCC	121.27	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.65	0.45	0.07	43.89	0.00	OCC	44.03	434.37
+99 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.13	0.01	0.03	0.00	SUST	121.46	361.97
Amb to T1{1}	0.15	0.01	0.01	0.00	0.00	DISP	0.01	344.97
Amb to T2{1}	0.00	0.03	0.00	0.00	0.00	DISP	0.01	344.97
Amb to T3{1}	0.00	0.03	0.00	0.00	0.00	DISP	0.00	344.97
Sus. + W1{1}	0.00	0.13	0.00	0.00	0.00	OCC	121.47	361.97
Sus. + W2{1}	0.00	0.13	0.00	0.00	0.00	OCC	121.47	361.97
Sus. + W3{1}	0.00	0.14	0.00	0.00	0.00	OCC	121.47	361.97
Sus. + W4{1}	0.00	0.14	0.00	0.00	0.00	OCC	121.47	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.65	0.45	0.07	43.55	0.00	OCC	43.69	434.37
+99 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.14	0.01	0.03	0.00	SUST	121.46	361.97
Amb to T1{1}	0.17	0.01	0.01	0.00	0.00	DISP	0.01	344.97
Amb to T2{1}	0.00	0.04	0.00	0.00	0.00	DISP	0.01	344.97
Amb to T3{1}	0.00	0.03	0.00	0.00	0.00	DISP	0.00	344.97
Sus. + W1{1}	0.00	0.14	0.00	0.00	0.00	OCC	121.47	361.97
Sus. + W2{1}	0.00	0.14	0.00	0.00	0.00	OCC	121.47	361.97
Sus. + W3{1}	0.00	0.15	0.00	0.00	0.00	OCC	121.47	361.97
Sus. + W4{1}	0.00	0.15	0.00	0.00	0.00	OCC	121.47	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	0.72	0.47	0.07	43.55	0.00	OCC	43.69	434.37
+99 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.14	0.01	0.03	0.00	SUST	121.67	361.97
Amb to T1{1}	0.17	0.01	0.01	0.00	0.00	DISP	0.01	344.76
Amb to T2{1}	0.00	0.04	0.00	0.00	0.00	DISP	0.01	344.76
Amb to T3{1}	0.00	0.03	0.00	0.00	0.00	DISP	0.00	344.76
Sus. + W1{1}	0.00	0.14	0.00	0.00	0.00	OCC	121.67	361.97
Sus. + W2{1}	0.00	0.14	0.00	0.00	0.00	OCC	121.67	361.97
Sus. + W3{1}	0.00	0.15	0.00	0.00	0.00	OCC	121.67	361.97
Sus. + W4{1}	0.00	0.15	0.00	0.00	0.00	OCC	121.67	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.72	0.47	0.07	43.21	0.00	OCC	43.35	434.37
+99 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.15	0.01	0.03	0.00	SUST	121.67	361.97
Amb to T1{1}	0.20	0.01	0.01	0.00	0.00	DISP	0.01	344.76
Amb to T2{1}	0.00	0.04	0.00	0.00	0.00	DISP	0.01	344.76
Amb to T3{1}	0.00	0.03	0.00	0.00	0.00	DISP	0.00	344.76
Sus. + W1{1}	0.00	0.15	0.00	0.00	0.00	OCC	121.67	361.97
Sus. + W2{1}	0.00	0.15	0.00	0.00	0.00	OCC	121.67	361.97
Sus. + W3{1}	0.00	0.17	0.00	0.00	0.00	OCC	121.67	361.97
Sus. + W4{1}	0.00	0.16	0.00	0.00	0.00	OCC	121.67	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.80	0.48	0.07	43.21	0.00	OCC	43.35	434.37
+99 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.00	0.15	0.01	0.03	0.00	SUST	121.88	361.97
Amb to T1{1}	0.20	0.01	0.01	0.00	0.00	DISP	0.01	344.55
Amb to T2{1}	0.00	0.04	0.00	0.00	0.00	DISP	0.01	344.55
Amb to T3{1}	0.00	0.03	0.00	0.00	0.00	DISP	0.00	344.55
Sus. + W1{1}	0.00	0.15	0.00	0.00	0.00	OCC	121.88	361.97
Sus. + W2{1}	0.00	0.15	0.00	0.00	0.00	OCC	121.88	361.97
Sus. + W3{1}	0.00	0.17	0.00	0.00	0.00	OCC	121.88	361.97
Sus. + W4{1}	0.00	0.16	0.00	0.00	0.00	OCC	121.88	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.80	0.48	0.07	42.86	0.00	OCC	43.01	434.37
+99 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.01	0.16	0.01	0.03	0.00	SUST	121.88	361.97
Amb to T1{1}	0.23	0.01	0.01	0.00	0.00	DISP	0.01	344.55
Amb to T2{1}	0.00	0.05	0.00	0.00	0.00	DISP	0.01	344.55
Amb to T3{1}	0.00	0.04	0.00	0.00	0.00	DISP	0.00	344.55
Sus. + W1{1}	0.01	0.16	0.00	0.00	0.00	OCC	121.88	361.97
Sus. + W2{1}	0.01	0.16	0.00	0.00	0.00	OCC	121.88	361.97
Sus. + W3{1}	0.01	0.18	0.00	0.00	0.00	OCC	121.88	361.97
Sus. + W4{1}	0.01	0.18	0.00	0.00	0.00	OCC	121.88	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.89	0.49	0.07	42.86	0.00	OCC	43.01	434.37
+99 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.01	0.16	0.01	0.03	0.00	SUST	122.09	361.97
Amb to T1{1}	0.23	0.01	0.01	0.00	0.00	DISP	0.01	344.34
Amb to T2{1}	0.00	0.05	0.00	0.00	0.00	DISP	0.01	344.34
Amb to T3{1}	0.00	0.04	0.00	0.00	0.00	DISP	0.00	344.34
Sus. + W1{1}	0.01	0.16	0.00	0.00	0.00	OCC	122.09	361.97
Sus. + W2{1}	0.01	0.16	0.00	0.00	0.00	OCC	122.09	361.97
Sus. + W3{1}	0.01	0.18	0.00	0.00	0.00	OCC	122.09	361.97
Sus. + W4{1}	0.01	0.18	0.00	0.00	0.00	OCC	122.09	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.89	0.49	0.07	42.52	0.00	OCC	42.67	434.37

+99 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.01	0.17	0.01	0.03	0.00	SUST	122.09	361.97	
Amb to T1{1}	0.26	0.01	0.01	0.00	0.00	DISP	0.01	344.34	
Amb to T2{1}	0.00	0.05	0.00	0.00	0.00	DISP	0.01	344.34	
Amb to T3{1}	0.00	0.04	0.00	0.00	0.00	DISP	0.00	344.34	
Sus. + W1{1}	0.01	0.17	0.00	0.00	0.00	OCC	122.09	361.97	
Sus. + W2{1}	0.01	0.17	0.00	0.00	0.00	OCC	122.09	361.97	
Sus. + W3{1}	0.01	0.19	0.00	0.00	0.00	OCC	122.09	361.97	
Sus. + W4{1}	0.01	0.19	0.00	0.00	0.00	OCC	122.09	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.97	0.50	0.07	42.52	0.00	OCC	42.67	434.37	
+99 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.01	0.17	0.01	0.03	0.00	SUST	122.30	361.97	
Amb to T1{1}	0.26	0.01	0.01	0.00	0.00	DISP	0.01	344.13	
Amb to T2{1}	0.00	0.05	0.00	0.00	0.00	DISP	0.01	344.13	
Amb to T3{1}	0.00	0.04	0.00	0.00	0.00	DISP	0.00	344.13	
Sus. + W1{1}	0.01	0.17	0.00	0.00	0.00	OCC	122.30	361.97	
Sus. + W2{1}	0.01	0.17	0.00	0.00	0.00	OCC	122.30	361.97	
Sus. + W3{1}	0.01	0.19	0.00	0.00	0.00	OCC	122.31	361.97	
Sus. + W4{1}	0.01	0.19	0.00	0.00	0.00	OCC	122.31	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	0.97	0.50	0.07	42.18	0.00	OCC	42.33	434.37	
+99 - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.02	0.17	0.01	0.03	0.00	SUST	122.30	361.97	
Amb to T1{1}	0.29	0.01	0.01	0.00	0.00	DISP	0.01	344.13	
Amb to T2{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.01	344.13	
Amb to T3{1}	0.00	0.05	0.00	0.00	0.00	DISP	0.00	344.13	
Sus. + W1{1}	0.02	0.18	0.00	0.00	0.00	OCC	122.30	361.97	
Sus. + W2{1}	0.02	0.18	0.00	0.00	0.00	OCC	122.30	361.97	
Sus. + W3{1}	0.02	0.20	0.00	0.00	0.00	OCC	122.31	361.97	
Sus. + W4{1}	0.02	0.20	0.00	0.00	0.00	OCC	122.31	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	1.06	0.50	0.07	42.18	0.00	OCC	42.33	434.37	
+99 + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.02	0.17	0.01	0.03	0.00	SUST	122.52	361.97	
Amb to T1{1}	0.29	0.01	0.01	0.00	0.00	DISP	0.01	343.91	
Amb to T2{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.01	343.91	
Amb to T3{1}	0.00	0.05	0.00	0.00	0.00	DISP	0.00	343.91	
Sus. + W1{1}	0.02	0.18	0.00	0.00	0.00	OCC	122.52	361.97	
Sus. + W2{1}	0.02	0.18	0.00	0.00	0.00	OCC	122.52	361.97	
Sus. + W3{1}	0.02	0.20	0.00	0.00	0.00	OCC	122.53	361.97	
Sus. + W4{1}	0.02	0.20	0.00	0.00	0.00	OCC	122.52	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	1.06	0.50	0.07	41.84	0.00	OCC	41.99	434.37	
+++ - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.02	0.18	0.01	0.03	0.00	SUST	122.52	361.97	
Amb to T1{1}	0.31	0.01	0.01	0.00	0.00	DISP	0.01	343.91	
Amb to T2{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.01	343.91	
Amb to T3{1}	0.00	0.05	0.00	0.00	0.00	DISP	0.00	343.91	
Sus. + W									

Amb to T1{1}	0.31	0.01	0.01	0.00	0.00	DISP	0.01	343.69
Amb to T2{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.01	343.69
Amb to T3{1}	0.00	0.05	0.00	0.00	0.00	DISP	0.00	343.69
Sus. + W1{1}	0.02	0.19	0.00	0.00	0.00	OCC	122.74	361.97
Sus. + W2{1}	0.02	0.19	0.00	0.00	0.00	OCC	122.74	361.97
Sus. + W3{1}	0.02	0.22	0.00	0.00	0.00	OCC	122.75	361.97
Sus. + W4{1}	0.02	0.21	0.00	0.00	0.00	OCC	122.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.15	0.49	0.07	41.50	0.00	OCC	41.65	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.03	0.19	0.01	0.03	0.00	SUST	122.74	361.97
Amb to T1{1}	0.33	0.00	0.01	0.00	0.00	DISP	0.01	343.69
Amb to T2{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.01	343.69
Amb to T3{1}	0.00	0.05	0.00	0.00	0.00	DISP	0.00	343.69
Sus. + W1{1}	0.03	0.20	0.00	0.00	0.00	OCC	122.74	361.97
Sus. + W2{1}	0.03	0.20	0.00	0.00	0.00	OCC	122.74	361.97
Sus. + W3{1}	0.03	0.23	0.00	0.00	0.00	OCC	122.75	361.97
Sus. + W4{1}	0.03	0.22	0.00	0.00	0.00	OCC	122.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.25	0.47	0.07	41.50	0.00	OCC	41.65	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.03	0.19	0.01	0.03	0.00	SUST	122.96	361.97
Amb to T1{1}	0.33	0.00	0.01	0.00	0.00	DISP	0.01	343.47
Amb to T2{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.01	343.47
Amb to T3{1}	0.00	0.05	0.00	0.00	0.00	DISP	0.00	343.47
Sus. + W1{1}	0.03	0.20	0.00	0.00	0.00	OCC	122.97	361.97
Sus. + W2{1}	0.03	0.20	0.00	0.00	0.00	OCC	122.97	361.97
Sus. + W3{1}	0.03	0.23	0.00	0.00	0.00	OCC	122.97	361.97
Sus. + W4{1}	0.03	0.22	0.00	0.00	0.00	OCC	122.97	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.25	0.47	0.07	41.16	0.00	OCC	41.31	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.03	0.19	0.01	0.03	0.00	SUST	122.96	361.97
Amb to T1{1}	0.35	0.00	0.01	0.00	0.00	DISP	0.01	343.47
Amb to T2{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.01	343.47
Amb to T3{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.00	343.47
Sus. + W1{1}	0.03	0.20	0.00	0.00	0.00	OCC	122.97	361.97
Sus. + W2{1}	0.03	0.20	0.00	0.00	0.00	OCC	122.97	361.97
Sus. + W3{1}	0.03	0.24	0.00	0.00	0.00	OCC	122.97	361.97
Sus. + W4{1}	0.03	0.23	0.00	0.00	0.00	OCC	122.97	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.34	0.45	0.07	41.16	0.00	OCC	41.31	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.03	0.19	0.01	0.03	0.00	SUST	123.19	361.97
Amb to T1{1}	0.35	0.00	0.01	0.00	0.00	DISP	0.01	343.24
Amb to T2{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.01	343.24
Amb to T3{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.00	343.24
Sus. + W1{1}	0.03	0.20	0.00	0.00	0.00	OCC	123.19	361.97
Sus. + W2{1}	0.03	0.20	0.00	0.00	0.00	OCC	123.19	361.97
Sus. + W3{1}	0.03	0.24	0.00	0.00	0.00	OCC	123.20	361.97
Sus. + W4{1}	0.03	0.23	0.00	0.00	0.00	OCC	123.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.34	0.45	0.07	40.82	0.00	OCC	40.97	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.04	0.20	0.01	0.03	0.00	SUST	123.19	361.97
Amb to T1{1}	0.35	0.00	0.01	0.00	0.00	DISP	0.01	343.24
Amb to T2{1}	0.00	0.08	0.00	0.00	0.00	DISP	0.01	343.24

Amb to T3{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.00	343.24
Sus. + W1{1}	0.04	0.21	0.00	0.00	0.00	OCC	123.19	361.97
Sus. + W2{1}	0.04	0.21	0.00	0.00	0.00	OCC	123.19	361.97
Sus. + W3{1}	0.04	0.25	0.00	0.00	0.00	OCC	123.20	361.97
Sus. + W4{1}	0.04	0.24	0.00	0.00	0.00	OCC	123.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.43	0.41	0.07	40.82	0.00	OCC	40.97	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.04	0.20	0.01	0.03	0.00	SUST	123.42	361.97
Amb to T1{1}	0.35	0.00	0.01	0.00	0.00	DISP	0.01	343.01
Amb to T2{1}	0.00	0.08	0.00	0.00	0.00	DISP	0.01	343.01
Amb to T3{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.00	343.01
Sus. + W1{1}	0.04	0.21	0.00	0.00	0.00	OCC	123.42	361.97
Sus. + W2{1}	0.04	0.21	0.00	0.00	0.00	OCC	123.42	361.97
Sus. + W3{1}	0.04	0.25	0.00	0.00	0.00	OCC	123.43	361.97
Sus. + W4{1}	0.04	0.24	0.00	0.00	0.00	OCC	123.43	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.43	0.41	0.07	40.48	0.00	OCC	40.63	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.04	0.20	0.01	0.03	0.00	SUST	123.42	361.97
Amb to T1{1}	0.35	0.00	0.01	0.00	0.00	DISP	0.01	343.01
Amb to T2{1}	0.00	0.09	0.00	0.00	0.00	DISP	0.01	343.01
Amb to T3{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.00	343.01
Sus. + W1{1}	0.05	0.21	0.00	0.00	0.00	OCC	123.42	361.97
Sus. + W2{1}	0.05	0.21	0.00	0.00	0.00	OCC	123.42	361.97
Sus. + W3{1}	0.04	0.25	0.00	0.00	0.00	OCC	123.43	361.97
Sus. + W4{1}	0.04	0.25	0.00	0.00	0.00	OCC	123.43	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.51	0.36	0.07	40.48	0.00	OCC	40.63	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.04	0.20	0.01	0.03	0.00	SUST	123.65	361.97
Amb to T1{1}	0.35	0.00	0.01	0.00	0.00	DISP	0.01	342.78
Amb to T2{1}	0.00	0.09	0.00	0.00	0.00	DISP	0.01	342.78
Amb to T3{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.00	342.78
Sus. + W1{1}	0.05	0.21	0.00	0.00	0.00	OCC	123.66	361.97
Sus. + W2{1}	0.05	0.21	0.00	0.00	0.00	OCC	123.66	361.97
Sus. + W3{1}	0.04	0.25	0.00	0.00	0.00	OCC	123.66	361.97
Sus. + W4{1}	0.04	0.25	0.00	0.00	0.00	OCC	123.66	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.51	0.36	0.07	40.14	0.00	OCC	40.29	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.05	0.19	0.01	0.03	0.00	SUST	123.65	361.97
Amb to T1{1}	0.33	0.01	0.01	0.00	0.00	DISP	0.01	342.78
Amb to T2{1}	0.00	0.09	0.00	0.00	0.00	DISP	0.01	342.78
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	342.78
Sus. + W1{1}	0.05	0.20	0.00	0.00	0.00	OCC	123.66	361.97
Sus. + W2{1}	0.05	0.20	0.00	0.00	0.00	OCC	123.66	361.97
Sus. + W3{1}	0.05	0.26	0.00	0.00	0.00	OCC	123.66	361.97
Sus. + W4{1}	0.05	0.25	0.00	0.00	0.00	OCC	123.66	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.56	0.30	0.07	40.14	0.00	OCC	40.29	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.05	0.19	0.01	0.04	0.00	SUST	123.89	361.97
Amb to T1{1}	0.33	0.01	0.01	0.00	0.00	DISP	0.01	342.54
Amb to T2{1}	0.00	0.09	0.00	0.00	0.00	DISP	0.01	342.54
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	342.54

Sus. + W1{1}	0.05	0.20	0.00	0.00	0.00	OCC	123.89	361.97
Sus. + W2{1}	0.05	0.20	0.00	0.00	0.00	OCC	123.89	361.97
Sus. + W3{1}	0.05	0.26	0.00	0.00	0.00	OCC	123.90	361.97
Sus. + W4{1}	0.05	0.25	0.00	0.00	0.00	OCC	123.90	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.56	0.30	0.07	39.80	0.00	OCC	39.95	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.06	0.19	0.01	0.04	0.00	SUST	123.89	361.97
Amb to T1{1}	0.29	0.01	0.01	0.00	0.00	DISP	0.01	342.54
Amb to T2{1}	0.00	0.10	0.00	0.00	0.00	DISP	0.01	342.54
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	342.54
Sus. + W1{1}	0.06	0.20	0.00	0.00	0.00	OCC	123.89	361.97
Sus. + W2{1}	0.06	0.20	0.00	0.00	0.00	OCC	123.89	361.97
Sus. + W3{1}	0.06	0.26	0.00	0.00	0.00	OCC	123.90	361.97
Sus. + W4{1}	0.06	0.25	0.00	0.00	0.00	OCC	123.90	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.57	0.22	0.07	39.80	0.00	OCC	39.95	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.06	0.19	0.01	0.04	0.00	SUST	124.13	361.97
Amb to T1{1}	0.29	0.01	0.01	0.00	0.00	DISP	0.01	342.30
Amb to T2{1}	0.00	0.10	0.00	0.00	0.00	DISP	0.01	342.30
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	342.30
Sus. + W1{1}	0.06	0.20	0.00	0.00	0.00	OCC	124.14	361.97
Sus. + W2{1}	0.06	0.20	0.00	0.00	0.00	OCC	124.14	361.97
Sus. + W3{1}	0.06	0.26	0.00	0.00	0.00	OCC	124.14	361.97
Sus. + W4{1}	0.06	0.25	0.00	0.00	0.00	OCC	124.14	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.57	0.22	0.07	39.47	0.00	OCC	39.61	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.07	0.18	0.01	0.04	0.00	SUST	124.13	361.97
Amb to T1{1}	0.23	0.02	0.01	0.00	0.00	DISP	0.01	342.30
Amb to T2{1}	0.00	0.10	0.00	0.00	0.00	DISP	0.01	342.30
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	342.30
Sus. + W1{1}	0.07	0.19	0.00	0.00	0.00	OCC	124.14	361.97
Sus. + W2{1}	0.07	0.19	0.00	0.00	0.00	OCC	124.14	361.97
Sus. + W3{1}	0.07	0.25	0.00	0.00	0.00	OCC	124.14	361.97
Sus. + W4{1}	0.07	0.24	0.00	0.00	0.00	OCC	124.14	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.52	0.12	0.07	39.47	0.00	OCC	39.61	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.07	0.18	0.01	0.04	0.00	SUST	124.38	361.97
Amb to T1{1}	0.23	0.02	0.01	0.00	0.00	DISP	0.01	342.05
Amb to T2{1}	0.00	0.10	0.00	0.00	0.00	DISP	0.01	342.05
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	342.05
Sus. + W1{1}	0.07	0.19	0.00	0.00	0.00	OCC	124.38	361.97
Sus. + W2{1}	0.07	0.19	0.00	0.00	0.00	OCC	124.38	361.97
Sus. + W3{1}	0.07	0.25	0.00	0.00	0.00	OCC	124.38	361.97
Sus. + W4{1}	0.07	0.24	0.00	0.00	0.00	OCC	124.38	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.52	0.12	0.07	39.13	0.00	OCC	39.27	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.08	0.16	0.01	0.04	0.00	SUST	124.38	361.97
Amb to T1{1}	0.14	0.02	0.01	0.00	0.00	DISP	0.01	342.05
Amb to T2{1}	0.01	0.10	0.00	0.00	0.00	DISP	0.01	342.05
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	342.05
Sus. + W1{1}	0.08	0.17	0.00	0.00	0.00	OCC	124.38	361.97
Sus. + W2{1}	0.08	0.17	0.00	0.00	0.00	OCC	124.38	361.97

Sus. + W3{1}	0.08	0.24	0.00	0.00	0.00	OCC	124.38	361.97
Sus. + W4{1}	0.08	0.24	0.00	0.00	0.00	OCC	124.38	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.41	0.00	0.07	39.13	0.00	OCC	39.27	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.08	0.16	0.01	0.04	0.00	SUST	124.62	361.97
Amb to T1{1}	0.14	0.02	0.01	0.00	0.00	DISP	0.01	341.81
Amb to T2{1}	0.01	0.10	0.00	0.00	0.00	DISP	0.01	341.81
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	341.81
Sus. + W1{1}	0.08	0.17	0.00	0.00	0.00	OCC	124.63	361.97
Sus. + W2{1}	0.08	0.17	0.00	0.00	0.00	OCC	124.63	361.97
Sus. + W3{1}	0.08	0.24	0.00	0.00	0.00	OCC	124.63	361.97
Sus. + W4{1}	0.08	0.24	0.00	0.00	0.00	OCC	124.63	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.41	0.00	0.07	38.79	0.00	OCC	38.93	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.08	0.15	0.01	0.04	0.00	SUST	124.62	361.97
Amb to T1{1}	0.02	0.03	0.01	0.00	0.00	DISP	0.01	341.81
Amb to T2{1}	0.01	0.11	0.00	0.00	0.00	DISP	0.01	341.81
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	341.81
Sus. + W1{1}	0.08	0.16	0.00	0.00	0.00	OCC	124.63	361.97
Sus. + W2{1}	0.08	0.16	0.00	0.00	0.00	OCC	124.63	361.97
Sus. + W3{1}	0.08	0.23	0.00	0.00	0.00	OCC	124.63	361.97
Sus. + W4{1}	0.08	0.22	0.00	0.00	0.00	OCC	124.63	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.19	0.13	0.07	38.79	0.00	OCC	38.93	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.08	0.15	0.01	0.04	0.00	SUST	124.88	361.97
Amb to T1{1}	0.02	0.03	0.01	0.00	0.00	DISP	0.01	341.55
Amb to T2{1}	0.01	0.11	0.00	0.00	0.00	DISP	0.01	341.55
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	341.55
Sus. + W1{1}	0.08	0.16	0.00	0.00	0.00	OCC	124.88	361.97
Sus. + W2{1}	0.08	0.16	0.00	0.00	0.00	OCC	124.88	361.97
Sus. + W3{1}	0.08	0.23	0.00	0.00	0.00	OCC	124.88	361.97
Sus. + W4{1}	0.08	0.22	0.00	0.00	0.00	OCC	124.88	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.19	0.13	0.07	38.45	0.00	OCC	38.59	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.09	0.12	0.01	0.04	0.00	SUST	124.88	361.97
Amb to T1{1}	0.14	0.04	0.01	0.00	0.00	DISP	0.01	341.55
Amb to T2{1}	0.01	0.11	0.00	0.00	0.00	DISP	0.01	341.55
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	341.55
Sus. + W1{1}	0.09	0.13	0.00	0.00	0.00	OCC	124.88	361.97
Sus. + W2{1}	0.09	0.13	0.00	0.00	0.00	OCC	124.88	361.97
Sus. + W3{1}	0.09	0.21	0.00	0.00	0.00	OCC	124.88	361.97
Sus. + W4{1}	0.09	0.20	0.00	0.00	0.00	OCC	124.88	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.86	0.29	0.07	38.45	0.00	OCC	38.59	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.09	0.12	0.01	0.04	0.00	SUST	125.13	361.97
Amb to T1{1}	0.14	0.04	0.01	0.00	0.00	DISP	0.01	341.30
Amb to T2{1}	0.01	0.11	0.00	0.00	0.00	DISP	0.01	341.30
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	341.30
Sus. + W1{1}	0.09	0.13	0.00	0.00	0.00	OCC	125.13	361.97
Sus. + W2{1}	0.09	0.13	0.00	0.00	0.00	OCC	125.13	361.97
Sus. + W3{1}	0.09	0.21	0.00	0.00	0.00	OCC	125.14	361.97

Sus. + W4{1}	0.09	0.20	0.00	0.00	0.00	OCC	125.14	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.86	0.29	0.07	38.11	0.00	OCC	38.25	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.09	0.09	0.01	0.04	0.00	SUST	125.13	361.97
Amb to T1{1}	0.34	0.04	0.01	0.00	0.00	DISP	0.01	341.30
Amb to T2{1}	0.02	0.11	0.00	0.00	0.00	DISP	0.01	341.30
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	341.30
Sus. + W1{1}	0.09	0.10	0.00	0.00	0.00	OCC	125.13	361.97
Sus. + W2{1}	0.09	0.10	0.00	0.00	0.00	OCC	125.13	361.97
Sus. + W3{1}	0.09	0.19	0.00	0.00	0.00	OCC	125.14	361.97
Sus. + W4{1}	0.09	0.18	0.00	0.00	0.00	OCC	125.14	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.39	0.48	0.07	38.11	0.00	OCC	38.25	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.09	0.09	0.01	0.04	0.00	SUST	125.39	361.97
Amb to T1{1}	0.34	0.04	0.01	0.00	0.00	DISP	0.01	341.04
Amb to T2{1}	0.02	0.11	0.00	0.00	0.00	DISP	0.01	341.04
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	341.04
Sus. + W1{1}	0.09	0.10	0.00	0.00	0.00	OCC	125.39	361.97
Sus. + W2{1}	0.09	0.10	0.00	0.00	0.00	OCC	125.39	361.97
Sus. + W3{1}	0.09	0.19	0.00	0.00	0.00	OCC	125.40	361.97
Sus. + W4{1}	0.09	0.18	0.00	0.00	0.00	OCC	125.40	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.39	0.48	0.07	37.77	0.00	OCC	37.92	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.10	0.05	0.01	0.04	0.00	SUST	125.39	361.97
Amb to T1{1}	0.58	0.05	0.01	0.00	0.00	DISP	0.01	341.04
Amb to T2{1}	0.02	0.11	0.00	0.00	0.00	DISP	0.01	341.04
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	341.04
Sus. + W1{1}	0.10	0.06	0.00	0.00	0.00	OCC	125.39	361.97
Sus. + W2{1}	0.10	0.06	0.00	0.00	0.00	OCC	125.39	361.97
Sus. + W3{1}	0.10	0.16	0.00	0.00	0.00	OCC	125.40	361.97
Sus. + W4{1}	0.10	0.15	0.00	0.00	0.00	OCC	125.40	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.23	0.69	0.07	37.77	0.00	OCC	37.92	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.10	0.05	0.01	0.04	0.00	SUST	125.65	361.97
Amb to T1{1}	0.58	0.05	0.01	0.00	0.00	DISP	0.01	340.78
Amb to T2{1}	0.02	0.11	0.00	0.00	0.00	DISP	0.01	340.78
Amb to T3{1}	0.00	0.07	0.00	0.00	0.00	DISP	0.00	340.78
Sus. + W1{1}	0.10	0.06	0.00	0.00	0.00	OCC	125.66	361.97
Sus. + W2{1}	0.10	0.06	0.00	0.00	0.00	OCC	125.66	361.97
Sus. + W3{1}	0.10	0.16	0.00	0.00	0.00	OCC	125.66	361.97
Sus. + W4{1}	0.10	0.15	0.00	0.00	0.00	OCC	125.66	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	0.23	0.69	0.07	37.43	0.00	OCC	37.58	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.10	0.01	0.01	0.04	0.00	SUST	125.65	361.97
Amb to T1{1}	0.88	0.06	0.01	0.00	0.00	DISP	0.01	340.78
Amb to T2{1}	0.02	0.10	0.00	0.00	0.00	DISP	0.01	340.78
Amb to T3{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.00	340.78
Sus. + W1{1}	0.10	0.01	0.00	0.00	0.00	OCC	125.66	361.97
Sus. + W2{1}	0.10	0.01	0.00	0.00	0.00	OCC	125.66	361.97
Sus. + W3{1}	0.10	0.12	0.00	0.00	0.00	OCC	125.66	361.97
Sus. + W4{1}	0.10	0.11	0.00	0.00	0.00	OCC	125.66	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	1.05	0.92	0.07	37.43	0.00	OCC	37.58	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.10	0.01	0.01	0.04	0.00	SUST	125.92	361.97
Amb to T1{1}	0.88	0.06	0.01	0.00	0.00	DISP	0.01	340.51
Amb to T2{1}	0.02	0.10	0.00	0.00	0.00	DISP	0.01	340.51
Amb to T3{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.00	340.51
Sus. + W1{1}	0.10	0.01	0.00	0.00	0.00	OCC	125.92	361.97
Sus. + W2{1}	0.10	0.01	0.00	0.00	0.00	OCC	125.92	361.97
Sus. + W3{1}	0.10	0.12	0.00	0.00	0.00	OCC	125.93	361.97
Sus. + W4{1}	0.10	0.11	0.00	0.00	0.00	OCC	125.92	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1.05	0.92	0.07	37.09	0.00	OCC	37.24	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.09	0.04	0.01	0.04	0.00	SUST	125.92	361.97
Amb to T1{1}	1.23	0.07	0.01	0.00	0.00	DISP	0.01	340.51
Amb to T2{1}	0.03	0.10	0.00	0.00	0.00	DISP	0.01	340.51
Amb to T3{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.00	340.51
Sus. + W1{1}	0.09	0.05	0.00	0.00	0.00	OCC	125.92	361.97
Sus. + W2{1}	0.09	0.05	0.00	0.00	0.00	OCC	125.92	361.97
Sus. + W3{1}	0.09	0.16	0.00	0.00	0.00	OCC	125.93	361.97
Sus. + W4{1}	0.09	0.15	0.00	0.00	0.00	OCC	125.92	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	2.08	1.19	0.07	37.09	0.00	OCC	37.24	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.09	0.04	0.01	0.04	0.00	SUST	126.19	361.97
Amb to T1{1}	1.23	0.07	0.01	0.00	0.00	DISP	0.01	340.24
Amb to T2{1}	0.03	0.10	0.00	0.00	0.00	DISP	0.01	340.24
Amb to T3{1}	0.00	0.06	0.00	0.00	0.00	DISP	0.00	340.24
Sus. + W1{1}	0.09	0.05	0.00	0.00	0.00	OCC	126.19	361.97
Sus. + W2{1}	0.09	0.05	0.00	0.00	0.00	OCC	126.19	361.97
Sus. + W3{1}	0.09	0.16	0.00	0.00	0.00	OCC	126.20	361.97
Sus. + W4{1}	0.09	0.15	0.00	0.00	0.00	OCC	126.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	2.08	1.19	0.07	36.75	0.00	OCC	36.90	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.08	0.10	0.01	0.04	0.00	SUST	126.19	361.97
Amb to T1{1}	1.63	0.08	0.01	0.00	0.00	DISP	0.01	340.24
Amb to T2{1}	0.03	0.09	0.00	0.00	0.00	DISP	0.01	340.24
Amb to T3{1}	0.00	0.05	0.00	0.00	0.00	DISP	0.00	340.24
Sus. + W1{1}	0.08	0.11	0.00	0.00	0.00	OCC	126.19	361.97
Sus. + W2{1}	0.08	0.11	0.00	0.00	0.00	OCC	126.19	361.97
Sus. + W3{1}	0.08	0.22	0.00	0.00	0.00	OCC	126.20	361.97
Sus. + W4{1}	0.08	0.21	0.00	0.00	0.00	OCC	126.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	3.35	1.49	0.07	36.75	0.00	OCC	36.90	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	0.08	0.10	0.01	0.04	0.00	SUST	126.46	361.97
Amb to T1{1}	1.63	0.08	0.01	0.00	0.00	DISP	0.01	339.97
Amb to T2{1}	0.03	0.09	0.00	0.00	0.00	DISP	0.01	339.97
Amb to T3{1}	0.00	0.05	0.00	0.00	0.00	DISP	0.00	339.97
Sus. + W1{1}	0.08	0.11	0.00	0.00	0.00	OCC	126.47	361.97
Sus. + W2{1}	0.08	0.11	0.00	0.00	0.00	OCC	126.47	361.97
Sus. + W3{1}	0.08	0.22	0.00	0.00	0.00	OCC	126.47	361.97
Sus. + W4{1}	0.08	0.21	0.00	0.00	0.00	OCC	126.47	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	3.35	1.49	0.07	36.41	0.00	OCC	36.56	434.37

*** - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.07	0.18	0.01	0.04	0.00	SUST	126.46	361.97	
Amb to T1{1}	2.10	0.10	0.01	0.00	0.00	DISP	0.01	339.97	
Amb to T2{1}	0.04	0.08	0.00	0.00	0.00	DISP	0.01	339.97	
Amb to T3{1}	0.01	0.04	0.00	0.00	0.00	DISP	0.00	339.97	
Sus. + W1{1}	0.07	0.18	0.00	0.00	0.00	OCC	126.47	361.97	
Sus. + W2{1}	0.07	0.18	0.00	0.00	0.00	OCC	126.47	361.97	
Sus. + W3{1}	0.07	0.29	0.00	0.00	0.00	OCC	126.47	361.97	
Sus. + W4{1}	0.07	0.28	0.00	0.00	0.00	OCC	126.47	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	4.87	1.82	0.07	36.41	0.00	OCC	36.56	434.37	
*** + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.07	0.18	0.01	0.04	0.00	SUST	126.74	361.97	
Amb to T1{1}	2.10	0.10	0.01	0.00	0.00	DISP	0.01	339.69	
Amb to T2{1}	0.04	0.08	0.00	0.00	0.00	DISP	0.01	339.69	
Amb to T3{1}	0.01	0.04	0.00	0.00	0.00	DISP	0.00	339.69	
Sus. + W1{1}	0.07	0.18	0.00	0.00	0.00	OCC	126.75	361.97	
Sus. + W2{1}	0.07	0.18	0.00	0.00	0.00	OCC	126.75	361.97	
Sus. + W3{1}	0.07	0.29	0.00	0.00	0.00	OCC	126.75	361.97	
Sus. + W4{1}	0.07	0.28	0.00	0.00	0.00	OCC	126.75	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	4.87	1.82	0.07	36.08	0.00	OCC	36.22	434.37	
*** - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.05	0.26	0.01	0.04	0.00	SUST	126.74	361.97	
Amb to T1{1}	2.63	0.11	0.01	0.00	0.00	DISP	0.01	339.69	
Amb to T2{1}	0.05	0.07	0.00	0.00	0.00	DISP	0.01	339.69	
Amb to T3{1}	0.01	0.02	0.00	0.00	0.00	DISP	0.00	339.69	
Sus. + W1{1}	0.05	0.26	0.00	0.00	0.00	OCC	126.75	361.97	
Sus. + W2{1}	0.05	0.26	0.00	0.00	0.00	OCC	126.75	361.97	
Sus. + W3{1}	0.05	0.37	0.00	0.00	0.00	OCC	126.75	361.97	
Sus. + W4{1}	0.05	0.37	0.00	0.00	0.00	OCC	126.75	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	6.67	2.18	0.07	36.08	0.00	OCC	36.22	434.37	
*** + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.05	0.26	0.01	0.04	0.00	SUST	127.02	361.97	
Amb to T1{1}	2.63	0.11	0.01	0.00	0.00	DISP	0.01	339.41	
Amb to T2{1}	0.05	0.07	0.00	0.00	0.00	DISP	0.01	339.41	
Amb to T3{1}	0.01	0.02	0.00	0.00	0.00	DISP	0.00	339.41	
Sus. + W1{1}	0.05	0.26	0.00	0.00	0.00	OCC	127.03	361.97	
Sus. + W2{1}	0.05	0.26	0.00	0.00	0.00	OCC	127.03	361.97	
Sus. + W3{1}	0.05	0.37	0.00	0.00	0.00	OCC	127.03	361.97	
Sus. + W4{1}	0.05	0.37	0.00	0.00	0.00	OCC	127.03	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	6.67	2.18	0.07	35.74	0.00	OCC	35.88	434.37	
*** - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.02	0.35	0.01	0.04	0.00	SUST	127.02	361.97	
Amb to T1{1}	3.22	0.12	0.01	0.00	0.00	DISP	0.01	339.41	
Amb to T2{1}	0.05	0.05	0.00	0.00	0.00	DISP	0.01	339.41	
Amb to T3{1}	0.01	0.01	0.00	0.00	0.00	DISP	0.00	339.41	
Sus. + W1{1}	0.02	0.36	0.00	0.00	0.00	OCC	127.03	361.97	
Sus. + W2{1}	0.02	0.36	0.00	0.00	0.00	OCC	127.03	361.97	
Sus. + W3{1}	0.02	0.47	0.00	0.00	0.00	OCC	127.03	361.97	
Sus. + W4{1}	0.02	0.46	0.00	0.00	0.00	OCC	127.03	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	8.77	2.57	0.07	35.74	0.00	OCC	35.88	434.37	
*** + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	0.02	0.35	0.01	0.04	0.00	SUST	127.31	361.97	

Amb to T1{1}	3.22	0.12	0.01	0.00	0.00	DISP	0.01	339.12
Amb to T2{1}	0.05	0.05	0.00	0.00	0.00	DISP	0.01	339.12
Amb to T3{1}	0.01	0.01	0.00	0.00	0.00	DISP	0.00	339.12
Sus. + W1{1}	0.02	0.36	0.00	0.00	0.00	OCC	127.31	361.97
Sus. + W2{1}	0.02	0.36	0.00	0.00	0.00	OCC	127.31	361.97
Sus. + W3{1}	0.02	0.47	0.00	0.00	0.00	OCC	127.32	361.97
Sus. + W4{1}	0.02	0.46	0.00	0.00	0.00	OCC	127.32	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	8.77	2.57	0.07	35.40	0.00	OCC	35.55	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.02	0.45	0.01	0.04	0.00	SUST	127.31	361.97
Amb to T1{1}	3.86	0.13	0.01	0.00	0.00	DISP	0.01	339.12
Amb to T2{1}	0.06	0.03	0.00	0.00	0.00	DISP	0.01	339.12
Amb to T3{1}	0.01	0.01	0.00	0.00	0.00	DISP	0.00	339.12
Sus. + W1{1}	0.02	0.46	0.00	0.00	0.00	OCC	127.31	361.97
Sus. + W2{1}	0.02	0.46	0.00	0.00	0.00	OCC	127.31	361.97
Sus. + W3{1}	0.02	0.57	0.00	0.00	0.00	OCC	127.32	361.97
Sus. + W4{1}	0.02	0.56	0.00	0.00	0.00	OCC	127.32	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	11.16	3.00	0.07	35.40	0.00	OCC	35.55	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.02	0.45	0.01	0.04	0.00	SUST	127.60	361.97
Amb to T1{1}	3.86	0.13	0.01	0.00	0.00	DISP	0.01	338.83
Amb to T2{1}	0.06	0.03	0.00	0.00	0.00	DISP	0.01	338.83
Amb to T3{1}	0.01	0.01	0.00	0.00	0.00	DISP	0.00	338.83
Sus. + W1{1}	0.02	0.46	0.00	0.00	0.00	OCC	127.61	361.97
Sus. + W2{1}	0.02	0.46	0.00	0.00	0.00	OCC	127.61	361.97
Sus. + W3{1}	0.02	0.57	0.00	0.00	0.00	OCC	127.61	361.97
Sus. + W4{1}	0.02	0.56	0.00	0.00	0.00	OCC	127.61	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	11.16	3.00	0.07	35.06	0.00	OCC	35.21	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.07	0.57	0.01	0.04	0.00	SUST	127.60	361.97
Amb to T1{1}	4.55	0.15	0.01	0.00	0.00	DISP	0.01	338.83
Amb to T2{1}	0.06	0.01	0.00	0.00	0.00	DISP	0.01	338.83
Amb to T3{1}	0.02	0.03	0.00	0.00	0.00	DISP	0.00	338.83
Sus. + W1{1}	0.07	0.58	0.00	0.00	0.00	OCC	127.61	361.97
Sus. + W2{1}	0.07	0.58	0.00	0.00	0.00	OCC	127.61	361.97
Sus. + W3{1}	0.07	0.68	0.00	0.00	0.00	OCC	127.61	361.97
Sus. + W4{1}	0.07	0.67	0.00	0.00	0.00	OCC	127.61	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	13.85	3.46	0.07	35.06	0.00	OCC	35.21	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.07	0.57	0.01	0.04	0.00	SUST	127.90	361.97
Amb to T1{1}	4.55	0.15	0.01	0.00	0.00	DISP	0.01	338.53
Amb to T2{1}	0.06	0.01	0.00	0.00	0.00	DISP	0.01	338.53
Amb to T3{1}	0.02	0.03	0.00	0.00	0.00	DISP	0.00	338.53
Sus. + W1{1}	0.07	0.58	0.00	0.00	0.00	OCC	127.90	361.97
Sus. + W2{1}	0.07	0.58	0.00	0.00	0.00	OCC	127.90	361.97
Sus. + W3{1}	0.07	0.68	0.00	0.00	0.00	OCC	127.90	361.97
Sus. + W4{1}	0.07	0.67	0.00	0.00	0.00	OCC	127.90	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	13.85	3.46	0.07	34.73	0.00	OCC	34.87	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.13	0.70	0.01	0.04	0.00	SUST	127.90	361.97
Amb to T1{1}	5.27	0.16	0.01	0.00	0.00	DISP	0.01	338.53
Amb to T2{1}	0.07	0.02	0.00	0.00	0.00	DISP	0.01	338.53

Amb to T3{1}	0.02	0.06	0.00	0.00	0.00	DISP	0.00	338.53
Sus. + W1{1}	0.13	0.72	0.00	0.00	0.00	OCC	127.90	361.97
Sus. + W2{1}	0.13	0.72	0.00	0.00	0.00	OCC	127.90	361.97
Sus. + W3{1}	0.13	0.80	0.00	0.00	0.00	OCC	127.90	361.97
Sus. + W4{1}	0.13	0.79	0.00	0.00	0.00	OCC	127.90	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	16.83	3.96	0.07	34.73	0.00	OCC	34.87	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.13	0.70	0.01	0.04	0.00	SUST	128.20	361.97
Amb to T1{1}	5.27	0.16	0.01	0.00	0.00	DISP	0.01	338.23
Amb to T2{1}	0.07	0.02	0.00	0.00	0.00	DISP	0.01	338.23
Amb to T3{1}	0.02	0.06	0.00	0.00	0.00	DISP	0.00	338.23
Sus. + W1{1}	0.13	0.72	0.00	0.00	0.00	OCC	128.20	361.97
Sus. + W2{1}	0.13	0.72	0.00	0.00	0.00	OCC	128.20	361.97
Sus. + W3{1}	0.13	0.80	0.00	0.00	0.00	OCC	128.20	361.97
Sus. + W4{1}	0.13	0.79	0.00	0.00	0.00	OCC	128.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	16.83	3.96	0.07	34.39	0.00	OCC	34.53	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.21	0.84	0.01	0.04	0.00	SUST	128.20	361.97
Amb to T1{1}	6.01	0.18	0.01	0.00	0.00	DISP	0.01	338.23
Amb to T2{1}	0.07	0.05	0.00	0.00	0.00	DISP	0.01	338.23
Amb to T3{1}	0.03	0.09	0.00	0.00	0.00	DISP	0.00	338.23
Sus. + W1{1}	0.21	0.86	0.00	0.00	0.00	OCC	128.20	361.97
Sus. + W2{1}	0.21	0.86	0.00	0.00	0.00	OCC	128.20	361.97
Sus. + W3{1}	0.21	0.93	0.00	0.00	0.00	OCC	128.20	361.97
Sus. + W4{1}	0.21	0.92	0.00	0.00	0.00	OCC	128.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	20.07	4.48	0.07	34.39	0.00	OCC	34.53	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.21	0.84	0.01	0.05	0.00	SUST	128.50	361.97
Amb to T1{1}	6.01	0.18	0.01	0.00	0.00	DISP	0.01	337.93
Amb to T2{1}	0.07	0.05	0.00	0.00	0.00	DISP	0.01	337.93
Amb to T3{1}	0.03	0.09	0.00	0.00	0.00	DISP	0.00	337.93
Sus. + W1{1}	0.21	0.86	0.00	0.00	0.00	OCC	128.50	361.97
Sus. + W2{1}	0.21	0.86	0.00	0.00	0.00	OCC	128.50	361.97
Sus. + W3{1}	0.21	0.93	0.00	0.00	0.00	OCC	128.51	361.97
Sus. + W4{1}	0.21	0.92	0.00	0.00	0.00	OCC	128.51	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	20.07	4.48	0.07	34.05	0.00	OCC	34.20	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.30	0.99	0.01	0.05	0.00	SUST	128.50	361.97
Amb to T1{1}	6.74	0.19	0.01	0.00	0.00	DISP	0.01	337.93
Amb to T2{1}	0.07	0.09	0.00	0.00	0.00	DISP	0.01	337.93
Amb to T3{1}	0.03	0.12	0.00	0.00	0.00	DISP	0.00	337.93
Sus. + W1{1}	0.30	1.02	0.00	0.00	0.00	OCC	128.50	361.97
Sus. + W2{1}	0.30	1.02	0.00	0.00	0.00	OCC	128.50	361.97
Sus. + W3{1}	0.30	1.07	0.00	0.00	0.00	OCC	128.51	361.97
Sus. + W4{1}	0.30	1.07	0.00	0.00	0.00	OCC	128.51	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	23.52	5.03	0.07	34.05	0.00	OCC	34.20	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.30	0.99	0.01	0.05	0.00	SUST	128.81	361.97
Amb to T1{1}	6.74	0.19	0.01	0.00	0.00	DISP	0.01	337.62
Amb to T2{1}	0.07	0.09	0.00	0.00	0.00	DISP	0.01	337.62
Amb to T3{1}	0.03	0.12	0.00	0.00	0.00	DISP	0.00	337.62

Sus. + W1{1}	0.30	1.02	0.00	0.00	0.00	OCC	128.81	361.97
Sus. + W2{1}	0.30	1.02	0.00	0.00	0.00	OCC	128.81	361.97
Sus. + W3{1}	0.30	1.07	0.00	0.00	0.00	OCC	128.81	361.97
Sus. + W4{1}	0.30	1.07	0.00	0.00	0.00	OCC	128.81	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	23.52	5.03	0.07	33.71	0.00	OCC	33.86	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.40	1.16	0.01	0.05	0.00	SUST	128.81	361.97
Amb to T1{1}	7.44	0.21	0.01	0.00	0.00	DISP	0.01	337.62
Amb to T2{1}	0.07	0.14	0.00	0.00	0.00	DISP	0.01	337.62
Amb to T3{1}	0.04	0.16	0.00	0.00	0.00	DISP	0.00	337.62
Sus. + W1{1}	0.40	1.20	0.00	0.00	0.00	OCC	128.81	361.97
Sus. + W2{1}	0.40	1.20	0.00	0.00	0.00	OCC	128.81	361.97
Sus. + W3{1}	0.40	1.22	0.00	0.00	0.00	OCC	128.81	361.97
Sus. + W4{1}	0.40	1.22	0.00	0.00	0.00	OCC	128.81	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	27.12	5.61	0.07	33.71	0.00	OCC	33.86	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.40	1.16	0.01	0.05	0.00	SUST	129.12	361.97
Amb to T1{1}	7.44	0.21	0.01	0.00	0.00	DISP	0.01	337.31
Amb to T2{1}	0.07	0.14	0.00	0.00	0.00	DISP	0.01	337.31
Amb to T3{1}	0.04	0.16	0.00	0.00	0.00	DISP	0.00	337.31
Sus. + W1{1}	0.40	1.20	0.00	0.00	0.00	OCC	129.12	361.97
Sus. + W2{1}	0.40	1.20	0.00	0.00	0.00	OCC	129.12	361.97
Sus. + W3{1}	0.40	1.22	0.00	0.00	0.00	OCC	129.13	361.97
Sus. + W4{1}	0.40	1.22	0.00	0.00	0.00	OCC	129.13	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	27.12	5.61	0.07	33.38	0.00	OCC	33.52	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.52	1.34	0.01	0.05	0.00	SUST	129.12	361.97
Amb to T1{1}	8.07	0.22	0.01	0.00	0.00	DISP	0.01	337.31
Amb to T2{1}	0.06	0.19	0.00	0.00	0.00	DISP	0.01	337.31
Amb to T3{1}	0.04	0.20	0.00	0.00	0.00	DISP	0.00	337.31
Sus. + W1{1}	0.52	1.39	0.00	0.00	0.00	OCC	129.12	361.97
Sus. + W2{1}	0.52	1.38	0.00	0.00	0.00	OCC	129.12	361.97
Sus. + W3{1}	0.52	1.38	0.00	0.00	0.00	OCC	129.13	361.97
Sus. + W4{1}	0.52	1.38	0.00	0.00	0.00	OCC	129.13	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	30.78	6.21	0.07	33.38	0.00	OCC	33.52	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.52	1.34	0.01	0.05	0.00	SUST	129.44	361.97
Amb to T1{1}	8.07	0.22	0.01	0.00	0.00	DISP	0.01	336.99
Amb to T2{1}	0.06	0.19	0.00	0.00	0.00	DISP	0.01	336.99
Amb to T3{1}	0.04	0.20	0.00	0.00	0.00	DISP	0.00	336.99
Sus. + W1{1}	0.52	1.39	0.00	0.00	0.00	OCC	129.44	361.97
Sus. + W2{1}	0.52	1.38	0.00	0.00	0.00	OCC	129.44	361.97
Sus. + W3{1}	0.52	1.38	0.00	0.00	0.00	OCC	129.44	361.97
Sus. + W4{1}	0.52	1.38	0.00	0.00	0.00	OCC	129.44	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	30.78	6.21	0.07	33.04	0.00	OCC	33.18	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.66	1.53	0.01	0.05	0.00	SUST	129.44	361.97
Amb to T1{1}	8.58	0.23	0.01	0.00	0.00	DISP	0.01	336.99
Amb to T2{1}	0.06	0.24	0.00	0.00	0.00	DISP	0.01	336.99
Amb to T3{1}	0.05	0.24	0.00	0.00	0.00	DISP	0.00	336.99
Sus. + W1{1}	0.66	1.59	0.00	0.00	0.00	OCC	129.44	361.97
Sus. + W2{1}	0.66	1.59	0.00	0.00	0.00	OCC	129.44	361.97

Sus. + W3{1}	0.66	1.54	0.00	0.00	0.00	OCC	129.44	361.97
Sus. + W4{1}	0.66	1.55	0.00	0.00	0.00	OCC	129.44	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	34.43	6.83	0.07	33.04	0.00	OCC	33.18	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.66	1.53	0.01	0.05	0.00	SUST	129.76	361.97
Amb to T1{1}	8.58	0.23	0.01	0.00	0.00	DISP	0.01	336.67
Amb to T2{1}	0.06	0.24	0.00	0.00	0.00	DISP	0.01	336.67
Amb to T3{1}	0.05	0.24	0.00	0.00	0.00	DISP	0.00	336.67
Sus. + W1{1}	0.66	1.59	0.00	0.00	0.00	OCC	129.76	361.97
Sus. + W2{1}	0.66	1.59	0.00	0.00	0.00	OCC	129.76	361.97
Sus. + W3{1}	0.66	1.54	0.00	0.00	0.00	OCC	129.77	361.97
Sus. + W4{1}	0.66	1.55	0.00	0.00	0.00	OCC	129.77	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	34.43	6.83	0.07	32.70	0.00	OCC	32.85	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.82	1.73	0.01	0.05	0.00	SUST	129.76	361.97
Amb to T1{1}	8.93	0.25	0.01	0.00	0.00	DISP	0.01	336.67
Amb to T2{1}	0.04	0.31	0.00	0.00	0.00	DISP	0.01	336.67
Amb to T3{1}	0.06	0.29	0.00	0.00	0.00	DISP	0.00	336.67
Sus. + W1{1}	0.82	1.80	0.00	0.00	0.00	OCC	129.76	361.97
Sus. + W2{1}	0.82	1.80	0.00	0.00	0.00	OCC	129.76	361.97
Sus. + W3{1}	0.82	1.75	0.00	0.00	0.00	OCC	129.77	361.97
Sus. + W4{1}	0.82	1.74	0.00	0.00	0.00	OCC	129.77	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	38.06	7.45	0.07	32.70	0.00	OCC	32.85	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.82	1.73	0.01	0.05	0.00	SUST	130.09	361.97
Amb to T1{1}	8.93	0.25	0.01	0.00	0.00	DISP	0.01	336.34
Amb to T2{1}	0.04	0.31	0.00	0.00	0.00	DISP	0.01	336.34
Amb to T3{1}	0.06	0.29	0.00	0.00	0.00	DISP	0.00	336.34
Sus. + W1{1}	0.82	1.80	0.00	0.00	0.00	OCC	130.09	361.97
Sus. + W2{1}	0.82	1.80	0.00	0.00	0.00	OCC	130.09	361.97
Sus. + W3{1}	0.82	1.75	0.00	0.00	0.00	OCC	130.09	361.97
Sus. + W4{1}	0.82	1.74	0.00	0.00	0.00	OCC	130.09	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	38.06	7.45	0.07	32.37	0.00	OCC	32.51	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.99	1.95	0.01	0.05	0.00	SUST	130.09	361.97
Amb to T1{1}	9.04	0.26	0.01	0.00	0.00	DISP	0.01	336.34
Amb to T2{1}	0.03	0.38	0.00	0.00	0.00	DISP	0.01	336.34
Amb to T3{1}	0.06	0.35	0.00	0.00	0.00	DISP	0.00	336.34
Sus. + W1{1}	0.99	2.03	0.00	0.00	0.00	OCC	130.09	361.97
Sus. + W2{1}	0.99	2.03	0.00	0.00	0.00	OCC	130.09	361.97
Sus. + W3{1}	0.99	2.00	0.00	0.00	0.00	OCC	130.09	361.97
Sus. + W4{1}	0.99	1.98	0.00	0.00	0.00	OCC	130.09	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	41.65	8.08	0.07	32.37	0.00	OCC	32.51	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.99	1.95	0.01	0.05	0.00	SUST	130.42	361.97
Amb to T1{1}	9.04	0.26	0.01	0.00	0.00	DISP	0.01	336.01
Amb to T2{1}	0.03	0.38	0.00	0.00	0.00	DISP	0.01	336.01
Amb to T3{1}	0.06	0.35	0.00	0.00	0.00	DISP	0.00	336.01
Sus. + W1{1}	0.99	2.03	0.00	0.00	0.00	OCC	130.42	361.97
Sus. + W2{1}	0.99	2.03	0.00	0.00	0.00	OCC	130.42	361.97
Sus. + W3{1}	0.99	2.00	0.00	0.00	0.00	OCC	130.43	361.97

Sus. + W4{1}	0.99	1.98	0.00	0.00	0.00	OCC	130.42	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	41.65	8.08	0.07	32.03	0.00	OCC	32.17	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1.17	2.17	0.01	0.05	0.00	SUST	130.42	361.97
Amb to T1{1}	8.85	0.27	0.01	0.00	0.00	DISP	0.01	336.01
Amb to T2{1}	0.00	0.45	0.00	0.00	0.00	DISP	0.01	336.01
Amb to T3{1}	0.07	0.41	0.00	0.00	0.00	DISP	0.00	336.01
Sus. + W1{1}	1.17	2.26	0.00	0.00	0.00	OCC	130.42	361.97
Sus. + W2{1}	1.17	2.26	0.00	0.00	0.00	OCC	130.42	361.97
Sus. + W3{1}	1.17	2.26	0.00	0.00	0.00	OCC	130.43	361.97
Sus. + W4{1}	1.17	2.24	0.00	0.00	0.00	OCC	130.42	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	45.20	8.71	0.07	32.03	0.00	OCC	32.17	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1.17	2.17	0.01	0.05	0.00	SUST	130.75	361.97
Amb to T1{1}	8.85	0.27	0.01	0.00	0.00	DISP	0.01	335.68
Amb to T2{1}	0.00	0.45	0.00	0.00	0.00	DISP	0.01	335.68
Amb to T3{1}	0.07	0.41	0.00	0.00	0.00	DISP	0.00	335.68
Sus. + W1{1}	1.17	2.26	0.00	0.00	0.00	OCC	130.76	361.97
Sus. + W2{1}	1.17	2.26	0.00	0.00	0.00	OCC	130.76	361.97
Sus. + W3{1}	1.17	2.26	0.00	0.00	0.00	OCC	130.76	361.97
Sus. + W4{1}	1.17	2.24	0.00	0.00	0.00	OCC	130.76	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	45.20	8.71	0.07	31.69	0.00	OCC	31.84	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1.36	2.41	0.01	0.05	0.00	SUST	130.75	361.97
Amb to T1{1}	8.27	0.28	0.01	0.00	0.00	DISP	0.01	335.68
Amb to T2{1}	0.03	0.54	0.00	0.00	0.00	DISP	0.01	335.68
Amb to T3{1}	0.07	0.47	0.00	0.00	0.00	DISP	0.00	335.68
Sus. + W1{1}	1.37	2.51	0.00	0.00	0.00	OCC	130.76	361.97
Sus. + W2{1}	1.37	2.51	0.00	0.00	0.00	OCC	130.76	361.97
Sus. + W3{1}	1.36	2.55	0.00	0.00	0.00	OCC	130.76	361.97
Sus. + W4{1}	1.36	2.52	0.00	0.00	0.00	OCC	130.76	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	48.66	9.32	0.07	31.69	0.01	OCC	31.84	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1.36	2.41	0.01	0.05	0.00	SUST	131.10	361.97
Amb to T1{1}	8.27	0.28	0.01	0.00	0.00	DISP	0.01	335.33
Amb to T2{1}	0.03	0.54	0.00	0.00	0.00	DISP	0.01	335.33
Amb to T3{1}	0.07	0.47	0.00	0.00	0.00	DISP	0.00	335.33
Sus. + W1{1}	1.37	2.51	0.00	0.00	0.00	OCC	131.10	361.97
Sus. + W2{1}	1.37	2.51	0.00	0.00	0.00	OCC	131.10	361.97
Sus. + W3{1}	1.36	2.55	0.00	0.00	0.00	OCC	131.10	361.97
Sus. + W4{1}	1.36	2.52	0.00	0.00	0.00	OCC	131.10	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	48.66	9.32	0.07	31.36	0.01	OCC	31.50	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1.57	2.65	0.01	0.05	0.00	SUST	131.10	361.97
Amb to T1{1}	7.20	0.28	0.01	0.00	0.00	DISP	0.01	335.33
Amb to T2{1}	0.07	0.63	0.00	0.00	0.00	DISP	0.01	335.33
Amb to T3{1}	0.07	0.54	0.00	0.00	0.00	DISP	0.00	335.33
Sus. + W1{1}	1.57	2.76	0.00	0.00	0.00	OCC	131.10	361.97
Sus. + W2{1}	1.57	2.76	0.00	0.00	0.00	OCC	131.10	361.97
Sus. + W3{1}	1.57	2.84	0.00	0.00	0.00	OCC	131.10	361.97
Sus. + W4{1}	1.57	2.81	0.00	0.00	0.00	OCC	131.10	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	52.02	9.91	0.07	31.36	0.01	OCC	31.50	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1.57	2.65	0.01	0.05	0.00	SUST	131.44	361.97
Amb to T1{1}	7.20	0.28	0.01	0.00	0.00	DISP	0.01	334.99
Amb to T2{1}	0.07	0.63	0.00	0.00	0.00	DISP	0.01	334.99
Amb to T3{1}	0.07	0.54	0.00	0.00	0.00	DISP	0.00	334.99
Sus. + W1{1}	1.57	2.76	0.00	0.00	0.00	OCC	131.45	361.97
Sus. + W2{1}	1.57	2.76	0.00	0.00	0.00	OCC	131.45	361.97
Sus. + W3{1}	1.57	2.84	0.00	0.00	0.00	OCC	131.45	361.97
Sus. + W4{1}	1.57	2.81	0.00	0.00	0.00	OCC	131.45	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	52.02	9.91	0.07	31.02	0.01	OCC	31.17	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1.77	2.90	0.01	0.05	0.00	SUST	131.44	361.97
Amb to T1{1}	5.55	0.28	0.01	0.00	0.00	DISP	0.01	334.99
Amb to T2{1}	0.11	0.72	0.00	0.00	0.00	DISP	0.01	334.99
Amb to T3{1}	0.07	0.62	0.00	0.00	0.00	DISP	0.00	334.99
Sus. + W1{1}	1.77	3.02	0.00	0.00	0.00	OCC	131.45	361.97
Sus. + W2{1}	1.77	3.02	0.00	0.00	0.00	OCC	131.45	361.97
Sus. + W3{1}	1.77	3.15	0.00	0.00	0.00	OCC	131.45	361.97
Sus. + W4{1}	1.77	3.11	0.00	0.00	0.00	OCC	131.45	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	55.23	10.45	0.07	31.02	0.01	OCC	31.17	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1.77	2.90	0.01	0.05	0.00	SUST	131.79	361.97
Amb to T1{1}	5.55	0.28	0.01	0.00	0.00	DISP	0.01	334.64
Amb to T2{1}	0.11	0.72	0.00	0.00	0.00	DISP	0.01	334.64
Amb to T3{1}	0.07	0.62	0.00	0.00	0.00	DISP	0.00	334.64
Sus. + W1{1}	1.77	3.02	0.00	0.00	0.00	OCC	131.80	361.97
Sus. + W2{1}	1.77	3.02	0.00	0.00	0.00	OCC	131.80	361.97
Sus. + W3{1}	1.77	3.15	0.00	0.00	0.00	OCC	131.80	361.97
Sus. + W4{1}	1.77	3.11	0.00	0.00	0.00	OCC	131.80	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	55.23	10.45	0.07	30.68	0.01	OCC	30.83	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1.96	3.15	0.01	0.05	0.00	SUST	131.79	361.97
Amb to T1{1}	3.20	0.28	0.01	0.00	0.00	DISP	0.01	334.64
Amb to T2{1}	0.17	0.83	0.00	0.00	0.00	DISP	0.01	334.64
Amb to T3{1}	0.07	0.70	0.00	0.00	0.00	DISP	0.00	334.64
Sus. + W1{1}	1.97	3.28	0.00	0.00	0.00	OCC	131.80	361.97
Sus. + W2{1}	1.97	3.28	0.00	0.00	0.00	OCC	131.80	361.97
Sus. + W3{1}	1.97	3.46	0.00	0.00	0.00	OCC	131.80	361.97
Sus. + W4{1}	1.97	3.42	0.00	0.00	0.00	OCC	131.80	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	58.27	10.95	0.07	30.68	0.01	OCC	30.83	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1.96	3.15	0.01	0.05	0.00	SUST	132.15	361.97
Amb to T1{1}	3.20	0.28	0.01	0.00	0.00	DISP	0.01	334.28
Amb to T2{1}	0.17	0.83	0.00	0.00	0.00	DISP	0.01	334.28
Amb to T3{1}	0.07	0.70	0.00	0.00	0.00	DISP	0.00	334.28
Sus. + W1{1}	1.97	3.28	0.00	0.00	0.00	OCC	132.15	361.97
Sus. + W2{1}	1.97	3.28	0.00	0.00	0.00	OCC	132.15	361.97
Sus. + W3{1}	1.97	3.46	0.00	0.00	0.00	OCC	132.16	361.97
Sus. + W4{1}	1.97	3.42	0.00	0.00	0.00	OCC	132.16	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	58.27	10.95	0.07	30.35	0.01	OCC	30.49	434.37

*** - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	2.15	3.39	0.01	0.05	0.00	SUST	132.15	361.97	
Amb to T1{1}	0.04	0.27	0.01	0.00	0.00	DISP	0.01	334.28	
Amb to T2{1}	0.24	0.94	0.00	0.00	0.00	DISP	0.01	334.28	
Amb to T3{1}	0.06	0.78	0.00	0.00	0.00	DISP	0.00	334.28	
Sus. + W1{1}	2.15	3.54	0.00	0.00	0.00	OCC	132.15	361.97	
Sus. + W2{1}	2.15	3.54	0.00	0.00	0.00	OCC	132.15	361.97	
Sus. + W3{1}	2.15	3.79	0.00	0.00	0.00	OCC	132.16	361.97	
Sus. + W4{1}	2.15	3.73	0.00	0.00	0.00	OCC	132.16	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	61.08	11.37	0.07	30.35	0.01	OCC	30.49	434.37	
*** + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	2.15	3.39	0.01	0.05	0.00	SUST	132.51	361.97	
Amb to T1{1}	0.04	0.27	0.01	0.00	0.00	DISP	0.01	333.92	
Amb to T2{1}	0.24	0.94	0.00	0.00	0.00	DISP	0.01	333.92	
Amb to T3{1}	0.06	0.78	0.00	0.00	0.00	DISP	0.00	333.92	
Sus. + W1{1}	2.15	3.54	0.00	0.00	0.00	OCC	132.51	361.97	
Sus. + W2{1}	2.15	3.54	0.00	0.00	0.00	OCC	132.51	361.97	
Sus. + W3{1}	2.15	3.79	0.00	0.00	0.00	OCC	132.52	361.97	
Sus. + W4{1}	2.15	3.73	0.00	0.00	0.00	OCC	132.52	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	61.08	11.37	0.07	30.01	0.01	OCC	30.16	434.37	
*** - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	2.30	3.64	0.01	0.05	0.00	SUST	132.51	361.97	
Amb to T1{1}	4.07	0.26	0.01	0.00	0.00	DISP	0.01	333.92	
Amb to T2{1}	0.32	1.06	0.00	0.00	0.00	DISP	0.01	333.92	
Amb to T3{1}	0.05	0.87	0.00	0.00	0.00	DISP	0.00	333.92	
Sus. + W1{1}	2.31	3.80	0.00	0.00	0.00	OCC	132.51	361.97	
Sus. + W2{1}	2.31	3.80	0.00	0.00	0.00	OCC	132.51	361.97	
Sus. + W3{1}	2.30	4.11	0.00	0.00	0.00	OCC	132.52	361.97	
Sus. + W4{1}	2.30	4.04	0.00	0.00	0.00	OCC	132.52	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	63.61	11.70	0.07	30.01	0.01	OCC	30.16	434.37	
*** + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	2.30	3.64	0.01	0.05	0.00	SUST	132.87	361.97	
Amb to T1{1}	4.07	0.26	0.01	0.00	0.00	DISP	0.01	333.56	
Amb to T2{1}	0.32	1.06	0.00	0.00	0.00	DISP	0.01	333.56	
Amb to T3{1}	0.05	0.87	0.00	0.00	0.00	DISP	0.00	333.56	
Sus. + W1{1}	2.31	3.80	0.00	0.00	0.00	OCC	132.87	361.97	
Sus. + W2{1}	2.31	3.80	0.00	0.00	0.00	OCC	132.87	361.97	
Sus. + W3{1}	2.30	4.11	0.00	0.00	0.00	OCC	132.88	361.97	
Sus. + W4{1}	2.30	4.04	0.00	0.00	0.00	OCC	132.88	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	63.61	11.70	0.07	29.68	0.01	OCC	29.82	434.37	
*** - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	2.42	3.87	0.01	0.05	0.00	SUST	132.87	361.97	
Amb to T1{1}	9.26	0.24	0.01	0.00	0.00	DISP	0.01	333.56	
Amb to T2{1}	0.41	1.18	0.00	0.00	0.00	DISP	0.01	333.56	
Amb to T3{1}	0.04	0.96	0.00	0.00	0.00	DISP	0.00	333.56	
S									

Amb to T1{1}	9.26	0.24	0.01	0.00	0.00	DISP	0.01	333.20
Amb to T2{1}	0.41	1.18	0.00	0.00	0.00	DISP	0.01	333.20
Amb to T3{1}	0.04	0.96	0.00	0.00	0.00	DISP	0.00	333.20
Sus. + W1{1}	2.42	4.05	0.00	0.00	0.00	OCC	133.23	361.97
Sus. + W2{1}	2.42	4.04	0.00	0.00	0.00	OCC	133.23	361.97
Sus. + W3{1}	2.42	4.43	0.00	0.00	0.00	OCC	133.24	361.97
Sus. + W4{1}	2.42	4.36	0.00	0.00	0.00	OCC	133.24	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	65.81	11.92	0.07	29.34	0.01	OCC	29.49	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	2.48	4.09	0.01	0.06	0.00	SUST	133.23	361.97
Amb to T1{1}	15.64	0.21	0.01	0.00	0.00	DISP	0.01	333.20
Amb to T2{1}	0.52	1.31	0.00	0.00	0.00	DISP	0.01	333.20
Amb to T3{1}	0.01	1.05	0.00	0.00	0.00	DISP	0.00	333.20
Sus. + W1{1}	2.48	4.28	0.00	0.00	0.00	OCC	133.23	361.97
Sus. + W2{1}	2.48	4.28	0.00	0.00	0.00	OCC	133.23	361.97
Sus. + W3{1}	2.48	4.75	0.00	0.00	0.00	OCC	133.24	361.97
Sus. + W4{1}	2.48	4.66	0.00	0.00	0.00	OCC	133.24	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	67.61	12.00	0.07	29.34	0.01	OCC	29.49	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	2.48	4.09	0.01	0.06	0.00	SUST	133.59	361.97
Amb to T1{1}	15.64	0.21	0.01	0.00	0.00	DISP	0.01	332.84
Amb to T2{1}	0.52	1.31	0.00	0.00	0.00	DISP	0.01	332.84
Amb to T3{1}	0.01	1.05	0.00	0.00	0.00	DISP	0.00	332.84
Sus. + W1{1}	2.48	4.28	0.00	0.00	0.00	OCC	133.59	361.97
Sus. + W2{1}	2.48	4.28	0.00	0.00	0.00	OCC	133.59	361.97
Sus. + W3{1}	2.48	4.75	0.00	0.00	0.00	OCC	133.60	361.97
Sus. + W4{1}	2.48	4.66	0.00	0.00	0.00	OCC	133.60	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	67.61	12.00	0.07	29.01	0.01	OCC	29.15	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	2.46	4.28	0.01	0.06	0.00	SUST	133.59	361.97
Amb to T1{1}	23.32	0.18	0.01	0.00	0.00	DISP	0.01	332.84
Amb to T2{1}	0.63	1.45	0.00	0.00	0.00	DISP	0.01	332.84
Amb to T3{1}	0.02	1.14	0.00	0.00	0.00	DISP	0.00	332.84
Sus. + W1{1}	2.46	4.49	0.00	0.00	0.00	OCC	133.59	361.97
Sus. + W2{1}	2.46	4.49	0.00	0.00	0.00	OCC	133.59	361.97
Sus. + W3{1}	2.46	5.05	0.00	0.00	0.00	OCC	133.60	361.97
Sus. + W4{1}	2.46	4.96	0.00	0.00	0.00	OCC	133.60	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	68.94	11.92	0.07	29.01	0.01	OCC	29.15	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	2.46	4.28	0.01	0.06	0.00	SUST	133.95	361.97
Amb to T1{1}	23.32	0.18	0.01	0.00	0.00	DISP	0.01	332.48
Amb to T2{1}	0.63	1.45	0.00	0.00	0.00	DISP	0.01	332.48
Amb to T3{1}	0.02	1.14	0.00	0.00	0.00	DISP	0.00	332.48
Sus. + W1{1}	2.46	4.49	0.00	0.00	0.00	OCC	133.95	361.97
Sus. + W2{1}	2.46	4.49	0.00	0.01	0.00	OCC	133.95	361.97
Sus. + W3{1}	2.46	5.05	0.00	0.00	0.00	OCC	133.96	361.97
Sus. + W4{1}	2.46	4.96	0.00	0.00	0.00	OCC	133.96	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	68.94	11.92	0.07	28.67	0.01	OCC	28.82	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	2.35	4.46	0.01	0.06	0.00	SUST	133.95	361.97
Amb to T1{1}	32.43	0.14	0.01	0.00	0.00	DISP	0.01	332.48
Amb to T2{1}	0.76	1.58	0.00	0.00	0.00	DISP	0.01	332.48

Amb to T3{1}	0.05	1.23	0.00	0.00	0.00	DISP	0.00	332.48
Sus. + W1{1}	2.35	4.67	0.00	0.00	0.00	OCC	133.95	361.97
Sus. + W2{1}	2.35	4.67	0.00	0.01	0.00	OCC	133.95	361.97
Sus. + W3{1}	2.35	5.34	0.00	0.00	0.00	OCC	133.96	361.97
Sus. + W4{1}	2.35	5.23	0.00	0.00	0.00	OCC	133.96	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	69.72	11.66	0.07	28.67	0.01	OCC	28.82	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	2.35	4.46	0.01	0.06	0.00	SUST	134.31	361.97
Amb to T1{1}	32.43	0.14	0.01	0.00	0.00	DISP	0.01	332.12
Amb to T2{1}	0.76	1.58	0.00	0.00	0.00	DISP	0.01	332.12
Amb to T3{1}	0.05	1.23	0.00	0.00	0.00	DISP	0.00	332.12
Sus. + W1{1}	2.35	4.67	0.00	0.01	0.00	OCC	134.31	361.97
Sus. + W2{1}	2.35	4.67	0.00	0.01	0.00	OCC	134.31	361.97
Sus. + W3{1}	2.35	5.34	0.00	0.00	0.00	OCC	134.32	361.97
Sus. + W4{1}	2.35	5.23	0.00	0.00	0.00	OCC	134.32	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	69.72	11.66	0.07	28.34	0.01	OCC	28.48	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	2.11	4.59	0.01	0.06	0.00	SUST	134.31	361.97
Amb to T1{1}	43.02	0.09	0.01	0.00	0.00	DISP	0.01	332.12
Amb to T2{1}	0.90	1.72	0.00	0.00	0.00	DISP	0.01	332.12
Amb to T3{1}	0.10	1.32	0.00	0.00	0.00	DISP	0.00	332.12
Sus. + W1{1}	2.11	4.82	0.00	0.01	0.00	OCC	134.31	361.97
Sus. + W2{1}	2.11	4.82	0.00	0.01	0.00	OCC	134.31	361.97
Sus. + W3{1}	2.11	5.59	0.00	0.00	0.00	OCC	134.32	361.97
Sus. + W4{1}	2.11	5.47	0.00	0.00	0.00	OCC	134.32	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	69.87	11.18	0.07	28.34	0.01	OCC	28.48	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	2.11	4.59	0.01	0.06	0.00	SUST	134.67	361.97
Amb to T1{1}	43.02	0.09	0.01	0.00	0.00	DISP	0.01	331.76
Amb to T2{1}	0.90	1.72	0.00	0.00	0.00	DISP	0.01	331.76
Amb to T3{1}	0.10	1.32	0.00	0.00	0.00	DISP	0.00	331.76
Sus. + W1{1}	2.11	4.82	0.00	0.01	0.00	OCC	134.68	361.97
Sus. + W2{1}	2.11	4.82	0.00	0.01	0.00	OCC	134.68	361.97
Sus. + W3{1}	2.11	5.59	0.00	0.00	0.00	OCC	134.68	361.97
Sus. + W4{1}	2.11	5.47	0.00	0.00	0.00	OCC	134.68	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	69.87	11.18	0.07	28.00	0.01	OCC	28.15	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1.73	4.69	0.01	0.06	0.00	SUST	134.67	361.97
Amb to T1{1}	55.16	0.03	0.01	0.00	0.01	DISP	0.01	331.76
Amb to T2{1}	1.04	1.86	0.00	0.00	0.00	DISP	0.01	331.76
Amb to T3{1}	0.15	1.41	0.00	0.00	0.00	DISP	0.00	331.76
Sus. + W1{1}	1.73	4.92	0.00	0.01	0.00	OCC	134.68	361.97
Sus. + W2{1}	1.73	4.92	0.00	0.01	0.00	OCC	134.68	361.97
Sus. + W3{1}	1.73	5.81	0.00	0.00	0.00	OCC	134.68	361.97
Sus. + W4{1}	1.73	5.68	0.00	0.00	0.00	OCC	134.68	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	69.30	10.45	0.07	28.00	0.01	OCC	28.15	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1.73	4.69	0.01	0.06	0.00	SUST	135.03	361.97
Amb to T1{1}	55.16	0.03	0.01	0.00	0.01	DISP	0.01	331.40
Amb to T2{1}	1.04	1.86	0.00	0.00	0.00	DISP	0.01	331.40
Amb to T3{1}	0.15	1.41	0.00	0.00	0.00	DISP	0.00	331.40

Sus. + W1{1}	1.73	4.92	0.00	0.01	0.00	OCC	135.04	361.97
Sus. + W2{1}	1.73	4.92	0.00	0.01	0.00	OCC	135.04	361.97
Sus. + W3{1}	1.73	5.81	0.00	0.00	0.00	OCC	135.04	361.97
Sus. + W4{1}	1.73	5.68	0.00	0.00	0.00	OCC	135.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	69.30	10.45	0.07	27.67	0.01	OCC	27.82	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1.16	4.73	0.01	0.06	0.00	SUST	135.03	361.97
Amb to T1{1}	68.84	0.05	0.01	0.00	0.01	DISP	0.02	331.40
Amb to T2{1}	1.18	1.99	0.00	0.00	0.00	DISP	0.01	331.40
Amb to T3{1}	0.22	1.50	0.00	0.00	0.00	DISP	0.00	331.40
Sus. + W1{1}	1.17	4.97	0.00	0.01	0.00	OCC	135.04	361.97
Sus. + W2{1}	1.17	4.97	0.00	0.01	0.00	OCC	135.04	361.97
Sus. + W3{1}	1.16	5.99	0.00	0.00	0.00	OCC	135.04	361.97
Sus. + W4{1}	1.16	5.84	0.00	0.00	0.00	OCC	135.04	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	67.89	9.44	0.07	27.67	0.01	OCC	27.82	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1.16	4.73	0.01	0.06	0.00	SUST	135.39	361.97
Amb to T1{1}	68.84	0.05	0.01	0.00	0.01	DISP	0.02	331.04
Amb to T2{1}	1.18	1.99	0.00	0.00	0.00	DISP	0.01	331.04
Amb to T3{1}	0.22	1.50	0.00	0.00	0.00	DISP	0.00	331.04
Sus. + W1{1}	1.17	4.97	0.00	0.01	0.00	OCC	135.40	361.97
Sus. + W2{1}	1.17	4.97	0.00	0.01	0.00	OCC	135.40	361.97
Sus. + W3{1}	1.16	5.99	0.00	0.00	0.00	OCC	135.40	361.97
Sus. + W4{1}	1.16	5.84	0.00	0.00	0.00	OCC	135.40	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	67.89	9.44	0.07	27.34	0.01	OCC	27.48	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.39	4.71	0.01	0.06	0.00	SUST	135.39	361.97
Amb to T1{1}	84.01	0.13	0.01	0.00	0.01	DISP	0.02	331.04
Amb to T2{1}	1.33	2.12	0.00	0.00	0.00	DISP	0.01	331.04
Amb to T3{1}	0.30	1.57	0.00	0.00	0.00	DISP	0.00	331.04
Sus. + W1{1}	0.40	4.96	0.00	0.01	0.00	OCC	135.40	361.97
Sus. + W2{1}	0.40	4.96	0.00	0.01	0.00	OCC	135.40	361.97
Sus. + W3{1}	0.39	6.11	0.00	0.00	0.00	OCC	135.40	361.97
Sus. + W4{1}	0.39	5.95	0.00	0.00	0.00	OCC	135.40	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	65.55	8.11	0.07	27.34	0.01	OCC	27.48	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.39	4.71	0.01	0.06	0.00	SUST	135.75	361.97
Amb to T1{1}	84.01	0.13	0.01	0.00	0.01	DISP	0.02	330.68
Amb to T2{1}	1.33	2.12	0.00	0.00	0.00	DISP	0.01	330.68
Amb to T3{1}	0.30	1.57	0.00	0.00	0.00	DISP	0.00	330.68
Sus. + W1{1}	0.40	4.96	0.00	0.01	0.00	OCC	135.76	361.97
Sus. + W2{1}	0.40	4.96	0.00	0.01	0.00	OCC	135.76	361.97
Sus. + W3{1}	0.39	6.11	0.00	0.00	0.00	OCC	135.76	361.97
Sus. + W4{1}	0.39	5.95	0.00	0.00	0.00	OCC	135.76	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	65.55	8.11	0.07	27.00	0.01	OCC	27.15	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.63	4.62	0.01	0.06	0.00	SUST	135.75	361.97
Amb to T1{1}	100.55	0.23	0.01	0.00	0.01	DISP	0.02	330.68
Amb to T2{1}	1.46	2.24	0.00	0.00	0.00	DISP	0.01	330.68
Amb to T3{1}	0.39	1.64	0.00	0.00	0.00	DISP	0.00	330.68
Sus. + W1{1}	0.64	4.87	0.00	0.01	0.00	OCC	135.76	361.97
Sus. + W2{1}	0.64	4.87	0.00	0.01	0.00	OCC	135.76	361.97

Sus. + W3{1}	0.63	6.16	0.00	0.00	0.00	OCC	135.76	361.97
Sus. + W4{1}	0.63	5.99	0.00	0.00	0.00	OCC	135.76	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	62.15	6.42	0.07	27.00	0.01	OCC	27.15	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	0.63	4.62	0.01	0.06	0.00	SUST	136.11	361.97
Amb to T1{1}	100.55	0.23	0.01	0.00	0.01	DISP	0.02	330.32
Amb to T2{1}	1.46	2.24	0.00	0.00	0.00	DISP	0.01	330.32
Amb to T3{1}	0.39	1.64	0.00	0.00	0.00	DISP	0.00	330.32
Sus. + W1{1}	0.64	4.87	0.00	0.01	0.00	OCC	136.12	361.97
Sus. + W2{1}	0.64	4.87	0.00	0.01	0.00	OCC	136.12	361.97
Sus. + W3{1}	0.63	6.16	0.00	0.00	0.00	OCC	136.12	361.97
Sus. + W4{1}	0.63	5.99	0.00	0.00	0.00	OCC	136.12	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	62.15	6.42	0.07	26.67	0.01	OCC	26.81	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1.93	4.44	0.01	0.06	0.00	SUST	136.11	361.97
Amb to T1{1}	118.24	0.34	0.01	0.00	0.01	DISP	0.02	330.32
Amb to T2{1}	1.59	2.35	0.00	0.00	0.00	DISP	0.01	330.32
Amb to T3{1}	0.49	1.69	0.00	0.00	0.00	DISP	0.00	330.32
Sus. + W1{1}	1.94	4.70	0.00	0.01	0.00	OCC	136.12	361.97
Sus. + W2{1}	1.94	4.69	0.00	0.01	0.00	OCC	136.12	361.97
Sus. + W3{1}	1.93	6.14	0.00	0.00	0.00	OCC	136.12	361.97
Sus. + W4{1}	1.93	5.95	0.00	0.00	0.00	OCC	136.12	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	57.56	4.34	0.07	26.67	0.01	OCC	26.81	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1.93	4.44	0.01	0.06	0.00	SUST	136.48	361.97
Amb to T1{1}	118.24	0.34	0.01	0.00	0.01	DISP	0.02	329.95
Amb to T2{1}	1.59	2.35	0.00	0.00	0.00	DISP	0.01	329.95
Amb to T3{1}	0.49	1.69	0.00	0.00	0.00	DISP	0.00	329.95
Sus. + W1{1}	1.94	4.70	0.00	0.01	0.00	OCC	136.48	361.97
Sus. + W2{1}	1.94	4.69	0.00	0.01	0.00	OCC	136.48	361.97
Sus. + W3{1}	1.93	6.14	0.00	0.00	0.00	OCC	136.48	361.97
Sus. + W4{1}	1.93	5.95	0.00	0.00	0.00	OCC	136.48	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	57.56	4.34	0.07	26.33	0.01	OCC	26.48	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	3.54	4.17	0.01	0.06	0.00	SUST	136.48	361.97
Amb to T1{1}	136.77	0.47	0.01	0.00	0.01	DISP	0.02	329.95
Amb to T2{1}	1.69	2.45	0.00	0.00	0.00	DISP	0.01	329.95
Amb to T3{1}	0.60	1.73	0.00	0.00	0.00	DISP	0.00	329.95
Sus. + W1{1}	3.56	4.42	0.00	0.01	0.00	OCC	136.48	361.97
Sus. + W2{1}	3.56	4.42	0.00	0.01	0.00	OCC	136.48	361.97
Sus. + W3{1}	3.54	6.02	0.00	0.00	0.00	OCC	136.48	361.97
Sus. + W4{1}	3.54	5.82	0.00	0.00	0.00	OCC	136.48	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	51.65	1.81	0.07	26.33	0.01	OCC	26.48	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	3.54	4.17	0.01	0.06	0.00	SUST	136.84	361.97
Amb to T1{1}	136.77	0.47	0.01	0.00	0.01	DISP	0.02	329.59
Amb to T2{1}	1.69	2.45	0.00	0.00	0.00	DISP	0.01	329.59
Amb to T3{1}	0.60	1.73	0.00	0.00	0.00	DISP	0.00	329.59
Sus. + W1{1}	3.56	4.42	0.00	0.01	0.00	OCC	136.84	361.97
Sus. + W2{1}	3.56	4.42	0.00	0.01	0.00	OCC	136.84	361.97
Sus. + W3{1}	3.54	6.02	0.00	0.00	0.00	OCC	136.85	361.97

Sus. + W4{1}	3.54	5.82	0.00	0.00	0.00	OCC	136.84	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	51.65	1.81	0.07	26.00	0.01	OCC	26.15	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	5.50	3.79	0.01	0.06	0.00	SUST	136.84	361.97
Amb to T1{1}	155.68	0.61	0.01	0.00	0.02	DISP	0.02	329.59
Amb to T2{1}	1.76	2.52	0.00	0.00	0.00	DISP	0.01	329.59
Amb to T3{1}	0.73	1.76	0.00	0.00	0.00	DISP	0.00	329.59
Sus. + W1{1}	5.53	4.03	0.00	0.01	0.00	OCC	136.84	361.97
Sus. + W2{1}	5.53	4.03	0.00	0.01	0.00	OCC	136.84	361.97
Sus. + W3{1}	5.50	5.78	0.00	0.00	0.00	OCC	136.85	361.97
Sus. + W4{1}	5.50	5.58	0.00	0.00	0.00	OCC	136.84	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	44.28	1.19	0.07	26.00	0.00	OCC	26.15	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	5.50	3.79	0.01	0.07	0.00	SUST	137.20	361.97
Amb to T1{1}	155.68	0.61	0.01	0.00	0.02	DISP	0.02	329.23
Amb to T2{1}	1.76	2.52	0.00	0.00	0.00	DISP	0.01	329.23
Amb to T3{1}	0.73	1.76	0.00	0.00	0.00	DISP	0.00	329.23
Sus. + W1{1}	5.53	4.03	0.00	0.01	0.00	OCC	137.21	361.97
Sus. + W2{1}	5.53	4.03	0.00	0.01	0.00	OCC	137.21	361.97
Sus. + W3{1}	5.50	5.78	0.00	0.00	0.00	OCC	137.21	361.97
Sus. + W4{1}	5.50	5.58	0.00	0.00	0.00	OCC	137.21	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	44.28	1.19	0.07	25.67	0.00	OCC	25.81	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	7.84	3.29	0.01	0.07	0.00	SUST	137.20	361.97
Amb to T1{1}	174.38	0.78	0.01	0.00	0.02	DISP	0.02	329.23
Amb to T2{1}	1.78	2.58	0.00	0.00	0.00	DISP	0.01	329.23
Amb to T3{1}	0.86	1.76	0.00	0.00	0.00	DISP	0.00	329.23
Sus. + W1{1}	7.87	3.52	0.00	0.01	0.00	OCC	137.21	361.97
Sus. + W2{1}	7.87	3.52	0.00	0.01	0.00	OCC	137.21	361.97
Sus. + W3{1}	7.84	5.43	0.00	0.00	0.00	OCC	137.21	361.97
Sus. + W4{1}	7.84	5.21	0.00	0.00	0.00	OCC	137.21	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	35.28	4.71	0.07	25.67	0.00	OCC	25.81	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	7.84	3.29	0.01	0.07	0.00	SUST	137.56	361.97
Amb to T1{1}	174.38	0.78	0.01	0.00	0.02	DISP	0.02	328.87
Amb to T2{1}	1.78	2.58	0.00	0.00	0.00	DISP	0.01	328.87
Amb to T3{1}	0.86	1.76	0.00	0.00	0.00	DISP	0.00	328.87
Sus. + W1{1}	7.87	3.52	0.00	0.01	0.00	OCC	137.57	361.97
Sus. + W2{1}	7.87	3.52	0.00	0.01	0.00	OCC	137.57	361.97
Sus. + W3{1}	7.84	5.43	0.00	0.00	0.00	OCC	137.57	361.97
Sus. + W4{1}	7.84	5.21	0.00	0.00	0.00	OCC	137.57	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	35.28	4.71	0.07	25.34	0.00	OCC	25.48	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	10.58	2.65	0.01	0.07	0.00	SUST	137.56	361.97
Amb to T1{1}	192.11	0.96	0.01	0.00	0.02	DISP	0.02	328.87
Amb to T2{1}	1.74	2.60	0.00	0.00	0.00	DISP	0.01	328.87
Amb to T3{1}	1.01	1.73	0.00	0.00	0.00	DISP	0.00	328.87
Sus. + W1{1}	10.62	2.86	0.00	0.01	0.00	OCC	137.57	361.97
Sus. + W2{1}	10.62	2.86	0.00	0.01	0.00	OCC	137.57	361.97
Sus. + W3{1}	10.58	4.93	0.00	0.00	0.00	OCC	137.57	361.97
Sus. + W4{1}	10.58	4.70	0.00	0.00	0.00	OCC	137.57	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	24.52	8.79	0.07	25.34	0.00	OCC	25.48	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	10.58	2.65	0.01	0.07	0.00	SUST	137.92	361.97
Amb to T1{1}	192.11	0.96	0.01	0.00	0.02	DISP	0.02	328.51
Amb to T2{1}	1.74	2.60	0.00	0.00	0.00	DISP	0.01	328.51
Amb to T3{1}	1.01	1.73	0.00	0.00	0.00	DISP	0.00	328.51
Sus. + W1{1}	10.62	2.86	0.00	0.01	0.00	OCC	137.93	361.97
Sus. + W2{1}	10.62	2.86	0.00	0.01	0.00	OCC	137.93	361.97
Sus. + W3{1}	10.58	4.93	0.00	0.00	0.00	OCC	137.93	361.97
Sus. + W4{1}	10.58	4.70	0.00	0.00	0.00	OCC	137.93	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	24.52	8.79	0.07	25.00	0.00	OCC	25.15	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	13.73	1.85	0.01	0.07	0.00	SUST	137.92	361.97
Amb to T1{1}	207.92	1.15	0.01	0.00	0.02	DISP	0.03	328.51
Amb to T2{1}	1.62	2.60	0.00	0.00	0.00	DISP	0.01	328.51
Amb to T3{1}	1.16	1.68	0.00	0.00	0.00	DISP	0.00	328.51
Sus. + W1{1}	13.78	2.04	0.00	0.01	0.00	OCC	137.93	361.97
Sus. + W2{1}	13.78	2.04	0.00	0.01	0.00	OCC	137.93	361.97
Sus. + W3{1}	13.74	4.27	0.00	0.00	0.00	OCC	137.93	361.97
Sus. + W4{1}	13.74	4.03	0.00	0.00	0.00	OCC	137.93	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	11.81	13.48	0.07	25.00	0.00	OCC	25.15	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	13.73	1.85	0.01	0.07	0.00	SUST	138.29	361.97
Amb to T1{1}	207.92	1.15	0.01	0.00	0.02	DISP	0.03	328.14
Amb to T2{1}	1.62	2.60	0.00	0.00	0.00	DISP	0.01	328.14
Amb to T3{1}	1.16	1.68	0.00	0.00	0.00	DISP	0.00	328.14
Sus. + W1{1}	13.78	2.04	0.00	0.01	0.00	OCC	138.29	361.97
Sus. + W2{1}	13.78	2.04	0.00	0.01	0.00	OCC	138.29	361.97
Sus. + W3{1}	13.74	4.27	0.00	0.00	0.00	OCC	138.29	361.97
Sus. + W4{1}	13.74	4.03	0.00	0.00	0.00	OCC	138.29	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	11.81	13.48	0.07	24.67	0.00	OCC	24.82	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	17.31	0.89	0.01	0.07	0.00	SUST	138.29	361.97
Amb to T1{1}	220.64	1.37	0.01	0.00	0.02	DISP	0.03	328.14
Amb to T2{1}	1.41	2.55	0.00	0.00	0.00	DISP	0.01	328.14
Amb to T3{1}	1.30	1.59	0.00	0.00	0.00	DISP	0.00	328.14
Sus. + W1{1}	17.37	1.04	0.00	0.01	0.00	OCC	138.29	361.97
Sus. + W2{1}	17.37	1.04	0.00	0.01	0.00	OCC	138.29	361.97
Sus. + W3{1}	17.32	3.43	0.00	0.00	0.00	OCC	138.29	361.97
Sus. + W4{1}	17.32	3.18	0.00	0.00	0.00	OCC	138.29	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	3.01	18.81	0.07	24.67	0.00	OCC	24.82	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	17.31	0.89	0.01	0.07	0.00	SUST	138.65	361.97
Amb to T1{1}	220.64	1.37	0.01	0.00	0.02	DISP	0.03	327.78
Amb to T2{1}	1.41	2.55	0.00	0.00	0.00	DISP	0.01	327.78
Amb to T3{1}	1.30	1.59	0.00	0.00	0.00	DISP	0.00	327.78
Sus. + W1{1}	17.37	1.04	0.00	0.01	0.00	OCC	138.66	361.97
Sus. + W2{1}	17.37	1.04	0.00	0.01	0.00	OCC	138.66	361.97
Sus. + W3{1}	17.32	3.43	0.00	0.00	0.00	OCC	138.66	361.97
Sus. + W4{1}	17.32	3.18	0.00	0.00	0.00	OCC	138.66	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	3.01	18.81	0.07	24.34	0.00	OCC	24.48	434.37

*** - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	21.31	0.27	0.01	0.07	0.00	SUST	138.65	361.97	
Amb to T1{1}	228.88	1.60	0.01	0.00	0.02	DISP	0.03	327.78	
Amb to T2{1}	1.09	2.46	0.00	0.00	0.00	DISP	0.01	327.78	
Amb to T3{1}	1.45	1.46	0.00	0.00	0.00	DISP	0.00	327.78	
Sus. + W1{1}	21.38	0.38	0.00	0.01	0.00	OCC	138.66	361.97	
Sus. + W2{1}	21.38	0.38	0.00	0.01	0.00	OCC	138.66	361.97	
Sus. + W3{1}	21.32	2.91	0.00	0.00	0.00	OCC	138.66	361.97	
Sus. + W4{1}	21.32	2.67	0.00	0.00	0.00	OCC	138.66	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	20.13	24.82	0.07	24.34	0.00	OCC	24.48	434.37	
*** + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	21.31	0.27	0.01	0.07	0.00	SUST	139.01	361.97	
Amb to T1{1}	228.88	1.60	0.01	0.00	0.02	DISP	0.03	327.42	
Amb to T2{1}	1.09	2.46	0.00	0.00	0.00	DISP	0.01	327.42	
Amb to T3{1}	1.45	1.46	0.00	0.00	0.00	DISP	0.00	327.42	
Sus. + W1{1}	21.38	0.38	0.00	0.01	0.00	OCC	139.02	361.97	
Sus. + W2{1}	21.38	0.38	0.00	0.01	0.00	OCC	139.02	361.97	
Sus. + W3{1}	21.32	2.91	0.00	0.00	0.00	OCC	139.02	361.97	
Sus. + W4{1}	21.32	2.67	0.00	0.00	0.00	OCC	139.02	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	20.13	24.82	0.07	24.01	0.00	OCC	24.15	434.37	
*** - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	25.70	1.62	0.01	0.07	0.00	SUST	139.01	361.97	
Amb to T1{1}	230.99	1.85	0.01	0.00	0.02	DISP	0.03	327.42	
Amb to T2{1}	0.62	2.32	0.00	0.00	0.00	DISP	0.01	327.42	
Amb to T3{1}	1.58	1.29	0.00	0.00	0.00	DISP	0.00	327.42	
Sus. + W1{1}	25.78	1.69	0.00	0.01	0.00	OCC	139.02	361.97	
Sus. + W2{1}	25.78	1.69	0.00	0.01	0.00	OCC	139.02	361.97	
Sus. + W3{1}	25.71	4.36	0.00	0.00	0.00	OCC	139.02	361.97	
Sus. + W4{1}	25.71	4.11	0.00	0.00	0.00	OCC	139.02	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	39.71	31.54	0.07	24.01	0.01	OCC	24.15	434.37	
*** + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	25.70	1.62	0.01	0.07	0.00	SUST	139.38	361.97	
Amb to T1{1}	230.99	1.85	0.01	0.00	0.02	DISP	0.03	327.05	
Amb to T2{1}	0.62	2.32	0.00	0.00	0.00	DISP	0.01	327.05	
Amb to T3{1}	1.58	1.29	0.00	0.00	0.00	DISP	0.00	327.05	
Sus. + W1{1}	25.78	1.69	0.00	0.01	0.00	OCC	139.38	361.97	
Sus. + W2{1}	25.78	1.69	0.00	0.01	0.00	OCC	139.38	361.97	
Sus. + W3{1}	25.71	4.36	0.00	0.00	0.00	OCC	139.38	361.97	
Sus. + W4{1}	25.71	4.11	0.00	0.00	0.00	OCC	139.38	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	39.71	31.54	0.07	23.67	0.01	OCC	23.82	434.37	
*** - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	30.44	3.19	0.01	0.07	0.00	SUST	139.38	361.97	
Amb to T1{1}	225.08	2.13	0.01	0.00	0.02	DISP	0.03	327.05	
Amb to T2{1}	0.00	2.11	0.00	0.00	0.00	DISP	0.01	327.05	
Amb to T3{1}	1.70	1.07	0.00	0.00	0.00				

Amb to T1{1}	225.08	2.13	0.01	0.00	0.02	DISP	0.03	326.69
Amb to T2{1}	0.00	2.11	0.00	0.00	0.00	DISP	0.01	326.69
Amb to T3{1}	1.70	1.07	0.00	0.00	0.00	DISP	0.00	326.69
Sus. + W1{1}	30.52	3.20	0.00	0.01	0.00	OCC	139.75	361.97
Sus. + W2{1}	30.52	3.20	0.00	0.01	0.00	OCC	139.75	361.97
Sus. + W3{1}	30.45	6.00	0.00	0.00	0.00	OCC	139.75	361.97
Sus. + W4{1}	30.45	5.75	0.00	0.00	0.00	OCC	139.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	61.94	39.02	0.07	23.34	0.01	OCC	23.49	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	35.44	5.00	0.01	0.07	0.00	SUST	139.74	361.97
Amb to T1{1}	208.97	2.41	0.01	0.00	0.02	DISP	0.03	326.69
Amb to T2{1}	0.81	1.84	0.00	0.00	0.00	DISP	0.01	326.69
Amb to T3{1}	1.78	0.79	0.00	0.00	0.00	DISP	0.00	326.69
Sus. + W1{1}	35.53	5.06	0.00	0.01	0.00	OCC	139.75	361.97
Sus. + W2{1}	35.53	5.06	0.00	0.01	0.00	OCC	139.75	361.97
Sus. + W3{1}	35.45	7.84	0.00	0.00	0.00	OCC	139.75	361.97
Sus. + W4{1}	35.45	7.60	0.00	0.00	0.00	OCC	139.75	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	87.00	47.26	0.07	23.34	0.01	OCC	23.49	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	35.44	5.00	0.01	0.07	0.00	SUST	140.10	361.97
Amb to T1{1}	208.97	2.41	0.01	0.00	0.02	DISP	0.03	326.33
Amb to T2{1}	0.81	1.84	0.00	0.00	0.00	DISP	0.01	326.33
Amb to T3{1}	1.78	0.79	0.00	0.00	0.00	DISP	0.00	326.33
Sus. + W1{1}	35.53	5.06	0.00	0.01	0.00	OCC	140.11	361.97
Sus. + W2{1}	35.53	5.06	0.00	0.01	0.00	OCC	140.11	361.97
Sus. + W3{1}	35.45	7.84	0.00	0.00	0.00	OCC	140.11	361.97
Sus. + W4{1}	35.45	7.60	0.00	0.00	0.00	OCC	140.11	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	87.00	47.26	0.07	23.01	0.01	OCC	23.16	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	40.60	7.06	0.01	0.07	0.00	SUST	140.10	361.97
Amb to T1{1}	180.23	2.72	0.01	0.00	0.02	DISP	0.02	326.33
Amb to T2{1}	1.83	1.50	0.00	0.00	0.00	DISP	0.01	326.33
Amb to T3{1}	1.82	0.45	0.00	0.00	0.00	DISP	0.00	326.33
Sus. + W1{1}	40.69	7.20	0.00	0.01	0.00	OCC	140.11	361.97
Sus. + W2{1}	40.69	7.20	0.00	0.01	0.00	OCC	140.11	361.97
Sus. + W3{1}	40.61	9.90	0.00	0.00	0.00	OCC	140.11	361.97
Sus. + W4{1}	40.61	9.68	0.00	0.00	0.00	OCC	140.11	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	115.07	56.30	0.07	23.01	0.01	OCC	23.16	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	40.60	7.06	0.01	0.07	0.00	SUST	140.47	361.97
Amb to T1{1}	180.23	2.72	0.01	0.00	0.02	DISP	0.02	325.96
Amb to T2{1}	1.83	1.50	0.00	0.00	0.00	DISP	0.01	325.96
Amb to T3{1}	1.82	0.45	0.00	0.00	0.00	DISP	0.00	325.96
Sus. + W1{1}	40.69	7.20	0.00	0.01	0.00	OCC	140.47	361.97
Sus. + W2{1}	40.69	7.20	0.00	0.01	0.00	OCC	140.47	361.97
Sus. + W3{1}	40.61	9.90	0.00	0.00	0.00	OCC	140.48	361.97
Sus. + W4{1}	40.61	9.68	0.00	0.00	0.00	OCC	140.48	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	115.07	56.30	0.07	22.68	0.01	OCC	22.83	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	45.77	9.39	0.01	0.07	0.01	SUST	140.47	361.97
Amb to T1{1}	136.20	3.04	0.01	0.00	0.01	DISP	0.02	325.96
Amb to T2{1}	3.09	1.07	0.00	0.00	0.00	DISP	0.01	325.96

Amb to T3{1}	1.81	0.05	0.00	0.00	0.00	DISP	0.00	325.96
Sus. + W1{1}	45.87	9.62	0.00	0.01	0.00	OCC	140.47	361.97
Sus. + W2{1}	45.87	9.62	0.00	0.01	0.00	OCC	140.47	361.97
Sus. + W3{1}	45.79	12.19	0.00	0.00	0.00	OCC	140.48	361.97
Sus. + W4{1}	45.79	11.98	0.00	0.00	0.00	OCC	140.48	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	146.32	66.13	0.07	22.68	0.02	OCC	22.83	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	45.77	9.39	0.01	0.08	0.01	SUST	140.83	361.97
Amb to T1{1}	136.20	3.04	0.01	0.00	0.01	DISP	0.02	325.60
Amb to T2{1}	3.09	1.07	0.00	0.00	0.00	DISP	0.01	325.60
Amb to T3{1}	1.81	0.05	0.00	0.00	0.00	DISP	0.00	325.60
Sus. + W1{1}	45.87	9.62	0.00	0.01	0.00	OCC	140.84	361.97
Sus. + W2{1}	45.87	9.62	0.00	0.01	0.00	OCC	140.84	361.97
Sus. + W3{1}	45.79	12.19	0.00	0.00	0.00	OCC	140.84	361.97
Sus. + W4{1}	45.79	11.98	0.00	0.00	0.00	OCC	140.84	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	146.32	66.13	0.07	22.35	0.02	OCC	22.50	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	50.77	11.99	0.01	0.08	0.01	SUST	140.83	361.97
Amb to T1{1}	73.96	3.37	0.01	0.00	0.01	DISP	0.02	325.60
Amb to T2{1}	4.60	0.55	0.00	0.00	0.00	DISP	0.01	325.60
Amb to T3{1}	1.73	0.43	0.00	0.00	0.00	DISP	0.00	325.60
Sus. + W1{1}	50.87	12.33	0.00	0.01	0.00	OCC	140.84	361.97
Sus. + W2{1}	50.87	12.33	0.00	0.01	0.00	OCC	140.84	361.97
Sus. + W3{1}	50.79	14.70	0.00	0.00	0.00	OCC	140.84	361.97
Sus. + W4{1}	50.79	14.52	0.00	0.00	0.00	OCC	140.84	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	180.90	76.76	0.07	22.35	0.02	OCC	22.50	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	50.77	11.99	0.01	0.08	0.01	SUST	141.20	361.97
Amb to T1{1}	73.96	3.37	0.01	0.00	0.01	DISP	0.02	325.23
Amb to T2{1}	4.60	0.55	0.00	0.00	0.00	DISP	0.01	325.23
Amb to T3{1}	1.73	0.43	0.00	0.00	0.00	DISP	0.00	325.23
Sus. + W1{1}	50.87	12.33	0.00	0.01	0.00	OCC	141.20	361.97
Sus. + W2{1}	50.87	12.33	0.00	0.01	0.00	OCC	141.20	361.97
Sus. + W3{1}	50.79	14.70	0.00	0.00	0.00	OCC	141.20	361.97
Sus. + W4{1}	50.79	14.52	0.00	0.00	0.00	OCC	141.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	180.90	76.76	0.07	22.02	0.02	OCC	22.17	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	55.35	14.89	0.01	0.08	0.01	SUST	141.20	361.97
Amb to T1{1}	9.57	3.72	0.01	0.00	0.00	DISP	0.01	325.23
Amb to T2{1}	6.39	0.07	0.00	0.00	0.00	DISP	0.01	325.23
Amb to T3{1}	1.55	0.99	0.00	0.00	0.00	DISP	0.00	325.23
Sus. + W1{1}	55.46	15.35	0.00	0.01	0.00	OCC	141.20	361.97
Sus. + W2{1}	55.46	15.34	0.00	0.01	0.00	OCC	141.20	361.97
Sus. + W3{1}	55.38	17.46	0.00	0.00	0.00	OCC	141.21	361.97
Sus. + W4{1}	55.38	17.31	0.00	0.00	0.00	OCC	141.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	218.98	88.18	0.07	22.02	0.03	OCC	22.17	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	55.35	14.89	0.01	0.08	0.01	SUST	141.56	361.97
Amb to T1{1}	9.57	3.72	0.01	0.00	0.00	DISP	0.01	324.87
Amb to T2{1}	6.39	0.07	0.00	0.00	0.00	DISP	0.01	324.87
Amb to T3{1}	1.55	0.99	0.00	0.00	0.00	DISP	0.00	324.87

Sus. + W1{1}	55.46	15.35	0.00	0.01	0.00	OCC	141.57	361.97
Sus. + W2{1}	55.46	15.34	0.00	0.01	0.00	OCC	141.57	361.97
Sus. + W3{1}	55.38	17.46	0.00	0.00	0.00	OCC	141.57	361.97
Sus. + W4{1}	55.38	17.31	0.00	0.00	0.00	OCC	141.57	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	218.98	88.18	0.07	21.69	0.03	OCC	21.84	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	59.23	18.09	0.01	0.08	0.01	SUST	141.56	361.97
Amb to T1{1}	117.59	4.07	0.01	0.00	0.01	DISP	0.02	324.87
Amb to T2{1}	8.48	0.81	0.00	0.00	0.00	DISP	0.01	324.87
Amb to T3{1}	1.27	1.63	0.00	0.00	0.00	DISP	0.00	324.87
Sus. + W1{1}	59.33	18.68	0.00	0.01	0.00	OCC	141.57	361.97
Sus. + W2{1}	59.33	18.68	0.00	0.01	0.00	OCC	141.57	361.97
Sus. + W3{1}	59.25	20.45	0.00	0.00	0.00	OCC	141.57	361.97
Sus. + W4{1}	59.25	20.34	0.00	0.00	0.00	OCC	141.57	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	260.67	100.36	0.07	21.69	0.03	OCC	21.84	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	59.23	18.09	0.01	0.08	0.01	SUST	141.93	361.97
Amb to T1{1}	117.59	4.07	0.01	0.00	0.01	DISP	0.02	324.50
Amb to T2{1}	8.48	0.81	0.00	0.00	0.00	DISP	0.01	324.50
Amb to T3{1}	1.27	1.63	0.00	0.00	0.00	DISP	0.00	324.50
Sus. + W1{1}	59.33	18.68	0.00	0.01	0.00	OCC	141.93	361.97
Sus. + W2{1}	59.33	18.68	0.00	0.01	0.00	OCC	141.93	361.97
Sus. + W3{1}	59.25	20.45	0.00	0.00	0.00	OCC	141.94	361.97
Sus. + W4{1}	59.25	20.34	0.00	0.00	0.00	OCC	141.93	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	260.67	100.36	0.07	21.36	0.03	OCC	21.51	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	62.03	21.60	0.01	0.08	0.01	SUST	141.93	361.97
Amb to T1{1}	253.33	4.43	0.01	0.00	0.03	DISP	0.03	324.50
Amb to T2{1}	10.87	1.66	0.00	0.00	0.00	DISP	0.01	324.50
Amb to T3{1}	0.85	2.37	0.00	0.00	0.00	DISP	0.00	324.50
Sus. + W1{1}	62.12	22.34	0.00	0.01	0.00	OCC	141.93	361.97
Sus. + W2{1}	62.12	22.34	0.00	0.01	0.00	OCC	141.93	361.97
Sus. + W3{1}	62.06	23.69	0.00	0.00	0.00	OCC	141.94	361.97
Sus. + W4{1}	62.06	23.62	0.00	0.00	0.00	OCC	141.93	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	306.06	113.26	0.07	21.36	0.04	OCC	21.51	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	62.03	21.60	0.01	0.08	0.01	SUST	142.29	361.97
Amb to T1{1}	253.33	4.43	0.01	0.00	0.03	DISP	0.03	324.14
Amb to T2{1}	10.87	1.66	0.00	0.00	0.00	DISP	0.01	324.14
Amb to T3{1}	0.85	2.37	0.00	0.00	0.00	DISP	0.00	324.14
Sus. + W1{1}	62.12	22.34	0.00	0.01	0.00	OCC	142.30	361.97
Sus. + W2{1}	62.12	22.34	0.00	0.01	0.00	OCC	142.30	361.97
Sus. + W3{1}	62.06	23.69	0.00	0.00	0.00	OCC	142.30	361.97
Sus. + W4{1}	62.06	23.62	0.00	0.00	0.00	OCC	142.30	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	306.06	113.26	0.07	21.03	0.04	OCC	21.18	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	63.35	25.42	0.01	0.08	0.01	SUST	142.29	361.97
Amb to T1{1}	419.99	4.78	0.01	0.00	0.05	DISP	0.05	324.14
Amb to T2{1}	13.56	2.64	0.00	0.00	0.00	DISP	0.01	324.14
Amb to T3{1}	0.28	3.20	0.00	0.00	0.00	DISP	0.00	324.14
Sus. + W1{1}	63.43	26.33	0.00	0.01	0.00	OCC	142.30	361.97
Sus. + W2{1}	63.43	26.33	0.00	0.01	0.00	OCC	142.30	361.97

Sus. + W3{1}	63.37	27.15	0.00	0.00	0.00	OCC	142.30	361.97
Sus. + W4{1}	63.37	27.14	0.00	0.00	0.00	OCC	142.30	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	355.25	126.82	0.07	21.03	0.04	OCC	21.18	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	63.35	25.42	0.01	0.08	0.01	SUST	142.66	361.97
Amb to T1{1}	419.99	4.78	0.01	0.00	0.05	DISP	0.05	323.77
Amb to T2{1}	13.56	2.64	0.00	0.00	0.00	DISP	0.01	323.77
Amb to T3{1}	0.28	3.20	0.00	0.00	0.00	DISP	0.00	323.77
Sus. + W1{1}	63.43	26.33	0.00	0.01	0.00	OCC	142.67	361.97
Sus. + W2{1}	63.43	26.33	0.00	0.01	0.00	OCC	142.67	361.97
Sus. + W3{1}	63.37	27.15	0.00	0.00	0.00	OCC	142.67	361.97
Sus. + W4{1}	63.37	27.14	0.00	0.00	0.00	OCC	142.67	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	355.25	126.82	0.07	20.70	0.04	OCC	20.85	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	62.69	29.57	0.01	0.08	0.01	SUST	142.66	361.97
Amb to T1{1}	620.49	5.13	0.01	0.00	0.07	DISP	0.07	323.77
Amb to T2{1}	16.55	3.76	0.00	0.00	0.00	DISP	0.01	323.77
Amb to T3{1}	0.48	4.14	0.00	0.00	0.00	DISP	0.00	323.77
Sus. + W1{1}	62.74	30.65	0.00	0.01	0.00	OCC	142.67	361.97
Sus. + W2{1}	62.74	30.65	0.00	0.01	0.00	OCC	142.67	361.97
Sus. + W3{1}	62.71	30.85	0.00	0.00	0.00	OCC	142.67	361.97
Sus. + W4{1}	62.71	30.90	0.00	0.00	0.00	OCC	142.67	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	408.26	140.97	0.07	20.70	0.05	OCC	20.85	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	62.69	29.57	0.01	0.08	0.01	SUST	143.02	361.97
Amb to T1{1}	620.49	5.13	0.01	0.00	0.07	DISP	0.07	323.41
Amb to T2{1}	16.55	3.76	0.00	0.00	0.00	DISP	0.01	323.41
Amb to T3{1}	0.48	4.14	0.00	0.00	0.00	DISP	0.00	323.41
Sus. + W1{1}	62.74	30.65	0.00	0.01	0.00	OCC	143.03	361.97
Sus. + W2{1}	62.74	30.65	0.00	0.01	0.00	OCC	143.03	361.97
Sus. + W3{1}	62.71	30.85	0.00	0.00	0.00	OCC	143.03	361.97
Sus. + W4{1}	62.71	30.90	0.00	0.00	0.00	OCC	143.03	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	408.26	140.97	0.07	20.37	0.05	OCC	20.52	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	59.47	34.02	0.01	0.08	0.01	SUST	143.02	361.97
Amb to T1{1}	857.40	5.47	0.01	0.00	0.09	DISP	0.09	323.41
Amb to T2{1}	19.80	5.02	0.00	0.00	0.00	DISP	0.01	323.41
Amb to T3{1}	1.44	5.18	0.00	0.00	0.00	DISP	0.00	323.41
Sus. + W1{1}	59.49	35.30	0.00	0.01	0.00	OCC	143.03	361.97
Sus. + W2{1}	59.49	35.30	0.00	0.01	0.00	OCC	143.03	361.97
Sus. + W3{1}	59.49	34.75	0.00	0.00	0.00	OCC	143.03	361.97
Sus. + W4{1}	59.49	34.88	0.00	0.00	0.00	OCC	143.03	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	465.06	155.59	0.07	20.37	0.05	OCC	20.53	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	59.47	34.02	0.01	0.08	0.01	SUST	143.39	361.97
Amb to T1{1}	857.40	5.47	0.01	0.00	0.09	DISP	0.09	323.04
Amb to T2{1}	19.80	5.02	0.00	0.00	0.00	DISP	0.01	323.04
Amb to T3{1}	1.44	5.18	0.00	0.00	0.00	DISP	0.00	323.04
Sus. + W1{1}	59.49	35.30	0.00	0.01	0.00	OCC	143.40	361.97
Sus. + W2{1}	59.49	35.30	0.00	0.01	0.00	OCC	143.40	361.97
Sus. + W3{1}	59.49	34.75	0.00	0.00	0.00	OCC	143.40	361.97

Sus. + W4{1}	59.49	34.88	0.00	0.00	0.00	OCC	143.40	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	465.06	155.59	0.07	20.04	0.05	OCC	20.20	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	53.08	38.77	0.01	0.08	0.01	SUST	143.39	361.97
Amb to T1{1}	1132.64	5.78	0.01	0.00	0.12	DISP	0.12	323.04
Amb to T2{1}	23.28	6.44	0.00	0.00	0.00	DISP	0.01	323.04
Amb to T3{1}	2.63	6.33	0.00	0.00	0.00	DISP	0.00	323.04
Sus. + W1{1}	53.10	40.27	0.00	0.01	0.00	OCC	143.40	361.97
Sus. + W2{1}	53.10	40.26	0.00	0.01	0.00	OCC	143.40	361.97
Sus. + W3{1}	53.09	38.85	0.00	0.00	0.00	OCC	143.40	361.97
Sus. + W4{1}	53.09	39.07	0.00	0.00	0.00	OCC	143.40	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	525.59	170.57	0.07	20.04	0.06	OCC	20.20	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	53.08	38.77	0.01	0.08	0.01	SUST	143.76	361.97
Amb to T1{1}	1132.64	5.78	0.01	0.00	0.12	DISP	0.12	322.67
Amb to T2{1}	23.28	6.44	0.00	0.00	0.00	DISP	0.01	322.67
Amb to T3{1}	2.63	6.33	0.00	0.00	0.00	DISP	0.00	322.67
Sus. + W1{1}	53.10	40.27	0.00	0.01	0.00	OCC	143.76	361.97
Sus. + W2{1}	53.10	40.26	0.00	0.01	0.00	OCC	143.76	361.97
Sus. + W3{1}	53.09	38.85	0.00	0.00	0.00	OCC	143.76	361.97
Sus. + W4{1}	53.09	39.07	0.00	0.00	0.00	OCC	143.76	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	525.59	170.57	0.07	19.71	0.06	OCC	19.87	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	42.79	43.81	0.01	0.08	0.01	SUST	143.76	361.97
Amb to T1{1}	1447.36	6.07	0.01	0.00	0.16	DISP	0.16	322.67
Amb to T2{1}	26.92	8.02	0.00	0.00	0.00	DISP	0.01	322.67
Amb to T3{1}	4.08	7.60	0.00	0.00	0.00	DISP	0.00	322.67
Sus. + W1{1}	42.87	45.55	0.00	0.01	0.00	OCC	143.76	361.97
Sus. + W2{1}	42.87	45.53	0.00	0.01	0.00	OCC	143.76	361.97
Sus. + W3{1}	42.80	44.50	0.00	0.00	0.00	OCC	143.76	361.97
Sus. + W4{1}	42.80	44.18	0.00	0.00	0.00	OCC	143.76	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	589.72	185.75	0.07	19.71	0.07	OCC	19.87	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	42.79	43.81	0.01	0.09	0.01	SUST	144.12	361.97
Amb to T1{1}	1447.36	6.07	0.01	0.00	0.16	DISP	0.16	322.31
Amb to T2{1}	26.92	8.02	0.00	0.00	0.00	DISP	0.01	322.31
Amb to T3{1}	4.08	7.60	0.00	0.00	0.00	DISP	0.00	322.31
Sus. + W1{1}	42.87	45.55	0.00	0.01	0.00	OCC	144.13	361.97
Sus. + W2{1}	42.87	45.53	0.00	0.01	0.00	OCC	144.13	361.97
Sus. + W3{1}	42.80	44.50	0.00	0.00	0.00	OCC	144.13	361.97
Sus. + W4{1}	42.80	44.18	0.00	0.00	0.00	OCC	144.13	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	589.72	185.75	0.07	19.38	0.07	OCC	19.55	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	27.84	49.11	0.01	0.09	0.01	SUST	144.12	361.97
Amb to T1{1}	1801.47	6.32	0.01	0.00	0.19	DISP	0.19	322.31
Amb to T2{1}	30.64	9.77	0.00	0.00	0.00	DISP	0.01	322.31
Amb to T3{1}	5.80	8.99	0.00	0.00	0.00	DISP	0.00	322.31
Sus. + W1{1}	27.98	51.10	0.00	0.01	0.00	OCC	144.13	361.97
Sus. + W2{1}	27.98	51.09	0.00	0.01	0.00	OCC	144.13	361.97
Sus. + W3{1}	27.84	50.71	0.00	0.00	0.00	OCC	144.13	361.97
Sus. + W4{1}	27.84	50.27	0.00	0.00	0.00	OCC	144.13	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	657.23	200.94	0.07	19.38	0.07	OCC	19.55	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	27.84	49.11	0.01	0.09	0.01	SUST	144.49	361.97
Amb to T1{1}	1801.47	6.32	0.01	0.00	0.19	DISP	0.19	321.94
Amb to T2{1}	30.64	9.77	0.00	0.00	0.00	DISP	0.01	321.94
Amb to T3{1}	5.80	8.99	0.00	0.00	0.00	DISP	0.00	321.94
Sus. + W1{1}	27.98	51.10	0.00	0.01	0.00	OCC	144.50	361.97
Sus. + W2{1}	27.98	51.09	0.00	0.01	0.00	OCC	144.50	361.97
Sus. + W3{1}	27.84	50.71	0.00	0.00	0.00	OCC	144.50	361.97
Sus. + W4{1}	27.84	50.27	0.00	0.00	0.00	OCC	144.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	657.23	200.94	0.07	19.06	0.07	OCC	19.22	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	7.39	54.65	0.01	0.09	0.01	SUST	144.49	361.97
Amb to T1{1}	2193.45	6.53	0.01	0.00	0.24	DISP	0.24	321.94
Amb to T2{1}	34.32	11.68	0.00	0.00	0.00	DISP	0.01	321.94
Amb to T3{1}	7.83	10.49	0.00	0.00	0.00	DISP	0.00	321.94
Sus. + W1{1}	7.61	56.91	0.00	0.01	0.00	OCC	144.50	361.97
Sus. + W2{1}	7.61	56.89	0.00	0.01	0.00	OCC	144.50	361.97
Sus. + W3{1}	7.40	57.29	0.00	0.00	0.00	OCC	144.50	361.97
Sus. + W4{1}	7.40	56.73	0.00	0.00	0.00	OCC	144.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	727.82	215.92	0.07	19.06	0.08	OCC	19.22	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	7.39	54.65	0.01	0.09	0.01	SUST	144.86	361.97
Amb to T1{1}	2193.45	6.53	0.01	0.00	0.24	DISP	0.24	321.57
Amb to T2{1}	34.32	11.68	0.00	0.00	0.00	DISP	0.01	321.57
Amb to T3{1}	7.83	10.49	0.00	0.00	0.00	DISP	0.00	321.57
Sus. + W1{1}	7.61	56.91	0.00	0.01	0.00	OCC	144.86	361.97
Sus. + W2{1}	7.61	56.89	0.00	0.01	0.00	OCC	144.86	361.97
Sus. + W3{1}	7.40	57.29	0.00	0.00	0.00	OCC	144.86	361.97
Sus. + W4{1}	7.40	56.73	0.00	0.00	0.00	OCC	144.86	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	727.82	215.92	0.07	18.73	0.08	OCC	18.90	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	19.41	60.39	0.01	0.09	0.01	SUST	144.86	361.97
Amb to T1{1}	2619.81	6.68	0.01	0.00	0.28	DISP	0.28	321.57
Amb to T2{1}	37.80	13.77	0.00	0.00	0.00	DISP	0.01	321.57
Amb to T3{1}	10.16	12.11	0.00	0.00	0.00	DISP	0.00	321.57
Sus. + W1{1}	19.73	62.92	0.00	0.01	0.00	OCC	144.87	361.97
Sus. + W2{1}	19.73	62.90	0.00	0.01	0.00	OCC	144.87	361.97
Sus. + W3{1}	19.43	64.21	0.00	0.00	0.00	OCC	144.86	361.97
Sus. + W4{1}	19.43	63.50	0.00	0.00	0.00	OCC	144.86	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	801.06	230.44	0.07	18.73	0.09	OCC	18.90	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	19.41	60.39	0.01	0.09	0.01	SUST	145.22	361.97
Amb to T1{1}	2619.81	6.68	0.01	0.00	0.28	DISP	0.28	321.21
Amb to T2{1}	37.80	13.77	0.00	0.00	0.00	DISP	0.01	321.21
Amb to T3{1}	10.16	12.11	0.00	0.00	0.00	DISP	0.00	321.21
Sus. + W1{1}	19.73	62.92	0.00	0.01	0.00	OCC	145.23	361.97
Sus. + W2{1}	19.73	62.90	0.00	0.01	0.00	OCC	145.23	361.97
Sus. + W3{1}	19.43	64.21	0.00	0.00	0.00	OCC	145.23	361.97
Sus. + W4{1}	19.43	63.50	0.00	0.00	0.00	OCC	145.23	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	801.06	230.44	0.07	18.40	0.09	OCC	18.57	434.37

+*** - SIFI= 1.00 SIFO= 1.00									
UNREST	GR + Max P{1}	53.47	66.28	0.01	0.09	0.01	SUST	145.23	361.97
	Amb to T1{1}	3074.90	6.76	0.01	0.00	0.33	DISP	0.33	321.20
	Amb to T2{1}	40.90	16.03	0.00	0.00	0.00	DISP	0.01	321.20
	Amb to T3{1}	12.80	13.84	0.00	0.00	0.00	DISP	0.00	321.20
	Sus. + W1{1}	53.90	69.10	0.00	0.01	0.00	OCC	145.23	361.97
	Sus. + W2{1}	53.90	69.08	0.00	0.01	0.00	OCC	145.23	361.97
	Sus. + W3{1}	53.50	71.44	0.00	0.00	0.00	OCC	145.23	361.97
	Sus. + W4{1}	53.50	70.57	0.00	0.00	0.00	OCC	145.23	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	876.47	244.21	0.07	18.40	0.10	OCC	18.58	434.37
+*** + SIFI= 1.00 SIFO= 1.00									
UNREST	GR + Max P{1}	53.47	66.28	0.01	0.09	0.01	SUST	145.59	361.97
	Amb to T1{1}	3074.90	6.76	0.01	0.00	0.33	DISP	0.33	320.84
	Amb to T2{1}	40.90	16.03	0.00	0.00	0.00	DISP	0.01	320.84
	Amb to T3{1}	12.80	13.84	0.00	0.00	0.00	DISP	0.00	320.84
	Sus. + W1{1}	53.90	69.10	0.00	0.01	0.00	OCC	145.60	361.97
	Sus. + W2{1}	53.90	69.08	0.00	0.01	0.00	OCC	145.60	361.97
	Sus. + W3{1}	53.50	71.44	0.00	0.00	0.00	OCC	145.60	361.97
	Sus. + W4{1}	53.50	70.57	0.00	0.00	0.00	OCC	145.60	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	876.47	244.21	0.07	18.07	0.10	OCC	18.25	434.37
+*** - SIFI= 1.00 SIFO= 1.00									
UNREST	GR + Max P{1}	95.65	72.25	0.01	0.09	0.01	SUST	145.60	361.97
	Amb to T1{1}	3550.17	6.75	0.01	0.00	0.38	DISP	0.38	320.83
	Amb to T2{1}	43.40	18.47	0.00	0.00	0.01	DISP	0.01	320.83
	Amb to T3{1}	15.75	15.68	0.00	0.00	0.00	DISP	0.00	320.83
	Sus. + W1{1}	96.21	75.38	0.00	0.01	0.00	OCC	145.60	361.97
	Sus. + W2{1}	96.21	75.35	0.00	0.01	0.00	OCC	145.60	361.97
	Sus. + W3{1}	95.70	78.92	0.00	0.00	0.00	OCC	145.60	361.97
	Sus. + W4{1}	95.70	77.88	0.00	0.00	0.00	OCC	145.60	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	953.36	256.88	0.07	18.07	0.11	OCC	18.25	434.37
+*** + SIFI= 1.00 SIFO= 1.00									
UNREST	GR + Max P{1}	95.65	72.25	0.01	0.09	0.01	SUST	145.96	361.97
	Amb to T1{1}	3550.17	6.75	0.01	0.00	0.38	DISP	0.38	320.47
	Amb to T2{1}	43.40	18.47	0.00	0.00	0.01	DISP	0.01	320.47
	Amb to T3{1}	15.75	15.68	0.00	0.00	0.00	DISP	0.00	320.47
	Sus. + W1{1}	96.21	75.38	0.00	0.01	0.00	OCC	145.97	361.97
	Sus. + W2{1}	96.21	75.35	0.00	0.01	0.00	OCC	145.97	361.97
	Sus. + W3{1}	95.70	78.92	0.00	0.00	0.00	OCC	145.97	361.97
	Sus. + W4{1}	95.70	77.88	0.00	0.00	0.00	OCC	145.97	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	953.36	256.88	0.07	17.75	0.11	OCC	17.93	434.37
+*** - SIFI= 1.00 SIFO= 1.00									
UNREST	GR + Max P{1}	146.80	78.24	0.01	0.09	0.02	SUST	145.97	361.97
	Amb to T1{1}	4033.82	6.64	0.01	0.00	0.43	DISP	0.43	320.46
	Amb to T2{1}	45.00	21.07	0.00	0.00	0.01	DISP	0.01	320.46
	Amb to T3{1}	18.99	17.63	0.00	0.00	0.00	DISP	0.00	320.46
	Sus. + W1{1}	147.51	81.68	0.00	0.01	0.00	OCC	145.98	361.97
	Sus. + W2{1}	147.51	81.65	0.00	0.01	0.00	OCC	145.98	361.97
	Sus. + W3{1}	146.87	86.60	0.00	0.00	0.00	OCC	145.98	361.97
	Sus. + W4{1}	146.87	85.37	0.00	0.00	0.00	OCC	145.98	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	1030.97	268.08	0.07	17.75	0.11	OCC	17.93	434.37
+*** + SIFI= 1.00 SIFO= 1.00									
UNREST	GR + Max P{1}	146.80	78.24	0.01	0.09	0.02	SUST	146.34	361.97

Amb to T1{1}	4033.82	6.64	0.01	0.00	0.43	DISP	0.43	320.09
Amb to T2{1}	45.00	21.07	0.00	0.00	0.01	DISP	0.01	320.09
Amb to T3{1}	18.99	17.63	0.00	0.00	0.00	DISP	0.00	320.09
Sus. + W1{1}	147.51	81.68	0.00	0.01	0.00	OCC	146.34	361.97
Sus. + W2{1}	147.51	81.65	0.00	0.01	0.00	OCC	146.34	361.97
Sus. + W3{1}	146.87	86.60	0.00	0.00	0.00	OCC	146.34	361.97
Sus. + W4{1}	146.87	85.37	0.00	0.00	0.00	OCC	146.34	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1030.97	268.08	0.07	17.42	0.11	OCC	17.61	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	207.65	84.16	0.01	0.09	0.02	SUST	146.34	361.97
Amb to T1{1}	4510.15	6.42	0.01	0.00	0.49	DISP	0.49	320.09
Amb to T2{1}	45.41	23.83	0.00	0.00	0.01	DISP	0.01	320.09
Amb to T3{1}	22.48	19.66	0.00	0.00	0.00	DISP	0.00	320.09
Sus. + W1{1}	208.53	87.92	0.00	0.01	0.00	OCC	146.35	361.97
Sus. + W2{1}	208.54	87.89	0.00	0.01	0.00	OCC	146.35	361.97
Sus. + W3{1}	207.76	94.39	0.00	0.00	0.00	OCC	146.35	361.97
Sus. + W4{1}	207.76	92.95	0.00	0.00	0.00	OCC	146.35	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1108.32	277.38	0.07	17.42	0.12	OCC	17.61	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	207.65	84.16	0.01	0.09	0.02	SUST	146.71	361.97
Amb to T1{1}	4510.15	6.42	0.01	0.00	0.49	DISP	0.49	319.72
Amb to T2{1}	45.41	23.83	0.00	0.00	0.01	DISP	0.01	319.72
Amb to T3{1}	22.48	19.66	0.00	0.00	0.00	DISP	0.00	319.72
Sus. + W1{1}	208.53	87.92	0.00	0.01	0.00	OCC	146.72	361.97
Sus. + W2{1}	208.54	87.89	0.00	0.01	0.00	OCC	146.72	361.97
Sus. + W3{1}	207.76	94.39	0.00	0.00	0.00	OCC	146.72	361.97
Sus. + W4{1}	207.76	92.95	0.00	0.00	0.00	OCC	146.72	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1108.32	277.38	0.07	17.09	0.12	OCC	17.28	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	278.85	89.92	0.01	0.09	0.03	SUST	146.72	361.97
Amb to T1{1}	4959.26	6.06	0.01	0.00	0.53	DISP	0.53	319.71
Amb to T2{1}	44.22	26.74	0.00	0.00	0.01	DISP	0.01	319.71
Amb to T3{1}	26.16	21.77	0.00	0.00	0.00	DISP	0.00	319.71
Sus. + W1{1}	279.91	94.01	0.00	0.01	0.00	OCC	146.73	361.97
Sus. + W2{1}	279.91	93.97	0.00	0.01	0.00	OCC	146.73	361.97
Sus. + W3{1}	278.98	102.20	0.00	0.00	0.00	OCC	146.73	361.97
Sus. + W4{1}	278.98	100.53	0.00	0.00	0.00	OCC	146.72	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1182.70	284.30	0.07	17.09	0.13	OCC	17.29	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	278.85	89.92	0.01	0.10	0.03	SUST	147.09	361.97
Amb to T1{1}	4959.26	6.06	0.01	0.00	0.53	DISP	0.53	319.34
Amb to T2{1}	44.22	26.74	0.00	0.00	0.01	DISP	0.01	319.34
Amb to T3{1}	26.16	21.77	0.00	0.00	0.00	DISP	0.00	319.34
Sus. + W1{1}	279.91	94.01	0.00	0.01	0.00	OCC	147.09	361.97
Sus. + W2{1}	279.91	93.97	0.00	0.01	0.00	OCC	147.09	361.97
Sus. + W3{1}	278.98	102.20	0.00	0.00	0.00	OCC	147.09	361.97
Sus. + W4{1}	278.98	100.53	0.00	0.00	0.00	OCC	147.09	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1182.70	284.30	0.07	16.77	0.13	OCC	16.96	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	360.77	95.40	0.01	0.10	0.04	SUST	147.09	361.97
Amb to T1{1}	5356.15	5.55	0.01	0.00	0.58	DISP	0.58	319.34
Amb to T2{1}	41.03	29.77	0.00	0.00	0.01	DISP	0.01	319.34

Amb to T3{1}	29.96	23.95	0.00	0.00	0.00	DISP	0.00	319.34
Sus. + W1{1}	362.03	99.81	0.00	0.01	0.00	OCC	147.10	361.97
Sus. + W2{1}	362.04	99.77	0.00	0.01	0.00	OCC	147.10	361.97
Sus. + W3{1}	360.94	109.92	0.00	0.00	0.00	OCC	147.10	361.97
Sus. + W4{1}	360.94	108.01	0.00	0.00	0.00	OCC	147.10	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1245.88	288.32	0.07	16.77	0.14	OCC	16.97	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	360.77	95.40	0.01	0.10	0.04	SUST	147.46	361.97
Amb to T1{1}	5356.15	5.55	0.01	0.00	0.58	DISP	0.58	318.97
Amb to T2{1}	41.03	29.77	0.00	0.00	0.01	DISP	0.01	318.97
Amb to T3{1}	29.96	23.95	0.00	0.00	0.00	DISP	0.00	318.97
Sus. + W1{1}	362.03	99.81	0.00	0.01	0.00	OCC	147.47	361.97
Sus. + W2{1}	362.04	99.77	0.00	0.01	0.00	OCC	147.47	361.97
Sus. + W3{1}	360.94	109.92	0.00	0.00	0.00	OCC	147.47	361.97
Sus. + W4{1}	360.94	108.01	0.00	0.00	0.00	OCC	147.47	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1245.88	288.32	0.07	16.44	0.14	OCC	16.64	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	453.54	100.48	0.01	0.10	0.05	SUST	147.47	361.97
Amb to T1{1}	5670.38	4.87	0.01	0.00	0.61	DISP	0.61	318.96
Amb to T2{1}	35.36	32.92	0.00	0.00	0.01	DISP	0.01	318.96
Amb to T3{1}	33.77	26.16	0.00	0.00	0.00	DISP	0.01	318.96
Sus. + W1{1}	455.01	105.19	0.00	0.01	0.00	OCC	147.48	361.97
Sus. + W2{1}	455.02	105.15	0.00	0.01	0.00	OCC	147.48	361.97
Sus. + W3{1}	453.75	117.42	0.00	0.00	0.00	OCC	147.48	361.97
Sus. + W4{1}	453.75	115.25	0.00	0.00	0.00	OCC	147.48	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1287.54	288.86	0.07	16.44	0.14	OCC	16.65	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	453.54	100.48	0.01	0.10	0.05	SUST	147.84	361.97
Amb to T1{1}	5670.38	4.87	0.01	0.00	0.61	DISP	0.61	318.59
Amb to T2{1}	35.36	32.92	0.00	0.00	0.01	DISP	0.01	318.59
Amb to T3{1}	33.77	26.16	0.00	0.00	0.00	DISP	0.01	318.59
Sus. + W1{1}	455.01	105.19	0.00	0.01	0.00	OCC	147.85	361.97
Sus. + W2{1}	455.02	105.15	0.00	0.01	0.00	OCC	147.85	361.97
Sus. + W3{1}	453.75	117.42	0.00	0.00	0.00	OCC	147.85	361.97
Sus. + W4{1}	453.75	115.25	0.00	0.00	0.00	OCC	147.85	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1287.54	288.86	0.07	16.12	0.14	OCC	16.32	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	556.93	104.99	0.01	0.10	0.06	SUST	147.85	361.97
Amb to T1{1}	5865.66	3.99	0.01	0.00	0.63	DISP	0.63	318.58
Amb to T2{1}	26.67	36.16	0.00	0.00	0.00	DISP	0.01	318.58
Amb to T3{1}	37.45	28.39	0.00	0.00	0.01	DISP	0.01	318.58
Sus. + W1{1}	558.62	110.01	0.00	0.01	0.00	OCC	147.86	361.97
Sus. + W2{1}	558.63	109.97	0.00	0.01	0.00	OCC	147.86	361.97
Sus. + W3{1}	557.18	124.55	0.00	0.00	0.00	OCC	147.86	361.97
Sus. + W4{1}	557.18	122.11	0.00	0.00	0.00	OCC	147.86	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1295.99	285.28	0.07	16.12	0.14	OCC	16.32	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	556.93	104.99	0.01	0.10	0.06	SUST	148.22	361.97
Amb to T1{1}	5865.66	3.99	0.01	0.00	0.63	DISP	0.63	318.21
Amb to T2{1}	26.67	36.16	0.00	0.00	0.00	DISP	0.01	318.21
Amb to T3{1}	37.45	28.39	0.00	0.00	0.01	DISP	0.01	318.21

	Sus. + W1{1}	558.62	110.01	0.00	0.01	0.00	OCC	148.23	361.97
	Sus. + W2{1}	558.63	109.97	0.00	0.01	0.00	OCC	148.23	361.97
	Sus. + W3{1}	557.18	124.55	0.00	0.00	0.00	OCC	148.23	361.97
	Sus. + W4{1}	557.18	122.11	0.00	0.00	0.00	OCC	148.23	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	1295.99	285.28	0.07	15.79	0.14	OCC	16.00	434.37
*** - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	670.21	108.79	0.01	0.10	0.07	SUST	148.24	361.97
	Amb to T1{1}	5899.24	2.90	0.01	0.00	0.64	DISP	0.64	318.20
	Amb to T2{1}	14.39	39.45	0.00	0.00	0.00	DISP	0.01	318.20
	Amb to T3{1}	40.81	30.61	0.00	0.00	0.01	DISP	0.01	318.20
	Sus. + W1{1}	672.12	114.09	0.00	0.01	0.00	OCC	148.24	361.97
	Sus. + W2{1}	672.12	114.04	0.00	0.01	0.00	OCC	148.24	361.97
	Sus. + W3{1}	670.50	131.15	0.00	0.00	0.00	OCC	148.24	361.97
	Sus. + W4{1}	670.50	128.43	0.00	0.00	0.00	OCC	148.24	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	1258.05	276.90	0.07	15.79	0.14	OCC	15.99	434.37
*** + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	670.21	108.79	0.01	0.10	0.07	SUST	148.61	361.97
	Amb to T1{1}	5899.24	2.90	0.01	0.00	0.64	DISP	0.64	317.82
	Amb to T2{1}	14.39	39.45	0.00	0.00	0.00	DISP	0.01	317.82
	Amb to T3{1}	40.81	30.61	0.00	0.00	0.01	DISP	0.01	317.82
	Sus. + W1{1}	672.12	114.09	0.00	0.01	0.00	OCC	148.61	361.97
	Sus. + W2{1}	672.12	114.04	0.00	0.01	0.00	OCC	148.62	361.97
	Sus. + W3{1}	670.50	131.15	0.00	0.00	0.00	OCC	148.61	361.97
	Sus. + W4{1}	670.50	128.43	0.00	0.00	0.00	OCC	148.61	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	1258.05	276.90	0.07	15.47	0.14	OCC	15.67	434.37
*** - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	792.08	111.68	0.01	0.10	0.09	SUST	148.62	361.97
	Amb to T1{1}	5721.74	1.57	0.01	0.00	0.62	DISP	0.62	317.81
	Amb to T2{1}	2.07	42.75	0.00	0.00	0.00	DISP	0.01	317.81
	Amb to T3{1}	43.65	32.78	0.00	0.00	0.01	DISP	0.01	317.81
	Sus. + W1{1}	794.20	117.23	0.00	0.01	0.00	OCC	148.63	361.97
	Sus. + W2{1}	794.21	117.18	0.00	0.01	0.00	OCC	148.63	361.97
	Sus. + W3{1}	792.42	137.01	0.00	0.00	0.00	OCC	148.63	361.97
	Sus. + W4{1}	792.42	134.00	0.00	0.00	0.00	OCC	148.63	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	1159.08	262.99	0.07	15.47	0.13	OCC	15.66	434.37
*** + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	792.08	111.68	0.01	0.10	0.09	SUST	148.99	361.97
	Amb to T1{1}	5721.74	1.57	0.01	0.00	0.62	DISP	0.62	317.44
	Amb to T2{1}	2.07	42.75	0.00	0.00	0.00	DISP	0.01	317.44
	Amb to T3{1}	43.65	32.78	0.00	0.00	0.01	DISP	0.01	317.44
	Sus. + W1{1}	794.20	117.23	0.00	0.01	0.00	OCC	149.00	361.97
	Sus. + W2{1}	794.21	117.18	0.00	0.01	0.00	OCC	149.00	361.97
	Sus. + W3{1}	792.42	137.01	0.00	0.00	0.00	OCC	149.00	361.97
	Sus. + W4{1}	792.42	134.00	0.00	0.00	0.00	OCC	149.00	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	1159.08	262.99	0.07	15.14	0.13	OCC	15.34	434.37
*** - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	920.52	113.46	0.01	0.10	0.10	SUST	149.00	361.97
	Amb to T1{1}	5277.07	0.02	0.01	0.00	0.57	DISP	0.57	317.43
	Amb to T2{1}	23.36	46.02	0.00	0.00	0.01	DISP	0.01	317.43
	Amb to T3{1}	45.70	34.85	0.00	0.00	0.01	DISP	0.01	317.43
	Sus. + W1{1}	922.83	119.23	0.00	0.01	0.00	OCC	149.01	361.97
	Sus. + W2{1}	922.84	119.18	0.00	0.01	0.00	OCC	149.01	361.97

Sus. + W3{1}	920.91	141.93	0.00	0.00	0.00	OCC	149.01	361.97
Sus. + W4{1}	920.90	138.61	0.00	0.00	0.00	OCC	149.01	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	982.96	242.74	0.07	15.14	0.11	OCC	15.32	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	920.52	113.46	0.01	0.11	0.10	SUST	149.37	361.97
Amb to T1{1}	5277.07	0.02	0.01	0.00	0.57	DISP	0.57	317.06
Amb to T2{1}	23.36	46.02	0.00	0.00	0.01	DISP	0.01	317.06
Amb to T3{1}	45.70	34.85	0.00	0.00	0.01	DISP	0.01	317.06
Sus. + W1{1}	922.83	119.23	0.00	0.01	0.00	OCC	149.38	361.97
Sus. + W2{1}	922.84	119.18	0.00	0.01	0.00	OCC	149.38	361.97
Sus. + W3{1}	920.91	141.93	0.00	0.00	0.00	OCC	149.38	361.97
Sus. + W4{1}	920.90	138.61	0.00	0.00	0.00	OCC	149.38	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	982.96	242.74	0.07	14.82	0.11	OCC	15.00	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1052.69	113.91	0.01	0.11	0.11	SUST	149.39	361.97
Amb to T1{1}	4502.29	1.89	0.01	0.00	0.48	DISP	0.48	317.04
Amb to T2{1}	50.11	49.20	0.00	0.00	0.01	DISP	0.01	317.04
Amb to T3{1}	46.65	36.80	0.00	0.00	0.01	DISP	0.01	317.04
Sus. + W1{1}	1055.16	119.85	0.00	0.01	0.00	OCC	149.40	361.97
Sus. + W2{1}	1055.17	119.80	0.00	0.01	0.00	OCC	149.40	361.97
Sus. + W3{1}	1053.12	145.67	0.00	0.00	0.00	OCC	149.40	361.97
Sus. + W4{1}	1053.12	142.04	0.00	0.00	0.00	OCC	149.40	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	712.14	215.33	0.07	14.82	0.08	OCC	14.98	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1052.69	113.91	0.01	0.11	0.11	SUST	149.76	361.97
Amb to T1{1}	4502.29	1.89	0.01	0.00	0.48	DISP	0.48	316.67
Amb to T2{1}	50.11	49.20	0.00	0.00	0.01	DISP	0.01	316.67
Amb to T3{1}	46.65	36.80	0.00	0.00	0.01	DISP	0.01	316.67
Sus. + W1{1}	1055.16	119.85	0.00	0.01	0.00	OCC	149.77	361.97
Sus. + W2{1}	1055.17	119.80	0.00	0.01	0.00	OCC	149.77	361.97
Sus. + W3{1}	1053.12	145.67	0.00	0.00	0.00	OCC	149.77	361.97
Sus. + W4{1}	1053.12	142.04	0.00	0.00	0.00	OCC	149.77	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	712.14	215.33	0.07	14.49	0.08	OCC	14.66	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1184.74	112.77	0.01	0.11	0.13	SUST	149.77	361.97
Amb to T1{1}	3328.27	4.07	0.01	0.00	0.36	DISP	0.36	316.66
Amb to T2{1}	82.94	52.24	0.00	0.00	0.01	DISP	0.01	316.66
Amb to T3{1}	46.13	38.55	0.00	0.00	0.01	DISP	0.01	316.66
Sus. + W1{1}	1187.33	118.83	0.00	0.01	0.00	OCC	149.78	361.97
Sus. + W2{1}	1187.34	118.78	0.00	0.01	0.00	OCC	149.78	361.97
Sus. + W3{1}	1185.22	147.95	0.00	0.00	0.00	OCC	149.78	361.97
Sus. + W4{1}	1185.22	144.01	0.00	0.00	0.00	OCC	149.78	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	327.87	179.86	0.07	14.49	0.04	OCC	14.65	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1184.74	112.77	0.01	0.11	0.13	SUST	150.14	361.97
Amb to T1{1}	3328.27	4.07	0.01	0.00	0.36	DISP	0.36	316.29
Amb to T2{1}	82.94	52.24	0.00	0.00	0.01	DISP	0.01	316.29
Amb to T3{1}	46.13	38.55	0.00	0.00	0.01	DISP	0.01	316.29
Sus. + W1{1}	1187.33	118.83	0.00	0.01	0.00	OCC	150.15	361.97
Sus. + W2{1}	1187.34	118.78	0.00	0.01	0.00	OCC	150.15	361.97
Sus. + W3{1}	1185.22	147.95	0.00	0.00	0.00	OCC	150.15	361.97

Sus. + W4{1}	1185.22	144.01	0.00	0.00	0.00	OCC	150.15	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	327.87	179.86	0.07	14.17	0.04	OCC	14.32	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1311.68	109.79	0.01	0.11	0.14	SUST	150.16	361.97
Amb to T1{1}	1680.22	6.59	0.01	0.00	0.18	DISP	0.18	316.27
Amb to T2{1}	122.42	55.06	0.00	0.00	0.01	DISP	0.02	316.27
Amb to T3{1}	43.72	40.06	0.00	0.00	0.01	DISP	0.01	316.27
Sus. + W1{1}	1314.33	115.90	0.00	0.01	0.00	OCC	150.17	361.97
Sus. + W2{1}	1314.34	115.85	0.00	0.01	0.00	OCC	150.17	361.97
Sus. + W3{1}	1312.20	148.48	0.00	0.00	0.00	OCC	150.17	361.97
Sus. + W4{1}	1312.20	144.23	0.00	0.00	0.00	OCC	150.17	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	189.62	135.41	0.07	14.17	0.03	OCC	14.32	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1311.68	109.79	0.01	0.11	0.14	SUST	150.53	361.97
Amb to T1{1}	1680.22	6.59	0.01	0.00	0.18	DISP	0.18	315.90
Amb to T2{1}	122.42	55.06	0.00	0.00	0.01	DISP	0.02	315.90
Amb to T3{1}	43.72	40.06	0.00	0.00	0.01	DISP	0.01	315.90
Sus. + W1{1}	1314.33	115.90	0.00	0.01	0.00	OCC	150.54	361.97
Sus. + W2{1}	1314.34	115.85	0.00	0.01	0.00	OCC	150.54	361.97
Sus. + W3{1}	1312.20	148.48	0.00	0.00	0.00	OCC	150.54	361.97
Sus. + W4{1}	1312.20	144.23	0.00	0.00	0.00	OCC	150.54	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	189.62	135.41	0.07	13.85	0.03	OCC	14.00	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1427.22	104.67	0.01	0.11	0.15	SUST	150.54	361.97
Amb to T1{1}	520.91	9.46	0.01	0.00	0.06	DISP	0.06	315.89
Amb to T2{1}	169.07	57.59	0.00	0.00	0.02	DISP	0.02	315.89
Amb to T3{1}	38.97	41.25	0.00	0.00	0.01	DISP	0.01	315.89
Sus. + W1{1}	1429.85	110.76	0.00	0.01	0.00	OCC	150.55	361.97
Sus. + W2{1}	1429.87	110.70	0.00	0.01	0.00	OCC	150.55	361.97
Sus. + W3{1}	1427.78	146.94	0.00	0.00	0.00	OCC	150.55	361.97
Sus. + W4{1}	1427.78	142.38	0.00	0.00	0.00	OCC	150.55	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	860.58	81.03	0.07	13.85	0.09	OCC	14.02	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1427.22	104.67	0.01	0.11	0.15	SUST	150.91	361.97
Amb to T1{1}	520.91	9.46	0.01	0.00	0.06	DISP	0.06	315.52
Amb to T2{1}	169.07	57.59	0.00	0.00	0.02	DISP	0.02	315.52
Amb to T3{1}	38.97	41.25	0.00	0.00	0.01	DISP	0.01	315.52
Sus. + W1{1}	1429.85	110.76	0.00	0.01	0.00	OCC	150.93	361.97
Sus. + W2{1}	1429.87	110.70	0.00	0.01	0.00	OCC	150.93	361.97
Sus. + W3{1}	1427.78	146.94	0.00	0.00	0.00	OCC	150.92	361.97
Sus. + W4{1}	1427.78	142.38	0.00	0.00	0.00	OCC	150.92	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	860.58	81.03	0.07	13.52	0.09	OCC	13.70	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1523.67	97.11	0.01	0.11	0.16	SUST	150.92	361.97
Amb to T1{1}	3357.68	12.70	0.01	0.00	0.36	DISP	0.36	315.51
Amb to T2{1}	223.26	59.73	0.00	0.00	0.02	DISP	0.03	315.51
Amb to T3{1}	31.33	42.05	0.00	0.00	0.01	DISP	0.01	315.51
Sus. + W1{1}	1526.18	103.07	0.00	0.01	0.00	OCC	150.94	361.97
Sus. + W2{1}	1526.19	103.02	0.00	0.01	0.00	OCC	150.94	361.97
Sus. + W3{1}	1524.26	142.99	0.00	0.00	0.00	OCC	150.93	361.97
Sus. + W4{1}	1524.25	138.14	0.00	0.00	0.00	OCC	150.93	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	1705.61	15.70	0.07	13.52	0.18	OCC	13.76	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1523.67	97.11	0.01	0.11	0.16	SUST	151.30	361.97
Amb to T1{1}	3357.68	12.70	0.01	0.00	0.36	DISP	0.36	315.13
Amb to T2{1}	223.26	59.73	0.00	0.00	0.02	DISP	0.03	315.13
Amb to T3{1}	31.33	42.05	0.00	0.00	0.01	DISP	0.01	315.13
Sus. + W1{1}	1526.18	103.07	0.00	0.01	0.00	OCC	151.31	361.97
Sus. + W2{1}	1526.19	103.02	0.00	0.01	0.00	OCC	151.31	361.97
Sus. + W3{1}	1524.26	142.99	0.00	0.00	0.00	OCC	151.31	361.97
Sus. + W4{1}	1524.25	138.14	0.00	0.00	0.00	OCC	151.31	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	1705.61	15.70	0.07	13.20	0.18	OCC	13.44	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1591.72	86.78	0.01	0.11	0.17	SUST	151.30	361.97
Amb to T1{1}	6912.67	16.35	0.01	0.00	0.74	DISP	0.74	315.13
Amb to T2{1}	285.21	61.38	0.00	0.00	0.03	DISP	0.03	315.13
Amb to T3{1}	20.25	42.39	0.00	0.00	0.01	DISP	0.01	315.13
Sus. + W1{1}	1593.98	92.51	0.00	0.01	0.00	OCC	151.32	361.97
Sus. + W2{1}	1593.99	92.46	0.00	0.01	0.00	OCC	151.32	361.97
Sus. + W3{1}	1592.32	136.24	0.00	0.00	0.01	OCC	151.31	361.97
Sus. + W4{1}	1592.32	131.11	0.00	0.00	0.00	OCC	151.31	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	2744.46	61.56	0.07	13.20	0.30	OCC	13.53	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1591.72	86.78	0.01	0.11	0.17	SUST	151.68	361.97
Amb to T1{1}	6912.67	16.35	0.01	0.00	0.74	DISP	0.74	314.75
Amb to T2{1}	285.21	61.38	0.00	0.00	0.03	DISP	0.03	314.75
Amb to T3{1}	20.25	42.39	0.00	0.00	0.01	DISP	0.01	314.75
Sus. + W1{1}	1593.98	92.51	0.00	0.01	0.00	OCC	151.69	361.97
Sus. + W2{1}	1593.99	92.46	0.00	0.01	0.00	OCC	151.69	361.97
Sus. + W3{1}	1592.32	136.24	0.00	0.00	0.01	OCC	151.69	361.97
Sus. + W4{1}	1592.32	131.11	0.00	0.00	0.00	OCC	151.69	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	2744.46	61.56	0.07	12.88	0.30	OCC	13.21	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1620.38	73.33	0.01	0.11	0.17	SUST	151.68	361.97
Amb to T1{1}	11266.35	20.40	0.01	0.00	1.21	DISP	1.21	314.75
Amb to T2{1}	354.90	62.43	0.00	0.00	0.04	DISP	0.04	314.75
Amb to T3{1}	5.12	42.17	0.00	0.00	0.00	DISP	0.01	314.75
Sus. + W1{1}	1622.21	78.71	0.00	0.01	0.00	OCC	151.69	361.97
Sus. + W2{1}	1622.22	78.65	0.00	0.01	0.00	OCC	151.69	361.97
Sus. + W3{1}	1620.96	126.30	0.00	0.00	0.01	OCC	151.69	361.97
Sus. + W4{1}	1620.96	120.92	0.00	0.00	0.01	OCC	151.69	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	3995.49	151.77	0.07	12.88	0.43	OCC	13.33	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	1620.38	73.33	0.01	0.12	0.17	SUST	152.05	361.97
Amb to T1{1}	11266.35	20.40	0.01	0.00	1.21	DISP	1.21	314.38
Amb to T2{1}	354.90	62.43	0.00	0.00	0.04	DISP	0.04	314.38
Amb to T3{1}	5.12	42.17	0.00	0.00	0.00	DISP	0.01	314.38
Sus. + W1{1}	1622.21	78.71	0.00	0.01	0.00	OCC	152.07	361.97
Sus. + W2{1}	1622.22	78.65	0.00	0.01	0.00	OCC	152.07	361.97
Sus. + W3{1}	1620.96	126.30	0.00	0.00	0.01	OCC	152.06	361.97
Sus. + W4{1}	1620.96	120.92	0.00	0.00	0.01	OCC	152.06	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	3995.49	151.77	0.07	12.56	0.43	OCC	13.01	434.37

*** - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	1596.84	56.40	0.01	0.12	0.17	SUST	152.05	361.97	
Amb to T1{1}	16492.65	24.89	0.01	0.00	1.78	DISP	1.78	314.38	
Amb to T2{1}	432.02	62.76	0.00	0.00	0.05	DISP	0.05	314.38	
Amb to T3{1}	14.71	41.29	0.00	0.00	0.00	DISP	0.01	314.38	
Sus. + W1{1}	1598.06	61.28	0.00	0.01	0.00	OCC	152.06	361.97	
Sus. + W2{1}	1598.07	61.23	0.00	0.01	0.00	OCC	152.06	361.97	
Sus. + W3{1}	1597.39	112.73	0.00	0.00	0.01	OCC	152.06	361.97	
Sus. + W4{1}	1597.39	107.13	0.00	0.00	0.01	OCC	152.06	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	5474.32	255.94	0.07	12.56	0.59	OCC	13.17	434.37	
*** + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	1596.84	56.40	0.01	0.12	0.17	SUST	152.43	361.97	
Amb to T1{1}	16492.65	24.89	0.01	0.00	1.78	DISP	1.78	314.00	
Amb to T2{1}	432.02	62.76	0.00	0.00	0.05	DISP	0.05	314.00	
Amb to T3{1}	14.71	41.29	0.00	0.00	0.00	DISP	0.01	314.00	
Sus. + W1{1}	1598.06	61.28	0.00	0.01	0.00	OCC	152.44	361.97	
Sus. + W2{1}	1598.07	61.23	0.00	0.01	0.00	OCC	152.44	361.97	
Sus. + W3{1}	1597.39	112.73	0.00	0.00	0.01	OCC	152.44	361.97	
Sus. + W4{1}	1597.39	107.13	0.00	0.00	0.01	OCC	152.44	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	5474.32	255.94	0.07	12.24	0.59	OCC	12.84	434.37	
*** - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	1506.45	35.62	0.01	0.12	0.16	SUST	152.42	361.97	
Amb to T1{1}	22656.54	29.82	0.01	0.00	2.44	DISP	2.44	314.01	
Amb to T2{1}	515.91	62.24	0.00	0.00	0.06	DISP	0.06	314.01	
Amb to T3{1}	39.89	39.66	0.00	0.00	0.01	DISP	0.01	314.01	
Sus. + W1{1}	1506.84	39.83	0.00	0.01	0.00	OCC	152.43	361.97	
Sus. + W2{1}	1506.85	39.79	0.00	0.01	0.00	OCC	152.43	361.97	
Sus. + W3{1}	1506.95	95.08	0.00	0.00	0.01	OCC	152.43	361.97	
Sus. + W4{1}	1506.94	89.31	0.00	0.00	0.01	OCC	152.43	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	7193.11	375.06	0.07	12.24	0.78	OCC	13.03	434.37	
*** + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	1506.45	35.62	0.01	0.12	0.16	SUST	152.79	361.97	
Amb to T1{1}	22656.54	29.82	0.01	0.00	2.44	DISP	2.44	313.64	
Amb to T2{1}	515.91	62.24	0.00	0.00	0.06	DISP	0.06	313.64	
Amb to T3{1}	39.89	39.66	0.00	0.00	0.01	DISP	0.01	313.64	
Sus. + W1{1}	1506.84	39.83	0.00	0.01	0.00	OCC	152.80	361.97	
Sus. + W2{1}	1506.85	39.79	0.00	0.01	0.00	OCC	152.80	361.97	
Sus. + W3{1}	1506.95	95.08	0.00	0.00	0.01	OCC	152.80	361.97	
Sus. + W4{1}	1506.94	89.31	0.00	0.00	0.01	OCC	152.80	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	7193.11	375.06	0.07	11.92	0.78	OCC	12.71	434.37	
*** - SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	1332.73	10.58	0.01	0.12	0.14	SUST	152.77	361.97	
Amb to T1{1}	29805.36	35.19	0.01	0.00	3.21	DISP	3.21	313.66	
Amb to T2{1}	605.42	60.71	0.00	0.00	0.07	DISP	0.07	313.66	
Amb to T3{1}	71.06	37.15	0.00	0.00	0.01	DISP	0.01	313.66	
Sus. + W1{1}	1333.44	13.96	0.00	0.01	0.00	OCC	152.78	361.97	
Sus. + W2{1}	1333.44	13.92	0.00	0.01	0.00	OCC	152.78	361.97	
Sus. + W3{1}	1333.12	72.89	0.00	0.00	0.01	OCC	152.78	361.97	
Sus. + W4{1}	1333.11	67.00	0.00	0.00	0.01	OCC	152.78	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}	9158.14	510.07	0.07	11.92	0.99	OCC	12.91	434.37	
*** + SIFI= 1.00 SIFO= 1.00									
UNREST GR + Max P{1}	1332.73	10.58	0.01	0.12	0.14	SUST	153.15	361.97	

Amb to T1{1}	29805.36	35.19	0.01	0.00	3.21	DISP	3.21	313.28
Amb to T2{1}	605.42	60.71	0.00	0.00	0.07	DISP	0.07	313.28
Amb to T3{1}	71.06	37.15	0.00	0.00	0.01	DISP	0.01	313.28
Sus. + W1{1}	1333.44	13.96	0.00	0.01	0.00	OCC	153.16	361.97
Sus. + W2{1}	1333.44	13.92	0.00	0.01	0.00	OCC	153.16	361.97
Sus. + W3{1}	1333.12	72.89	0.00	0.00	0.01	OCC	153.16	361.97
Sus. + W4{1}	1333.11	67.00	0.00	0.00	0.01	OCC	153.16	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	9158.14	510.07	0.07	11.60	0.99	OCC	12.59	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1057.36	19.09	0.01	0.12	0.11	SUST	153.12	361.97
Amb to T1{1}	37964.30	41.02	0.01	0.00	4.09	DISP	4.09	313.31
Amb to T2{1}	698.88	58.03	0.00	0.00	0.08	DISP	0.08	313.31
Amb to T3{1}	108.84	33.65	0.00	0.00	0.01	DISP	0.01	313.31
Sus. + W1{1}	1059.48	21.43	0.00	0.01	0.00	OCC	153.13	361.97
Sus. + W2{1}	1059.48	21.40	0.00	0.01	0.00	OCC	153.13	361.97
Sus. + W3{1}	1057.61	83.84	0.00	0.00	0.01	OCC	153.13	361.97
Sus. + W4{1}	1057.60	77.89	0.00	0.00	0.01	OCC	153.13	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	11368.48	661.84	0.07	11.60	1.23	OCC	12.83	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1057.36	19.09	0.01	0.12	0.11	SUST	153.49	361.97
Amb to T1{1}	37964.30	41.02	0.01	0.00	4.09	DISP	4.09	312.94
Amb to T2{1}	698.88	58.03	0.00	0.00	0.08	DISP	0.08	312.94
Amb to T3{1}	108.84	33.65	0.00	0.00	0.01	DISP	0.01	312.94
Sus. + W1{1}	1059.48	21.43	0.00	0.01	0.00	OCC	153.50	361.97
Sus. + W2{1}	1059.48	21.40	0.00	0.01	0.00	OCC	153.50	361.97
Sus. + W3{1}	1057.61	83.84	0.00	0.00	0.01	OCC	153.50	361.97
Sus. + W4{1}	1057.60	77.89	0.00	0.00	0.01	OCC	153.50	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	11368.48	661.84	0.07	11.28	1.23	OCC	12.51	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	660.49	53.80	0.01	0.12	0.07	SUST	153.45	361.97
Amb to T1{1}	47127.17	47.30	0.01	0.00	5.07	DISP	5.07	312.98
Amb to T2{1}	793.95	54.02	0.00	0.00	0.09	DISP	0.09	312.98
Amb to T3{1}	153.79	29.04	0.00	0.00	0.02	DISP	0.02	312.98
Sus. + W1{1}	664.34	54.88	0.00	0.01	0.00	OCC	153.46	361.97
Sus. + W2{1}	664.36	54.86	0.00	0.01	0.00	OCC	153.46	361.97
Sus. + W3{1}	660.54	120.48	0.00	0.00	0.01	OCC	153.46	361.97
Sus. + W4{1}	660.54	114.55	0.00	0.00	0.01	OCC	153.46	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	13813.51	831.16	0.07	11.28	1.49	OCC	12.77	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	660.49	53.80	0.01	0.13	0.07	SUST	153.82	361.97
Amb to T1{1}	47127.17	47.30	0.01	0.00	5.07	DISP	5.07	312.61
Amb to T2{1}	793.95	54.02	0.00	0.00	0.09	DISP	0.09	312.61
Amb to T3{1}	153.79	29.04	0.00	0.00	0.02	DISP	0.02	312.61
Sus. + W1{1}	664.34	54.88	0.00	0.01	0.00	OCC	153.84	361.97
Sus. + W2{1}	664.36	54.86	0.00	0.01	0.00	OCC	153.84	361.97
Sus. + W3{1}	660.54	120.48	0.00	0.00	0.01	OCC	153.84	361.97
Sus. + W4{1}	660.54	114.55	0.00	0.00	0.01	OCC	153.84	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	13813.51	831.16	0.07	10.96	1.49	OCC	12.45	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	120.74	93.96	0.01	0.13	0.02	SUST	153.77	361.97
Amb to T1{1}	57251.39	54.01	0.01	0.00	6.16	DISP	6.16	312.66
Amb to T2{1}	887.57	48.50	0.00	0.00	0.10	DISP	0.10	312.66

Amb to T3{1}	206.35	23.17	0.00	0.00	0.02	DISP	0.02	312.66
Sus. + W1{1}	126.71	94.38	0.00	0.01	0.00	OCC	153.78	361.97
Sus. + W2{1}	126.73	94.39	0.00	0.01	0.00	OCC	153.78	361.97
Sus. + W3{1}	120.95	161.94	0.00	0.00	0.01	OCC	153.78	361.97
Sus. + W4{1}	120.96	156.12	0.00	0.00	0.01	OCC	153.78	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	16471.47	1018.73	0.07	10.96	1.78	OCC	12.74	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	120.74	93.96	0.01	0.13	0.02	SUST	154.15	361.97
Amb to T1{1}	57251.39	54.01	0.01	0.00	6.16	DISP	6.16	312.28
Amb to T2{1}	887.57	48.50	0.00	0.00	0.10	DISP	0.10	312.28
Amb to T3{1}	206.35	23.17	0.00	0.00	0.02	DISP	0.02	312.28
Sus. + W1{1}	126.71	94.38	0.00	0.01	0.00	OCC	154.16	361.97
Sus. + W2{1}	126.73	94.39	0.00	0.01	0.00	OCC	154.16	361.97
Sus. + W3{1}	120.95	161.94	0.00	0.00	0.01	OCC	154.16	361.97
Sus. + W4{1}	120.96	156.12	0.00	0.00	0.01	OCC	154.16	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	16471.47	1018.73	0.07	10.64	1.78	OCC	12.42	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	584.12	139.94	0.01	0.13	0.06	SUST	154.19	361.97
Amb to T1{1}	68242.50	61.13	0.01	0.00	7.35	DISP	7.35	312.24
Amb to T2{1}	975.77	41.29	0.00	0.00	0.11	DISP	0.11	312.24
Amb to T3{1}	266.81	15.92	0.00	0.00	0.03	DISP	0.03	312.24
Sus. + W1{1}	592.61	142.12	0.00	0.01	0.00	OCC	154.21	361.97
Sus. + W2{1}	592.64	142.12	0.00	0.01	0.00	OCC	154.21	361.97
Sus. + W3{1}	584.66	208.48	0.00	0.00	0.01	OCC	154.21	361.97
Sus. + W4{1}	584.67	202.87	0.00	0.00	0.01	OCC	154.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	19305.36	1225.08	0.07	10.64	2.08	OCC	12.72	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	584.12	139.94	0.01	0.13	0.06	SUST	154.57	361.97
Amb to T1{1}	68242.50	61.13	0.01	0.00	7.35	DISP	7.35	311.86
Amb to T2{1}	975.77	41.29	0.00	0.00	0.11	DISP	0.11	311.86
Amb to T3{1}	266.81	15.92	0.00	0.00	0.03	DISP	0.03	311.86
Sus. + W1{1}	592.61	142.12	0.00	0.01	0.00	OCC	154.58	361.97
Sus. + W2{1}	592.64	142.12	0.00	0.01	0.00	OCC	154.58	361.97
Sus. + W3{1}	584.66	208.48	0.00	0.00	0.01	OCC	154.58	361.97
Sus. + W4{1}	584.67	202.87	0.00	0.00	0.01	OCC	154.58	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	19305.36	1225.08	0.07	10.32	2.08	OCC	12.41	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1476.83	192.13	0.01	0.13	0.16	SUST	154.67	361.97
Amb to T1{1}	79946.52	68.64	0.01	0.00	8.61	DISP	8.61	311.77
Amb to T2{1}	1053.66	32.18	0.00	0.00	0.11	DISP	0.11	311.77
Amb to T3{1}	335.27	7.13	0.00	0.00	0.04	DISP	0.04	311.77
Sus. + W1{1}	1488.26	196.36	0.00	0.01	0.00	OCC	154.68	361.97
Sus. + W2{1}	1488.31	196.34	0.00	0.01	0.00	OCC	154.68	361.97
Sus. + W3{1}	1477.77	260.31	0.00	0.00	0.01	OCC	154.68	361.97
Sus. + W4{1}	1477.77	255.04	0.00	0.00	0.01	OCC	154.68	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	22260.87	1450.56	0.07	10.32	2.40	OCC	12.72	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	1476.83	192.13	0.01	0.13	0.16	SUST	155.04	361.97
Amb to T1{1}	79946.52	68.64	0.01	0.00	8.61	DISP	8.61	311.39
Amb to T2{1}	1053.66	32.18	0.00	0.00	0.11	DISP	0.11	311.39
Amb to T3{1}	335.27	7.13	0.00	0.00	0.04	DISP	0.04	311.39

	Sus. + W1{1}	1488.26	196.36	0.00	0.01	0.00	OCC	155.05	361.97
	Sus. + W2{1}	1488.31	196.34	0.00	0.01	0.00	OCC	155.05	361.97
	Sus. + W3{1}	1477.77	260.31	0.00	0.00	0.01	OCC	155.05	361.97
	Sus. + W4{1}	1477.77	255.04	0.00	0.00	0.01	OCC	155.05	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	22260.87	1450.56	0.07	10.00	2.40	OCC	12.41	434.37
*** - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	2579.68	250.86	0.01	0.13	0.28	SUST	155.16	361.97
	Amb to T1{1}	92135.76	76.50	0.01	0.00	9.92	DISP	9.92	311.27
	Amb to T2{1}	1115.23	20.97	0.00	0.00	0.12	DISP	0.12	311.27
	Amb to T3{1}	411.53	3.34	0.00	0.00	0.04	DISP	0.04	311.27
	Sus. + W1{1}	2594.51	257.44	0.00	0.01	0.00	OCC	155.17	361.97
	Sus. + W2{1}	2594.57	257.41	0.00	0.01	0.00	OCC	155.17	361.97
	Sus. + W3{1}	2581.11	317.64	0.00	0.00	0.01	OCC	155.17	361.97
	Sus. + W4{1}	2581.11	312.84	0.00	0.00	0.01	OCC	155.17	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	25262.76	1695.29	0.07	10.00	2.73	OCC	12.73	434.37
*** + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	2579.68	250.86	0.01	0.13	0.28	SUST	155.54	361.97
	Amb to T1{1}	92135.76	76.50	0.01	0.00	9.92	DISP	9.92	310.89
	Amb to T2{1}	1115.23	20.97	0.00	0.00	0.12	DISP	0.12	310.89
	Amb to T3{1}	411.53	3.34	0.00	0.00	0.04	DISP	0.04	310.89
	Sus. + W1{1}	2594.51	257.44	0.00	0.01	0.00	OCC	155.55	361.97
	Sus. + W2{1}	2594.57	257.41	0.00	0.01	0.00	OCC	155.55	361.97
	Sus. + W3{1}	2581.11	317.64	0.00	0.00	0.01	OCC	155.55	361.97
	Sus. + W4{1}	2581.11	312.84	0.00	0.00	0.01	OCC	155.55	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	25262.76	1695.29	0.07	9.68	2.73	OCC	12.41	434.37
*** - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	3914.12	316.48	0.01	0.13	0.42	SUST	155.68	361.97
	Amb to T1{1}	104500.6	84.65	0.01	0.00	11.25	DISP	11.25	310.75
	Amb to T2{1}	1153.33	7.44	0.00	0.00	0.12	DISP	0.12	310.75
	Amb to T3{1}	495.06	15.63	0.00	0.00	0.05	DISP	0.05	310.75
	Sus. + W1{1}	3932.80	325.74	0.00	0.01	0.00	OCC	155.69	361.97
	Sus. + W2{1}	3932.89	325.68	0.00	0.01	0.00	OCC	155.69	361.97
	Sus. + W3{1}	3916.14	380.62	0.00	0.00	0.01	OCC	155.69	361.97
	Sus. + W4{1}	3916.14	376.44	0.00	0.00	0.01	OCC	155.69	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	28245.87	1959.20	0.07	9.68	3.05	OCC	12.73	434.37
*** + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	3914.12	316.48	0.01	0.13	0.42	SUST	156.06	361.97
	Amb to T1{1}	104500.6	84.65	0.01	0.00	11.25	DISP	11.25	310.37
	Amb to T2{1}	1153.33	7.44	0.00	0.00	0.12	DISP	0.12	310.37
	Amb to T3{1}	495.06	15.63	0.00	0.00	0.05	DISP	0.05	310.37
	Sus. + W1{1}	3932.80	325.74	0.00	0.01	0.00	OCC	156.07	361.97
	Sus. + W2{1}	3932.89	325.68	0.00	0.01	0.00	OCC	156.07	361.97
	Sus. + W3{1}	3916.14	380.62	0.00	0.00	0.01	OCC	156.07	361.97
	Sus. + W4{1}	3916.14	376.44	0.00	0.00	0.01	OCC	156.07	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	28245.87	1959.20	0.07	9.36	3.05	OCC	12.42	434.37
*** - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	5498.94	389.24	0.01	0.13	0.59	SUST	156.23	361.97
	Amb to T1{1}	116628.3	93.03	0.01	0.00	12.56	DISP	12.56	310.20
	Amb to T2{1}	1159.56	8.62	0.00	0.00	0.12	DISP	0.12	310.20
	Amb to T3{1}	584.89	29.90	0.00	0.00	0.06	DISP	0.06	310.20
	Sus. + W1{1}	5521.92	401.52	0.00	0.01	0.00	OCC	156.24	361.97
	Sus. + W2{1}	5522.02	401.44	0.00	0.01	0.00	OCC	156.24	361.97

Sus. + W3{1}	5501.63	449.34	0.00	0.00	0.01	OCC	156.24	361.97
Sus. + W4{1}	5501.63	445.96	0.00	0.00	0.01	OCC	156.24	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	31191.43	2241.87	0.07	9.36	3.37	OCC	12.73	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	5498.94	389.24	0.01	0.14	0.59	SUST	156.61	361.97
Amb to T1{1}	116628.3	93.03	0.01	0.00	12.56	DISP	12.56	309.82
Amb to T2{1}	1159.56	8.62	0.00	0.00	0.12	DISP	0.12	309.82
Amb to T3{1}	584.89	29.90	0.00	0.00	0.06	DISP	0.06	309.82
Sus. + W1{1}	5521.92	401.52	0.00	0.01	0.00	OCC	156.62	361.97
Sus. + W2{1}	5522.02	401.44	0.00	0.01	0.00	OCC	156.62	361.97
Sus. + W3{1}	5501.63	449.34	0.00	0.00	0.01	OCC	156.62	361.97
Sus. + W4{1}	5501.63	445.96	0.00	0.00	0.01	OCC	156.62	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	31191.43	2241.87	0.07	9.05	3.37	OCC	12.42	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	7349.22	469.37	0.01	0.14	0.79	SUST	156.81	361.97
Amb to T1{1}	127993.9	101.55	0.01	0.00	13.78	DISP	13.78	309.62
Amb to T2{1}	1124.18	27.44	0.00	0.00	0.12	DISP	0.12	309.62
Amb to T3{1}	679.53	46.30	0.00	0.00	0.07	DISP	0.07	309.62
Sus. + W1{1}	7376.92	485.04	0.00	0.01	0.00	OCC	156.82	361.97
Sus. + W2{1}	7377.05	484.93	0.00	0.01	0.00	OCC	156.82	361.97
Sus. + W3{1}	7352.69	523.83	0.00	0.00	0.01	OCC	156.82	361.97
Sus. + W4{1}	7352.69	521.44	0.00	0.00	0.01	OCC	156.82	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	34074.50	2542.53	0.07	9.05	3.68	OCC	12.73	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	7349.22	469.37	0.01	0.14	0.79	SUST	157.18	361.97
Amb to T1{1}	127993.9	101.55	0.01	0.00	13.78	DISP	13.78	309.25
Amb to T2{1}	1124.18	27.44	0.00	0.00	0.12	DISP	0.12	309.25
Amb to T3{1}	679.53	46.30	0.00	0.00	0.07	DISP	0.07	309.25
Sus. + W1{1}	7376.92	485.04	0.00	0.01	0.00	OCC	157.20	361.97
Sus. + W2{1}	7377.05	484.93	0.00	0.01	0.00	OCC	157.20	361.97
Sus. + W3{1}	7352.69	523.83	0.00	0.00	0.01	OCC	157.20	361.97
Sus. + W4{1}	7352.69	521.44	0.00	0.00	0.01	OCC	157.20	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	34074.50	2542.53	0.07	8.73	3.68	OCC	12.41	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	9474.41	557.02	0.01	0.14	1.02	SUST	157.41	361.97
Amb to T1{1}	138128.0	110.12	0.01	0.00	14.87	DISP	14.87	309.02
Amb to T2{1}	1036.16	49.22	0.00	0.00	0.11	DISP	0.11	309.02
Amb to T3{1}	776.86	64.95	0.00	0.00	0.08	DISP	0.08	309.02
Sus. + W1{1}	9507.19	576.45	0.00	0.01	0.00	OCC	157.43	361.97
Sus. + W2{1}	9507.34	576.32	0.00	0.01	0.00	OCC	157.43	361.97
Sus. + W3{1}	9478.76	604.03	0.00	0.00	0.01	OCC	157.42	361.97
Sus. + W4{1}	9478.75	602.85	0.00	0.00	0.00	OCC	157.42	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	36864.79	2859.98	0.07	8.73	3.98	OCC	12.71	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	9474.41	557.02	0.01	0.14	1.02	SUST	157.79	361.97
Amb to T1{1}	138128.0	110.12	0.01	0.00	14.87	DISP	14.87	308.64
Amb to T2{1}	1036.16	49.22	0.00	0.00	0.11	DISP	0.11	308.64
Amb to T3{1}	776.86	64.95	0.00	0.00	0.08	DISP	0.08	308.64
Sus. + W1{1}	9507.19	576.45	0.00	0.01	0.00	OCC	157.81	361.97
Sus. + W2{1}	9507.34	576.32	0.00	0.01	0.00	OCC	157.81	361.97
Sus. + W3{1}	9478.76	604.03	0.00	0.00	0.01	OCC	157.80	361.97

Sus. + W4{1}	9478.75	602.85	0.00	0.00	0.00	OCC	157.80	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	36864.79	2859.98	0.07	8.41	3.98	OCC	12.40	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	11877.12	652.27	0.01	0.14	1.28	SUST	158.05	361.97
Amb to T1{1}	146928.6	118.62	0.01	0.00	15.82	DISP	15.82	308.38
Amb to T2{1}	883.11	74.20	0.00	0.00	0.10	DISP	0.10	308.38
Amb to T3{1}	874.04	86.01	0.00	0.00	0.09	DISP	0.09	308.38
Sus. + W1{1}	11915.27	675.86	0.00	0.01	0.00	OCC	158.07	361.97
Sus. + W2{1}	11915.44	675.69	0.00	0.01	0.00	OCC	158.07	361.97
Sus. + W3{1}	11882.45	689.81	0.00	0.00	0.00	OCC	158.06	361.97
Sus. + W4{1}	11882.44	690.06	0.00	0.00	0.00	OCC	158.06	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	39527.38	3192.69	0.07	8.41	4.27	OCC	12.69	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	11877.12	652.27	0.01	0.14	1.28	SUST	158.43	361.97
Amb to T1{1}	146928.6	118.62	0.01	0.00	15.82	DISP	15.82	308.00
Amb to T2{1}	883.11	74.20	0.00	0.00	0.10	DISP	0.10	308.00
Amb to T3{1}	874.04	86.01	0.00	0.00	0.09	DISP	0.09	308.00
Sus. + W1{1}	11915.27	675.86	0.00	0.01	0.00	OCC	158.45	361.97
Sus. + W2{1}	11915.44	675.69	0.00	0.01	0.00	OCC	158.45	361.97
Sus. + W3{1}	11882.45	689.81	0.00	0.00	0.00	OCC	158.44	361.97
Sus. + W4{1}	11882.44	690.06	0.00	0.00	0.00	OCC	158.44	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	39527.38	3192.69	0.07	8.10	4.27	OCC	12.37	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	14549.64	755.08	0.01	0.14	1.57	SUST	158.72	361.97
Amb to T1{1}	154311.7	126.92	0.01	0.00	16.61	DISP	16.61	307.71
Amb to T2{1}	651.44	102.57	0.00	0.00	0.07	DISP	0.07	307.71
Amb to T3{1}	967.39	109.58	0.00	0.00	0.10	DISP	0.10	307.71
Sus. + W1{1}	14593.32	783.23	0.00	0.01	0.01	OCC	158.74	361.97
Sus. + W2{1}	14593.53	783.03	0.00	0.01	0.01	OCC	158.74	361.97
Sus. + W3{1}	14556.05	780.92	0.00	0.00	0.00	OCC	158.73	361.97
Sus. + W4{1}	14556.03	782.85	0.00	0.00	0.00	OCC	158.73	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	42020.70	3538.50	0.07	8.10	4.54	OCC	12.64	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	14549.64	755.08	0.01	0.14	1.57	SUST	159.10	361.97
Amb to T1{1}	154311.7	126.92	0.01	0.00	16.61	DISP	16.61	307.33
Amb to T2{1}	651.44	102.57	0.00	0.00	0.07	DISP	0.07	307.33
Amb to T3{1}	967.39	109.58	0.00	0.00	0.10	DISP	0.10	307.33
Sus. + W1{1}	14593.32	783.23	0.00	0.01	0.01	OCC	159.12	361.97
Sus. + W2{1}	14593.53	783.03	0.00	0.01	0.01	OCC	159.12	361.97
Sus. + W3{1}	14556.05	780.92	0.00	0.00	0.00	OCC	159.11	361.97
Sus. + W4{1}	14556.03	782.85	0.00	0.00	0.00	OCC	159.11	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	42020.70	3538.50	0.07	7.78	4.54	OCC	12.32	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	17471.79	865.31	0.01	0.14	1.88	SUST	159.41	361.97
Amb to T1{1}	160179.4	134.86	0.01	0.00	17.25	DISP	17.25	307.02
Amb to T2{1}	326.45	134.53	0.00	0.00	0.04	DISP	0.04	307.02
Amb to T3{1}	1052.25	135.79	0.00	0.00	0.11	DISP	0.11	307.02
Sus. + W1{1}	17521.02	898.42	0.00	0.01	0.01	OCC	159.43	361.97
Sus. + W2{1}	17521.26	898.18	0.00	0.01	0.01	OCC	159.43	361.97
Sus. + W3{1}	17479.36	876.96	0.00	0.00	0.00	OCC	159.42	361.97
Sus. + W4{1}	17479.33	880.86	0.00	0.00	0.00	OCC	159.42	361.97
Max P{1}						HOOP	211.04	289.58

Hydrotest-NL{2}	44297.15	3894.68	0.07	7.78	4.79	OCC	12.57	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	17471.79	865.31	0.01	0.15	1.88	SUST	159.79	361.97
Amb to T1{1}	160179.4	134.86	0.01	0.00	17.25	DISP	17.25	306.64
Amb to T2{1}	326.45	134.53	0.00	0.00	0.04	DISP	0.04	306.64
Amb to T3{1}	1052.25	135.79	0.00	0.00	0.11	DISP	0.11	306.64
Sus. + W1{1}	17521.02	898.42	0.00	0.01	0.01	OCC	159.81	361.97
Sus. + W2{1}	17521.26	898.18	0.00	0.01	0.01	OCC	159.81	361.97
Sus. + W3{1}	17479.36	876.96	0.00	0.00	0.00	OCC	159.80	361.97
Sus. + W4{1}	17479.33	880.86	0.00	0.00	0.00	OCC	159.80	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	44297.15	3894.68	0.07	7.47	4.79	OCC	12.26	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	20609.02	982.70	0.01	0.15	2.22	SUST	160.13	361.97
Amb to T1{1}	164419.5	142.25	0.01	0.00	17.70	DISP	17.70	306.30
Amb to T2{1}	107.50	170.26	0.00	0.00	0.02	DISP	0.02	306.30
Amb to T3{1}	1122.94	164.71	0.00	0.00	0.12	DISP	0.12	306.30
Sus. + W1{1}	20663.60	1021.18	0.00	0.01	0.01	OCC	160.15	361.97
Sus. + W2{1}	20663.86	1020.89	0.00	0.01	0.01	OCC	160.15	361.97
Sus. + W3{1}	20617.79	987.95	0.00	0.00	0.00	OCC	160.14	361.97
Sus. + W4{1}	20617.76	983.60	0.00	0.00	0.00	OCC	160.14	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	46303.52	4257.98	0.07	7.47	5.01	OCC	12.48	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	20609.02	982.70	0.01	0.15	2.22	SUST	160.51	361.97
Amb to T1{1}	164419.5	142.25	0.01	0.00	17.70	DISP	17.70	305.92
Amb to T2{1}	107.50	170.26	0.00	0.00	0.02	DISP	0.02	305.92
Amb to T3{1}	1122.94	164.71	0.00	0.00	0.12	DISP	0.12	305.92
Sus. + W1{1}	20663.60	1021.18	0.00	0.01	0.01	OCC	160.53	361.97
Sus. + W2{1}	20663.86	1020.89	0.00	0.01	0.01	OCC	160.53	361.97
Sus. + W3{1}	20617.79	987.95	0.00	0.00	0.00	OCC	160.52	361.97
Sus. + W4{1}	20617.76	983.60	0.00	0.00	0.00	OCC	160.52	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	46303.52	4257.98	0.07	7.15	5.01	OCC	12.16	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	23907.38	1106.80	0.01	0.15	2.58	SUST	160.87	361.97
Amb to T1{1}	166901.5	148.89	0.01	0.00	17.97	DISP	17.97	305.56
Amb to T2{1}	666.54	209.91	0.00	0.00	0.08	DISP	0.08	305.56
Amb to T3{1}	1172.58	196.41	0.00	0.00	0.13	DISP	0.13	305.56
Sus. + W1{1}	23966.85	1151.06	0.00	0.01	0.01	OCC	160.89	361.97
Sus. + W2{1}	23967.14	1150.72	0.00	0.01	0.01	OCC	160.89	361.97
Sus. + W3{1}	23917.39	1131.91	0.00	0.00	0.00	OCC	160.88	361.97
Sus. + W4{1}	23917.35	1123.17	0.00	0.00	0.00	OCC	160.88	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	47979.52	4624.32	0.07	7.15	5.19	OCC	12.34	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	23907.38	1106.80	0.01	0.15	2.58	SUST	161.25	361.97
Amb to T1{1}	166901.5	148.89	0.01	0.00	17.97	DISP	17.97	305.18
Amb to T2{1}	666.54	209.91	0.00	0.00	0.08	DISP	0.08	305.18
Amb to T3{1}	1172.58	196.41	0.00	0.00	0.13	DISP	0.13	305.18
Sus. + W1{1}	23966.85	1151.06	0.00	0.01	0.01	OCC	161.27	361.97
Sus. + W2{1}	23967.14	1150.72	0.00	0.01	0.01	OCC	161.27	361.97
Sus. + W3{1}	23917.39	1131.91	0.00	0.00	0.00	OCC	161.26	361.97
Sus. + W4{1}	23917.35	1123.17	0.00	0.00	0.00	OCC	161.26	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	47979.52	4624.32	0.07	6.84	5.19	OCC	12.03	434.37

```

*** - SIFI= 1.00   SIFO= 1.00
UNREST GR + Max P{1}      27291.21 1237.01  0.01  0.15  2.94 SUST 161.61 361.97

    Amb to T1{1}          167478.3  154.55  0.01  0.00 18.03 DISP  18.03 304.82

    Amb to T2{1}           1366.93  253.61  0.00  0.00  0.15 DISP   0.15 304.82

    Amb to T3{1}           1193.05  230.94  0.00  0.00  0.13 DISP   0.13 304.82

    Sus. + W1{1}          27354.80 1287.44  0.00  0.01  0.01 OCC 161.64 361.97

    Sus. + W2{1}          27355.12 1287.05  0.00  0.01  0.01 OCC 161.64 361.97

    Sus. + W3{1}          27302.46 1285.17  0.00  0.00  0.01 OCC 161.62 361.97

    Sus. + W4{1}          27302.41 1273.53  0.00  0.00  0.00 OCC 161.62 361.97

    Max P{1}                                     HOOP 211.04 289.58

    Hydrotest-NL{2}       49258.84 4988.93  0.07  6.84  5.33 OCC  12.17 434.37

*** + SIFI= 1.00   SIFO= 1.00
UNREST GR + Max P{1}      27291.21 1237.01  0.01  0.15  2.94 SUST 162.00 361.97

    Amb to T1{1}          167478.3  154.55  0.01  0.00 18.03 DISP  18.03 304.43

    Amb to T2{1}           1366.93  253.61  0.00  0.00  0.15 DISP   0.15 304.43

    Amb to T3{1}           1193.05  230.94  0.00  0.00  0.13 DISP   0.13 304.43

    Sus. + W1{1}          27354.80 1287.44  0.00  0.01  0.01 OCC 162.02 361.97

    Sus. + W2{1}          27355.12 1287.05  0.00  0.01  0.01 OCC 162.02 361.97

    Sus. + W3{1}          27302.46 1285.17  0.00  0.00  0.01 OCC 162.01 361.97

    Sus. + W4{1}          27302.41 1273.53  0.00  0.00  0.00 OCC 162.01 361.97

    Max P{1}                                     HOOP 211.04 289.58

    Hydrotest-NL{2}       49258.84 4988.93  0.07  6.53  5.33 OCC  11.86 434.37

*** - SIFI= 1.00   SIFO= 1.00
UNREST GR + Max P{1}      30658.80 1372.53  0.01  0.15  3.30 SUST 162.36 361.97

    Amb to T1{1}          165985.1  158.97  0.01  0.00 17.87 DISP  17.87 304.07

    Amb to T2{1}           2224.40  301.45  0.00  0.00  0.24 DISP   0.24 304.07

    Amb to T3{1}           1174.91  268.29  0.00  0.00  0.13 DISP   0.13 304.07

    Sus. + W1{1}          30725.36 1429.48  0.00  0.01  0.01 OCC 162.38 361.97

    Sus. + W2{1}          30725.70 1429.04  0.00  0.01  0.01 OCC 162.38 361.97

    Sus. + W3{1}          30671.24 1447.16  0.00  0.00  0.01 OCC 162.37 361.97

    Sus. + W4{1}          30671.18 1432.25  0.00  0.00  0.01 OCC 162.37 361.97

    Max P{1}                                     HOOP 211.04 289.58

    Hydrotest-NL{2}       50069.05 5346.13  0.07  6.53  5.42 OCC  11.95 434.37

*** + SIFI= 1.00   SIFO= 1.00
UNREST GR + Max P{1}      30658.80 1372.53  0.01  0.16  3.30 SUST 162.74 361.97

    Amb to T1{1}          165985.1  158.97  0.01  0.00 17.87 DISP  17.87 303.69

    Amb to T2{1}           2224.40  301.45  0.00  0.00  0.24 DISP   0.24 303.69

    Amb to T3{1}           1174.91  268.29  0.00  0.00  0.13 DISP   0.13 303.69

    Sus. + W1{1}          30725.36 1429.48  0.00  0.01  0.01 OCC 162.76 361.97

    Sus. + W2{1}          30725.70 1429.04  0.00  0.01  0.01 OCC 162.76 361.97

    Sus. + W3{1}          30671.24 1447.16  0.00  0.00  0.01 OCC 162.75 361.97

    Sus. + W4{1}          30671.18 1432.25  0.00  0.00  0.01 OCC 162.75 361.97

    Max P{1}                                     HOOP 211.04 289.58

    Hydrotest-NL{2}       50069.05 5346.13  0.07  6.21  5.42 OCC  11.64 434.37

*** - SIFI= 1.00   SIFO= 1.00
UNREST GR + Max P{1}      33879.90 1512.34  0.01  0.16  3.65 SUST 163.09 361.97

    Amb to T1{1}          162238.3  161.87  0.01  0.00 17.47 DISP  17.47 303.34

    Amb to T2{1}           3253.73  353.47  0.00  0.00  0.35 DISP   0.35 303.34

    Amb to T3{1}           1107.33  308.42  0.00  0.00  0.12 DISP   0.12 303.34

    Sus. + W1{1}          33947.82 1576.17  0.00  0.01  0.01 OCC 163.11 361.97

    Sus. + W2{1}          33948.16 1575.67  0.00  0.01  0.01 OCC 163.11 361.97

    Sus. + W3{1}          33893.41 1617.10  0.00  0.00  0.01 OCC 163.10 361.97

    Sus. + W4{1}          33893.34 1598.57  0.00  0.00  0.01 OCC 163.10 361.97

    Max P{1}                                     HOOP 211.04 289.58

    Hydrotest-NL{2}       50332.37 5689.47  0.07  6.21  5.45 OCC  11.67 434.37

*** + SIFI= 1.00   SIFO= 1.00
UNREST GR + Max P{1}      33879.90 1512.34  0.01  0.16  3.65 SUST 163.47 361.97

```

Amb to T1{1}	162238.3	161.87	0.01	0.00	17.47	DISP	17.47	302.96
Amb to T2{1}	3253.73	353.47	0.00	0.00	0.35	DISP	0.35	302.96
Amb to T3{1}	1107.33	308.42	0.00	0.00	0.12	DISP	0.12	302.96
Sus. + W1{1}	33947.82	1576.17	0.00	0.01	0.01	OCC	163.49	361.97
Sus. + W2{1}	33948.16	1575.67	0.00	0.01	0.01	OCC	163.49	361.97
Sus. + W3{1}	33893.41	1617.10	0.00	0.00	0.01	OCC	163.49	361.97
Sus. + W4{1}	33893.34	1598.57	0.00	0.00	0.01	OCC	163.48	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	50332.37	5689.47	0.07	5.90	5.45	OCC	11.36	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	36789.77	1655.16	0.01	0.16	3.97	SUST	163.78	361.97
Amb to T1{1}	156036.2	162.93	0.01	0.00	16.80	DISP	16.80	302.65
Amb to T2{1}	4467.41	409.66	0.00	0.00	0.48	DISP	0.48	302.65
Amb to T3{1}	978.16	351.26	0.00	0.00	0.11	DISP	0.11	302.65
Sus. + W1{1}	36856.90	1726.17	0.00	0.01	0.01	OCC	163.81	361.97
Sus. + W2{1}	36857.25	1725.61	0.00	0.01	0.01	OCC	163.81	361.97
Sus. + W3{1}	36804.17	1793.94	0.00	0.00	0.02	OCC	163.80	361.97
Sus. + W4{1}	36804.09	1771.41	0.00	0.00	0.01	OCC	163.80	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	49965.83	6011.41	0.07	5.90	5.42	OCC	11.32	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	36789.77	1655.16	0.01	0.16	3.97	SUST	164.17	361.97
Amb to T1{1}	156036.2	162.93	0.01	0.00	16.80	DISP	16.80	302.26
Amb to T2{1}	4467.41	409.66	0.00	0.00	0.48	DISP	0.48	302.26
Amb to T3{1}	978.16	351.26	0.00	0.00	0.11	DISP	0.11	302.26
Sus. + W1{1}	36856.90	1726.17	0.00	0.01	0.01	OCC	164.19	361.97
Sus. + W2{1}	36857.25	1725.61	0.00	0.01	0.01	OCC	164.19	361.97
Sus. + W3{1}	36804.17	1793.94	0.00	0.00	0.02	OCC	164.19	361.97
Sus. + W4{1}	36804.09	1771.41	0.00	0.00	0.01	OCC	164.18	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	49965.83	6011.41	0.07	5.59	5.42	OCC	11.01	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	39186.77	1799.46	0.01	0.16	4.22	SUST	164.43	361.97
Amb to T1{1}	147157.8	161.80	0.01	0.00	15.84	DISP	15.84	302.00
Amb to T2{1}	5874.78	469.96	0.00	0.00	0.63	DISP	0.63	302.00
Amb to T3{1}	773.90	396.65	0.00	0.00	0.09	DISP	0.09	302.00
Sus. + W1{1}	39250.36	1877.90	0.00	0.01	0.01	OCC	164.45	361.97
Sus. + W2{1}	39250.70	1877.28	0.00	0.01	0.01	OCC	164.45	361.97
Sus. + W3{1}	39201.78	1976.33	0.00	0.00	0.02	OCC	164.45	361.97
Sus. + W4{1}	39201.68	1949.40	0.00	0.00	0.02	OCC	164.45	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	48882.66	6303.43	0.07	5.59	5.31	OCC	10.90	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	39186.77	1799.46	0.01	0.16	4.22	SUST	164.81	361.97
Amb to T1{1}	147157.8	161.80	0.01	0.00	15.84	DISP	15.84	301.62
Amb to T2{1}	5874.78	469.96	0.00	0.00	0.63	DISP	0.63	301.62
Amb to T3{1}	773.90	396.65	0.00	0.00	0.09	DISP	0.09	301.62
Sus. + W1{1}	39250.36	1877.90	0.00	0.01	0.01	OCC	164.83	361.97
Sus. + W2{1}	39250.70	1877.28	0.00	0.01	0.01	OCC	164.83	361.97
Sus. + W3{1}	39201.78	1976.33	0.00	0.00	0.02	OCC	164.83	361.97
Sus. + W4{1}	39201.68	1949.40	0.00	0.00	0.02	OCC	164.83	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	48882.66	6303.43	0.07	5.28	5.31	OCC	10.59	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	40828.34	1943.39	0.01	0.16	4.40	SUST	164.99	361.97
Amb to T1{1}	135365.0	158.12	0.01	0.00	14.57	DISP	14.57	301.44
Amb to T2{1}	7480.58	534.20	0.00	0.00	0.81	DISP	0.81	301.44

Amb to T3{1}	479.89	444.39	0.00	0.00	0.07	DISP	0.07	301.44
Sus. + W1{1}	40884.97	2029.44	0.00	0.01	0.01	OCC	165.01	361.97
Sus. + W2{1}	40885.29	2028.75	0.00	0.01	0.01	OCC	165.01	361.97
Sus. + W3{1}	40843.58	2162.58	0.00	0.00	0.02	OCC	165.01	361.97
Sus. + W4{1}	40843.48	2130.86	0.00	0.00	0.02	OCC	165.01	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	46993.70	6555.88	0.07	5.28	5.11	OCC	10.39	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	40828.34	1943.39	0.01	0.17	4.40	SUST	165.37	361.97
Amb to T1{1}	135365.0	158.12	0.01	0.00	14.57	DISP	14.57	301.06
Amb to T2{1}	7480.58	534.20	0.00	0.00	0.81	DISP	0.81	301.06
Amb to T3{1}	479.89	444.39	0.00	0.00	0.07	DISP	0.07	301.06
Sus. + W1{1}	40884.97	2029.44	0.00	0.01	0.01	OCC	165.40	361.97
Sus. + W2{1}	40885.29	2028.75	0.00	0.01	0.01	OCC	165.40	361.97
Sus. + W3{1}	40843.58	2162.58	0.00	0.00	0.02	OCC	165.40	361.97
Sus. + W4{1}	40843.48	2130.86	0.00	0.00	0.02	OCC	165.40	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	46993.70	6555.88	0.07	4.97	5.11	OCC	10.08	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	41428.61	2084.79	0.01	0.17	4.47	SUST	165.44	361.97
Amb to T1{1}	120397.0	151.46	0.01	0.00	12.96	DISP	12.96	300.99
Amb to T2{1}	9284.02	602.18	0.00	0.00	1.00	DISP	1.00	300.99
Amb to T3{1}	80.40	494.22	0.00	0.00	0.05	DISP	0.05	300.99
Sus. + W1{1}	41474.07	2178.57	0.00	0.01	0.01	OCC	165.46	361.97
Sus. + W2{1}	41474.34	2177.82	0.00	0.01	0.01	OCC	165.46	361.97
Sus. + W3{1}	41443.57	2350.72	0.00	0.00	0.03	OCC	165.47	361.97
Sus. + W4{1}	41443.45	2313.80	0.00	0.00	0.02	OCC	165.46	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	44208.23	6758.05	0.07	4.97	4.82	OCC	9.78	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	41428.61	2084.79	0.01	0.17	4.47	SUST	165.82	361.97
Amb to T1{1}	120397.0	151.46	0.01	0.00	12.96	DISP	12.96	300.61
Amb to T2{1}	9284.02	602.18	0.00	0.00	1.00	DISP	1.00	300.61
Amb to T3{1}	80.40	494.22	0.00	0.00	0.05	DISP	0.05	300.61
Sus. + W1{1}	41474.07	2178.57	0.00	0.01	0.01	OCC	165.85	361.97
Sus. + W2{1}	41474.34	2177.82	0.00	0.01	0.01	OCC	165.85	361.97
Sus. + W3{1}	41443.57	2350.72	0.00	0.00	0.03	OCC	165.85	361.97
Sus. + W4{1}	41443.45	2313.80	0.00	0.00	0.02	OCC	165.85	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	44208.23	6758.05	0.07	4.66	4.82	OCC	9.47	434.37
*** - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	40807.70	2221.16	0.01	0.17	4.40	SUST	165.76	361.97
Amb to T1{1}	101978.3	141.41	0.01	0.00	10.98	DISP	10.98	300.67
Amb to T2{1}	11276.14	673.58	0.00	0.00	1.22	DISP	1.22	300.67
Amb to T3{1}	440.98	545.77	0.00	0.00	0.08	DISP	0.08	300.67
Sus. + W1{1}	40836.96	2322.68	0.00	0.01	0.01	OCC	165.78	361.97
Sus. + W2{1}	40837.17	2321.86	0.00	0.01	0.01	OCC	165.78	361.97
Sus. + W3{1}	40821.74	2538.31	0.00	0.00	0.03	OCC	165.79	361.97
Sus. + W4{1}	40821.61	2495.82	0.00	0.00	0.03	OCC	165.79	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	40437.08	6897.93	0.07	4.66	4.42	OCC	9.07	434.37
*** + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	40807.70	2221.16	0.01	0.17	4.40	SUST	166.14	361.97
Amb to T1{1}	101978.3	141.41	0.01	0.00	10.98	DISP	10.98	300.29
Amb to T2{1}	11276.14	673.58	0.00	0.00	1.22	DISP	1.22	300.29
Amb to T3{1}	440.98	545.77	0.00	0.00	0.08	DISP	0.08	300.29

Sus. + W1{1}	40836.96	2322.68	0.00	0.01	0.01	OCC	166.17	361.97
Sus. + W2{1}	40837.17	2321.86	0.00	0.01	0.01	OCC	166.17	361.97
Sus. + W3{1}	40821.74	2538.31	0.00	0.00	0.03	OCC	166.18	361.97
Sus. + W4{1}	40821.61	2495.82	0.00	0.00	0.03	OCC	166.17	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	40437.08	6897.93	0.07	4.35	4.42	OCC	8.76	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	38987.27	2349.59	0.01	0.17	4.21	SUST	165.95	361.97
Amb to T1{1}	79814.47	127.49	0.01	0.00	8.59	DISP	8.59	300.48
Amb to T2{1}	13438.43	747.95	0.00	0.00	1.45	DISP	1.45	300.48
Amb to T3{1}	1100.96	598.61	0.00	0.00	0.13	DISP	0.13	300.48
Sus. + W1{1}	38994.43	2458.77	0.00	0.01	0.01	OCC	165.97	361.97
Sus. + W2{1}	38994.55	2457.88	0.00	0.01	0.01	OCC	165.97	361.97
Sus. + W3{1}	38999.60	2722.53	0.00	0.00	0.04	OCC	165.99	361.97
Sus. + W4{1}	38999.46	2674.07	0.00	0.00	0.03	OCC	165.98	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	35594.50	6962.32	0.07	4.35	3.91	OCC	8.25	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	38987.27	2349.59	0.01	0.17	4.21	SUST	166.33	361.97
Amb to T1{1}	79814.47	127.49	0.01	0.00	8.59	DISP	8.59	300.10
Amb to T2{1}	13438.43	747.95	0.00	0.00	1.45	DISP	1.45	300.10
Amb to T3{1}	1100.96	598.61	0.00	0.00	0.13	DISP	0.13	300.10
Sus. + W1{1}	38994.43	2458.77	0.00	0.02	0.01	OCC	166.36	361.97
Sus. + W2{1}	38994.55	2457.88	0.00	0.02	0.01	OCC	166.36	361.97
Sus. + W3{1}	38999.60	2722.53	0.00	0.00	0.04	OCC	166.38	361.97
Sus. + W4{1}	38999.46	2674.07	0.00	0.00	0.03	OCC	166.37	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	35594.50	6962.32	0.07	4.04	3.91	OCC	7.94	434.37
*** - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	35942.76	2466.78	0.01	0.17	3.88	SUST	166.01	361.97
Amb to T1{1}	53597.04	109.22	0.01	0.00	5.77	DISP	5.77	300.42
Amb to T2{1}	15740.25	824.74	0.00	0.00	1.70	DISP	1.70	300.42
Amb to T3{1}	1915.96	652.19	0.00	0.00	0.22	DISP	0.22	300.42
Sus. + W1{1}	35964.55	2583.39	0.00	0.02	0.01	OCC	166.03	361.97
Sus. + W2{1}	35964.55	2582.43	0.00	0.02	0.01	OCC	166.03	361.97
Sus. + W3{1}	35952.39	2900.07	0.00	0.00	0.05	OCC	166.06	361.97
Sus. + W4{1}	35952.25	2845.28	0.00	0.00	0.04	OCC	166.05	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	29601.81	6936.76	0.07	4.04	3.27	OCC	7.31	434.37
*** + SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	35942.76	2466.78	0.01	0.17	3.88	SUST	166.39	361.97
Amb to T1{1}	53597.04	109.22	0.01	0.00	5.77	DISP	5.77	300.04
Amb to T2{1}	15740.25	824.74	0.00	0.00	1.70	DISP	1.70	300.04
Amb to T3{1}	1915.96	652.19	0.00	0.00	0.22	DISP	0.22	300.04
Sus. + W1{1}	35964.55	2583.39	0.00	0.02	0.01	OCC	166.42	361.97
Sus. + W2{1}	35964.55	2582.43	0.00	0.02	0.01	OCC	166.42	361.97
Sus. + W3{1}	35952.39	2900.07	0.00	0.00	0.05	OCC	166.44	361.97
Sus. + W4{1}	35952.25	2845.28	0.00	0.00	0.04	OCC	166.44	361.97
Max P{1}						HOOP	211.04	289.58
Hydrotest-NL{2}	29601.81	6936.76	0.07	3.73	3.27	OCC	7.00	434.37
A01 - SIFI= 1.00 SIFO= 1.00								
UNREST GR + Max P{1}	31643.57	2569.02	0.01	0.17	3.42	SUST	165.93	361.97
Amb to T1{1}	22993.67	86.08	0.01	0.00	2.48	DISP	2.48	300.50
Amb to T2{1}	18137.39	903.28	0.00	0.00	1.96	DISP	1.96	300.50
Amb to T3{1}	2901.75	705.88	0.00	0.00	0.32	DISP	0.32	300.50
Sus. + W1{1}	31702.11	2692.70	0.00	0.02	0.01	OCC	165.96	361.97
Sus. + W2{1}	31702.28	2691.68	0.00	0.02	0.01	OCC	165.96	361.97

	Sus. + W3{1}	31649.36	3067.17	0.00	0.00	0.05	OCC	165.99	361.97
	Sus. + W4{1}	31649.21	3005.73	0.00	0.00	0.05	OCC	165.98	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	22388.25	6805.48	0.07	3.73	2.52	OCC	6.25	434.37
A01 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	31643.57	2569.02	0.01	0.18	3.42	SUST	166.30	361.97
	Amb to T1{1}	22993.67	86.08	0.01	0.00	2.48	DISP	2.48	300.13
	Amb to T2{1}	18137.39	903.28	0.00	0.00	1.96	DISP	1.96	300.13
	Amb to T3{1}	2901.75	705.88	0.00	0.00	0.32	DISP	0.32	300.13
	Sus. + W1{1}	31702.11	2692.70	0.00	0.02	0.01	OCC	166.33	361.97
	Sus. + W2{1}	31702.28	2691.68	0.00	0.02	0.01	OCC	166.33	361.97
	Sus. + W3{1}	31649.35	3067.17	0.00	0.00	0.05	OCC	166.35	361.97
	Sus. + W4{1}	31649.21	3005.73	0.00	0.00	0.05	OCC	166.35	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	22388.25	6805.48	0.07	3.44	2.52	OCC	5.96	434.37
+1 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	26716.63	2644.31	0.01	0.18	2.89	SUST	165.77	361.97
	Amb to T1{1}	8314.54	60.86	0.01	0.00	0.90	DISP	0.90	300.66
	Amb to T2{1}	20308.61	974.21	0.00	0.00	2.19	DISP	2.19	300.66
	Amb to T3{1}	3937.63	753.27	0.00	0.00	0.43	DISP	0.43	300.66
	Sus. + W1{1}	26815.35	2773.85	0.00	0.02	0.02	OCC	165.80	361.97
	Sus. + W2{1}	26815.70	2772.77	0.00	0.02	0.02	OCC	165.80	361.97
	Sus. + W3{1}	26717.83	3204.06	0.00	0.00	0.06	OCC	165.83	361.97
	Sus. + W4{1}	26717.69	3136.42	0.00	0.00	0.05	OCC	165.83	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	14869.82	6585.08	0.07	3.44	1.75	OCC	5.19	434.37
+1 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	26716.63	2644.31	0.01	0.18	2.89	SUST	166.12	361.97
	Amb to T1{1}	8314.54	60.86	0.01	0.00	0.90	DISP	0.90	300.31
	Amb to T2{1}	20308.61	974.21	0.00	0.00	2.19	DISP	2.19	300.31
	Amb to T3{1}	3937.63	753.27	0.00	0.00	0.43	DISP	0.43	300.31
	Sus. + W1{1}	26815.35	2773.85	0.00	0.02	0.02	OCC	166.15	361.97
	Sus. + W2{1}	26815.70	2772.77	0.00	0.02	0.02	OCC	166.15	361.97
	Sus. + W3{1}	26717.83	3204.06	0.00	0.00	0.06	OCC	166.18	361.97
	Sus. + W4{1}	26717.69	3136.42	0.00	0.00	0.05	OCC	166.17	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	14869.82	6585.08	0.07	3.16	1.75	OCC	4.92	434.37
+2 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	20732.46	2701.07	0.01	0.18	2.25	SUST	165.48	361.97
	Amb to T1{1}	43640.29	30.95	0.01	0.00	4.70	DISP	4.70	300.95
	Amb to T2{1}	22450.24	1045.18	0.00	0.00	2.42	DISP	2.42	300.95
	Amb to T3{1}	5128.77	799.52	0.00	0.00	0.56	DISP	0.56	300.95
	Sus. + W1{1}	20878.96	2835.91	0.00	0.02	0.02	OCC	165.51	361.97
	Sus. + W2{1}	20879.53	2834.78	0.00	0.02	0.02	OCC	165.51	361.97
	Sus. + W3{1}	20737.08	3325.76	0.00	0.00	0.07	OCC	165.55	361.97
	Sus. + W4{1}	20737.21	3251.70	0.00	0.00	0.06	OCC	165.54	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	6305.53	6253.86	0.07	3.16	0.96	OCC	4.13	434.37
+2 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	20732.46	2701.07	0.01	0.18	2.25	SUST	165.82	361.97
	Amb to T1{1}	43640.29	30.95	0.01	0.00	4.70	DISP	4.70	300.61
	Amb to T2{1}	22450.24	1045.18	0.00	0.00	2.42	DISP	2.42	300.61
	Amb to T3{1}	5128.77	799.52	0.00	0.00	0.56	DISP	0.56	300.61
	Sus. + W1{1}	20878.96	2835.91	0.00	0.02	0.02	OCC	165.86	361.97
	Sus. + W2{1}	20879.53	2834.78	0.00	0.02	0.02	OCC	165.86	361.97
	Sus. + W3{1}	20737.08	3325.76	0.00	0.00	0.07	OCC	165.89	361.97

	Sus. + W4{1}	20737.21	3251.70	0.00	0.00	0.06	OCC	165.89	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	6305.53	6253.86	0.07	2.89	0.96	OCC	3.85	434.37
+3 -	SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	13657.78	2735.72	0.01	0.18	1.50	SUST	165.07	361.97
	Amb to T1{1}	83240.95	4.07	0.01	0.00	8.96	DISP	8.96	301.36
	Amb to T2{1}	24491.40	1115.36	0.00	0.00	2.64	DISP	2.64	301.36
	Amb to T3{1}	6480.76	843.88	0.00	0.00	0.70	DISP	0.70	301.36
	Sus. + W1{1}	13860.27	2875.15	0.00	0.02	0.03	OCC	165.11	361.97
	Sus. + W2{1}	13861.09	2873.97	0.00	0.02	0.03	OCC	165.11	361.97
	Sus. + W3{1}	13669.61	3428.44	0.00	0.00	0.07	OCC	165.15	361.97
	Sus. + W4{1}	13669.73	3347.82	0.00	0.00	0.07	OCC	165.14	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	3318.47	5798.04	0.07	2.89	0.72	OCC	3.62	434.37
+3 +	SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	13657.78	2735.72	0.01	0.18	1.50	SUST	165.42	361.97
	Amb to T1{1}	83240.95	4.07	0.01	0.00	8.96	DISP	8.96	301.01
	Amb to T2{1}	24491.40	1115.36	0.00	0.00	2.64	DISP	2.64	301.01
	Amb to T3{1}	6480.76	843.88	0.00	0.00	0.70	DISP	0.70	301.01
	Sus. + W1{1}	13860.27	2875.15	0.00	0.02	0.03	OCC	165.46	361.97
	Sus. + W2{1}	13861.09	2873.97	0.00	0.02	0.03	OCC	165.46	361.97
	Sus. + W3{1}	13669.61	3428.44	0.00	0.00	0.07	OCC	165.50	361.97
	Sus. + W4{1}	13669.73	3347.82	0.00	0.00	0.07	OCC	165.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	3318.47	5798.04	0.07	2.61	0.72	OCC	3.35	434.37
A02 N-	SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	5454.87	2744.35	0.01	0.18	0.66	SUST	164.58	361.97
	Amb to T1{1}	127378.6	44.60	0.01	0.00	13.71	DISP	13.71	301.85
	Amb to T2{1}	26345.61	1183.83	0.00	0.00	2.84	DISP	2.84	301.85
	Amb to T3{1}	7995.88	885.56	0.00	0.00	0.87	DISP	0.87	301.85
	Sus. + W1{1}	5722.05	2887.49	0.00	0.02	0.03	OCC	164.63	361.97
	Sus. + W2{1}	5723.16	2886.26	0.00	0.02	0.03	OCC	164.63	361.97
	Sus. + W3{1}	5475.45	3507.92	0.00	0.00	0.08	OCC	164.66	361.97
	Sus. + W4{1}	5475.55	3420.62	0.00	0.00	0.07	OCC	164.65	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	13999.04	5203.12	0.07	2.61	1.61	OCC	4.23	434.37
A02 N+	SIFI= 2.99 SIFO= 2.49 UNREST GR + Max P{1}	5454.87	2744.34	0.01	0.19	1.43	SUST	165.60	361.97
	Amb to T1{1}	127378.6	44.66	0.01	0.00	41.06	DISP	41.06	300.83
	Amb to T2{1}	26345.61	1183.81	0.00	0.00	8.50	DISP	8.50	300.83
	Amb to T3{1}	7995.88	885.56	0.00	0.00	2.59	DISP	2.59	300.83
	Sus. + W1{1}	5722.05	2887.48	0.00	0.02	0.07	OCC	165.69	361.97
	Sus. + W2{1}	5723.16	2886.26	0.00	0.02	0.07	OCC	165.69	361.97
	Sus. + W3{1}	5475.45	3507.92	0.00	0.00	0.15	OCC	165.76	361.97
	Sus. + W4{1}	5475.55	3420.62	0.00	0.00	0.14	OCC	165.74	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	13999.04	5203.13	0.07	2.41	3.54	OCC	5.96	434.37
+1 -	SIFI= 2.99 SIFO= 2.49 UNREST GR + Max P{1}	2396.78	2687.94	0.03	0.18	0.79	SUST	165.11	361.97
	Amb to T1{1}	153483.8	84.76	0.01	0.00	49.47	DISP	49.47	301.32
	Amb to T2{1}	24817.32	1209.77	0.01	0.00	8.01	DISP	8.01	301.32
	Amb to T3{1}	8195.02	896.94	0.01	0.00	2.65	DISP	2.65	301.32
	Sus. + W1{1}	2686.51	2830.55	0.00	0.02	0.08	OCC	165.20	361.97
	Sus. + W2{1}	2687.72	2829.33	0.00	0.02	0.08	OCC	165.20	361.97
	Sus. + W3{1}	2419.75	3485.64	0.00	0.00	0.16	OCC	165.27	361.97
	Sus. + W4{1}	2419.85	3395.40	0.00	0.00	0.14	OCC	165.25	361.97
	Max P{1}						HOOP	211.04	289.58

	Hydrotest-NL{2}	21089.13	4597.00	0.11	2.29	5.18	OCC	7.48	434.37
+1	+ SIFI= 2.99 SIFO= 2.49								
UNREST	GR + Max P{1}	2396.78	2687.94	0.03	0.18	0.79	SUST	165.28	361.97
	Amb to T1{1}	153483.8	84.76	0.01	0.00	49.47	DISP	49.47	301.15
	Amb to T2{1}	24817.32	1209.77	0.01	0.00	8.01	DISP	8.01	301.15
	Amb to T3{1}	8195.02	896.94	0.01	0.00	2.65	DISP	2.65	301.15
	Sus. + W1{1}	2686.51	2830.55	0.00	0.02	0.08	OCC	165.37	361.97
	Sus. + W2{1}	2687.72	2829.33	0.00	0.02	0.08	OCC	165.37	361.97
	Sus. + W3{1}	2419.75	3485.64	0.00	0.00	0.16	OCC	165.44	361.97
	Sus. + W4{1}	2419.85	3395.40	0.00	0.00	0.14	OCC	165.42	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	21089.13	4597.00	0.11	2.15	5.18	OCC	7.34	434.37
A02 F-	SIFI= 2.99 SIFO= 2.49								
UNREST	GR + Max P{1}	16648.51	2560.07	0.05	0.17	4.06	SUST	168.79	361.97
	Amb to T1{1}	186374.5	123.95	0.01	0.00	60.07	DISP	60.07	297.64
	Amb to T2{1}	18855.68	1205.88	0.02	0.00	6.09	DISP	6.09	297.64
	Amb to T3{1}	7321.19	885.88	0.01	0.00	2.37	DISP	2.37	297.64
	Sus. + W1{1}	16939.47	2698.48	0.00	0.02	0.08	OCC	168.88	361.97
	Sus. + W2{1}	16940.68	2697.29	0.00	0.02	0.08	OCC	168.88	361.97
	Sus. + W3{1}	16669.47	3373.16	0.01	0.00	0.16	OCC	168.96	361.97
	Sus. + W4{1}	16669.59	3282.16	0.01	0.00	0.15	OCC	168.94	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	31071.69	3847.06	0.15	1.98	7.55	OCC	9.54	434.37
A02 F+	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	16648.51	2560.06	0.05	0.17	1.81	SUST	166.82	361.97
	Amb to T1{1}	186374.5	123.84	0.01	0.00	20.07	DISP	20.07	299.61
	Amb to T2{1}	18855.68	1205.89	0.02	0.00	2.03	DISP	2.03	299.61
	Amb to T3{1}	7321.19	885.88	0.01	0.00	0.79	DISP	0.79	299.61
	Sus. + W1{1}	16939.47	2698.47	0.00	0.02	0.03	OCC	166.87	361.97
	Sus. + W2{1}	16940.68	2697.27	0.00	0.02	0.03	OCC	166.87	361.97
	Sus. + W3{1}	16669.47	3373.15	0.01	0.00	0.09	OCC	166.91	361.97
	Sus. + W4{1}	16669.60	3282.15	0.01	0.00	0.08	OCC	166.90	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	31071.69	3847.04	0.15	1.76	3.37	OCC	5.14	434.37
+1	- SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	50490.62	2503.86	0.05	0.17	5.44	SUST	170.45	361.97
	Amb to T1{1}	257551.6	174.72	0.01	0.00	27.73	DISP	27.73	295.98
	Amb to T2{1}	1995.76	1268.39	0.02	0.00	0.25	DISP	0.26	295.98
	Amb to T3{1}	4547.91	920.01	0.01	0.00	0.50	DISP	0.50	295.98
	Sus. + W1{1}	50762.82	2643.74	0.00	0.02	0.03	OCC	170.50	361.97
	Sus. + W2{1}	50763.89	2642.52	0.00	0.02	0.03	OCC	170.50	361.97
	Sus. + W3{1}	50502.80	3393.83	0.01	0.00	0.10	OCC	170.55	361.97
	Sus. + W4{1}	50503.00	3295.97	0.01	0.00	0.09	OCC	170.54	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	52088.16	2927.40	0.15	1.76	5.62	OCC	7.38	434.37
+1	+ SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	50490.62	2503.86	0.05	0.16	5.44	SUST	170.83	361.97
	Amb to T1{1}	257551.6	174.72	0.01	0.00	27.73	DISP	27.73	295.60
	Amb to T2{1}	1995.76	1268.39	0.02	0.00	0.25	DISP	0.26	295.60
	Amb to T3{1}	4547.91	920.01	0.01	0.00	0.50	DISP	0.50	295.60
	Sus. + W1{1}	50762.82	2643.74	0.00	0.02	0.03	OCC	170.88	361.97
	Sus. + W2{1}	50763.89	2642.52	0.00	0.02	0.03	OCC	170.88	361.97
	Sus. + W3{1}	50502.80	3393.83	0.01	0.00	0.10	OCC	170.93	361.97
	Sus. + W4{1}	50503.00	3295.97	0.01	0.00	0.09	OCC	170.92	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	52088.16	2927.40	0.15	1.45	5.62	OCC	7.08	434.37

	Amb to T1{1}	384466.7	265.15	0.01	0.00	41.40	DISP	41.40	288.03
	Amb to T2{1}	36126.55	1348.80	0.02	0.00	3.89	DISP	3.89	288.03
	Amb to T3{1}	849.98	946.99	0.01	0.00	0.14	DISP	0.14	288.03
	Sus. + W1{1}	110551.6	2237.97	0.00	0.02	0.03	OCC	178.44	361.97
	Sus. + W2{1}	110552.4	2236.77	0.00	0.02	0.03	OCC	178.44	361.97
	Sus. + W3{1}	110328.5	3172.34	0.01	0.00	0.11	OCC	178.52	361.97
	Sus. + W4{1}	110328.1	3060.63	0.01	0.00	0.10	OCC	178.51	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	76668.42	57.21	0.15	0.55	8.25	OCC	8.81	434.37
+1 -	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	117146.1	1916.11	0.05	0.15	12.61	SUST	179.13	361.97
	Amb to T1{1}	399576.3	250.99	0.01	0.00	43.02	DISP	43.02	287.30
	Amb to T2{1}	43434.94	1322.01	0.02	0.00	4.68	DISP	4.68	287.30
	Amb to T3{1}	1839.87	921.85	0.01	0.00	0.22	DISP	0.22	287.30
	Sus. + W1{1}	117360.5	2042.07	0.00	0.02	0.03	OCC	179.18	361.97
	Sus. + W2{1}	117361.2	2040.91	0.00	0.02	0.03	OCC	179.18	361.97
	Sus. + W3{1}	117156.9	3004.14	0.01	0.00	0.12	OCC	179.25	361.97
	Sus. + W4{1}	117156.5	2891.84	0.01	0.00	0.11	OCC	179.24	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	74533.42	819.88	0.15	0.55	8.03	OCC	8.58	434.37
+1 +	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	117146.1	1916.11	0.05	0.15	12.61	SUST	179.47	361.97
	Amb to T1{1}	399576.3	250.99	0.01	0.00	43.02	DISP	43.02	286.96
	Amb to T2{1}	43434.94	1322.01	0.02	0.00	4.68	DISP	4.68	286.96
	Amb to T3{1}	1839.87	921.85	0.01	0.00	0.22	DISP	0.22	286.96
	Sus. + W1{1}	117360.5	2042.07	0.00	0.02	0.03	OCC	179.52	361.97
	Sus. + W2{1}	117361.2	2040.91	0.00	0.02	0.03	OCC	179.52	361.97
	Sus. + W3{1}	117156.9	3004.14	0.01	0.00	0.12	OCC	179.60	361.97
	Sus. + W4{1}	117156.5	2891.84	0.01	0.00	0.11	OCC	179.58	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	74533.42	819.88	0.15	0.28	8.03	OCC	8.31	434.37
+2 -	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	119282.1	1691.56	0.05	0.15	12.84	SUST	179.70	361.97
	Amb to T1{1}	404844.4	207.63	0.01	0.00	43.59	DISP	43.59	286.73
	Amb to T2{1}	48693.91	1262.82	0.02	0.00	5.24	DISP	5.24	286.73
	Amb to T3{1}	2652.03	876.17	0.01	0.00	0.30	DISP	0.30	286.73
	Sus. + W1{1}	119475.6	1808.47	0.00	0.02	0.02	OCC	179.75	361.97
	Sus. + W2{1}	119476.2	1807.38	0.00	0.02	0.02	OCC	179.75	361.97
	Sus. + W3{1}	119295.9	2778.94	0.01	0.00	0.12	OCC	179.83	361.97
	Sus. + W4{1}	119295.5	2668.42	0.01	0.00	0.11	OCC	179.81	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	68697.88	1441.62	0.15	0.28	7.40	OCC	7.68	434.37
+2 +	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	119282.1	1691.56	0.05	0.14	12.84	SUST	180.05	361.97
	Amb to T1{1}	404844.4	207.63	0.01	0.00	43.59	DISP	43.59	286.38
	Amb to T2{1}	48693.91	1262.82	0.02	0.00	5.24	DISP	5.24	286.38
	Amb to T3{1}	2652.03	876.17	0.01	0.00	0.30	DISP	0.30	286.38
	Sus. + W1{1}	119475.6	1808.47	0.00	0.02	0.02	OCC	180.09	361.97
	Sus. + W2{1}	119476.2	1807.38	0.00	0.02	0.02	OCC	180.09	361.97
	Sus. + W3{1}	119295.9	2778.94	0.01	0.00	0.12	OCC	180.17	361.97
	Sus. + W4{1}	119295.5	2668.42	0.01	0.00	0.11	OCC	180.16	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	68697.88	1441.62	0.15	0.01	7.40	OCC	7.41	434.37
+3 -	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	116801.0	1430.00	0.05	0.14	12.58	SUST	179.78	361.97
	Amb to T1{1}	400188.9	129.24	0.01	0.00	43.09	DISP	43.09	286.65
	Amb to T2{1}	51769.30	1165.88	0.02	0.00	5.58	DISP	5.58	286.65

	Amb to T3{1}	3342.42	806.82	0.01	0.00	0.37	DISP	0.37	286.65
	Sus. + W1{1}	116966.3	1535.08	0.00	0.02	0.02	OCC	179.82	361.97
	Sus. + W2{1}	116966.8	1534.08	0.00	0.02	0.02	OCC	179.82	361.97
	Sus. + W3{1}	116817.0	2490.67	0.01	0.00	0.11	OCC	179.90	361.97
	Sus. + W4{1}	116816.6	2384.71	0.01	0.00	0.10	OCC	179.89	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	59434.54	1875.18	0.15	0.01	6.40	OCC	6.42	434.37
+3	+ SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	116801.0	1430.00	0.05	0.14	12.58	SUST	180.12	361.97
	Amb to T1{1}	400188.9	129.24	0.01	0.00	43.09	DISP	43.09	286.31
	Amb to T2{1}	51769.30	1165.88	0.02	0.00	5.58	DISP	5.58	286.31
	Amb to T3{1}	3342.42	806.82	0.01	0.00	0.37	DISP	0.37	286.31
	Sus. + W1{1}	116966.3	1535.08	0.00	0.02	0.02	OCC	180.16	361.97
	Sus. + W2{1}	116966.8	1534.08	0.00	0.02	0.02	OCC	180.16	361.97
	Sus. + W3{1}	116817.0	2490.67	0.01	0.00	0.11	OCC	180.24	361.97
	Sus. + W4{1}	116816.6	2384.71	0.01	0.00	0.10	OCC	180.23	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	59434.54	1875.18	0.15	-0.26	6.40	OCC	6.67	434.37
+4	- SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	109703.5	1129.46	0.05	0.14	11.81	SUST	179.36	361.97
	Amb to T1{1}	385295.9	9.92	0.01	0.00	41.49	DISP	41.49	287.07
	Amb to T2{1}	52518.01	1025.72	0.02	0.00	5.66	DISP	5.66	287.07
	Amb to T3{1}	3965.36	710.59	0.01	0.00	0.43	DISP	0.43	287.07
	Sus. + W1{1}	109830.9	1219.64	0.00	0.02	0.02	OCC	179.40	361.97
	Sus. + W2{1}	109831.3	1218.75	0.00	0.02	0.02	OCC	179.40	361.97
	Sus. + W3{1}	109721.1	2132.94	0.01	0.00	0.11	OCC	179.47	361.97
	Sus. + W4{1}	109720.7	2034.79	0.01	0.00	0.10	OCC	179.46	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	46974.42	2073.16	0.15	-0.26	5.06	OCC	5.33	434.37
+4	+ SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	109703.5	1129.46	0.05	0.14	11.81	SUST	179.70	361.97
	Amb to T1{1}	385295.9	9.92	0.01	0.00	41.49	DISP	41.49	286.73
	Amb to T2{1}	52518.01	1025.72	0.02	0.00	5.66	DISP	5.66	286.73
	Amb to T3{1}	3965.36	710.59	0.01	0.00	0.43	DISP	0.43	286.73
	Sus. + W1{1}	109830.9	1219.64	0.00	0.02	0.02	OCC	179.74	361.97
	Sus. + W2{1}	109831.3	1218.75	0.00	0.02	0.02	OCC	179.74	361.97
	Sus. + W3{1}	109721.1	2132.94	0.01	0.00	0.11	OCC	179.82	361.97
	Sus. + W4{1}	109720.7	2034.79	0.01	0.00	0.10	OCC	179.81	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	46974.42	2073.16	0.15	-0.53	5.06	OCC	5.60	434.37
A04	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	97921.16	787.85	0.05	0.14	10.54	SUST	178.61	361.97
	Amb to T1{1}	359621.8	156.24	0.01	0.00	38.72	DISP	38.72	287.82
	Amb to T2{1}	50789.64	836.76	0.02	0.00	5.47	DISP	5.47	287.82
	Amb to T3{1}	4573.29	584.20	0.01	0.00	0.50	DISP	0.50	287.82
	Sus. + W1{1}	97998.47	859.74	0.00	0.02	0.01	OCC	178.64	361.97
	Sus. + W2{1}	97998.62	859.00	0.00	0.02	0.01	OCC	178.64	361.97
	Sus. + W3{1}	97939.45	1699.18	0.01	0.00	0.10	OCC	178.71	361.97
	Sus. + W4{1}	97939.13	1612.52	0.01	0.00	0.09	OCC	178.70	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	31380.18	1987.90	0.15	-0.67	3.39	OCC	4.07	434.37
A05	N- SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	2242.74	2655.97	0.05	-0.01	0.37	SUST	168.60	361.97
	Amb to T1{1}	62559.18	1974.01	0.01	0.00	6.74	DISP	6.74	297.83
	Amb to T2{1}	22143.32	1205.98	0.02	0.00	2.39	DISP	2.39	297.83
	Amb to T3{1}	10432.47	769.12	0.01	0.00	1.13	DISP	1.13	297.83

	Sus. + W1{1}	2706.95	2774.69	0.00	0.02	0.05	OCC	168.67	361.97
	Sus. + W2{1}	2708.79	2773.87	0.00	0.02	0.05	OCC	168.67	361.97
	Sus. + W3{1}	2264.39	2799.58	0.01	0.00	0.02	OCC	168.63	361.97
	Sus. + W4{1}	2264.73	2758.23	0.01	0.00	0.01	OCC	168.62	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	49925.24	316.48	0.15	-0.98	5.38	OCC	6.37	434.37
A05 N+	SIFI= 2.99 SIFO= 2.49 UNREST GR + Max P{1}	2242.74	2655.97	0.05	-0.01	0.76	SUST	168.98	361.97
	Amb to T1{1}	62559.18	1974.01	0.01	0.00	20.17	DISP	20.17	297.45
	Amb to T2{1}	22143.32	1205.98	0.02	0.00	7.14	DISP	7.14	297.45
	Amb to T3{1}	10432.47	769.12	0.01	0.00	3.37	DISP	3.37	297.45
	Sus. + W1{1}	2706.95	2774.69	0.00	0.02	0.11	OCC	169.11	361.97
	Sus. + W2{1}	2708.79	2773.87	0.00	0.02	0.12	OCC	169.11	361.97
	Sus. + W3{1}	2264.39	2799.58	0.01	0.00	0.03	OCC	169.02	361.97
	Sus. + W4{1}	2264.73	2758.23	0.01	0.00	0.02	OCC	169.01	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	49925.24	316.49	0.15	-0.98	12.07	OCC	13.06	434.37
A05 F-	SIFI= 2.99 SIFO= 2.49 UNREST GR + Max P{1}	6314.74	2603.93	0.09	0.00	1.61	SUST	169.99	361.97
	Amb to T1{1}	28315.81	2101.13	0.03	0.00	9.14	DISP	9.14	296.44
	Amb to T2{1}	17648.06	1266.14	0.04	0.00	5.70	DISP	5.70	296.44
	Amb to T3{1}	9743.75	796.96	0.03	0.00	3.15	DISP	3.15	296.44
	Sus. + W1{1}	6782.51	2723.18	0.00	0.02	0.12	OCC	170.13	361.97
	Sus. + W2{1}	6784.29	2722.35	0.00	0.02	0.12	OCC	170.13	361.97
	Sus. + W3{1}	6325.93	2793.80	0.01	0.00	0.04	OCC	170.04	361.97
	Sus. + W4{1}	6326.40	2747.92	0.01	0.00	0.03	OCC	170.03	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	46132.74	1388.20	0.13	-0.93	11.16	OCC	12.09	434.37
A05 F+	SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	6314.74	2603.94	0.09	0.00	0.74	SUST	169.13	361.97
	Amb to T1{1}	28315.81	2101.13	0.03	0.00	3.06	DISP	3.06	297.30
	Amb to T2{1}	17648.06	1266.15	0.04	0.00	1.91	DISP	1.91	297.30
	Amb to T3{1}	9743.75	796.96	0.03	0.00	1.05	DISP	1.05	297.30
	Sus. + W1{1}	6782.51	2723.18	0.00	0.02	0.05	OCC	169.20	361.97
	Sus. + W2{1}	6784.29	2722.35	0.00	0.02	0.05	OCC	169.20	361.97
	Sus. + W3{1}	6325.93	2793.81	0.01	0.00	0.02	OCC	169.16	361.97
	Sus. + W4{1}	6326.40	2747.92	0.01	0.00	0.02	OCC	169.16	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	46132.74	1388.19	0.13	-0.93	4.97	OCC	5.91	434.37
A06	SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	35061.55	3715.00	0.09	0.00	3.80	SUST	172.17	361.97
	Amb to T1{1}	81502.18	2687.59	0.03	0.00	8.78	DISP	8.78	294.26
	Amb to T2{1}	107.31	1925.19	0.04	0.00	0.21	DISP	0.22	294.26
	Amb to T3{1}	3717.27	1233.57	0.03	0.00	0.42	DISP	0.43	294.26
	Sus. + W1{1}	35376.03	3895.74	0.00	0.02	0.04	OCC	172.23	361.97
	Sus. + W2{1}	35376.79	3894.41	0.00	0.02	0.04	OCC	172.23	361.97
	Sus. + W3{1}	35114.26	4245.23	0.01	0.00	0.06	OCC	172.23	361.97
	Sus. + W4{1}	35113.22	4158.04	0.01	0.00	0.05	OCC	172.22	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	14629.76	2131.65	0.13	-0.93	1.59	OCC	2.55	434.37
A07 -	SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	57894.02	5011.07	0.09	0.00	6.26	SUST	174.63	361.97
	Amb to T1{1}	209605.5	3371.71	0.03	0.00	22.57	DISP	22.57	291.80
	Amb to T2{1}	20819.05	2693.97	0.04	0.00	2.26	DISP	2.26	291.80
	Amb to T3{1}	3312.66	1742.89	0.03	0.00	0.40	DISP	0.41	291.80
	Sus. + W1{1}	58029.68	5263.54	0.00	0.02	0.03	OCC	174.68	361.97
	Sus. + W2{1}	58029.25	5261.63	0.00	0.02	0.03	OCC	174.68	361.97

	Sus. + W3{1}	58021.27	5938.31	0.01	0.00	0.10	OCC	174.73	361.97
	Sus. + W4{1}	58019.57	5802.95	0.01	0.00	0.09	OCC	174.72	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	44903.75	2998.89	0.13	-0.93	4.85	OCC	5.79	434.37
A07 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	57894.02	5011.07	0.09	0.00	6.26	SUST	174.63	361.97
	Amb to T1{1}	209605.5	3371.71	0.03	0.00	22.57	DISP	22.57	291.80
	Amb to T2{1}	20819.05	2693.97	0.04	0.00	2.26	DISP	2.26	291.80
	Amb to T3{1}	3312.66	1742.89	0.03	0.00	0.40	DISP	0.41	291.80
	Sus. + W1{1}	58029.68	5263.54	0.00	0.02	0.03	OCC	174.68	361.97
	Sus. + W2{1}	58029.25	5261.63	0.00	0.02	0.03	OCC	174.68	361.97
	Sus. + W3{1}	58021.27	5938.31	0.01	0.00	0.10	OCC	174.73	361.97
	Sus. + W4{1}	58019.57	5802.95	0.01	0.00	0.09	OCC	174.72	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	44903.75	2998.89	0.13	-0.93	4.85	OCC	5.79	434.37
A08 SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	27381.53	7257.58	0.09	0.00	3.05	SUST	171.42	361.97
	Amb to T1{1}	431651.3	4557.50	0.03	0.00	46.48	DISP	46.48	295.01
	Amb to T2{1}	56719.41	4026.51	0.04	0.00	6.12	DISP	6.12	295.01
	Amb to T3{1}	15497.87	2625.70	0.03	0.00	1.69	DISP	1.69	295.01
	Sus. + W1{1}	27555.82	7634.40	0.00	0.02	0.04	OCC	171.49	361.97
	Sus. + W2{1}	27558.31	7631.46	0.00	0.02	0.04	OCC	171.49	361.97
	Sus. + W3{1}	27637.97	8873.00	0.01	0.00	0.18	OCC	171.60	361.97
	Sus. + W4{1}	27635.14	8654.13	0.01	0.00	0.15	OCC	171.58	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	249010.3	4502.11	0.13	-0.93	26.82	OCC	27.75	434.37
A09 SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	20446.53	9232.78	0.09	0.00	2.42	SUST	170.79	361.97
	Amb to T1{1}	405772.7	5600.09	0.03	0.00	43.69	DISP	43.69	295.64
	Amb to T2{1}	55112.86	5198.13	0.04	0.00	5.96	DISP	5.96	295.64
	Amb to T3{1}	15998.02	3401.90	0.03	0.00	1.76	DISP	1.76	295.64
	Sus. + W1{1}	21126.24	9718.92	0.00	0.02	0.09	OCC	170.90	361.97
	Sus. + W2{1}	21128.50	9715.09	0.00	0.02	0.09	OCC	170.90	361.97
	Sus. + W3{1}	20550.88	11453.26	0.01	0.00	0.24	OCC	171.03	361.97
	Sus. + W4{1}	20551.38	11160.97	0.01	0.00	0.21	OCC	171.00	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	241872.3	5823.79	0.13	-0.93	26.05	OCC	26.99	434.37
A10 - SIFI= 2.02 SIFO= 2.36	UNREST GR + Max P{1}	33250.96	12081.36	0.09	0.00	5.89	SUST	174.26	361.97
	Amb to T1{1}	49576.20	7103.67	0.03	0.00	10.93	DISP	10.93	292.17
	Amb to T2{1}	4957.40	6887.80	0.04	0.00	2.06	DISP	2.06	292.17
	Amb to T3{1}	1989.80	4521.31	0.03	0.00	1.23	DISP	1.23	292.17
	Sus. + W1{1}	34995.45	12725.17	0.00	0.02	0.31	OCC	174.59	361.97
	Sus. + W2{1}	34994.41	12720.04	0.00	0.02	0.31	OCC	174.59	361.97
	Sus. + W3{1}	33749.11	15174.44	0.01	0.00	0.60	OCC	174.86	361.97
	Sus. + W4{1}	33737.59	14776.27	0.01	0.00	0.52	OCC	174.79	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	24997.46	7729.88	0.13	-0.93	4.34	OCC	5.28	434.37
A10 + SIFI= 2.02 SIFO= 2.36	UNREST GR + Max P{1}	19132.83	8320.22	0.16	-0.06	3.50	SUST	172.09	361.97
	Amb to T1{1}	51430.68	4233.32	0.19	0.00	11.24	DISP	11.24	294.34
	Amb to T2{1}	3767.31	2611.71	0.11	0.00	1.05	DISP	1.08	294.34
	Amb to T3{1}	520.45	548.28	0.08	0.00	0.18	DISP	0.24	294.34
	Sus. + W1{1}	20809.25	8636.16	0.00	0.02	0.28	OCC	172.39	361.97
	Sus. + W2{1}	20807.80	8635.22	0.00	0.02	0.28	OCC	172.39	361.97
	Sus. + W3{1}	20092.93	11435.60	0.11	0.00	0.61	OCC	172.74	361.97

A11 UNREST	Sus. + W4{1}		20097.2311081.47	0.11	0.00	0.55	OCC	172.68	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}		6097.2819450.78	0.20	-1.05	3.84	OCC	4.91	434.37
	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		15714.99 8624.01	0.16	-0.06	1.93	SUST	170.53	361.97
	Amb to T1{1}		77211.41 3946.01	0.19	0.00	8.32	DISP	8.33	295.90
	Amb to T2{1}		14385.72 2339.06	0.11	0.00	1.57	DISP	1.58	295.90
	Amb to T3{1}		4572.35 470.52	0.08	0.00	0.49	DISP	0.52	295.90
	Sus. + W1{1}		17120.67 8873.07	0.00	0.02	0.15	OCC	170.70	361.97
	Sus. + W2{1}		17120.36 8872.43	0.00	0.02	0.15	OCC	170.70	361.97
	Sus. + W3{1}		15863.7611711.96	0.11	0.00	0.33	OCC	170.93	361.97
A12 UNREST	Sus. + W4{1}		15866.9111410.16	0.11	0.00	0.30	OCC	170.90	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}		18036.7919404.89	0.20	-1.05	2.85	OCC	3.93	434.37
	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		36707.76 9202.72	0.16	-0.06	4.07	SUST	172.66	361.97
	Amb to T1{1}		144504.3 3398.68	0.19	0.00	15.56	DISP	15.57	293.77
	Amb to T2{1}		22887.50 1819.67	0.11	0.00	2.47	DISP	2.48	293.77
	Amb to T3{1}		6778.47 322.37	0.08	0.00	0.73	DISP	0.75	293.77
	Sus. + W1{1}		37431.69 9324.38	0.00	0.02	0.08	OCC	172.76	361.97
	Sus. + W2{1}		37432.31 9324.32	0.00	0.02	0.08	OCC	172.76	361.97
	Sus. + W3{1}		37262.8612238.43	0.11	0.00	0.33	OCC	173.06	361.97
A13 UNREST	Sus. + W4{1}		37259.6612036.32	0.11	0.00	0.31	OCC	173.04	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}		15634.3219317.46	0.20	-1.05	2.68	OCC	3.76	434.37
	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		19220.9710037.32	0.16	-0.06	2.33	SUST	170.93	361.97
	Amb to T1{1}		14823.18 2609.34	0.19	0.00	1.62	DISP	1.66	295.50
	Amb to T2{1}		2462.95 1070.61	0.11	0.00	0.29	DISP	0.36	295.50
	Amb to T3{1}		849.97 108.71	0.08	0.00	0.09	DISP	0.18	295.50
	Sus. + W1{1}		19719.6010099.40	0.00	0.02	0.05	OCC	171.01	361.97
	Sus. + W2{1}		19719.3710098.64	0.00	0.02	0.05	OCC	171.00	361.97
	Sus. + W3{1}		19577.2712997.69	0.11	0.00	0.32	OCC	171.32	361.97
A14 UNREST	Sus. + W4{1}		19570.7212939.35	0.11	0.00	0.31	OCC	171.32	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}		61788.7219191.38	0.20	-1.05	6.97	OCC	8.03	434.37
	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}		3136.3710616.04	0.16	-0.06	1.19	SUST	169.81	361.97
	Amb to T1{1}		54799.17 2062.01	0.19	0.00	5.90	DISP	5.92	296.62
	Amb to T2{1}		9244.07 551.21	0.11	0.00	1.00	DISP	1.02	296.62
	Amb to T3{1}		3205.35 39.44	0.08	0.00	0.35	DISP	0.38	296.62
	Sus. + W1{1}		4525.4010805.52	0.00	0.02	0.15	OCC	169.98	361.97
	Sus. + W2{1}		4524.5410804.18	0.00	0.02	0.15	OCC	169.98	361.97
	Sus. + W3{1}		3306.9413524.16	0.11	0.00	0.31	OCC	170.19	361.97
A15 UNREST	Sus. + W4{1}		3312.6113565.51	0.11	0.00	0.32	OCC	170.20	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}		41898.0819103.95	0.20	-1.05	4.96	OCC	6.03	434.37
	- SIFI= 2.02 SIFO= 2.36 GR + Max P{1}		23217.6510868.38	0.16	-0.06	4.32	SUST	172.90	361.97
	Amb to T1{1}		41488.61 1823.35	0.19	0.00	9.04	DISP	9.04	293.53
	Amb to T2{1}		7493.00 324.73	0.11	0.00	1.63	DISP	1.65	293.53
	Amb to T3{1}		2952.97 104.04	0.08	0.00	0.64	DISP	0.66	293.53
	Sus. + W1{1}		25013.54111113.42	0.00	0.02	0.30	OCC	173.22	361.97
	Sus. + W2{1}		25012.01111111.83	0.00	0.02	0.30	OCC	173.22	361.97
	Sus. + W3{1}		23787.6013753.72	0.11	0.00	0.56	OCC	173.50	361.97
	Sus. + W4{1}		23791.4913838.54	0.11	0.00	0.57	OCC	173.52	361.97
	Max P{1}						HOOP	211.04	289.58

	Hydrotest-NL{2}	11358.2019065.83	0.20	-1.05	4.08	OCC	5.15	434.37
A15 + SIFI= 2.02 SIFO= 2.36	UNREST GR + Max P{1}	29149.34 7675.45	0.00	0.00	4.98	SUST	173.52	361.97
	Amb to T1{1}	38059.99 4242.69	0.00	0.00	8.35	DISP	8.35	292.91
	Amb to T2{1}	5271.68 4076.96	0.00	0.00	1.55	DISP	1.55	292.91
	Amb to T3{1}	908.63 4282.33	0.00	0.00	1.11	DISP	1.11	292.91
	Sus. + W1{1}	30655.58 8350.58	0.00	0.06	0.28	OCC	173.85	361.97
	Sus. + W2{1}	30653.87 8345.56	0.00	0.06	0.28	OCC	173.85	361.97
	Sus. + W3{1}	29766.7411397.68	0.00	0.01	0.72	OCC	174.24	361.97
	Sus. + W4{1}	29751.0211444.03	0.00	0.01	0.72	OCC	174.25	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	33950.79 8439.35	0.00	-0.76	5.77	OCC	6.53	434.37
A16 SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	2547.61 5572.08	0.00	0.00	0.66	SUST	169.20	361.97
	Amb to T1{1}	787.01 3425.46	0.00	0.00	0.38	DISP	0.38	297.23
	Amb to T2{1}	0.01 3271.16	0.00	0.00	0.35	DISP	0.35	297.23
	Amb to T3{1}	104.04 2900.58	0.00	0.00	0.31	DISP	0.31	297.23
	Sus. + W1{1}	2795.95 5874.08	0.00	0.06	0.04	OCC	169.30	361.97
	Sus. + W2{1}	2795.70 5872.53	0.00	0.06	0.04	OCC	169.30	361.97
	Sus. + W3{1}	2572.06 8057.02	0.00	0.01	0.27	OCC	169.48	361.97
	Sus. + W4{1}	2570.36 7837.33	0.00	0.01	0.24	OCC	169.45	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	7868.05 4935.65	0.00	-0.76	1.00	OCC	1.76	434.37
A17 - SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	22565.20 4560.84	0.00	0.00	2.48	SUST	171.02	361.97
	Amb to T1{1}	17132.72 3032.56	0.00	0.00	1.87	DISP	1.87	295.41
	Amb to T2{1}	2534.48 2883.76	0.00	0.00	0.41	DISP	0.41	295.41
	Amb to T3{1}	590.91 2236.27	0.00	0.00	0.25	DISP	0.25	295.41
	Sus. + W1{1}	22921.62 4683.45	0.00	0.06	0.04	OCC	171.12	361.97
	Sus. + W2{1}	22921.17 4683.57	0.00	0.06	0.04	OCC	171.12	361.97
	Sus. + W3{1}	22825.8210030.00	0.00	0.01	0.59	OCC	171.62	361.97
	Sus. + W4{1}	22820.79 9726.98	0.00	0.01	0.56	OCC	171.58	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	30911.91 3251.18	0.00	-0.76	3.35	OCC	4.10	434.37
A17 + SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	22565.20 4560.84	0.00	0.00	2.48	SUST	171.19	361.97
	Amb to T1{1}	17132.72 3032.56	0.00	0.00	1.87	DISP	1.87	295.24
	Amb to T2{1}	2534.48 2883.76	0.00	0.00	0.41	DISP	0.41	295.24
	Amb to T3{1}	590.91 2236.27	0.00	0.00	0.25	DISP	0.25	295.24
	Sus. + W1{1}	22921.62 4683.45	0.00	0.04	0.04	OCC	171.28	361.97
	Sus. + W2{1}	22921.17 4683.57	0.00	0.04	0.04	OCC	171.28	361.97
	Sus. + W3{1}	22825.8210030.00	0.00	0.00	0.59	OCC	171.79	361.97
	Sus. + W4{1}	22820.79 9726.98	0.00	0.00	0.56	OCC	171.75	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	30911.91 3251.18	0.00	-0.59	3.35	OCC	3.94	434.37
A18 SIFI= 1.00 SIFO= 1.00	UNREST GR + Max P{1}	5273.75 3920.40	0.00	0.00	0.71	SUST	169.42	361.97
	Amb to T1{1}	10337.55 2730.80	0.00	0.00	1.15	DISP	1.15	297.01
	Amb to T2{1}	1529.25 2569.30	0.00	0.00	0.32	DISP	0.32	297.01
	Amb to T3{1}	356.54 1849.80	0.00	0.00	0.20	DISP	0.20	297.01
	Sus. + W1{1}	5488.88 4014.05	0.00	0.04	0.03	OCC	169.49	361.97
	Sus. + W2{1}	5488.60 4014.01	0.00	0.04	0.03	OCC	169.49	361.97
	Sus. + W3{1}	5431.01 8925.64	0.00	0.00	0.54	OCC	169.97	361.97
	Sus. + W4{1}	5427.97 8673.13	0.00	0.00	0.51	OCC	169.94	361.97
	Max P{1}					HOOP	211.04	289.58
	Hydrotest-NL{2}	611.33 2544.18	0.00	-0.59	0.28	OCC	0.87	434.37

A19 UNREST	SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}		5404.57	2665.15	0.00	0.00	0.65	SUST	169.36	361.97
	Amb to T1{1}		2981.01	2139.34	0.00	0.00	0.40	DISP	0.40	297.07
	Amb to T2{1}		441.00	1952.96	0.00	0.00	0.22	DISP	0.22	297.07
	Amb to T3{1}		102.83	1092.31	0.00	0.00	0.12	DISP	0.12	297.07
	Sus. + W1{1}		5466.39	2702.01	0.00	0.04	0.01	OCC	169.41	361.97
	Sus. + W2{1}		5466.31	2701.67	0.00	0.04	0.01	OCC	169.41	361.97
	Sus. + W3{1}		5449.92	6761.10	0.00	0.00	0.44	OCC	169.81	361.97
	Sus. + W4{1}		5449.04	6607.60	0.00	0.00	0.42	OCC	169.79	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		12970.13	1158.44	0.00	-0.59	1.40	OCC	1.99	434.37
A20 UNREST	SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}		26784.83	1493.91	0.00	0.00	2.89	SUST	172.82	361.97
	Amb to T1{1}		4478.72	1587.47	0.00	0.00	0.51	DISP	0.51	293.61
	Amb to T2{1}		662.55	1377.88	0.00	0.00	0.16	DISP	0.16	293.61
	Amb to T3{1}		154.48	385.54	0.00	0.00	0.04	DISP	0.04	293.61
	Sus. + W1{1}		26878.92	1510.02	0.00	0.04	0.01	OCC	172.87	361.97
	Sus. + W2{1}		26878.80	1510.64	0.00	0.04	0.01	OCC	172.87	361.97
	Sus. + W3{1}		26852.96	4741.45	0.00	0.00	0.35	OCC	173.17	361.97
	Sus. + W4{1}		26851.64	4680.32	0.00	0.00	0.34	OCC	173.16	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		59451.26	134.53	0.00	0.59	6.40	OCC	6.99	434.37
A21 UNREST	SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}		22703.70	1572.41	0.00	0.00	2.45	SUST	172.38	361.97
	Amb to T1{1}		5110.80	1624.46	0.00	0.00	0.58	DISP	0.58	294.05
	Amb to T2{1}		756.06	1416.42	0.00	0.00	0.17	DISP	0.17	294.05
	Amb to T3{1}		176.28	432.90	0.00	0.00	0.05	DISP	0.05	294.05
	Sus. + W1{1}		22810.78	1584.96	0.00	0.04	0.01	OCC	172.43	361.97
	Sus. + W2{1}		22810.65	1585.57	0.00	0.04	0.01	OCC	172.43	361.97
	Sus. + W3{1}		22781.44	4876.80	0.00	0.00	0.36	OCC	172.74	361.97
	Sus. + W4{1}		22779.94	4809.48	0.00	0.00	0.35	OCC	172.73	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		50890.16	47.88	0.00	0.59	5.48	OCC	6.07	434.37
*** Segment A end *** Line # AKABP-36"-PL-012-X70-CL900_UG										
*** Segment B begin *** Line # AKAB-A-100										
A21 UNREST	SIFI= 1.00	SIFO= 1.00								
	GR + Max P{1}		22703.70	1572.41	0.00	0.00	2.45	SUST	171.17	361.97
	Amb to T1{1}		5110.80	1624.46	0.00	0.00	0.58	DISP	0.58	295.27
	Amb to T2{1}		756.06	1416.42	0.00	0.00	0.17	DISP	0.17	295.27
	Amb to T3{1}		176.28	432.90	0.00	0.00	0.05	DISP	0.05	295.27
	Sus. + W1{1}		22810.78	1584.96	0.00	0.04	0.01	OCC	171.22	361.97
	Sus. + W2{1}		22810.65	1585.57	0.00	0.04	0.01	OCC	171.22	361.97
	Sus. + W3{1}		22781.44	4876.80	0.00	0.00	0.36	OCC	171.53	361.97
	Sus. + W4{1}		22779.94	4809.48	0.00	0.00	0.35	OCC	171.52	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydro									

B01 + SIFI= 1.00 SIFO= 1.00										
UNREST GR + Max P{1}	62172.36	906.35	0.00	0.00	6.69	SUST	175.73	361.97		
Amb to T1{1}	252.77	1310.62	0.00	0.00	0.14	DISP	0.14	290.70		
Amb to T2{1}	37.39	1089.38	0.00	0.00	0.12	DISP	0.12	290.70		
Amb to T3{1}	8.72	30.97	0.00	0.00	0.00	DISP	0.00	290.70		
Sus. + W1{1}	62175.54	949.04	0.00	0.02	0.00	OCC	175.75	361.97		
Sus. + W2{1}	62175.53	949.80	0.00	0.02	0.00	OCC	175.75	361.97		
Sus. + W3{1}	62176.20	3974.95	0.00	0.00	0.33	OCC	176.07	361.97		
Sus. + W4{1}	62176.13	3960.16	0.00	0.00	0.33	OCC	176.06	361.97		
Max P{1}						HOOP	211.04	289.58		
Hydrotest-NL{2}	133837.4	783.17	0.00	-0.24	14.41	OCC	14.65	434.37		
B02 - SIFI= 1.00 SIFO= 1.00										
UNREST GR + Max P{1}	17635.20	793.26	0.00	0.00	1.90	SUST	170.94	361.97		
Amb to T1{1}	221.23	1147.09	0.00	0.00	0.13	DISP	0.13	295.49		
Amb to T2{1}	32.73	953.45	0.00	0.00	0.10	DISP	0.10	295.49		
Amb to T3{1}	7.63	27.11	0.00	0.00	0.00	DISP	0.00	295.49		
Sus. + W1{1}	17645.08	830.62	0.00	0.02	0.00	OCC	170.96	361.97		
Sus. + W2{1}	17645.08	831.28	0.00	0.02	0.00	OCC	170.96	361.97		
Sus. + W3{1}	17638.56	1340.38	0.00	0.00	0.06	OCC	171.00	361.97		
Sus. + W4{1}	17638.50	1327.43	0.00	0.00	0.06	OCC	171.00	361.97		
Max P{1}						HOOP	211.04	289.58		
Hydrotest-NL{2}	38262.68	685.45	0.00	-0.24	4.12	OCC	4.36	434.37		
B02 + SIFI= 1.00 SIFO= 1.00										
UNREST GR + Max P{1}	17635.20	793.26	0.00	0.00	1.90	SUST	170.94	361.97		
Amb to T1{1}	221.23	1147.09	0.00	0.00	0.13	DISP	0.13	295.49		
Amb to T2{1}	32.73	953.45	0.00	0.00	0.10	DISP	0.10	295.49		
Amb to T3{1}	7.63	27.11	0.00	0.00	0.00	DISP	0.00	295.49		
Sus. + W1{1}	17640.90	830.62	0.00	0.02	0.00	OCC	170.96	361.97		
Sus. + W2{1}	17640.91	831.28	0.00	0.02	0.00	OCC	170.96	361.97		
Sus. + W3{1}	17638.56	1340.38	0.00	0.00	0.06	OCC	171.00	361.97		
Sus. + W4{1}	17638.50	1327.43	0.00	0.00	0.06	OCC	171.00	361.97		
Max P{1}						HOOP	211.04	289.58		
Hydrotest-NL{2}	38262.68	685.45	0.00	-0.24	4.12	OCC	4.36	434.37		
B03 SIFI= 2.00 SIFO= 2.00										
UNREST GR + Max P{1}	50936.05	470.14	0.00	0.00	8.23	SUST	177.27	361.97		
Amb to T1{1}	131.11	679.84	0.00	0.00	0.15	DISP	0.15	289.16		
Amb to T2{1}	19.40	565.08	0.00	0.00	0.12	DISP	0.12	289.16		
Amb to T3{1}	4.52	16.07	0.00	0.00	0.00	DISP	0.00	289.16		
Sus. + W1{1}	50949.52	492.28	0.00	0.02	0.00	OCC	177.29	361.97		
Sus. + W2{1}	50949.52	492.68	0.00	0.02	0.00	OCC	177.29	361.97		
Sus. + W3{1}	50938.05	3796.23	0.00	0.00	0.54	OCC	177.80	361.97		
Sus. + W4{1}	50938.01	3803.90	0.00	0.00	0.54	OCC	177.81	361.97		
Max P{1}						HOOP	211.04	289.58		
Hydrotest-NL{2}	113529.8	406.24	0.00	-0.24	18.34	OCC	18.58	434.37		
B04 SIFI= 2.00 SIFO= 2.00										
UNREST GR + Max P{1}	54169.68	420.06	0.00	0.00	5.87	SUST	160.88	361.97		
Amb to T1{1}	117.15	607.42	0.00	0.00	0.09	DISP	0.09	305.55		
Amb to T2{1}	17.33	504.88	0.00	0.00	0.07	DISP	0.07	305.55		
Amb to T3{1}	4.04	14.35	0.00	0.00	0.00	DISP	0.00	305.55		
Sus. + W1{1}	54186.12	439.84	0.00	0.01	0.00	OCC	160.90	361.97		
Sus. + W2{1}	54186.12	440.19	0.00	0.01	0.00	OCC	160.90	361.97		
Sus. + W3{1}	54171.46	3928.40	0.00	0.00	0.38	OCC	161.27	361.97		
Sus. + W4{1}	54171.43	3935.25	0.00	0.00	0.38	OCC	161.27	361.97		
Max P{1}						HOOP	232.83	289.58		
Hydrotest-NL{2}	121242.1	362.97	0.00	-0.18	13.14	OCC	13.32	434.37		
B05 - SIFI= 1.00 SIFO= 1.00										
UNREST GR + Max P{1}	55254.21	371.59	0.00	0.00	3.99	SUST	159.01	361.97		

Amb to T1{1}	103.63	537.33	0.00	0.00	0.04	DISP	0.04	307.42
Amb to T2{1}	15.33	446.63	0.00	0.00	0.03	DISP	0.03	307.42
Amb to T3{1}	3.57	12.70	0.00	0.00	0.00	DISP	0.00	307.42
Sus. + W1{1}	55273.53	389.09	0.00	0.01	0.00	OCC	159.02	361.97
Sus. + W2{1}	55273.52	389.40	0.00	0.01	0.00	OCC	159.02	361.97
Sus. + W3{1}	55255.79	3943.62	0.00	0.00	0.26	OCC	159.26	361.97
Sus. + W4{1}	55255.76	3949.68	0.00	0.00	0.26	OCC	159.27	361.97
Max P{1}						HOOP	232.83	289.58
Hydrotest-NL{2}	124153.5	321.08	0.00	-0.18	8.97	OCC	9.15	434.37
B05 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	55254.21	371.59	0.00	0.00	3.99	SUST	159.01	361.97
Amb to T1{1}	103.63	537.33	0.00	0.00	0.04	DISP	0.04	307.42
Amb to T2{1}	15.33	446.63	0.00	0.00	0.03	DISP	0.03	307.42
Amb to T3{1}	3.57	12.70	0.00	0.00	0.00	DISP	0.00	307.42
Sus. + W1{1}	55260.67	389.09	0.00	0.01	0.00	OCC	159.02	361.97
Sus. + W2{1}	55260.67	389.40	0.00	0.01	0.00	OCC	159.02	361.97
Sus. + W3{1}	55255.79	3943.62	0.00	0.00	0.26	OCC	159.26	361.97
Sus. + W4{1}	55255.76	3949.68	0.00	0.00	0.26	OCC	159.27	361.97
Max P{1}						HOOP	232.83	289.58
Hydrotest-NL{2}	124153.5	321.08	0.00	-0.18	8.97	OCC	9.15	434.37
B06 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	17296.99	137.32	0.00	0.00	1.25	SUST	156.26	361.97
Amb to T1{1}	38.30	198.58	0.00	0.00	0.01	DISP	0.01	310.17
Amb to T2{1}	5.67	165.06	0.00	0.00	0.01	DISP	0.01	310.17
Amb to T3{1}	1.32	4.69	0.00	0.00	0.00	DISP	0.00	310.17
Sus. + W1{1}	17304.43	143.79	0.00	0.01	0.00	OCC	156.28	361.97
Sus. + W2{1}	17304.43	143.91	0.00	0.01	0.00	OCC	156.28	361.97
Sus. + W3{1}	17297.57	2157.49	0.00	0.00	0.15	OCC	156.41	361.97
Sus. + W4{1}	17297.56	2159.73	0.00	0.00	0.15	OCC	156.41	361.97
Max P{1}						HOOP	232.83	289.58
Hydrotest-NL{2}	57304.45	118.65	0.00	-0.18	4.14	OCC	4.32	434.37
B06 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	17296.99	137.32	0.00	0.00	1.25	SUST	156.26	361.97
Amb to T1{1}	38.30	198.58	0.00	0.00	0.01	DISP	0.01	310.17
Amb to T2{1}	5.67	165.06	0.00	0.00	0.01	DISP	0.01	310.17
Amb to T3{1}	1.32	4.69	0.00	0.00	0.00	DISP	0.00	310.17
Sus. + W1{1}	17305.13	143.79	0.00	0.01	0.00	OCC	156.28	361.97
Sus. + W2{1}	17305.14	143.91	0.00	0.02	0.00	OCC	156.28	361.97
Sus. + W3{1}	17297.57	2157.49	0.00	0.00	0.15	OCC	156.41	361.97
Sus. + W4{1}	17297.56	2159.73	0.00	0.00	0.15	OCC	156.41	361.97
Max P{1}						HOOP	232.83	289.58
Hydrotest-NL{2}	57304.45	118.65	0.00	-0.18	4.14	OCC	4.32	434.37
B07 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	28849.13	0.00	0.00	0.00	2.09	SUST	157.10	361.97
Amb to T1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	309.33
Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	309.33
Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	309.33
Sus. + W1{1}	28849.13	0.00	0.00	0.01	0.00	OCC	157.11	361.97
Sus. + W2{1}	28849.13	0.00	0.00	0.02	0.00	OCC	157.11	361.97
Sus. + W3{1}	28849.13	233.54	0.00	0.00	0.02	OCC	157.12	361.97
Sus. + W4{1}	28849.13	233.54	0.00	0.00	0.02	OCC	157.12	361.97
Max P{1}						HOOP	232.83	289.58
Hydrotest-NL{2}	34043.12	0.00	0.00	-0.18	2.46	OCC	2.64	434.37
B07 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}	28849.13	0.00	0.00	0.00	2.09	SUST	157.31	361.97
Amb to T1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	309.12

	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	309.12
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	309.12
	Sus. + W1{1}	28849.13	0.00	0.00	0.00	0.00	OCC	157.31	361.97
	Sus. + W2{1}	28849.13	0.00	0.00	0.00	0.00	OCC	157.31	361.97
	Sus. + W3{1}	28849.13	233.54	0.00	0.00	0.02	OCC	157.32	361.97
	Sus. + W4{1}	28849.13	233.54	0.00	0.00	0.02	OCC	157.32	361.97
	Max P{1}						HOOP	232.83	289.58
	Hydrotest-NL{2}	34043.12	0.00	0.00	0.00	2.46	OCC	2.46	434.37
B08	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	0.00	0.00	0.00	0.00	0.00	SUST	155.22	361.97
	Amb to T1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	311.21
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	311.21
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	311.21
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	155.22	361.97
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	155.22	361.97
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	155.22	361.97
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	155.22	361.97
	Max P{1}						HOOP	232.83	289.58
	Hydrotest-NL{2}	0.00	0.00	0.00	0.00	0.00	OCC	0.00	434.37
*** Segment B end *** Line # AKAB-A-100									
*** Segment C begin *** Line # AKAB-A-100_N9									
B05	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	0.00	0.00	0.00	0.27	0.00	SUST	46.60	180.99
	Amb to T1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	294.69
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	294.69
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	294.69
	Sus. + W1{1}	25.77	0.00	0.00	0.00	0.02	OCC	46.62	180.99
	Sus. + W2{1}	25.77	0.00	0.00	0.00	0.02	OCC	46.62	180.99
	Sus. + W3{1}	0.00	25.77	0.00	0.00	0.02	OCC	46.62	180.99
	Sus. + W4{1}	0.00	25.77	0.00	0.00	0.02	OCC	46.62	180.99
	Max P{1}						HOOP	62.33	144.79
	Hydrotest-NL{2}	0.00	0.00	0.00	0.29	0.00	OCC	0.29	217.19
C01	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	0.00	0.00	0.00	0.19	0.00	SUST	46.68	180.99
	Amb to T1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	294.62
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	294.62
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	294.62
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	46.68	180.99
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	46.68	180.99
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	46.68	180.99
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	46.68	180.99
	Max P{1}						HOOP	62.33	144.79
	Hydrotest-NL{2}	0.00	0.00	0.00	0.19	0.00	OCC	0.19	217.19
*** Segment C end *** Line # AKAB-A-100_N9									
*** Segment F begin *** Line # AKABP-36"-PL-012-X70-CL900_B									
A15	SIFI= 2.02 SIFO= 2.36								
UNREST	GR + Max P{1}	5931.69	2975.20	0.17	0.49	1.12	SUST	169.99	361.97
	Amb to T1{1}	3428.61	3523.59	0.33	0.00	1.17	DISP	1.34	296.44
	Amb to T2{1}	2221.33	2046.10	0.24	0.00	0.71	DISP	0.85	296.44
	Amb to T3{1}	2044.34	1466.23	0.22	0.00	0.58	DISP	0.73	296.44
	Sus. + W1{1}	9233.81	3029.48	0.05	0.00	0.54	OCC	170.54	361.97
	Sus. + W2{1}	9230.58	3031.23	0.05	0.00	0.54	OCC	170.54	361.97
	Sus. + W3{1}	5979.14	4897.66	0.05	0.01	0.37	OCC	170.38	361.97
	Sus. + W4{1}	5959.53	4965.52	0.04	0.01	0.38	OCC	170.39	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	22592.59	3692.71	1.48	1.04	3.75	OCC	5.82	434.37

F01 N- UNREST	SIFI= 1.00 GR + Max P{1}	SIFO= 1.00	1458.03	4006.84	0.17	0.32	0.46	SUST	169.57	361.97
	Amb to T1{1}		2732.62	479.66	0.33	0.00	0.30	DISP	0.72	296.86
	Amb to T2{1}		1278.87	648.98	0.24	0.00	0.15	DISP	0.50	296.86
	Amb to T3{1}		614.55	682.17	0.22	0.00	0.10	DISP	0.46	296.86
	Sus. + W1{1}		1637.70	5287.12	0.05	0.00	0.14	OCC	169.74	361.97
	Sus. + W2{1}		1637.90	5288.28	0.05	0.00	0.14	OCC	169.74	361.97
	Sus. + W3{1}		2605.09	4272.94	0.05	0.01	0.13	OCC	169.74	361.97
	Sus. + W4{1}		2504.29	4262.48	0.04	0.01	0.12	OCC	169.72	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		1713.20	4838.83	1.48	0.67	0.55	OCC	3.69	434.37
F01 N+ UNREST	SIFI= 2.99 GR + Max P{1}	SIFO= 2.49	1458.03	4006.84	0.17	0.32	0.88	SUST	169.94	361.97
	Amb to T1{1}		2732.62	479.66	0.33	0.00	0.89	DISP	1.10	296.49
	Amb to T2{1}		1278.87	648.98	0.24	0.00	0.45	DISP	0.65	296.49
	Amb to T3{1}		614.55	682.17	0.22	0.00	0.27	DISP	0.52	296.49
	Sus. + W1{1}		1637.70	5287.12	0.05	0.00	0.26	OCC	170.22	361.97
	Sus. + W2{1}		1637.90	5288.28	0.05	0.00	0.26	OCC	170.22	361.97
	Sus. + W3{1}		2605.09	4272.94	0.05	0.01	0.28	OCC	170.25	361.97
	Sus. + W4{1}		2504.29	4262.48	0.04	0.01	0.26	OCC	170.22	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		1713.20	4838.83	1.48	0.67	1.06	OCC	3.82	434.37
F01 F- UNREST	SIFI= 2.99 GR + Max P{1}	SIFO= 2.49	9362.28	1344.63	0.12	0.00	2.28	SUST	171.64	361.97
	Amb to T1{1}		625.53	2313.18	0.23	0.00	0.65	DISP	0.80	294.79
	Amb to T2{1}		170.58	1645.52	0.18	0.00	0.45	DISP	0.58	294.79
	Amb to T3{1}		390.21	1560.21	0.18	0.00	0.44	DISP	0.56	294.79
	Sus. + W1{1}		9558.60	1468.00	0.00	0.00	0.05	OCC	171.69	361.97
	Sus. + W2{1}		9557.16	1470.38	0.00	0.00	0.05	OCC	171.69	361.97
	Sus. + W3{1}		12079.90	1880.44	0.03	0.04	0.67	OCC	172.34	361.97
	Sus. + W4{1}		11957.32	1870.85	0.03	0.04	0.64	OCC	172.31	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		18073.15	10457.40	0.66	0.03	4.85	OCC	5.06	434.37
F01 F+ UNREST	SIFI= 1.00 GR + Max P{1}	SIFO= 1.00	9362.28	1344.63	0.12	0.00	1.02	SUST	170.39	361.97
	Amb to T1{1}		625.53	2313.18	0.23	0.00	0.26	DISP	0.52	296.04
	Amb to T2{1}		170.58	1645.52	0.18	0.00	0.18	DISP	0.41	296.04
	Amb to T3{1}		390.21	1560.21	0.18	0.00	0.17	DISP	0.40	296.04
	Sus. + W1{1}		9558.60	1467.99	0.00	0.00	0.02	OCC	170.42	361.97
	Sus. + W2{1}		9557.16	1470.38	0.00	0.00	0.02	OCC	170.42	361.97
	Sus. + W3{1}		12079.90	1880.43	0.03	0.04	0.30	OCC	170.73	361.97
	Sus. + W4{1}		11957.32	1870.85	0.03	0.04	0.29	OCC	170.72	361.97
	Max P{1}							HOOP	211.04	289.58
	Hydrotest-NL{2}		18073.15	10457.40	0.66	0.03	2.25	OCC	2.64	434.37
F02 N- UNREST	SIFI= 1.00 GR + Max P{1}	SIFO= 1.00	9479.49	79.47	0.12	0.00	1.02	SUST	170.39	361.97
	Amb to T1{1}		412.77	57						

	Amb to T1{1}	412.77	578.36	0.23	0.00	0.20	DISP	0.50	294.78
	Amb to T2{1}	115.70	478.08	0.18	0.00	0.13	DISP	0.39	294.78
	Amb to T3{1}	534.25	456.99	0.18	0.00	0.21	DISP	0.41	294.78
	Sus. + W1{1}	9595.86	558.68	0.00	0.00	0.10	OCC	171.75	361.97
	Sus. + W2{1}	9594.31	557.81	0.00	0.00	0.10	OCC	171.75	361.97
	Sus. + W3{1}	11532.68	383.29	0.03	0.04	0.50	OCC	172.19	361.97
	Sus. + W4{1}	11417.68	395.96	0.03	0.04	0.47	OCC	172.16	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	17030.82	2677.70	0.66	0.03	4.15	OCC	4.39	434.37
F02 F- UNREST	SIFI= 2.99 SIFO= 2.49 GR + Max P{1}	1036.59	4006.84	0.10	0.34	0.85	SUST	169.87	361.97
	Amb to T1{1}	1000.83	479.66	0.23	0.00	0.35	DISP	0.58	296.56
	Amb to T2{1}	249.47	648.98	0.17	0.00	0.19	DISP	0.40	296.56
	Amb to T3{1}	96.63	682.17	0.17	0.00	0.19	DISP	0.38	296.56
	Sus. + W1{1}	1144.37	4406.87	0.02	0.00	0.08	OCC	169.96	361.97
	Sus. + W2{1}	1144.59	4405.71	0.02	0.00	0.08	OCC	169.96	361.97
	Sus. + W3{1}	1511.93	4272.94	0.00	0.01	0.13	OCC	170.01	361.97
	Sus. + W4{1}	1585.46	4262.48	0.00	0.01	0.14	OCC	170.02	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	2034.78	4838.83	1.06	0.72	1.09	OCC	3.11	434.37
F02 F+ UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	1036.59	4006.84	0.10	0.34	0.45	SUST	169.49	361.97
	Amb to T1{1}	1000.83	479.66	0.23	0.00	0.12	DISP	0.48	296.94
	Amb to T2{1}	249.47	648.98	0.17	0.00	0.07	DISP	0.36	296.94
	Amb to T3{1}	96.63	682.17	0.17	0.00	0.07	DISP	0.34	296.94
	Sus. + W1{1}	1144.37	4406.87	0.02	0.00	0.04	OCC	169.55	361.97
	Sus. + W2{1}	1144.59	4405.71	0.02	0.00	0.04	OCC	169.55	361.97
	Sus. + W3{1}	1511.93	4272.94	0.00	0.01	0.06	OCC	169.56	361.97
	Sus. + W4{1}	1585.46	4262.48	0.00	0.01	0.07	OCC	169.57	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	2034.78	4838.83	1.06	0.72	0.57	OCC	2.92	434.37
F03 N- UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	1096.92	4083.38	0.10	0.34	0.46	SUST	169.49	361.97
	Amb to T1{1}	969.38	324.25	0.23	0.00	0.11	DISP	0.48	296.94
	Amb to T2{1}	279.98	534.85	0.17	0.00	0.07	DISP	0.35	296.94
	Amb to T3{1}	130.49	573.75	0.17	0.00	0.06	DISP	0.34	296.94
	Sus. + W1{1}	1209.69	4513.81	0.02	0.00	0.05	OCC	169.55	361.97
	Sus. + W2{1}	1209.84	4512.83	0.02	0.00	0.05	OCC	169.55	361.97
	Sus. + W3{1}	1631.69	4337.01	0.00	0.01	0.06	OCC	169.57	361.97
	Sus. + W4{1}	1703.92	4327.74	0.00	0.01	0.07	OCC	169.58	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	1956.07	5544.79	1.06	0.74	0.63	OCC	2.95	434.37
F03 N+ UNREST	SIFI= 2.22 SIFO= 1.85 GR + Max P{1}	4083.38	1096.92	0.10	0.34	0.75	SUST	169.77	361.97
	Amb to T1{1}	324.25	969.38	0.23	0.00	0.21	DISP	0.51	296.66
	Amb to T2{1}	534.85	279.98	0.17	0.00	0.14	DISP	0.38	296.66
	Amb to T3{1}	573.75	130.50	0.17	0.00	0.14	DISP	0.36	296.66
	Sus. + W1{1}	4513.81	1209.68	0.02	0.00	0.08	OCC	169.86	361.97
	Sus. + W2{1}	4512.83	1209.84	0.02	0.00	0.08	OCC	169.86	361.97
	Sus. + W3{1}	4337.01	1631.69	0.00	0.01	0.09	OCC	169.87	361.97
	Sus. + W4{1}	4327.74	1703.92	0.00	0.01	0.10	OCC	169.88	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	5544.79	1956.06	1.06	0.74	1.03	OCC	3.10	434.37
F03 F- UNREST	SIFI= 2.22 SIFO= 1.85 GR + Max P{1}	22796.43	3384.61	0.14	0.06	4.11	SUST	173.41	361.97
	Amb to T1{1}	2081.03	3571.70	0.01	0.00	0.87	DISP	0.87	293.02
	Amb to T2{1}	1849.77	2497.52	0.05	0.00	0.66	DISP	0.67	293.02

Amb to T3{1}		1857.39	2257.26	0.05	0.00	0.63	DISP	0.64	293.02
Sus. + W1{1}		24075.54	3623.56	0.01	0.02	0.23	OCC	173.67	361.97
Sus. + W2{1}		24078.62	3619.96	0.01	0.02	0.23	OCC	173.67	361.97
Sus. + W3{1}		23706.23	4243.21	0.09	0.01	0.21	OCC	173.69	361.97
Sus. + W4{1}		23676.78	4253.14	0.09	0.00	0.20	OCC	173.69	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		40254.3517824.68		0.00	0.30	7.68	OCC	7.98	434.37
F03 F+ SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		22796.43	3384.62	0.14	0.06	2.48	SUST	171.79	361.97
Amb to T1{1}		2081.03	3571.70	0.01	0.00	0.45	DISP	0.45	294.64
Amb to T2{1}		1849.77	2497.52	0.05	0.00	0.33	DISP	0.35	294.64
Amb to T3{1}		1857.39	2257.26	0.05	0.00	0.31	DISP	0.33	294.64
Sus. + W1{1}		24075.54	3623.57	0.01	0.02	0.14	OCC	171.95	361.97
Sus. + W2{1}		24078.62	3619.97	0.01	0.02	0.14	OCC	171.95	361.97
Sus. + W3{1}		23706.23	4243.22	0.09	0.01	0.13	OCC	172.01	361.97
Sus. + W4{1}		23676.78	4253.14	0.09	0.00	0.13	OCC	172.02	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		40254.3517824.68		0.00	0.30	4.74	OCC	5.04	434.37
F04 SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		28629.59	3627.21	0.14	0.06	3.11	SUST	172.41	361.97
Amb to T1{1}		1856.63	3445.23	0.01	0.00	0.42	DISP	0.42	294.02
Amb to T2{1}		1787.90	2374.84	0.05	0.00	0.32	DISP	0.34	294.02
Amb to T3{1}		1826.26	2121.07	0.05	0.00	0.30	DISP	0.32	294.02
Sus. + W1{1}		29891.42	3846.11	0.01	0.02	0.14	OCC	172.57	361.97
Sus. + W2{1}		29894.48	3842.76	0.01	0.02	0.14	OCC	172.57	361.97
Sus. + W3{1}		29682.99	4566.80	0.09	0.01	0.15	OCC	172.65	361.97
Sus. + W4{1}		29651.90	4571.46	0.09	0.00	0.15	OCC	172.65	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		52953.9917508.16		0.00	0.30	6.01	OCC	6.30	434.37
F05 SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		44367.49	6055.27	0.14	0.06	4.82	SUST	174.12	361.97
Amb to T1{1}		1390.28	2179.37	0.01	0.00	0.28	DISP	0.28	292.31
Amb to T2{1}		926.82	1146.97	0.05	0.00	0.16	DISP	0.19	292.31
Amb to T3{1}		975.11	758.04	0.05	0.00	0.13	DISP	0.17	292.31
Sus. + W1{1}		45047.86	6073.51	0.01	0.02	0.07	OCC	174.22	361.97
Sus. + W2{1}		45049.57	6072.63	0.01	0.02	0.07	OCC	174.22	361.97
Sus. + W3{1}		46059.06	6966.47	0.09	0.01	0.21	OCC	174.40	361.97
Sus. + W4{1}		46023.83	6918.43	0.09	0.00	0.20	OCC	174.39	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		91377.6414340.18		0.00	0.30	9.96	OCC	10.26	434.37
F06 - SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		35917.7310303.85		0.14	0.06	4.02	SUST	173.32	361.97
Amb to T1{1}		3688.23	35.61	0.01	0.00	0.40	DISP	0.40	293.11
Amb to T2{1}		1002.99	1001.54	0.05	0.00	0.15	DISP	0.19	293.11
Amb to T3{1}		1458.38	1626.97	0.05	0.00	0.24	DISP	0.26	293.11
Sus. + W1{1}		36969.6110636.74		0.01	0.02	0.12	OCC	173.47	361.97
Sus. + W2{1}		36972.2310633.28		0.01	0.02	0.12	OCC	173.47	361.97
Sus. + W3{1}		37327.7713112.43		0.09	0.01	0.34	OCC	173.71	361.97
Sus. + W4{1}		37306.7513252.69		0.09	0.00	0.35	OCC	173.72	361.97
Max P{1}							HOOP	211.04	289.58
Hydrotest-NL{2}		85690.21	8796.90	0.00	0.30	9.27	OCC	9.57	434.37
F06 + SIFI= 1.00 SIFO= 1.00 UNREST GR + Max P{1}		35917.7310303.85		0.14	0.06	4.02	SUST	173.15	361.97
Amb to T1{1}		3688.23	35.61	0.01	0.00	0.40	DISP	0.40	293.28
Amb to T2{1}		1002.99	1001.54	0.05	0.00	0.15	DISP	0.19	293.28
Amb to T3{1}		1458.38	1626.97	0.05	0.00	0.24	DISP	0.26	293.28

F07 N- UNREST	Sus. + W1{1}	36969.6110636.74	0.01	0.02	0.12	OCC	173.29	361.97	
	Sus. + W2{1}	36972.2310633.28	0.01	0.02	0.12	OCC	173.29	361.97	
	Sus. + W3{1}	37327.7713112.43	0.09	0.00	0.34	OCC	173.53	361.97	
	Sus. + W4{1}	37306.7513252.69	0.09	0.00	0.35	OCC	173.55	361.97	
	Max P{1}					HOOP	211.04	289.58	
	Hydrotest-NL{2}	85690.21 8796.90	0.00	0.12	9.27	OCC	9.40	434.37	
	SIFI= 1.00 GR + Max P{1}	14278.1111206.55	0.14	0.06	1.95	SUST	171.09	361.97	
	Amb to T1{1}	3008.44 597.57	0.01	0.00	0.33	DISP	0.33	295.34	
	Amb to T2{1}	1072.35 1599.24	0.05	0.00	0.21	DISP	0.23	295.34	
	Amb to T3{1}	1462.45 1953.69	0.05	0.00	0.26	DISP	0.28	295.34	
	Sus. + W1{1}	15408.6611533.05	0.01	0.02	0.13	OCC	171.24	361.97	
	Sus. + W2{1}	15411.2211529.47	0.01	0.02	0.13	OCC	171.24	361.97	
	Sus. + W3{1}	14994.1812555.07	0.09	0.00	0.16	OCC	171.33	361.97	
	Sus. + W4{1}	14975.0912634.15	0.09	0.00	0.17	OCC	171.34	361.97	
	Max P{1}					HOOP	211.04	289.58	
	Hydrotest-NL{2}	40336.27 8298.84	0.00	0.12	4.43	OCC	4.55	434.37	
F07 N+ UNREST	SIFI= 2.99 GR + Max P{1}	14278.1111206.55	0.14	0.06	4.12	SUST	173.25	361.97	
	Amb to T1{1}	3008.44 597.57	0.01	0.00	0.98	DISP	0.98	293.18	
	Amb to T2{1}	1072.35 1599.24	0.05	0.00	0.55	DISP	0.56	293.18	
	Amb to T3{1}	1462.45 1953.69	0.05	0.00	0.71	DISP	0.71	293.18	
	Sus. + W1{1}	15408.6611533.05	0.01	0.02	0.28	OCC	173.55	361.97	
	Sus. + W2{1}	15411.2211529.48	0.01	0.02	0.28	OCC	173.55	361.97	
	Sus. + W3{1}	14994.1812555.07	0.09	0.00	0.32	OCC	173.62	361.97	
	Sus. + W4{1}	14975.0912634.15	0.09	0.00	0.33	OCC	173.63	361.97	
	Max P{1}					HOOP	211.04	289.58	
	Hydrotest-NL{2}	40336.27 8298.84	0.00	0.12	9.89	OCC	10.01	434.37	
	F07 F- UNREST	SIFI= 2.99 GR + Max P{1}	2156.16 1021.40	0.69	0.32	0.56	SUST	170.48	361.97
		Amb to T1{1}	3450.55 1163.82	0.08	0.00	1.16	DISP	1.17	295.95
		Amb to T2{1}	1296.82 2.10	0.14	0.00	0.42	DISP	0.50	295.95
		Amb to T3{1}	870.06 393.71	0.14	0.00	0.30	DISP	0.40	295.95
		Sus. + W1{1}	2466.32 1265.41	0.02	0.00	0.09	OCC	170.58	361.97
		Sus. + W2{1}	2465.26 1264.28	0.02	0.00	0.09	OCC	170.58	361.97
Sus. + W3{1}		2377.47 1136.77	0.03	0.02	0.06	OCC	170.59	361.97	
Sus. + W4{1}		2368.44 1200.03	0.04	0.02	0.06	OCC	170.59	361.97	
Max P{1}						HOOP	211.04	289.58	
Hydrotest-NL{2}		11979.27 900.73	0.40	0.67	2.90	OCC	3.68	434.37	
F07 F+ UNREST		SIFI= 1.00 GR + Max P{1}	1021.41 2156.16	0.69	0.32	0.26	SUST	170.39	361.97
		Amb to T1{1}	1163.81 3450.55	0.08	0.00	0.39	DISP	0.43	296.04
		Amb to T2{1}	2.10 1296.82	0.14	0.00	0.14	DISP	0.31	296.04
		Amb to T3{1}	393.71 870.06	0.14	0.00	0.10	DISP	0.29	296.04
		Sus. + W1{1}	1265.42 2466.32	0.02	0.00	0.04	OCC	170.45	361.97
		Sus. + W2{1}	1264.28 2465.26	0.02	0.00	0.04	OCC	170.45	361.97
	Sus. + W3{1}	1136.78 2377.47	0.03	0.02	0.03	OCC	170.49	361.97	
	Sus. + W4{1}	1200.04 2368.44	0.04	0.02	0.03	OCC	170.49	361.97	
	Max P{1}					HOOP	211.04	289.58	
	Hydrotest-NL{2}	900.7411979.27	0.40	0.67	1.29	OCC	2.19	434.37	
	F08 N- UNREST	SIFI= 1.00 GR + Max P{1}	957.95 1660.80	0.69	0.31	0.21	SUST	170.39	361.97
		Amb to T1{1}	1203.32 3516.65	0.08	0.00	0.40	DISP	0.43	296.04
		Amb to T2{1}	39.92 1399.80	0.14	0.00	0.15	DISP	0.32	296.04
		Amb to T3{1}	370.74 966.94	0.14	0.00	0.11	DISP	0.29	296.04
		Sus. + W1{1}	1202.41 1940.50	0.02	0.00	0.04	OCC	170.44	361.97
		Sus. + W2{1}	1201.29 1939.29	0.02	0.00	0.04	OCC	170.44	361.97

	Sus. + W3{1}	1131.86	1872.14	0.03	0.02	0.03	OCC	170.49	361.97
	Sus. + W4{1}	1199.42	1862.09	0.04	0.02	0.03	OCC	170.49	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	935.7511	1692.67	0.40	0.66	1.26	OCC	2.15	434.37
F08 N+ UNREST	SIFI= 2.99 SIFO= 2.49 GR + Max P{1}	957.95	1660.80	0.69	0.31	0.41	SUST	170.43	361.97
	Amb to T1{1}	1203.32	3516.65	0.08	0.00	1.02	DISP	1.03	296.00
	Amb to T2{1}	39.92	1399.80	0.14	0.00	0.38	DISP	0.47	296.00
	Amb to T3{1}	370.74	966.94	0.14	0.00	0.29	DISP	0.39	296.00
	Sus. + W1{1}	1202.41	1940.50	0.02	0.00	0.08	OCC	170.52	361.97
	Sus. + W2{1}	1201.29	1939.29	0.02	0.00	0.08	OCC	170.52	361.97
	Sus. + W3{1}	1131.86	1872.14	0.03	0.02	0.06	OCC	170.55	361.97
	Sus. + W4{1}	1199.42	1862.09	0.04	0.02	0.07	OCC	170.56	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	935.7511	1692.67	0.40	0.66	2.37	OCC	3.16	434.37
F08 F- UNREST	SIFI= 2.99 SIFO= 2.49 GR + Max P{1}	8152.98	776.93	0.55	0.00	1.98	SUST	171.56	361.97
	Amb to T1{1}	1003.32	44.54	0.28	0.00	0.32	DISP	0.64	294.87
	Amb to T2{1}	936.78	126.95	0.21	0.00	0.30	DISP	0.52	294.87
	Amb to T3{1}	176.97	168.88	0.18	0.00	0.07	DISP	0.36	294.87
	Sus. + W1{1}	8274.76	1213.93	0.01	0.00	0.09	OCC	171.66	361.97
	Sus. + W2{1}	8273.90	1213.71	0.01	0.00	0.09	OCC	171.66	361.97
	Sus. + W3{1}	8331.47	1180.69	0.00	0.01	0.09	OCC	171.67	361.97
	Sus. + W4{1}	8506.17	1180.64	0.00	0.02	0.12	OCC	171.70	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	19137.17	532.47	0.26	-0.01	4.63	OCC	4.67	434.37
F08 F+ UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	8152.98	776.93	0.55	0.00	0.88	SUST	170.71	361.97
	Amb to T1{1}	1003.32	44.54	0.28	0.00	0.11	DISP	0.56	295.72
	Amb to T2{1}	936.78	126.95	0.21	0.00	0.10	DISP	0.43	295.72
	Amb to T3{1}	176.97	168.88	0.18	0.00	0.03	DISP	0.36	295.72
	Sus. + W1{1}	8274.76	1213.93	0.01	0.00	0.05	OCC	170.76	361.97
	Sus. + W2{1}	8273.90	1213.71	0.01	0.00	0.05	OCC	170.76	361.97
	Sus. + W3{1}	8331.47	1180.69	0.00	0.01	0.05	OCC	170.77	361.97
	Sus. + W4{1}	8506.17	1180.64	0.00	0.02	0.06	OCC	170.79	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	19137.17	532.47	0.26	-0.01	2.06	OCC	2.14	434.37
F09 N- UNREST	SIFI= 1.00 SIFO= 1.00 GR + Max P{1}	7780.07	8439.61	0.55	0.00	1.24	SUST	170.96	361.97
	Amb to T1{1}	114.21	1274.29	0.28	0.00	0.14	DISP	0.57	295.47
	Amb to T2{1}	846.07	1789.18	0.21	0.00	0.21	DISP	0.47	295.47
	Amb to T3{1}	171.65	1633.61	0.18	0.00	0.18	DISP	0.40	295.47
	Sus. + W1{1}	7798.97	8521.92	0.01	0.00	0.01	OCC	170.97	361.97
	Sus. + W2{1}	7798.18	8524.43	0.01	0.00	0.01	OCC	170.97	361.97
	Sus. + W3{1}	8509.23	8657.96	0.00	0.01	0.08	OCC	171.05	361.97
	Sus. + W4{1}	8332.01	8638.76	0.00	0.02	0.06	OCC	171.04	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	17397.71	4800.00	0.26	-0.01	1.94	OCC	2.02	434.37
F09 N+ UNREST	SIFI= 2.99 SIFO= 2.49 GR + Max P{1}	7780.07	8439.61	0.55	0.00	2.54	SUST	172.06	361.97
	Amb to T1{1}	114.21	1274.29	0.28	0.00	0.34	DISP	0.65	294.37
	Amb to T2{1}	846.07	1789.18	0.21	0.00	0.55	DISP	0.69	294.37
	Amb to T3{1}	171.65	1633.61	0.18	0.00	0.44	DISP	0.57	294.37
	Sus. + W1{1}	7798.97	8521.92	0.01	0.00	0.02	OCC	172.08	361.97
	Sus. + W2{1}	7798.18	8524.43	0.01	0.00	0.02	OCC	172.08	361.97
	Sus. + W3{1}	8509.23	8657.96	0.00	0.01	0.18	OCC	172.26	361.97

	Sus. + W4{1}	8332.01	8638.76	0.00	0.02	0.14	OCC	172.22	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	17397.71	4800.00	0.26	-0.01	4.32	OCC	4.36	434.37
F09 F-	SIFI= 2.99 SIFO= 2.49								
UNREST	GR + Max P{1}	382.92	1660.80	1.10	0.34	0.35	SUST	171.21	361.97
	Amb to T1{1}	1993.69	3516.65	0.15	0.00	1.14	DISP	1.18	295.22
	Amb to T2{1}	286.27	1399.80	0.23	0.00	0.39	DISP	0.60	295.22
	Amb to T3{1}	389.86	966.94	0.21	0.00	0.29	DISP	0.52	295.22
	Sus. + W1{1}	508.40	3061.42	0.05	0.00	0.28	OCC	171.51	361.97
	Sus. + W2{1}	509.31	3062.62	0.05	0.00	0.28	OCC	171.51	361.97
	Sus. + W3{1}	2705.98	1872.14	0.00	0.02	0.56	OCC	171.79	361.97
	Sus. + W4{1}	2629.35	1862.09	0.00	0.02	0.54	OCC	171.78	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	5318.92	11692.67	0.63	0.74	2.68	OCC	3.70	434.37
F09 F+	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	382.92	1660.80	1.10	0.34	0.18	SUST	171.19	361.97
	Amb to T1{1}	1993.69	3516.65	0.15	0.00	0.44	DISP	0.53	295.24
	Amb to T2{1}	286.27	1399.80	0.23	0.00	0.15	DISP	0.49	295.24
	Amb to T3{1}	389.86	966.94	0.21	0.00	0.11	DISP	0.44	295.24
	Sus. + W1{1}	508.40	3061.42	0.05	0.00	0.15	OCC	171.38	361.97
	Sus. + W2{1}	509.31	3062.62	0.05	0.00	0.15	OCC	171.38	361.97
	Sus. + W3{1}	2705.98	1872.14	0.00	0.02	0.25	OCC	171.46	361.97
	Sus. + W4{1}	2629.35	1862.08	0.00	0.02	0.24	OCC	171.45	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	5318.92	11692.67	0.63	0.74	1.38	OCC	2.61	434.37
A10	SIFI= 2.02 SIFO= 2.36								
UNREST	GR + Max P{1}	14118.13	1212.88	1.10	0.52	2.31	SUST	172.00	361.97
	Amb to T1{1}	1854.49	2987.14	0.15	0.00	0.86	DISP	0.91	294.43
	Amb to T2{1}	1190.09	1342.90	0.23	0.00	0.43	DISP	0.63	294.43
	Amb to T3{1}	1469.35	967.43	0.21	0.00	0.40	DISP	0.59	294.43
	Sus. + W1{1}	17539.04	1349.66	0.05	0.00	0.56	OCC	172.57	361.97
	Sus. + W2{1}	17536.56	1350.77	0.05	0.00	0.56	OCC	172.57	361.97
	Sus. + W3{1}	14580.08	3433.19	0.00	0.02	0.43	OCC	172.45	361.97
	Sus. + W4{1}	14595.90	3464.73	0.00	0.02	0.44	OCC	172.46	361.97
	Max P{1}						HOOP	211.04	289.58
	Hydrotest-NL{2}	18900.18	6199.39	0.63	1.11	3.30	OCC	4.64	434.37
*** Segment F end *** Line # AKABP-36"-PL-012-X70-CL900_B									
*** Segment G begin *** Line # AKAB-A-100_N4									
B02	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	0.00	0.00	0.00	0.28	0.00	SUST	34.72	180.99
	Amb to T1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	306.57
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	306.57
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	306.57
	Sus. + W1{1}	15.59	0.00	0.00	0.00	0.21	OCC	34.94	180.99
	Sus. + W2{1}	15.59	0.00	0.00	0.00	0.21	OCC	34.94	180.99
	Sus. + W3{1}	0.00	15.59	0.00	0.00	0.21	OCC	34.94	180.99
	Sus. + W4{1}	0.00	15.59	0.00	0.00	0.21	OCC	34.94	180.99
	Max P{1}						HOOP	36.72	144.79
	Hydrotest-NL{2}	0.00	0.00	0.00	0.29	0.00	OCC	0.29	217.19
G01	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	0.00	0.00	0.00	0.19	0.00	SUST	34.82	180.99
	Amb to T1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	306.48
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	306.48
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	306.48
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	34.82	180.99
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	34.82	180.99
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	34.82	180.99

	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	34.82	180.99
	Max P{1}						HOOP	36.72	144.79
	Hydrotest-NL{2}	0.00	0.00	0.00	0.19	0.00	OCC	0.19	217.19
*** Segment G end *** Line # AKAB-A-100_N4									
*** Segment I begin *** Line # AKAB-A-100_N7									
B06	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	0.00	0.00	0.00	0.28	0.00	SUST	34.72	180.99
	Amb to T1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	306.57
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	306.57
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	306.57
	Sus. + W1{1}	15.59	0.00	0.00	0.00	0.21	OCC	34.94	180.99
	Sus. + W2{1}	15.59	0.00	0.00	0.00	0.21	OCC	34.94	180.99
	Sus. + W3{1}	0.00	15.59	0.00	0.00	0.21	OCC	34.94	180.99
	Sus. + W4{1}	0.00	15.59	0.00	0.00	0.21	OCC	34.94	180.99
	Max P{1}						HOOP	36.72	144.79
	Hydrotest-NL{2}	0.00	0.00	0.00	0.29	0.00	OCC	0.29	217.19
I01	SIFI= 1.00 SIFO= 1.00								
UNREST	GR + Max P{1}	0.00	0.00	0.00	0.19	0.00	SUST	34.82	180.99
	Amb to T1{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	306.48
	Amb to T2{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	306.48
	Amb to T3{1}	0.00	0.00	0.00	0.00	0.00	DISP	0.00	306.48
	Sus. + W1{1}	0.00	0.00	0.00	0.00	0.00	OCC	34.82	180.99
	Sus. + W2{1}	0.00	0.00	0.00	0.00	0.00	OCC	34.82	180.99
	Sus. + W3{1}	0.00	0.00	0.00	0.00	0.00	OCC	34.82	180.99
	Sus. + W4{1}	0.00	0.00	0.00	0.00	0.00	OCC	34.82	180.99
	Max P{1}						HOOP	36.72	144.79
	Hydrotest-NL{2}	0.00	0.00	0.00	0.19	0.00	OCC	0.19	217.19
*** Segment I end *** Line # AKAB-A-100_N7									

G L O B A L F O R C E S & M O M E N T S

Point name	Load combination	FORCES (N)				MOMENTS (N.m)			
		X	Y	Z	Result	X	Y	Z	Result
*** Segment A begin *** Line # AKABP-36"-PL-012-X70-CL900_UG									
A00	Gravity{1}	0	17715	0	17715	220	0	36324	36325
	Thermal 1{1}	5626298	0	0	5626298	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	0	01733172	56	0	0	56
	Thermal 3{1}	-156286	0	0	156286	22	0	0	22
	Wind 1{1}	0	0	0	0	-1	0	0	1
	Wind 2{1}	0	0	0	0	1	0	0	1
	Wind 3{1}	0	0	0	0	-57	0	0	57
	Wind 4{1}	0	0	0	0	52	0	0	52
	Pressure 1{1}	2595351	0	0	02595351	101	0	0	101
	Pressure 2{1}	2595511	0	0	02595511	-124	0	0	124
	Pressure 3{1}	2595511	0	0	02595511	-107	0	0	107
	GT1{1}	5626298	17715	0	05626326	94	0	36324	36324
	GT2{1}	-.2E+07	17715	0	01733262	276	0	36324	36325
	GT3{1}	-156286	17715	0	0157287	242	0	36324	36325
	GW1{1}	0	17715	0	17715	219	0	36324	36325
	GW2{1}	0	17715	0	17715	221	0	36324	36325
	GW3{1}	0	17715	0	17715	163	0	36324	36325
	GW4{1}	0	17715	0	17715	272	0	36324	36325
	GT1P1{1}	8221649	17715	0	08221668	195	0	36324	36325
	GT2P2{1}	862339	17715	0	0862521	152	0	36324	36325
	GT3P3{1}	2439225	17715	0	02439289	135	0	36324	36324
	Gravity{2}	0	37720	0	037720	461	0	77344	77346
	Thermal 3{2}	-156286	0	0	0156286	25	0	0	25
	Pressure 1{2}	3244387	0	0	03244387	871	0	0	871
	GT3{2}	-156286	37720	0	0160773	486	0	77344	77346
	Hydrotest-NL{2}	3088101	37720	0	03088332	1357	0	77344	77356
+1	- Gravity{1}	0	17715	0	17715	220	0	27467	27467
	Thermal 1{1}	5626298	0	0	5626298	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	0	01733172	56	0	0	56
	Thermal 3{1}	-156286	0	0	156286	22	0	0	22
	Wind 1{1}	0	0	0	0	-1	0	0	1
	Wind 2{1}	0	0	0	0	1	0	0	1
	Wind 3{1}	0	0	0	0	-57	0	0	57
	Wind 4{1}	0	0	0	0	52	0	0	52
	Pressure 1{1}	2595351	0	0	02595351	101	0	0	101
	Pressure 2{1}	2595511	0	0	02595511	-124	0	0	124
	Pressure 3{1}	2595511	0	0	02595511	-107	0	0	107
	GT1{1}	5626298	17715	0	05626326	94	0	27467	27467
	GT2{1}	-.2E+07	17715	0	01733262	276	0	27467	27468
	GT3{1}	-156286	17715	0	0157287	242	0	27467	27468
	GW1{1}	0	17715	0	17715	219	0	27467	27467
	GW2{1}	0	17715	0	17715	221	0	27467	27467
	GW3{1}	0	17715	0	17715	163	0	27467	27467
	GW4{1}	0	17715	0	17715	272	0	27467	27468
	GT1P1{1}	8221649	17715	0	08221668	195	0	27467	27467
	GT2P2{1}	862339	17715	0	0862521	152	0	27467	27467
	GT3P3{1}	2439225	17715	0	02439289	135	0	27467	27467
	Gravity{2}	0	37720	0	037720	461	0	58484	58486
	Thermal 3{2}	-156286	0	0	0156286	25	0	0	25
	Pressure 1{2}	3244387	0	0	03244387	871	0	0	871
	GT3{2}	-156286	37720	0	0160773	486	0	58484	58486
	Hydrotest-NL{2}	3088101	37720	0	03088332	1357	0	58484	58500
+1	+ Gravity{1}	0	15239	0	15239	220	0	27467	27467
	Thermal 1{1}	5626317	0	0	05626317	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	0	01733177	56	0	0	56
	Thermal 3{1}	-156286	0	0	156286	22	0	0	22
	Wind 1{1}	0	0	0	0	-1	0	0	1
	Wind 2{1}	0	0	0	0	1	0	0	1
	Wind 3{1}	0	0	0	0	-57	0	0	57
	Wind 4{1}	0	0	0	0	52	0	0	52
	Pressure 1{1}	2595360	0	0	02595360	101	0	0	101
	Pressure 2{1}	2595519	0	0	02595519	-124	0	0	124
	Pressure 3{1}	2595519	0	0	02595519	-107	0	0	107
	GT1{1}	5626317	15239	0	05626337	94	0	27467	27467
	GT2{1}	-.2E+07	15239	0	01733244	276	0	27467	27468
	GT3{1}	-156286	15239	0	0157028	242	0	27467	27468
	GW1{1}	0	15239	0	15239	219	0	27467	27467
	GW2{1}	0	15239	0	15239	221	0	27467	27467
	GW3{1}	0	15239	0	15239	163	0	27467	27467
	GW4{1}	0	15239	0	15239	272	0	27467	27468
	GT1P1{1}	8221676	15239	0	08221690	195	0	27467	27467
	GT2P2{1}	862342	15239	0	0862476	152	0	27467	27467
	GT3P3{1}	2439232	15239	0	02439280	135	0	27467	27467
	Gravity{2}	0	32449	0	032449	461	0	58484	58486
	Thermal 3{2}	-156286	0	0	0156286	25	0	0	25
	Pressure 1{2}	3244398	0	0	03244398	871	0	0	871
	GT3{2}	-156286	32449	0	0159619	486	0	58484	58486
	Hydrotest-NL{2}	3088111	32449	0	03088282	1357	0	58484	58500
+2	- Gravity{1}	0	15239	0	15239	220	0	19848	19849
	Thermal 1{1}	5626317	0	0	05626317	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	0	01733177	56	0	0	56
	Thermal 3{1}	-156286	0	0	156286	22	0	0	22
	Wind 1{1}	0	0	0	0	-1	0	0	1
	Wind 2{1}	0	0	0	0	1	0	0	1
	Wind 3{1}	0	0	0	0	-57	0	0	57
	Wind 4{1}	0	0	0	0	52	0	0	52
	Pressure 1{1}	2595360	0	0	02595360	101	0	0	101
	Pressure 2{1}	2595519	0	0	02595519	-124	0	0	124
	Pressure 3{1}	2595519	0	0	02595519	-107	0	0	107
	GT1{1}	5626317	15239	0	05626337	94	0	19848	19848

		GT2{1}	-.2E+07	15239	01733244	276	0	19848	19849
		GT3{1}	-156286	15239	0 157028	242	0	19848	19849
		GW1{1}	0	15239	0 15239	219	0	19848	19849
		GW2{1}	0	15239	0 15239	221	0	19848	19849
		GW3{1}	0	15239	0 15239	163	0	19848	19848
		GW4{1}	0	15239	0 15239	272	0	19848	19849
		GT1P1{1}	8221676	15239	08221690	195	0	19848	19848
		GT2P2{1}	862342	15239	0 862476	152	0	19848	19848
		GT3P3{1}	2439232	15239	02439280	135	0	19848	19848
		Gravity{2}	0	32449	0 32449	461	0	42261	42263
		Thermal 3{2}	-156286	0	0 156286	25	0	0	25
		Pressure 1{2}	3244398	0	03244398	871	0	0	871
		GT3{2}	-156286	32449	0 159619	486	0	42261	42264
		Hydrotest-NL{2}	3088111	32449	03088282	1357	0	42261	42283
+2	+	Gravity{1}	0	12891	0 12891	220	0	19848	19849
		Thermal 1{1}	5626334	0	05626334	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733183	56	0	0	56
		Thermal 3{1}	-156287	0	0 156287	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595368	0	02595368	101	0	0	101
		Pressure 2{1}	2595527	0	02595527	-124	0	0	124
		Pressure 3{1}	2595527	0	02595527	-107	0	0	107
		GT1{1}	5626334	12891	05626349	94	0	19848	19848
		GT2{1}	-.2E+07	12891	01733231	276	0	19848	19849
		GT3{1}	-156287	12891	0 156818	242	0	19848	19849
		GW1{1}	0	12891	0 12891	219	0	19848	19849
		GW2{1}	0	12891	0 12891	221	0	19848	19849
		GW3{1}	0	12891	0 12891	163	0	19848	19848
		GW4{1}	0	12891	0 12891	272	0	19848	19849
		GT1P1{1}	8221703	12891	08221713	195	0	19848	19848
		GT2P2{1}	862344	12891	0 862441	152	0	19848	19848
		GT3P3{1}	2439240	12891	02439274	135	0	19848	19848
		Gravity{2}	0	27449	0 27449	461	0	42261	42263
		Thermal 3{2}	-156287	0	0 156287	25	0	0	25
		Pressure 1{2}	3244408	0	03244408	871	0	0	871
		GT3{2}	-156287	27449	0 158679	486	0	42261	42264
		Hydrotest-NL{2}	3088121	27449	03088243	1357	0	42261	42283
+3	-	Gravity{1}	0	12891	0 12891	220	0	13402	13404
		Thermal 1{1}	5626334	0	05626334	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733183	56	0	0	56
		Thermal 3{1}	-156287	0	0 156287	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595368	0	02595368	101	0	0	101
		Pressure 2{1}	2595527	0	02595527	-124	0	0	124
		Pressure 3{1}	2595527	0	02595527	-107	0	0	107
		GT1{1}	5626334	12891	05626349	94	0	13402	13402
		GT2{1}	-.2E+07	12891	01733231	276	0	13402	13405
		GT3{1}	-156287	12891	0 156818	242	0	13402	13404
		GW1{1}	0	12891	0 12891	219	0	13402	13404
		GW2{1}	0	12891	0 12891	221	0	13402	13404
		GW3{1}	0	12891	0 12891	163	0	13402	13403
		GW4{1}	0	12891	0 12891	272	0	13402	13404
		GT1P1{1}	8221703	12891	08221713	195	0	13402	13403
		GT2P2{1}	862344	12891	0 862441	152	0	13402	13403
		GT3P3{1}	2439240	12891	02439274	135	0	13402	13402
		Gravity{2}	0	27449	0 27449	461	0	28536	28540
		Thermal 3{2}	-156287	0	0 156287	25	0	0	25
		Pressure 1{2}	3244408	0	03244408	871	0	0	871
		GT3{2}	-156287	27449	0 158679	486	0	28536	28540
		Hydrotest-NL{2}	3088121	27449	03088243	1357	0	28536	28568
+3	+	Gravity{1}	0	10709	0 10709	220	0	13402	13404
		Thermal 1{1}	5626352	0	05626352	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733188	56	0	0	56
		Thermal 3{1}	-156287	0	0 156287	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595376	0	02595376	101	0	0	101
		Pressure 2{1}	2595536	0	02595536	-124	0	0	124
		Pressure 3{1}	2595535	0	02595535	-107	0	0	107
		GT1{1}	5626352	10709	05626362	94	0	13402	13402
		GT2{1}	-.2E+07	10709	01733221	276	0	13402	13405
		GT3{1}	-156287	10709	0 156654	242	0	13402	13404
		GW1{1}	0	10709	0 10709	219	0	13402	13404
		GW2{1}	0	10709	0 10709	221	0	13402	13404
		GW3{1}	0	10709	0 10709	163	0	13402	13403
		GW4{1}	0	10709	0 10709	272	0	13402	13404
		GT1P1{1}	8221728	10709	08221735	195	0	13402	13403
		GT2P2{1}	862347	10709	0 862414	152	0	13402	13403
		GT3P3{1}	2439248	10709	02439271	135	0	13402	13402
		Gravity{2}	0	22803	0 22803	461	0	28536	28540
		Thermal 3{2}	-156287	0	0 156287	25	0	0	25
		Pressure 1{2}	3244418	0	03244418	871	0	0	871
		GT3{2}	-156287	22803	0 157942	486	0	28536	28540
		Hydrotest-NL{2}	3088131	22803	03088215	1357	0	28536	28568
+4	-	Gravity{1}	0	10709	0 10709	220	0	8047	8050
		Thermal 1{1}	5626352	0	05626352	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733188	56	0	0	56
		Thermal 3{1}	-156287	0	0 156287	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595376	0	02595376	101	0	0	101
		Pressure 2{1}	2595536	0	02595536	-124	0	0	124
		Pressure 3{1}	2595535	0	02595535	-107	0	0	107
		GT1{1}	5626352	10709	05626362	94	0	8047	8047

		GT2{1}	-.2E+07	10709	01733221	276	0	8047	8052
		GT3{1}	-156287	10709	0 156654	242	0	8047	8051
		GW1{1}	0	10709	0 10709	219	0	8047	8050
		GW2{1}	0	10709	0 10709	221	0	8047	8050
		GW3{1}	0	10709	0 10709	163	0	8047	8049
		GW4{1}	0	10709	0 10709	272	0	8047	8052
		GT1P1{1}	8221728	10709	08221735	195	0	8047	8049
		GT2P2{1}	862347	10709	0 862414	152	0	8047	8048
		GT3P3{1}	2439248	10709	02439271	135	0	8047	8048
		Gravity{2}	0	22803	0 22803	461	0	17134	17140
		Thermal 3{2}	-156287	0	0 156287	25	0	0	25
		Pressure 1{2}	3244418	0	03244418	871	0	0	871
		GT3{2}	-156287	22803	0 157942	486	0	17134	17141
		Hydrotest-NL{2}	3088131	22803	03088215	1357	0	17134	17188
+4	+	Gravity{1}	0	8718	0 8718	220	0	8047	8050
		Thermal 1{1}	5626369	0	05626369	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733194	56	0	0	56
		Thermal 3{1}	-156288	0	0 156288	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595384	0	02595384	101	0	0	101
		Pressure 2{1}	2595544	0	02595544	-124	0	0	124
		Pressure 3{1}	2595543	0	02595543	-107	0	0	107
		GT1{1}	5626369	8718	05626376	94	0	8047	8047
		GT2{1}	-.2E+07	8718	01733216	276	0	8047	8052
		GT3{1}	-156288	8718	0 156531	242	0	8047	8051
		GW1{1}	0	8718	0 8718	219	0	8047	8050
		GW2{1}	0	8718	0 8718	221	0	8047	8050
		GW3{1}	0	8718	0 8718	163	0	8047	8049
		GW4{1}	0	8718	0 8718	272	0	8047	8052
		GT1P1{1}	8221753	8718	08221758	195	0	8047	8049
		GT2P2{1}	862350	8718	0 862394	152	0	8047	8048
		GT3P3{1}	2439255	8718	02439271	135	0	8047	8048
		Gravity{2}	0	18564	0 18564	461	0	17134	17140
		Thermal 3{2}	-156288	0	0 156288	25	0	0	25
		Pressure 1{2}	3244428	0	03244428	871	0	0	871
		GT3{2}	-156288	18564	0 157387	486	0	17134	17141
		Hydrotest-NL{2}	3088141	18564	03088197	1357	0	17134	17188
+5	-	Gravity{1}	0	8718	0 8718	220	0	3688	3694
		Thermal 1{1}	5626369	0	05626369	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733194	56	0	0	56
		Thermal 3{1}	-156288	0	0 156288	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595384	0	02595384	101	0	0	101
		Pressure 2{1}	2595544	0	02595544	-124	0	0	124
		Pressure 3{1}	2595543	0	02595543	-107	0	0	107
		GT1{1}	5626369	8718	05626376	94	0	3688	3689
		GT2{1}	-.2E+07	8718	01733216	276	0	3688	3698
		GT3{1}	-156288	8718	0 156531	242	0	3688	3696
		GW1{1}	0	8718	0 8718	219	0	3688	3694
		GW2{1}	0	8718	0 8718	221	0	3688	3694
		GW3{1}	0	8718	0 8718	163	0	3688	3691
		GW4{1}	0	8718	0 8718	272	0	3688	3698
		GT1P1{1}	8221753	8718	08221758	195	0	3688	3693
		GT2P2{1}	862350	8718	0 862394	152	0	3688	3691
		GT3P3{1}	2439255	8718	02439271	135	0	3688	3690
		Gravity{2}	0	18564	0 18564	461	0	7852	7866
		Thermal 3{2}	-156288	0	0 156288	25	0	0	25
		Pressure 1{2}	3244428	0	03244428	871	0	0	871
		GT3{2}	-156288	18564	0 157387	486	0	7852	7867
		Hydrotest-NL{2}	3088141	18564	03088197	1357	0	7852	7969
+5	+	Gravity{1}	0	6932	0 6932	220	0	3688	3694
		Thermal 1{1}	5626387	0	05626387	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733199	56	0	0	56
		Thermal 3{1}	-156288	0	0 156288	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595392	0	02595392	101	0	0	101
		Pressure 2{1}	2595551	0	02595551	-124	0	0	124
		Pressure 3{1}	2595551	0	02595551	-107	0	0	107
		GT1{1}	5626387	6932	05626391	94	0	3688	3689
		GT2{1}	-.2E+07	6932	01733213	276	0	3688	3698
		GT3{1}	-156288	6932	0 156442	242	0	3688	3696
		GW1{1}	0	6932	0 6932	219	0	3688	3694
		GW2{1}	0	6932	0 6932	221	0	3688	3694
		GW3{1}	0	6932	0 6932	163	0	3688	3691
		GW4{1}	0	6932	0 6932	272	0	3688	3698
		GT1P1{1}	8221778	6932	08221781	195	0	3688	3693
		GT2P2{1}	862352	6932	0 862380	152	0	3688	3691
		GT3P3{1}	2439263	6932	02439272	135	0	3688	3690
		Gravity{2}	0	14761	0 14761	461	0	7852	7866
		Thermal 3{2}	-156288	0	0 156288	25	0	0	25
		Pressure 1{2}	3244438	0	03244438	871	0	0	871
		GT3{2}	-156288	14761	0 156984	486	0	7852	7867
		Hydrotest-NL{2}	3088150	14761	03088185	1357	0	7852	7969
+6	-	Gravity{1}	0	6932	0 6932	220	0	222	312
		Thermal 1{1}	5626387	0	05626387	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733199	56	0	0	56
		Thermal 3{1}	-156288	0	0 156288	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595392	0	02595392	101	0	0	101
		Pressure 2{1}	2595551	0	02595551	-124	0	0	124
		Pressure 3{1}	2595551	0	02595551	-107	0	0	107
		GT1{1}	5626387	6932	05626391	94	0	222	241

		GT2{1}	-.2E+07	6932	01733213	276	0	222	354
		GT3{1}	-156288	6932	0 156442	242	0	222	329
		GW1{1}	0	6932	0 6932	219	0	222	312
		GW2{1}	0	6932	0 6932	221	0	222	313
		GW3{1}	0	6932	0 6932	163	0	222	275
		GW4{1}	0	6932	0 6932	272	0	222	351
		GT1P1{1}	8221778	6932	08221781	195	0	222	295
		GT2P2{1}	862352	6932	0 862380	152	0	222	269
		GT3P3{1}	2439263	6932	02439272	135	0	222	260
		Gravity{2}	0	14761	0 14761	461	0	472	660
		Thermal 3{2}	-156288	0	0 156288	25	0	0	25
		Pressure 1{2}	3244438	0	03244438	871	0	0	871
		GT3{2}	-156288	14761	0 156984	486	0	472	678
		Hydrotest-NL{2}	3088150	14761	03088185	1357	0	472	1437
+6	+	Gravity{1}	0	5355	0 5355	220	0	222	312
		Thermal 1{1}	5626403	0	05626403	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733204	56	0	0	56
		Thermal 3{1}	-156289	0	0 156289	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595399	0	02595399	101	0	0	101
		Pressure 2{1}	2595559	0	02595559	-124	0	0	124
		Pressure 3{1}	2595559	0	02595559	-107	0	0	107
		GT1{1}	5626403	5355	05626406	94	0	222	241
		GT2{1}	-.2E+07	5355	01733212	276	0	222	354
		GT3{1}	-156289	5355	0 156381	242	0	222	329
		GW1{1}	0	5355	0 5355	219	0	222	312
		GW2{1}	0	5355	0 5355	221	0	222	313
		GW3{1}	0	5355	0 5355	163	0	222	275
		GW4{1}	0	5355	0 5355	272	0	222	351
		GT1P1{1}	8221803	5355	08221805	195	0	222	295
		GT2P2{1}	862355	5355	0 862372	152	0	222	269
		GT3P3{1}	2439270	5355	02439276	135	0	222	260
		Gravity{2}	0	11403	0 11403	461	0	472	660
		Thermal 3{2}	-156289	0	0 156289	25	0	0	25
		Pressure 1{2}	3244448	0	03244448	871	0	0	871
		GT3{2}	-156289	11403	0 156704	486	0	472	678
		Hydrotest-NL{2}	3088159	11403	03088180	1357	0	472	1437
+7	-	Gravity{1}	0	5355	0 5355	220	0	-2456	2466
		Thermal 1{1}	5626403	0	05626403	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733204	56	0	0	56
		Thermal 3{1}	-156289	0	0 156289	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595399	0	02595399	101	0	0	101
		Pressure 2{1}	2595559	0	02595559	-124	0	0	124
		Pressure 3{1}	2595559	0	02595559	-107	0	0	107
		GT1{1}	5626403	5355	05626406	94	0	-2456	2458
		GT2{1}	-.2E+07	5355	01733212	276	0	-2456	2471
		GT3{1}	-156289	5355	0 156381	242	0	-2456	2468
		GW1{1}	0	5355	0 5355	219	0	-2456	2466
		GW2{1}	0	5355	0 5355	221	0	-2456	2466
		GW3{1}	0	5355	0 5355	163	0	-2456	2461
		GW4{1}	0	5355	0 5355	272	0	-2456	2471
		GT1P1{1}	8221803	5355	08221805	195	0	-2456	2464
		GT2P2{1}	862355	5355	0 862372	152	0	-2456	2461
		GT3P3{1}	2439270	5355	02439276	135	0	-2456	2460
		Gravity{2}	0	11403	0 11403	461	0	-5230	5250
		Thermal 3{2}	-156289	0	0 156289	25	0	0	25
		Pressure 1{2}	3244448	0	03244448	871	0	0	871
		GT3{2}	-156289	11403	0 156704	486	0	-5230	5252
		Hydrotest-NL{2}	3088159	11403	03088180	1357	0	-5230	5403
+7	+	Gravity{1}	0	3986	0 3986	220	0	-2456	2466
		Thermal 1{1}	5626420	0	05626420	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733209	56	0	0	56
		Thermal 3{1}	-156289	0	0 156289	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595407	0	02595407	101	0	0	101
		Pressure 2{1}	2595567	0	02595567	-124	0	0	124
		Pressure 3{1}	2595567	0	02595567	-107	0	0	107
		GT1{1}	5626420	3986	05626421	94	0	-2456	2458
		GT2{1}	-.2E+07	3986	01733214	276	0	-2456	2471
		GT3{1}	-156289	3986	0 156340	242	0	-2456	2468
		GW1{1}	0	3986	0 3986	219	0	-2456	2466
		GW2{1}	0	3986	0 3986	221	0	-2456	2466
		GW3{1}	0	3986	0 3986	163	0	-2456	2461
		GW4{1}	0	3986	0 3986	272	0	-2456	2471
		GT1P1{1}	8221827	3986	08221828	195	0	-2456	2464
		GT2P2{1}	862358	3986	0 862367	152	0	-2456	2461
		GT3P3{1}	2439277	3986	02439281	135	0	-2456	2460
		Gravity{2}	0	8486	0 8486	461	0	-5230	5250
		Thermal 3{2}	-156289	0	0 156289	25	0	0	25
		Pressure 1{2}	3244458	0	03244458	871	0	0	871
		GT3{2}	-156289	8486	0 156520	486	0	-5230	5252
		Hydrotest-NL{2}	3088168	8486	03088180	1357	0	-5230	5403
+8	-	Gravity{1}	0	3986	0 3986	220	0	-4449	4454
		Thermal 1{1}	5626420	0	05626420	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733209	56	0	0	56
		Thermal 3{1}	-156289	0	0 156289	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595407	0	02595407	101	0	0	101
		Pressure 2{1}	2595567	0	02595567	-124	0	0	124
		Pressure 3{1}	2595567	0	02595567	-107	0	0	107
		GT1{1}	5626420	3986	05626421	94	0	-4449	4450

		GT2{1}	-.2E+07	3986	01733214	276	0	-4449	4457
		GT3{1}	-156289	3986	0 156340	242	0	-4449	4455
		GW1{1}	0	3986	0 3986	219	0	-4449	4454
		GW2{1}	0	3986	0 3986	221	0	-4449	4454
		GW3{1}	0	3986	0 3986	163	0	-4449	4452
		GW4{1}	0	3986	0 3986	272	0	-4449	4457
		GT1P1{1}	8221827	3986	08221828	195	0	-4449	4453
		GT2P2{1}	862358	3986	0 862367	152	0	-4449	4451
		GT3P3{1}	2439277	3986	02439281	135	0	-4449	4451
		Gravity{2}	0	8486	0 8486	461	0	-9473	9484
		Thermal 3{2}	-156289	0	0 156289	25	0	0	25
		Pressure 1{2}	3244458	0	03244458	871	0	0	871
		GT3{2}	-156289	8486	0 156520	486	0	-9473	9485
		Hydrotest-NL{2}	3088168	8486	03088180	1357	0	-9473	9570
+8	+	Gravity{1}	0	2815	0 2815	220	0	-4449	4454
		Thermal 1{1}	5626436	0	05626436	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733214	56	0	0	56
		Thermal 3{1}	-156290	0	0 156290	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595414	0	02595414	101	0	0	101
		Pressure 2{1}	2595574	0	02595574	-124	0	0	124
		Pressure 3{1}	2595574	0	02595574	-107	0	0	107
		GT1{1}	5626436	2815	05626437	94	0	-4449	4450
		GT2{1}	-.2E+07	2815	01733217	276	0	-4449	4457
		GT3{1}	-156290	2815	0 156315	242	0	-4449	4455
		GW1{1}	0	2815	0 2815	219	0	-4449	4454
		GW2{1}	0	2815	0 2815	221	0	-4449	4454
		GW3{1}	0	2815	0 2815	163	0	-4449	4452
		GW4{1}	0	2815	0 2815	272	0	-4449	4457
		GT1P1{1}	8221850	2815	08221851	195	0	-4449	4453
		GT2P2{1}	862360	2815	0 862365	152	0	-4449	4451
		GT3P3{1}	2439284	2815	02439286	135	0	-4449	4451
		Gravity{2}	0	5993	0 5993	461	0	-9473	9484
		Thermal 3{2}	-156290	0	0 156290	25	0	0	25
		Pressure 1{2}	3244467	0	03244467	871	0	0	871
		GT3{2}	-156290	5993	0 156405	486	0	-9473	9485
		Hydrotest-NL{2}	3088177	5993	03088183	1357	0	-9473	9570
+9	-	Gravity{1}	0	2815	0 2815	220	0	-5856	5860
		Thermal 1{1}	5626436	0	05626436	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733214	56	0	0	56
		Thermal 3{1}	-156290	0	0 156290	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595414	0	02595414	101	0	0	101
		Pressure 2{1}	2595574	0	02595574	-124	0	0	124
		Pressure 3{1}	2595574	0	02595574	-107	0	0	107
		GT1{1}	5626436	2815	05626437	94	0	-5856	5857
		GT2{1}	-.2E+07	2815	01733217	276	0	-5856	5863
		GT3{1}	-156290	2815	0 156315	242	0	-5856	5861
		GW1{1}	0	2815	0 2815	219	0	-5856	5860
		GW2{1}	0	2815	0 2815	221	0	-5856	5860
		GW3{1}	0	2815	0 2815	163	0	-5856	5858
		GW4{1}	0	2815	0 2815	272	0	-5856	5863
		GT1P1{1}	8221850	2815	08221851	195	0	-5856	5859
		GT2P2{1}	862360	2815	0 862365	152	0	-5856	5858
		GT3P3{1}	2439284	2815	02439286	135	0	-5856	5858
		Gravity{2}	0	5993	0 5993	461	0	-12470	12478
		Thermal 3{2}	-156290	0	0 156290	25	0	0	25
		Pressure 1{2}	3244467	0	03244467	871	0	0	871
		GT3{2}	-156290	5993	0 156405	486	0	-12470	12479
		Hydrotest-NL{2}	3088177	5993	03088183	1357	0	-12470	12543
+9	+	Gravity{1}	0	1831	0 1831	220	0	-5856	5860
		Thermal 1{1}	5626452	0	05626452	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733219	56	0	0	56
		Thermal 3{1}	-156290	0	0 156290	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595421	0	02595421	101	0	0	101
		Pressure 2{1}	2595582	0	02595582	-124	0	0	124
		Pressure 3{1}	2595582	0	02595582	-107	0	0	107
		GT1{1}	5626452	1831	05626453	94	0	-5856	5857
		GT2{1}	-.2E+07	1831	01733220	276	0	-5856	5863
		GT3{1}	-156290	1831	0 156301	242	0	-5856	5861
		GW1{1}	0	1831	0 1831	219	0	-5856	5860
		GW2{1}	0	1831	0 1831	221	0	-5856	5860
		GW3{1}	0	1831	0 1831	163	0	-5856	5858
		GW4{1}	0	1831	0 1831	272	0	-5856	5863
		GT1P1{1}	8221873	1831	08221873	195	0	-5856	5859
		GT2P2{1}	862363	1831	0 862365	152	0	-5856	5858
		GT3P3{1}	2439292	1831	02439292	135	0	-5856	5858
		Gravity{2}	0	3899	0 3899	461	0	-12470	12478
		Thermal 3{2}	-156290	0	0 156290	25	0	0	25
		Pressure 1{2}	3244477	0	03244477	871	0	0	871
		GT3{2}	-156290	3899	0 156339	486	0	-12470	12479
		Hydrotest-NL{2}	3088186	3899	03088189	1357	0	-12470	12543
+10	-	Gravity{1}	0	1831	0 1831	220	0	-6772	6775
		Thermal 1{1}	5626452	0	05626452	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733219	56	0	0	56
		Thermal 3{1}	-156290	0	0 156290	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595421	0	02595421	101	0	0	101
		Pressure 2{1}	2595582	0	02595582	-124	0	0	124
		Pressure 3{1}	2595582	0	02595582	-107	0	0	107
		GT1{1}	5626452	1831	05626453	94	0	-6772	6772

	GT2{1}	-.2E+07	1831	01733220	276	0	-6772	6777	
	GT3{1}	-156290	1831	0 156301	242	0	-6772	6776	
	GW1{1}	0	1831	0 1831	219	0	-6772	6775	
	GW2{1}	0	1831	0 1831	221	0	-6772	6775	
	GW3{1}	0	1831	0 1831	163	0	-6772	6774	
	GW4{1}	0	1831	0 1831	272	0	-6772	6777	
	GT1P1{1}	8221873	1831	08221873	195	0	-6772	6774	
	GT2P2{1}	862363	1831	0 862365	152	0	-6772	6773	
	GT3P3{1}	2439292	1831	02439292	135	0	-6772	6773	
	Gravity{2}	0	3899	0 3899	461	0	-14419	14426	
	Thermal 3{2}	-156290	0	0 156290	25	0	0	25	
	Pressure 1{2}	3244477	0	03244477	871	0	0	871	
	GT3{2}	-156290	3899	0 156339	486	0	-14419	14427	
	Hydrotest-NL{2}	3088186	3899	03088189	1357	0	-14419	14483	
+10	+	Gravity{1}	0	1020	0 1020	220	0	-6772	6775
		Thermal 1{1}	5626468	0	05626468	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733224	56	0	0	56
		Thermal 3{1}	-156291	0	0 156291	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595428	0	02595428	101	0	0	101
		Pressure 2{1}	2595589	0	02595589	-124	0	0	124
		Pressure 3{1}	2595589	0	02595589	-107	0	0	107
		GT1{1}	5626468	1020	05626468	94	0	-6772	6772
		GT2{1}	-.2E+07	1020	01733225	276	0	-6772	6777
		GT3{1}	-156291	1020	0 156294	242	0	-6772	6776
		GW1{1}	0	1020	0 1020	219	0	-6772	6775
		GW2{1}	0	1020	0 1020	221	0	-6772	6775
		GW3{1}	0	1020	0 1020	163	0	-6772	6774
		GW4{1}	0	1020	0 1020	272	0	-6772	6777
		GT1P1{1}	8221896	1020	08221896	195	0	-6772	6774
		GT2P2{1}	862365	1020	0 862365	152	0	-6772	6773
		GT3P3{1}	2439298	1020	02439299	135	0	-6772	6773
		Gravity{2}	0	2172	0 2172	461	0	-14419	14426
		Thermal 3{2}	-156291	0	0 156291	25	0	0	25
		Pressure 1{2}	3244486	0	03244486	871	0	0	871
		GT3{2}	-156291	2172	0 156306	486	0	-14419	14427
		Hydrotest-NL{2}	3088195	2172	03088196	1357	0	-14419	14483
+11	-	Gravity{1}	0	1020	0 1020	220	0	-7282	7285
		Thermal 1{1}	5626468	0	05626468	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733224	56	0	0	56
		Thermal 3{1}	-156291	0	0 156291	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595428	0	02595428	101	0	0	101
		Pressure 2{1}	2595589	0	02595589	-124	0	0	124
		Pressure 3{1}	2595589	0	02595589	-107	0	0	107
		GT1{1}	5626468	1020	05626468	94	0	-7282	7282
		GT2{1}	-.2E+07	1020	01733225	276	0	-7282	7287
		GT3{1}	-156291	1020	0 156294	242	0	-7282	7286
		GW1{1}	0	1020	0 1020	219	0	-7282	7285
		GW2{1}	0	1020	0 1020	221	0	-7282	7285
		GW3{1}	0	1020	0 1020	163	0	-7282	7284
		GW4{1}	0	1020	0 1020	272	0	-7282	7287
		GT1P1{1}	8221896	1020	08221896	195	0	-7282	7284
		GT2P2{1}	862365	1020	0 862365	152	0	-7282	7283
		GT3P3{1}	2439298	1020	02439299	135	0	-7282	7283
		Gravity{2}	0	2172	0 2172	461	0	-15505	15512
		Thermal 3{2}	-156291	0	0 156291	25	0	0	25
		Pressure 1{2}	3244486	0	03244486	871	0	0	871
		GT3{2}	-156291	2172	0 156306	486	0	-15505	15512
		Hydrotest-NL{2}	3088195	2172	03088196	1357	0	-15505	15564
+11	+	Gravity{1}	0	366	0 366	220	0	-7282	7285
		Thermal 1{1}	5626484	0	05626484	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733229	56	0	0	56
		Thermal 3{1}	-156291	0	0 156291	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595435	0	02595435	101	0	0	101
		Pressure 2{1}	2595596	0	02595596	-124	0	0	124
		Pressure 3{1}	2595596	0	02595596	-107	0	0	107
		GT1{1}	5626484	366	05626484	94	0	-7282	7282
		GT2{1}	-.2E+07	366	01733229	276	0	-7282	7287
		GT3{1}	-156291	366	0 156292	242	0	-7282	7286
		GW1{1}	0	366	0 366	219	0	-7282	7285
		GW2{1}	0	366	0 366	221	0	-7282	7285
		GW3{1}	0	366	0 366	163	0	-7282	7284
		GW4{1}	0	366	0 366	272	0	-7282	7287
		GT1P1{1}	8221919	366	08221919	195	0	-7282	7284
		GT2P2{1}	862367	366	0 862367	152	0	-7282	7283
		GT3P3{1}	2439305	366	02439305	135	0	-7282	7283
		Gravity{2}	0	778	0 778	461	0	-15505	15512
		Thermal 3{2}	-156291	0	0 156291	25	0	0	25
		Pressure 1{2}	3244495	0	03244495	871	0	0	871
		GT3{2}	-156291	778	0 156293	486	0	-15505	15512
		Hydrotest-NL{2}	3088203	778	03088203	1357	0	-15505	15564
+12	-	Gravity{1}	0	366	0 366	220	0	-7464	7468
		Thermal 1{1}	5626484	0	05626484	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733229	56	0	0	56
		Thermal 3{1}	-156291	0	0 156291	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595435	0	02595435	101	0	0	101
		Pressure 2{1}	2595596	0	02595596	-124	0	0	124
		Pressure 3{1}	2595596	0	02595596	-107	0	0	107
		GT1{1}	5626484	366	05626484	94	0	-7464	7465

	GT2{1}	-.2E+07	366	01733229	276	0	-7464	7470	
	GT3{1}	-156291	366	0 156292	242	0	-7464	7468	
	GW1{1}	0	366	0 366	219	0	-7464	7468	
	GW2{1}	0	366	0 366	221	0	-7464	7468	
	GW3{1}	0	366	0 366	163	0	-7464	7466	
	GW4{1}	0	366	0 366	272	0	-7464	7469	
	GT1P1{1}	8221919	366	08221919	195	0	-7464	7467	
	GT2P2{1}	862367	366	0 862367	152	0	-7464	7466	
	GT3P3{1}	2439305	366	02439305	135	0	-7464	7466	
	Gravity{2}	0	778	0 778	461	0	-15894	15901	
	Thermal 3{2}	-156291	0	0 156291	25	0	0	25	
	Pressure 1{2}	3244495	0	03244495	871	0	0	871	
	GT3{2}	-156291	778	0 156293	486	0	-15894	15901	
	Hydrotest-NL{2}	3088203	778	03088203	1357	0	-15894	15952	
+12	+	Gravity{1}	0	-149	0 149	220	0	-7464	7468
		Thermal 1{1}	5626500	0	05626500	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733234	56	0	0	56
		Thermal 3{1}	-156292	0	0 156292	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595442	0	02595442	101	0	0	101
		Pressure 2{1}	2595604	0	02595604	-124	0	0	124
		Pressure 3{1}	2595603	0	02595603	-107	0	0	107
		GT1{1}	5626500	-149	05626500	94	0	-7464	7465
		GT2{1}	-.2E+07	-149	01733234	276	0	-7464	7470
		GT3{1}	-156292	-149	0 156292	242	0	-7464	7468
		GW1{1}	0	-149	0 149	219	0	-7464	7468
		GW2{1}	0	-149	0 149	221	0	-7464	7468
		GW3{1}	0	-149	0 149	163	0	-7464	7466
		GW4{1}	0	-149	0 149	272	0	-7464	7469
		GT1P1{1}	8221941	-149	08221941	195	0	-7464	7467
		GT2P2{1}	862370	-149	0 862370	152	0	-7464	7466
		GT3P3{1}	2439312	-149	02439312	135	0	-7464	7466
		Gravity{2}	0	-318	0 318	461	0	-15894	15901
		Thermal 3{2}	-156292	0	0 156292	25	0	0	25
		Pressure 1{2}	3244504	0	03244504	871	0	0	871
		GT3{2}	-156292	-318	0 156292	486	0	-15894	15901
		Hydrotest-NL{2}	3088212	-318	03088212	1357	0	-15894	15952
+13	-	Gravity{1}	0	-149	0 149	220	0	-7390	7393
		Thermal 1{1}	5626500	0	05626500	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733234	56	0	0	56
		Thermal 3{1}	-156292	0	0 156292	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595442	0	02595442	101	0	0	101
		Pressure 2{1}	2595604	0	02595604	-124	0	0	124
		Pressure 3{1}	2595603	0	02595603	-107	0	0	107
		GT1{1}	5626500	-149	05626500	94	0	-7390	7390
		GT2{1}	-.2E+07	-149	01733234	276	0	-7390	7395
		GT3{1}	-156292	-149	0 156292	242	0	-7390	7394
		GW1{1}	0	-149	0 149	219	0	-7390	7393
		GW2{1}	0	-149	0 149	221	0	-7390	7393
		GW3{1}	0	-149	0 149	163	0	-7390	7392
		GW4{1}	0	-149	0 149	272	0	-7390	7395
		GT1P1{1}	8221941	-149	08221941	195	0	-7390	7392
		GT2P2{1}	862370	-149	0 862370	152	0	-7390	7391
		GT3P3{1}	2439312	-149	02439312	135	0	-7390	7391
		Gravity{2}	0	-318	0 318	461	0	-15735	15742
		Thermal 3{2}	-156292	0	0 156292	25	0	0	25
		Pressure 1{2}	3244504	0	03244504	871	0	0	871
		GT3{2}	-156292	-318	0 156292	486	0	-15735	15742
		Hydrotest-NL{2}	3088212	-318	03088212	1357	0	-15735	15793
+13	+	Gravity{1}	0	-542	0 542	220	0	-7390	7393
		Thermal 1{1}	5626515	0	05626515	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733239	56	0	0	56
		Thermal 3{1}	-156292	0	0 156292	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595449	0	02595449	101	0	0	101
		Pressure 2{1}	2595611	0	02595611	-124	0	0	124
		Pressure 3{1}	2595611	0	02595611	-107	0	0	107
		GT1{1}	5626515	-542	05626515	94	0	-7390	7390
		GT2{1}	-.2E+07	-542	01733239	276	0	-7390	7395
		GT3{1}	-156292	-542	0 156293	242	0	-7390	7394
		GW1{1}	0	-542	0 542	219	0	-7390	7393
		GW2{1}	0	-542	0 542	221	0	-7390	7393
		GW3{1}	0	-542	0 542	163	0	-7390	7392
		GW4{1}	0	-542	0 542	272	0	-7390	7395
		GT1P1{1}	8221963	-542	08221963	195	0	-7390	7392
		GT2P2{1}	862372	-542	0 862372	152	0	-7390	7391
		GT3P3{1}	2439319	-542	02439319	135	0	-7390	7391
		Gravity{2}	0	-1154	0 1154	461	0	-15735	15742
		Thermal 3{2}	-156292	0	0 156292	25	0	0	25
		Pressure 1{2}	3244512	0	03244512	871	0	0	871
		GT3{2}	-156292	-1154	0 156296	486	0	-15735	15742
		Hydrotest-NL{2}	3088220	-1154	03088220	1357	0	-15735	15793
+14	-	Gravity{1}	0	-542	0 542	220	0	-7119	7122
		Thermal 1{1}	5626515	0	05626515	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733239	56	0	0	56
		Thermal 3{1}	-156292	0	0 156292	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595449	0	02595449	101	0	0	101
		Pressure 2{1}	2595611	0	02595611	-124	0	0	124
		Pressure 3{1}	2595611	0	02595611	-107	0	0	107
		GT1{1}	5626515	-542	05626515	94	0	-7119	7119

	GT2{1}	-.2E+07	-542	01733239	276	0	-7119	7124	
	GT3{1}	-156292	-542	0 156293	242	0	-7119	7123	
	GW1{1}	0	-542	0 542	219	0	-7119	7122	
	GW2{1}	0	-542	0 542	221	0	-7119	7122	
	GW3{1}	0	-542	0 542	163	0	-7119	7121	
	GW4{1}	0	-542	0 542	272	0	-7119	7124	
	GT1P1{1}	8221963	-542	08221963	195	0	-7119	7121	
	GT2P2{1}	862372	-542	0 862372	152	0	-7119	7120	
	GT3P3{1}	2439319	-542	02439319	135	0	-7119	7120	
	Gravity{2}	0	-1154	0 1154	461	0	-15158	15165	
	Thermal 3{2}	-156292	0	0 156292	25	0	0	25	
	Pressure 1{2}	3244512	0	03244512	871	0	0	871	
	GT3{2}	-156292	-1154	0 156296	486	0	-15158	15166	
	Hydrotest-NL{2}	3088220	-1154	03088220	1357	0	-15158	15219	
+14	+	Gravity{1}	0	-829	0 829	220	0	-7119	7122
		Thermal 1{1}	5626530	0	05626530	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733243	56	0	0	56
		Thermal 3{1}	-156292	0	0 156292	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595455	0	02595455	101	0	0	101
		Pressure 2{1}	2595618	0	02595618	-124	0	0	124
		Pressure 3{1}	2595618	0	02595618	-107	0	0	107
		GT1{1}	5626530	-829	05626530	94	0	-7119	7119
		GT2{1}	-.2E+07	-829	01733243	276	0	-7119	7124
		GT3{1}	-156292	-829	0 156295	242	0	-7119	7123
		GW1{1}	0	-829	0 829	219	0	-7119	7122
		GW2{1}	0	-829	0 829	221	0	-7119	7122
		GW3{1}	0	-829	0 829	163	0	-7119	7121
		GW4{1}	0	-829	0 829	272	0	-7119	7124
		GT1P1{1}	8221984	-829	08221984	195	0	-7119	7121
		GT2P2{1}	862374	-829	0 862375	152	0	-7119	7120
		GT3P3{1}	2439325	-829	02439325	135	0	-7119	7120
		Gravity{2}	0	-1765	0 1765	461	0	-15158	15165
		Thermal 3{2}	-156292	0	0 156292	25	0	0	25
		Pressure 1{2}	3244521	0	03244521	871	0	0	871
		GT3{2}	-156292	-1765	0 156302	486	0	-15158	15166
		Hydrotest-NL{2}	3088229	-1765	03088229	1357	0	-15158	15219
+15	-	Gravity{1}	0	-829	0 829	220	0	-6704	6708
		Thermal 1{1}	5626530	0	05626530	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733243	56	0	0	56
		Thermal 3{1}	-156292	0	0 156292	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595455	0	02595455	101	0	0	101
		Pressure 2{1}	2595618	0	02595618	-124	0	0	124
		Pressure 3{1}	2595618	0	02595618	-107	0	0	107
		GT1{1}	5626530	-829	05626530	94	0	-6704	6705
		GT2{1}	-.2E+07	-829	01733243	276	0	-6704	6710
		GT3{1}	-156292	-829	0 156295	242	0	-6704	6709
		GW1{1}	0	-829	0 829	219	0	-6704	6708
		GW2{1}	0	-829	0 829	221	0	-6704	6708
		GW3{1}	0	-829	0 829	163	0	-6704	6706
		GW4{1}	0	-829	0 829	272	0	-6704	6710
		GT1P1{1}	8221984	-829	08221984	195	0	-6704	6707
		GT2P2{1}	862374	-829	0 862375	152	0	-6704	6706
		GT3P3{1}	2439325	-829	02439325	135	0	-6704	6706
		Gravity{2}	0	-1765	0 1765	461	0	-14275	14283
		Thermal 3{2}	-156292	0	0 156292	25	0	0	25
		Pressure 1{2}	3244521	0	03244521	871	0	0	871
		GT3{2}	-156292	-1765	0 156302	486	0	-14275	14284
		Hydrotest-NL{2}	3088229	-1765	03088229	1357	0	-14275	14340
+15	+	Gravity{1}	0	-1026	0 1026	220	0	-6704	6708
		Thermal 1{1}	5626545	0	05626545	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733248	56	0	0	56
		Thermal 3{1}	-156293	0	0 156293	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595461	0	02595461	101	0	0	101
		Pressure 2{1}	2595624	0	02595624	-124	0	0	124
		Pressure 3{1}	2595624	0	02595624	-107	0	0	107
		GT1{1}	5626545	-1026	05626545	94	0	-6704	6705
		GT2{1}	-.2E+07	-1026	01733248	276	0	-6704	6710
		GT3{1}	-156293	-1026	0 156296	242	0	-6704	6709
		GW1{1}	0	-1026	0 1026	219	0	-6704	6708
		GW2{1}	0	-1026	0 1026	221	0	-6704	6708
		GW3{1}	0	-1026	0 1026	163	0	-6704	6706
		GW4{1}	0	-1026	0 1026	272	0	-6704	6710
		GT1P1{1}	8222006	-1026	08222006	195	0	-6704	6707
		GT2P2{1}	862377	-1026	0 862377	152	0	-6704	6706
		GT3P3{1}	2439331	-1026	02439332	135	0	-6704	6706
		Gravity{2}	0	-2185	0 2185	461	0	-14275	14283
		Thermal 3{2}	-156293	0	0 156293	25	0	0	25
		Pressure 1{2}	3244530	0	03244530	871	0	0	871
		GT3{2}	-156293	-2185	0 156308	486	0	-14275	14284
		Hydrotest-NL{2}	3088237	-2185	03088238	1357	0	-14275	14340
+16	-	Gravity{1}	0	-1026	0 1026	220	0	-6191	6195
		Thermal 1{1}	5626545	0	05626545	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733248	56	0	0	56
		Thermal 3{1}	-156293	0	0 156293	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595461	0	02595461	101	0	0	101
		Pressure 2{1}	2595624	0	02595624	-124	0	0	124
		Pressure 3{1}	2595624	0	02595624	-107	0	0	107
		GT1{1}	5626545	-1026	05626545	94	0	-6191	6192

	GT2{1}	-.2E+07	-1026	01733248	276	0	-6191	6197	
	GT3{1}	-156293	-1026	0 156296	242	0	-6191	6196	
	GW1{1}	0	-1026	0 1026	219	0	-6191	6195	
	GW2{1}	0	-1026	0 1026	221	0	-6191	6195	
	GW3{1}	0	-1026	0 1026	163	0	-6191	6193	
	GW4{1}	0	-1026	0 1026	272	0	-6191	6197	
	GT1P1{1}	8222006	-1026	08222006	195	0	-6191	6194	
	GT2P2{1}	862377	-1026	0 862377	152	0	-6191	6193	
	GT3P3{1}	2439331	-1026	02439332	135	0	-6191	6193	
	Gravity{2}	0	-2185	0 2185	461	0	-13183	13191	
	Thermal 3{2}	-156293	0	0 156293	25	0	0	25	
	Pressure 1{2}	3244530	0	03244530	871	0	0	871	
	GT3{2}	-156293	-2185	0 156308	486	0	-13183	13192	
	Hydrotest-NL{2}	3088237	-2185	03088238	1357	0	-13183	13253	
+16	+	Gravity{1}	0	-1148	0 1148	220	0	-6191	6195
		Thermal 1{1}	5626559	0	05626559	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733252	56	0	0	56
		Thermal 3{1}	-156293	0	0 156293	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595467	0	02595467	101	0	0	101
		Pressure 2{1}	2595631	0	02595631	-124	0	0	124
		Pressure 3{1}	2595631	0	02595631	-107	0	0	107
		GT1{1}	5626559	-1148	05626559	94	0	-6191	6192
		GT2{1}	-.2E+07	-1148	01733253	276	0	-6191	6197
		GT3{1}	-156293	-1148	0 156297	242	0	-6191	6196
		GW1{1}	0	-1148	0 1148	219	0	-6191	6195
		GW2{1}	0	-1148	0 1148	221	0	-6191	6195
		GW3{1}	0	-1148	0 1148	163	0	-6191	6193
		GW4{1}	0	-1148	0 1148	272	0	-6191	6197
		GT1P1{1}	8222026	-1148	08222026	195	0	-6191	6194
		GT2P2{1}	862379	-1148	0 862380	152	0	-6191	6193
		GT3P3{1}	2439338	-1148	02439338	135	0	-6191	6193
		Gravity{2}	0	-2445	0 2445	461	0	-13183	13191
		Thermal 3{2}	-156293	0	0 156293	25	0	0	25
		Pressure 1{2}	3244538	0	03244538	871	0	0	871
		GT3{2}	-156293	-2445	0 156312	486	0	-13183	13192
		Hydrotest-NL{2}	3088245	-2445	03088246	1357	0	-13183	13253
+17	-	Gravity{1}	0	-1148	0 1148	220	0	-5617	5621
		Thermal 1{1}	5626559	0	05626559	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733252	56	0	0	56
		Thermal 3{1}	-156293	0	0 156293	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595467	0	02595467	101	0	0	101
		Pressure 2{1}	2595631	0	02595631	-124	0	0	124
		Pressure 3{1}	2595631	0	02595631	-107	0	0	107
		GT1{1}	5626559	-1148	05626559	94	0	-5617	5618
		GT2{1}	-.2E+07	-1148	01733253	276	0	-5617	5624
		GT3{1}	-156293	-1148	0 156297	242	0	-5617	5622
		GW1{1}	0	-1148	0 1148	219	0	-5617	5621
		GW2{1}	0	-1148	0 1148	221	0	-5617	5621
		GW3{1}	0	-1148	0 1148	163	0	-5617	5619
		GW4{1}	0	-1148	0 1148	272	0	-5617	5624
		GT1P1{1}	8222026	-1148	08222026	195	0	-5617	5620
		GT2P2{1}	862379	-1148	0 862380	152	0	-5617	5619
		GT3P3{1}	2439338	-1148	02439338	135	0	-5617	5619
		Gravity{2}	0	-2445	0 2445	461	0	-11960	11969
		Thermal 3{2}	-156293	0	0 156293	25	0	0	25
		Pressure 1{2}	3244538	0	03244538	871	0	0	871
		GT3{2}	-156293	-2445	0 156312	486	0	-11960	11970
		Hydrotest-NL{2}	3088245	-2445	03088246	1357	0	-11960	12037
+17	+	Gravity{1}	0	-1209	0 1209	220	0	-5617	5621
		Thermal 1{1}	5626573	0	05626573	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733257	56	0	0	56
		Thermal 3{1}	-156294	0	0 156294	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595474	0	02595474	101	0	0	101
		Pressure 2{1}	2595638	0	02595638	-124	0	0	124
		Pressure 3{1}	2595638	0	02595638	-107	0	0	107
		GT1{1}	5626573	-1209	05626573	94	0	-5617	5618
		GT2{1}	-.2E+07	-1209	01733257	276	0	-5617	5624
		GT3{1}	-156294	-1209	0 156298	242	0	-5617	5622
		GW1{1}	0	-1209	0 1209	219	0	-5617	5621
		GW2{1}	0	-1209	0 1209	221	0	-5617	5621
		GW3{1}	0	-1209	0 1209	163	0	-5617	5619
		GW4{1}	0	-1209	0 1209	272	0	-5617	5624
		GT1P1{1}	8222047	-1209	08222047	195	0	-5617	5620
		GT2P2{1}	862381	-1209	0 862382	152	0	-5617	5619
		GT3P3{1}	2439344	-1209	02439344	135	0	-5617	5619
		Gravity{2}	0	-2575	0 2575	461	0	-11960	11969
		Thermal 3{2}	-156294	0	0 156294	25	0	0	25
		Pressure 1{2}	3244546	0	03244546	871	0	0	871
		GT3{2}	-156294	-2575	0 156315	486	0	-11960	11970
		Hydrotest-NL{2}	3088253	-2575	03088254	1357	0	-11960	12037
+18	-	Gravity{1}	0	-1209	0 1209	220	0	-5012	5017
		Thermal 1{1}	5626573	0	05626573	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733257	56	0	0	56
		Thermal 3{1}	-156294	0	0 156294	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595474	0	02595474	101	0	0	101
		Pressure 2{1}	2595638	0	02595638	-124	0	0	124
		Pressure 3{1}	2595638	0	02595638	-107	0	0	107
		GT1{1}	5626573	-1209	05626573	94	0	-5012	5013

	GT2{1}	-.2E+07	-1209	01733257	276	0	-5012	5020	
	GT3{1}	-156294	-1209	0 156298	242	0	-5012	5018	
	GW1{1}	0	-1209	0 1209	219	0	-5012	5017	
	GW2{1}	0	-1209	0 1209	221	0	-5012	5017	
	GW3{1}	0	-1209	0 1209	163	0	-5012	5015	
	GW4{1}	0	-1209	0 1209	272	0	-5012	5020	
	GT1P1{1}	8222047	-1209	08222047	195	0	-5012	5016	
	GT2P2{1}	862381	-1209	0 862382	152	0	-5012	5015	
	GT3P3{1}	2439344	-1209	02439344	135	0	-5012	5014	
	Gravity{2}	0	-2575	0 2575	461	0	-10673	10683	
	Thermal 3{2}	-156294	0	0 156294	25	0	0	25	
	Pressure 1{2}	3244546	0	03244546	871	0	0	871	
	GT3{2}	-156294	-2575	0 156315	486	0	-10673	10684	
	Hydrotest-NL{2}	3088253	-2575	03088254	1357	0	-10673	10759	
+18	+	Gravity{1}	0	-1222	0 1222	220	0	-5012	5017
		Thermal 1{1}	5626587	0	05626587	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733261	56	0	0	56
		Thermal 3{1}	-156294	0	0 156294	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595479	0	02595479	101	0	0	101
		Pressure 2{1}	2595645	0	02595645	-124	0	0	124
		Pressure 3{1}	2595644	0	02595644	-107	0	0	107
		GT1{1}	5626587	-1222	05626587	94	0	-5012	5013
		GT2{1}	-.2E+07	-1222	01733261	276	0	-5012	5020
		GT3{1}	-156294	-1222	0 156299	242	0	-5012	5018
		GW1{1}	0	-1222	0 1222	219	0	-5012	5017
		GW2{1}	0	-1222	0 1222	221	0	-5012	5017
		GW3{1}	0	-1222	0 1222	163	0	-5012	5015
		GW4{1}	0	-1222	0 1222	272	0	-5012	5020
		GT1P1{1}	8222066	-1222	08222066	195	0	-5012	5016
		GT2P2{1}	862383	-1222	0 862384	152	0	-5012	5015
		GT3P3{1}	2439350	-1222	02439350	135	0	-5012	5014
		Gravity{2}	0	-2601	0 2601	461	0	-10673	10683
		Thermal 3{2}	-156294	0	0 156294	25	0	0	25
		Pressure 1{2}	3244555	0	03244555	871	0	0	871
		GT3{2}	-156294	-2601	0 156316	486	0	-10673	10684
		Hydrotest-NL{2}	3088261	-2601	03088262	1357	0	-10673	10759
+19	-	Gravity{1}	0	-1222	0 1222	220	0	-4402	4407
		Thermal 1{1}	5626587	0	05626587	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733261	56	0	0	56
		Thermal 3{1}	-156294	0	0 156294	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595479	0	02595479	101	0	0	101
		Pressure 2{1}	2595645	0	02595645	-124	0	0	124
		Pressure 3{1}	2595644	0	02595644	-107	0	0	107
		GT1{1}	5626587	-1222	05626587	94	0	-4402	4403
		GT2{1}	-.2E+07	-1222	01733261	276	0	-4402	4410
		GT3{1}	-156294	-1222	0 156299	242	0	-4402	4408
		GW1{1}	0	-1222	0 1222	219	0	-4402	4407
		GW2{1}	0	-1222	0 1222	221	0	-4402	4407
		GW3{1}	0	-1222	0 1222	163	0	-4402	4405
		GW4{1}	0	-1222	0 1222	272	0	-4402	4410
		GT1P1{1}	8222066	-1222	08222066	195	0	-4402	4406
		GT2P2{1}	862383	-1222	0 862384	152	0	-4402	4404
		GT3P3{1}	2439350	-1222	02439350	135	0	-4402	4404
		Gravity{2}	0	-2601	0 2601	461	0	-9372	9383
		Thermal 3{2}	-156294	0	0 156294	25	0	0	25
		Pressure 1{2}	3244555	0	03244555	871	0	0	871
		GT3{2}	-156294	-2601	0 156316	486	0	-9372	9385
		Hydrotest-NL{2}	3088261	-2601	03088262	1357	0	-9372	9470
+19	+	Gravity{1}	0	-1196	0 1196	220	0	-4402	4407
		Thermal 1{1}	5626601	0	05626601	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733265	56	0	0	56
		Thermal 3{1}	-156294	0	0 156294	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595485	0	02595485	101	0	0	101
		Pressure 2{1}	2595651	0	02595651	-124	0	0	124
		Pressure 3{1}	2595651	0	02595651	-107	0	0	107
		GT1{1}	5626601	-1196	05626601	94	0	-4402	4403
		GT2{1}	-.2E+07	-1196	01733266	276	0	-4402	4410
		GT3{1}	-156294	-1196	0 156299	242	0	-4402	4408
		GW1{1}	0	-1196	0 1196	219	0	-4402	4407
		GW2{1}	0	-1196	0 1196	221	0	-4402	4407
		GW3{1}	0	-1196	0 1196	163	0	-4402	4405
		GW4{1}	0	-1196	0 1196	272	0	-4402	4410
		GT1P1{1}	8222086	-1196	08222086	195	0	-4402	4406
		GT2P2{1}	862386	-1196	0 862386	152	0	-4402	4404
		GT3P3{1}	2439356	-1196	02439357	135	0	-4402	4404
		Gravity{2}	0	-2546	0 2546	461	0	-9372	9383
		Thermal 3{2}	-156294	0	0 156294	25	0	0	25
		Pressure 1{2}	3244563	0	03244563	871	0	0	871
		GT3{2}	-156294	-2546	0 156315	486	0	-9372	9385
		Hydrotest-NL{2}	3088268	-2546	03088269	1357	0	-9372	9470
+20	-	Gravity{1}	0	-1196	0 1196	220	0	-3804	3810
		Thermal 1{1}	5626601	0	05626601	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733265	56	0	0	56
		Thermal 3{1}	-156294	0	0 156294	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595485	0	02595485	101	0	0	101
		Pressure 2{1}	2595651	0	02595651	-124	0	0	124
		Pressure 3{1}	2595651	0	02595651	-107	0	0	107
		GT1{1}	5626601	-1196	05626601	94	0	-3804	3805

	GT2{1}	-.2E+07	-1196	01733266	276	0	-3804	3814	
	GT3{1}	-156294	-1196	0 156299	242	0	-3804	3811	
	GW1{1}	0	-1196	0 1196	219	0	-3804	3810	
	GW2{1}	0	-1196	0 1196	221	0	-3804	3810	
	GW3{1}	0	-1196	0 1196	163	0	-3804	3807	
	GW4{1}	0	-1196	0 1196	272	0	-3804	3813	
	GT1P1{1}	8222086	-1196	08222086	195	0	-3804	3809	
	GT2P2{1}	862386	-1196	0 862386	152	0	-3804	3807	
	GT3P3{1}	2439356	-1196	02439357	135	0	-3804	3806	
	Gravity{2}	0	-2546	0 2546	461	0	-8099	8112	
	Thermal 3{2}	-156294	0	0 156294	25	0	0	25	
	Pressure 1{2}	3244563	0	03244563	871	0	0	871	
	GT3{2}	-156294	-2546	0 156315	486	0	-8099	8114	
	Hydrotest-NL{2}	3088268	-2546	03088269	1357	0	-8099	8212	
+20	+	Gravity{1}	0	-1141	0 1141	220	0	-3804	3810
		Thermal 1{1}	5626615	0	05626615	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733270	56	0	0	56
		Thermal 3{1}	-156295	0	0 156295	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595491	0	02595491	101	0	0	101
		Pressure 2{1}	2595657	0	02595657	-124	0	0	124
		Pressure 3{1}	2595657	0	02595657	-107	0	0	107
		GT1{1}	5626615	-1141	05626615	94	0	-3804	3805
		GT2{1}	-.2E+07	-1141	01733270	276	0	-3804	3814
		GT3{1}	-156295	-1141	0 156299	242	0	-3804	3811
		GW1{1}	0	-1141	0 1141	219	0	-3804	3810
		GW2{1}	0	-1141	0 1141	221	0	-3804	3810
		GW3{1}	0	-1141	0 1141	163	0	-3804	3807
		GW4{1}	0	-1141	0 1141	272	0	-3804	3813
		GT1P1{1}	8222106	-1141	08222106	195	0	-3804	3809
		GT2P2{1}	862388	-1141	0 862388	152	0	-3804	3807
		GT3P3{1}	2439362	-1141	02439362	135	0	-3804	3806
		Gravity{2}	0	-2430	0 2430	461	0	-8099	8112
		Thermal 3{2}	-156295	0	0 156295	25	0	0	25
		Pressure 1{2}	3244571	0	03244571	871	0	0	871
		GT3{2}	-156295	-2430	0 156314	486	0	-8099	8114
		Hydrotest-NL{2}	3088276	-2430	03088277	1357	0	-8099	8212
+21	-	Gravity{1}	0	-1141	0 1141	220	0	-3233	3240
		Thermal 1{1}	5626615	0	05626615	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733270	56	0	0	56
		Thermal 3{1}	-156295	0	0 156295	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595491	0	02595491	101	0	0	101
		Pressure 2{1}	2595657	0	02595657	-124	0	0	124
		Pressure 3{1}	2595657	0	02595657	-107	0	0	107
		GT1{1}	5626615	-1141	05626615	94	0	-3233	3234
		GT2{1}	-.2E+07	-1141	01733270	276	0	-3233	3245
		GT3{1}	-156295	-1141	0 156299	242	0	-3233	3242
		GW1{1}	0	-1141	0 1141	219	0	-3233	3240
		GW2{1}	0	-1141	0 1141	221	0	-3233	3241
		GW3{1}	0	-1141	0 1141	163	0	-3233	3237
		GW4{1}	0	-1141	0 1141	272	0	-3233	3244
		GT1P1{1}	8222106	-1141	08222106	195	0	-3233	3239
		GT2P2{1}	862388	-1141	0 862388	152	0	-3233	3237
		GT3P3{1}	2439362	-1141	02439362	135	0	-3233	3236
		Gravity{2}	0	-2430	0 2430	461	0	-6884	6899
		Thermal 3{2}	-156295	0	0 156295	25	0	0	25
		Pressure 1{2}	3244571	0	03244571	871	0	0	871
		GT3{2}	-156295	-2430	0 156314	486	0	-6884	6901
		Hydrotest-NL{2}	3088276	-2430	03088277	1357	0	-6884	7017
+21	+	Gravity{1}	0	-1066	0 1066	220	0	-3233	3240
		Thermal 1{1}	5626629	0	05626629	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733274	56	0	0	56
		Thermal 3{1}	-156295	0	0 156295	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595496	0	02595496	101	0	0	101
		Pressure 2{1}	2595663	0	02595663	-124	0	0	124
		Pressure 3{1}	2595663	0	02595663	-107	0	0	107
		GT1{1}	5626629	-1066	05626629	94	0	-3233	3234
		GT2{1}	-.2E+07	-1066	01733274	276	0	-3233	3245
		GT3{1}	-156295	-1066	0 156299	242	0	-3233	3242
		GW1{1}	0	-1066	0 1066	219	0	-3233	3240
		GW2{1}	0	-1066	0 1066	221	0	-3233	3241
		GW3{1}	0	-1066	0 1066	163	0	-3233	3237
		GW4{1}	0	-1066	0 1066	272	0	-3233	3244
		GT1P1{1}	8222125	-1066	08222125	195	0	-3233	3239
		GT2P2{1}	862390	-1066	0 862390	152	0	-3233	3237
		GT3P3{1}	2439368	-1066	02439369	135	0	-3233	3236
		Gravity{2}	0	-2270	0 2270	461	0	-6884	6899
		Thermal 3{2}	-156295	0	0 156295	25	0	0	25
		Pressure 1{2}	3244578	0	03244578	871	0	0	871
		GT3{2}	-156295	-2270	0 156312	486	0	-6884	6901
		Hydrotest-NL{2}	3088283	-2270	03088284	1357	0	-6884	7017
+22	-	Gravity{1}	0	-1066	0 1066	220	0	-2700	2709
		Thermal 1{1}	5626629	0	05626629	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733274	56	0	0	56
		Thermal 3{1}	-156295	0	0 156295	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595496	0	02595496	101	0	0	101
		Pressure 2{1}	2595663	0	02595663	-124	0	0	124
		Pressure 3{1}	2595663	0	02595663	-107	0	0	107
		GT1{1}	5626629	-1066	05626629	94	0	-2700	2702

		GT2{1}	-.2E+07	-1066	01733274	276	0	-2700	2714
		GT3{1}	-156295	-1066	0 156299	242	0	-2700	2711
		GW1{1}	0	-1066	0 1066	219	0	-2700	2709
		GW2{1}	0	-1066	0 1066	221	0	-2700	2709
		GW3{1}	0	-1066	0 1066	163	0	-2700	2705
		GW4{1}	0	-1066	0 1066	272	0	-2700	2714
		GT1P1{1}	8222125	-1066	08222125	195	0	-2700	2707
		GT2P2{1}	862390	-1066	0 862390	152	0	-2700	2704
		GT3P3{1}	2439368	-1066	02439369	135	0	-2700	2703
		Gravity{2}	0	-2270	0 2270	461	0	-5749	5767
		Thermal 3{2}	-156295	0	0 156295	25	0	0	25
		Pressure 1{2}	3244578	0	03244578	871	0	0	871
		GT3{2}	-156295	-2270	0 156312	486	0	-5749	5769
		Hydrotest-NL{2}	3088283	-2270	03088284	1357	0	-5749	5907
+22	+	Gravity{1}	0	-978	0 978	220	0	-2700	2709
		Thermal 1{1}	5626642	0	05626642	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733278	56	0	0	56
		Thermal 3{1}	-156296	0	0 156296	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595502	0	02595502	101	0	0	101
		Pressure 2{1}	2595670	0	02595670	-124	0	0	124
		Pressure 3{1}	2595670	0	02595670	-107	0	0	107
		GT1{1}	5626642	-978	05626642	94	0	-2700	2702
		GT2{1}	-.2E+07	-978	01733278	276	0	-2700	2714
		GT3{1}	-156296	-978	0 156299	242	0	-2700	2711
		GW1{1}	0	-978	0 978	219	0	-2700	2709
		GW2{1}	0	-978	0 978	221	0	-2700	2709
		GW3{1}	0	-978	0 978	163	0	-2700	2705
		GW4{1}	0	-978	0 978	272	0	-2700	2714
		GT1P1{1}	8222144	-978	08222144	195	0	-2700	2707
		GT2P2{1}	862392	-978	0 862392	152	0	-2700	2704
		GT3P3{1}	2439374	-978	02439374	135	0	-2700	2703
		Gravity{2}	0	-2082	0 2082	461	0	-5749	5767
		Thermal 3{2}	-156296	0	0 156296	25	0	0	25
		Pressure 1{2}	3244586	0	03244586	871	0	0	871
		GT3{2}	-156296	-2082	0 156309	486	0	-5749	5769
		Hydrotest-NL{2}	3088291	-2082	03088291	1357	0	-5749	5907
+23	-	Gravity{1}	0	-978	0 978	220	0	-2211	2222
		Thermal 1{1}	5626642	0	05626642	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733278	56	0	0	56
		Thermal 3{1}	-156296	0	0 156296	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595502	0	02595502	101	0	0	101
		Pressure 2{1}	2595670	0	02595670	-124	0	0	124
		Pressure 3{1}	2595670	0	02595670	-107	0	0	107
		GT1{1}	5626642	-978	05626642	94	0	-2211	2213
		GT2{1}	-.2E+07	-978	01733278	276	0	-2211	2228
		GT3{1}	-156296	-978	0 156299	242	0	-2211	2224
		GW1{1}	0	-978	0 978	219	0	-2211	2222
		GW2{1}	0	-978	0 978	221	0	-2211	2222
		GW3{1}	0	-978	0 978	163	0	-2211	2217
		GW4{1}	0	-978	0 978	272	0	-2211	2228
		GT1P1{1}	8222144	-978	08222144	195	0	-2211	2220
		GT2P2{1}	862392	-978	0 862392	152	0	-2211	2216
		GT3P3{1}	2439374	-978	02439374	135	0	-2211	2215
		Gravity{2}	0	-2082	0 2082	461	0	-4708	4730
		Thermal 3{2}	-156296	0	0 156296	25	0	0	25
		Pressure 1{2}	3244586	0	03244586	871	0	0	871
		GT3{2}	-156296	-2082	0 156309	486	0	-4708	4733
		Hydrotest-NL{2}	3088291	-2082	03088291	1357	0	-4708	4900
+23	+	Gravity{1}	0	-881	0 881	220	0	-2211	2222
		Thermal 1{1}	5626655	0	05626655	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733282	56	0	0	56
		Thermal 3{1}	-156296	0	0 156296	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595507	0	02595507	101	0	0	101
		Pressure 2{1}	2595676	0	02595676	-124	0	0	124
		Pressure 3{1}	2595676	0	02595676	-107	0	0	107
		GT1{1}	5626655	-881	05626655	94	0	-2211	2213
		GT2{1}	-.2E+07	-881	01733282	276	0	-2211	2228
		GT3{1}	-156296	-881	0 156298	242	0	-2211	2224
		GW1{1}	0	-881	0 881	219	0	-2211	2222
		GW2{1}	0	-881	0 881	221	0	-2211	2222
		GW3{1}	0	-881	0 881	163	0	-2211	2217
		GW4{1}	0	-881	0 881	272	0	-2211	2228
		GT1P1{1}	8222162	-881	08222162	195	0	-2211	2220
		GT2P2{1}	862394	-881	0 862394	152	0	-2211	2216
		GT3P3{1}	2439380	-881	02439380	135	0	-2211	2215
		Gravity{2}	0	-1876	0 1876	461	0	-4708	4730
		Thermal 3{2}	-156296	0	0 156296	25	0	0	25
		Pressure 1{2}	3244594	0	03244594	871	0	0	871
		GT3{2}	-156296	-1876	0 156307	486	0	-4708	4733
		Hydrotest-NL{2}	3088298	-1876	03088298	1357	0	-4708	4900
+24	-	Gravity{1}	0	-881	0 881	220	0	-1770	1784
		Thermal 1{1}	5626655	0	05626655	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733282	56	0	0	56
		Thermal 3{1}	-156296	0	0 156296	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595507	0	02595507	101	0	0	101
		Pressure 2{1}	2595676	0	02595676	-124	0	0	124
		Pressure 3{1}	2595676	0	02595676	-107	0	0	107
		GT1{1}	5626655	-881	05626655	94	0	-1770	1773

		GT2{1}	-.2E+07	-881	01733282	276	0	-1770	1792
		GT3{1}	-156296	-881	0 156298	242	0	-1770	1787
		GW1{1}	0	-881	0 881	219	0	-1770	1784
		GW2{1}	0	-881	0 881	221	0	-1770	1784
		GW3{1}	0	-881	0 881	163	0	-1770	1778
		GW4{1}	0	-881	0 881	272	0	-1770	1791
		GT1P1{1}	8222162	-881	08222162	195	0	-1770	1781
		GT2P2{1}	862394	-881	0 862394	152	0	-1770	1777
		GT3P3{1}	2439380	-881	02439380	135	0	-1770	1776
		Gravity{2}	0	-1876	0 1876	461	0	-3770	3798
		Thermal 3{2}	-156296	0	0 156296	25	0	0	25
		Pressure 1{2}	3244594	0	03244594	871	0	0	871
		GT3{2}	-156296	-1876	0 156307	486	0	-3770	3801
		Hydrotest-NL{2}	3088298	-1876	03088298	1357	0	-3770	4007
+24	+	Gravity{1}	0	-781	0 781	220	0	-1770	1784
		Thermal 1{1}	5626668	0	05626668	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733286	56	0	0	56
		Thermal 3{1}	-156296	0	0 156296	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595512	0	02595512	101	0	0	101
		Pressure 2{1}	2595682	0	02595682	-124	0	0	124
		Pressure 3{1}	2595681	0	02595681	-107	0	0	107
		GT1{1}	5626668	-781	05626668	94	0	-1770	1773
		GT2{1}	-.2E+07	-781	01733286	276	0	-1770	1792
		GT3{1}	-156296	-781	0 156298	242	0	-1770	1787
		GW1{1}	0	-781	0 781	219	0	-1770	1784
		GW2{1}	0	-781	0 781	221	0	-1770	1784
		GW3{1}	0	-781	0 781	163	0	-1770	1778
		GW4{1}	0	-781	0 781	272	0	-1770	1791
		GT1P1{1}	8222180	-781	08222180	195	0	-1770	1781
		GT2P2{1}	862396	-781	0 862396	152	0	-1770	1777
		GT3P3{1}	2439385	-781	02439385	135	0	-1770	1776
		Gravity{2}	0	-1664	0 1664	461	0	-3770	3798
		Thermal 3{2}	-156296	0	0 156296	25	0	0	25
		Pressure 1{2}	3244601	0	03244601	871	0	0	871
		GT3{2}	-156296	-1664	0 156305	486	0	-3770	3801
		Hydrotest-NL{2}	3088305	-1664	03088305	1357	0	-3770	4007
+25	-	Gravity{1}	0	-781	0 781	220	0	-1380	1397
		Thermal 1{1}	5626668	0	05626668	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733286	56	0	0	56
		Thermal 3{1}	-156296	0	0 156296	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595512	0	02595512	101	0	0	101
		Pressure 2{1}	2595682	0	02595682	-124	0	0	124
		Pressure 3{1}	2595681	0	02595681	-107	0	0	107
		GT1{1}	5626668	-781	05626668	94	0	-1380	1383
		GT2{1}	-.2E+07	-781	01733286	276	0	-1380	1407
		GT3{1}	-156296	-781	0 156298	242	0	-1380	1401
		GW1{1}	0	-781	0 781	219	0	-1380	1397
		GW2{1}	0	-781	0 781	221	0	-1380	1397
		GW3{1}	0	-781	0 781	163	0	-1380	1389
		GW4{1}	0	-781	0 781	272	0	-1380	1406
		GT1P1{1}	8222180	-781	08222180	195	0	-1380	1393
		GT2P2{1}	862396	-781	0 862396	152	0	-1380	1388
		GT3P3{1}	2439385	-781	02439385	135	0	-1380	1386
		Gravity{2}	0	-1664	0 1664	461	0	-2938	2974
		Thermal 3{2}	-156296	0	0 156296	25	0	0	25
		Pressure 1{2}	3244601	0	03244601	871	0	0	871
		GT3{2}	-156296	-1664	0 156305	486	0	-2938	2978
		Hydrotest-NL{2}	3088305	-1664	03088305	1357	0	-2938	3236
+25	+	Gravity{1}	0	-682	0 682	220	0	-1380	1397
		Thermal 1{1}	5626681	0	05626681	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733290	56	0	0	56
		Thermal 3{1}	-156297	0	0 156297	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595517	0	02595517	101	0	0	101
		Pressure 2{1}	2595688	0	02595688	-124	0	0	124
		Pressure 3{1}	2595687	0	02595687	-107	0	0	107
		GT1{1}	5626681	-682	05626681	94	0	-1380	1383
		GT2{1}	-.2E+07	-682	01733290	276	0	-1380	1407
		GT3{1}	-156297	-682	0 156298	242	0	-1380	1401
		GW1{1}	0	-682	0 682	219	0	-1380	1397
		GW2{1}	0	-682	0 682	221	0	-1380	1397
		GW3{1}	0	-682	0 682	163	0	-1380	1389
		GW4{1}	0	-682	0 682	272	0	-1380	1406
		GT1P1{1}	8222198	-682	08222198	195	0	-1380	1393
		GT2P2{1}	862398	-682	0 862398	152	0	-1380	1388
		GT3P3{1}	2439391	-682	02439391	135	0	-1380	1386
		Gravity{2}	0	-1452	0 1452	461	0	-2938	2974
		Thermal 3{2}	-156297	0	0 156297	25	0	0	25
		Pressure 1{2}	3244609	0	03244609	871	0	0	871
		GT3{2}	-156297	-1452	0 156303	486	0	-2938	2978
		Hydrotest-NL{2}	3088312	-1452	03088312	1357	0	-2938	3236
+26	-	Gravity{1}	0	-682	0 682	220	0	-1039	1062
		Thermal 1{1}	5626681	0	05626681	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733290	56	0	0	56
		Thermal 3{1}	-156297	0	0 156297	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595517	0	02595517	101	0	0	101
		Pressure 2{1}	2595688	0	02595688	-124	0	0	124
		Pressure 3{1}	2595687	0	02595687	-107	0	0	107
		GT1{1}	5626681	-682	05626681	94	0	-1039	1043

	GT2{1}	-.2E+07	-682	01733290	276	0	-1039	1075	
	GT3{1}	-156297	-682	0 156298	242	0	-1039	1067	
	GW1{1}	0	-682	0 682	219	0	-1039	1061	
	GW2{1}	0	-682	0 682	221	0	-1039	1062	
	GW3{1}	0	-682	0 682	163	0	-1039	1051	
	GW4{1}	0	-682	0 682	272	0	-1039	1074	
	GT1P1{1}	8222198	-682	08222198	195	0	-1039	1057	
	GT2P2{1}	862398	-682	0 862398	152	0	-1039	1050	
	GT3P3{1}	2439391	-682	02439391	135	0	-1039	1047	
	Gravity{2}	0	-1452	0 1452	461	0	-2212	2259	
	Thermal 3{2}	-156297	0	0 156297	25	0	0	25	
	Pressure 1{2}	3244609	0	03244609	871	0	0	871	
	GT3{2}	-156297	-1452	0 156303	486	0	-2212	2264	
	Hydrotest-NL{2}	3088312	-1452	03088312	1357	0	-2212	2595	
+26	+	Gravity{1}	0	-586	0 586	220	0	-1039	1062
		Thermal 1{1}	5626694	0	05626694	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733294	56	0	0	56
		Thermal 3{1}	-156297	0	0 156297	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595522	0	02595522	101	0	0	101
		Pressure 2{1}	2595693	0	02595693	-124	0	0	124
		Pressure 3{1}	2595693	0	02595693	-107	0	0	107
		GT1{1}	5626694	-586	05626694	94	0	-1039	1043
		GT2{1}	-.2E+07	-586	01733294	276	0	-1039	1075
		GT3{1}	-156297	-586	0 156298	242	0	-1039	1067
		GW1{1}	0	-586	0 586	219	0	-1039	1061
		GW2{1}	0	-586	0 586	221	0	-1039	1062
		GW3{1}	0	-586	0 586	163	0	-1039	1051
		GW4{1}	0	-586	0 586	272	0	-1039	1074
		GT1P1{1}	8222215	-586	08222215	195	0	-1039	1057
		GT2P2{1}	862400	-586	0 862400	152	0	-1039	1050
		GT3P3{1}	2439396	-586	02439396	135	0	-1039	1047
		Gravity{2}	0	-1247	0 1247	461	0	-2212	2259
		Thermal 3{2}	-156297	0	0 156297	25	0	0	25
		Pressure 1{2}	3244616	0	03244616	871	0	0	871
		GT3{2}	-156297	-1247	0 156302	486	0	-2212	2264
		Hydrotest-NL{2}	3088319	-1247	03088319	1357	0	-2212	2595
+27	-	Gravity{1}	0	-586	0 586	220	0	-746	778
		Thermal 1{1}	5626694	0	05626694	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733294	56	0	0	56
		Thermal 3{1}	-156297	0	0 156297	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595522	0	02595522	101	0	0	101
		Pressure 2{1}	2595693	0	02595693	-124	0	0	124
		Pressure 3{1}	2595693	0	02595693	-107	0	0	107
		GT1{1}	5626694	-586	05626694	94	0	-746	752
		GT2{1}	-.2E+07	-586	01733294	276	0	-746	795
		GT3{1}	-156297	-586	0 156298	242	0	-746	784
		GW1{1}	0	-586	0 586	219	0	-746	777
		GW2{1}	0	-586	0 586	221	0	-746	778
		GW3{1}	0	-586	0 586	163	0	-746	763
		GW4{1}	0	-586	0 586	272	0	-746	794
		GT1P1{1}	8222215	-586	08222215	195	0	-746	771
		GT2P2{1}	862400	-586	0 862400	152	0	-746	761
		GT3P3{1}	2439396	-586	02439396	135	0	-746	758
		Gravity{2}	0	-1247	0 1247	461	0	-1588	1654
		Thermal 3{2}	-156297	0	0 156297	25	0	0	25
		Pressure 1{2}	3244616	0	03244616	871	0	0	871
		GT3{2}	-156297	-1247	0 156302	486	0	-1588	1661
		Hydrotest-NL{2}	3088319	-1247	03088319	1357	0	-1588	2089
+27	+	Gravity{1}	0	-494	0 494	220	0	-746	778
		Thermal 1{1}	5626706	0	05626706	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733298	56	0	0	56
		Thermal 3{1}	-156297	0	0 156297	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595527	0	02595527	101	0	0	101
		Pressure 2{1}	2595699	0	02595699	-124	0	0	124
		Pressure 3{1}	2595699	0	02595699	-107	0	0	107
		GT1{1}	5626706	-494	05626706	94	0	-746	752
		GT2{1}	-.2E+07	-494	01733298	276	0	-746	795
		GT3{1}	-156297	-494	0 156298	242	0	-746	784
		GW1{1}	0	-494	0 494	219	0	-746	777
		GW2{1}	0	-494	0 494	221	0	-746	778
		GW3{1}	0	-494	0 494	163	0	-746	763
		GW4{1}	0	-494	0 494	272	0	-746	794
		GT1P1{1}	8222233	-494	08222233	195	0	-746	771
		GT2P2{1}	862402	-494	0 862402	152	0	-746	761
		GT3P3{1}	2439402	-494	02439402	135	0	-746	758
		Gravity{2}	0	-1053	0 1053	461	0	-1588	1654
		Thermal 3{2}	-156297	0	0 156297	25	0	0	25
		Pressure 1{2}	3244623	0	03244623	871	0	0	871
		GT3{2}	-156297	-1053	0 156301	486	0	-1588	1661
		Hydrotest-NL{2}	3088326	-1053	03088326	1357	0	-1588	2089
+28	-	Gravity{1}	0	-494	0 494	220	0	-499	545
		Thermal 1{1}	5626706	0	05626706	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733298	56	0	0	56
		Thermal 3{1}	-156297	0	0 156297	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595527	0	02595527	101	0	0	101
		Pressure 2{1}	2595699	0	02595699	-124	0	0	124
		Pressure 3{1}	2595699	0	02595699	-107	0	0	107
		GT1{1}	5626706	-494	05626706	94	0	-499	508

	GT2{1}	-.2E+07	-494	01733298	276	0	-499	570	
	GT3{1}	-156297	-494	0 156298	242	0	-499	555	
	GW1{1}	0	-494	0 494	219	0	-499	545	
	GW2{1}	0	-494	0 494	221	0	-499	546	
	GW3{1}	0	-494	0 494	163	0	-499	525	
	GW4{1}	0	-494	0 494	272	0	-499	568	
	GT1P1{1}	8222233	-494	08222233	195	0	-499	535	
	GT2P2{1}	862402	-494	0 862402	152	0	-499	521	
	GT3P3{1}	2439402	-494	02439402	135	0	-499	517	
	Gravity{2}	0	-1053	0 1053	461	0	-1062	1158	
	Thermal 3{2}	-156297	0	0 156297	25	0	0	25	
	Pressure 1{2}	3244623	0	03244623	871	0	0	871	
	GT3{2}	-156297	-1053	0 156301	486	0	-1062	1168	
	Hydrotest-NL{2}	3088326	-1053	03088326	1357	0	-1062	1723	
+28	+	Gravity{1}	0	-410	0 410	220	0	-499	545
		Thermal 1{1}	5626718	0	05626718	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733301	56	0	0	56
		Thermal 3{1}	-156298	0	0 156298	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595532	0	02595532	101	0	0	101
		Pressure 2{1}	2595705	0	02595705	-124	0	0	124
		Pressure 3{1}	2595705	0	02595705	-107	0	0	107
		GT1{1}	5626718	-410	05626718	94	0	-499	508
		GT2{1}	-.2E+07	-410	01733301	276	0	-499	570
		GT3{1}	-156298	-410	0 156298	242	0	-499	555
		GW1{1}	0	-410	0 410	219	0	-499	545
		GW2{1}	0	-410	0 410	221	0	-499	546
		GW3{1}	0	-410	0 410	163	0	-499	525
		GW4{1}	0	-410	0 410	272	0	-499	568
		GT1P1{1}	8222250	-410	08222250	195	0	-499	535
		GT2P2{1}	862403	-410	0 862403	152	0	-499	521
		GT3P3{1}	2439407	-410	02439407	135	0	-499	517
		Gravity{2}	0	-873	0 873	461	0	-1062	1158
		Thermal 3{2}	-156298	0	0 156298	25	0	0	25
		Pressure 1{2}	3244630	0	03244630	871	0	0	871
		GT3{2}	-156298	-873	0 156300	486	0	-1062	1168
		Hydrotest-NL{2}	3088332	-873	03088333	1357	0	-1062	1723
+29	-	Gravity{1}	0	-410	0 410	220	0	-294	367
		Thermal 1{1}	5626718	0	05626718	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733301	56	0	0	56
		Thermal 3{1}	-156298	0	0 156298	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595532	0	02595532	101	0	0	101
		Pressure 2{1}	2595705	0	02595705	-124	0	0	124
		Pressure 3{1}	2595705	0	02595705	-107	0	0	107
		GT1{1}	5626718	-410	05626718	94	0	-294	309
		GT2{1}	-.2E+07	-410	01733301	276	0	-294	403
		GT3{1}	-156298	-410	0 156298	242	0	-294	381
		GW1{1}	0	-410	0 410	219	0	-294	366
		GW2{1}	0	-410	0 410	221	0	-294	368
		GW3{1}	0	-410	0 410	163	0	-294	336
		GW4{1}	0	-410	0 410	272	0	-294	401
		GT1P1{1}	8222250	-410	08222250	195	0	-294	353
		GT2P2{1}	862403	-410	0 862403	152	0	-294	331
		GT3P3{1}	2439407	-410	02439407	135	0	-294	323
		Gravity{2}	0	-873	0 873	461	0	-626	777
		Thermal 3{2}	-156298	0	0 156298	25	0	0	25
		Pressure 1{2}	3244630	0	03244630	871	0	0	871
		GT3{2}	-156298	-873	0 156300	486	0	-626	792
		Hydrotest-NL{2}	3088332	-873	03088333	1357	0	-626	1495
+29	+	Gravity{1}	0	-333	0 333	220	0	-294	367
		Thermal 1{1}	5626730	0	05626730	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733305	56	0	0	56
		Thermal 3{1}	-156298	0	0 156298	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595536	0	02595536	101	0	0	101
		Pressure 2{1}	2595710	0	02595710	-124	0	0	124
		Pressure 3{1}	2595710	0	02595710	-107	0	0	107
		GT1{1}	5626730	-333	05626730	94	0	-294	309
		GT2{1}	-.2E+07	-333	01733305	276	0	-294	403
		GT3{1}	-156298	-333	0 156298	242	0	-294	381
		GW1{1}	0	-333	0 333	219	0	-294	366
		GW2{1}	0	-333	0 333	221	0	-294	368
		GW3{1}	0	-333	0 333	163	0	-294	336
		GW4{1}	0	-333	0 333	272	0	-294	401
		GT1P1{1}	8222267	-333	08222267	195	0	-294	353
		GT2P2{1}	862405	-333	0 862405	152	0	-294	331
		GT3P3{1}	2439412	-333	02439412	135	0	-294	323
		Gravity{2}	0	-709	0 709	461	0	-626	777
		Thermal 3{2}	-156298	0	0 156298	25	0	0	25
		Pressure 1{2}	3244637	0	03244637	871	0	0	871
		GT3{2}	-156298	-709	0 156300	486	0	-626	792
		Hydrotest-NL{2}	3088339	-709	03088339	1357	0	-626	1495
+30	-	Gravity{1}	0	-333	0 333	220	0	-127	254
		Thermal 1{1}	5626730	0	05626730	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733305	56	0	0	56
		Thermal 3{1}	-156298	0	0 156298	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595536	0	02595536	101	0	0	101
		Pressure 2{1}	2595710	0	02595710	-124	0	0	124
		Pressure 3{1}	2595710	0	02595710	-107	0	0	107
		GT1{1}	5626730	-333	05626730	94	0	-127	158

	GT2{1}	-.2E+07	-333	01733305	276	0	-127	304	
	GT3{1}	-156298	-333	0 156298	242	0	-127	274	
	GW1{1}	0	-333	0 333	219	0	-127	253	
	GW2{1}	0	-333	0 333	221	0	-127	256	
	GW3{1}	0	-333	0 333	163	0	-127	207	
	GW4{1}	0	-333	0 333	272	0	-127	301	
	GT1P1{1}	8222267	-333	08222267	195	0	-127	233	
	GT2P2{1}	862405	-333	0 862405	152	0	-127	198	
	GT3P3{1}	2439412	-333	02439412	135	0	-127	186	
	Gravity{2}	0	-709	0 709	461	0	-271	535	
	Thermal 3{2}	-156298	0	0 156298	25	0	0	25	
	Pressure 1{2}	3244637	0	03244637	871	0	0	871	
	GT3{2}	-156298	-709	0 156300	486	0	-271	557	
	Hydrotest-NL{2}	3088339	-709	03088339	1357	0	-271	1384	
+30	+	Gravity{1}	0	-264	0 264	220	0	-127	254
		Thermal 1{1}	5626742	0	05626742	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733309	56	0	0	56
		Thermal 3{1}	-156298	0	0 156298	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595541	0	02595541	101	0	0	101
		Pressure 2{1}	2595716	0	02595716	-124	0	0	124
		Pressure 3{1}	2595716	0	02595716	-107	0	0	107
		GT1{1}	5626742	-264	05626742	94	0	-127	158
		GT2{1}	-.2E+07	-264	01733309	276	0	-127	304
		GT3{1}	-156298	-264	0 156299	242	0	-127	274
		GW1{1}	0	-264	0 264	219	0	-127	253
		GW2{1}	0	-264	0 264	221	0	-127	256
		GW3{1}	0	-264	0 264	163	0	-127	207
		GW4{1}	0	-264	0 264	272	0	-127	301
		GT1P1{1}	8222283	-264	08222283	195	0	-127	233
		GT2P2{1}	862407	-264	0 862407	152	0	-127	198
		GT3P3{1}	2439417	-264	02439417	135	0	-127	186
		Gravity{2}	0	-562	0 562	461	0	-271	535
		Thermal 3{2}	-156298	0	0 156298	25	0	0	25
		Pressure 1{2}	3244644	0	03244644	871	0	0	871
		GT3{2}	-156298	-562	0 156299	486	0	-271	557
		Hydrotest-NL{2}	3088346	-562	03088346	1357	0	-271	1384
+31	-	Gravity{1}	0	-264	0 264	220	0	5	220
		Thermal 1{1}	5626742	0	05626742	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733309	56	0	0	56
		Thermal 3{1}	-156298	0	0 156298	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595541	0	02595541	101	0	0	101
		Pressure 2{1}	2595716	0	02595716	-124	0	0	124
		Pressure 3{1}	2595716	0	02595716	-107	0	0	107
		GT1{1}	5626742	-264	05626742	94	0	5	94
		GT2{1}	-.2E+07	-264	01733309	276	0	5	276
		GT3{1}	-156298	-264	0 156299	242	0	5	242
		GW1{1}	0	-264	0 264	219	0	5	219
		GW2{1}	0	-264	0 264	221	0	5	222
		GW3{1}	0	-264	0 264	163	0	5	163
		GW4{1}	0	-264	0 264	272	0	5	272
		GT1P1{1}	8222283	-264	08222283	195	0	5	195
		GT2P2{1}	862407	-264	0 862407	152	0	5	152
		GT3P3{1}	2439417	-264	02439417	135	0	5	135
		Gravity{2}	0	-562	0 562	461	0	10	461
		Thermal 3{2}	-156298	0	0 156298	25	0	0	25
		Pressure 1{2}	3244644	0	03244644	871	0	0	871
		GT3{2}	-156298	-562	0 156299	486	0	10	486
		Hydrotest-NL{2}	3088346	-562	03088346	1357	0	10	1357
+31	+	Gravity{1}	0	-203	0 203	220	0	5	220
		Thermal 1{1}	5626754	0	05626754	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733312	56	0	0	56
		Thermal 3{1}	-156299	0	0 156299	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595545	0	02595545	101	0	0	101
		Pressure 2{1}	2595721	0	02595721	-124	0	0	124
		Pressure 3{1}	2595721	0	02595721	-107	0	0	107
		GT1{1}	5626754	-203	05626754	94	0	5	94
		GT2{1}	-.2E+07	-203	01733312	276	0	5	276
		GT3{1}	-156299	-203	0 156299	242	0	5	242
		GW1{1}	0	-203	0 203	219	0	5	219
		GW2{1}	0	-203	0 203	221	0	5	222
		GW3{1}	0	-203	0 203	163	0	5	163
		GW4{1}	0	-203	0 203	272	0	5	272
		GT1P1{1}	8222299	-203	08222299	195	0	5	195
		GT2P2{1}	862409	-203	0 862409	152	0	5	152
		GT3P3{1}	2439422	-203	02439422	135	0	5	135
		Gravity{2}	0	-432	0 432	461	0	10	461
		Thermal 3{2}	-156299	0	0 156299	25	0	0	25
		Pressure 1{2}	3244651	0	03244651	871	0	0	871
		GT3{2}	-156299	-432	0 156299	486	0	10	486
		Hydrotest-NL{2}	3088352	-432	03088352	1357	0	10	1357
+32	-	Gravity{1}	0	-203	0 203	220	0	106	244
		Thermal 1{1}	5626754	0	05626754	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733312	56	0	0	56
		Thermal 3{1}	-156299	0	0 156299	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595545	0	02595545	101	0	0	101
		Pressure 2{1}	2595721	0	02595721	-124	0	0	124
		Pressure 3{1}	2595721	0	02595721	-107	0	0	107
		GT1{1}	5626754	-203	05626754	94	0	106	142

	GT2{1}	-.2E+07	-203	01733312	276	0	106	296	
	GT3{1}	-156299	-203	0 156299	242	0	106	265	
	GW1{1}	0	-203	0 203	219	0	106	243	
	GW2{1}	0	-203	0 203	221	0	106	246	
	GW3{1}	0	-203	0 203	163	0	106	194	
	GW4{1}	0	-203	0 203	272	0	106	292	
	GT1P1{1}	8222299	-203	08222299	195	0	106	222	
	GT2P2{1}	862409	-203	0 862409	152	0	106	185	
	GT3P3{1}	2439422	-203	02439422	135	0	106	172	
	Gravity{2}	0	-432	0 432	461	0	226	514	
	Thermal 3{2}	-156299	0	0 156299	25	0	0	25	
	Pressure 1{2}	3244651	0	03244651	871	0	0	871	
	GT3{2}	-156299	-432	0 156299	486	0	226	536	
	Hydrotest-NL{2}	3088352	-432	03088352	1357	0	226	1376	
+32	+	Gravity{1}	0	-150	0 150	220	0	106	244
		Thermal 1{1}	5626765	0	05626765	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733316	56	0	0	56
		Thermal 3{1}	-156299	0	0 156299	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595549	0	02595549	101	0	0	101
		Pressure 2{1}	2595727	0	02595727	-124	0	0	124
		Pressure 3{1}	2595727	0	02595727	-107	0	0	107
		GT1{1}	5626765	-150	05626765	94	0	106	142
		GT2{1}	-.2E+07	-150	01733316	276	0	106	296
		GT3{1}	-156299	-150	0 156299	242	0	106	265
		GW1{1}	0	-150	0 150	219	0	106	243
		GW2{1}	0	-150	0 150	221	0	106	246
		GW3{1}	0	-150	0 150	163	0	106	194
		GW4{1}	0	-150	0 150	272	0	106	292
		GT1P1{1}	8222314	-150	08222314	195	0	106	222
		GT2P2{1}	862411	-150	0 862411	152	0	106	185
		GT3P3{1}	2439427	-150	02439427	135	0	106	172
		Gravity{2}	0	-320	0 320	461	0	226	514
		Thermal 3{2}	-156299	0	0 156299	25	0	0	25
		Pressure 1{2}	3244657	0	03244657	871	0	0	871
		GT3{2}	-156299	-320	0 156299	486	0	226	536
		Hydrotest-NL{2}	3088358	-320	03088358	1357	0	226	1376
+33	-	Gravity{1}	0	-150	0 150	220	0	181	285
		Thermal 1{1}	5626765	0	05626765	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733316	56	0	0	56
		Thermal 3{1}	-156299	0	0 156299	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595549	0	02595549	101	0	0	101
		Pressure 2{1}	2595727	0	02595727	-124	0	0	124
		Pressure 3{1}	2595727	0	02595727	-107	0	0	107
		GT1{1}	5626765	-150	05626765	94	0	181	204
		GT2{1}	-.2E+07	-150	01733316	276	0	181	330
		GT3{1}	-156299	-150	0 156299	242	0	181	303
		GW1{1}	0	-150	0 150	219	0	181	284
		GW2{1}	0	-150	0 150	221	0	181	286
		GW3{1}	0	-150	0 150	163	0	181	244
		GW4{1}	0	-150	0 150	272	0	181	327
		GT1P1{1}	8222314	-150	08222314	195	0	181	266
		GT2P2{1}	862411	-150	0 862411	152	0	181	237
		GT3P3{1}	2439427	-150	02439427	135	0	181	226
		Gravity{2}	0	-320	0 320	461	0	386	601
		Thermal 3{2}	-156299	0	0 156299	25	0	0	25
		Pressure 1{2}	3244657	0	03244657	871	0	0	871
		GT3{2}	-156299	-320	0 156299	486	0	386	621
		Hydrotest-NL{2}	3088358	-320	03088358	1357	0	386	1411
+33	+	Gravity{1}	0	-105	0 105	220	0	181	285
		Thermal 1{1}	5626776	0	05626776	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733320	56	0	0	56
		Thermal 3{1}	-156299	0	0 156299	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595554	0	02595554	101	0	0	101
		Pressure 2{1}	2595732	0	02595732	-124	0	0	124
		Pressure 3{1}	2595732	0	02595732	-107	0	0	107
		GT1{1}	5626776	-105	05626776	94	0	181	204
		GT2{1}	-.2E+07	-105	01733320	276	0	181	330
		GT3{1}	-156299	-105	0 156299	242	0	181	303
		GW1{1}	0	-105	0 105	219	0	181	284
		GW2{1}	0	-105	0 105	221	0	181	286
		GW3{1}	0	-105	0 105	163	0	181	244
		GW4{1}	0	-105	0 105	272	0	181	327
		GT1P1{1}	8222330	-105	08222330	195	0	181	266
		GT2P2{1}	862413	-105	0 862413	152	0	181	237
		GT3P3{1}	2439432	-105	02439432	135	0	181	226
		Gravity{2}	0	-225	0 225	461	0	386	601
		Thermal 3{2}	-156299	0	0 156299	25	0	0	25
		Pressure 1{2}	3244664	0	03244664	871	0	0	871
		GT3{2}	-156299	-225	0 156299	486	0	386	621
		Hydrotest-NL{2}	3088365	-225	03088365	1357	0	386	1411
+34	-	Gravity{1}	0	-105	0 105	220	0	234	321
		Thermal 1{1}	5626776	0	05626776	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733320	56	0	0	56
		Thermal 3{1}	-156299	0	0 156299	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595554	0	02595554	101	0	0	101
		Pressure 2{1}	2595732	0	02595732	-124	0	0	124
		Pressure 3{1}	2595732	0	02595732	-107	0	0	107
		GT1{1}	5626776	-105	05626776	94	0	234	252

	GT2{1}	-.2E+07	-105	01733320	276	0	234	362	
	GT3{1}	-156299	-105	0 156299	242	0	234	337	
	GW1{1}	0	-105	0 105	219	0	234	320	
	GW2{1}	0	-105	0 105	221	0	234	322	
	GW3{1}	0	-105	0 105	163	0	234	285	
	GW4{1}	0	-105	0 105	272	0	234	359	
	GT1P1{1}	8222330	-105	08222330	195	0	234	304	
	GT2P2{1}	862413	-105	0 862413	152	0	234	279	
	GT3P3{1}	2439432	-105	02439432	135	0	234	270	
	Gravity{2}	0	-225	0 225	461	0	498	679	
	Thermal 3{2}	-156299	0	0 156299	25	0	0	25	
	Pressure 1{2}	3244664	0	03244664	871	0	0	871	
	GT3{2}	-156299	-225	0 156299	486	0	498	696	
	Hydrotest-NL{2}	3088365	-225	03088365	1357	0	498	1446	
+34	+	Gravity{1}	0	-68	0 68	220	0	234	321
		Thermal 1{1}	5626788	0	05626788	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733323	56	0	0	56
		Thermal 3{1}	-156300	0	0 156300	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595557	0	02595557	101	0	0	101
		Pressure 2{1}	2595737	0	02595737	-124	0	0	124
		Pressure 3{1}	2595737	0	02595737	-107	0	0	107
		GT1{1}	5626788	-68	05626788	94	0	234	252
		GT2{1}	-.2E+07	-68	01733323	276	0	234	362
		GT3{1}	-156300	-68	0 156300	242	0	234	337
		GW1{1}	0	-68	0 68	219	0	234	320
		GW2{1}	0	-68	0 68	221	0	234	322
		GW3{1}	0	-68	0 68	163	0	234	285
		GW4{1}	0	-68	0 68	272	0	234	359
		GT1P1{1}	8222345	-68	08222345	195	0	234	304
		GT2P2{1}	862414	-68	0 862414	152	0	234	279
		GT3P3{1}	2439437	-68	02439437	135	0	234	270
		Gravity{2}	0	-144	0 144	461	0	498	679
		Thermal 3{2}	-156300	0	0 156300	25	0	0	25
		Pressure 1{2}	3244670	0	03244670	871	0	0	871
		GT3{2}	-156300	-144	0 156300	486	0	498	696
		Hydrotest-NL{2}	3088371	-144	03088371	1357	0	498	1446
+35	-	Gravity{1}	0	-68	0 68	220	0	268	347
		Thermal 1{1}	5626788	0	05626788	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733323	56	0	0	56
		Thermal 3{1}	-156300	0	0 156300	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595557	0	02595557	101	0	0	101
		Pressure 2{1}	2595737	0	02595737	-124	0	0	124
		Pressure 3{1}	2595737	0	02595737	-107	0	0	107
		GT1{1}	5626788	-68	05626788	94	0	268	284
		GT2{1}	-.2E+07	-68	01733323	276	0	268	385
		GT3{1}	-156300	-68	0 156300	242	0	268	361
		GW1{1}	0	-68	0 68	219	0	268	346
		GW2{1}	0	-68	0 68	221	0	268	348
		GW3{1}	0	-68	0 68	163	0	268	313
		GW4{1}	0	-68	0 68	272	0	268	382
		GT1P1{1}	8222345	-68	08222345	195	0	268	331
		GT2P2{1}	862414	-68	0 862414	152	0	268	308
		GT3P3{1}	2439437	-68	02439437	135	0	268	300
		Gravity{2}	0	-144	0 144	461	0	570	734
		Thermal 3{2}	-156300	0	0 156300	25	0	0	25
		Pressure 1{2}	3244670	0	03244670	871	0	0	871
		GT3{2}	-156300	-144	0 156300	486	0	570	749
		Hydrotest-NL{2}	3088371	-144	03088371	1357	0	570	1472
+35	+	Gravity{1}	0	-37	0 37	220	0	268	347
		Thermal 1{1}	5626799	0	05626799	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733326	56	0	0	56
		Thermal 3{1}	-156300	0	0 156300	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595561	0	02595561	101	0	0	101
		Pressure 2{1}	2595742	0	02595742	-124	0	0	124
		Pressure 3{1}	2595742	0	02595742	-107	0	0	107
		GT1{1}	5626799	-37	05626799	94	0	268	284
		GT2{1}	-.2E+07	-37	01733326	276	0	268	385
		GT3{1}	-156300	-37	0 156300	242	0	268	361
		GW1{1}	0	-37	0 37	219	0	268	346
		GW2{1}	0	-37	0 37	221	0	268	348
		GW3{1}	0	-37	0 37	163	0	268	313
		GW4{1}	0	-37	0 37	272	0	268	382
		GT1P1{1}	8222360	-37	08222360	195	0	268	331
		GT2P2{1}	862416	-37	0 862416	152	0	268	308
		GT3P3{1}	2439442	-37	02439442	135	0	268	300
		Gravity{2}	0	-78	0 78	461	0	570	734
		Thermal 3{2}	-156300	0	0 156300	25	0	0	25
		Pressure 1{2}	3244677	0	03244677	871	0	0	871
		GT3{2}	-156300	-78	0 156300	486	0	570	749
		Hydrotest-NL{2}	3088377	-78	03088377	1357	0	570	1472
+36	-	Gravity{1}	0	-37	0 37	220	0	286	361
		Thermal 1{1}	5626799	0	05626799	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733326	56	0	0	56
		Thermal 3{1}	-156300	0	0 156300	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595561	0	02595561	101	0	0	101
		Pressure 2{1}	2595742	0	02595742	-124	0	0	124
		Pressure 3{1}	2595742	0	02595742	-107	0	0	107
		GT1{1}	5626799	-37	05626799	94	0	286	301

	GT2{1}	-.2E+07	-37	01733326	276	0	286	398
	GT3{1}	-156300	-37	0 156300	242	0	286	375
	GW1{1}	0	-37	0 37	219	0	286	360
	GW2{1}	0	-37	0 37	221	0	286	362
	GW3{1}	0	-37	0 37	163	0	286	329
	GW4{1}	0	-37	0 37	272	0	286	395
	GT1P1{1}	8222360	-37	08222360	195	0	286	346
	GT2P2{1}	862416	-37	0 862416	152	0	286	324
	GT3P3{1}	2439442	-37	02439442	135	0	286	316
	Gravity{2}	0	-78	0 78	461	0	609	764
	Thermal 3{2}	-156300	0	0 156300	25	0	0	25
	Pressure 1{2}	3244677	0	03244677	871	0	0	871
	GT3{2}	-156300	-78	0 156300	486	0	609	780
	Hydrotest-NL{2}	3088377	-78	03088377	1357	0	609	1488
+36 +	Gravity{1}	0	-12	0 12	220	0	286	361
	Thermal 1{1}	5626809	0	05626809	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733330	56	0	0	56
	Thermal 3{1}	-156300	0	0 156300	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595565	0	02595565	101	0	0	101
	Pressure 2{1}	2595747	0	02595747	-124	0	0	124
	Pressure 3{1}	2595747	0	02595747	-107	0	0	107
	GT1{1}	5626809	-12	05626809	94	0	286	301
	GT2{1}	-.2E+07	-12	01733330	276	0	286	398
	GT3{1}	-156300	-12	0 156300	242	0	286	375
	GW1{1}	0	-12	0 12	219	0	286	360
	GW2{1}	0	-12	0 12	221	0	286	362
	GW3{1}	0	-12	0 12	163	0	286	329
	GW4{1}	0	-12	0 12	272	0	286	395
	GT1P1{1}	8222374	-12	08222374	195	0	286	346
	GT2P2{1}	862418	-12	0 862418	152	0	286	324
	GT3P3{1}	2439447	-12	02439447	135	0	286	316
	Gravity{2}	0	-25	0 25	461	0	609	764
	Thermal 3{2}	-156300	0	0 156300	25	0	0	25
	Pressure 1{2}	3244683	0	03244683	871	0	0	871
	GT3{2}	-156300	-25	0 156300	486	0	609	780
	Hydrotest-NL{2}	3088383	-25	03088383	1357	0	609	1488
+37 -	Gravity{1}	0	-12	0 12	220	0	292	366
	Thermal 1{1}	5626809	0	05626809	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733330	56	0	0	56
	Thermal 3{1}	-156300	0	0 156300	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595565	0	02595565	101	0	0	101
	Pressure 2{1}	2595747	0	02595747	-124	0	0	124
	Pressure 3{1}	2595747	0	02595747	-107	0	0	107
	GT1{1}	5626809	-12	05626809	94	0	292	307
	GT2{1}	-.2E+07	-12	01733330	276	0	292	402
	GT3{1}	-156300	-12	0 156300	242	0	292	380
	GW1{1}	0	-12	0 12	219	0	292	365
	GW2{1}	0	-12	0 12	221	0	292	367
	GW3{1}	0	-12	0 12	163	0	292	334
	GW4{1}	0	-12	0 12	272	0	292	399
	GT1P1{1}	8222374	-12	08222374	195	0	292	351
	GT2P2{1}	862418	-12	0 862418	152	0	292	329
	GT3P3{1}	2439447	-12	02439447	135	0	292	322
	Gravity{2}	0	-25	0 25	461	0	622	774
	Thermal 3{2}	-156300	0	0 156300	25	0	0	25
	Pressure 1{2}	3244683	0	03244683	871	0	0	871
	GT3{2}	-156300	-25	0 156300	486	0	622	789
	Hydrotest-NL{2}	3088383	-25	03088383	1357	0	622	1493
+37 +	Gravity{1}	0	8	0 8	220	0	292	366
	Thermal 1{1}	5626820	0	05626820	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733333	56	0	0	56
	Thermal 3{1}	-156301	0	0 156301	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595569	0	02595569	101	0	0	101
	Pressure 2{1}	2595752	0	02595752	-124	0	0	124
	Pressure 3{1}	2595752	0	02595752	-107	0	0	107
	GT1{1}	5626820	8	05626820	94	0	292	307
	GT2{1}	-.2E+07	8	01733333	276	0	292	402
	GT3{1}	-156301	8	0 156301	242	0	292	380
	GW1{1}	0	8	0 8	219	0	292	365
	GW2{1}	0	8	0 8	221	0	292	367
	GW3{1}	0	8	0 8	163	0	292	334
	GW4{1}	0	8	0 8	272	0	292	399
	GT1P1{1}	8222389	8	08222389	195	0	292	351
	GT2P2{1}	862419	8	0 862419	152	0	292	329
	GT3P3{1}	2439452	8	02439452	135	0	292	322
	Gravity{2}	0	17	0 17	461	0	622	774
	Thermal 3{2}	-156301	0	0 156301	25	0	0	25
	Pressure 1{2}	3244689	0	03244689	871	0	0	871
	GT3{2}	-156301	17	0 156301	486	0	622	789
	Hydrotest-NL{2}	3088389	17	03088389	1357	0	622	1493
+38 -	Gravity{1}	0	8	0 8	220	0	288	363
	Thermal 1{1}	5626820	0	05626820	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733333	56	0	0	56
	Thermal 3{1}	-156301	0	0 156301	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595569	0	02595569	101	0	0	101
	Pressure 2{1}	2595752	0	02595752	-124	0	0	124
	Pressure 3{1}	2595752	0	02595752	-107	0	0	107
	GT1{1}	5626820	8	05626820	94	0	288	303

		GT2{1}	-.2E+07	8	01733333	276	0	288	399
		GT3{1}	-156301	8	0 156301	242	0	288	377
		GW1{1}	0	8	0 8	219	0	288	362
		GW2{1}	0	8	0 8	221	0	288	363
		GW3{1}	0	8	0 8	163	0	288	331
		GW4{1}	0	8	0 8	272	0	288	396
		GT1P1{1}	8222389	8	08222389	195	0	288	348
		GT2P2{1}	862419	8	0 862419	152	0	288	326
		GT3P3{1}	2439452	8	02439452	135	0	288	318
		Gravity{2}	0	17	0 17	461	0	614	768
		Thermal 3{2}	-156301	0	0 156301	25	0	0	25
		Pressure 1{2}	3244689	0	03244689	871	0	0	871
		GT3{2}	-156301	17	0 156301	486	0	614	783
		Hydrotest-NL{2}	3088389	17	03088389	1357	0	614	1490
+38	+	Gravity{1}	0	23	0 23	220	0	288	363
		Thermal 1{1}	5626830	0	05626830	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733336	56	0	0	56
		Thermal 3{1}	-156301	0	0 156301	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595572	0	02595572	101	0	0	101
		Pressure 2{1}	2595757	0	02595757	-124	0	0	124
		Pressure 3{1}	2595757	0	02595757	-107	0	0	107
		GT1{1}	5626830	23	05626830	94	0	288	303
		GT2{1}	-.2E+07	23	01733336	276	0	288	399
		GT3{1}	-156301	23	0 156301	242	0	288	377
		GW1{1}	0	23	0 23	219	0	288	362
		GW2{1}	0	23	0 23	221	0	288	363
		GW3{1}	0	23	0 23	163	0	288	331
		GW4{1}	0	23	0 23	272	0	288	396
		GT1P1{1}	8222402	23	08222402	195	0	288	348
		GT2P2{1}	862421	23	0 862421	152	0	288	326
		GT3P3{1}	2439456	23	02439456	135	0	288	318
		Gravity{2}	0	48	0 48	461	0	614	768
		Thermal 3{2}	-156301	0	0 156301	25	0	0	25
		Pressure 1{2}	3244695	0	03244695	871	0	0	871
		GT3{2}	-156301	48	0 156301	486	0	614	783
		Hydrotest-NL{2}	3088395	48	03088395	1357	0	614	1490
+39	-	Gravity{1}	0	23	0 23	220	0	277	354
		Thermal 1{1}	5626830	0	05626830	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733336	56	0	0	56
		Thermal 3{1}	-156301	0	0 156301	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595572	0	02595572	101	0	0	101
		Pressure 2{1}	2595757	0	02595757	-124	0	0	124
		Pressure 3{1}	2595757	0	02595757	-107	0	0	107
		GT1{1}	5626830	23	05626830	94	0	277	293
		GT2{1}	-.2E+07	23	01733336	276	0	277	391
		GT3{1}	-156301	23	0 156301	242	0	277	368
		GW1{1}	0	23	0 23	219	0	277	353
		GW2{1}	0	23	0 23	221	0	277	355
		GW3{1}	0	23	0 23	163	0	277	321
		GW4{1}	0	23	0 23	272	0	277	388
		GT1P1{1}	8222402	23	08222402	195	0	277	339
		GT2P2{1}	862421	23	0 862421	152	0	277	316
		GT3P3{1}	2439456	23	02439456	135	0	277	308
		Gravity{2}	0	48	0 48	461	0	590	749
		Thermal 3{2}	-156301	0	0 156301	25	0	0	25
		Pressure 1{2}	3244695	0	03244695	871	0	0	871
		GT3{2}	-156301	48	0 156301	486	0	590	764
		Hydrotest-NL{2}	3088395	48	03088395	1357	0	590	1480
+39	+	Gravity{1}	0	33	0 33	220	0	277	354
		Thermal 1{1}	5626841	0	05626841	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733340	56	0	0	56
		Thermal 3{1}	-156301	0	0 156301	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595576	0	02595576	101	0	0	101
		Pressure 2{1}	2595762	0	02595762	-124	0	0	124
		Pressure 3{1}	2595762	0	02595762	-107	0	0	107
		GT1{1}	5626841	33	05626841	94	0	277	293
		GT2{1}	-.2E+07	33	01733340	276	0	277	391
		GT3{1}	-156301	33	0 156301	242	0	277	368
		GW1{1}	0	33	0 33	219	0	277	353
		GW2{1}	0	33	0 33	221	0	277	355
		GW3{1}	0	33	0 33	163	0	277	321
		GW4{1}	0	33	0 33	272	0	277	388
		GT1P1{1}	8222417	33	08222417	195	0	277	339
		GT2P2{1}	862422	33	0 862422	152	0	277	316
		GT3P3{1}	2439461	33	02439461	135	0	277	308
		Gravity{2}	0	71	0 71	461	0	590	749
		Thermal 3{2}	-156301	0	0 156301	25	0	0	25
		Pressure 1{2}	3244701	0	03244701	871	0	0	871
		GT3{2}	-156301	71	0 156301	486	0	590	764
		Hydrotest-NL{2}	3088401	71	03088401	1357	0	590	1480
+40	-	Gravity{1}	0	33	0 33	220	0	260	341
		Thermal 1{1}	5626841	0	05626841	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733340	56	0	0	56
		Thermal 3{1}	-156301	0	0 156301	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595576	0	02595576	101	0	0	101
		Pressure 2{1}	2595762	0	02595762	-124	0	0	124
		Pressure 3{1}	2595762	0	02595762	-107	0	0	107
		GT1{1}	5626841	33	05626841	94	0	260	277

		GT2{1}	-.2E+07	33	01733340	276	0	260	379
		GT3{1}	-156301	33	0 156301	242	0	260	356
		GW1{1}	0	33	0 33	219	0	260	340
		GW2{1}	0	33	0 33	221	0	260	342
		GW3{1}	0	33	0 33	163	0	260	307
		GW4{1}	0	33	0 33	272	0	260	377
		GT1P1{1}	8222417	33	08222417	195	0	260	325
		GT2P2{1}	862422	33	0 862422	152	0	260	301
		GT3P3{1}	2439461	33	02439461	135	0	260	293
		Gravity{2}	0	71	0 71	461	0	554	721
		Thermal 3{2}	-156301	0	0 156301	25	0	0	25
		Pressure 1{2}	3244701	0	03244701	871	0	0	871
		GT3{2}	-156301	71	0 156301	486	0	554	737
		Hydrotest-NL{2}	3088401	71	03088401	1357	0	554	1466
+40	+	Gravity{1}	0	41	0 41	220	0	260	341
		Thermal 1{1}	5626851	0	05626851	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733343	56	0	0	56
		Thermal 3{1}	-156301	0	0 156301	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595579	0	02595579	101	0	0	101
		Pressure 2{1}	2595767	0	02595767	-124	0	0	124
		Pressure 3{1}	2595767	0	02595767	-107	0	0	107
		GT1{1}	5626851	41	05626851	94	0	260	277
		GT2{1}	-.2E+07	41	01733343	276	0	260	379
		GT3{1}	-156301	41	0 156301	242	0	260	356
		GW1{1}	0	41	0 41	219	0	260	340
		GW2{1}	0	41	0 41	221	0	260	342
		GW3{1}	0	41	0 41	163	0	260	307
		GW4{1}	0	41	0 41	272	0	260	377
		GT1P1{1}	8222430	41	08222430	195	0	260	325
		GT2P2{1}	862424	41	0 862424	152	0	260	301
		GT3P3{1}	2439465	41	02439465	135	0	260	293
		Gravity{2}	0	87	0 87	461	0	554	721
		Thermal 3{2}	-156301	0	0 156301	25	0	0	25
		Pressure 1{2}	3244707	0	03244707	871	0	0	871
		GT3{2}	-156301	87	0 156301	486	0	554	737
		Hydrotest-NL{2}	3088406	87	03088406	1357	0	554	1466
+41	-	Gravity{1}	0	41	0 41	220	0	240	325
		Thermal 1{1}	5626851	0	05626851	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733343	56	0	0	56
		Thermal 3{1}	-156301	0	0 156301	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595579	0	02595579	101	0	0	101
		Pressure 2{1}	2595767	0	02595767	-124	0	0	124
		Pressure 3{1}	2595767	0	02595767	-107	0	0	107
		GT1{1}	5626851	41	05626851	94	0	240	258
		GT2{1}	-.2E+07	41	01733343	276	0	240	366
		GT3{1}	-156301	41	0 156301	242	0	240	341
		GW1{1}	0	41	0 41	219	0	240	325
		GW2{1}	0	41	0 41	221	0	240	326
		GW3{1}	0	41	0 41	163	0	240	290
		GW4{1}	0	41	0 41	272	0	240	363
		GT1P1{1}	8222430	41	08222430	195	0	240	309
		GT2P2{1}	862424	41	0 862424	152	0	240	284
		GT3P3{1}	2439465	41	02439465	135	0	240	275
		Gravity{2}	0	87	0 87	461	0	511	688
		Thermal 3{2}	-156301	0	0 156301	25	0	0	25
		Pressure 1{2}	3244707	0	03244707	871	0	0	871
		GT3{2}	-156301	87	0 156301	486	0	511	705
		Hydrotest-NL{2}	3088406	87	03088406	1357	0	511	1450
+41	+	Gravity{1}	0	45	0 45	220	0	240	325
		Thermal 1{1}	5626861	0	05626861	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733346	56	0	0	56
		Thermal 3{1}	-156302	0	0 156302	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595582	0	02595582	101	0	0	101
		Pressure 2{1}	2595771	0	02595771	-124	0	0	124
		Pressure 3{1}	2595771	0	02595771	-107	0	0	107
		GT1{1}	5626861	45	05626861	94	0	240	258
		GT2{1}	-.2E+07	45	01733346	276	0	240	366
		GT3{1}	-156302	45	0 156302	242	0	240	341
		GW1{1}	0	45	0 45	219	0	240	325
		GW2{1}	0	45	0 45	221	0	240	326
		GW3{1}	0	45	0 45	163	0	240	290
		GW4{1}	0	45	0 45	272	0	240	363
		GT1P1{1}	8222443	45	08222443	195	0	240	309
		GT2P2{1}	862425	45	0 862425	152	0	240	284
		GT3P3{1}	2439469	45	02439469	135	0	240	275
		Gravity{2}	0	96	0 96	461	0	511	688
		Thermal 3{2}	-156302	0	0 156302	25	0	0	25
		Pressure 1{2}	3244713	0	03244713	871	0	0	871
		GT3{2}	-156302	96	0 156302	486	0	511	705
		Hydrotest-NL{2}	3088411	96	03088411	1357	0	511	1450
+42	-	Gravity{1}	0	45	0 45	220	0	217	309
		Thermal 1{1}	5626861	0	05626861	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733346	56	0	0	56
		Thermal 3{1}	-156302	0	0 156302	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595582	0	02595582	101	0	0	101
		Pressure 2{1}	2595771	0	02595771	-124	0	0	124
		Pressure 3{1}	2595771	0	02595771	-107	0	0	107
		GT1{1}	5626861	45	05626861	94	0	217	237

		GT2{1}	-.2E+07	45	01733346	276	0	217	351
		GT3{1}	-156302	45	0 156302	242	0	217	325
		GW1{1}	0	45	0 45	219	0	217	308
		GW2{1}	0	45	0 45	221	0	217	310
		GW3{1}	0	45	0 45	163	0	217	271
		GW4{1}	0	45	0 45	272	0	217	348
		GT1P1{1}	8222443	45	08222443	195	0	217	292
		GT2P2{1}	862425	45	0 862425	152	0	217	265
		GT3P3{1}	2439469	45	02439469	135	0	217	256
		Gravity{2}	0	96	0 96	461	0	462	653
		Thermal 3{2}	-156302	0	0 156302	25	0	0	25
		Pressure 1{2}	3244713	0	03244713	871	0	0	871
		GT3{2}	-156302	96	0 156302	486	0	462	671
		Hydrotest-NL{2}	3088411	96	03088411	1357	0	462	1434
+42	+	Gravity{1}	0	47	0 47	220	0	217	309
		Thermal 1{1}	5626871	0	05626871	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733349	56	0	0	56
		Thermal 3{1}	-156302	0	0 156302	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595585	0	02595585	101	0	0	101
		Pressure 2{1}	2595776	0	02595776	-124	0	0	124
		Pressure 3{1}	2595776	0	02595776	-107	0	0	107
		GT1{1}	5626871	47	05626871	94	0	217	237
		GT2{1}	-.2E+07	47	01733349	276	0	217	351
		GT3{1}	-156302	47	0 156302	242	0	217	325
		GW1{1}	0	47	0 47	219	0	217	308
		GW2{1}	0	47	0 47	221	0	217	310
		GW3{1}	0	47	0 47	163	0	217	271
		GW4{1}	0	47	0 47	272	0	217	348
		GT1P1{1}	8222456	47	08222456	195	0	217	292
		GT2P2{1}	862427	47	0 862427	152	0	217	265
		GT3P3{1}	2439474	47	02439474	135	0	217	256
		Gravity{2}	0	101	0 101	461	0	462	653
		Thermal 3{2}	-156302	0	0 156302	25	0	0	25
		Pressure 1{2}	3244719	0	03244719	871	0	0	871
		GT3{2}	-156302	101	0 156302	486	0	462	671
		Hydrotest-NL{2}	3088417	101	03088417	1357	0	462	1434
+43	-	Gravity{1}	0	47	0 47	220	0	193	293
		Thermal 1{1}	5626871	0	05626871	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733349	56	0	0	56
		Thermal 3{1}	-156302	0	0 156302	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595585	0	02595585	101	0	0	101
		Pressure 2{1}	2595776	0	02595776	-124	0	0	124
		Pressure 3{1}	2595776	0	02595776	-107	0	0	107
		GT1{1}	5626871	47	05626871	94	0	193	215
		GT2{1}	-.2E+07	47	01733349	276	0	193	337
		GT3{1}	-156302	47	0 156302	242	0	193	310
		GW1{1}	0	47	0 47	219	0	193	292
		GW2{1}	0	47	0 47	221	0	193	294
		GW3{1}	0	47	0 47	163	0	193	253
		GW4{1}	0	47	0 47	272	0	193	334
		GT1P1{1}	8222456	47	08222456	195	0	193	274
		GT2P2{1}	862427	47	0 862427	152	0	193	246
		GT3P3{1}	2439474	47	02439474	135	0	193	236
		Gravity{2}	0	101	0 101	461	0	412	618
		Thermal 3{2}	-156302	0	0 156302	25	0	0	25
		Pressure 1{2}	3244719	0	03244719	871	0	0	871
		GT3{2}	-156302	101	0 156302	486	0	412	637
		Hydrotest-NL{2}	3088417	101	03088417	1357	0	412	1418
+43	+	Gravity{1}	0	48	0 48	220	0	193	293
		Thermal 1{1}	5626880	0	05626880	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733352	56	0	0	56
		Thermal 3{1}	-156302	0	0 156302	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595588	0	02595588	101	0	0	101
		Pressure 2{1}	2595780	0	02595780	-124	0	0	124
		Pressure 3{1}	2595780	0	02595780	-107	0	0	107
		GT1{1}	5626880	48	05626880	94	0	193	215
		GT2{1}	-.2E+07	48	01733352	276	0	193	337
		GT3{1}	-156302	48	0 156302	242	0	193	310
		GW1{1}	0	48	0 48	219	0	193	292
		GW2{1}	0	48	0 48	221	0	193	294
		GW3{1}	0	48	0 48	163	0	193	253
		GW4{1}	0	48	0 48	272	0	193	334
		GT1P1{1}	8222469	48	08222469	195	0	193	274
		GT2P2{1}	862429	48	0 862429	152	0	193	246
		GT3P3{1}	2439478	48	02439478	135	0	193	236
		Gravity{2}	0	102	0 102	461	0	412	618
		Thermal 3{2}	-156302	0	0 156302	25	0	0	25
		Pressure 1{2}	3244725	0	03244725	871	0	0	871
		GT3{2}	-156302	102	0 156302	486	0	412	637
		Hydrotest-NL{2}	3088422	102	03088422	1357	0	412	1418
+44	-	Gravity{1}	0	48	0 48	220	0	170	278
		Thermal 1{1}	5626880	0	05626880	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733352	56	0	0	56
		Thermal 3{1}	-156302	0	0 156302	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595588	0	02595588	101	0	0	101
		Pressure 2{1}	2595780	0	02595780	-124	0	0	124
		Pressure 3{1}	2595780	0	02595780	-107	0	0	107
		GT1{1}	5626880	48	05626880	94	0	170	194

		GT2{1}	-.2E+07	48	01733352	276	0	170	324
		GT3{1}	-156302	48	0 156302	242	0	170	296
		GW1{1}	0	48	0 48	219	0	170	277
		GW2{1}	0	48	0 48	221	0	170	279
		GW3{1}	0	48	0 48	163	0	170	235
		GW4{1}	0	48	0 48	272	0	170	321
		GT1P1{1}	8222469	48	08222469	195	0	170	258
		GT2P2{1}	862429	48	0 862429	152	0	170	228
		GT3P3{1}	2439478	48	02439478	135	0	170	217
		Gravity{2}	0	102	0 102	461	0	361	586
		Thermal 3{2}	-156302	0	0 156302	25	0	0	25
		Pressure 1{2}	3244725	0	03244725	871	0	0	871
		GT3{2}	-156302	102	0 156302	486	0	361	605
		Hydrotest-NL{2}	3088422	102	03088422	1357	0	361	1405
+44	+	Gravity{1}	0	47	0 47	220	0	170	278
		Thermal 1{1}	5626890	0	05626890	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733355	56	0	0	56
		Thermal 3{1}	-156303	0	0 156303	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595591	0	02595591	101	0	0	101
		Pressure 2{1}	2595785	0	02595785	-124	0	0	124
		Pressure 3{1}	2595785	0	02595785	-107	0	0	107
		GT1{1}	5626890	47	05626890	94	0	170	194
		GT2{1}	-.2E+07	47	01733355	276	0	170	324
		GT3{1}	-156303	47	0 156303	242	0	170	296
		GW1{1}	0	47	0 47	219	0	170	277
		GW2{1}	0	47	0 47	221	0	170	279
		GW3{1}	0	47	0 47	163	0	170	235
		GW4{1}	0	47	0 47	272	0	170	321
		GT1P1{1}	8222481	47	08222481	195	0	170	258
		GT2P2{1}	862430	47	0 862430	152	0	170	228
		GT3P3{1}	2439483	47	02439483	135	0	170	217
		Gravity{2}	0	99	0 99	461	0	361	586
		Thermal 3{2}	-156303	0	0 156303	25	0	0	25
		Pressure 1{2}	3244730	0	03244730	871	0	0	871
		GT3{2}	-156303	99	0 156303	486	0	361	605
		Hydrotest-NL{2}	3088428	99	03088428	1357	0	361	1405
+45	-	Gravity{1}	0	47	0 47	220	0	146	264
		Thermal 1{1}	5626890	0	05626890	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733355	56	0	0	56
		Thermal 3{1}	-156303	0	0 156303	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595591	0	02595591	101	0	0	101
		Pressure 2{1}	2595785	0	02595785	-124	0	0	124
		Pressure 3{1}	2595785	0	02595785	-107	0	0	107
		GT1{1}	5626890	47	05626890	94	0	146	174
		GT2{1}	-.2E+07	47	01733355	276	0	146	312
		GT3{1}	-156303	47	0 156303	242	0	146	283
		GW1{1}	0	47	0 47	219	0	146	263
		GW2{1}	0	47	0 47	221	0	146	265
		GW3{1}	0	47	0 47	163	0	146	219
		GW4{1}	0	47	0 47	272	0	146	309
		GT1P1{1}	8222481	47	08222481	195	0	146	244
		GT2P2{1}	862430	47	0 862430	152	0	146	211
		GT3P3{1}	2439483	47	02439483	135	0	146	199
		Gravity{2}	0	99	0 99	461	0	311	557
		Thermal 3{2}	-156303	0	0 156303	25	0	0	25
		Pressure 1{2}	3244730	0	03244730	871	0	0	871
		GT3{2}	-156303	99	0 156303	486	0	311	577
		Hydrotest-NL{2}	3088428	99	03088428	1357	0	311	1393
+45	+	Gravity{1}	0	44	0 44	220	0	146	264
		Thermal 1{1}	5626900	0	05626900	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733358	56	0	0	56
		Thermal 3{1}	-156303	0	0 156303	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595594	0	02595594	101	0	0	101
		Pressure 2{1}	2595789	0	02595789	-124	0	0	124
		Pressure 3{1}	2595789	0	02595789	-107	0	0	107
		GT1{1}	5626900	44	05626900	94	0	146	174
		GT2{1}	-.2E+07	44	01733358	276	0	146	312
		GT3{1}	-156303	44	0 156303	242	0	146	283
		GW1{1}	0	44	0 44	219	0	146	263
		GW2{1}	0	44	0 44	221	0	146	265
		GW3{1}	0	44	0 44	163	0	146	219
		GW4{1}	0	44	0 44	272	0	146	309
		GT1P1{1}	8222494	44	08222494	195	0	146	244
		GT2P2{1}	862431	44	0 862431	152	0	146	211
		GT3P3{1}	2439486	44	02439486	135	0	146	199
		Gravity{2}	0	94	0 94	461	0	311	557
		Thermal 3{2}	-156303	0	0 156303	25	0	0	25
		Pressure 1{2}	3244736	0	03244736	871	0	0	871
		GT3{2}	-156303	94	0 156303	486	0	311	577
		Hydrotest-NL{2}	3088433	94	03088433	1357	0	311	1393
+46	-	Gravity{1}	0	44	0 44	220	0	124	253
		Thermal 1{1}	5626900	0	05626900	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733358	56	0	0	56
		Thermal 3{1}	-156303	0	0 156303	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595594	0	02595594	101	0	0	101
		Pressure 2{1}	2595789	0	02595789	-124	0	0	124
		Pressure 3{1}	2595789	0	02595789	-107	0	0	107
		GT1{1}	5626900	44	05626900	94	0	124	156

	GT2{1}	-.2E+07	44	01733358	276	0	124	303
	GT3{1}	-156303	44	0 156303	242	0	124	272
	GW1{1}	0	44	0 44	219	0	124	251
	GW2{1}	0	44	0 44	221	0	124	254
	GW3{1}	0	44	0 44	163	0	124	205
	GW4{1}	0	44	0 44	272	0	124	299
	GT1P1{1}	8222494	44	08222494	195	0	124	231
	GT2P2{1}	862431	44	0 862431	152	0	124	196
	GT3P3{1}	2439486	44	02439486	135	0	124	183
	Gravity{2}	0	94	0 94	461	0	264	532
	Thermal 3{2}	-156303	0	0 156303	25	0	0	25
	Pressure 1{2}	3244736	0	03244736	871	0	0	871
	GT3{2}	-156303	94	0 156303	486	0	264	553
	Hydrotest-NL{2}	3088433	94	03088433	1357	0	264	1383
+46 +	Gravity{1}	0	41	0 41	220	0	124	253
	Thermal 1{1}	5626909	0	05626909	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733361	56	0	0	56
	Thermal 3{1}	-156303	0	0 156303	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595597	0	02595597	101	0	0	101
	Pressure 2{1}	2595794	0	02595794	-124	0	0	124
	Pressure 3{1}	2595794	0	02595794	-107	0	0	107
	GT1{1}	5626909	41	05626909	94	0	124	156
	GT2{1}	-.2E+07	41	01733361	276	0	124	303
	GT3{1}	-156303	41	0 156303	242	0	124	272
	GW1{1}	0	41	0 41	219	0	124	251
	GW2{1}	0	41	0 41	221	0	124	254
	GW3{1}	0	41	0 41	163	0	124	205
	GW4{1}	0	41	0 41	272	0	124	299
	GT1P1{1}	8222506	41	08222506	195	0	124	231
	GT2P2{1}	862433	41	0 862433	152	0	124	196
	GT3P3{1}	2439491	41	02439491	135	0	124	183
	Gravity{2}	0	88	0 88	461	0	264	532
	Thermal 3{2}	-156303	0	0 156303	25	0	0	25
	Pressure 1{2}	3244741	0	03244741	871	0	0	871
	GT3{2}	-156303	88	0 156303	486	0	264	553
	Hydrotest-NL{2}	3088438	88	03088438	1357	0	264	1383
+47 -	Gravity{1}	0	41	0 41	220	0	103	243
	Thermal 1{1}	5626909	0	05626909	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733361	56	0	0	56
	Thermal 3{1}	-156303	0	0 156303	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595597	0	02595597	101	0	0	101
	Pressure 2{1}	2595794	0	02595794	-124	0	0	124
	Pressure 3{1}	2595794	0	02595794	-107	0	0	107
	GT1{1}	5626909	41	05626909	94	0	103	140
	GT2{1}	-.2E+07	41	01733361	276	0	103	295
	GT3{1}	-156303	41	0 156303	242	0	103	264
	GW1{1}	0	41	0 41	219	0	103	242
	GW2{1}	0	41	0 41	221	0	103	244
	GW3{1}	0	41	0 41	163	0	103	193
	GW4{1}	0	41	0 41	272	0	103	291
	GT1P1{1}	8222506	41	08222506	195	0	103	221
	GT2P2{1}	862433	41	0 862433	152	0	103	184
	GT3P3{1}	2439491	41	02439491	135	0	103	170
	Gravity{2}	0	88	0 88	461	0	220	511
	Thermal 3{2}	-156303	0	0 156303	25	0	0	25
	Pressure 1{2}	3244741	0	03244741	871	0	0	871
	GT3{2}	-156303	88	0 156303	486	0	220	534
	Hydrotest-NL{2}	3088438	88	03088438	1357	0	220	1375
+47 +	Gravity{1}	0	38	0 38	220	0	103	243
	Thermal 1{1}	5626918	0	05626918	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733364	56	0	0	56
	Thermal 3{1}	-156303	0	0 156303	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595599	0	02595599	101	0	0	101
	Pressure 2{1}	2595798	0	02595798	-124	0	0	124
	Pressure 3{1}	2595798	0	02595798	-107	0	0	107
	GT1{1}	5626918	38	05626918	94	0	103	140
	GT2{1}	-.2E+07	38	01733364	276	0	103	295
	GT3{1}	-156303	38	0 156303	242	0	103	264
	GW1{1}	0	38	0 38	219	0	103	242
	GW2{1}	0	38	0 38	221	0	103	244
	GW3{1}	0	38	0 38	163	0	103	193
	GW4{1}	0	38	0 38	272	0	103	291
	GT1P1{1}	8222517	38	08222517	195	0	103	221
	GT2P2{1}	862434	38	0 862434	152	0	103	184
	GT3P3{1}	2439495	38	02439495	135	0	103	170
	Gravity{2}	0	81	0 81	461	0	220	511
	Thermal 3{2}	-156303	0	0 156303	25	0	0	25
	Pressure 1{2}	3244747	0	03244747	871	0	0	871
	GT3{2}	-156303	81	0 156303	486	0	220	534
	Hydrotest-NL{2}	3088443	81	03088443	1357	0	220	1375
+48 -	Gravity{1}	0	38	0 38	220	0	84	236
	Thermal 1{1}	5626918	0	05626918	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733364	56	0	0	56
	Thermal 3{1}	-156303	0	0 156303	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595599	0	02595599	101	0	0	101
	Pressure 2{1}	2595798	0	02595798	-124	0	0	124
	Pressure 3{1}	2595798	0	02595798	-107	0	0	107
	GT1{1}	5626918	38	05626918	94	0	84	127

		GT2{1}	-.2E+07	38	01733364	276	0	84	289
		GT3{1}	-156303	38	0 156303	242	0	84	257
		GW1{1}	0	38	0 38	219	0	84	234
		GW2{1}	0	38	0 38	221	0	84	237
		GW3{1}	0	38	0 38	163	0	84	183
		GW4{1}	0	38	0 38	272	0	84	285
		GT1P1{1}	8222517	38	08222517	195	0	84	212
		GT2P2{1}	862434	38	0 862434	152	0	84	174
		GT3P3{1}	2439495	38	02439495	135	0	84	159
		Gravity{2}	0	81	0 81	461	0	180	495
		Thermal 3{2}	-156303	0	0 156303	25	0	0	25
		Pressure 1{2}	3244747	0	03244747	871	0	0	871
		GT3{2}	-156303	81	0 156303	486	0	180	518
		Hydrotest-NL{2}	3088443	81	03088443	1357	0	180	1369
+48	+	Gravity{1}	0	34	0 34	220	0	84	236
		Thermal 1{1}	5626927	0	05626927	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733366	56	0	0	56
		Thermal 3{1}	-156304	0	0 156304	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595602	0	02595602	101	0	0	101
		Pressure 2{1}	2595802	0	02595802	-124	0	0	124
		Pressure 3{1}	2595802	0	02595802	-107	0	0	107
		GT1{1}	5626927	34	05626927	94	0	84	127
		GT2{1}	-.2E+07	34	01733366	276	0	84	289
		GT3{1}	-156304	34	0 156304	242	0	84	257
		GW1{1}	0	34	0 34	219	0	84	234
		GW2{1}	0	34	0 34	221	0	84	237
		GW3{1}	0	34	0 34	163	0	84	183
		GW4{1}	0	34	0 34	272	0	84	285
		GT1P1{1}	8222529	34	08222529	195	0	84	212
		GT2P2{1}	862436	34	0 862436	152	0	84	174
		GT3P3{1}	2439499	34	02439499	135	0	84	159
		Gravity{2}	0	72	0 72	461	0	180	495
		Thermal 3{2}	-156304	0	0 156304	25	0	0	25
		Pressure 1{2}	3244752	0	03244752	871	0	0	871
		GT3{2}	-156304	72	0 156304	486	0	180	518
		Hydrotest-NL{2}	3088448	72	03088448	1357	0	180	1369
+49	-	Gravity{1}	0	34	0 34	220	0	67	230
		Thermal 1{1}	5626927	0	05626927	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733366	56	0	0	56
		Thermal 3{1}	-156304	0	0 156304	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595602	0	02595602	101	0	0	101
		Pressure 2{1}	2595802	0	02595802	-124	0	0	124
		Pressure 3{1}	2595802	0	02595802	-107	0	0	107
		GT1{1}	5626927	34	05626927	94	0	67	116
		GT2{1}	-.2E+07	34	01733366	276	0	67	284
		GT3{1}	-156304	34	0 156304	242	0	67	252
		GW1{1}	0	34	0 34	219	0	67	229
		GW2{1}	0	34	0 34	221	0	67	232
		GW3{1}	0	34	0 34	163	0	67	176
		GW4{1}	0	34	0 34	272	0	67	280
		GT1P1{1}	8222529	34	08222529	195	0	67	206
		GT2P2{1}	862436	34	0 862436	152	0	67	166
		GT3P3{1}	2439499	34	02439499	135	0	67	151
		Gravity{2}	0	72	0 72	461	0	144	483
		Thermal 3{2}	-156304	0	0 156304	25	0	0	25
		Pressure 1{2}	3244752	0	03244752	871	0	0	871
		GT3{2}	-156304	72	0 156304	486	0	144	507
		Hydrotest-NL{2}	3088448	72	03088448	1357	0	144	1365
+49	+	Gravity{1}	0	30	0 30	220	0	67	230
		Thermal 1{1}	5626936	0	05626936	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733369	56	0	0	56
		Thermal 3{1}	-156304	0	0 156304	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595604	0	02595604	101	0	0	101
		Pressure 2{1}	2595807	0	02595807	-124	0	0	124
		Pressure 3{1}	2595806	0	02595806	-107	0	0	107
		GT1{1}	5626936	30	05626936	94	0	67	116
		GT2{1}	-.2E+07	30	01733369	276	0	67	284
		GT3{1}	-156304	30	0 156304	242	0	67	252
		GW1{1}	0	30	0 30	219	0	67	229
		GW2{1}	0	30	0 30	221	0	67	232
		GW3{1}	0	30	0 30	163	0	67	176
		GW4{1}	0	30	0 30	272	0	67	280
		GT1P1{1}	8222540	30	08222540	195	0	67	206
		GT2P2{1}	862437	30	0 862437	152	0	67	166
		GT3P3{1}	2439503	30	02439503	135	0	67	151
		Gravity{2}	0	64	0 64	461	0	144	483
		Thermal 3{2}	-156304	0	0 156304	25	0	0	25
		Pressure 1{2}	3244757	0	03244757	871	0	0	871
		GT3{2}	-156304	64	0 156304	486	0	144	507
		Hydrotest-NL{2}	3088453	64	03088453	1357	0	144	1365
+50	-	Gravity{1}	0	30	0 30	220	0	52	226
		Thermal 1{1}	5626936	0	05626936	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733369	56	0	0	56
		Thermal 3{1}	-156304	0	0 156304	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595604	0	02595604	101	0	0	101
		Pressure 2{1}	2595807	0	02595807	-124	0	0	124
		Pressure 3{1}	2595806	0	02595806	-107	0	0	107
		GT1{1}	5626936	30	05626936	94	0	52	108

		GT2{1}	-.2E+07	30	01733369	276	0	52	281
		GT3{1}	-156304	30	0 156304	242	0	52	248
		GW1{1}	0	30	0 30	219	0	52	225
		GW2{1}	0	30	0 30	221	0	52	228
		GW3{1}	0	30	0 30	163	0	52	171
		GW4{1}	0	30	0 30	272	0	52	277
		GT1P1{1}	8222540	30	08222540	195	0	52	202
		GT2P2{1}	862437	30	0 862437	152	0	52	161
		GT3P3{1}	2439503	30	02439503	135	0	52	145
		Gravity{2}	0	64	0 64	461	0	112	475
		Thermal 3{2}	-156304	0	0 156304	25	0	0	25
		Pressure 1{2}	3244757	0	03244757	871	0	0	871
		GT3{2}	-156304	64	0 156304	486	0	112	499
		Hydrotest-NL{2}	3088453	64	03088453	1357	0	112	1362
+50	+	Gravity{1}	0	26	0 26	220	0	52	226
		Thermal 1{1}	5626945	0	05626945	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733372	56	0	0	56
		Thermal 3{1}	-156304	0	0 156304	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595606	0	02595606	101	0	0	101
		Pressure 2{1}	2595810	0	02595810	-124	0	0	124
		Pressure 3{1}	2595810	0	02595810	-107	0	0	107
		GT1{1}	5626945	26	05626945	94	0	52	108
		GT2{1}	-.2E+07	26	01733372	276	0	52	281
		GT3{1}	-156304	26	0 156304	242	0	52	248
		GW1{1}	0	26	0 26	219	0	52	225
		GW2{1}	0	26	0 26	221	0	52	228
		GW3{1}	0	26	0 26	163	0	52	171
		GW4{1}	0	26	0 26	272	0	52	277
		GT1P1{1}	8222551	26	08222551	195	0	52	202
		GT2P2{1}	862438	26	0 862438	152	0	52	161
		GT3P3{1}	2439506	26	02439506	135	0	52	145
		Gravity{2}	0	56	0 56	461	0	112	475
		Thermal 3{2}	-156304	0	0 156304	25	0	0	25
		Pressure 1{2}	3244762	0	03244762	871	0	0	871
		GT3{2}	-156304	56	0 156304	486	0	112	499
		Hydrotest-NL{2}	3088458	56	03088458	1357	0	112	1362
+51	-	Gravity{1}	0	26	0 26	220	0	39	224
		Thermal 1{1}	5626945	0	05626945	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733372	56	0	0	56
		Thermal 3{1}	-156304	0	0 156304	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595606	0	02595606	101	0	0	101
		Pressure 2{1}	2595810	0	02595810	-124	0	0	124
		Pressure 3{1}	2595810	0	02595810	-107	0	0	107
		GT1{1}	5626945	26	05626945	94	0	39	102
		GT2{1}	-.2E+07	26	01733372	276	0	39	279
		GT3{1}	-156304	26	0 156304	242	0	39	246
		GW1{1}	0	26	0 26	219	0	39	222
		GW2{1}	0	26	0 26	221	0	39	225
		GW3{1}	0	26	0 26	163	0	39	168
		GW4{1}	0	26	0 26	272	0	39	275
		GT1P1{1}	8222551	26	08222551	195	0	39	199
		GT2P2{1}	862438	26	0 862438	152	0	39	157
		GT3P3{1}	2439506	26	02439506	135	0	39	141
		Gravity{2}	0	56	0 56	461	0	84	469
		Thermal 3{2}	-156304	0	0 156304	25	0	0	25
		Pressure 1{2}	3244762	0	03244762	871	0	0	871
		GT3{2}	-156304	56	0 156304	486	0	84	493
		Hydrotest-NL{2}	3088458	56	03088458	1357	0	84	1360
+51	+	Gravity{1}	0	22	0 22	220	0	39	224
		Thermal 1{1}	5626953	0	05626953	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733375	56	0	0	56
		Thermal 3{1}	-156304	0	0 156304	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595609	0	02595609	101	0	0	101
		Pressure 2{1}	2595815	0	02595815	-124	0	0	124
		Pressure 3{1}	2595814	0	02595814	-107	0	0	107
		GT1{1}	5626953	22	05626953	94	0	39	102
		GT2{1}	-.2E+07	22	01733375	276	0	39	279
		GT3{1}	-156304	22	0 156304	242	0	39	246
		GW1{1}	0	22	0 22	219	0	39	222
		GW2{1}	0	22	0 22	221	0	39	225
		GW3{1}	0	22	0 22	163	0	39	168
		GW4{1}	0	22	0 22	272	0	39	275
		GT1P1{1}	8222562	22	08222562	195	0	39	199
		GT2P2{1}	862440	22	0 862440	152	0	39	157
		GT3P3{1}	2439510	22	02439510	135	0	39	141
		Gravity{2}	0	48	0 48	461	0	84	469
		Thermal 3{2}	-156304	0	0 156304	25	0	0	25
		Pressure 1{2}	3244767	0	03244767	871	0	0	871
		GT3{2}	-156304	48	0 156304	486	0	84	493
		Hydrotest-NL{2}	3088463	48	03088463	1357	0	84	1360
+52	-	Gravity{1}	0	22	0 22	220	0	28	222
		Thermal 1{1}	5626953	0	05626953	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733375	56	0	0	56
		Thermal 3{1}	-156304	0	0 156304	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595609	0	02595609	101	0	0	101
		Pressure 2{1}	2595815	0	02595815	-124	0	0	124
		Pressure 3{1}	2595814	0	02595814	-107	0	0	107
		GT1{1}	5626953	22	05626953	94	0	28	98

	GT2{1}	-.2E+07	22	01733375	276	0	28	277	
	GT3{1}	-156304	22	0 156304	242	0	28	244	
	GW1{1}	0	22	0 22	219	0	28	221	
	GW2{1}	0	22	0 22	221	0	28	223	
	GW3{1}	0	22	0 22	163	0	28	165	
	GW4{1}	0	22	0 22	272	0	28	274	
	GT1P1{1}	8222562	22	08222562	195	0	28	197	
	GT2P2{1}	862440	22	0 862440	152	0	28	155	
	GT3P3{1}	2439510	22	02439510	135	0	28	138	
	Gravity{2}	0	48	0 48	461	0	60	465	
	Thermal 3{2}	-156304	0	0 156304	25	0	0	25	
	Pressure 1{2}	3244767	0	03244767	871	0	0	871	
	GT3{2}	-156304	48	0 156304	486	0	60	490	
	Hydrotest-NL{2}	3088463	48	03088463	1357	0	60	1359	
+52	+	Gravity{1}	0	19	0 19	220	0	28	222
		Thermal 1{1}	5626962	0	05626962	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733377	56	0	0	56
		Thermal 3{1}	-156305	0	0 156305	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595611	0	02595611	101	0	0	101
		Pressure 2{1}	2595819	0	02595819	-124	0	0	124
		Pressure 3{1}	2595818	0	02595818	-107	0	0	107
		GT1{1}	5626962	19	05626962	94	0	28	98
		GT2{1}	-.2E+07	19	01733377	276	0	28	277
		GT3{1}	-156305	19	0 156305	242	0	28	244
		GW1{1}	0	19	0 19	219	0	28	221
		GW2{1}	0	19	0 19	221	0	28	223
		GW3{1}	0	19	0 19	163	0	28	165
		GW4{1}	0	19	0 19	272	0	28	274
		GT1P1{1}	8222572	19	08222572	195	0	28	197
		GT2P2{1}	862441	19	0 862441	152	0	28	155
		GT3P3{1}	2439514	19	02439514	135	0	28	138
		Gravity{2}	0	40	0 40	461	0	60	465
		Thermal 3{2}	-156305	0	0 156305	25	0	0	25
		Pressure 1{2}	3244772	0	03244772	871	0	0	871
		GT3{2}	-156305	40	0 156305	486	0	60	490
		Hydrotest-NL{2}	3088468	40	03088468	1357	0	60	1359
+53	-	Gravity{1}	0	19	0 19	220	0	19	221
		Thermal 1{1}	5626962	0	05626962	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733377	56	0	0	56
		Thermal 3{1}	-156305	0	0 156305	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595611	0	02595611	101	0	0	101
		Pressure 2{1}	2595819	0	02595819	-124	0	0	124
		Pressure 3{1}	2595818	0	02595818	-107	0	0	107
		GT1{1}	5626962	19	05626962	94	0	19	96
		GT2{1}	-.2E+07	19	01733377	276	0	19	277
		GT3{1}	-156305	19	0 156305	242	0	19	243
		GW1{1}	0	19	0 19	219	0	19	220
		GW2{1}	0	19	0 19	221	0	19	222
		GW3{1}	0	19	0 19	163	0	19	164
		GW4{1}	0	19	0 19	272	0	19	273
		GT1P1{1}	8222572	19	08222572	195	0	19	196
		GT2P2{1}	862441	19	0 862441	152	0	19	153
		GT3P3{1}	2439514	19	02439514	135	0	19	136
		Gravity{2}	0	40	0 40	461	0	39	463
		Thermal 3{2}	-156305	0	0 156305	25	0	0	25
		Pressure 1{2}	3244772	0	03244772	871	0	0	871
		GT3{2}	-156305	40	0 156305	486	0	39	488
		Hydrotest-NL{2}	3088468	40	03088468	1357	0	39	1358
+53	+	Gravity{1}	0	16	0 16	220	0	19	221
		Thermal 1{1}	5626970	0	05626970	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733380	56	0	0	56
		Thermal 3{1}	-156305	0	0 156305	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595613	0	02595613	101	0	0	101
		Pressure 2{1}	2595822	0	02595822	-124	0	0	124
		Pressure 3{1}	2595822	0	02595822	-107	0	0	107
		GT1{1}	5626970	16	05626970	94	0	19	96
		GT2{1}	-.2E+07	16	01733380	276	0	19	277
		GT3{1}	-156305	16	0 156305	242	0	19	243
		GW1{1}	0	16	0 16	219	0	19	220
		GW2{1}	0	16	0 16	221	0	19	222
		GW3{1}	0	16	0 16	163	0	19	164
		GW4{1}	0	16	0 16	272	0	19	273
		GT1P1{1}	8222582	16	08222582	195	0	19	196
		GT2P2{1}	862442	16	0 862442	152	0	19	153
		GT3P3{1}	2439517	16	02439517	135	0	19	136
		Gravity{2}	0	33	0 33	461	0	39	463
		Thermal 3{2}	-156305	0	0 156305	25	0	0	25
		Pressure 1{2}	3244777	0	03244777	871	0	0	871
		GT3{2}	-156305	33	0 156305	486	0	39	488
		Hydrotest-NL{2}	3088472	33	03088472	1357	0	39	1358
+54	-	Gravity{1}	0	16	0 16	220	0	11	220
		Thermal 1{1}	5626970	0	05626970	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733380	56	0	0	56
		Thermal 3{1}	-156305	0	0 156305	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595613	0	02595613	101	0	0	101
		Pressure 2{1}	2595822	0	02595822	-124	0	0	124
		Pressure 3{1}	2595822	0	02595822	-107	0	0	107
		GT1{1}	5626970	16	05626970	94	0	11	95

		GT2{1}	-.2E+07	16	01733380	276	0	11	276
		GT3{1}	-156305	16	0 156305	242	0	11	243
		GW1{1}	0	16	0 16	219	0	11	219
		GW2{1}	0	16	0 16	221	0	11	222
		GW3{1}	0	16	0 16	163	0	11	163
		GW4{1}	0	16	0 16	272	0	11	272
		GT1P1{1}	8222582	16	08222582	195	0	11	195
		GT2P2{1}	862442	16	0 862442	152	0	11	153
		GT3P3{1}	2439517	16	02439517	135	0	11	135
		Gravity{2}	0	33	0 33	461	0	23	462
		Thermal 3{2}	-156305	0	0 156305	25	0	0	25
		Pressure 1{2}	3244777	0	03244777	871	0	0	871
		GT3{2}	-156305	33	0 156305	486	0	23	487
		Hydrotest-NL{2}	3088472	33	03088472	1357	0	23	1358
+54	+	Gravity{1}	0	13	0 13	220	0	11	220
		Thermal 1{1}	5626978	0	05626978	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733383	56	0	0	56
		Thermal 3{1}	-156305	0	0 156305	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595614	0	02595614	101	0	0	101
		Pressure 2{1}	2595826	0	02595826	-124	0	0	124
		Pressure 3{1}	2595826	0	02595826	-107	0	0	107
		GT1{1}	5626978	13	05626978	94	0	11	95
		GT2{1}	-.2E+07	13	01733383	276	0	11	276
		GT3{1}	-156305	13	0 156305	242	0	11	243
		GW1{1}	0	13	0 13	219	0	11	219
		GW2{1}	0	13	0 13	221	0	11	222
		GW3{1}	0	13	0 13	163	0	11	163
		GW4{1}	0	13	0 13	272	0	11	272
		GT1P1{1}	8222592	13	08222592	195	0	11	195
		GT2P2{1}	862444	13	0 862444	152	0	11	153
		GT3P3{1}	2439521	13	02439521	135	0	11	135
		Gravity{2}	0	27	0 27	461	0	23	462
		Thermal 3{2}	-156305	0	0 156305	25	0	0	25
		Pressure 1{2}	3244782	0	03244782	871	0	0	871
		GT3{2}	-156305	27	0 156305	486	0	23	487
		Hydrotest-NL{2}	3088477	27	03088477	1357	0	23	1358
+55	-	Gravity{1}	0	13	0 13	220	0	4	220
		Thermal 1{1}	5626978	0	05626978	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733383	56	0	0	56
		Thermal 3{1}	-156305	0	0 156305	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595614	0	02595614	101	0	0	101
		Pressure 2{1}	2595826	0	02595826	-124	0	0	124
		Pressure 3{1}	2595826	0	02595826	-107	0	0	107
		GT1{1}	5626978	13	05626978	94	0	4	94
		GT2{1}	-.2E+07	13	01733383	276	0	4	276
		GT3{1}	-156305	13	0 156305	242	0	4	242
		GW1{1}	0	13	0 13	219	0	4	219
		GW2{1}	0	13	0 13	221	0	4	222
		GW3{1}	0	13	0 13	163	0	4	163
		GW4{1}	0	13	0 13	272	0	4	272
		GT1P1{1}	8222592	13	08222592	195	0	4	195
		GT2P2{1}	862444	13	0 862444	152	0	4	152
		GT3P3{1}	2439521	13	02439521	135	0	4	135
		Gravity{2}	0	27	0 27	461	0	9	461
		Thermal 3{2}	-156305	0	0 156305	25	0	0	25
		Pressure 1{2}	3244782	0	03244782	871	0	0	871
		GT3{2}	-156305	27	0 156305	486	0	9	486
		Hydrotest-NL{2}	3088477	27	03088477	1357	0	9	1357
+55	+	Gravity{1}	0	10	0 10	220	0	4	220
		Thermal 1{1}	5626987	0	05626987	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733385	56	0	0	56
		Thermal 3{1}	-156305	0	0 156305	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595616	0	02595616	101	0	0	101
		Pressure 2{1}	2595830	0	02595830	-124	0	0	124
		Pressure 3{1}	2595830	0	02595830	-107	0	0	107
		GT1{1}	5626987	10	05626987	94	0	4	94
		GT2{1}	-.2E+07	10	01733385	276	0	4	276
		GT3{1}	-156305	10	0 156305	242	0	4	242
		GW1{1}	0	10	0 10	219	0	4	219
		GW2{1}	0	10	0 10	221	0	4	222
		GW3{1}	0	10	0 10	163	0	4	163
		GW4{1}	0	10	0 10	272	0	4	272
		GT1P1{1}	8222602	10	08222602	195	0	4	195
		GT2P2{1}	862445	10	0 862445	152	0	4	152
		GT3P3{1}	2439525	10	02439525	135	0	4	135
		Gravity{2}	0	21	0 21	461	0	9	461
		Thermal 3{2}	-156305	0	0 156305	25	0	0	25
		Pressure 1{2}	3244787	0	03244787	871	0	0	871
		GT3{2}	-156305	21	0 156305	486	0	9	486
		Hydrotest-NL{2}	3088481	21	03088481	1357	0	9	1357
+56	-	Gravity{1}	0	10	0 10	220	0	-1	220
		Thermal 1{1}	5626987	0	05626987	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733385	56	0	0	56
		Thermal 3{1}	-156305	0	0 156305	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595616	0	02595616	101	0	0	101
		Pressure 2{1}	2595830	0	02595830	-124	0	0	124
		Pressure 3{1}	2595830	0	02595830	-107	0	0	107
		GT1{1}	5626987	10	05626987	94	0	-1	94

	GT2{1}	-.2E+07	10	01733385	276	0	-1	276	
	GT3{1}	-156305	10	0 156305	242	0	-1	242	
	GW1{1}	0	10	0 10	219	0	-1	219	
	GW2{1}	0	10	0 10	221	0	-1	221	
	GW3{1}	0	10	0 10	163	0	-1	163	
	GW4{1}	0	10	0 10	272	0	-1	272	
	GT1P1{1}	8222602	10	08222602	195	0	-1	195	
	GT2P2{1}	862445	10	0 862445	152	0	-1	152	
	GT3P3{1}	2439525	10	02439525	135	0	-1	135	
	Gravity{2}	0	21	0 21	461	0	-1	461	
	Thermal 3{2}	-156305	0	0 156305	25	0	0	25	
	Pressure 1{2}	3244787	0	03244787	871	0	0	871	
	GT3{2}	-156305	21	0 156305	486	0	-1	486	
	Hydrotest-NL{2}	3088481	21	03088481	1357	0	-1	1357	
+56	+	Gravity{1}	0	8	0 8	220	0	-1	220
		Thermal 1{1}	5626994	0	05626994	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733388	56	0	0	56
		Thermal 3{1}	-156305	0	0 156305	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595618	0	02595618	101	0	0	101
		Pressure 2{1}	2595834	0	02595834	-124	0	0	124
		Pressure 3{1}	2595834	0	02595834	-107	0	0	107
		GT1{1}	5626994	8	05626994	94	0	-1	94
		GT2{1}	-.2E+07	8	01733388	276	0	-1	276
		GT3{1}	-156305	8	0 156305	242	0	-1	242
		GW1{1}	0	8	0 8	219	0	-1	219
		GW2{1}	0	8	0 8	221	0	-1	221
		GW3{1}	0	8	0 8	163	0	-1	163
		GW4{1}	0	8	0 8	272	0	-1	272
		GT1P1{1}	8222612	8	08222612	195	0	-1	195
		GT2P2{1}	862446	8	0 862446	152	0	-1	152
		GT3P3{1}	2439528	8	02439528	135	0	-1	135
		Gravity{2}	0	16	0 16	461	0	-1	461
		Thermal 3{2}	-156305	0	0 156305	25	0	0	25
		Pressure 1{2}	3244791	0	03244791	871	0	0	871
		GT3{2}	-156305	16	0 156305	486	0	-1	486
		Hydrotest-NL{2}	3088486	16	03088486	1357	0	-1	1357
+57	-	Gravity{1}	0	8	0 8	220	0	-5	220
		Thermal 1{1}	5626994	0	05626994	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733388	56	0	0	56
		Thermal 3{1}	-156305	0	0 156305	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595618	0	02595618	101	0	0	101
		Pressure 2{1}	2595834	0	02595834	-124	0	0	124
		Pressure 3{1}	2595834	0	02595834	-107	0	0	107
		GT1{1}	5626994	8	05626994	94	0	-5	94
		GT2{1}	-.2E+07	8	01733388	276	0	-5	276
		GT3{1}	-156305	8	0 156305	242	0	-5	242
		GW1{1}	0	8	0 8	219	0	-5	219
		GW2{1}	0	8	0 8	221	0	-5	222
		GW3{1}	0	8	0 8	163	0	-5	163
		GW4{1}	0	8	0 8	272	0	-5	272
		GT1P1{1}	8222612	8	08222612	195	0	-5	195
		GT2P2{1}	862446	8	0 862446	152	0	-5	152
		GT3P3{1}	2439528	8	02439528	135	0	-5	135
		Gravity{2}	0	16	0 16	461	0	-10	461
		Thermal 3{2}	-156305	0	0 156305	25	0	0	25
		Pressure 1{2}	3244791	0	03244791	871	0	0	871
		GT3{2}	-156305	16	0 156305	486	0	-10	486
		Hydrotest-NL{2}	3088486	16	03088486	1357	0	-10	1357
+57	+	Gravity{1}	0	6	0 6	220	0	-5	220
		Thermal 1{1}	5627002	0	05627002	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733390	56	0	0	56
		Thermal 3{1}	-156306	0	0 156306	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595619	0	02595619	101	0	0	101
		Pressure 2{1}	2595838	0	02595838	-124	0	0	124
		Pressure 3{1}	2595837	0	02595837	-107	0	0	107
		GT1{1}	5627002	6	05627002	94	0	-5	94
		GT2{1}	-.2E+07	6	01733390	276	0	-5	276
		GT3{1}	-156306	6	0 156306	242	0	-5	242
		GW1{1}	0	6	0 6	219	0	-5	219
		GW2{1}	0	6	0 6	221	0	-5	222
		GW3{1}	0	6	0 6	163	0	-5	163
		GW4{1}	0	6	0 6	272	0	-5	272
		GT1P1{1}	8222621	6	08222621	195	0	-5	195
		GT2P2{1}	862448	6	0 862448	152	0	-5	152
		GT3P3{1}	2439532	6	02439532	135	0	-5	135
		Gravity{2}	0	12	0 12	461	0	-10	461
		Thermal 3{2}	-156306	0	0 156306	25	0	0	25
		Pressure 1{2}	3244796	0	03244796	871	0	0	871
		GT3{2}	-156306	12	0 156306	486	0	-10	486
		Hydrotest-NL{2}	3088490	12	03088490	1357	0	-10	1357
+58	-	Gravity{1}	0	6	0 6	220	0	-7	220
		Thermal 1{1}	5627002	0	05627002	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733390	56	0	0	56
		Thermal 3{1}	-156306	0	0 156306	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595619	0	02595619	101	0	0	101
		Pressure 2{1}	2595838	0	02595838	-124	0	0	124
		Pressure 3{1}	2595837	0	02595837	-107	0	0	107
		GT1{1}	5627002	6	05627002	94	0	-7	95

		GT2{1}	-.2E+07	6	01733390	276	0	-7	276
		GT3{1}	-156306	6	0 156306	242	0	-7	242
		GW1{1}	0	6	0 6	219	0	-7	219
		GW2{1}	0	6	0 6	221	0	-7	222
		GW3{1}	0	6	0 6	163	0	-7	163
		GW4{1}	0	6	0 6	272	0	-7	272
		GT1P1{1}	8222621	6	08222621	195	0	-7	195
		GT2P2{1}	862448	6	0 862448	152	0	-7	152
		GT3P3{1}	2439532	6	02439532	135	0	-7	135
		Gravity{2}	0	12	0 12	461	0	-16	462
		Thermal 3{2}	-156306	0	0 156306	25	0	0	25
		Pressure 1{2}	3244796	0	03244796	871	0	0	871
		GT3{2}	-156306	12	0 156306	486	0	-16	486
		Hydrotest-NL{2}	3088490	12	03088490	1357	0	-16	1357
+58	+	Gravity{1}	0	4	0 4	220	0	-7	220
		Thermal 1{1}	5627010	0	05627010	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733392	56	0	0	56
		Thermal 3{1}	-156306	0	0 156306	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595621	0	02595621	101	0	0	101
		Pressure 2{1}	2595841	0	02595841	-124	0	0	124
		Pressure 3{1}	2595841	0	02595841	-107	0	0	107
		GT1{1}	5627010	4	05627010	94	0	-7	95
		GT2{1}	-.2E+07	4	01733392	276	0	-7	276
		GT3{1}	-156306	4	0 156306	242	0	-7	242
		GW1{1}	0	4	0 4	219	0	-7	219
		GW2{1}	0	4	0 4	221	0	-7	222
		GW3{1}	0	4	0 4	163	0	-7	163
		GW4{1}	0	4	0 4	272	0	-7	272
		GT1P1{1}	8222631	4	08222631	195	0	-7	195
		GT2P2{1}	862449	4	0 862449	152	0	-7	152
		GT3P3{1}	2439535	4	02439535	135	0	-7	135
		Gravity{2}	0	8	0 8	461	0	-16	462
		Thermal 3{2}	-156306	0	0 156306	25	0	0	25
		Pressure 1{2}	3244800	0	03244800	871	0	0	871
		GT3{2}	-156306	8	0 156306	486	0	-16	486
		Hydrotest-NL{2}	3088494	8	03088494	1357	0	-16	1357
+59	-	Gravity{1}	0	4	0 4	220	0	-9	220
		Thermal 1{1}	5627010	0	05627010	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733392	56	0	0	56
		Thermal 3{1}	-156306	0	0 156306	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595621	0	02595621	101	0	0	101
		Pressure 2{1}	2595841	0	02595841	-124	0	0	124
		Pressure 3{1}	2595841	0	02595841	-107	0	0	107
		GT1{1}	5627010	4	05627010	94	0	-9	95
		GT2{1}	-.2E+07	4	01733392	276	0	-9	276
		GT3{1}	-156306	4	0 156306	242	0	-9	243
		GW1{1}	0	4	0 4	219	0	-9	219
		GW2{1}	0	4	0 4	221	0	-9	222
		GW3{1}	0	4	0 4	163	0	-9	163
		GW4{1}	0	4	0 4	272	0	-9	272
		GT1P1{1}	8222631	4	08222631	195	0	-9	195
		GT2P2{1}	862449	4	0 862449	152	0	-9	152
		GT3P3{1}	2439535	4	02439535	135	0	-9	135
		Gravity{2}	0	8	0 8	461	0	-20	462
		Thermal 3{2}	-156306	0	0 156306	25	0	0	25
		Pressure 1{2}	3244800	0	03244800	871	0	0	871
		GT3{2}	-156306	8	0 156306	486	0	-20	486
		Hydrotest-NL{2}	3088494	8	03088494	1357	0	-20	1358
+59	+	Gravity{1}	0	3	0 3	220	0	-9	220
		Thermal 1{1}	5627018	0	05627018	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733395	56	0	0	56
		Thermal 3{1}	-156306	0	0 156306	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595622	0	02595622	101	0	0	101
		Pressure 2{1}	2595845	0	02595845	-124	0	0	124
		Pressure 3{1}	2595845	0	02595845	-107	0	0	107
		GT1{1}	5627018	3	05627018	94	0	-9	95
		GT2{1}	-.2E+07	3	01733395	276	0	-9	276
		GT3{1}	-156306	3	0 156306	242	0	-9	243
		GW1{1}	0	3	0 3	219	0	-9	219
		GW2{1}	0	3	0 3	221	0	-9	222
		GW3{1}	0	3	0 3	163	0	-9	163
		GW4{1}	0	3	0 3	272	0	-9	272
		GT1P1{1}	8222640	3	08222640	195	0	-9	195
		GT2P2{1}	862450	3	0 862450	152	0	-9	152
		GT3P3{1}	2439539	3	02439539	135	0	-9	135
		Gravity{2}	0	5	0 5	461	0	-20	462
		Thermal 3{2}	-156306	0	0 156306	25	0	0	25
		Pressure 1{2}	3244805	0	03244805	871	0	0	871
		GT3{2}	-156306	5	0 156306	486	0	-20	486
		Hydrotest-NL{2}	3088499	5	03088499	1357	0	-20	1358
+60	-	Gravity{1}	0	3	0 3	220	0	-11	220
		Thermal 1{1}	5627018	0	05627018	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733395	56	0	0	56
		Thermal 3{1}	-156306	0	0 156306	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595622	0	02595622	101	0	0	101
		Pressure 2{1}	2595845	0	02595845	-124	0	0	124
		Pressure 3{1}	2595845	0	02595845	-107	0	0	107
		GT1{1}	5627018	3	05627018	94	0	-11	95

	GT2{1}	-.2E+07	3	01733395	276	0	-11	276
	GT3{1}	-156306	3	0 156306	242	0	-11	243
	GW1{1}	0	3	0 3	219	0	-11	219
	GW2{1}	0	3	0 3	221	0	-11	222
	GW3{1}	0	3	0 3	163	0	-11	163
	GW4{1}	0	3	0 3	272	0	-11	272
	GT1P1{1}	8222640	3	08222640	195	0	-11	195
	GT2P2{1}	862450	3	0 862450	152	0	-11	153
	GT3P3{1}	2439539	3	02439539	135	0	-11	135
	Gravity{2}	0	5	0 5	461	0	-23	462
	Thermal 3{2}	-156306	0	0 156306	25	0	0	25
	Pressure 1{2}	3244805	0	03244805	871	0	0	871
	GT3{2}	-156306	5	0 156306	486	0	-23	487
	Hydrotest-NL{2}	3088499	5	03088499	1357	0	-23	1358
+60 +	Gravity{1}	0	1	0 1	220	0	-11	220
	Thermal 1{1}	5627026	0	05627026	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733397	56	0	0	56
	Thermal 3{1}	-156306	0	0 156306	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595623	0	02595623	101	0	0	101
	Pressure 2{1}	2595849	0	02595849	-124	0	0	124
	Pressure 3{1}	2595848	0	02595848	-107	0	0	107
	GT1{1}	5627026	1	05627026	94	0	-11	95
	GT2{1}	-.2E+07	1	01733397	276	0	-11	276
	GT3{1}	-156306	1	0 156306	242	0	-11	243
	GW1{1}	0	1	0 1	219	0	-11	219
	GW2{1}	0	1	0 1	221	0	-11	222
	GW3{1}	0	1	0 1	163	0	-11	163
	GW4{1}	0	1	0 1	272	0	-11	272
	GT1P1{1}	8222649	1	08222649	195	0	-11	195
	GT2P2{1}	862451	1	0 862451	152	0	-11	153
	GT3P3{1}	2439542	1	02439542	135	0	-11	135
	Gravity{2}	0	3	0 3	461	0	-23	462
	Thermal 3{2}	-156306	0	0 156306	25	0	0	25
	Pressure 1{2}	3244809	0	03244809	871	0	0	871
	GT3{2}	-156306	3	0 156306	486	0	-23	487
	Hydrotest-NL{2}	3088503	3	03088503	1357	0	-23	1358
+61 -	Gravity{1}	0	1	0 1	220	0	-11	220
	Thermal 1{1}	5627026	0	05627026	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733397	56	0	0	56
	Thermal 3{1}	-156306	0	0 156306	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595623	0	02595623	101	0	0	101
	Pressure 2{1}	2595849	0	02595849	-124	0	0	124
	Pressure 3{1}	2595848	0	02595848	-107	0	0	107
	GT1{1}	5627026	1	05627026	94	0	-11	95
	GT2{1}	-.2E+07	1	01733397	276	0	-11	276
	GT3{1}	-156306	1	0 156306	242	0	-11	243
	GW1{1}	0	1	0 1	219	0	-11	219
	GW2{1}	0	1	0 1	221	0	-11	222
	GW3{1}	0	1	0 1	163	0	-11	163
	GW4{1}	0	1	0 1	272	0	-11	272
	GT1P1{1}	8222649	1	08222649	195	0	-11	195
	GT2P2{1}	862451	1	0 862451	152	0	-11	153
	GT3P3{1}	2439542	1	02439542	135	0	-11	135
	Gravity{2}	0	3	0 3	461	0	-24	462
	Thermal 3{2}	-156306	0	0 156306	25	0	0	25
	Pressure 1{2}	3244809	0	03244809	871	0	0	871
	GT3{2}	-156306	3	0 156306	486	0	-24	487
	Hydrotest-NL{2}	3088503	3	03088503	1357	0	-24	1358
+61 +	Gravity{1}	0	0	0 0	220	0	-11	220
	Thermal 1{1}	5627033	0	05627033	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733400	56	0	0	56
	Thermal 3{1}	-156307	0	0 156307	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595625	0	02595625	101	0	0	101
	Pressure 2{1}	2595852	0	02595852	-124	0	0	124
	Pressure 3{1}	2595852	0	02595852	-107	0	0	107
	GT1{1}	5627033	0	05627033	94	0	-11	95
	GT2{1}	-.2E+07	0	01733400	276	0	-11	276
	GT3{1}	-156307	0	0 156307	242	0	-11	243
	GW1{1}	0	0	0 0	219	0	-11	219
	GW2{1}	0	0	0 0	221	0	-11	222
	GW3{1}	0	0	0 0	163	0	-11	163
	GW4{1}	0	0	0 0	272	0	-11	272
	GT1P1{1}	8222657	0	08222657	195	0	-11	195
	GT2P2{1}	862452	0	0 862452	152	0	-11	153
	GT3P3{1}	2439545	0	02439545	135	0	-11	135
	Gravity{2}	0	1	0 1	461	0	-24	462
	Thermal 3{2}	-156307	0	0 156307	25	0	0	25
	Pressure 1{2}	3244814	0	03244814	871	0	0	871
	GT3{2}	-156307	1	0 156307	486	0	-24	487
	Hydrotest-NL{2}	3088507	1	03088507	1357	0	-24	1358
+62 -	Gravity{1}	0	0	0 0	220	0	-11	220
	Thermal 1{1}	5627033	0	05627033	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733400	56	0	0	56
	Thermal 3{1}	-156307	0	0 156307	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595625	0	02595625	101	0	0	101
	Pressure 2{1}	2595852	0	02595852	-124	0	0	124
	Pressure 3{1}	2595852	0	02595852	-107	0	0	107
	GT1{1}	5627033	0	05627033	94	0	-11	95

	GT2{1}	-.2E+07	0	01733400	276	0	-11	276
	GT3{1}	-156307	0	0 156307	242	0	-11	243
	GW1{1}	0	0	0 0	219	0	-11	219
	GW2{1}	0	0	0 0	221	0	-11	222
	GW3{1}	0	0	0 0	163	0	-11	163
	GW4{1}	0	0	0 0	272	0	-11	272
	GT1P1{1}	8222657	0	08222657	195	0	-11	195
	GT2P2{1}	862452	0	0 862452	152	0	-11	153
	GT3P3{1}	2439545	0	02439545	135	0	-11	135
	Gravity{2}	0	1	0 1	461	0	-24	462
	Thermal 3{2}	-156307	0	0 156307	25	0	0	25
	Pressure 1{2}	3244814	0	03244814	871	0	0	871
	GT3{2}	-156307	1	0 156307	486	0	-24	487
	Hydrotest-NL{2}	3088507	1	03088507	1357	0	-24	1358
+62	+	Gravity{1}	0	0 0	220	0	-11	220
		Thermal 1{1}	5627040	0 05627040	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733402	56	0	0	56
		Thermal 3{1}	-156307	0 0 156307	22	0	0	22
		Wind 1{1}	0	0 0	-1	0	0	1
		Wind 2{1}	0	0 0	1	0	0	1
		Wind 3{1}	0	0 0	-57	0	0	57
		Wind 4{1}	0	0 0	52	0	0	52
		Pressure 1{1}	2595626	0 02595626	101	0	0	101
		Pressure 2{1}	2595856	0 02595856	-124	0	0	124
		Pressure 3{1}	2595855	0 02595855	-107	0	0	107
		GT1{1}	5627040	0 05627040	94	0	-11	95
		GT2{1}	-.2E+07	0 01733402	276	0	-11	276
		GT3{1}	-156307	0 0 156307	242	0	-11	243
		GW1{1}	0	0 0	219	0	-11	219
		GW2{1}	0	0 0	221	0	-11	222
		GW3{1}	0	0 0	163	0	-11	163
		GW4{1}	0	0 0	272	0	-11	272
		GT1P1{1}	8222666	0 08222666	195	0	-11	195
		GT2P2{1}	862454	0 0 862454	152	0	-11	153
		GT3P3{1}	2439548	0 02439548	135	0	-11	135
		Gravity{2}	0	-1 0 1	461	0	-24	462
		Thermal 3{2}	-156307	0 0 156307	25	0	0	25
		Pressure 1{2}	3244818	0 03244818	871	0	0	871
		GT3{2}	-156307	-1 0 156307	486	0	-24	487
		Hydrotest-NL{2}	3088511	-1 03088511	1357	0	-24	1358
+63	-	Gravity{1}	0	0 0	220	0	-11	220
		Thermal 1{1}	5627040	0 05627040	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733402	56	0	0	56
		Thermal 3{1}	-156307	0 0 156307	22	0	0	22
		Wind 1{1}	0	0 0	-1	0	0	1
		Wind 2{1}	0	0 0	1	0	0	1
		Wind 3{1}	0	0 0	-57	0	0	57
		Wind 4{1}	0	0 0	52	0	0	52
		Pressure 1{1}	2595626	0 02595626	101	0	0	101
		Pressure 2{1}	2595856	0 02595856	-124	0	0	124
		Pressure 3{1}	2595855	0 02595855	-107	0	0	107
		GT1{1}	5627040	0 05627040	94	0	-11	95
		GT2{1}	-.2E+07	0 01733402	276	0	-11	276
		GT3{1}	-156307	0 0 156307	242	0	-11	243
		GW1{1}	0	0 0	219	0	-11	219
		GW2{1}	0	0 0	221	0	-11	222
		GW3{1}	0	0 0	163	0	-11	163
		GW4{1}	0	0 0	272	0	-11	272
		GT1P1{1}	8222666	0 08222666	195	0	-11	195
		GT2P2{1}	862454	0 0 862454	152	0	-11	153
		GT3P3{1}	2439548	0 02439548	135	0	-11	135
		Gravity{2}	0	-1 0 1	461	0	-24	462
		Thermal 3{2}	-156307	0 0 156307	25	0	0	25
		Pressure 1{2}	3244818	0 03244818	871	0	0	871
		GT3{2}	-156307	-1 0 156307	486	0	-24	487
		Hydrotest-NL{2}	3088511	-1 03088511	1357	0	-24	1358
+63	+	Gravity{1}	0	-1 0 1	220	0	-11	220
		Thermal 1{1}	5627047	0 05627047	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733404	56	0	0	56
		Thermal 3{1}	-156307	0 0 156307	22	0	0	22
		Wind 1{1}	0	0 0	-1	0	0	1
		Wind 2{1}	0	0 0	1	0	0	1
		Wind 3{1}	0	0 0	-57	0	0	57
		Wind 4{1}	0	0 0	52	0	0	52
		Pressure 1{1}	2595627	0 02595627	101	0	0	101
		Pressure 2{1}	2595859	0 02595859	-124	0	0	124
		Pressure 3{1}	2595859	0 02595859	-107	0	0	107
		GT1{1}	5627047	-1 05627047	94	0	-11	95
		GT2{1}	-.2E+07	-1 01733404	276	0	-11	276
		GT3{1}	-156307	-1 0 156307	242	0	-11	243
		GW1{1}	0	-1 0 1	219	0	-11	219
		GW2{1}	0	-1 0 1	221	0	-11	222
		GW3{1}	0	-1 0 1	163	0	-11	163
		GW4{1}	0	-1 0 1	272	0	-11	272
		GT1P1{1}	8222674	-1 08222674	195	0	-11	195
		GT2P2{1}	862455	-1 0 862455	152	0	-11	153
		GT3P3{1}	2439552	-1 02439552	135	0	-11	135
		Gravity{2}	0	-2 0 2	461	0	-24	462
		Thermal 3{2}	-156307	0 0 156307	25	0	0	25
		Pressure 1{2}	3244822	0 03244822	871	0	0	871
		GT3{2}	-156307	-2 0 156307	486	0	-24	487
		Hydrotest-NL{2}	3088515	-2 03088515	1357	0	-24	1358
+64	-	Gravity{1}	0	-1 0 1	220	0	-11	220
		Thermal 1{1}	5627047	0 05627047	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733404	56	0	0	56
		Thermal 3{1}	-156307	0 0 156307	22	0	0	22
		Wind 1{1}	0	0 0	-1	0	0	1
		Wind 2{1}	0	0 0	1	0	0	1
		Wind 3{1}	0	0 0	-57	0	0	57
		Wind 4{1}	0	0 0	52	0	0	52
		Pressure 1{1}	2595627	0 02595627	101	0	0	101
		Pressure 2{1}	2595859	0 02595859	-124	0	0	124
		Pressure 3{1}	2595859	0 02595859	-107	0	0	107
		GT1{1}	5627047	-1 05627047	94	0	-11	95

		GT2{1}	-.2E+07	-1	01733404	276	0	-11	276
		GT3{1}	-156307	-1	0 156307	242	0	-11	243
		GW1{1}	0	-1	0 1	219	0	-11	219
		GW2{1}	0	-1	0 1	221	0	-11	222
		GW3{1}	0	-1	0 1	163	0	-11	163
		GW4{1}	0	-1	0 1	272	0	-11	272
		GT1P1{1}	8222674	-1	08222674	195	0	-11	195
		GT2P2{1}	862455	-1	0 862455	152	0	-11	153
		GT3P3{1}	2439552	-1	02439552	135	0	-11	135
		Gravity{2}	0	-2	0 2	461	0	-23	462
		Thermal 3{2}	-156307	0	0 156307	25	0	0	25
		Pressure 1{2}	3244822	0	03244822	871	0	0	871
		GT3{2}	-156307	-2	0 156307	486	0	-23	487
		Hydrotest-NL{2}	3088515	-2	03088515	1357	0	-23	1358
+64	+	Gravity{1}	0	-1	0 1	220	0	-11	220
		Thermal 1{1}	5627054	0	05627054	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733406	56	0	0	56
		Thermal 3{1}	-156307	0	0 156307	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595628	0	02595628	101	0	0	101
		Pressure 2{1}	2595862	0	02595862	-124	0	0	124
		Pressure 3{1}	2595862	0	02595862	-107	0	0	107
		GT1{1}	5627054	-1	05627054	94	0	-11	95
		GT2{1}	-.2E+07	-1	01733406	276	0	-11	276
		GT3{1}	-156307	-1	0 156307	242	0	-11	243
		GW1{1}	0	-1	0 1	219	0	-11	219
		GW2{1}	0	-1	0 1	221	0	-11	222
		GW3{1}	0	-1	0 1	163	0	-11	163
		GW4{1}	0	-1	0 1	272	0	-11	272
		GT1P1{1}	8222681	-1	08222681	195	0	-11	195
		GT2P2{1}	862456	-1	0 862456	152	0	-11	153
		GT3P3{1}	2439555	-1	02439555	135	0	-11	135
		Gravity{2}	0	-3	0 3	461	0	-23	462
		Thermal 3{2}	-156307	0	0 156307	25	0	0	25
		Pressure 1{2}	3244826	0	03244826	871	0	0	871
		GT3{2}	-156307	-3	0 156307	486	0	-23	487
		Hydrotest-NL{2}	3088519	-3	03088519	1357	0	-23	1358
+65	-	Gravity{1}	0	-1	0 1	220	0	-10	220
		Thermal 1{1}	5627054	0	05627054	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733406	56	0	0	56
		Thermal 3{1}	-156307	0	0 156307	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595628	0	02595628	101	0	0	101
		Pressure 2{1}	2595862	0	02595862	-124	0	0	124
		Pressure 3{1}	2595862	0	02595862	-107	0	0	107
		GT1{1}	5627054	-1	05627054	94	0	-10	95
		GT2{1}	-.2E+07	-1	01733406	276	0	-10	276
		GT3{1}	-156307	-1	0 156307	242	0	-10	243
		GW1{1}	0	-1	0 1	219	0	-10	219
		GW2{1}	0	-1	0 1	221	0	-10	222
		GW3{1}	0	-1	0 1	163	0	-10	163
		GW4{1}	0	-1	0 1	272	0	-10	272
		GT1P1{1}	8222681	-1	08222681	195	0	-10	195
		GT2P2{1}	862456	-1	0 862456	152	0	-10	153
		GT3P3{1}	2439555	-1	02439555	135	0	-10	135
		Gravity{2}	0	-3	0 3	461	0	-21	462
		Thermal 3{2}	-156307	0	0 156307	25	0	0	25
		Pressure 1{2}	3244826	0	03244826	871	0	0	871
		GT3{2}	-156307	-3	0 156307	486	0	-21	487
		Hydrotest-NL{2}	3088519	-3	03088519	1357	0	-21	1358
+65	+	Gravity{1}	0	-2	0 2	220	0	-10	220
		Thermal 1{1}	5627061	0	05627061	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733409	56	0	0	56
		Thermal 3{1}	-156307	0	0 156307	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595628	0	02595628	101	0	0	101
		Pressure 2{1}	2595866	0	02595866	-124	0	0	124
		Pressure 3{1}	2595865	0	02595865	-107	0	0	107
		GT1{1}	5627061	-2	05627061	94	0	-10	95
		GT2{1}	-.2E+07	-2	01733409	276	0	-10	276
		GT3{1}	-156307	-2	0 156307	242	0	-10	243
		GW1{1}	0	-2	0 2	219	0	-10	219
		GW2{1}	0	-2	0 2	221	0	-10	222
		GW3{1}	0	-2	0 2	163	0	-10	163
		GW4{1}	0	-2	0 2	272	0	-10	272
		GT1P1{1}	8222689	-2	08222689	195	0	-10	195
		GT2P2{1}	862457	-2	0 862457	152	0	-10	153
		GT3P3{1}	2439558	-2	02439558	135	0	-10	135
		Gravity{2}	0	-3	0 3	461	0	-21	462
		Thermal 3{2}	-156307	0	0 156307	25	0	0	25
		Pressure 1{2}	3244830	0	03244830	871	0	0	871
		GT3{2}	-156307	-3	0 156307	486	0	-21	487
		Hydrotest-NL{2}	3088523	-3	03088523	1357	0	-21	1358
+66	-	Gravity{1}	0	-2	0 2	220	0	-9	220
		Thermal 1{1}	5627061	0	05627061	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733409	56	0	0	56
		Thermal 3{1}	-156307	0	0 156307	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595628	0	02595628	101	0	0	101
		Pressure 2{1}	2595866	0	02595866	-124	0	0	124
		Pressure 3{1}	2595865	0	02595865	-107	0	0	107
		GT1{1}	5627061	-2	05627061	94	0	-9	95

	GT2{1}	-.2E+07	-2	01733409	276	0	-9	276
	GT3{1}	-156307	-2	0 156307	242	0	-9	243
	GW1{1}	0	-2	0 2	219	0	-9	219
	GW2{1}	0	-2	0 2	221	0	-9	222
	GW3{1}	0	-2	0 2	163	0	-9	163
	GW4{1}	0	-2	0 2	272	0	-9	272
	GT1P1{1}	8222689	-2	08222689	195	0	-9	195
	GT2P2{1}	862457	-2	0 862457	152	0	-9	152
	GT3P3{1}	2439558	-2	02439558	135	0	-9	135
	Gravity{2}	0	-3	0 3	461	0	-20	462
	Thermal 3{2}	-156307	0	0 156307	25	0	0	25
	Pressure 1{2}	3244830	0	03244830	871	0	0	871
	GT3{2}	-156307	-3	0 156307	486	0	-20	486
	Hydrotest-NL{2}	3088523	-3	03088523	1357	0	-20	1358
+66 +	Gravity{1}	0	-2	0 2	220	0	-9	220
	Thermal 1{1}	5627068	0	05627068	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733411	56	0	0	56
	Thermal 3{1}	-156308	0	0 156308	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595629	0	02595629	101	0	0	101
	Pressure 2{1}	2595869	0	02595869	-124	0	0	124
	Pressure 3{1}	2595868	0	02595868	-107	0	0	107
	GT1{1}	5627068	-2	05627068	94	0	-9	95
	GT2{1}	-.2E+07	-2	01733411	276	0	-9	276
	GT3{1}	-156308	-2	0 156308	242	0	-9	243
	GW1{1}	0	-2	0 2	219	0	-9	219
	GW2{1}	0	-2	0 2	221	0	-9	222
	GW3{1}	0	-2	0 2	163	0	-9	163
	GW4{1}	0	-2	0 2	272	0	-9	272
	GT1P1{1}	8222697	-2	08222697	195	0	-9	195
	GT2P2{1}	862458	-2	0 862458	152	0	-9	152
	GT3P3{1}	2439561	-2	02439561	135	0	-9	135
	Gravity{2}	0	-4	0 4	461	0	-20	462
	Thermal 3{2}	-156308	0	0 156308	25	0	0	25
	Pressure 1{2}	3244835	0	03244835	871	0	0	871
	GT3{2}	-156308	-4	0 156308	486	0	-20	486
	Hydrotest-NL{2}	3088527	-4	03088527	1357	0	-20	1358
+67 -	Gravity{1}	0	-2	0 2	220	0	-8	220
	Thermal 1{1}	5627068	0	05627068	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733411	56	0	0	56
	Thermal 3{1}	-156308	0	0 156308	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595629	0	02595629	101	0	0	101
	Pressure 2{1}	2595869	0	02595869	-124	0	0	124
	Pressure 3{1}	2595868	0	02595868	-107	0	0	107
	GT1{1}	5627068	-2	05627068	94	0	-8	95
	GT2{1}	-.2E+07	-2	01733411	276	0	-8	276
	GT3{1}	-156308	-2	0 156308	242	0	-8	243
	GW1{1}	0	-2	0 2	219	0	-8	219
	GW2{1}	0	-2	0 2	221	0	-8	222
	GW3{1}	0	-2	0 2	163	0	-8	163
	GW4{1}	0	-2	0 2	272	0	-8	272
	GT1P1{1}	8222697	-2	08222697	195	0	-8	195
	GT2P2{1}	862458	-2	0 862458	152	0	-8	152
	GT3P3{1}	2439561	-2	02439561	135	0	-8	135
	Gravity{2}	0	-4	0 4	461	0	-18	462
	Thermal 3{2}	-156308	0	0 156308	25	0	0	25
	Pressure 1{2}	3244835	0	03244835	871	0	0	871
	GT3{2}	-156308	-4	0 156308	486	0	-18	486
	Hydrotest-NL{2}	3088527	-4	03088527	1357	0	-18	1358
+67 +	Gravity{1}	0	-2	0 2	220	0	-8	220
	Thermal 1{1}	5627074	0	05627074	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733413	56	0	0	56
	Thermal 3{1}	-156308	0	0 156308	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595629	0	02595629	101	0	0	101
	Pressure 2{1}	2595872	0	02595872	-124	0	0	124
	Pressure 3{1}	2595872	0	02595872	-107	0	0	107
	GT1{1}	5627074	-2	05627074	94	0	-8	95
	GT2{1}	-.2E+07	-2	01733413	276	0	-8	276
	GT3{1}	-156308	-2	0 156308	242	0	-8	243
	GW1{1}	0	-2	0 2	219	0	-8	219
	GW2{1}	0	-2	0 2	221	0	-8	222
	GW3{1}	0	-2	0 2	163	0	-8	163
	GW4{1}	0	-2	0 2	272	0	-8	272
	GT1P1{1}	8222704	-2	08222704	195	0	-8	195
	GT2P2{1}	862459	-2	0 862459	152	0	-8	152
	GT3P3{1}	2439564	-2	02439564	135	0	-8	135
	Gravity{2}	0	-4	0 4	461	0	-18	462
	Thermal 3{2}	-156308	0	0 156308	25	0	0	25
	Pressure 1{2}	3244839	0	03244839	871	0	0	871
	GT3{2}	-156308	-4	0 156308	486	0	-18	486
	Hydrotest-NL{2}	3088531	-4	03088531	1357	0	-18	1358
+68 -	Gravity{1}	0	-2	0 2	220	0	-7	220
	Thermal 1{1}	5627074	0	05627074	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733413	56	0	0	56
	Thermal 3{1}	-156308	0	0 156308	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595629	0	02595629	101	0	0	101
	Pressure 2{1}	2595872	0	02595872	-124	0	0	124
	Pressure 3{1}	2595872	0	02595872	-107	0	0	107
	GT1{1}	5627074	-2	05627074	94	0	-7	95

		GT2{1}	-.2E+07	-2	01733413	276	0	-7	276
		GT3{1}	-156308	-2	0 156308	242	0	-7	243
		GW1{1}	0	-2	0 2	219	0	-7	219
		GW2{1}	0	-2	0 2	221	0	-7	222
		GW3{1}	0	-2	0 2	163	0	-7	163
		GW4{1}	0	-2	0 2	272	0	-7	272
		GT1P1{1}	8222704	-2	08222704	195	0	-7	195
		GT2P2{1}	862459	-2	0 862459	152	0	-7	152
		GT3P3{1}	2439564	-2	02439564	135	0	-7	135
		Gravity{2}	0	-4	0 4	461	0	-16	462
		Thermal 3{2}	-156308	0	0 156308	25	0	0	25
		Pressure 1{2}	3244839	0	03244839	871	0	0	871
		GT3{2}	-156308	-4	0 156308	486	0	-16	486
		Hydrotest-NL{2}	3088531	-4	03088531	1357	0	-16	1357
+68	+	Gravity{1}	0	-2	0 2	220	0	-7	220
		Thermal 1{1}	5627081	0	05627081	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733415	56	0	0	56
		Thermal 3{1}	-156308	0	0 156308	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595630	0	02595630	101	0	0	101
		Pressure 2{1}	2595875	0	02595875	-124	0	0	124
		Pressure 3{1}	2595875	0	02595875	-107	0	0	107
		GT1{1}	5627081	-2	05627081	94	0	-7	95
		GT2{1}	-.2E+07	-2	01733415	276	0	-7	276
		GT3{1}	-156308	-2	0 156308	242	0	-7	243
		GW1{1}	0	-2	0 2	219	0	-7	219
		GW2{1}	0	-2	0 2	221	0	-7	222
		GW3{1}	0	-2	0 2	163	0	-7	163
		GW4{1}	0	-2	0 2	272	0	-7	272
		GT1P1{1}	8222711	-2	08222711	195	0	-7	195
		GT2P2{1}	862460	-2	0 862460	152	0	-7	152
		GT3P3{1}	2439567	-2	02439567	135	0	-7	135
		Gravity{2}	0	-4	0 4	461	0	-16	462
		Thermal 3{2}	-156308	0	0 156308	25	0	0	25
		Pressure 1{2}	3244842	0	03244842	871	0	0	871
		GT3{2}	-156308	-4	0 156308	486	0	-16	486
		Hydrotest-NL{2}	3088535	-4	03088535	1357	0	-16	1357
+69	-	Gravity{1}	0	-2	0 2	220	0	-7	220
		Thermal 1{1}	5627081	0	05627081	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733415	56	0	0	56
		Thermal 3{1}	-156308	0	0 156308	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595630	0	02595630	101	0	0	101
		Pressure 2{1}	2595875	0	02595875	-124	0	0	124
		Pressure 3{1}	2595875	0	02595875	-107	0	0	107
		GT1{1}	5627081	-2	05627081	94	0	-7	94
		GT2{1}	-.2E+07	-2	01733415	276	0	-7	276
		GT3{1}	-156308	-2	0 156308	242	0	-7	242
		GW1{1}	0	-2	0 2	219	0	-7	219
		GW2{1}	0	-2	0 2	221	0	-7	222
		GW3{1}	0	-2	0 2	163	0	-7	163
		GW4{1}	0	-2	0 2	272	0	-7	272
		GT1P1{1}	8222711	-2	08222711	195	0	-7	195
		GT2P2{1}	862460	-2	0 862460	152	0	-7	152
		GT3P3{1}	2439567	-2	02439567	135	0	-7	135
		Gravity{2}	0	-4	0 4	461	0	-14	462
		Thermal 3{2}	-156308	0	0 156308	25	0	0	25
		Pressure 1{2}	3244842	0	03244842	871	0	0	871
		GT3{2}	-156308	-4	0 156308	486	0	-14	486
		Hydrotest-NL{2}	3088535	-4	03088535	1357	0	-14	1357
+69	+	Gravity{1}	0	-2	0 2	220	0	-7	220
		Thermal 1{1}	5627088	0	05627088	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733417	56	0	0	56
		Thermal 3{1}	-156308	0	0 156308	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595630	0	02595630	101	0	0	101
		Pressure 2{1}	2595878	0	02595878	-124	0	0	124
		Pressure 3{1}	2595878	0	02595878	-107	0	0	107
		GT1{1}	5627088	-2	05627088	94	0	-7	94
		GT2{1}	-.2E+07	-2	01733417	276	0	-7	276
		GT3{1}	-156308	-2	0 156308	242	0	-7	242
		GW1{1}	0	-2	0 2	219	0	-7	219
		GW2{1}	0	-2	0 2	221	0	-7	222
		GW3{1}	0	-2	0 2	163	0	-7	163
		GW4{1}	0	-2	0 2	272	0	-7	272
		GT1P1{1}	8222718	-2	08222718	195	0	-7	195
		GT2P2{1}	862461	-2	0 862461	152	0	-7	152
		GT3P3{1}	2439570	-2	02439570	135	0	-7	135
		Gravity{2}	0	-4	0 4	461	0	-14	462
		Thermal 3{2}	-156308	0	0 156308	25	0	0	25
		Pressure 1{2}	3244846	0	03244846	871	0	0	871
		GT3{2}	-156308	-4	0 156308	486	0	-14	486
		Hydrotest-NL{2}	3088538	-4	03088538	1357	0	-14	1357
+70	-	Gravity{1}	0	-2	0 2	220	0	-6	220
		Thermal 1{1}	5627088	0	05627088	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733417	56	0	0	56
		Thermal 3{1}	-156308	0	0 156308	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595630	0	02595630	101	0	0	101
		Pressure 2{1}	2595878	0	02595878	-124	0	0	124
		Pressure 3{1}	2595878	0	02595878	-107	0	0	107
		GT1{1}	5627088	-2	05627088	94	0	-6	94

	GT2{1}	-.2E+07	-2	01733417	276	0	-6	276	
	GT3{1}	-156308	-2	0 156308	242	0	-6	242	
	GW1{1}	0	-2	0 2	219	0	-6	219	
	GW2{1}	0	-2	0 2	221	0	-6	222	
	GW3{1}	0	-2	0 2	163	0	-6	163	
	GW4{1}	0	-2	0 2	272	0	-6	272	
	GT1P1{1}	8222718	-2	08222718	195	0	-6	195	
	GT2P2{1}	862461	-2	0 862461	152	0	-6	152	
	GT3P3{1}	2439570	-2	02439570	135	0	-6	135	
	Gravity{2}	0	-4	0 4	461	0	-12	462	
	Thermal 3{2}	-156308	0	0 156308	25	0	0	25	
	Pressure 1{2}	3244846	0	03244846	871	0	0	871	
	GT3{2}	-156308	-4	0 156308	486	0	-12	486	
	Hydrotest-NL{2}	3088538	-4	03088538	1357	0	-12	1357	
+70	+	Gravity{1}	0	-2	0 2	220	0	-6	220
		Thermal 1{1}	5627094	0	05627094	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733419	56	0	0	56
		Thermal 3{1}	-156308	0	0 156308	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595631	0	02595631	101	0	0	101
		Pressure 2{1}	2595881	0	02595881	-124	0	0	124
		Pressure 3{1}	2595881	0	02595881	-107	0	0	107
		GT1{1}	5627094	-2	05627094	94	0	-6	94
		GT2{1}	-.2E+07	-2	01733419	276	0	-6	276
		GT3{1}	-156308	-2	0 156308	242	0	-6	242
		GW1{1}	0	-2	0 2	219	0	-6	219
		GW2{1}	0	-2	0 2	221	0	-6	222
		GW3{1}	0	-2	0 2	163	0	-6	163
		GW4{1}	0	-2	0 2	272	0	-6	272
		GT1P1{1}	8222725	-2	08222725	195	0	-6	195
		GT2P2{1}	862462	-2	0 862462	152	0	-6	152
		GT3P3{1}	2439573	-2	02439573	135	0	-6	135
		Gravity{2}	0	-4	0 4	461	0	-12	462
		Thermal 3{2}	-156308	0	0 156308	25	0	0	25
		Pressure 1{2}	3244850	0	03244850	871	0	0	871
		GT3{2}	-156308	-4	0 156308	486	0	-12	486
		Hydrotest-NL{2}	3088542	-4	03088542	1357	0	-12	1357
+71	-	Gravity{1}	0	-2	0 2	220	0	-5	220
		Thermal 1{1}	5627094	0	05627094	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733419	56	0	0	56
		Thermal 3{1}	-156308	0	0 156308	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595631	0	02595631	101	0	0	101
		Pressure 2{1}	2595881	0	02595881	-124	0	0	124
		Pressure 3{1}	2595881	0	02595881	-107	0	0	107
		GT1{1}	5627094	-2	05627094	94	0	-5	94
		GT2{1}	-.2E+07	-2	01733419	276	0	-5	276
		GT3{1}	-156308	-2	0 156308	242	0	-5	242
		GW1{1}	0	-2	0 2	219	0	-5	219
		GW2{1}	0	-2	0 2	221	0	-5	222
		GW3{1}	0	-2	0 2	163	0	-5	163
		GW4{1}	0	-2	0 2	272	0	-5	272
		GT1P1{1}	8222725	-2	08222725	195	0	-5	195
		GT2P2{1}	862462	-2	0 862462	152	0	-5	152
		GT3P3{1}	2439573	-2	02439573	135	0	-5	135
		Gravity{2}	0	-4	0 4	461	0	-10	461
		Thermal 3{2}	-156308	0	0 156308	25	0	0	25
		Pressure 1{2}	3244850	0	03244850	871	0	0	871
		GT3{2}	-156308	-4	0 156308	486	0	-10	486
		Hydrotest-NL{2}	3088542	-4	03088542	1357	0	-10	1357
+71	+	Gravity{1}	0	-2	0 2	220	0	-5	220
		Thermal 1{1}	5627101	0	05627101	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733421	56	0	0	56
		Thermal 3{1}	-156308	0	0 156308	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595631	0	02595631	101	0	0	101
		Pressure 2{1}	2595884	0	02595884	-124	0	0	124
		Pressure 3{1}	2595884	0	02595884	-107	0	0	107
		GT1{1}	5627101	-2	05627101	94	0	-5	94
		GT2{1}	-.2E+07	-2	01733421	276	0	-5	276
		GT3{1}	-156308	-2	0 156308	242	0	-5	242
		GW1{1}	0	-2	0 2	219	0	-5	219
		GW2{1}	0	-2	0 2	221	0	-5	222
		GW3{1}	0	-2	0 2	163	0	-5	163
		GW4{1}	0	-2	0 2	272	0	-5	272
		GT1P1{1}	8222731	-2	08222731	195	0	-5	195
		GT2P2{1}	862463	-2	0 862463	152	0	-5	152
		GT3P3{1}	2439575	-2	02439575	135	0	-5	135
		Gravity{2}	0	-3	0 3	461	0	-10	461
		Thermal 3{2}	-156308	0	0 156308	25	0	0	25
		Pressure 1{2}	3244854	0	03244854	871	0	0	871
		GT3{2}	-156308	-3	0 156308	486	0	-10	486
		Hydrotest-NL{2}	3088545	-3	03088545	1357	0	-10	1357
+72	-	Gravity{1}	0	-2	0 2	220	0	-4	220
		Thermal 1{1}	5627101	0	05627101	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733421	56	0	0	56
		Thermal 3{1}	-156308	0	0 156308	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595631	0	02595631	101	0	0	101
		Pressure 2{1}	2595884	0	02595884	-124	0	0	124
		Pressure 3{1}	2595884	0	02595884	-107	0	0	107
		GT1{1}	5627101	-2	05627101	94	0	-4	94

	GT2{1}	-.2E+07	-2	01733421	276	0	-4	276	
	GT3{1}	-156308	-2	0 156308	242	0	-4	242	
	GW1{1}	0	-2	0 2	219	0	-4	219	
	GW2{1}	0	-2	0 2	221	0	-4	222	
	GW3{1}	0	-2	0 2	163	0	-4	163	
	GW4{1}	0	-2	0 2	272	0	-4	272	
	GT1P1{1}	8222731	-2	08222731	195	0	-4	195	
	GT2P2{1}	862463	-2	0 862463	152	0	-4	152	
	GT3P3{1}	2439575	-2	02439575	135	0	-4	135	
	Gravity{2}	0	-3	0 3	461	0	-8	461	
	Thermal 3{2}	-156308	0	0 156308	25	0	0	25	
	Pressure 1{2}	3244854	0	03244854	871	0	0	871	
	GT3{2}	-156308	-3	0 156308	486	0	-8	486	
	Hydrotest-NL{2}	3088545	-3	03088545	1357	0	-8	1357	
+72	+	Gravity{1}	0	-1	0 1	220	0	-4	220
		Thermal 1{1}	5627107	0	05627107	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733423	56	0	0	56
		Thermal 3{1}	-156309	0	0 156309	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595631	0	02595631	101	0	0	101
		Pressure 2{1}	2595887	0	02595887	-124	0	0	124
		Pressure 3{1}	2595887	0	02595887	-107	0	0	107
		GT1{1}	5627107	-1	05627107	94	0	-4	94
		GT2{1}	-.2E+07	-1	01733423	276	0	-4	276
		GT3{1}	-156309	-1	0 156309	242	0	-4	242
		GW1{1}	0	-1	0 1	219	0	-4	219
		GW2{1}	0	-1	0 1	221	0	-4	222
		GW3{1}	0	-1	0 1	163	0	-4	163
		GW4{1}	0	-1	0 1	272	0	-4	272
		GT1P1{1}	8222737	-1	08222737	195	0	-4	195
		GT2P2{1}	862464	-1	0 862464	152	0	-4	152
		GT3P3{1}	2439578	-1	02439578	135	0	-4	135
		Gravity{2}	0	-3	0 3	461	0	-8	461
		Thermal 3{2}	-156309	0	0 156309	25	0	0	25
		Pressure 1{2}	3244858	0	03244858	871	0	0	871
		GT3{2}	-156309	-3	0 156309	486	0	-8	486
		Hydrotest-NL{2}	3088549	-3	03088549	1357	0	-8	1357
+73	-	Gravity{1}	0	-1	0 1	220	0	-3	220
		Thermal 1{1}	5627107	0	05627107	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733423	56	0	0	56
		Thermal 3{1}	-156309	0	0 156309	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595631	0	02595631	101	0	0	101
		Pressure 2{1}	2595887	0	02595887	-124	0	0	124
		Pressure 3{1}	2595887	0	02595887	-107	0	0	107
		GT1{1}	5627107	-1	05627107	94	0	-3	94
		GT2{1}	-.2E+07	-1	01733423	276	0	-3	276
		GT3{1}	-156309	-1	0 156309	242	0	-3	242
		GW1{1}	0	-1	0 1	219	0	-3	219
		GW2{1}	0	-1	0 1	221	0	-3	222
		GW3{1}	0	-1	0 1	163	0	-3	163
		GW4{1}	0	-1	0 1	272	0	-3	272
		GT1P1{1}	8222737	-1	08222737	195	0	-3	195
		GT2P2{1}	862464	-1	0 862464	152	0	-3	152
		GT3P3{1}	2439578	-1	02439578	135	0	-3	135
		Gravity{2}	0	-3	0 3	461	0	-7	461
		Thermal 3{2}	-156309	0	0 156309	25	0	0	25
		Pressure 1{2}	3244858	0	03244858	871	0	0	871
		GT3{2}	-156309	-3	0 156309	486	0	-7	486
		Hydrotest-NL{2}	3088549	-3	03088549	1357	0	-7	1357
+73	+	Gravity{1}	0	-1	0 1	220	0	-3	220
		Thermal 1{1}	5627113	0	05627113	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733425	56	0	0	56
		Thermal 3{1}	-156309	0	0 156309	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595631	0	02595631	101	0	0	101
		Pressure 2{1}	2595890	0	02595890	-124	0	0	124
		Pressure 3{1}	2595890	0	02595890	-107	0	0	107
		GT1{1}	5627113	-1	05627113	94	0	-3	94
		GT2{1}	-.2E+07	-1	01733425	276	0	-3	276
		GT3{1}	-156309	-1	0 156309	242	0	-3	242
		GW1{1}	0	-1	0 1	219	0	-3	219
		GW2{1}	0	-1	0 1	221	0	-3	222
		GW3{1}	0	-1	0 1	163	0	-3	163
		GW4{1}	0	-1	0 1	272	0	-3	272
		GT1P1{1}	8222744	-1	08222744	195	0	-3	195
		GT2P2{1}	862465	-1	0 862465	152	0	-3	152
		GT3P3{1}	2439581	-1	02439581	135	0	-3	135
		Gravity{2}	0	-3	0 3	461	0	-7	461
		Thermal 3{2}	-156309	0	0 156309	25	0	0	25
		Pressure 1{2}	3244861	0	03244861	871	0	0	871
		GT3{2}	-156309	-3	0 156309	486	0	-7	486
		Hydrotest-NL{2}	3088553	-3	03088553	1357	0	-7	1357
+74	-	Gravity{1}	0	-1	0 1	220	0	-3	220
		Thermal 1{1}	5627113	0	05627113	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733425	56	0	0	56
		Thermal 3{1}	-156309	0	0 156309	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595631	0	02595631	101	0	0	101
		Pressure 2{1}	2595890	0	02595890	-124	0	0	124
		Pressure 3{1}	2595890	0	02595890	-107	0	0	107
		GT1{1}	5627113	-1	05627113	94	0	-3	94

	GT2{1}	-.2E+07	-1	01733425	276	0	-3	276	
	GT3{1}	-156309	-1	0 156309	242	0	-3	242	
	GW1{1}	0	-1	0 1	219	0	-3	219	
	GW2{1}	0	-1	0 1	221	0	-3	222	
	GW3{1}	0	-1	0 1	163	0	-3	163	
	GW4{1}	0	-1	0 1	272	0	-3	272	
	GT1P1{1}	8222744	-1	08222744	195	0	-3	195	
	GT2P2{1}	862465	-1	0 862465	152	0	-3	152	
	GT3P3{1}	2439581	-1	02439581	135	0	-3	135	
	Gravity{2}	0	-3	0 3	461	0	-5	461	
	Thermal 3{2}	-156309	0	0 156309	25	0	0	25	
	Pressure 1{2}	3244861	0	03244861	871	0	0	871	
	GT3{2}	-156309	-3	0 156309	486	0	-5	486	
	Hydrotest-NL{2}	3088553	-3	03088553	1357	0	-5	1357	
+74	+	Gravity{1}	0	-1	0 1	220	0	-3	220
		Thermal 1{1}	5627119	0	05627119	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733427	56	0	0	56
		Thermal 3{1}	-156309	0	0 156309	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595631	0	02595631	101	0	0	101
		Pressure 2{1}	2595893	0	02595893	-124	0	0	124
		Pressure 3{1}	2595893	0	02595893	-107	0	0	107
		GT1{1}	5627119	-1	05627119	94	0	-3	94
		GT2{1}	-.2E+07	-1	01733427	276	0	-3	276
		GT3{1}	-156309	-1	0 156309	242	0	-3	242
		GW1{1}	0	-1	0 1	219	0	-3	219
		GW2{1}	0	-1	0 1	221	0	-3	222
		GW3{1}	0	-1	0 1	163	0	-3	163
		GW4{1}	0	-1	0 1	272	0	-3	272
		GT1P1{1}	8222749	-1	08222749	195	0	-3	195
		GT2P2{1}	862466	-1	0 862466	152	0	-3	152
		GT3P3{1}	2439584	-1	02439584	135	0	-3	135
		Gravity{2}	0	-2	0 2	461	0	-5	461
		Thermal 3{2}	-156309	0	0 156309	25	0	0	25
		Pressure 1{2}	3244865	0	03244865	871	0	0	871
		GT3{2}	-156309	-2	0 156309	486	0	-5	486
		Hydrotest-NL{2}	3088556	-2	03088556	1357	0	-5	1357
+75	-	Gravity{1}	0	-1	0 1	220	0	-2	220
		Thermal 1{1}	5627119	0	05627119	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733427	56	0	0	56
		Thermal 3{1}	-156309	0	0 156309	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595631	0	02595631	101	0	0	101
		Pressure 2{1}	2595893	0	02595893	-124	0	0	124
		Pressure 3{1}	2595893	0	02595893	-107	0	0	107
		GT1{1}	5627119	-1	05627119	94	0	-2	94
		GT2{1}	-.2E+07	-1	01733427	276	0	-2	276
		GT3{1}	-156309	-1	0 156309	242	0	-2	242
		GW1{1}	0	-1	0 1	219	0	-2	219
		GW2{1}	0	-1	0 1	221	0	-2	222
		GW3{1}	0	-1	0 1	163	0	-2	163
		GW4{1}	0	-1	0 1	272	0	-2	272
		GT1P1{1}	8222749	-1	08222749	195	0	-2	195
		GT2P2{1}	862466	-1	0 862466	152	0	-2	152
		GT3P3{1}	2439584	-1	02439584	135	0	-2	135
		Gravity{2}	0	-2	0 2	461	0	-4	461
		Thermal 3{2}	-156309	0	0 156309	25	0	0	25
		Pressure 1{2}	3244865	0	03244865	871	0	0	871
		GT3{2}	-156309	-2	0 156309	486	0	-4	486
		Hydrotest-NL{2}	3088556	-2	03088556	1357	0	-4	1357
+75	+	Gravity{1}	0	-1	0 1	220	0	-2	220
		Thermal 1{1}	5627125	0	05627125	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733429	56	0	0	56
		Thermal 3{1}	-156309	0	0 156309	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595631	0	02595631	101	0	0	101
		Pressure 2{1}	2595896	0	02595896	-124	0	0	124
		Pressure 3{1}	2595896	0	02595896	-107	0	0	107
		GT1{1}	5627125	-1	05627125	94	0	-2	94
		GT2{1}	-.2E+07	-1	01733429	276	0	-2	276
		GT3{1}	-156309	-1	0 156309	242	0	-2	242
		GW1{1}	0	-1	0 1	219	0	-2	219
		GW2{1}	0	-1	0 1	221	0	-2	222
		GW3{1}	0	-1	0 1	163	0	-2	163
		GW4{1}	0	-1	0 1	272	0	-2	272
		GT1P1{1}	8222756	-1	08222756	195	0	-2	195
		GT2P2{1}	862467	-1	0 862467	152	0	-2	152
		GT3P3{1}	2439587	-1	02439587	135	0	-2	135
		Gravity{2}	0	-2	0 2	461	0	-4	461
		Thermal 3{2}	-156309	0	0 156309	25	0	0	25
		Pressure 1{2}	3244869	0	03244869	871	0	0	871
		GT3{2}	-156309	-2	0 156309	486	0	-4	486
		Hydrotest-NL{2}	3088559	-2	03088559	1357	0	-4	1357
+76	-	Gravity{1}	0	-1	0 1	220	0	-1	220
		Thermal 1{1}	5627125	0	05627125	-126	0	0	126
		Thermal 2{1}	-.2E+07	0	01733429	56	0	0	56
		Thermal 3{1}	-156309	0	0 156309	22	0	0	22
		Wind 1{1}	0	0	0 0	-1	0	0	1
		Wind 2{1}	0	0	0 0	1	0	0	1
		Wind 3{1}	0	0	0 0	-57	0	0	57
		Wind 4{1}	0	0	0 0	52	0	0	52
		Pressure 1{1}	2595631	0	02595631	101	0	0	101
		Pressure 2{1}	2595896	0	02595896	-124	0	0	124
		Pressure 3{1}	2595896	0	02595896	-107	0	0	107
		GT1{1}	5627125	-1	05627125	94	0	-1	94

	GT2{1}	-.2E+07	-1	01733429	276	0	-1	276
	GT3{1}	-156309	-1	0 156309	242	0	-1	242
	GW1{1}	0	-1	0 1	219	0	-1	219
	GW2{1}	0	-1	0 1	221	0	-1	221
	GW3{1}	0	-1	0 1	163	0	-1	163
	GW4{1}	0	-1	0 1	272	0	-1	272
	GT1P1{1}	8222756	-1	08222756	195	0	-1	195
	GT2P2{1}	862467	-1	0 862467	152	0	-1	152
	GT3P3{1}	2439587	-1	02439587	135	0	-1	135
	Gravity{2}	0	-2	0 2	461	0	-3	461
	Thermal 3{2}	-156309	0	0 156309	25	0	0	25
	Pressure 1{2}	3244869	0	03244869	871	0	0	871
	GT3{2}	-156309	-2	0 156309	486	0	-3	486
	Hydrotest-NL{2}	3088559	-2	03088559	1357	0	-3	1357
+76 +	Gravity{1}	0	-1	0 1	220	0	-1	220
	Thermal 1{1}	5627131	0	05627131	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733431	56	0	0	56
	Thermal 3{1}	-156309	0	0 156309	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595630	0	02595630	101	0	0	101
	Pressure 2{1}	2595899	0	02595899	-124	0	0	124
	Pressure 3{1}	2595898	0	02595898	-107	0	0	107
	GT1{1}	5627131	-1	05627131	94	0	-1	94
	GT2{1}	-.2E+07	-1	01733431	276	0	-1	276
	GT3{1}	-156309	-1	0 156309	242	0	-1	242
	GW1{1}	0	-1	0 1	219	0	-1	219
	GW2{1}	0	-1	0 1	221	0	-1	221
	GW3{1}	0	-1	0 1	163	0	-1	163
	GW4{1}	0	-1	0 1	272	0	-1	272
	GT1P1{1}	8222761	-1	08222761	195	0	-1	195
	GT2P2{1}	862468	-1	0 862468	152	0	-1	152
	GT3P3{1}	2439589	-1	02439589	135	0	-1	135
	Gravity{2}	0	-2	0 2	461	0	-3	461
	Thermal 3{2}	-156309	0	0 156309	25	0	0	25
	Pressure 1{2}	3244872	0	03244872	871	0	0	871
	GT3{2}	-156309	-2	0 156309	486	0	-3	486
	Hydrotest-NL{2}	3088563	-2	03088563	1357	0	-3	1357
+77 -	Gravity{1}	0	-1	0 1	220	0	-1	220
	Thermal 1{1}	5627131	0	05627131	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733431	56	0	0	56
	Thermal 3{1}	-156309	0	0 156309	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595630	0	02595630	101	0	0	101
	Pressure 2{1}	2595899	0	02595899	-124	0	0	124
	Pressure 3{1}	2595898	0	02595898	-107	0	0	107
	GT1{1}	5627131	-1	05627131	94	0	-1	94
	GT2{1}	-.2E+07	-1	01733431	276	0	-1	276
	GT3{1}	-156309	-1	0 156309	242	0	-1	242
	GW1{1}	0	-1	0 1	219	0	-1	219
	GW2{1}	0	-1	0 1	221	0	-1	221
	GW3{1}	0	-1	0 1	163	0	-1	163
	GW4{1}	0	-1	0 1	272	0	-1	272
	GT1P1{1}	8222761	-1	08222761	195	0	-1	195
	GT2P2{1}	862468	-1	0 862468	152	0	-1	152
	GT3P3{1}	2439589	-1	02439589	135	0	-1	135
	Gravity{2}	0	-2	0 2	461	0	-2	461
	Thermal 3{2}	-156309	0	0 156309	25	0	0	25
	Pressure 1{2}	3244872	0	03244872	871	0	0	871
	GT3{2}	-156309	-2	0 156309	486	0	-2	486
	Hydrotest-NL{2}	3088563	-2	03088563	1357	0	-2	1357
+77 +	Gravity{1}	0	-1	0 1	220	0	-1	220
	Thermal 1{1}	5627136	0	05627136	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733433	56	0	0	56
	Thermal 3{1}	-156310	0	0 156310	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595630	0	02595630	101	0	0	101
	Pressure 2{1}	2595901	0	02595901	-124	0	0	124
	Pressure 3{1}	2595901	0	02595901	-107	0	0	107
	GT1{1}	5627136	-1	05627136	94	0	-1	94
	GT2{1}	-.2E+07	-1	01733433	276	0	-1	276
	GT3{1}	-156310	-1	0 156310	242	0	-1	242
	GW1{1}	0	-1	0 1	219	0	-1	219
	GW2{1}	0	-1	0 1	221	0	-1	221
	GW3{1}	0	-1	0 1	163	0	-1	163
	GW4{1}	0	-1	0 1	272	0	-1	272
	GT1P1{1}	8222766	-1	08222766	195	0	-1	195
	GT2P2{1}	862469	-1	0 862469	152	0	-1	152
	GT3P3{1}	2439592	-1	02439592	135	0	-1	135
	Gravity{2}	0	-2	0 2	461	0	-2	461
	Thermal 3{2}	-156310	0	0 156310	25	0	0	25
	Pressure 1{2}	3244875	0	03244875	871	0	0	871
	GT3{2}	-156310	-2	0 156310	486	0	-2	486
	Hydrotest-NL{2}	3088566	-2	03088566	1357	0	-2	1357
+78 -	Gravity{1}	0	-1	0 1	220	0	-1	220
	Thermal 1{1}	5627136	0	05627136	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733433	56	0	0	56
	Thermal 3{1}	-156310	0	0 156310	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595630	0	02595630	101	0	0	101
	Pressure 2{1}	2595901	0	02595901	-124	0	0	124
	Pressure 3{1}	2595901	0	02595901	-107	0	0	107
	GT1{1}	5627136	-1	05627136	94	0	-1	94

	GT2{1}	-.2E+07	-1	01733433	276	0	-1	276
	GT3{1}	-156310	-1	0 156310	242	0	-1	242
	GW1{1}	0	-1	0 1	219	0	-1	219
	GW2{1}	0	-1	0 1	221	0	-1	221
	GW3{1}	0	-1	0 1	163	0	-1	163
	GW4{1}	0	-1	0 1	272	0	-1	272
	GT1P1{1}	8222766	-1	08222766	195	0	-1	195
	GT2P2{1}	862469	-1	0 862469	152	0	-1	152
	GT3P3{1}	2439592	-1	02439592	135	0	-1	135
	Gravity{2}	0	-2	0 2	461	0	-1	461
	Thermal 3{2}	-156310	0	0 156310	25	0	0	25
	Pressure 1{2}	3244875	0	03244875	871	0	0	871
	GT3{2}	-156310	-2	0 156310	486	0	-1	486
	Hydrotest-NL{2}	3088566	-2	03088566	1357	0	-1	1357
+78	+	Gravity{1}	0	-1 0 1	220	0	-1	220
		Thermal 1{1}	5627142	0 05627142	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733434	56	0	0	56
		Thermal 3{1}	-156310	0 0 156310	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595629	0 02595629	101	0	0	101
		Pressure 2{1}	2595904	0 02595904	-124	0	0	124
		Pressure 3{1}	2595904	0 02595904	-107	0	0	107
		GT1{1}	5627142	-1 05627142	94	0	-1	94
		GT2{1}	-.2E+07	-1 01733434	276	0	-1	276
		GT3{1}	-156310	-1 0 156310	242	0	-1	242
		GW1{1}	0	-1 0 1	219	0	-1	219
		GW2{1}	0	-1 0 1	221	0	-1	221
		GW3{1}	0	-1 0 1	163	0	-1	163
		GW4{1}	0	-1 0 1	272	0	-1	272
		GT1P1{1}	8222771	-1 08222771	195	0	-1	195
		GT2P2{1}	862470	-1 0 862470	152	0	-1	152
		GT3P3{1}	2439594	-1 02439594	135	0	-1	135
		Gravity{2}	0	-1 0 1	461	0	-1	461
		Thermal 3{2}	-156310	0 0 156310	25	0	0	25
		Pressure 1{2}	3244879	0 03244879	871	0	0	871
		GT3{2}	-156310	-1 0 156310	486	0	-1	486
		Hydrotest-NL{2}	3088569	-1 03088569	1357	0	-1	1357
+79	-	Gravity{1}	0	-1 0 1	220	0	0	220
		Thermal 1{1}	5627142	0 05627142	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733434	56	0	0	56
		Thermal 3{1}	-156310	0 0 156310	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595629	0 02595629	101	0	0	101
		Pressure 2{1}	2595904	0 02595904	-124	0	0	124
		Pressure 3{1}	2595904	0 02595904	-107	0	0	107
		GT1{1}	5627142	-1 05627142	94	0	0	94
		GT2{1}	-.2E+07	-1 01733434	276	0	0	276
		GT3{1}	-156310	-1 0 156310	242	0	0	242
		GW1{1}	0	-1 0 1	219	0	0	219
		GW2{1}	0	-1 0 1	221	0	0	221
		GW3{1}	0	-1 0 1	163	0	0	163
		GW4{1}	0	-1 0 1	272	0	0	272
		GT1P1{1}	8222771	-1 08222771	195	0	0	195
		GT2P2{1}	862470	-1 0 862470	152	0	0	152
		GT3P3{1}	2439594	-1 02439594	135	0	0	135
		Gravity{2}	0	-1 0 1	461	0	-1	461
		Thermal 3{2}	-156310	0 0 156310	25	0	0	25
		Pressure 1{2}	3244879	0 03244879	871	0	0	871
		GT3{2}	-156310	-1 0 156310	486	0	-1	486
		Hydrotest-NL{2}	3088569	-1 03088569	1357	0	-1	1357
+79	+	Gravity{1}	0	0 0 0	220	0	0	220
		Thermal 1{1}	5627148	0 05627148	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733436	56	0	0	56
		Thermal 3{1}	-156310	0 0 156310	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595629	0 02595629	101	0	0	101
		Pressure 2{1}	2595907	0 02595907	-124	0	0	124
		Pressure 3{1}	2595907	0 02595907	-107	0	0	107
		GT1{1}	5627148	0 05627148	94	0	0	94
		GT2{1}	-.2E+07	0 01733436	276	0	0	276
		GT3{1}	-156310	0 0 156310	242	0	0	242
		GW1{1}	0	0 0 0	219	0	0	219
		GW2{1}	0	0 0 0	221	0	0	221
		GW3{1}	0	0 0 0	163	0	0	163
		GW4{1}	0	0 0 0	272	0	0	272
		GT1P1{1}	8222776	0 08222776	195	0	0	195
		GT2P2{1}	862471	0 0 862471	152	0	0	152
		GT3P3{1}	2439597	0 02439597	135	0	0	135
		Gravity{2}	0	-1 0 1	461	0	-1	461
		Thermal 3{2}	-156310	0 0 156310	25	0	0	25
		Pressure 1{2}	3244882	0 03244882	871	0	0	871
		GT3{2}	-156310	-1 0 156310	486	0	-1	486
		Hydrotest-NL{2}	3088572	-1 03088572	1357	0	-1	1357
+80	-	Gravity{1}	0	0 0 0	220	0	0	220
		Thermal 1{1}	5627148	0 05627148	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733436	56	0	0	56
		Thermal 3{1}	-156310	0 0 156310	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595629	0 02595629	101	0	0	101
		Pressure 2{1}	2595907	0 02595907	-124	0	0	124
		Pressure 3{1}	2595907	0 02595907	-107	0	0	107
		GT1{1}	5627148	0 05627148	94	0	0	94

	GT2{1}	-.2E+07	0	01733436	276	0	0	276
	GT3{1}	-156310	0	0 156310	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222776	0	08222776	195	0	0	195
	GT2P2{1}	862471	0	0 862471	152	0	0	152
	GT3P3{1}	2439597	0	02439597	135	0	0	135
	Gravity{2}	0	-1	0 1	461	0	0	461
	Thermal 3{2}	-156310	0	0 156310	25	0	0	25
	Pressure 1{2}	3244882	0	03244882	871	0	0	871
	GT3{2}	-156310	-1	0 156310	486	0	0	486
	Hydrotest-NL{2}	3088572	-1	03088572	1357	0	0	1357
+80	+	Gravity{1}	0	0 0	220	0	0	220
		Thermal 1{1}	5627153	0 05627153	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733438	56	0	0	56
		Thermal 3{1}	-156310	0 0 156310	22	0	0	22
		Wind 1{1}	0	0 0	-1	0	0	1
		Wind 2{1}	0	0 0	1	0	0	1
		Wind 3{1}	0	0 0	-57	0	0	57
		Wind 4{1}	0	0 0	52	0	0	52
		Pressure 1{1}	2595628	0 02595628	101	0	0	101
		Pressure 2{1}	2595909	0 02595909	-124	0	0	124
		Pressure 3{1}	2595909	0 02595909	-107	0	0	107
		GT1{1}	5627153	0 05627153	94	0	0	94
		GT2{1}	-.2E+07	0 01733438	276	0	0	276
		GT3{1}	-156310	0 0 156310	242	0	0	242
		GW1{1}	0	0 0	219	0	0	219
		GW2{1}	0	0 0	221	0	0	221
		GW3{1}	0	0 0	163	0	0	163
		GW4{1}	0	0 0	272	0	0	272
		GT1P1{1}	8222781	0 08222781	195	0	0	195
		GT2P2{1}	862471	0 0 862471	152	0	0	152
		GT3P3{1}	2439599	0 02439599	135	0	0	135
		Gravity{2}	0	-1 0 1	461	0	0	461
		Thermal 3{2}	-156310	0 0 156310	25	0	0	25
		Pressure 1{2}	3244885	0 03244885	871	0	0	871
		GT3{2}	-156310	-1 0 156310	486	0	0	486
		Hydrotest-NL{2}	3088575	-1 03088575	1357	0	0	1357
+81	-	Gravity{1}	0	0 0	220	0	0	220
		Thermal 1{1}	5627153	0 05627153	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733438	56	0	0	56
		Thermal 3{1}	-156310	0 0 156310	22	0	0	22
		Wind 1{1}	0	0 0	-1	0	0	1
		Wind 2{1}	0	0 0	1	0	0	1
		Wind 3{1}	0	0 0	-57	0	0	57
		Wind 4{1}	0	0 0	52	0	0	52
		Pressure 1{1}	2595628	0 02595628	101	0	0	101
		Pressure 2{1}	2595909	0 02595909	-124	0	0	124
		Pressure 3{1}	2595909	0 02595909	-107	0	0	107
		GT1{1}	5627153	0 05627153	94	0	0	94
		GT2{1}	-.2E+07	0 01733438	276	0	0	276
		GT3{1}	-156310	0 0 156310	242	0	0	242
		GW1{1}	0	0 0	219	0	0	219
		GW2{1}	0	0 0	221	0	0	221
		GW3{1}	0	0 0	163	0	0	163
		GW4{1}	0	0 0	272	0	0	272
		GT1P1{1}	8222781	0 08222781	195	0	0	195
		GT2P2{1}	862471	0 0 862471	152	0	0	152
		GT3P3{1}	2439599	0 02439599	135	0	0	135
		Gravity{2}	0	-1 0 1	461	0	0	461
		Thermal 3{2}	-156310	0 0 156310	25	0	0	25
		Pressure 1{2}	3244885	0 03244885	871	0	0	871
		GT3{2}	-156310	-1 0 156310	486	0	0	486
		Hydrotest-NL{2}	3088575	-1 03088575	1357	0	0	1357
+81	+	Gravity{1}	0	0 0	220	0	0	220
		Thermal 1{1}	5627158	0 05627158	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733440	56	0	0	56
		Thermal 3{1}	-156310	0 0 156310	22	0	0	22
		Wind 1{1}	0	0 0	-1	0	0	1
		Wind 2{1}	0	0 0	1	0	0	1
		Wind 3{1}	0	0 0	-57	0	0	57
		Wind 4{1}	0	0 0	52	0	0	52
		Pressure 1{1}	2595627	0 02595627	101	0	0	101
		Pressure 2{1}	2595912	0 02595912	-124	0	0	124
		Pressure 3{1}	2595912	0 02595912	-107	0	0	107
		GT1{1}	5627158	0 05627158	94	0	0	94
		GT2{1}	-.2E+07	0 01733440	276	0	0	276
		GT3{1}	-156310	0 0 156310	242	0	0	242
		GW1{1}	0	0 0	219	0	0	219
		GW2{1}	0	0 0	221	0	0	221
		GW3{1}	0	0 0	163	0	0	163
		GW4{1}	0	0 0	272	0	0	272
		GT1P1{1}	8222786	0 08222786	195	0	0	195
		GT2P2{1}	862472	0 0 862472	152	0	0	152
		GT3P3{1}	2439602	0 02439602	135	0	0	135
		Gravity{2}	0	-1 0 1	461	0	0	461
		Thermal 3{2}	-156310	0 0 156310	25	0	0	25
		Pressure 1{2}	3244889	0 03244889	871	0	0	871
		GT3{2}	-156310	-1 0 156310	486	0	0	486
		Hydrotest-NL{2}	3088578	-1 03088578	1357	0	0	1357
+82	-	Gravity{1}	0	0 0	220	0	0	220
		Thermal 1{1}	5627158	0 05627158	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733440	56	0	0	56
		Thermal 3{1}	-156310	0 0 156310	22	0	0	22
		Wind 1{1}	0	0 0	-1	0	0	1
		Wind 2{1}	0	0 0	1	0	0	1
		Wind 3{1}	0	0 0	-57	0	0	57
		Wind 4{1}	0	0 0	52	0	0	52
		Pressure 1{1}	2595627	0 02595627	101	0	0	101
		Pressure 2{1}	2595912	0 02595912	-124	0	0	124
		Pressure 3{1}	2595912	0 02595912	-107	0	0	107
		GT1{1}	5627158	0 05627158	94	0	0	94

	GT2{1}	-.2E+07	0	01733440	276	0	0	276
	GT3{1}	-156310	0	0 156310	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222786	0	08222786	195	0	0	195
	GT2P2{1}	862472	0	0 862472	152	0	0	152
	GT3P3{1}	2439602	0	02439602	135	0	0	135
	Gravity{2}	0	-1	0 1	461	0	0	461
	Thermal 3{2}	-156310	0	0 156310	25	0	0	25
	Pressure 1{2}	3244889	0	03244889	871	0	0	871
	GT3{2}	-156310	-1	0 156310	486	0	0	486
	Hydrotest-NL{2}	3088578	-1	03088578	1357	0	0	1357
+82	+	Gravity{1}	0	0 0	220	0	0	220
		Thermal 1{1}	5627164	0 05627164	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733442	56	0	0	56
		Thermal 3{1}	-156310	0 0 156310	22	0	0	22
		Wind 1{1}	0	0 0	-1	0	0	1
		Wind 2{1}	0	0 0	1	0	0	1
		Wind 3{1}	0	0 0	-57	0	0	57
		Wind 4{1}	0	0 0	52	0	0	52
		Pressure 1{1}	2595626	0 02595626	101	0	0	101
		Pressure 2{1}	2595915	0 02595915	-124	0	0	124
		Pressure 3{1}	2595914	0 02595914	-107	0	0	107
		GT1{1}	5627164	0 05627164	94	0	0	94
		GT2{1}	-.2E+07	0 01733442	276	0	0	276
		GT3{1}	-156310	0 0 156310	242	0	0	242
		GW1{1}	0	0 0	219	0	0	219
		GW2{1}	0	0 0	221	0	0	221
		GW3{1}	0	0 0	163	0	0	163
		GW4{1}	0	0 0	272	0	0	272
		GT1P1{1}	8222790	0 08222790	195	0	0	195
		GT2P2{1}	862473	0 0 862473	152	0	0	152
		GT3P3{1}	2439604	0 02439604	135	0	0	135
		Gravity{2}	0	0 0	461	0	0	461
		Thermal 3{2}	-156310	0 0 156310	25	0	0	25
		Pressure 1{2}	3244892	0 03244892	871	0	0	871
		GT3{2}	-156310	0 0 156310	486	0	0	486
		Hydrotest-NL{2}	3088581	0 03088581	1357	0	0	1357
+83	-	Gravity{1}	0	0 0	220	0	0	220
		Thermal 1{1}	5627164	0 05627164	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733442	56	0	0	56
		Thermal 3{1}	-156310	0 0 156310	22	0	0	22
		Wind 1{1}	0	0 0	-1	0	0	1
		Wind 2{1}	0	0 0	1	0	0	1
		Wind 3{1}	0	0 0	-57	0	0	57
		Wind 4{1}	0	0 0	52	0	0	52
		Pressure 1{1}	2595626	0 02595626	101	0	0	101
		Pressure 2{1}	2595915	0 02595915	-124	0	0	124
		Pressure 3{1}	2595914	0 02595914	-107	0	0	107
		GT1{1}	5627164	0 05627164	94	0	0	94
		GT2{1}	-.2E+07	0 01733442	276	0	0	276
		GT3{1}	-156310	0 0 156310	242	0	0	242
		GW1{1}	0	0 0	219	0	0	219
		GW2{1}	0	0 0	221	0	0	221
		GW3{1}	0	0 0	163	0	0	163
		GW4{1}	0	0 0	272	0	0	272
		GT1P1{1}	8222790	0 08222790	195	0	0	195
		GT2P2{1}	862473	0 0 862473	152	0	0	152
		GT3P3{1}	2439604	0 02439604	135	0	0	135
		Gravity{2}	0	0 0	461	0	1	461
		Thermal 3{2}	-156310	0 0 156310	25	0	0	25
		Pressure 1{2}	3244892	0 03244892	871	0	0	871
		GT3{2}	-156310	0 0 156310	486	0	1	486
		Hydrotest-NL{2}	3088581	0 03088581	1357	0	1	1357
+83	+	Gravity{1}	0	0 0	220	0	0	220
		Thermal 1{1}	5627169	0 05627169	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733443	56	0	0	56
		Thermal 3{1}	-156310	0 0 156310	22	0	0	22
		Wind 1{1}	0	0 0	-1	0	0	1
		Wind 2{1}	0	0 0	1	0	0	1
		Wind 3{1}	0	0 0	-57	0	0	57
		Wind 4{1}	0	0 0	52	0	0	52
		Pressure 1{1}	2595625	0 02595625	101	0	0	101
		Pressure 2{1}	2595917	0 02595917	-124	0	0	124
		Pressure 3{1}	2595917	0 02595917	-107	0	0	107
		GT1{1}	5627169	0 05627169	94	0	0	94
		GT2{1}	-.2E+07	0 01733443	276	0	0	276
		GT3{1}	-156310	0 0 156310	242	0	0	242
		GW1{1}	0	0 0	219	0	0	219
		GW2{1}	0	0 0	221	0	0	221
		GW3{1}	0	0 0	163	0	0	163
		GW4{1}	0	0 0	272	0	0	272
		GT1P1{1}	8222794	0 08222794	195	0	0	195
		GT2P2{1}	862474	0 0 862474	152	0	0	152
		GT3P3{1}	2439607	0 02439607	135	0	0	135
		Gravity{2}	0	0 0	461	0	1	461
		Thermal 3{2}	-156310	0 0 156310	25	0	0	25
		Pressure 1{2}	3244895	0 03244895	871	0	0	871
		GT3{2}	-156310	0 0 156310	486	0	1	486
		Hydrotest-NL{2}	3088585	0 03088585	1357	0	1	1357
+84	-	Gravity{1}	0	0 0	220	0	0	220
		Thermal 1{1}	5627169	0 05627169	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733443	56	0	0	56
		Thermal 3{1}	-156310	0 0 156310	22	0	0	22
		Wind 1{1}	0	0 0	-1	0	0	1
		Wind 2{1}	0	0 0	1	0	0	1
		Wind 3{1}	0	0 0	-57	0	0	57
		Wind 4{1}	0	0 0	52	0	0	52
		Pressure 1{1}	2595625	0 02595625	101	0	0	101
		Pressure 2{1}	2595917	0 02595917	-124	0	0	124
		Pressure 3{1}	2595917	0 02595917	-107	0	0	107
		GT1{1}	5627169	0 05627169	94	0	0	94

	GT2{1}	-.2E+07	0	01733443	276	0	0	276
	GT3{1}	-156310	0	0 156310	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222794	0	08222794	195	0	0	195
	GT2P2{1}	862474	0	0 862474	152	0	0	152
	GT3P3{1}	2439607	0	02439607	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	1	461
	Thermal 3{2}	-156310	0	0 156310	25	0	0	25
	Pressure 1{2}	3244895	0	03244895	871	0	0	871
	GT3{2}	-156310	0	0 156310	486	0	1	486
	Hydrotest-NL{2}	3088585	0	03088585	1357	0	1	1357
+84	+	Gravity{1}	0	0 0	220	0	0	220
		Thermal 1{1}	5627174	0 05627174	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733445	56	0	0	56
		Thermal 3{1}	-156311	0 0 156311	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595624	0 02595624	101	0	0	101
		Pressure 2{1}	2595920	0 02595920	-124	0	0	124
		Pressure 3{1}	2595919	0 02595919	-107	0	0	107
		GT1{1}	5627174	0 05627174	94	0	0	94
		GT2{1}	-.2E+07	0 01733445	276	0	0	276
		GT3{1}	-156311	0 0 156311	242	0	0	242
		GW1{1}	0	0 0 0	219	0	0	219
		GW2{1}	0	0 0 0	221	0	0	221
		GW3{1}	0	0 0 0	163	0	0	163
		GW4{1}	0	0 0 0	272	0	0	272
		GT1P1{1}	8222798	0 08222798	195	0	0	195
		GT2P2{1}	862475	0 0 862475	152	0	0	152
		GT3P3{1}	2439609	0 02439609	135	0	0	135
		Gravity{2}	0	0 0 0	461	0	1	461
		Thermal 3{2}	-156311	0 0 156311	25	0	0	25
		Pressure 1{2}	3244898	0 03244898	871	0	0	871
		GT3{2}	-156311	0 0 156311	486	0	1	486
		Hydrotest-NL{2}	3088587	0 03088587	1357	0	1	1357
+85	-	Gravity{1}	0	0 0	220	0	0	220
		Thermal 1{1}	5627174	0 05627174	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733445	56	0	0	56
		Thermal 3{1}	-156311	0 0 156311	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595624	0 02595624	101	0	0	101
		Pressure 2{1}	2595920	0 02595920	-124	0	0	124
		Pressure 3{1}	2595919	0 02595919	-107	0	0	107
		GT1{1}	5627174	0 05627174	94	0	0	94
		GT2{1}	-.2E+07	0 01733445	276	0	0	276
		GT3{1}	-156311	0 0 156311	242	0	0	242
		GW1{1}	0	0 0 0	219	0	0	219
		GW2{1}	0	0 0 0	221	0	0	221
		GW3{1}	0	0 0 0	163	0	0	163
		GW4{1}	0	0 0 0	272	0	0	272
		GT1P1{1}	8222798	0 08222798	195	0	0	195
		GT2P2{1}	862475	0 0 862475	152	0	0	152
		GT3P3{1}	2439609	0 02439609	135	0	0	135
		Gravity{2}	0	0 0 0	461	0	1	461
		Thermal 3{2}	-156311	0 0 156311	25	0	0	25
		Pressure 1{2}	3244898	0 03244898	871	0	0	871
		GT3{2}	-156311	0 0 156311	486	0	1	486
		Hydrotest-NL{2}	3088587	0 03088587	1357	0	1	1357
+85	+	Gravity{1}	0	0 0	220	0	0	220
		Thermal 1{1}	5627179	0 05627179	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733447	56	0	0	56
		Thermal 3{1}	-156311	0 0 156311	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595623	0 02595623	101	0	0	101
		Pressure 2{1}	2595922	0 02595922	-124	0	0	124
		Pressure 3{1}	2595922	0 02595922	-107	0	0	107
		GT1{1}	5627179	0 05627179	94	0	0	94
		GT2{1}	-.2E+07	0 01733447	276	0	0	276
		GT3{1}	-156311	0 0 156311	242	0	0	242
		GW1{1}	0	0 0 0	219	0	0	219
		GW2{1}	0	0 0 0	221	0	0	221
		GW3{1}	0	0 0 0	163	0	0	163
		GW4{1}	0	0 0 0	272	0	0	272
		GT1P1{1}	8222802	0 08222802	195	0	0	195
		GT2P2{1}	862476	0 0 862476	152	0	0	152
		GT3P3{1}	2439611	0 02439611	135	0	0	135
		Gravity{2}	0	0 0 0	461	0	1	461
		Thermal 3{2}	-156311	0 0 156311	25	0	0	25
		Pressure 1{2}	3244901	0 03244901	871	0	0	871
		GT3{2}	-156311	0 0 156311	486	0	1	486
		Hydrotest-NL{2}	3088590	0 03088590	1357	0	1	1357
+86	-	Gravity{1}	0	0 0	220	0	0	220
		Thermal 1{1}	5627179	0 05627179	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733447	56	0	0	56
		Thermal 3{1}	-156311	0 0 156311	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595623	0 02595623	101	0	0	101
		Pressure 2{1}	2595922	0 02595922	-124	0	0	124
		Pressure 3{1}	2595922	0 02595922	-107	0	0	107
		GT1{1}	5627179	0 05627179	94	0	0	94

	GT2{1}	-.2E+07	0	01733447	276	0	0	276
	GT3{1}	-156311	0	0 156311	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222802	0	08222802	195	0	0	195
	GT2P2{1}	862476	0	0 862476	152	0	0	152
	GT3P3{1}	2439611	0	02439611	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	1	461
	Thermal 3{2}	-156311	0	0 156311	25	0	0	25
	Pressure 1{2}	3244901	0	03244901	871	0	0	871
	GT3{2}	-156311	0	0 156311	486	0	1	486
	Hydrotest-NL{2}	3088590	0	03088590	1357	0	1	1357
+86	+	Gravity{1}	0	0 0	220	0	0	220
		Thermal 1{1}	5627184	0 05627184	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733448	56	0	0	56
		Thermal 3{1}	-156311	0 0 156311	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595622	0 02595622	101	0	0	101
		Pressure 2{1}	2595925	0 02595925	-124	0	0	124
		Pressure 3{1}	2595924	0 02595924	-107	0	0	107
		GT1{1}	5627184	0 05627184	94	0	0	94
		GT2{1}	-.2E+07	0 01733448	276	0	0	276
		GT3{1}	-156311	0 0 156311	242	0	0	242
		GW1{1}	0	0 0 0	219	0	0	219
		GW2{1}	0	0 0 0	221	0	0	221
		GW3{1}	0	0 0 0	163	0	0	163
		GW4{1}	0	0 0 0	272	0	0	272
		GT1P1{1}	8222806	0 08222806	195	0	0	195
		GT2P2{1}	862477	0 0 862477	152	0	0	152
		GT3P3{1}	2439613	0 02439613	135	0	0	135
		Gravity{2}	0	0 0 0	461	0	1	461
		Thermal 3{2}	-156311	0 0 156311	25	0	0	25
		Pressure 1{2}	3244904	0 03244904	871	0	0	871
		GT3{2}	-156311	0 0 156311	486	0	1	486
		Hydrotest-NL{2}	3088593	0 03088593	1357	0	1	1357
+87	-	Gravity{1}	0	0 0 0	220	0	0	220
		Thermal 1{1}	5627184	0 05627184	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733448	56	0	0	56
		Thermal 3{1}	-156311	0 0 156311	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595622	0 02595622	101	0	0	101
		Pressure 2{1}	2595925	0 02595925	-124	0	0	124
		Pressure 3{1}	2595924	0 02595924	-107	0	0	107
		GT1{1}	5627184	0 05627184	94	0	0	94
		GT2{1}	-.2E+07	0 01733448	276	0	0	276
		GT3{1}	-156311	0 0 156311	242	0	0	242
		GW1{1}	0	0 0 0	219	0	0	219
		GW2{1}	0	0 0 0	221	0	0	221
		GW3{1}	0	0 0 0	163	0	0	163
		GW4{1}	0	0 0 0	272	0	0	272
		GT1P1{1}	8222806	0 08222806	195	0	0	195
		GT2P2{1}	862477	0 0 862477	152	0	0	152
		GT3P3{1}	2439613	0 02439613	135	0	0	135
		Gravity{2}	0	0 0 0	461	0	1	461
		Thermal 3{2}	-156311	0 0 156311	25	0	0	25
		Pressure 1{2}	3244904	0 03244904	871	0	0	871
		GT3{2}	-156311	0 0 156311	486	0	1	486
		Hydrotest-NL{2}	3088593	0 03088593	1357	0	1	1357
+87	+	Gravity{1}	0	0 0 0	220	0	0	220
		Thermal 1{1}	5627189	0 05627189	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733450	56	0	0	56
		Thermal 3{1}	-156311	0 0 156311	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595620	0 02595620	101	0	0	101
		Pressure 2{1}	2595927	0 02595927	-124	0	0	124
		Pressure 3{1}	2595927	0 02595927	-107	0	0	107
		GT1{1}	5627189	0 05627189	94	0	0	94
		GT2{1}	-.2E+07	0 01733450	276	0	0	276
		GT3{1}	-156311	0 0 156311	242	0	0	242
		GW1{1}	0	0 0 0	219	0	0	219
		GW2{1}	0	0 0 0	221	0	0	221
		GW3{1}	0	0 0 0	163	0	0	163
		GW4{1}	0	0 0 0	272	0	0	272
		GT1P1{1}	8222809	0 08222809	195	0	0	195
		GT2P2{1}	862477	0 0 862477	152	0	0	152
		GT3P3{1}	2439616	0 02439616	135	0	0	135
		Gravity{2}	0	0 0 0	461	0	1	461
		Thermal 3{2}	-156311	0 0 156311	25	0	0	25
		Pressure 1{2}	3244907	0 03244907	871	0	0	871
		GT3{2}	-156311	0 0 156311	486	0	1	486
		Hydrotest-NL{2}	3088596	0 03088596	1357	0	1	1357
+88	-	Gravity{1}	0	0 0 0	220	0	0	220
		Thermal 1{1}	5627189	0 05627189	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733450	56	0	0	56
		Thermal 3{1}	-156311	0 0 156311	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595620	0 02595620	101	0	0	101
		Pressure 2{1}	2595927	0 02595927	-124	0	0	124
		Pressure 3{1}	2595927	0 02595927	-107	0	0	107
		GT1{1}	5627189	0 05627189	94	0	0	94

	GT2{1}	-.2E+07	0	01733450	276	0	0	276
	GT3{1}	-156311	0	0 156311	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222809	0	08222809	195	0	0	195
	GT2P2{1}	862477	0	0 862477	152	0	0	152
	GT3P3{1}	2439616	0	02439616	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	1	461
	Thermal 3{2}	-156311	0	0 156311	25	0	0	25
	Pressure 1{2}	3244907	0	03244907	871	0	0	871
	GT3{2}	-156311	0	0 156311	486	0	1	486
	Hydrotest-NL{2}	3088596	0	03088596	1357	0	1	1357
+88	+	Gravity{1}	0	0 0	220	0	0	220
		Thermal 1{1}	5627194	0 05627194	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733451	56	0	0	56
		Thermal 3{1}	-156311	0 0 156311	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595619	0 02595619	101	0	0	101
		Pressure 2{1}	2595929	0 02595929	-124	0	0	124
		Pressure 3{1}	2595929	0 02595929	-107	0	0	107
		GT1{1}	5627194	0 05627194	94	0	0	94
		GT2{1}	-.2E+07	0 01733451	276	0	0	276
		GT3{1}	-156311	0 0 156311	242	0	0	242
		GW1{1}	0	0 0 0	219	0	0	219
		GW2{1}	0	0 0 0	221	0	0	221
		GW3{1}	0	0 0 0	163	0	0	163
		GW4{1}	0	0 0 0	272	0	0	272
		GT1P1{1}	8222813	0 08222813	195	0	0	195
		GT2P2{1}	862478	0 0 862478	152	0	0	152
		GT3P3{1}	2439618	0 02439618	135	0	0	135
		Gravity{2}	0	0 0 0	461	0	1	461
		Thermal 3{2}	-156311	0 0 156311	25	0	0	25
		Pressure 1{2}	3244910	0 03244910	871	0	0	871
		GT3{2}	-156311	0 0 156311	486	0	1	486
		Hydrotest-NL{2}	3088599	0 03088599	1357	0	1	1357
+89	-	Gravity{1}	0	0 0 0	220	0	0	220
		Thermal 1{1}	5627194	0 05627194	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733451	56	0	0	56
		Thermal 3{1}	-156311	0 0 156311	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595619	0 02595619	101	0	0	101
		Pressure 2{1}	2595929	0 02595929	-124	0	0	124
		Pressure 3{1}	2595929	0 02595929	-107	0	0	107
		GT1{1}	5627194	0 05627194	94	0	0	94
		GT2{1}	-.2E+07	0 01733451	276	0	0	276
		GT3{1}	-156311	0 0 156311	242	0	0	242
		GW1{1}	0	0 0 0	219	0	0	219
		GW2{1}	0	0 0 0	221	0	0	221
		GW3{1}	0	0 0 0	163	0	0	163
		GW4{1}	0	0 0 0	272	0	0	272
		GT1P1{1}	8222813	0 08222813	195	0	0	195
		GT2P2{1}	862478	0 0 862478	152	0	0	152
		GT3P3{1}	2439618	0 02439618	135	0	0	135
		Gravity{2}	0	0 0 0	461	0	1	461
		Thermal 3{2}	-156311	0 0 156311	25	0	0	25
		Pressure 1{2}	3244910	0 03244910	871	0	0	871
		GT3{2}	-156311	0 0 156311	486	0	1	486
		Hydrotest-NL{2}	3088599	0 03088599	1357	0	1	1357
+89	+	Gravity{1}	0	0 0 0	220	0	0	220
		Thermal 1{1}	5627198	0 05627198	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733453	56	0	0	56
		Thermal 3{1}	-156311	0 0 156311	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595617	0 02595617	101	0	0	101
		Pressure 2{1}	2595932	0 02595932	-124	0	0	124
		Pressure 3{1}	2595931	0 02595931	-107	0	0	107
		GT1{1}	5627198	0 05627198	94	0	0	94
		GT2{1}	-.2E+07	0 01733453	276	0	0	276
		GT3{1}	-156311	0 0 156311	242	0	0	242
		GW1{1}	0	0 0 0	219	0	0	219
		GW2{1}	0	0 0 0	221	0	0	221
		GW3{1}	0	0 0 0	163	0	0	163
		GW4{1}	0	0 0 0	272	0	0	272
		GT1P1{1}	8222816	0 08222816	195	0	0	195
		GT2P2{1}	862479	0 0 862479	152	0	0	152
		GT3P3{1}	2439620	0 02439620	135	0	0	135
		Gravity{2}	0	0 0 0	461	0	1	461
		Thermal 3{2}	-156311	0 0 156311	25	0	0	25
		Pressure 1{2}	3244913	0 03244913	871	0	0	871
		GT3{2}	-156311	0 0 156311	486	0	1	486
		Hydrotest-NL{2}	3088602	0 03088602	1357	0	1	1357
+90	-	Gravity{1}	0	0 0 0	220	0	0	220
		Thermal 1{1}	5627198	0 05627198	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733453	56	0	0	56
		Thermal 3{1}	-156311	0 0 156311	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595617	0 02595617	101	0	0	101
		Pressure 2{1}	2595932	0 02595932	-124	0	0	124
		Pressure 3{1}	2595931	0 02595931	-107	0	0	107
		GT1{1}	5627198	0 05627198	94	0	0	94

	GT2{1}	-.2E+07	0	01733453	276	0	0	276
	GT3{1}	-156311	0	0 156311	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222816	0	08222816	195	0	0	195
	GT2P2{1}	862479	0	0 862479	152	0	0	152
	GT3P3{1}	2439620	0	02439620	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	1	461
	Thermal 3{2}	-156311	0	0 156311	25	0	0	25
	Pressure 1{2}	3244913	0	03244913	871	0	0	871
	GT3{2}	-156311	0	0 156311	486	0	1	486
	Hydrotest-NL{2}	3088602	0	03088602	1357	0	1	1357
+90	+	Gravity{1}	0	0 0	220	0	0	220
	Thermal 1{1}	5627203	0	05627203	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733454	56	0	0	56
	Thermal 3{1}	-156311	0	0 156311	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595616	0	02595616	101	0	0	101
	Pressure 2{1}	2595934	0	02595934	-124	0	0	124
	Pressure 3{1}	2595934	0	02595934	-107	0	0	107
	GT1{1}	5627203	0	05627203	94	0	0	94
	GT2{1}	-.2E+07	0	01733454	276	0	0	276
	GT3{1}	-156311	0	0 156311	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222819	0	08222819	195	0	0	195
	GT2P2{1}	862480	0	0 862480	152	0	0	152
	GT3P3{1}	2439622	0	02439622	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	1	461
	Thermal 3{2}	-156311	0	0 156311	25	0	0	25
	Pressure 1{2}	3244916	0	03244916	871	0	0	871
	GT3{2}	-156311	0	0 156311	486	0	1	486
	Hydrotest-NL{2}	3088604	0	03088604	1357	0	1	1357
+91	-	Gravity{1}	0	0 0	220	0	0	220
	Thermal 1{1}	5627203	0	05627203	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733454	56	0	0	56
	Thermal 3{1}	-156311	0	0 156311	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595616	0	02595616	101	0	0	101
	Pressure 2{1}	2595934	0	02595934	-124	0	0	124
	Pressure 3{1}	2595934	0	02595934	-107	0	0	107
	GT1{1}	5627203	0	05627203	94	0	0	94
	GT2{1}	-.2E+07	0	01733454	276	0	0	276
	GT3{1}	-156311	0	0 156311	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222819	0	08222819	195	0	0	195
	GT2P2{1}	862480	0	0 862480	152	0	0	152
	GT3P3{1}	2439622	0	02439622	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	1	461
	Thermal 3{2}	-156311	0	0 156311	25	0	0	25
	Pressure 1{2}	3244916	0	03244916	871	0	0	871
	GT3{2}	-156311	0	0 156311	486	0	1	486
	Hydrotest-NL{2}	3088604	0	03088604	1357	0	1	1357
+91	+	Gravity{1}	0	0 0	220	0	0	220
	Thermal 1{1}	5627208	0	05627208	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733456	56	0	0	56
	Thermal 3{1}	-156312	0	0 156312	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595614	0	02595614	101	0	0	101
	Pressure 2{1}	2595936	0	02595936	-124	0	0	124
	Pressure 3{1}	2595936	0	02595936	-107	0	0	107
	GT1{1}	5627208	0	05627208	94	0	0	94
	GT2{1}	-.2E+07	0	01733456	276	0	0	276
	GT3{1}	-156312	0	0 156312	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222821	0	08222821	195	0	0	195
	GT2P2{1}	862480	0	0 862480	152	0	0	152
	GT3P3{1}	2439624	0	02439624	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	1	461
	Thermal 3{2}	-156312	0	0 156312	25	0	0	25
	Pressure 1{2}	3244919	0	03244919	871	0	0	871
	GT3{2}	-156312	0	0 156312	486	0	1	486
	Hydrotest-NL{2}	3088607	0	03088607	1357	0	1	1357
+92	-	Gravity{1}	0	0 0	220	0	0	220
	Thermal 1{1}	5627208	0	05627208	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733456	56	0	0	56
	Thermal 3{1}	-156312	0	0 156312	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595614	0	02595614	101	0	0	101
	Pressure 2{1}	2595936	0	02595936	-124	0	0	124
	Pressure 3{1}	2595936	0	02595936	-107	0	0	107
	GT1{1}	5627208	0	05627208	94	0	0	94

	GT2{1}	-.2E+07	0	01733456	276	0	0	276
	GT3{1}	-156312	0	0 156312	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222821	0	08222821	195	0	0	195
	GT2P2{1}	862480	0	0 862480	152	0	0	152
	GT3P3{1}	2439624	0	02439624	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	1	461
	Thermal 3{2}	-156312	0	0 156312	25	0	0	25
	Pressure 1{2}	3244919	0	03244919	871	0	0	871
	GT3{2}	-156312	0	0 156312	486	0	1	486
	Hydrotest-NL{2}	3088607	0	03088607	1357	0	1	1357
+92	+	Gravity{1}	0	0 0	220	0	0	220
		Thermal 1{1}	5627212	0 05627212	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733457	56	0	0	56
		Thermal 3{1}	-156312	0 0 156312	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595612	0 02595612	101	0	0	101
		Pressure 2{1}	2595938	0 02595938	-124	0	0	124
		Pressure 3{1}	2595938	0 02595938	-107	0	0	107
		GT1{1}	5627212	0 05627212	94	0	0	94
		GT2{1}	-.2E+07	0 01733457	276	0	0	276
		GT3{1}	-156312	0 0 156312	242	0	0	242
		GW1{1}	0	0 0 0	219	0	0	219
		GW2{1}	0	0 0 0	221	0	0	221
		GW3{1}	0	0 0 0	163	0	0	163
		GW4{1}	0	0 0 0	272	0	0	272
		GT1P1{1}	8222824	0 08222824	195	0	0	195
		GT2P2{1}	862481	0 0 862481	152	0	0	152
		GT3P3{1}	2439626	0 02439626	135	0	0	135
		Gravity{2}	0	0 0 0	461	0	1	461
		Thermal 3{2}	-156312	0 0 156312	25	0	0	25
		Pressure 1{2}	3244921	0 03244921	871	0	0	871
		GT3{2}	-156312	0 0 156312	486	0	1	486
		Hydrotest-NL{2}	3088610	0 03088610	1357	0	1	1357
+93	-	Gravity{1}	0	0 0 0	220	0	0	220
		Thermal 1{1}	5627212	0 05627212	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733457	56	0	0	56
		Thermal 3{1}	-156312	0 0 156312	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595612	0 02595612	101	0	0	101
		Pressure 2{1}	2595938	0 02595938	-124	0	0	124
		Pressure 3{1}	2595938	0 02595938	-107	0	0	107
		GT1{1}	5627212	0 05627212	94	0	0	94
		GT2{1}	-.2E+07	0 01733457	276	0	0	276
		GT3{1}	-156312	0 0 156312	242	0	0	242
		GW1{1}	0	0 0 0	219	0	0	219
		GW2{1}	0	0 0 0	221	0	0	221
		GW3{1}	0	0 0 0	163	0	0	163
		GW4{1}	0	0 0 0	272	0	0	272
		GT1P1{1}	8222824	0 08222824	195	0	0	195
		GT2P2{1}	862481	0 0 862481	152	0	0	152
		GT3P3{1}	2439626	0 02439626	135	0	0	135
		Gravity{2}	0	0 0 0	461	0	1	461
		Thermal 3{2}	-156312	0 0 156312	25	0	0	25
		Pressure 1{2}	3244921	0 03244921	871	0	0	871
		GT3{2}	-156312	0 0 156312	486	0	1	486
		Hydrotest-NL{2}	3088610	0 03088610	1357	0	1	1357
+93	+	Gravity{1}	0	0 0 0	220	0	0	220
		Thermal 1{1}	5627217	0 05627217	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733459	56	0	0	56
		Thermal 3{1}	-156312	0 0 156312	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595610	0 02595610	101	0	0	101
		Pressure 2{1}	2595941	0 02595941	-124	0	0	124
		Pressure 3{1}	2595940	0 02595940	-107	0	0	107
		GT1{1}	5627217	0 05627217	94	0	0	94
		GT2{1}	-.2E+07	0 01733459	276	0	0	276
		GT3{1}	-156312	0 0 156312	242	0	0	242
		GW1{1}	0	0 0 0	219	0	0	219
		GW2{1}	0	0 0 0	221	0	0	221
		GW3{1}	0	0 0 0	163	0	0	163
		GW4{1}	0	0 0 0	272	0	0	272
		GT1P1{1}	8222826	0 08222826	195	0	0	195
		GT2P2{1}	862482	0 0 862482	152	0	0	152
		GT3P3{1}	2439628	0 02439628	135	0	0	135
		Gravity{2}	0	0 0 0	461	0	1	461
		Thermal 3{2}	-156312	0 0 156312	25	0	0	25
		Pressure 1{2}	3244924	0 03244924	871	0	0	871
		GT3{2}	-156312	0 0 156312	486	0	1	486
		Hydrotest-NL{2}	3088612	0 03088612	1357	0	1	1357
+94	-	Gravity{1}	0	0 0 0	220	0	0	220
		Thermal 1{1}	5627217	0 05627217	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733459	56	0	0	56
		Thermal 3{1}	-156312	0 0 156312	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595610	0 02595610	101	0	0	101
		Pressure 2{1}	2595941	0 02595941	-124	0	0	124
		Pressure 3{1}	2595940	0 02595940	-107	0	0	107
		GT1{1}	5627217	0 05627217	94	0	0	94

	GT2{1}	-.2E+07	0	01733459	276	0	0	276
	GT3{1}	-156312	0	0 156312	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222826	0	08222826	195	0	0	195
	GT2P2{1}	862482	0	0 862482	152	0	0	152
	GT3P3{1}	2439628	0	02439628	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	1	461
	Thermal 3{2}	-156312	0	0 156312	25	0	0	25
	Pressure 1{2}	3244924	0	03244924	871	0	0	871
	GT3{2}	-156312	0	0 156312	486	0	1	486
	Hydrotest-NL{2}	3088612	0	03088612	1357	0	1	1357
+94	+	Gravity{1}	0	0 0	220	0	0	220
		Thermal 1{1}	5627221	0 05627221	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733460	56	0	0	56
		Thermal 3{1}	-156312	0 0 156312	22	0	0	22
		Wind 1{1}	0	0 0	-1	0	0	1
		Wind 2{1}	0	0 0	1	0	0	1
		Wind 3{1}	0	0 0	-57	0	0	57
		Wind 4{1}	0	0 0	52	0	0	52
		Pressure 1{1}	2595608	0 02595608	101	0	0	101
		Pressure 2{1}	2595943	0 02595943	-124	0	0	124
		Pressure 3{1}	2595942	0 02595942	-107	0	0	107
		GT1{1}	5627221	0 05627221	94	0	0	94
		GT2{1}	-.2E+07	0 01733460	276	0	0	276
		GT3{1}	-156312	0 0 156312	242	0	0	242
		GW1{1}	0	0 0	219	0	0	219
		GW2{1}	0	0 0	221	0	0	221
		GW3{1}	0	0 0	163	0	0	163
		GW4{1}	0	0 0	272	0	0	272
		GT1P1{1}	8222829	0 08222829	195	0	0	195
		GT2P2{1}	862482	0 0 862482	152	0	0	152
		GT3P3{1}	2439630	0 02439630	135	0	0	135
		Gravity{2}	0	0 0	461	0	1	461
		Thermal 3{2}	-156312	0 0 156312	25	0	0	25
		Pressure 1{2}	3244927	0 03244927	871	0	0	871
		GT3{2}	-156312	0 0 156312	486	0	1	486
		Hydrotest-NL{2}	3088615	0 03088615	1357	0	1	1357
+95	-	Gravity{1}	0	0 0	220	0	0	220
		Thermal 1{1}	5627221	0 05627221	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733460	56	0	0	56
		Thermal 3{1}	-156312	0 0 156312	22	0	0	22
		Wind 1{1}	0	0 0	-1	0	0	1
		Wind 2{1}	0	0 0	1	0	0	1
		Wind 3{1}	0	0 0	-57	0	0	57
		Wind 4{1}	0	0 0	52	0	0	52
		Pressure 1{1}	2595608	0 02595608	101	0	0	101
		Pressure 2{1}	2595943	0 02595943	-124	0	0	124
		Pressure 3{1}	2595942	0 02595942	-107	0	0	107
		GT1{1}	5627221	0 05627221	94	0	0	94
		GT2{1}	-.2E+07	0 01733460	276	0	0	276
		GT3{1}	-156312	0 0 156312	242	0	0	242
		GW1{1}	0	0 0	219	0	0	219
		GW2{1}	0	0 0	221	0	0	221
		GW3{1}	0	0 0	163	0	0	163
		GW4{1}	0	0 0	272	0	0	272
		GT1P1{1}	8222829	0 08222829	195	0	0	195
		GT2P2{1}	862482	0 0 862482	152	0	0	152
		GT3P3{1}	2439630	0 02439630	135	0	0	135
		Gravity{2}	0	0 0	461	0	0	461
		Thermal 3{2}	-156312	0 0 156312	25	0	0	25
		Pressure 1{2}	3244927	0 03244927	871	0	0	871
		GT3{2}	-156312	0 0 156312	486	0	0	486
		Hydrotest-NL{2}	3088615	0 03088615	1357	0	0	1357
+95	+	Gravity{1}	0	0 0	220	0	0	220
		Thermal 1{1}	5627225	0 05627225	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733462	56	0	0	56
		Thermal 3{1}	-156312	0 0 156312	22	0	0	22
		Wind 1{1}	0	0 0	-1	0	0	1
		Wind 2{1}	0	0 0	1	0	0	1
		Wind 3{1}	0	0 0	-57	0	0	57
		Wind 4{1}	0	0 0	52	0	0	52
		Pressure 1{1}	2595606	0 02595606	101	0	0	101
		Pressure 2{1}	2595945	0 02595945	-124	0	0	124
		Pressure 3{1}	2595944	0 02595944	-107	0	0	107
		GT1{1}	5627225	0 05627225	94	0	0	94
		GT2{1}	-.2E+07	0 01733462	276	0	0	276
		GT3{1}	-156312	0 0 156312	242	0	0	242
		GW1{1}	0	0 0	219	0	0	219
		GW2{1}	0	0 0	221	0	0	221
		GW3{1}	0	0 0	163	0	0	163
		GW4{1}	0	0 0	272	0	0	272
		GT1P1{1}	8222830	0 08222830	195	0	0	195
		GT2P2{1}	862483	0 0 862483	152	0	0	152
		GT3P3{1}	2439632	0 02439632	135	0	0	135
		Gravity{2}	0	0 0	461	0	0	461
		Thermal 3{2}	-156312	0 0 156312	25	0	0	25
		Pressure 1{2}	3244929	0 03244929	871	0	0	871
		GT3{2}	-156312	0 0 156312	486	0	0	486
		Hydrotest-NL{2}	3088617	0 03088617	1357	0	0	1357
+96	-	Gravity{1}	0	0 0	220	0	0	220
		Thermal 1{1}	5627225	0 05627225	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733462	56	0	0	56
		Thermal 3{1}	-156312	0 0 156312	22	0	0	22
		Wind 1{1}	0	0 0	-1	0	0	1
		Wind 2{1}	0	0 0	1	0	0	1
		Wind 3{1}	0	0 0	-57	0	0	57
		Wind 4{1}	0	0 0	52	0	0	52
		Pressure 1{1}	2595606	0 02595606	101	0	0	101
		Pressure 2{1}	2595945	0 02595945	-124	0	0	124
		Pressure 3{1}	2595944	0 02595944	-107	0	0	107
		GT1{1}	5627225	0 05627225	94	0	0	94

	GT2{1}	-.2E+07	0	01733462	276	0	0	276
	GT3{1}	-156312	0	0 156312	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222830	0	08222830	195	0	0	195
	GT2P2{1}	862483	0	0 862483	152	0	0	152
	GT3P3{1}	2439632	0	02439632	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156312	0	0 156312	25	0	0	25
	Pressure 1{2}	3244929	0	03244929	871	0	0	871
	GT3{2}	-156312	0	0 156312	486	0	0	486
	Hydrotest-NL{2}	3088617	0	03088617	1357	0	0	1357
+96	+	Gravity{1}	0	0 0	220	0	0	220
		Thermal 1{1}	5627230	0 05627230	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733463	56	0	0	56
		Thermal 3{1}	-156312	0 0 156312	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595603	0 02595603	101	0	0	101
		Pressure 2{1}	2595947	0 02595947	-124	0	0	124
		Pressure 3{1}	2595947	0 02595947	-107	0	0	107
		GT1{1}	5627230	0 05627230	94	0	0	94
		GT2{1}	-.2E+07	0 01733463	276	0	0	276
		GT3{1}	-156312	0 0 156312	242	0	0	242
		GW1{1}	0	0 0 0	219	0	0	219
		GW2{1}	0	0 0 0	221	0	0	221
		GW3{1}	0	0 0 0	163	0	0	163
		GW4{1}	0	0 0 0	272	0	0	272
		GT1P1{1}	8222833	0 08222833	195	0	0	195
		GT2P2{1}	862484	0 0 862484	152	0	0	152
		GT3P3{1}	2439634	0 02439634	135	0	0	135
		Gravity{2}	0	0 0 0	461	0	0	461
		Thermal 3{2}	-156312	0 0 156312	25	0	0	25
		Pressure 1{2}	3244932	0 03244932	871	0	0	871
		GT3{2}	-156312	0 0 156312	486	0	0	486
		Hydrotest-NL{2}	3088620	0 03088620	1357	0	0	1357
+97	-	Gravity{1}	0	0 0 0	220	0	0	220
		Thermal 1{1}	5627230	0 05627230	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733463	56	0	0	56
		Thermal 3{1}	-156312	0 0 156312	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595603	0 02595603	101	0	0	101
		Pressure 2{1}	2595947	0 02595947	-124	0	0	124
		Pressure 3{1}	2595947	0 02595947	-107	0	0	107
		GT1{1}	5627230	0 05627230	94	0	0	94
		GT2{1}	-.2E+07	0 01733463	276	0	0	276
		GT3{1}	-156312	0 0 156312	242	0	0	242
		GW1{1}	0	0 0 0	219	0	0	219
		GW2{1}	0	0 0 0	221	0	0	221
		GW3{1}	0	0 0 0	163	0	0	163
		GW4{1}	0	0 0 0	272	0	0	272
		GT1P1{1}	8222833	0 08222833	195	0	0	195
		GT2P2{1}	862484	0 0 862484	152	0	0	152
		GT3P3{1}	2439634	0 02439634	135	0	0	135
		Gravity{2}	0	0 0 0	461	0	0	461
		Thermal 3{2}	-156312	0 0 156312	25	0	0	25
		Pressure 1{2}	3244932	0 03244932	871	0	0	871
		GT3{2}	-156312	0 0 156312	486	0	0	486
		Hydrotest-NL{2}	3088620	0 03088620	1357	0	0	1357
+97	+	Gravity{1}	0	0 0 0	220	0	0	220
		Thermal 1{1}	5627233	0 05627233	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733464	56	0	0	56
		Thermal 3{1}	-156312	0 0 156312	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595601	0 02595601	101	0	0	101
		Pressure 2{1}	2595949	0 02595949	-124	0	0	124
		Pressure 3{1}	2595949	0 02595949	-107	0	0	107
		GT1{1}	5627233	0 05627233	94	0	0	94
		GT2{1}	-.2E+07	0 01733464	276	0	0	276
		GT3{1}	-156312	0 0 156312	242	0	0	242
		GW1{1}	0	0 0 0	219	0	0	219
		GW2{1}	0	0 0 0	221	0	0	221
		GW3{1}	0	0 0 0	163	0	0	163
		GW4{1}	0	0 0 0	272	0	0	272
		GT1P1{1}	8222834	0 08222834	195	0	0	195
		GT2P2{1}	862484	0 0 862484	152	0	0	152
		GT3P3{1}	2439636	0 02439636	135	0	0	135
		Gravity{2}	0	0 0 0	461	0	0	461
		Thermal 3{2}	-156312	0 0 156312	25	0	0	25
		Pressure 1{2}	3244934	0 03244934	871	0	0	871
		GT3{2}	-156312	0 0 156312	486	0	0	486
		Hydrotest-NL{2}	3088622	0 03088622	1357	0	0	1357
+98	-	Gravity{1}	0	0 0 0	220	0	0	220
		Thermal 1{1}	5627233	0 05627233	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733464	56	0	0	56
		Thermal 3{1}	-156312	0 0 156312	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595601	0 02595601	101	0	0	101
		Pressure 2{1}	2595949	0 02595949	-124	0	0	124
		Pressure 3{1}	2595949	0 02595949	-107	0	0	107
		GT1{1}	5627233	0 05627233	94	0	0	94

	GT2{1}	-.2E+07	0	01733464	276	0	0	276
	GT3{1}	-156312	0	0 156312	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222834	0	08222834	195	0	0	195
	GT2P2{1}	862484	0	0 862484	152	0	0	152
	GT3P3{1}	2439636	0	02439636	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156312	0	0 156312	25	0	0	25
	Pressure 1{2}	3244934	0	03244934	871	0	0	871
	GT3{2}	-156312	0	0 156312	486	0	0	486
	Hydrotest-NL{2}	3088622	0	03088622	1357	0	0	1357
+98	+	Gravity{1}	0	0 0	220	0	0	220
		Thermal 1{1}	5627237	0 05627237	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733466	56	0	0	56
		Thermal 3{1}	-156313	0 0 156313	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595598	0 02595598	101	0	0	101
		Pressure 2{1}	2595951	0 02595951	-124	0	0	124
		Pressure 3{1}	2595951	0 02595951	-107	0	0	107
		GT1{1}	5627237	0 05627237	94	0	0	94
		GT2{1}	-.2E+07	0 01733466	276	0	0	276
		GT3{1}	-156313	0 0 156313	242	0	0	242
		GW1{1}	0	0 0 0	219	0	0	219
		GW2{1}	0	0 0 0	221	0	0	221
		GW3{1}	0	0 0 0	163	0	0	163
		GW4{1}	0	0 0 0	272	0	0	272
		GT1P1{1}	8222836	0 08222836	195	0	0	195
		GT2P2{1}	862485	0 0 862485	152	0	0	152
		GT3P3{1}	2439638	0 02439638	135	0	0	135
		Gravity{2}	0	0 0 0	461	0	0	461
		Thermal 3{2}	-156313	0 0 156313	25	0	0	25
		Pressure 1{2}	3244937	0 03244937	871	0	0	871
		GT3{2}	-156313	0 0 156313	486	0	0	486
		Hydrotest-NL{2}	3088625	0 03088625	1357	0	0	1357
+99	-	Gravity{1}	0	0 0	220	0	0	220
		Thermal 1{1}	5627237	0 05627237	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733466	56	0	0	56
		Thermal 3{1}	-156313	0 0 156313	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595598	0 02595598	101	0	0	101
		Pressure 2{1}	2595951	0 02595951	-124	0	0	124
		Pressure 3{1}	2595951	0 02595951	-107	0	0	107
		GT1{1}	5627237	0 05627237	94	0	0	94
		GT2{1}	-.2E+07	0 01733466	276	0	0	276
		GT3{1}	-156313	0 0 156313	242	0	0	242
		GW1{1}	0	0 0 0	219	0	0	219
		GW2{1}	0	0 0 0	221	0	0	221
		GW3{1}	0	0 0 0	163	0	0	163
		GW4{1}	0	0 0 0	272	0	0	272
		GT1P1{1}	8222836	0 08222836	195	0	0	195
		GT2P2{1}	862485	0 0 862485	152	0	0	152
		GT3P3{1}	2439638	0 02439638	135	0	0	135
		Gravity{2}	0	0 0 0	461	0	0	461
		Thermal 3{2}	-156313	0 0 156313	25	0	0	25
		Pressure 1{2}	3244937	0 03244937	871	0	0	871
		GT3{2}	-156313	0 0 156313	486	0	0	486
		Hydrotest-NL{2}	3088625	0 03088625	1357	0	0	1357
+99	+	Gravity{1}	0	0 0	220	0	0	220
		Thermal 1{1}	5627242	0 05627242	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733467	56	0	0	56
		Thermal 3{1}	-156313	0 0 156313	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595596	0 02595596	101	0	0	101
		Pressure 2{1}	2595953	0 02595953	-124	0	0	124
		Pressure 3{1}	2595953	0 02595953	-107	0	0	107
		GT1{1}	5627242	0 05627242	94	0	0	94
		GT2{1}	-.2E+07	0 01733467	276	0	0	276
		GT3{1}	-156313	0 0 156313	242	0	0	242
		GW1{1}	0	0 0 0	219	0	0	219
		GW2{1}	0	0 0 0	221	0	0	221
		GW3{1}	0	0 0 0	163	0	0	163
		GW4{1}	0	0 0 0	272	0	0	272
		GT1P1{1}	8222837	0 08222837	195	0	0	195
		GT2P2{1}	862486	0 0 862486	152	0	0	152
		GT3P3{1}	2439640	0 02439640	135	0	0	135
		Gravity{2}	0	0 0 0	461	0	0	461
		Thermal 3{2}	-156313	0 0 156313	25	0	0	25
		Pressure 1{2}	3244939	0 03244939	871	0	0	871
		GT3{2}	-156313	0 0 156313	486	0	0	486
		Hydrotest-NL{2}	3088627	0 03088627	1357	0	0	1357
+100	-	Gravity{1}	0	0 0	220	0	0	220
		Thermal 1{1}	5627242	0 05627242	-126	0	0	126
		Thermal 2{1}	-.2E+07	0 01733467	56	0	0	56
		Thermal 3{1}	-156313	0 0 156313	22	0	0	22
		Wind 1{1}	0	0 0 0	-1	0	0	1
		Wind 2{1}	0	0 0 0	1	0	0	1
		Wind 3{1}	0	0 0 0	-57	0	0	57
		Wind 4{1}	0	0 0 0	52	0	0	52
		Pressure 1{1}	2595596	0 02595596	101	0	0	101
		Pressure 2{1}	2595953	0 02595953	-124	0	0	124
		Pressure 3{1}	2595953	0 02595953	-107	0	0	107
		GT1{1}	5627242	0 05627242	94	0	0	94

	GT2{1}	-.2E+07	0	01733467	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222837	0	08222837	195	0	0	195
	GT2P2{1}	862486	0	0 862486	152	0	0	152
	GT3P3{1}	2439640	0	02439640	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244939	0	03244939	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088627	0	03088627	1357	0	0	1357
+100 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627246	0	05627246	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733469	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595593	0	02595593	101	0	0	101
	Pressure 2{1}	2595955	0	02595955	-124	0	0	124
	Pressure 3{1}	2595954	0	02595954	-107	0	0	107
	GT1{1}	5627246	0	05627246	94	0	0	94
	GT2{1}	-.2E+07	0	01733469	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222838	0	08222838	195	0	0	195
	GT2P2{1}	862486	0	0 862486	152	0	0	152
	GT3P3{1}	2439642	0	02439642	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244942	0	03244942	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088629	0	03088629	1357	0	0	1357
+101 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627246	0	05627246	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733469	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595593	0	02595593	101	0	0	101
	Pressure 2{1}	2595955	0	02595955	-124	0	0	124
	Pressure 3{1}	2595954	0	02595954	-107	0	0	107
	GT1{1}	5627246	0	05627246	94	0	0	94
	GT2{1}	-.2E+07	0	01733469	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222838	0	08222838	195	0	0	195
	GT2P2{1}	862486	0	0 862486	152	0	0	152
	GT3P3{1}	2439642	0	02439642	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244942	0	03244942	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088629	0	03088629	1357	0	0	1357
+101 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627249	0	05627249	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733470	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595590	0	02595590	101	0	0	101
	Pressure 2{1}	2595957	0	02595957	-124	0	0	124
	Pressure 3{1}	2595956	0	02595956	-107	0	0	107
	GT1{1}	5627249	0	05627249	94	0	0	94
	GT2{1}	-.2E+07	0	01733470	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222839	0	08222839	195	0	0	195
	GT2P2{1}	862487	0	0 862487	152	0	0	152
	GT3P3{1}	2439643	0	02439643	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244944	0	03244944	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088631	0	03088631	1357	0	0	1357
+102 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627249	0	05627249	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733470	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595590	0	02595590	101	0	0	101
	Pressure 2{1}	2595957	0	02595957	-124	0	0	124
	Pressure 3{1}	2595956	0	02595956	-107	0	0	107
	GT1{1}	5627249	0	05627249	94	0	0	94

	GT2{1}	-.2E+07	0	01733470	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222839	0	08222839	195	0	0	195
	GT2P2{1}	862487	0	0 862487	152	0	0	152
	GT3P3{1}	2439643	0	02439643	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244944	0	03244944	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088631	0	03088631	1357	0	0	1357
+102 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627253	0	05627253	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733471	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595587	0	02595587	101	0	0	101
	Pressure 2{1}	2595959	0	02595959	-124	0	0	124
	Pressure 3{1}	2595958	0	02595958	-107	0	0	107
	GT1{1}	5627253	0	05627253	94	0	0	94
	GT2{1}	-.2E+07	0	01733471	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222840	0	08222840	195	0	0	195
	GT2P2{1}	862488	0	0 862488	152	0	0	152
	GT3P3{1}	2439645	0	02439645	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244947	0	03244947	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088634	0	03088634	1357	0	0	1357
+103 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627253	0	05627253	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733471	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595587	0	02595587	101	0	0	101
	Pressure 2{1}	2595959	0	02595959	-124	0	0	124
	Pressure 3{1}	2595958	0	02595958	-107	0	0	107
	GT1{1}	5627253	0	05627253	94	0	0	94
	GT2{1}	-.2E+07	0	01733471	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222840	0	08222840	195	0	0	195
	GT2P2{1}	862488	0	0 862488	152	0	0	152
	GT3P3{1}	2439645	0	02439645	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244947	0	03244947	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088634	0	03088634	1357	0	0	1357
+103 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627257	0	05627257	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733472	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595584	0	02595584	101	0	0	101
	Pressure 2{1}	2595961	0	02595961	-124	0	0	124
	Pressure 3{1}	2595960	0	02595960	-107	0	0	107
	GT1{1}	5627257	0	05627257	94	0	0	94
	GT2{1}	-.2E+07	0	01733472	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222841	0	08222841	195	0	0	195
	GT2P2{1}	862489	0	0 862489	152	0	0	152
	GT3P3{1}	2439647	0	02439647	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244949	0	03244949	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088636	0	03088636	1357	0	0	1357
+104 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627257	0	05627257	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733472	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595584	0	02595584	101	0	0	101
	Pressure 2{1}	2595961	0	02595961	-124	0	0	124
	Pressure 3{1}	2595960	0	02595960	-107	0	0	107
	GT1{1}	5627257	0	05627257	94	0	0	94

	GT2{1}	-.2E+07	0	01733472	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222841	0	08222841	195	0	0	195
	GT2P2{1}	862489	0	0 862489	152	0	0	152
	GT3P3{1}	2439647	0	02439647	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244949	0	03244949	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088636	0	03088636	1357	0	0	1357
+104 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627260	0	05627260	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733474	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595581	0	02595581	101	0	0	101
	Pressure 2{1}	2595963	0	02595963	-124	0	0	124
	Pressure 3{1}	2595962	0	02595962	-107	0	0	107
	GT1{1}	5627260	0	05627260	94	0	0	94
	GT2{1}	-.2E+07	0	01733474	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222841	0	08222841	195	0	0	195
	GT2P2{1}	862489	0	0 862489	152	0	0	152
	GT3P3{1}	2439649	0	02439649	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244951	0	03244951	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088638	0	03088638	1357	0	0	1357
+105 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627260	0	05627260	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733474	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595581	0	02595581	101	0	0	101
	Pressure 2{1}	2595963	0	02595963	-124	0	0	124
	Pressure 3{1}	2595962	0	02595962	-107	0	0	107
	GT1{1}	5627260	0	05627260	94	0	0	94
	GT2{1}	-.2E+07	0	01733474	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222841	0	08222841	195	0	0	195
	GT2P2{1}	862489	0	0 862489	152	0	0	152
	GT3P3{1}	2439649	0	02439649	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244951	0	03244951	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088638	0	03088638	1357	0	0	1357
+105 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627264	0	05627264	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733475	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595578	0	02595578	101	0	0	101
	Pressure 2{1}	2595965	0	02595965	-124	0	0	124
	Pressure 3{1}	2595964	0	02595964	-107	0	0	107
	GT1{1}	5627264	0	05627264	94	0	0	94
	GT2{1}	-.2E+07	0	01733475	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222841	0	08222841	195	0	0	195
	GT2P2{1}	862490	0	0 862490	152	0	0	152
	GT3P3{1}	2439651	0	02439651	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244954	0	03244954	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088640	0	03088640	1357	0	0	1357
+106 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627264	0	05627264	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733475	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595578	0	02595578	101	0	0	101
	Pressure 2{1}	2595965	0	02595965	-124	0	0	124
	Pressure 3{1}	2595964	0	02595964	-107	0	0	107
	GT1{1}	5627264	0	05627264	94	0	0	94

	GT2{1}	-.2E+07	0	01733475	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222841	0	08222841	195	0	0	195
	GT2P2{1}	862490	0	0 862490	152	0	0	152
	GT3P3{1}	2439651	0	02439651	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244954	0	03244954	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088640	0	03088640	1357	0	0	1357
+106 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627267	0	05627267	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733476	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595574	0	02595574	101	0	0	101
	Pressure 2{1}	2595966	0	02595966	-124	0	0	124
	Pressure 3{1}	2595966	0	02595966	-107	0	0	107
	GT1{1}	5627267	0	05627267	94	0	0	94
	GT2{1}	-.2E+07	0	01733476	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222841	0	08222841	195	0	0	195
	GT2P2{1}	862490	0	0 862490	152	0	0	152
	GT3P3{1}	2439652	0	02439652	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244956	0	03244956	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088642	0	03088642	1357	0	0	1357
+107 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627267	0	05627267	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733476	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595574	0	02595574	101	0	0	101
	Pressure 2{1}	2595966	0	02595966	-124	0	0	124
	Pressure 3{1}	2595966	0	02595966	-107	0	0	107
	GT1{1}	5627267	0	05627267	94	0	0	94
	GT2{1}	-.2E+07	0	01733476	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222841	0	08222841	195	0	0	195
	GT2P2{1}	862490	0	0 862490	152	0	0	152
	GT3P3{1}	2439652	0	02439652	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244956	0	03244956	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088642	0	03088642	1357	0	0	1357
+107 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627271	0	05627271	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733477	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595571	0	02595571	101	0	0	101
	Pressure 2{1}	2595968	0	02595968	-124	0	0	124
	Pressure 3{1}	2595968	0	02595968	-107	0	0	107
	GT1{1}	5627271	0	05627271	94	0	0	94
	GT2{1}	-.2E+07	0	01733477	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222841	0	08222841	195	0	0	195
	GT2P2{1}	862491	0	0 862491	152	0	0	152
	GT3P3{1}	2439654	0	02439654	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244958	0	03244958	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088645	0	03088645	1357	0	0	1357
+108 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627271	0	05627271	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733477	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595571	0	02595571	101	0	0	101
	Pressure 2{1}	2595968	0	02595968	-124	0	0	124
	Pressure 3{1}	2595968	0	02595968	-107	0	0	107
	GT1{1}	5627271	0	05627271	94	0	0	94

	GT2{1}	-.2E+07	0	01733477	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222841	0	08222841	195	0	0	195
	GT2P2{1}	862491	0	0 862491	152	0	0	152
	GT3P3{1}	2439654	0	02439654	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244958	0	03244958	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088645	0	03088645	1357	0	0	1357
+108 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627274	0	05627274	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733478	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595567	0	02595567	101	0	0	101
	Pressure 2{1}	2595970	0	02595970	-124	0	0	124
	Pressure 3{1}	2595969	0	02595969	-107	0	0	107
	GT1{1}	5627274	0	05627274	94	0	0	94
	GT2{1}	-.2E+07	0	01733478	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222841	0	08222841	195	0	0	195
	GT2P2{1}	862491	0	0 862491	152	0	0	152
	GT3P3{1}	2439656	0	02439656	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244960	0	03244960	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088647	0	03088647	1357	0	0	1357
+109 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627274	0	05627274	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733478	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595567	0	02595567	101	0	0	101
	Pressure 2{1}	2595970	0	02595970	-124	0	0	124
	Pressure 3{1}	2595969	0	02595969	-107	0	0	107
	GT1{1}	5627274	0	05627274	94	0	0	94
	GT2{1}	-.2E+07	0	01733478	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222841	0	08222841	195	0	0	195
	GT2P2{1}	862491	0	0 862491	152	0	0	152
	GT3P3{1}	2439656	0	02439656	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244960	0	03244960	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088647	0	03088647	1357	0	0	1357
+109 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627277	0	05627277	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733480	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595564	0	02595564	101	0	0	101
	Pressure 2{1}	2595971	0	02595971	-124	0	0	124
	Pressure 3{1}	2595971	0	02595971	-107	0	0	107
	GT1{1}	5627277	0	05627277	94	0	0	94
	GT2{1}	-.2E+07	0	01733480	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222841	0	08222841	195	0	0	195
	GT2P2{1}	862492	0	0 862492	152	0	0	152
	GT3P3{1}	2439657	0	02439657	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244962	0	03244962	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088648	0	03088648	1357	0	0	1357
+110 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627277	0	05627277	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733480	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595564	0	02595564	101	0	0	101
	Pressure 2{1}	2595971	0	02595971	-124	0	0	124
	Pressure 3{1}	2595971	0	02595971	-107	0	0	107
	GT1{1}	5627277	0	05627277	94	0	0	94

	GT2{1}	-.2E+07	0	01733480	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222841	0	08222841	195	0	0	195
	GT2P2{1}	862492	0	0 862492	152	0	0	152
	GT3P3{1}	2439657	0	02439657	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244962	0	03244962	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088648	0	03088648	1357	0	0	1357
+110 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627281	0	05627281	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733481	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595560	0	02595560	101	0	0	101
	Pressure 2{1}	2595973	0	02595973	-124	0	0	124
	Pressure 3{1}	2595973	0	02595973	-107	0	0	107
	GT1{1}	5627281	0	05627281	94	0	0	94
	GT2{1}	-.2E+07	0	01733481	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222840	0	08222840	195	0	0	195
	GT2P2{1}	862492	0	0 862492	152	0	0	152
	GT3P3{1}	2439659	0	02439659	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244964	0	03244964	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088650	0	03088650	1357	0	0	1357
+111 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627281	0	05627281	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733481	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595560	0	02595560	101	0	0	101
	Pressure 2{1}	2595973	0	02595973	-124	0	0	124
	Pressure 3{1}	2595973	0	02595973	-107	0	0	107
	GT1{1}	5627281	0	05627281	94	0	0	94
	GT2{1}	-.2E+07	0	01733481	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222840	0	08222840	195	0	0	195
	GT2P2{1}	862492	0	0 862492	152	0	0	152
	GT3P3{1}	2439659	0	02439659	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244964	0	03244964	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088650	0	03088650	1357	0	0	1357
+111 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627284	0	05627284	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733482	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595556	0	02595556	101	0	0	101
	Pressure 2{1}	2595975	0	02595975	-124	0	0	124
	Pressure 3{1}	2595975	0	02595975	-107	0	0	107
	GT1{1}	5627284	0	05627284	94	0	0	94
	GT2{1}	-.2E+07	0	01733482	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222840	0	08222840	195	0	0	195
	GT2P2{1}	862493	0	0 862493	152	0	0	152
	GT3P3{1}	2439660	0	02439660	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244966	0	03244966	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088652	0	03088652	1357	0	0	1357
+112 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627284	0	05627284	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733482	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595556	0	02595556	101	0	0	101
	Pressure 2{1}	2595975	0	02595975	-124	0	0	124
	Pressure 3{1}	2595975	0	02595975	-107	0	0	107
	GT1{1}	5627284	0	05627284	94	0	0	94

	GT2{1}	-.2E+07	0	01733482	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222840	0	08222840	195	0	0	195
	GT2P2{1}	862493	0	0 862493	152	0	0	152
	GT3P3{1}	2439660	0	02439660	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244966	0	03244966	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088652	0	03088652	1357	0	0	1357
+112 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627287	0	05627287	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733483	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595552	0	02595552	101	0	0	101
	Pressure 2{1}	2595976	0	02595976	-124	0	0	124
	Pressure 3{1}	2595976	0	02595976	-107	0	0	107
	GT1{1}	5627287	0	05627287	94	0	0	94
	GT2{1}	-.2E+07	0	01733483	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222839	0	08222839	195	0	0	195
	GT2P2{1}	862494	0	0 862494	152	0	0	152
	GT3P3{1}	2439662	0	02439662	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244968	0	03244968	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088654	0	03088654	1357	0	0	1357
+113 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627287	0	05627287	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733483	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595552	0	02595552	101	0	0	101
	Pressure 2{1}	2595976	0	02595976	-124	0	0	124
	Pressure 3{1}	2595976	0	02595976	-107	0	0	107
	GT1{1}	5627287	0	05627287	94	0	0	94
	GT2{1}	-.2E+07	0	01733483	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222839	0	08222839	195	0	0	195
	GT2P2{1}	862494	0	0 862494	152	0	0	152
	GT3P3{1}	2439662	0	02439662	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244968	0	03244968	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088654	0	03088654	1357	0	0	1357
+113 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627290	0	05627290	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733484	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595548	0	02595548	101	0	0	101
	Pressure 2{1}	2595978	0	02595978	-124	0	0	124
	Pressure 3{1}	2595978	0	02595978	-107	0	0	107
	GT1{1}	5627290	0	05627290	94	0	0	94
	GT2{1}	-.2E+07	0	01733484	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222838	0	08222838	195	0	0	195
	GT2P2{1}	862494	0	0 862494	152	0	0	152
	GT3P3{1}	2439664	0	02439664	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244970	0	03244970	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088656	0	03088656	1357	0	0	1357
+114 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627290	0	05627290	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733484	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595548	0	02595548	101	0	0	101
	Pressure 2{1}	2595978	0	02595978	-124	0	0	124
	Pressure 3{1}	2595978	0	02595978	-107	0	0	107
	GT1{1}	5627290	0	05627290	94	0	0	94

	GT2{1}	-.2E+07	0	01733484	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222838	0	08222838	195	0	0	195
	GT2P2{1}	862494	0	0 862494	152	0	0	152
	GT3P3{1}	2439664	0	02439664	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244970	0	03244970	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088656	0	03088656	1357	0	0	1357
+114 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627294	0	05627294	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733485	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595543	0	02595543	101	0	0	101
	Pressure 2{1}	2595980	0	02595980	-124	0	0	124
	Pressure 3{1}	2595979	0	02595979	-107	0	0	107
	GT1{1}	5627294	0	05627294	94	0	0	94
	GT2{1}	-.2E+07	0	01733485	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222837	0	08222837	195	0	0	195
	GT2P2{1}	862495	0	0 862495	152	0	0	152
	GT3P3{1}	2439665	0	02439665	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244973	0	03244973	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088658	0	03088658	1357	0	0	1357
+115 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627294	0	05627294	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733485	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595543	0	02595543	101	0	0	101
	Pressure 2{1}	2595980	0	02595980	-124	0	0	124
	Pressure 3{1}	2595979	0	02595979	-107	0	0	107
	GT1{1}	5627294	0	05627294	94	0	0	94
	GT2{1}	-.2E+07	0	01733485	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222837	0	08222837	195	0	0	195
	GT2P2{1}	862495	0	0 862495	152	0	0	152
	GT3P3{1}	2439665	0	02439665	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244973	0	03244973	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088658	0	03088658	1357	0	0	1357
+115 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627296	0	05627296	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733486	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595539	0	02595539	101	0	0	101
	Pressure 2{1}	2595981	0	02595981	-124	0	0	124
	Pressure 3{1}	2595981	0	02595981	-107	0	0	107
	GT1{1}	5627296	0	05627296	94	0	0	94
	GT2{1}	-.2E+07	0	01733486	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222835	0	08222835	195	0	0	195
	GT2P2{1}	862495	0	0 862495	152	0	0	152
	GT3P3{1}	2439667	0	02439667	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244975	0	03244975	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088660	0	03088660	1357	0	0	1357
+116 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627296	0	05627296	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733486	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595539	0	02595539	101	0	0	101
	Pressure 2{1}	2595981	0	02595981	-124	0	0	124
	Pressure 3{1}	2595981	0	02595981	-107	0	0	107
	GT1{1}	5627296	0	05627296	94	0	0	94

	GT2{1}	-.2E+07	0	01733486	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222835	0	08222835	195	0	0	195
	GT2P2{1}	862495	0	0 862495	152	0	0	152
	GT3P3{1}	2439667	0	02439667	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244975	0	03244975	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088660	0	03088660	1357	0	0	1357
+116 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627299	0	05627299	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733487	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595534	0	02595534	101	0	0	101
	Pressure 2{1}	2595983	0	02595983	-124	0	0	124
	Pressure 3{1}	2595982	0	02595982	-107	0	0	107
	GT1{1}	5627299	0	05627299	94	0	0	94
	GT2{1}	-.2E+07	0	01733487	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222834	0	08222834	195	0	0	195
	GT2P2{1}	862496	0	0 862496	152	0	0	152
	GT3P3{1}	2439668	0	02439668	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244976	0	03244976	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088662	0	03088662	1357	0	0	1357
+117 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627299	0	05627299	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733487	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595534	0	02595534	101	0	0	101
	Pressure 2{1}	2595983	0	02595983	-124	0	0	124
	Pressure 3{1}	2595982	0	02595982	-107	0	0	107
	GT1{1}	5627299	0	05627299	94	0	0	94
	GT2{1}	-.2E+07	0	01733487	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222834	0	08222834	195	0	0	195
	GT2P2{1}	862496	0	0 862496	152	0	0	152
	GT3P3{1}	2439668	0	02439668	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244976	0	03244976	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088662	0	03088662	1357	0	0	1357
+117 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627302	0	05627302	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733488	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595530	0	02595530	101	0	0	101
	Pressure 2{1}	2595985	0	02595985	-124	0	0	124
	Pressure 3{1}	2595984	0	02595984	-107	0	0	107
	GT1{1}	5627302	0	05627302	94	0	0	94
	GT2{1}	-.2E+07	0	01733488	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222831	0	08222831	195	0	0	195
	GT2P2{1}	862496	0	0 862496	152	0	0	152
	GT3P3{1}	2439669	0	02439669	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244978	0	03244978	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088664	0	03088664	1357	0	0	1357
+118 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627302	0	05627302	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733488	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595530	0	02595530	101	0	0	101
	Pressure 2{1}	2595985	0	02595985	-124	0	0	124
	Pressure 3{1}	2595984	0	02595984	-107	0	0	107
	GT1{1}	5627302	0	05627302	94	0	0	94

	GT2{1}	-.2E+07	0	01733488	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222831	0	08222831	195	0	0	195
	GT2P2{1}	862496	0	0 862496	152	0	0	152
	GT3P3{1}	2439669	0	02439669	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244978	0	03244978	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088664	0	03088664	1357	0	0	1357
+118 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627305	0	05627305	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733489	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595525	0	02595525	101	0	0	101
	Pressure 2{1}	2595986	0	02595986	-124	0	0	124
	Pressure 3{1}	2595985	0	02595985	-107	0	0	107
	GT1{1}	5627305	0	05627305	94	0	0	94
	GT2{1}	-.2E+07	0	01733489	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222830	0	08222830	195	0	0	195
	GT2P2{1}	862497	0	0 862497	152	0	0	152
	GT3P3{1}	2439671	0	02439671	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244980	0	03244980	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088665	0	03088665	1357	0	0	1357
+119 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627305	0	05627305	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733489	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595525	0	02595525	101	0	0	101
	Pressure 2{1}	2595986	0	02595986	-124	0	0	124
	Pressure 3{1}	2595985	0	02595985	-107	0	0	107
	GT1{1}	5627305	0	05627305	94	0	0	94
	GT2{1}	-.2E+07	0	01733489	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222830	0	08222830	195	0	0	195
	GT2P2{1}	862497	0	0 862497	152	0	0	152
	GT3P3{1}	2439671	0	02439671	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244980	0	03244980	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088665	0	03088665	1357	0	0	1357
+119 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627307	0	05627307	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733490	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595520	0	02595520	101	0	0	101
	Pressure 2{1}	2595988	0	02595988	-124	0	0	124
	Pressure 3{1}	2595987	0	02595987	-107	0	0	107
	GT1{1}	5627307	0	05627307	94	0	0	94
	GT2{1}	-.2E+07	0	01733490	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222828	0	08222828	195	0	0	195
	GT2P2{1}	862497	0	0 862497	152	0	0	152
	GT3P3{1}	2439672	0	02439672	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244982	0	03244982	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088667	0	03088667	1357	0	0	1357
+120 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627307	0	05627307	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733490	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595520	0	02595520	101	0	0	101
	Pressure 2{1}	2595988	0	02595988	-124	0	0	124
	Pressure 3{1}	2595987	0	02595987	-107	0	0	107
	GT1{1}	5627307	0	05627307	94	0	0	94

	GT2{1}	-.2E+07	0	01733490	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222828	0	08222828	195	0	0	195
	GT2P2{1}	862497	0	0 862497	152	0	0	152
	GT3P3{1}	2439672	0	02439672	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244982	0	03244982	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088667	0	03088667	1357	0	0	1357
+120 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627310	0	05627310	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733491	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595515	0	02595515	101	0	0	101
	Pressure 2{1}	2595989	0	02595989	-124	0	0	124
	Pressure 3{1}	2595988	0	02595988	-107	0	0	107
	GT1{1}	5627310	0	05627310	94	0	0	94
	GT2{1}	-.2E+07	0	01733491	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222825	0	08222825	195	0	0	195
	GT2P2{1}	862498	0	0 862498	152	0	0	152
	GT3P3{1}	2439674	0	02439674	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244984	0	03244984	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088669	0	03088669	1357	0	0	1357
+121 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627310	0	05627310	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733491	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595515	0	02595515	101	0	0	101
	Pressure 2{1}	2595989	0	02595989	-124	0	0	124
	Pressure 3{1}	2595988	0	02595988	-107	0	0	107
	GT1{1}	5627310	0	05627310	94	0	0	94
	GT2{1}	-.2E+07	0	01733491	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222825	0	08222825	195	0	0	195
	GT2P2{1}	862498	0	0 862498	152	0	0	152
	GT3P3{1}	2439674	0	02439674	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244984	0	03244984	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088669	0	03088669	1357	0	0	1357
+121 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627313	0	05627313	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733492	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595510	0	02595510	101	0	0	101
	Pressure 2{1}	2595990	0	02595990	-124	0	0	124
	Pressure 3{1}	2595990	0	02595990	-107	0	0	107
	GT1{1}	5627313	0	05627313	94	0	0	94
	GT2{1}	-.2E+07	0	01733492	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222823	0	08222823	195	0	0	195
	GT2P2{1}	862498	0	0 862498	152	0	0	152
	GT3P3{1}	2439675	0	02439675	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244985	0	03244985	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088670	0	03088670	1357	0	0	1357
+122 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627313	0	05627313	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733492	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595510	0	02595510	101	0	0	101
	Pressure 2{1}	2595990	0	02595990	-124	0	0	124
	Pressure 3{1}	2595990	0	02595990	-107	0	0	107
	GT1{1}	5627313	0	05627313	94	0	0	94

	GT2{1}	-.2E+07	0	01733492	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222823	0	08222823	195	0	0	195
	GT2P2{1}	862498	0	0 862498	152	0	0	152
	GT3P3{1}	2439675	0	02439675	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244985	0	03244985	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088670	0	03088670	1357	0	0	1357
+122 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627315	0	05627315	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733493	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595505	0	02595505	101	0	0	101
	Pressure 2{1}	2595992	0	02595992	-124	0	0	124
	Pressure 3{1}	2595991	0	02595991	-107	0	0	107
	GT1{1}	5627315	0	05627315	94	0	0	94
	GT2{1}	-.2E+07	0	01733493	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222820	0	08222820	195	0	0	195
	GT2P2{1}	862499	0	0 862499	152	0	0	152
	GT3P3{1}	2439676	0	02439676	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244987	0	03244987	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088672	0	03088672	1357	0	0	1357
+123 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627315	0	05627315	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733493	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595505	0	02595505	101	0	0	101
	Pressure 2{1}	2595992	0	02595992	-124	0	0	124
	Pressure 3{1}	2595991	0	02595991	-107	0	0	107
	GT1{1}	5627315	0	05627315	94	0	0	94
	GT2{1}	-.2E+07	0	01733493	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222820	0	08222820	195	0	0	195
	GT2P2{1}	862499	0	0 862499	152	0	0	152
	GT3P3{1}	2439676	0	02439676	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244987	0	03244987	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088672	0	03088672	1357	0	0	1357
+123 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627318	0	05627318	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733494	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595500	0	02595500	101	0	0	101
	Pressure 2{1}	2595993	0	02595993	-124	0	0	124
	Pressure 3{1}	2595993	0	02595993	-107	0	0	107
	GT1{1}	5627318	0	05627318	94	0	0	94
	GT2{1}	-.2E+07	0	01733494	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222818	0	08222818	195	0	0	195
	GT2P2{1}	862499	0	0 862499	152	0	0	152
	GT3P3{1}	2439677	0	02439677	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244989	0	03244989	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088674	0	03088674	1357	0	0	1357
+124 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627318	0	05627318	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733494	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595500	0	02595500	101	0	0	101
	Pressure 2{1}	2595993	0	02595993	-124	0	0	124
	Pressure 3{1}	2595993	0	02595993	-107	0	0	107
	GT1{1}	5627318	0	05627318	94	0	0	94

	GT2{1}	-.2E+07	0	01733494	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222818	0	08222818	195	0	0	195
	GT2P2{1}	862499	0	0 862499	152	0	0	152
	GT3P3{1}	2439677	0	02439677	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244989	0	03244989	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088674	0	03088674	1357	0	0	1357
+124 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627320	0	05627320	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733495	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595494	0	02595494	101	0	0	101
	Pressure 2{1}	2595995	0	02595995	-124	0	0	124
	Pressure 3{1}	2595994	0	02595994	-107	0	0	107
	GT1{1}	5627320	0	05627320	94	0	0	94
	GT2{1}	-.2E+07	0	01733495	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222814	0	08222814	195	0	0	195
	GT2P2{1}	862500	0	0 862500	152	0	0	152
	GT3P3{1}	2439679	0	02439679	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244991	0	03244991	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088675	0	03088675	1357	0	0	1357
+125 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627320	0	05627320	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733495	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595494	0	02595494	101	0	0	101
	Pressure 2{1}	2595995	0	02595995	-124	0	0	124
	Pressure 3{1}	2595994	0	02595994	-107	0	0	107
	GT1{1}	5627320	0	05627320	94	0	0	94
	GT2{1}	-.2E+07	0	01733495	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222814	0	08222814	195	0	0	195
	GT2P2{1}	862500	0	0 862500	152	0	0	152
	GT3P3{1}	2439679	0	02439679	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244991	0	03244991	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088675	0	03088675	1357	0	0	1357
+125 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627322	0	05627322	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733496	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595489	0	02595489	101	0	0	101
	Pressure 2{1}	2595996	0	02595996	-124	0	0	124
	Pressure 3{1}	2595995	0	02595995	-107	0	0	107
	GT1{1}	5627322	0	05627322	94	0	0	94
	GT2{1}	-.2E+07	0	01733496	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222811	0	08222811	195	0	0	195
	GT2P2{1}	862500	0	0 862500	152	0	0	152
	GT3P3{1}	2439680	0	02439680	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244992	0	03244992	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088677	0	03088677	1357	0	0	1357
+126 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627322	0	05627322	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733496	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595489	0	02595489	101	0	0	101
	Pressure 2{1}	2595996	0	02595996	-124	0	0	124
	Pressure 3{1}	2595995	0	02595995	-107	0	0	107
	GT1{1}	5627322	0	05627322	94	0	0	94

	GT2{1}	-.2E+07	0	01733496	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222811	0	08222811	195	0	0	195
	GT2P2{1}	862500	0	0 862500	152	0	0	152
	GT3P3{1}	2439680	0	02439680	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244992	0	03244992	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088677	0	03088677	1357	0	0	1357
+126 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627325	0	05627325	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733497	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595483	0	02595483	101	0	0	101
	Pressure 2{1}	2595997	0	02595997	-124	0	0	124
	Pressure 3{1}	2595997	0	02595997	-107	0	0	107
	GT1{1}	5627325	0	05627325	94	0	0	94
	GT2{1}	-.2E+07	0	01733497	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222808	0	08222808	195	0	0	195
	GT2P2{1}	862501	0	0 862501	152	0	0	152
	GT3P3{1}	2439682	0	02439682	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244994	0	03244994	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088679	0	03088679	1357	0	0	1357
+127 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627325	0	05627325	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733497	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595483	0	02595483	101	0	0	101
	Pressure 2{1}	2595997	0	02595997	-124	0	0	124
	Pressure 3{1}	2595997	0	02595997	-107	0	0	107
	GT1{1}	5627325	0	05627325	94	0	0	94
	GT2{1}	-.2E+07	0	01733497	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222808	0	08222808	195	0	0	195
	GT2P2{1}	862501	0	0 862501	152	0	0	152
	GT3P3{1}	2439682	0	02439682	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244994	0	03244994	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088679	0	03088679	1357	0	0	1357
+127 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627327	0	05627327	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733498	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595477	0	02595477	101	0	0	101
	Pressure 2{1}	2595999	0	02595999	-124	0	0	124
	Pressure 3{1}	2595998	0	02595998	-107	0	0	107
	GT1{1}	5627327	0	05627327	94	0	0	94
	GT2{1}	-.2E+07	0	01733498	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222804	0	08222804	195	0	0	195
	GT2P2{1}	862501	0	0 862501	152	0	0	152
	GT3P3{1}	2439683	0	02439683	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244995	0	03244995	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088680	0	03088680	1357	0	0	1357
+128 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627327	0	05627327	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733498	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595477	0	02595477	101	0	0	101
	Pressure 2{1}	2595999	0	02595999	-124	0	0	124
	Pressure 3{1}	2595998	0	02595998	-107	0	0	107
	GT1{1}	5627327	0	05627327	94	0	0	94

	GT2{1}	-.2E+07	0	01733498	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222804	0	08222804	195	0	0	195
	GT2P2{1}	862501	0	0 862501	152	0	0	152
	GT3P3{1}	2439683	0	02439683	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244995	0	03244995	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088680	0	03088680	1357	0	0	1357
+128 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627330	0	05627330	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733498	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595471	0	02595471	101	0	0	101
	Pressure 2{1}	2596000	0	02596000	-124	0	0	124
	Pressure 3{1}	2595999	0	02595999	-107	0	0	107
	GT1{1}	5627330	0	05627330	94	0	0	94
	GT2{1}	-.2E+07	0	01733498	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222800	0	08222800	195	0	0	195
	GT2P2{1}	862501	0	0 862501	152	0	0	152
	GT3P3{1}	2439684	0	02439684	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244997	0	03244997	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088682	0	03088682	1357	0	0	1357
+129 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627330	0	05627330	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733498	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595471	0	02595471	101	0	0	101
	Pressure 2{1}	2596000	0	02596000	-124	0	0	124
	Pressure 3{1}	2595999	0	02595999	-107	0	0	107
	GT1{1}	5627330	0	05627330	94	0	0	94
	GT2{1}	-.2E+07	0	01733498	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222800	0	08222800	195	0	0	195
	GT2P2{1}	862501	0	0 862501	152	0	0	152
	GT3P3{1}	2439684	0	02439684	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244997	0	03244997	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088682	0	03088682	1357	0	0	1357
+129 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627332	0	05627332	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733499	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595465	0	02595465	101	0	0	101
	Pressure 2{1}	2596001	0	02596001	-124	0	0	124
	Pressure 3{1}	2596001	0	02596001	-107	0	0	107
	GT1{1}	5627332	0	05627332	94	0	0	94
	GT2{1}	-.2E+07	0	01733499	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222797	0	08222797	195	0	0	195
	GT2P2{1}	862502	0	0 862502	152	0	0	152
	GT3P3{1}	2439685	0	02439685	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244999	0	03244999	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088683	0	03088683	1357	0	0	1357
+130 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627332	0	05627332	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733499	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595465	0	02595465	101	0	0	101
	Pressure 2{1}	2596001	0	02596001	-124	0	0	124
	Pressure 3{1}	2596001	0	02596001	-107	0	0	107
	GT1{1}	5627332	0	05627332	94	0	0	94

	GT2{1}	-.2E+07	0	01733499	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222797	0	08222797	195	0	0	195
	GT2P2{1}	862502	0	0 862502	152	0	0	152
	GT3P3{1}	2439685	0	02439685	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244999	0	03244999	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088683	0	03088683	1357	0	0	1357
+130 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627334	0	05627334	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733500	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595459	0	02595459	101	0	0	101
	Pressure 2{1}	2596003	0	02596003	-124	0	0	124
	Pressure 3{1}	2596002	0	02596002	-107	0	0	107
	GT1{1}	5627334	0	05627334	94	0	0	94
	GT2{1}	-.2E+07	0	01733500	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222793	0	08222793	195	0	0	195
	GT2P2{1}	862502	0	0 862502	152	0	0	152
	GT3P3{1}	2439686	0	02439686	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3245000	0	03245000	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088684	0	03088684	1357	0	0	1357
+131 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627334	0	05627334	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733500	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595459	0	02595459	101	0	0	101
	Pressure 2{1}	2596003	0	02596003	-124	0	0	124
	Pressure 3{1}	2596002	0	02596002	-107	0	0	107
	GT1{1}	5627334	0	05627334	94	0	0	94
	GT2{1}	-.2E+07	0	01733500	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222793	0	08222793	195	0	0	195
	GT2P2{1}	862502	0	0 862502	152	0	0	152
	GT3P3{1}	2439686	0	02439686	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3245000	0	03245000	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088684	0	03088684	1357	0	0	1357
+131 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627336	0	05627336	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733501	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595452	0	02595452	101	0	0	101
	Pressure 2{1}	2596004	0	02596004	-124	0	0	124
	Pressure 3{1}	2596003	0	02596003	-107	0	0	107
	GT1{1}	5627336	0	05627336	94	0	0	94
	GT2{1}	-.2E+07	0	01733501	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222788	0	08222788	195	0	0	195
	GT2P2{1}	862503	0	0 862503	152	0	0	152
	GT3P3{1}	2439687	0	02439687	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3245002	0	03245002	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088686	0	03088686	1357	0	0	1357
+132 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627336	0	05627336	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733501	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595452	0	02595452	101	0	0	101
	Pressure 2{1}	2596004	0	02596004	-124	0	0	124
	Pressure 3{1}	2596003	0	02596003	-107	0	0	107
	GT1{1}	5627336	0	05627336	94	0	0	94

	GT2{1}	-.2E+07	0	01733501	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222788	0	08222788	195	0	0	195
	GT2P2{1}	862503	0	0 862503	152	0	0	152
	GT3P3{1}	2439687	0	02439687	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3245002	0	03245002	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088686	0	03088686	1357	0	0	1357
+132 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627338	0	05627338	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733502	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595446	0	02595446	101	0	0	101
	Pressure 2{1}	2596005	0	02596005	-124	0	0	124
	Pressure 3{1}	2596004	0	02596004	-107	0	0	107
	GT1{1}	5627338	0	05627338	94	0	0	94
	GT2{1}	-.2E+07	0	01733502	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222784	0	08222784	195	0	0	195
	GT2P2{1}	862503	0	0 862503	152	0	0	152
	GT3P3{1}	2439689	0	02439689	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3245003	0	03245003	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088687	0	03088687	1357	0	0	1357
+133 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627338	0	05627338	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733502	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595446	0	02595446	101	0	0	101
	Pressure 2{1}	2596005	0	02596005	-124	0	0	124
	Pressure 3{1}	2596004	0	02596004	-107	0	0	107
	GT1{1}	5627338	0	05627338	94	0	0	94
	GT2{1}	-.2E+07	0	01733502	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222784	0	08222784	195	0	0	195
	GT2P2{1}	862503	0	0 862503	152	0	0	152
	GT3P3{1}	2439689	0	02439689	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3245003	0	03245003	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088687	0	03088687	1357	0	0	1357
+133 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627340	0	05627340	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733503	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595439	0	02595439	101	0	0	101
	Pressure 2{1}	2596006	0	02596006	-124	0	0	124
	Pressure 3{1}	2596005	0	02596005	-107	0	0	107
	GT1{1}	5627340	0	05627340	94	0	0	94
	GT2{1}	-.2E+07	0	01733503	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222779	0	08222779	195	0	0	195
	GT2P2{1}	862504	0	0 862504	152	0	0	152
	GT3P3{1}	2439690	0	02439690	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3245005	0	03245005	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088689	0	03088689	1357	0	0	1357
+134 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627340	0	05627340	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733503	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595439	0	02595439	101	0	0	101
	Pressure 2{1}	2596006	0	02596006	-124	0	0	124
	Pressure 3{1}	2596005	0	02596005	-107	0	0	107
	GT1{1}	5627340	0	05627340	94	0	0	94

	GT2{1}	-.2E+07	0	01733503	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222779	0	08222779	195	0	0	195
	GT2P2{1}	862504	0	0 862504	152	0	0	152
	GT3P3{1}	2439690	0	02439690	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3245005	0	03245005	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088689	0	03088689	1357	0	0	1357
+134 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627342	0	05627342	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733503	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595432	0	02595432	101	0	0	101
	Pressure 2{1}	2596007	0	02596007	-124	0	0	124
	Pressure 3{1}	2596007	0	02596007	-107	0	0	107
	GT1{1}	5627342	0	05627342	94	0	0	94
	GT2{1}	-.2E+07	0	01733503	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222774	0	08222774	195	0	0	195
	GT2P2{1}	862504	0	0 862504	152	0	0	152
	GT3P3{1}	2439691	0	02439691	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3245006	0	03245006	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088690	0	03088690	1357	0	0	1357
+135 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627342	0	05627342	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733503	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595432	0	02595432	101	0	0	101
	Pressure 2{1}	2596007	0	02596007	-124	0	0	124
	Pressure 3{1}	2596007	0	02596007	-107	0	0	107
	GT1{1}	5627342	0	05627342	94	0	0	94
	GT2{1}	-.2E+07	0	01733503	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222774	0	08222774	195	0	0	195
	GT2P2{1}	862504	0	0 862504	152	0	0	152
	GT3P3{1}	2439691	0	02439691	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3245006	0	03245006	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088690	0	03088690	1357	0	0	1357
+135 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627344	0	05627344	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733504	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595425	0	02595425	101	0	0	101
	Pressure 2{1}	2596008	0	02596008	-124	0	0	124
	Pressure 3{1}	2596008	0	02596008	-107	0	0	107
	GT1{1}	5627344	0	05627344	94	0	0	94
	GT2{1}	-.2E+07	0	01733504	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222769	0	08222769	195	0	0	195
	GT2P2{1}	862504	0	0 862504	152	0	0	152
	GT3P3{1}	2439692	0	02439692	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3245008	0	03245008	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088692	0	03088692	1357	0	0	1357
+136 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627344	0	05627344	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733504	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595425	0	02595425	101	0	0	101
	Pressure 2{1}	2596008	0	02596008	-124	0	0	124
	Pressure 3{1}	2596008	0	02596008	-107	0	0	107
	GT1{1}	5627344	0	05627344	94	0	0	94

	GT2{1}	-.2E+07	0	01733504	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222769	0	08222769	195	0	0	195
	GT2P2{1}	862504	0	0 862504	152	0	0	152
	GT3P3{1}	2439692	0	02439692	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3245008	0	03245008	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088692	0	03088692	1357	0	0	1357
+136 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627346	0	05627346	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733505	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595418	0	02595418	101	0	0	101
	Pressure 2{1}	2596010	0	02596010	-124	0	0	124
	Pressure 3{1}	2596009	0	02596009	-107	0	0	107
	GT1{1}	5627346	0	05627346	94	0	0	94
	GT2{1}	-.2E+07	0	01733505	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222764	0	08222764	195	0	0	195
	GT2P2{1}	862505	0	0 862505	152	0	0	152
	GT3P3{1}	2439693	0	02439693	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3245009	0	03245009	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088693	0	03088693	1357	0	0	1357
+137 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627346	0	05627346	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733505	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595418	0	02595418	101	0	0	101
	Pressure 2{1}	2596010	0	02596010	-124	0	0	124
	Pressure 3{1}	2596009	0	02596009	-107	0	0	107
	GT1{1}	5627346	0	05627346	94	0	0	94
	GT2{1}	-.2E+07	0	01733505	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222764	0	08222764	195	0	0	195
	GT2P2{1}	862505	0	0 862505	152	0	0	152
	GT3P3{1}	2439693	0	02439693	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3245009	0	03245009	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088693	0	03088693	1357	0	0	1357
+137 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627347	0	05627347	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733506	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595411	0	02595411	101	0	0	101
	Pressure 2{1}	2596011	0	02596011	-124	0	0	124
	Pressure 3{1}	2596010	0	02596010	-107	0	0	107
	GT1{1}	5627347	0	05627347	94	0	0	94
	GT2{1}	-.2E+07	0	01733506	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222758	0	08222758	195	0	0	195
	GT2P2{1}	862505	0	0 862505	152	0	0	152
	GT3P3{1}	2439694	0	02439694	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3245010	0	03245010	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088694	0	03088694	1357	0	0	1357
+138 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627347	0	05627347	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733506	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595411	0	02595411	101	0	0	101
	Pressure 2{1}	2596011	0	02596011	-124	0	0	124
	Pressure 3{1}	2596010	0	02596010	-107	0	0	107
	GT1{1}	5627347	0	05627347	94	0	0	94

	GT2{1}	-.2E+07	0	01733506	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222758	0	08222758	195	0	0	195
	GT2P2{1}	862505	0	0 862505	152	0	0	152
	GT3P3{1}	2439694	0	02439694	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3245010	0	03245010	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088694	0	03088694	1357	0	0	1357
+138 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627349	0	05627349	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733506	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595404	0	02595404	101	0	0	101
	Pressure 2{1}	2596012	0	02596012	-124	0	0	124
	Pressure 3{1}	2596011	0	02596011	-107	0	0	107
	GT1{1}	5627349	0	05627349	94	0	0	94
	GT2{1}	-.2E+07	0	01733506	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222752	0	08222752	195	0	0	195
	GT2P2{1}	862505	0	0 862505	152	0	0	152
	GT3P3{1}	2439695	0	02439695	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3245012	0	03245012	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088695	0	03088695	1357	0	0	1357
+139 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627349	0	05627349	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733506	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595404	0	02595404	101	0	0	101
	Pressure 2{1}	2596012	0	02596012	-124	0	0	124
	Pressure 3{1}	2596011	0	02596011	-107	0	0	107
	GT1{1}	5627349	0	05627349	94	0	0	94
	GT2{1}	-.2E+07	0	01733506	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222752	0	08222752	195	0	0	195
	GT2P2{1}	862505	0	0 862505	152	0	0	152
	GT3P3{1}	2439695	0	02439695	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3245012	0	03245012	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088695	0	03088695	1357	0	0	1357
+139 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627351	0	05627351	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733507	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595396	0	02595396	101	0	0	101
	Pressure 2{1}	2596013	0	02596013	-124	0	0	124
	Pressure 3{1}	2596012	0	02596012	-107	0	0	107
	GT1{1}	5627351	0	05627351	94	0	0	94
	GT2{1}	-.2E+07	0	01733507	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222747	0	08222747	195	0	0	195
	GT2P2{1}	862506	0	0 862506	152	0	0	152
	GT3P3{1}	2439696	0	02439696	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3245013	0	03245013	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088697	0	03088697	1357	0	0	1357
+140 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627351	0	05627351	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733507	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595396	0	02595396	101	0	0	101
	Pressure 2{1}	2596013	0	02596013	-124	0	0	124
	Pressure 3{1}	2596012	0	02596012	-107	0	0	107
	GT1{1}	5627351	0	05627351	94	0	0	94

	GT2{1}	-.2E+07	0	01733507	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222747	0	08222747	195	0	0	195
	GT2P2{1}	862506	0	0 862506	152	0	0	152
	GT3P3{1}	2439696	0	02439696	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3245013	0	03245013	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088697	0	03088697	1357	0	0	1357
+140 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627352	0	05627352	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733508	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595388	0	02595388	101	0	0	101
	Pressure 2{1}	2596014	0	02596014	-124	0	0	124
	Pressure 3{1}	2596013	0	02596013	-107	0	0	107
	GT1{1}	5627352	0	05627352	94	0	0	94
	GT2{1}	-.2E+07	0	01733508	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222741	0	08222741	195	0	0	195
	GT2P2{1}	862506	0	0 862506	152	0	0	152
	GT3P3{1}	2439697	0	02439697	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3245014	0	03245014	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088698	0	03088698	1357	0	0	1357
+141 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627352	0	05627352	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733508	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595388	0	02595388	101	0	0	101
	Pressure 2{1}	2596014	0	02596014	-124	0	0	124
	Pressure 3{1}	2596013	0	02596013	-107	0	0	107
	GT1{1}	5627352	0	05627352	94	0	0	94
	GT2{1}	-.2E+07	0	01733508	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222741	0	08222741	195	0	0	195
	GT2P2{1}	862506	0	0 862506	152	0	0	152
	GT3P3{1}	2439697	0	02439697	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3245014	0	03245014	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088698	0	03088698	1357	0	0	1357
+141 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627354	0	05627354	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733509	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595381	0	02595381	101	0	0	101
	Pressure 2{1}	2596015	0	02596015	-124	0	0	124
	Pressure 3{1}	2596015	0	02596015	-107	0	0	107
	GT1{1}	5627354	0	05627354	94	0	0	94
	GT2{1}	-.2E+07	0	01733509	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222735	0	08222735	195	0	0	195
	GT2P2{1}	862507	0	0 862507	152	0	0	152
	GT3P3{1}	2439698	0	02439698	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3245016	0	03245016	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088699	0	03088699	1357	0	0	1357
+142 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627354	0	05627354	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733509	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595381	0	02595381	101	0	0	101
	Pressure 2{1}	2596015	0	02596015	-124	0	0	124
	Pressure 3{1}	2596015	0	02596015	-107	0	0	107
	GT1{1}	5627354	0	05627354	94	0	0	94

	GT2{1}	-.2E+07	0	01733509	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222735	0	08222735	195	0	0	195
	GT2P2{1}	862507	0	0 862507	152	0	0	152
	GT3P3{1}	2439698	0	02439698	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3245016	0	03245016	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088699	0	03088699	1357	0	0	1357
+142 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627356	0	05627356	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733509	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595373	0	02595373	101	0	0	101
	Pressure 2{1}	2596016	0	02596016	-124	0	0	124
	Pressure 3{1}	2596015	0	02596015	-107	0	0	107
	GT1{1}	5627356	0	05627356	94	0	0	94
	GT2{1}	-.2E+07	0	01733509	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222729	0	08222729	195	0	0	195
	GT2P2{1}	862507	0	0 862507	152	0	0	152
	GT3P3{1}	2439699	0	02439699	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3245017	0	03245017	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088700	0	03088700	1357	0	0	1357
+143 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627356	0	05627356	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733509	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595373	0	02595373	101	0	0	101
	Pressure 2{1}	2596016	0	02596016	-124	0	0	124
	Pressure 3{1}	2596015	0	02596015	-107	0	0	107
	GT1{1}	5627356	0	05627356	94	0	0	94
	GT2{1}	-.2E+07	0	01733509	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222729	0	08222729	195	0	0	195
	GT2P2{1}	862507	0	0 862507	152	0	0	152
	GT3P3{1}	2439699	0	02439699	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3245017	0	03245017	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088700	0	03088700	1357	0	0	1357
+143 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627357	0	05627357	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733510	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595365	0	02595365	101	0	0	101
	Pressure 2{1}	2596017	0	02596017	-124	0	0	124
	Pressure 3{1}	2596016	0	02596016	-107	0	0	107
	GT1{1}	5627357	0	05627357	94	0	0	94
	GT2{1}	-.2E+07	0	01733510	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222722	0	08222722	195	0	0	195
	GT2P2{1}	862507	0	0 862507	152	0	0	152
	GT3P3{1}	2439700	0	02439700	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245018	0	03245018	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088702	0	03088702	1357	0	0	1357
+144 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627357	0	05627357	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733510	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595365	0	02595365	101	0	0	101
	Pressure 2{1}	2596017	0	02596017	-124	0	0	124
	Pressure 3{1}	2596016	0	02596016	-107	0	0	107
	GT1{1}	5627357	0	05627357	94	0	0	94

	GT2{1}	-.2E+07	0	01733510	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222722	0	08222722	195	0	0	195
	GT2P2{1}	862507	0	0 862507	152	0	0	152
	GT3P3{1}	2439700	0	02439700	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245018	0	03245018	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088702	0	03088702	1357	0	0	1357
+144 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627359	0	05627359	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733511	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595356	0	02595356	101	0	0	101
	Pressure 2{1}	2596018	0	02596018	-124	0	0	124
	Pressure 3{1}	2596018	0	02596018	-107	0	0	107
	GT1{1}	5627359	0	05627359	94	0	0	94
	GT2{1}	-.2E+07	0	01733511	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222716	0	08222716	195	0	0	195
	GT2P2{1}	862507	0	0 862507	152	0	0	152
	GT3P3{1}	2439701	0	02439701	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245019	0	03245019	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088703	0	03088703	1357	0	0	1357
+145 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627359	0	05627359	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733511	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595356	0	02595356	101	0	0	101
	Pressure 2{1}	2596018	0	02596018	-124	0	0	124
	Pressure 3{1}	2596018	0	02596018	-107	0	0	107
	GT1{1}	5627359	0	05627359	94	0	0	94
	GT2{1}	-.2E+07	0	01733511	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222716	0	08222716	195	0	0	195
	GT2P2{1}	862507	0	0 862507	152	0	0	152
	GT3P3{1}	2439701	0	02439701	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245019	0	03245019	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088703	0	03088703	1357	0	0	1357
+145 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627360	0	05627360	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733511	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595348	0	02595348	101	0	0	101
	Pressure 2{1}	2596019	0	02596019	-124	0	0	124
	Pressure 3{1}	2596018	0	02596018	-107	0	0	107
	GT1{1}	5627360	0	05627360	94	0	0	94
	GT2{1}	-.2E+07	0	01733511	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222708	0	08222708	195	0	0	195
	GT2P2{1}	862508	0	0 862508	152	0	0	152
	GT3P3{1}	2439702	0	02439702	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245021	0	03245021	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088704	0	03088704	1357	0	0	1357
+146 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627360	0	05627360	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733511	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595348	0	02595348	101	0	0	101
	Pressure 2{1}	2596019	0	02596019	-124	0	0	124
	Pressure 3{1}	2596018	0	02596018	-107	0	0	107
	GT1{1}	5627360	0	05627360	94	0	0	94

	GT2{1}	-.2E+07	0	01733511	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222708	0	08222708	195	0	0	195
	GT2P2{1}	862508	0	0 862508	152	0	0	152
	GT3P3{1}	2439702	0	02439702	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245021	0	03245021	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088704	0	03088704	1357	0	0	1357
+146 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627362	0	05627362	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733512	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595340	0	02595340	101	0	0	101
	Pressure 2{1}	2596020	0	02596020	-124	0	0	124
	Pressure 3{1}	2596020	0	02596020	-107	0	0	107
	GT1{1}	5627362	0	05627362	94	0	0	94
	GT2{1}	-.2E+07	0	01733512	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222701	0	08222701	195	0	0	195
	GT2P2{1}	862508	0	0 862508	152	0	0	152
	GT3P3{1}	2439703	0	02439703	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245022	0	03245022	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088705	0	03088705	1357	0	0	1357
+147 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627362	0	05627362	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733512	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595340	0	02595340	101	0	0	101
	Pressure 2{1}	2596020	0	02596020	-124	0	0	124
	Pressure 3{1}	2596020	0	02596020	-107	0	0	107
	GT1{1}	5627362	0	05627362	94	0	0	94
	GT2{1}	-.2E+07	0	01733512	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222701	0	08222701	195	0	0	195
	GT2P2{1}	862508	0	0 862508	152	0	0	152
	GT3P3{1}	2439703	0	02439703	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245022	0	03245022	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088705	0	03088705	1357	0	0	1357
+147 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627363	0	05627363	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733513	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595331	0	02595331	101	0	0	101
	Pressure 2{1}	2596021	0	02596021	-124	0	0	124
	Pressure 3{1}	2596020	0	02596020	-107	0	0	107
	GT1{1}	5627363	0	05627363	94	0	0	94
	GT2{1}	-.2E+07	0	01733513	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222694	0	08222694	195	0	0	195
	GT2P2{1}	862509	0	0 862509	152	0	0	152
	GT3P3{1}	2439704	0	02439704	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245023	0	03245023	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088706	0	03088706	1357	0	0	1357
+148 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627363	0	05627363	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733513	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595331	0	02595331	101	0	0	101
	Pressure 2{1}	2596021	0	02596021	-124	0	0	124
	Pressure 3{1}	2596020	0	02596020	-107	0	0	107
	GT1{1}	5627363	0	05627363	94	0	0	94

	GT2{1}	-.2E+07	0	01733513	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222694	0	08222694	195	0	0	195
	GT2P2{1}	862509	0	0 862509	152	0	0	152
	GT3P3{1}	2439704	0	02439704	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245023	0	03245023	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088706	0	03088706	1357	0	0	1357
+148 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627364	0	05627364	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733513	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595322	0	02595322	101	0	0	101
	Pressure 2{1}	2596022	0	02596022	-124	0	0	124
	Pressure 3{1}	2596021	0	02596021	-107	0	0	107
	GT1{1}	5627364	0	05627364	94	0	0	94
	GT2{1}	-.2E+07	0	01733513	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222686	0	08222686	195	0	0	195
	GT2P2{1}	862509	0	0 862509	152	0	0	152
	GT3P3{1}	2439705	0	02439705	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245024	0	03245024	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088707	0	03088707	1357	0	0	1357
+149 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627364	0	05627364	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733513	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595322	0	02595322	101	0	0	101
	Pressure 2{1}	2596022	0	02596022	-124	0	0	124
	Pressure 3{1}	2596021	0	02596021	-107	0	0	107
	GT1{1}	5627364	0	05627364	94	0	0	94
	GT2{1}	-.2E+07	0	01733513	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222686	0	08222686	195	0	0	195
	GT2P2{1}	862509	0	0 862509	152	0	0	152
	GT3P3{1}	2439705	0	02439705	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245024	0	03245024	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088707	0	03088707	1357	0	0	1357
+149 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627366	0	05627366	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733514	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595313	0	02595313	101	0	0	101
	Pressure 2{1}	2596023	0	02596023	-124	0	0	124
	Pressure 3{1}	2596022	0	02596022	-107	0	0	107
	GT1{1}	5627366	0	05627366	94	0	0	94
	GT2{1}	-.2E+07	0	01733514	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222679	0	08222679	195	0	0	195
	GT2P2{1}	862509	0	0 862509	152	0	0	152
	GT3P3{1}	2439705	0	02439705	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245025	0	03245025	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088708	0	03088708	1357	0	0	1357
+150 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627366	0	05627366	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733514	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595313	0	02595313	101	0	0	101
	Pressure 2{1}	2596023	0	02596023	-124	0	0	124
	Pressure 3{1}	2596022	0	02596022	-107	0	0	107
	GT1{1}	5627366	0	05627366	94	0	0	94

	GT2{1}	-.2E+07	0	01733514	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222679	0	08222679	195	0	0	195
	GT2P2{1}	862509	0	0 862509	152	0	0	152
	GT3P3{1}	2439705	0	02439705	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245025	0	03245025	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088708	0	03088708	1357	0	0	1357
+150 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627367	0	05627367	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733515	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595304	0	02595304	101	0	0	101
	Pressure 2{1}	2596024	0	02596024	-124	0	0	124
	Pressure 3{1}	2596023	0	02596023	-107	0	0	107
	GT1{1}	5627367	0	05627367	94	0	0	94
	GT2{1}	-.2E+07	0	01733515	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222670	0	08222670	195	0	0	195
	GT2P2{1}	862509	0	0 862509	152	0	0	152
	GT3P3{1}	2439706	0	02439706	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245026	0	03245026	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088709	0	03088709	1357	0	0	1357
+151 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627367	0	05627367	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733515	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595304	0	02595304	101	0	0	101
	Pressure 2{1}	2596024	0	02596024	-124	0	0	124
	Pressure 3{1}	2596023	0	02596023	-107	0	0	107
	GT1{1}	5627367	0	05627367	94	0	0	94
	GT2{1}	-.2E+07	0	01733515	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222670	0	08222670	195	0	0	195
	GT2P2{1}	862509	0	0 862509	152	0	0	152
	GT3P3{1}	2439706	0	02439706	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245026	0	03245026	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088709	0	03088709	1357	0	0	1357
+151 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627368	0	05627368	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733515	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595294	0	02595294	101	0	0	101
	Pressure 2{1}	2596025	0	02596025	-124	0	0	124
	Pressure 3{1}	2596024	0	02596024	-107	0	0	107
	GT1{1}	5627368	0	05627368	94	0	0	94
	GT2{1}	-.2E+07	0	01733515	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222662	0	08222662	195	0	0	195
	GT2P2{1}	862510	0	0 862510	152	0	0	152
	GT3P3{1}	2439707	0	02439707	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245027	0	03245027	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088710	0	03088710	1357	0	0	1357
+152 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627368	0	05627368	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733515	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595294	0	02595294	101	0	0	101
	Pressure 2{1}	2596025	0	02596025	-124	0	0	124
	Pressure 3{1}	2596024	0	02596024	-107	0	0	107
	GT1{1}	5627368	0	05627368	94	0	0	94

	GT2{1}	-.2E+07	0	01733515	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222662	0	08222662	195	0	0	195
	GT2P2{1}	862510	0	0 862510	152	0	0	152
	GT3P3{1}	2439707	0	02439707	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245027	0	03245027	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088710	0	03088710	1357	0	0	1357
+152 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627369	0	05627369	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733516	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595284	0	02595284	101	0	0	101
	Pressure 2{1}	2596026	0	02596026	-124	0	0	124
	Pressure 3{1}	2596025	0	02596025	-107	0	0	107
	GT1{1}	5627369	0	05627369	94	0	0	94
	GT2{1}	-.2E+07	0	01733516	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222653	0	08222653	195	0	0	195
	GT2P2{1}	862510	0	0 862510	152	0	0	152
	GT3P3{1}	2439708	0	02439708	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245028	0	03245028	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088711	0	03088711	1357	0	0	1357
+153 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627369	0	05627369	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733516	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595284	0	02595284	101	0	0	101
	Pressure 2{1}	2596026	0	02596026	-124	0	0	124
	Pressure 3{1}	2596025	0	02596025	-107	0	0	107
	GT1{1}	5627369	0	05627369	94	0	0	94
	GT2{1}	-.2E+07	0	01733516	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222653	0	08222653	195	0	0	195
	GT2P2{1}	862510	0	0 862510	152	0	0	152
	GT3P3{1}	2439708	0	02439708	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245028	0	03245028	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088711	0	03088711	1357	0	0	1357
+153 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627370	0	05627370	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733516	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595275	0	02595275	101	0	0	101
	Pressure 2{1}	2596027	0	02596027	-124	0	0	124
	Pressure 3{1}	2596026	0	02596026	-107	0	0	107
	GT1{1}	5627370	0	05627370	94	0	0	94
	GT2{1}	-.2E+07	0	01733516	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222645	0	08222645	195	0	0	195
	GT2P2{1}	862510	0	0 862510	152	0	0	152
	GT3P3{1}	2439709	0	02439709	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245030	0	03245030	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088712	0	03088712	1357	0	0	1357
+154 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627370	0	05627370	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733516	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595275	0	02595275	101	0	0	101
	Pressure 2{1}	2596027	0	02596027	-124	0	0	124
	Pressure 3{1}	2596026	0	02596026	-107	0	0	107
	GT1{1}	5627370	0	05627370	94	0	0	94

	GT2{1}	-.2E+07	0	01733516	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222645	0	08222645	195	0	0	195
	GT2P2{1}	862510	0	0 862510	152	0	0	152
	GT3P3{1}	2439709	0	02439709	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245030	0	03245030	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088712	0	03088712	1357	0	0	1357
+154 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627371	0	05627371	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733517	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595265	0	02595265	101	0	0	101
	Pressure 2{1}	2596028	0	02596028	-124	0	0	124
	Pressure 3{1}	2596027	0	02596027	-107	0	0	107
	GT1{1}	5627371	0	05627371	94	0	0	94
	GT2{1}	-.2E+07	0	01733517	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222636	0	08222636	195	0	0	195
	GT2P2{1}	862511	0	0 862511	152	0	0	152
	GT3P3{1}	2439710	0	02439710	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245031	0	03245031	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088714	0	03088714	1357	0	0	1357
+155 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627371	0	05627371	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733517	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595265	0	02595265	101	0	0	101
	Pressure 2{1}	2596028	0	02596028	-124	0	0	124
	Pressure 3{1}	2596027	0	02596027	-107	0	0	107
	GT1{1}	5627371	0	05627371	94	0	0	94
	GT2{1}	-.2E+07	0	01733517	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222636	0	08222636	195	0	0	195
	GT2P2{1}	862511	0	0 862511	152	0	0	152
	GT3P3{1}	2439710	0	02439710	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245031	0	03245031	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088714	0	03088714	1357	0	0	1357
+155 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627372	0	05627372	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733517	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595255	0	02595255	101	0	0	101
	Pressure 2{1}	2596028	0	02596028	-124	0	0	124
	Pressure 3{1}	2596028	0	02596028	-107	0	0	107
	GT1{1}	5627372	0	05627372	94	0	0	94
	GT2{1}	-.2E+07	0	01733517	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222627	0	08222627	195	0	0	195
	GT2P2{1}	862511	0	0 862511	152	0	0	152
	GT3P3{1}	2439710	0	02439710	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245031	0	03245031	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088714	0	03088714	1357	0	0	1357
+156 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627372	0	05627372	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733517	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595255	0	02595255	101	0	0	101
	Pressure 2{1}	2596028	0	02596028	-124	0	0	124
	Pressure 3{1}	2596028	0	02596028	-107	0	0	107
	GT1{1}	5627372	0	05627372	94	0	0	94

	GT2{1}	-.2E+07	0	01733517	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222627	0	08222627	195	0	0	195
	GT2P2{1}	862511	0	0 862511	152	0	0	152
	GT3P3{1}	2439710	0	02439710	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245031	0	03245031	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088714	0	03088714	1357	0	0	1357
+156 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627373	0	05627373	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733518	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595245	0	02595245	101	0	0	101
	Pressure 2{1}	2596029	0	02596029	-124	0	0	124
	Pressure 3{1}	2596028	0	02596028	-107	0	0	107
	GT1{1}	5627373	0	05627373	94	0	0	94
	GT2{1}	-.2E+07	0	01733518	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222618	0	08222618	195	0	0	195
	GT2P2{1}	862511	0	0 862511	152	0	0	152
	GT3P3{1}	2439711	0	02439711	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245033	0	03245033	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088715	0	03088715	1357	0	0	1357
+157 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627373	0	05627373	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733518	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595245	0	02595245	101	0	0	101
	Pressure 2{1}	2596029	0	02596029	-124	0	0	124
	Pressure 3{1}	2596028	0	02596028	-107	0	0	107
	GT1{1}	5627373	0	05627373	94	0	0	94
	GT2{1}	-.2E+07	0	01733518	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222618	0	08222618	195	0	0	195
	GT2P2{1}	862511	0	0 862511	152	0	0	152
	GT3P3{1}	2439711	0	02439711	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245033	0	03245033	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088715	0	03088715	1357	0	0	1357
+157 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627374	0	05627374	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733519	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595234	0	02595234	101	0	0	101
	Pressure 2{1}	2596030	0	02596030	-124	0	0	124
	Pressure 3{1}	2596029	0	02596029	-107	0	0	107
	GT1{1}	5627374	0	05627374	94	0	0	94
	GT2{1}	-.2E+07	0	01733519	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222608	0	08222608	195	0	0	195
	GT2P2{1}	862512	0	0 862512	152	0	0	152
	GT3P3{1}	2439712	0	02439712	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245033	0	03245033	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088716	0	03088716	1357	0	0	1357
+158 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627374	0	05627374	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733519	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595234	0	02595234	101	0	0	101
	Pressure 2{1}	2596030	0	02596030	-124	0	0	124
	Pressure 3{1}	2596029	0	02596029	-107	0	0	107
	GT1{1}	5627374	0	05627374	94	0	0	94

	GT2{1}	-.2E+07	0	01733519	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222608	0	08222608	195	0	0	195
	GT2P2{1}	862512	0	0 862512	152	0	0	152
	GT3P3{1}	2439712	0	02439712	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245033	0	03245033	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088716	0	03088716	1357	0	0	1357
+158 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627375	0	05627375	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733519	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595224	0	02595224	101	0	0	101
	Pressure 2{1}	2596031	0	02596031	-124	0	0	124
	Pressure 3{1}	2596030	0	02596030	-107	0	0	107
	GT1{1}	5627375	0	05627375	94	0	0	94
	GT2{1}	-.2E+07	0	01733519	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222599	0	08222599	195	0	0	195
	GT2P2{1}	862512	0	0 862512	152	0	0	152
	GT3P3{1}	2439713	0	02439713	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245035	0	03245035	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088717	0	03088717	1357	0	0	1357
+159 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627375	0	05627375	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733519	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595224	0	02595224	101	0	0	101
	Pressure 2{1}	2596031	0	02596031	-124	0	0	124
	Pressure 3{1}	2596030	0	02596030	-107	0	0	107
	GT1{1}	5627375	0	05627375	94	0	0	94
	GT2{1}	-.2E+07	0	01733519	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222599	0	08222599	195	0	0	195
	GT2P2{1}	862512	0	0 862512	152	0	0	152
	GT3P3{1}	2439713	0	02439713	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245035	0	03245035	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088717	0	03088717	1357	0	0	1357
+159 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627376	0	05627376	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733520	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595213	0	02595213	101	0	0	101
	Pressure 2{1}	2596032	0	02596032	-124	0	0	124
	Pressure 3{1}	2596031	0	02596031	-107	0	0	107
	GT1{1}	5627376	0	05627376	94	0	0	94
	GT2{1}	-.2E+07	0	01733520	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222588	0	08222588	195	0	0	195
	GT2P2{1}	862512	0	0 862512	152	0	0	152
	GT3P3{1}	2439714	0	02439714	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245035	0	03245035	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088718	0	03088718	1357	0	0	1357
+160 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627376	0	05627376	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733520	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595213	0	02595213	101	0	0	101
	Pressure 2{1}	2596032	0	02596032	-124	0	0	124
	Pressure 3{1}	2596031	0	02596031	-107	0	0	107
	GT1{1}	5627376	0	05627376	94	0	0	94

	GT2{1}	-.2E+07	0	01733520	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222588	0	08222588	195	0	0	195
	GT2P2{1}	862512	0	0 862512	152	0	0	152
	GT3P3{1}	2439714	0	02439714	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245035	0	03245035	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088718	0	03088718	1357	0	0	1357
+160 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627377	0	05627377	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733520	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595202	0	02595202	101	0	0	101
	Pressure 2{1}	2596033	0	02596033	-124	0	0	124
	Pressure 3{1}	2596032	0	02596032	-107	0	0	107
	GT1{1}	5627377	0	05627377	94	0	0	94
	GT2{1}	-.2E+07	0	01733520	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222579	0	08222579	195	0	0	195
	GT2P2{1}	862512	0	0 862512	152	0	0	152
	GT3P3{1}	2439714	0	02439714	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245037	0	03245037	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088719	0	03088719	1357	0	0	1357
+161 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627377	0	05627377	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733520	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595202	0	02595202	101	0	0	101
	Pressure 2{1}	2596033	0	02596033	-124	0	0	124
	Pressure 3{1}	2596032	0	02596032	-107	0	0	107
	GT1{1}	5627377	0	05627377	94	0	0	94
	GT2{1}	-.2E+07	0	01733520	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222579	0	08222579	195	0	0	195
	GT2P2{1}	862512	0	0 862512	152	0	0	152
	GT3P3{1}	2439714	0	02439714	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3245037	0	03245037	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088719	0	03088719	1357	0	0	1357
+161 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627377	0	05627377	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733521	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595191	0	02595191	101	0	0	101
	Pressure 2{1}	2596033	0	02596033	-124	0	0	124
	Pressure 3{1}	2596032	0	02596032	-107	0	0	107
	GT1{1}	5627377	0	05627377	94	0	0	94
	GT2{1}	-.2E+07	0	01733521	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222568	0	08222568	195	0	0	195
	GT2P2{1}	862513	0	0 862513	152	0	0	152
	GT3P3{1}	2439715	0	02439715	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245037	0	03245037	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088720	0	03088720	1357	0	0	1357
+162 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627377	0	05627377	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733521	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595191	0	02595191	101	0	0	101
	Pressure 2{1}	2596033	0	02596033	-124	0	0	124
	Pressure 3{1}	2596032	0	02596032	-107	0	0	107
	GT1{1}	5627377	0	05627377	94	0	0	94

	GT2{1}	-.2E+07	0	01733521	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222568	0	08222568	195	0	0	195
	GT2P2{1}	862513	0	0 862513	152	0	0	152
	GT3P3{1}	2439715	0	02439715	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245037	0	03245037	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088720	0	03088720	1357	0	0	1357
+162 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627378	0	05627378	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733521	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595179	0	02595179	101	0	0	101
	Pressure 2{1}	2596034	0	02596034	-124	0	0	124
	Pressure 3{1}	2596033	0	02596033	-107	0	0	107
	GT1{1}	5627378	0	05627378	94	0	0	94
	GT2{1}	-.2E+07	0	01733521	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222557	0	08222557	195	0	0	195
	GT2P2{1}	862513	0	0 862513	152	0	0	152
	GT3P3{1}	2439716	0	02439716	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245038	0	03245038	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088720	0	03088720	1357	0	0	1357
+163 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627378	0	05627378	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733521	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595179	0	02595179	101	0	0	101
	Pressure 2{1}	2596034	0	02596034	-124	0	0	124
	Pressure 3{1}	2596033	0	02596033	-107	0	0	107
	GT1{1}	5627378	0	05627378	94	0	0	94
	GT2{1}	-.2E+07	0	01733521	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222557	0	08222557	195	0	0	195
	GT2P2{1}	862513	0	0 862513	152	0	0	152
	GT3P3{1}	2439716	0	02439716	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245038	0	03245038	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088720	0	03088720	1357	0	0	1357
+163 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627379	0	05627379	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733522	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595168	0	02595168	101	0	0	101
	Pressure 2{1}	2596035	0	02596035	-124	0	0	124
	Pressure 3{1}	2596034	0	02596034	-107	0	0	107
	GT1{1}	5627379	0	05627379	94	0	0	94
	GT2{1}	-.2E+07	0	01733522	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222546	0	08222546	195	0	0	195
	GT2P2{1}	862513	0	0 862513	152	0	0	152
	GT3P3{1}	2439716	0	02439716	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245039	0	03245039	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088721	0	03088721	1357	0	0	1357
+164 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627379	0	05627379	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733522	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595168	0	02595168	101	0	0	101
	Pressure 2{1}	2596035	0	02596035	-124	0	0	124
	Pressure 3{1}	2596034	0	02596034	-107	0	0	107
	GT1{1}	5627379	0	05627379	94	0	0	94

	GT2{1}	-.2E+07	0	01733522	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222546	0	08222546	195	0	0	195
	GT2P2{1}	862513	0	0 862513	152	0	0	152
	GT3P3{1}	2439716	0	02439716	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245039	0	03245039	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088721	0	03088721	1357	0	0	1357
+164 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627380	0	05627380	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733522	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595156	0	02595156	101	0	0	101
	Pressure 2{1}	2596036	0	02596036	-124	0	0	124
	Pressure 3{1}	2596035	0	02596035	-107	0	0	107
	GT1{1}	5627380	0	05627380	94	0	0	94
	GT2{1}	-.2E+07	0	01733522	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222536	0	08222536	195	0	0	195
	GT2P2{1}	862513	0	0 862513	152	0	0	152
	GT3P3{1}	2439717	0	02439717	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245040	0	03245040	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088722	0	03088722	1357	0	0	1357
+165 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627380	0	05627380	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733522	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595156	0	02595156	101	0	0	101
	Pressure 2{1}	2596036	0	02596036	-124	0	0	124
	Pressure 3{1}	2596035	0	02596035	-107	0	0	107
	GT1{1}	5627380	0	05627380	94	0	0	94
	GT2{1}	-.2E+07	0	01733522	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222536	0	08222536	195	0	0	195
	GT2P2{1}	862513	0	0 862513	152	0	0	152
	GT3P3{1}	2439717	0	02439717	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245040	0	03245040	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088722	0	03088722	1357	0	0	1357
+165 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627380	0	05627380	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733523	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595144	0	02595144	101	0	0	101
	Pressure 2{1}	2596037	0	02596037	-124	0	0	124
	Pressure 3{1}	2596035	0	02596035	-107	0	0	107
	GT1{1}	5627380	0	05627380	94	0	0	94
	GT2{1}	-.2E+07	0	01733523	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222524	0	08222524	195	0	0	195
	GT2P2{1}	862514	0	0 862514	152	0	0	152
	GT3P3{1}	2439718	0	02439718	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245041	0	03245041	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088723	0	03088723	1357	0	0	1357
+166 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627380	0	05627380	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733523	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595144	0	02595144	101	0	0	101
	Pressure 2{1}	2596037	0	02596037	-124	0	0	124
	Pressure 3{1}	2596035	0	02596035	-107	0	0	107
	GT1{1}	5627380	0	05627380	94	0	0	94

	GT2{1}	-.2E+07	0	01733523	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222524	0	08222524	195	0	0	195
	GT2P2{1}	862514	0	0 862514	152	0	0	152
	GT3P3{1}	2439718	0	02439718	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245041	0	03245041	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088723	0	03088723	1357	0	0	1357
+166 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627381	0	05627381	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733523	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595132	0	02595132	101	0	0	101
	Pressure 2{1}	2596037	0	02596037	-124	0	0	124
	Pressure 3{1}	2596036	0	02596036	-107	0	0	107
	GT1{1}	5627381	0	05627381	94	0	0	94
	GT2{1}	-.2E+07	0	01733523	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222512	0	08222512	195	0	0	195
	GT2P2{1}	862514	0	0 862514	152	0	0	152
	GT3P3{1}	2439719	0	02439719	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245042	0	03245042	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088724	0	03088724	1357	0	0	1357
+167 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627381	0	05627381	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733523	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595132	0	02595132	101	0	0	101
	Pressure 2{1}	2596037	0	02596037	-124	0	0	124
	Pressure 3{1}	2596036	0	02596036	-107	0	0	107
	GT1{1}	5627381	0	05627381	94	0	0	94
	GT2{1}	-.2E+07	0	01733523	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222512	0	08222512	195	0	0	195
	GT2P2{1}	862514	0	0 862514	152	0	0	152
	GT3P3{1}	2439719	0	02439719	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245042	0	03245042	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088724	0	03088724	1357	0	0	1357
+167 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627381	0	05627381	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733524	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595120	0	02595120	101	0	0	101
	Pressure 2{1}	2596038	0	02596038	-124	0	0	124
	Pressure 3{1}	2596037	0	02596037	-107	0	0	107
	GT1{1}	5627381	0	05627381	94	0	0	94
	GT2{1}	-.2E+07	0	01733524	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222501	0	08222501	195	0	0	195
	GT2P2{1}	862514	0	0 862514	152	0	0	152
	GT3P3{1}	2439719	0	02439719	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245043	0	03245043	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088725	0	03088725	1357	0	0	1357
+168 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627381	0	05627381	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733524	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595120	0	02595120	101	0	0	101
	Pressure 2{1}	2596038	0	02596038	-124	0	0	124
	Pressure 3{1}	2596037	0	02596037	-107	0	0	107
	GT1{1}	5627381	0	05627381	94	0	0	94

	GT2{1}	-.2E+07	0	01733524	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222501	0	08222501	195	0	0	195
	GT2P2{1}	862514	0	0 862514	152	0	0	152
	GT3P3{1}	2439719	0	02439719	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245043	0	03245043	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088725	0	03088725	1357	0	0	1357
+168 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627381	0	05627381	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733524	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595107	0	02595107	101	0	0	101
	Pressure 2{1}	2596038	0	02596038	-124	0	0	124
	Pressure 3{1}	2596038	0	02596038	-107	0	0	107
	GT1{1}	5627381	0	05627381	94	0	0	94
	GT2{1}	-.2E+07	0	01733524	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222488	0	08222488	195	0	0	195
	GT2P2{1}	862514	0	0 862514	152	0	0	152
	GT3P3{1}	2439720	0	02439720	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245043	0	03245043	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088726	0	03088726	1357	0	0	1357
+169 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627381	0	05627381	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733524	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595107	0	02595107	101	0	0	101
	Pressure 2{1}	2596038	0	02596038	-124	0	0	124
	Pressure 3{1}	2596038	0	02596038	-107	0	0	107
	GT1{1}	5627381	0	05627381	94	0	0	94
	GT2{1}	-.2E+07	0	01733524	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222488	0	08222488	195	0	0	195
	GT2P2{1}	862514	0	0 862514	152	0	0	152
	GT3P3{1}	2439720	0	02439720	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245043	0	03245043	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088726	0	03088726	1357	0	0	1357
+169 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627382	0	05627382	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733525	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595094	0	02595094	101	0	0	101
	Pressure 2{1}	2596039	0	02596039	-124	0	0	124
	Pressure 3{1}	2596038	0	02596038	-107	0	0	107
	GT1{1}	5627382	0	05627382	94	0	0	94
	GT2{1}	-.2E+07	0	01733525	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222476	0	08222476	195	0	0	195
	GT2P2{1}	862515	0	0 862515	152	0	0	152
	GT3P3{1}	2439720	0	02439720	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245044	0	03245044	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088726	0	03088726	1357	0	0	1357
+170 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627382	0	05627382	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733525	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595094	0	02595094	101	0	0	101
	Pressure 2{1}	2596039	0	02596039	-124	0	0	124
	Pressure 3{1}	2596038	0	02596038	-107	0	0	107
	GT1{1}	5627382	0	05627382	94	0	0	94

	GT2{1}	-.2E+07	0	01733525	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222476	0	08222476	195	0	0	195
	GT2P2{1}	862515	0	0 862515	152	0	0	152
	GT3P3{1}	2439720	0	02439720	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245044	0	03245044	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088726	0	03088726	1357	0	0	1357
+170 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627382	0	05627382	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733525	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595081	0	02595081	101	0	0	101
	Pressure 2{1}	2596040	0	02596040	-124	0	0	124
	Pressure 3{1}	2596039	0	02596039	-107	0	0	107
	GT1{1}	5627382	0	05627382	94	0	0	94
	GT2{1}	-.2E+07	0	01733525	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222463	0	08222463	195	0	0	195
	GT2P2{1}	862515	0	0 862515	152	0	0	152
	GT3P3{1}	2439721	0	02439721	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245045	0	03245045	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088727	0	03088727	1357	0	0	1357
+171 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627382	0	05627382	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733525	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595081	0	02595081	101	0	0	101
	Pressure 2{1}	2596040	0	02596040	-124	0	0	124
	Pressure 3{1}	2596039	0	02596039	-107	0	0	107
	GT1{1}	5627382	0	05627382	94	0	0	94
	GT2{1}	-.2E+07	0	01733525	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222463	0	08222463	195	0	0	195
	GT2P2{1}	862515	0	0 862515	152	0	0	152
	GT3P3{1}	2439721	0	02439721	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245045	0	03245045	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088727	0	03088727	1357	0	0	1357
+171 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627383	0	05627383	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733526	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595068	0	02595068	101	0	0	101
	Pressure 2{1}	2596041	0	02596041	-124	0	0	124
	Pressure 3{1}	2596040	0	02596040	-107	0	0	107
	GT1{1}	5627383	0	05627383	94	0	0	94
	GT2{1}	-.2E+07	0	01733526	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222451	0	08222451	195	0	0	195
	GT2P2{1}	862515	0	0 862515	152	0	0	152
	GT3P3{1}	2439722	0	02439722	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245046	0	03245046	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088728	0	03088728	1357	0	0	1357
+172 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627383	0	05627383	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733526	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595068	0	02595068	101	0	0	101
	Pressure 2{1}	2596041	0	02596041	-124	0	0	124
	Pressure 3{1}	2596040	0	02596040	-107	0	0	107
	GT1{1}	5627383	0	05627383	94	0	0	94

	GT2{1}	-.2E+07	0	01733526	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222451	0	08222451	195	0	0	195
	GT2P2{1}	862515	0	0 862515	152	0	0	152
	GT3P3{1}	2439722	0	02439722	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245046	0	03245046	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088728	0	03088728	1357	0	0	1357
+172 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627383	0	05627383	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733526	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595055	0	02595055	101	0	0	101
	Pressure 2{1}	2596041	0	02596041	-124	0	0	124
	Pressure 3{1}	2596040	0	02596040	-107	0	0	107
	GT1{1}	5627383	0	05627383	94	0	0	94
	GT2{1}	-.2E+07	0	01733526	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222438	0	08222438	195	0	0	195
	GT2P2{1}	862515	0	0 862515	152	0	0	152
	GT3P3{1}	2439722	0	02439722	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245047	0	03245047	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088729	0	03088729	1357	0	0	1357
+173 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627383	0	05627383	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733526	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595055	0	02595055	101	0	0	101
	Pressure 2{1}	2596041	0	02596041	-124	0	0	124
	Pressure 3{1}	2596040	0	02596040	-107	0	0	107
	GT1{1}	5627383	0	05627383	94	0	0	94
	GT2{1}	-.2E+07	0	01733526	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222438	0	08222438	195	0	0	195
	GT2P2{1}	862515	0	0 862515	152	0	0	152
	GT3P3{1}	2439722	0	02439722	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245047	0	03245047	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088729	0	03088729	1357	0	0	1357
+173 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733526	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595041	0	02595041	101	0	0	101
	Pressure 2{1}	2596042	0	02596042	-124	0	0	124
	Pressure 3{1}	2596041	0	02596041	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94
	GT2{1}	-.2E+07	0	01733526	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222424	0	08222424	195	0	0	195
	GT2P2{1}	862515	0	0 862515	152	0	0	152
	GT3P3{1}	2439723	0	02439723	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245047	0	03245047	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088729	0	03088729	1357	0	0	1357
+174 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733526	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595041	0	02595041	101	0	0	101
	Pressure 2{1}	2596042	0	02596042	-124	0	0	124
	Pressure 3{1}	2596041	0	02596041	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94

	GT2{1}	-.2E+07	0	01733526	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222424	0	08222424	195	0	0	195
	GT2P2{1}	862515	0	0 862515	152	0	0	152
	GT3P3{1}	2439723	0	02439723	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245047	0	03245047	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088729	0	03088729	1357	0	0	1357
+174 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733527	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595027	0	02595027	101	0	0	101
	Pressure 2{1}	2596043	0	02596043	-124	0	0	124
	Pressure 3{1}	2596042	0	02596042	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94
	GT2{1}	-.2E+07	0	01733527	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222411	0	08222411	195	0	0	195
	GT2P2{1}	862516	0	0 862516	152	0	0	152
	GT3P3{1}	2439724	0	02439724	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245048	0	03245048	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088730	0	03088730	1357	0	0	1357
+175 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733527	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595027	0	02595027	101	0	0	101
	Pressure 2{1}	2596043	0	02596043	-124	0	0	124
	Pressure 3{1}	2596042	0	02596042	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94
	GT2{1}	-.2E+07	0	01733527	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222411	0	08222411	195	0	0	195
	GT2P2{1}	862516	0	0 862516	152	0	0	152
	GT3P3{1}	2439724	0	02439724	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245048	0	03245048	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088730	0	03088730	1357	0	0	1357
+175 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733527	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595013	0	02595013	101	0	0	101
	Pressure 2{1}	2596043	0	02596043	-124	0	0	124
	Pressure 3{1}	2596042	0	02596042	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94
	GT2{1}	-.2E+07	0	01733527	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222397	0	08222397	195	0	0	195
	GT2P2{1}	862516	0	0 862516	152	0	0	152
	GT3P3{1}	2439724	0	02439724	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245048	0	03245048	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088731	0	03088731	1357	0	0	1357
+176 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733527	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2595013	0	02595013	101	0	0	101
	Pressure 2{1}	2596043	0	02596043	-124	0	0	124
	Pressure 3{1}	2596042	0	02596042	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94

	GT2{1}	-.2E+07	0	01733527	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222397	0	08222397	195	0	0	195
	GT2P2{1}	862516	0	0 862516	152	0	0	152
	GT3P3{1}	2439724	0	02439724	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245048	0	03245048	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088731	0	03088731	1357	0	0	1357
+176 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733528	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594999	0	02594999	101	0	0	101
	Pressure 2{1}	2596044	0	02596044	-124	0	0	124
	Pressure 3{1}	2596043	0	02596043	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94
	GT2{1}	-.2E+07	0	01733528	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222383	0	08222383	195	0	0	195
	GT2P2{1}	862516	0	0 862516	152	0	0	152
	GT3P3{1}	2439724	0	02439724	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245049	0	03245049	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088731	0	03088731	1357	0	0	1357
+177 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733528	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594999	0	02594999	101	0	0	101
	Pressure 2{1}	2596044	0	02596044	-124	0	0	124
	Pressure 3{1}	2596043	0	02596043	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94
	GT2{1}	-.2E+07	0	01733528	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222383	0	08222383	195	0	0	195
	GT2P2{1}	862516	0	0 862516	152	0	0	152
	GT3P3{1}	2439724	0	02439724	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245049	0	03245049	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088731	0	03088731	1357	0	0	1357
+177 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733528	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594984	0	02594984	101	0	0	101
	Pressure 2{1}	2596044	0	02596044	-124	0	0	124
	Pressure 3{1}	2596043	0	02596043	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94
	GT2{1}	-.2E+07	0	01733528	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222368	0	08222368	195	0	0	195
	GT2P2{1}	862516	0	0 862516	152	0	0	152
	GT3P3{1}	2439725	0	02439725	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245050	0	03245050	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088732	0	03088732	1357	0	0	1357
+178 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733528	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594984	0	02594984	101	0	0	101
	Pressure 2{1}	2596044	0	02596044	-124	0	0	124
	Pressure 3{1}	2596043	0	02596043	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94

	GT2{1}	-.2E+07	0	01733528	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222368	0	08222368	195	0	0	195
	GT2P2{1}	862516	0	0 862516	152	0	0	152
	GT3P3{1}	2439725	0	02439725	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245050	0	03245050	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088732	0	03088732	1357	0	0	1357
+178 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733528	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594969	0	02594969	101	0	0	101
	Pressure 2{1}	2596045	0	02596045	-124	0	0	124
	Pressure 3{1}	2596044	0	02596044	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94
	GT2{1}	-.2E+07	0	01733528	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222353	0	08222353	195	0	0	195
	GT2P2{1}	862517	0	0 862517	152	0	0	152
	GT3P3{1}	2439726	0	02439726	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245051	0	03245051	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088732	0	03088732	1357	0	0	1357
+179 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733528	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594969	0	02594969	101	0	0	101
	Pressure 2{1}	2596045	0	02596045	-124	0	0	124
	Pressure 3{1}	2596044	0	02596044	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94
	GT2{1}	-.2E+07	0	01733528	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222353	0	08222353	195	0	0	195
	GT2P2{1}	862517	0	0 862517	152	0	0	152
	GT3P3{1}	2439726	0	02439726	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245051	0	03245051	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088732	0	03088732	1357	0	0	1357
+179 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733529	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594954	0	02594954	101	0	0	101
	Pressure 2{1}	2596046	0	02596046	-124	0	0	124
	Pressure 3{1}	2596044	0	02596044	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94
	GT2{1}	-.2E+07	0	01733529	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222339	0	08222339	195	0	0	195
	GT2P2{1}	862517	0	0 862517	152	0	0	152
	GT3P3{1}	2439726	0	02439726	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245051	0	03245051	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088733	0	03088733	1357	0	0	1357
+180 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733529	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594954	0	02594954	101	0	0	101
	Pressure 2{1}	2596046	0	02596046	-124	0	0	124
	Pressure 3{1}	2596044	0	02596044	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94

	GT2{1}	-.2E+07	0	01733529	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222339	0	08222339	195	0	0	195
	GT2P2{1}	862517	0	0 862517	152	0	0	152
	GT3P3{1}	2439726	0	02439726	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245051	0	03245051	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088733	0	03088733	1357	0	0	1357
+180 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733529	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594939	0	02594939	101	0	0	101
	Pressure 2{1}	2596046	0	02596046	-124	0	0	124
	Pressure 3{1}	2596045	0	02596045	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94
	GT2{1}	-.2E+07	0	01733529	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222323	0	08222323	195	0	0	195
	GT2P2{1}	862517	0	0 862517	152	0	0	152
	GT3P3{1}	2439727	0	02439727	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245052	0	03245052	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088734	0	03088734	1357	0	0	1357
+181 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733529	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594939	0	02594939	101	0	0	101
	Pressure 2{1}	2596046	0	02596046	-124	0	0	124
	Pressure 3{1}	2596045	0	02596045	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94
	GT2{1}	-.2E+07	0	01733529	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222323	0	08222323	195	0	0	195
	GT2P2{1}	862517	0	0 862517	152	0	0	152
	GT3P3{1}	2439727	0	02439727	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245052	0	03245052	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088734	0	03088734	1357	0	0	1357
+181 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733530	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594924	0	02594924	101	0	0	101
	Pressure 2{1}	2596047	0	02596047	-124	0	0	124
	Pressure 3{1}	2596045	0	02596045	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94
	GT2{1}	-.2E+07	0	01733530	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222308	0	08222308	195	0	0	195
	GT2P2{1}	862517	0	0 862517	152	0	0	152
	GT3P3{1}	2439727	0	02439727	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245053	0	03245053	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088734	0	03088734	1357	0	0	1357
+182 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733530	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594924	0	02594924	101	0	0	101
	Pressure 2{1}	2596047	0	02596047	-124	0	0	124
	Pressure 3{1}	2596045	0	02596045	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94

	GT2{1}	-.2E+07	0	01733530	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222308	0	08222308	195	0	0	195
	GT2P2{1}	862517	0	0 862517	152	0	0	152
	GT3P3{1}	2439727	0	02439727	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245053	0	03245053	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088734	0	03088734	1357	0	0	1357
+182 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733530	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594908	0	02594908	101	0	0	101
	Pressure 2{1}	2596047	0	02596047	-124	0	0	124
	Pressure 3{1}	2596046	0	02596046	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94
	GT2{1}	-.2E+07	0	01733530	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222292	0	08222292	195	0	0	195
	GT2P2{1}	862517	0	0 862517	152	0	0	152
	GT3P3{1}	2439728	0	02439728	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245053	0	03245053	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088735	0	03088735	1357	0	0	1357
+183 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733530	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594908	0	02594908	101	0	0	101
	Pressure 2{1}	2596047	0	02596047	-124	0	0	124
	Pressure 3{1}	2596046	0	02596046	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94
	GT2{1}	-.2E+07	0	01733530	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222292	0	08222292	195	0	0	195
	GT2P2{1}	862517	0	0 862517	152	0	0	152
	GT3P3{1}	2439728	0	02439728	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245053	0	03245053	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088735	0	03088735	1357	0	0	1357
+183 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733530	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594892	0	02594892	101	0	0	101
	Pressure 2{1}	2596048	0	02596048	-124	0	0	124
	Pressure 3{1}	2596047	0	02596047	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94
	GT2{1}	-.2E+07	0	01733530	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222276	0	08222276	195	0	0	195
	GT2P2{1}	862517	0	0 862517	152	0	0	152
	GT3P3{1}	2439728	0	02439728	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245054	0	03245054	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088736	0	03088736	1357	0	0	1357
+184 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733530	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594892	0	02594892	101	0	0	101
	Pressure 2{1}	2596048	0	02596048	-124	0	0	124
	Pressure 3{1}	2596047	0	02596047	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94

	GT2{1}	-.2E+07	0	01733530	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222276	0	08222276	195	0	0	195
	GT2P2{1}	862517	0	0 862517	152	0	0	152
	GT3P3{1}	2439728	0	02439728	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245054	0	03245054	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088736	0	03088736	1357	0	0	1357
+184 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733531	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594876	0	02594876	101	0	0	101
	Pressure 2{1}	2596048	0	02596048	-124	0	0	124
	Pressure 3{1}	2596047	0	02596047	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94
	GT2{1}	-.2E+07	0	01733531	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222260	0	08222260	195	0	0	195
	GT2P2{1}	862518	0	0 862518	152	0	0	152
	GT3P3{1}	2439729	0	02439729	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245054	0	03245054	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088736	0	03088736	1357	0	0	1357
+185 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733531	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594876	0	02594876	101	0	0	101
	Pressure 2{1}	2596048	0	02596048	-124	0	0	124
	Pressure 3{1}	2596047	0	02596047	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94
	GT2{1}	-.2E+07	0	01733531	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222260	0	08222260	195	0	0	195
	GT2P2{1}	862518	0	0 862518	152	0	0	152
	GT3P3{1}	2439729	0	02439729	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245054	0	03245054	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088736	0	03088736	1357	0	0	1357
+185 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733531	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594859	0	02594859	101	0	0	101
	Pressure 2{1}	2596049	0	02596049	-124	0	0	124
	Pressure 3{1}	2596048	0	02596048	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94
	GT2{1}	-.2E+07	0	01733531	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222243	0	08222243	195	0	0	195
	GT2P2{1}	862518	0	0 862518	152	0	0	152
	GT3P3{1}	2439729	0	02439729	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245055	0	03245055	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088736	0	03088736	1357	0	0	1357
+186 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733531	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594859	0	02594859	101	0	0	101
	Pressure 2{1}	2596049	0	02596049	-124	0	0	124
	Pressure 3{1}	2596048	0	02596048	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94

	GT2{1}	-.2E+07	0	01733531	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222243	0	08222243	195	0	0	195
	GT2P2{1}	862518	0	0 862518	152	0	0	152
	GT3P3{1}	2439729	0	02439729	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245055	0	03245055	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088736	0	03088736	1357	0	0	1357
+186 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733531	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594842	0	02594842	101	0	0	101
	Pressure 2{1}	2596050	0	02596050	-124	0	0	124
	Pressure 3{1}	2596048	0	02596048	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94
	GT2{1}	-.2E+07	0	01733531	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222226	0	08222226	195	0	0	195
	GT2P2{1}	862518	0	0 862518	152	0	0	152
	GT3P3{1}	2439730	0	02439730	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245055	0	03245055	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088737	0	03088737	1357	0	0	1357
+187 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627384	0	05627384	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733531	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594842	0	02594842	101	0	0	101
	Pressure 2{1}	2596050	0	02596050	-124	0	0	124
	Pressure 3{1}	2596048	0	02596048	-107	0	0	107
	GT1{1}	5627384	0	05627384	94	0	0	94
	GT2{1}	-.2E+07	0	01733531	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222226	0	08222226	195	0	0	195
	GT2P2{1}	862518	0	0 862518	152	0	0	152
	GT3P3{1}	2439730	0	02439730	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3245055	0	03245055	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088737	0	03088737	1357	0	0	1357
+187 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627383	0	05627383	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733532	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594825	0	02594825	101	0	0	101
	Pressure 2{1}	2596050	0	02596050	-124	0	0	124
	Pressure 3{1}	2596048	0	02596048	-107	0	0	107
	GT1{1}	5627383	0	05627383	94	0	0	94
	GT2{1}	-.2E+07	0	01733532	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222208	0	08222208	195	0	0	195
	GT2P2{1}	862518	0	0 862518	152	0	0	152
	GT3P3{1}	2439730	0	02439730	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245056	0	03245056	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088737	0	03088737	1357	0	0	1357
+188 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627383	0	05627383	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733532	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594825	0	02594825	101	0	0	101
	Pressure 2{1}	2596050	0	02596050	-124	0	0	124
	Pressure 3{1}	2596048	0	02596048	-107	0	0	107
	GT1{1}	5627383	0	05627383	94	0	0	94

	GT2{1}	-.2E+07	0	01733532	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222208	0	08222208	195	0	0	195
	GT2P2{1}	862518	0	0 862518	152	0	0	152
	GT3P3{1}	2439730	0	02439730	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245056	0	03245056	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088737	0	03088737	1357	0	0	1357
+188 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627383	0	05627383	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733532	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594808	0	02594808	101	0	0	101
	Pressure 2{1}	2596050	0	02596050	-124	0	0	124
	Pressure 3{1}	2596049	0	02596049	-107	0	0	107
	GT1{1}	5627383	0	05627383	94	0	0	94
	GT2{1}	-.2E+07	0	01733532	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222191	0	08222191	195	0	0	195
	GT2P2{1}	862518	0	0 862518	152	0	0	152
	GT3P3{1}	2439731	0	02439731	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245057	0	03245057	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088738	0	03088738	1357	0	0	1357
+189 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627383	0	05627383	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733532	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594808	0	02594808	101	0	0	101
	Pressure 2{1}	2596050	0	02596050	-124	0	0	124
	Pressure 3{1}	2596049	0	02596049	-107	0	0	107
	GT1{1}	5627383	0	05627383	94	0	0	94
	GT2{1}	-.2E+07	0	01733532	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222191	0	08222191	195	0	0	195
	GT2P2{1}	862518	0	0 862518	152	0	0	152
	GT3P3{1}	2439731	0	02439731	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245057	0	03245057	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088738	0	03088738	1357	0	0	1357
+189 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627382	0	05627382	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733532	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594790	0	02594790	101	0	0	101
	Pressure 2{1}	2596051	0	02596051	-124	0	0	124
	Pressure 3{1}	2596050	0	02596050	-107	0	0	107
	GT1{1}	5627382	0	05627382	94	0	0	94
	GT2{1}	-.2E+07	0	01733532	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222173	0	08222173	195	0	0	195
	GT2P2{1}	862518	0	0 862518	152	0	0	152
	GT3P3{1}	2439731	0	02439731	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245057	0	03245057	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088739	0	03088739	1357	0	0	1357
+190 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627382	0	05627382	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733532	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594790	0	02594790	101	0	0	101
	Pressure 2{1}	2596051	0	02596051	-124	0	0	124
	Pressure 3{1}	2596050	0	02596050	-107	0	0	107
	GT1{1}	5627382	0	05627382	94	0	0	94

	GT2{1}	-.2E+07	0	01733532	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222173	0	08222173	195	0	0	195
	GT2P2{1}	862518	0	0 862518	152	0	0	152
	GT3P3{1}	2439731	0	02439731	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245057	0	03245057	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088739	0	03088739	1357	0	0	1357
+190 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627382	0	05627382	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733533	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594773	0	02594773	101	0	0	101
	Pressure 2{1}	2596052	0	02596052	-124	0	0	124
	Pressure 3{1}	2596050	0	02596050	-107	0	0	107
	GT1{1}	5627382	0	05627382	94	0	0	94
	GT2{1}	-.2E+07	0	01733533	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222154	0	08222154	195	0	0	195
	GT2P2{1}	862519	0	0 862519	152	0	0	152
	GT3P3{1}	2439731	0	02439731	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245058	0	03245058	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088739	0	03088739	1357	0	0	1357
+191 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627382	0	05627382	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733533	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594773	0	02594773	101	0	0	101
	Pressure 2{1}	2596052	0	02596052	-124	0	0	124
	Pressure 3{1}	2596050	0	02596050	-107	0	0	107
	GT1{1}	5627382	0	05627382	94	0	0	94
	GT2{1}	-.2E+07	0	01733533	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222154	0	08222154	195	0	0	195
	GT2P2{1}	862519	0	0 862519	152	0	0	152
	GT3P3{1}	2439731	0	02439731	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245058	0	03245058	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088739	0	03088739	1357	0	0	1357
+191 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627382	0	05627382	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733533	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594755	0	02594755	101	0	0	101
	Pressure 2{1}	2596052	0	02596052	-124	0	0	124
	Pressure 3{1}	2596050	0	02596050	-107	0	0	107
	GT1{1}	5627382	0	05627382	94	0	0	94
	GT2{1}	-.2E+07	0	01733533	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222136	0	08222136	195	0	0	195
	GT2P2{1}	862519	0	0 862519	152	0	0	152
	GT3P3{1}	2439732	0	02439732	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245058	0	03245058	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088740	0	03088740	1357	0	0	1357
+192 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627382	0	05627382	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733533	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594755	0	02594755	101	0	0	101
	Pressure 2{1}	2596052	0	02596052	-124	0	0	124
	Pressure 3{1}	2596050	0	02596050	-107	0	0	107
	GT1{1}	5627382	0	05627382	94	0	0	94

	GT2{1}	-.2E+07	0	01733533	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222136	0	08222136	195	0	0	195
	GT2P2{1}	862519	0	0 862519	152	0	0	152
	GT3P3{1}	2439732	0	02439732	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245058	0	03245058	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088740	0	03088740	1357	0	0	1357
+192 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627381	0	05627381	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733533	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594736	0	02594736	101	0	0	101
	Pressure 2{1}	2596052	0	02596052	-124	0	0	124
	Pressure 3{1}	2596051	0	02596051	-107	0	0	107
	GT1{1}	5627381	0	05627381	94	0	0	94
	GT2{1}	-.2E+07	0	01733533	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222117	0	08222117	195	0	0	195
	GT2P2{1}	862519	0	0 862519	152	0	0	152
	GT3P3{1}	2439732	0	02439732	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245058	0	03245058	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088740	0	03088740	1357	0	0	1357
+193 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627381	0	05627381	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733533	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594736	0	02594736	101	0	0	101
	Pressure 2{1}	2596052	0	02596052	-124	0	0	124
	Pressure 3{1}	2596051	0	02596051	-107	0	0	107
	GT1{1}	5627381	0	05627381	94	0	0	94
	GT2{1}	-.2E+07	0	01733533	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222117	0	08222117	195	0	0	195
	GT2P2{1}	862519	0	0 862519	152	0	0	152
	GT3P3{1}	2439732	0	02439732	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245058	0	03245058	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088740	0	03088740	1357	0	0	1357
+193 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627381	0	05627381	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733534	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594717	0	02594717	101	0	0	101
	Pressure 2{1}	2596053	0	02596053	-124	0	0	124
	Pressure 3{1}	2596051	0	02596051	-107	0	0	107
	GT1{1}	5627381	0	05627381	94	0	0	94
	GT2{1}	-.2E+07	0	01733534	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222098	0	08222098	195	0	0	195
	GT2P2{1}	862519	0	0 862519	152	0	0	152
	GT3P3{1}	2439732	0	02439732	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245059	0	03245059	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088740	0	03088740	1357	0	0	1357
+194 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627381	0	05627381	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733534	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594717	0	02594717	101	0	0	101
	Pressure 2{1}	2596053	0	02596053	-124	0	0	124
	Pressure 3{1}	2596051	0	02596051	-107	0	0	107
	GT1{1}	5627381	0	05627381	94	0	0	94

	GT2{1}	-.2E+07	0	01733534	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222098	0	08222098	195	0	0	195
	GT2P2{1}	862519	0	0 862519	152	0	0	152
	GT3P3{1}	2439732	0	02439732	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245059	0	03245059	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088740	0	03088740	1357	0	0	1357
+194 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627380	0	05627380	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733534	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594698	0	02594698	101	0	0	101
	Pressure 2{1}	2596053	0	02596053	-124	0	0	124
	Pressure 3{1}	2596052	0	02596052	-107	0	0	107
	GT1{1}	5627380	0	05627380	94	0	0	94
	GT2{1}	-.2E+07	0	01733534	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222079	0	08222079	195	0	0	195
	GT2P2{1}	862519	0	0 862519	152	0	0	152
	GT3P3{1}	2439733	0	02439733	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245060	0	03245060	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088741	0	03088741	1357	0	0	1357
+195 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627380	0	05627380	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733534	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594698	0	02594698	101	0	0	101
	Pressure 2{1}	2596053	0	02596053	-124	0	0	124
	Pressure 3{1}	2596052	0	02596052	-107	0	0	107
	GT1{1}	5627380	0	05627380	94	0	0	94
	GT2{1}	-.2E+07	0	01733534	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222079	0	08222079	195	0	0	195
	GT2P2{1}	862519	0	0 862519	152	0	0	152
	GT3P3{1}	2439733	0	02439733	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245060	0	03245060	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088741	0	03088741	1357	0	0	1357
+195 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627380	0	05627380	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733534	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594679	0	02594679	101	0	0	101
	Pressure 2{1}	2596054	0	02596054	-124	0	0	124
	Pressure 3{1}	2596052	0	02596052	-107	0	0	107
	GT1{1}	5627380	0	05627380	94	0	0	94
	GT2{1}	-.2E+07	0	01733534	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222059	0	08222059	195	0	0	195
	GT2P2{1}	862519	0	0 862519	152	0	0	152
	GT3P3{1}	2439733	0	02439733	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245060	0	03245060	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088741	0	03088741	1357	0	0	1357
+196 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627380	0	05627380	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733534	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594679	0	02594679	101	0	0	101
	Pressure 2{1}	2596054	0	02596054	-124	0	0	124
	Pressure 3{1}	2596052	0	02596052	-107	0	0	107
	GT1{1}	5627380	0	05627380	94	0	0	94

	GT2{1}	-.2E+07	0	01733534	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222059	0	08222059	195	0	0	195
	GT2P2{1}	862519	0	0 862519	152	0	0	152
	GT3P3{1}	2439733	0	02439733	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245060	0	03245060	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088741	0	03088741	1357	0	0	1357
+196 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627379	0	05627379	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733535	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594660	0	02594660	101	0	0	101
	Pressure 2{1}	2596054	0	02596054	-124	0	0	124
	Pressure 3{1}	2596053	0	02596053	-107	0	0	107
	GT1{1}	5627379	0	05627379	94	0	0	94
	GT2{1}	-.2E+07	0	01733535	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222039	0	08222039	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439734	0	02439734	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245060	0	03245060	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088742	0	03088742	1357	0	0	1357
+197 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627379	0	05627379	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733535	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594660	0	02594660	101	0	0	101
	Pressure 2{1}	2596054	0	02596054	-124	0	0	124
	Pressure 3{1}	2596053	0	02596053	-107	0	0	107
	GT1{1}	5627379	0	05627379	94	0	0	94
	GT2{1}	-.2E+07	0	01733535	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222039	0	08222039	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439734	0	02439734	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245060	0	03245060	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088742	0	03088742	1357	0	0	1357
+197 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627378	0	05627378	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733535	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594640	0	02594640	101	0	0	101
	Pressure 2{1}	2596055	0	02596055	-124	0	0	124
	Pressure 3{1}	2596053	0	02596053	-107	0	0	107
	GT1{1}	5627378	0	05627378	94	0	0	94
	GT2{1}	-.2E+07	0	01733535	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222017	0	08222017	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439734	0	02439734	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245061	0	03245061	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088742	0	03088742	1357	0	0	1357
+198 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627378	0	05627378	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733535	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594640	0	02594640	101	0	0	101
	Pressure 2{1}	2596055	0	02596055	-124	0	0	124
	Pressure 3{1}	2596053	0	02596053	-107	0	0	107
	GT1{1}	5627378	0	05627378	94	0	0	94

	GT2{1}	-.2E+07	0	01733535	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8222017	0	08222017	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439734	0	02439734	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245061	0	03245061	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088742	0	03088742	1357	0	0	1357
+198 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627377	0	05627377	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733535	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594619	0	02594619	101	0	0	101
	Pressure 2{1}	2596055	0	02596055	-124	0	0	124
	Pressure 3{1}	2596053	0	02596053	-107	0	0	107
	GT1{1}	5627377	0	05627377	94	0	0	94
	GT2{1}	-.2E+07	0	01733535	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221997	0	08221997	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439735	0	02439735	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245061	0	03245061	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088742	0	03088742	1357	0	0	1357
+199 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627377	0	05627377	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733535	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594619	0	02594619	101	0	0	101
	Pressure 2{1}	2596055	0	02596055	-124	0	0	124
	Pressure 3{1}	2596053	0	02596053	-107	0	0	107
	GT1{1}	5627377	0	05627377	94	0	0	94
	GT2{1}	-.2E+07	0	01733535	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221997	0	08221997	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439735	0	02439735	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245061	0	03245061	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088742	0	03088742	1357	0	0	1357
+199 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627377	0	05627377	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733535	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594599	0	02594599	101	0	0	101
	Pressure 2{1}	2596055	0	02596055	-124	0	0	124
	Pressure 3{1}	2596054	0	02596054	-107	0	0	107
	GT1{1}	5627377	0	05627377	94	0	0	94
	GT2{1}	-.2E+07	0	01733535	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221976	0	08221976	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439735	0	02439735	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245062	0	03245062	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088743	0	03088743	1357	0	0	1357
+200 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627377	0	05627377	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733535	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594599	0	02594599	101	0	0	101
	Pressure 2{1}	2596055	0	02596055	-124	0	0	124
	Pressure 3{1}	2596054	0	02596054	-107	0	0	107
	GT1{1}	5627377	0	05627377	94	0	0	94

	GT2{1}	-.2E+07	0	01733535	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221976	0	08221976	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439735	0	02439735	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245062	0	03245062	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088743	0	03088743	1357	0	0	1357
+200 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627376	0	05627376	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733536	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594578	0	02594578	101	0	0	101
	Pressure 2{1}	2596056	0	02596056	-124	0	0	124
	Pressure 3{1}	2596054	0	02596054	-107	0	0	107
	GT1{1}	5627376	0	05627376	94	0	0	94
	GT2{1}	-.2E+07	0	01733536	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221954	0	08221954	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439735	0	02439735	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245062	0	03245062	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088743	0	03088743	1357	0	0	1357
+201 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627376	0	05627376	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733536	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594578	0	02594578	101	0	0	101
	Pressure 2{1}	2596056	0	02596056	-124	0	0	124
	Pressure 3{1}	2596054	0	02596054	-107	0	0	107
	GT1{1}	5627376	0	05627376	94	0	0	94
	GT2{1}	-.2E+07	0	01733536	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221954	0	08221954	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439735	0	02439735	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245062	0	03245062	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088743	0	03088743	1357	0	0	1357
+201 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627375	0	05627375	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733536	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594557	0	02594557	101	0	0	101
	Pressure 2{1}	2596056	0	02596056	-124	0	0	124
	Pressure 3{1}	2596055	0	02596055	-107	0	0	107
	GT1{1}	5627375	0	05627375	94	0	0	94
	GT2{1}	-.2E+07	0	01733536	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221932	0	08221932	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439736	0	02439736	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245062	0	03245062	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088744	0	03088744	1357	0	0	1357
+202 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627375	0	05627375	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733536	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594557	0	02594557	101	0	0	101
	Pressure 2{1}	2596056	0	02596056	-124	0	0	124
	Pressure 3{1}	2596055	0	02596055	-107	0	0	107
	GT1{1}	5627375	0	05627375	94	0	0	94

	GT2{1}	-.2E+07	0	01733536	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221932	0	08221932	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439736	0	02439736	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245062	0	03245062	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088744	0	03088744	1357	0	0	1357
+202 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627374	0	05627374	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733536	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594536	0	02594536	101	0	0	101
	Pressure 2{1}	2596057	0	02596057	-124	0	0	124
	Pressure 3{1}	2596055	0	02596055	-107	0	0	107
	GT1{1}	5627374	0	05627374	94	0	0	94
	GT2{1}	-.2E+07	0	01733536	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221910	0	08221910	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439736	0	02439736	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245063	0	03245063	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088744	0	03088744	1357	0	0	1357
+203 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627374	0	05627374	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733536	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594536	0	02594536	101	0	0	101
	Pressure 2{1}	2596057	0	02596057	-124	0	0	124
	Pressure 3{1}	2596055	0	02596055	-107	0	0	107
	GT1{1}	5627374	0	05627374	94	0	0	94
	GT2{1}	-.2E+07	0	01733536	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221910	0	08221910	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439736	0	02439736	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245063	0	03245063	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088744	0	03088744	1357	0	0	1357
+203 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627374	0	05627374	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733537	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594514	0	02594514	101	0	0	101
	Pressure 2{1}	2596057	0	02596057	-124	0	0	124
	Pressure 3{1}	2596055	0	02596055	-107	0	0	107
	GT1{1}	5627374	0	05627374	94	0	0	94
	GT2{1}	-.2E+07	0	01733537	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221887	0	08221887	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439736	0	02439736	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245063	0	03245063	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088744	0	03088744	1357	0	0	1357
+204 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627374	0	05627374	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733537	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594514	0	02594514	101	0	0	101
	Pressure 2{1}	2596057	0	02596057	-124	0	0	124
	Pressure 3{1}	2596055	0	02596055	-107	0	0	107
	GT1{1}	5627374	0	05627374	94	0	0	94

	GT2{1}	-.2E+07	0	01733537	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221887	0	08221887	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439736	0	02439736	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245063	0	03245063	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088744	0	03088744	1357	0	0	1357
+204 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627372	0	05627372	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733537	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594492	0	02594492	101	0	0	101
	Pressure 2{1}	2596057	0	02596057	-124	0	0	124
	Pressure 3{1}	2596056	0	02596056	-107	0	0	107
	GT1{1}	5627372	0	05627372	94	0	0	94
	GT2{1}	-.2E+07	0	01733537	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221864	0	08221864	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439737	0	02439737	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245063	0	03245063	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088744	0	03088744	1357	0	0	1357
+205 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627372	0	05627372	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733537	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594492	0	02594492	101	0	0	101
	Pressure 2{1}	2596057	0	02596057	-124	0	0	124
	Pressure 3{1}	2596056	0	02596056	-107	0	0	107
	GT1{1}	5627372	0	05627372	94	0	0	94
	GT2{1}	-.2E+07	0	01733537	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221864	0	08221864	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439737	0	02439737	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245063	0	03245063	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088744	0	03088744	1357	0	0	1357
+205 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627371	0	05627371	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733537	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594469	0	02594469	101	0	0	101
	Pressure 2{1}	2596058	0	02596058	-124	0	0	124
	Pressure 3{1}	2596056	0	02596056	-107	0	0	107
	GT1{1}	5627371	0	05627371	94	0	0	94
	GT2{1}	-.2E+07	0	01733537	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221841	0	08221841	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439737	0	02439737	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245064	0	03245064	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088745	0	03088745	1357	0	0	1357
+206 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627371	0	05627371	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733537	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594469	0	02594469	101	0	0	101
	Pressure 2{1}	2596058	0	02596058	-124	0	0	124
	Pressure 3{1}	2596056	0	02596056	-107	0	0	107
	GT1{1}	5627371	0	05627371	94	0	0	94

	GT2{1}	-.2E+07	0	01733537	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221841	0	08221841	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439737	0	02439737	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245064	0	03245064	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088745	0	03088745	1357	0	0	1357
+206 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627370	0	05627370	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733537	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594446	0	02594446	101	0	0	101
	Pressure 2{1}	2596058	0	02596058	-124	0	0	124
	Pressure 3{1}	2596056	0	02596056	-107	0	0	107
	GT1{1}	5627370	0	05627370	94	0	0	94
	GT2{1}	-.2E+07	0	01733537	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221816	0	08221816	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439737	0	02439737	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245064	0	03245064	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088745	0	03088745	1357	0	0	1357
+207 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627370	0	05627370	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733537	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594446	0	02594446	101	0	0	101
	Pressure 2{1}	2596058	0	02596058	-124	0	0	124
	Pressure 3{1}	2596056	0	02596056	-107	0	0	107
	GT1{1}	5627370	0	05627370	94	0	0	94
	GT2{1}	-.2E+07	0	01733537	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221816	0	08221816	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439737	0	02439737	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245064	0	03245064	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088745	0	03088745	1357	0	0	1357
+207 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627369	0	05627369	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733537	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594423	0	02594423	101	0	0	101
	Pressure 2{1}	2596058	0	02596058	-124	0	0	124
	Pressure 3{1}	2596057	0	02596057	-107	0	0	107
	GT1{1}	5627369	0	05627369	94	0	0	94
	GT2{1}	-.2E+07	0	01733537	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221792	0	08221792	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439737	0	02439737	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245065	0	03245065	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088746	0	03088746	1357	0	0	1357
+208 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627369	0	05627369	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733537	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594423	0	02594423	101	0	0	101
	Pressure 2{1}	2596058	0	02596058	-124	0	0	124
	Pressure 3{1}	2596057	0	02596057	-107	0	0	107
	GT1{1}	5627369	0	05627369	94	0	0	94

	GT2{1}	-.2E+07	0	01733537	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221792	0	08221792	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439737	0	02439737	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245065	0	03245065	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088746	0	03088746	1357	0	0	1357
+208 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627368	0	05627368	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733538	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594400	0	02594400	101	0	0	101
	Pressure 2{1}	2596059	0	02596059	-124	0	0	124
	Pressure 3{1}	2596057	0	02596057	-107	0	0	107
	GT1{1}	5627368	0	05627368	94	0	0	94
	GT2{1}	-.2E+07	0	01733538	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221767	0	08221767	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439738	0	02439738	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245065	0	03245065	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088746	0	03088746	1357	0	0	1357
+209 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627368	0	05627368	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733538	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594400	0	02594400	101	0	0	101
	Pressure 2{1}	2596059	0	02596059	-124	0	0	124
	Pressure 3{1}	2596057	0	02596057	-107	0	0	107
	GT1{1}	5627368	0	05627368	94	0	0	94
	GT2{1}	-.2E+07	0	01733538	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221767	0	08221767	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439738	0	02439738	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245065	0	03245065	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088746	0	03088746	1357	0	0	1357
+209 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627367	0	05627367	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733538	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594376	0	02594376	101	0	0	101
	Pressure 2{1}	2596059	0	02596059	-124	0	0	124
	Pressure 3{1}	2596057	0	02596057	-107	0	0	107
	GT1{1}	5627367	0	05627367	94	0	0	94
	GT2{1}	-.2E+07	0	01733538	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221743	0	08221743	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439738	0	02439738	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245065	0	03245065	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088746	0	03088746	1357	0	0	1357
+210 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627367	0	05627367	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733538	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594376	0	02594376	101	0	0	101
	Pressure 2{1}	2596059	0	02596059	-124	0	0	124
	Pressure 3{1}	2596057	0	02596057	-107	0	0	107
	GT1{1}	5627367	0	05627367	94	0	0	94

	GT2{1}	-.2E+07	0	01733538	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221743	0	08221743	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439738	0	02439738	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245065	0	03245065	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088746	0	03088746	1357	0	0	1357
+210 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627366	0	05627366	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733538	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594351	0	02594351	101	0	0	101
	Pressure 2{1}	2596060	0	02596060	-124	0	0	124
	Pressure 3{1}	2596058	0	02596058	-107	0	0	107
	GT1{1}	5627366	0	05627366	94	0	0	94
	GT2{1}	-.2E+07	0	01733538	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221717	0	08221717	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439739	0	02439739	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245065	0	03245065	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088746	0	03088746	1357	0	0	1357
+211 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627366	0	05627366	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733538	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594351	0	02594351	101	0	0	101
	Pressure 2{1}	2596060	0	02596060	-124	0	0	124
	Pressure 3{1}	2596058	0	02596058	-107	0	0	107
	GT1{1}	5627366	0	05627366	94	0	0	94
	GT2{1}	-.2E+07	0	01733538	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221717	0	08221717	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439739	0	02439739	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245065	0	03245065	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088746	0	03088746	1357	0	0	1357
+211 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627365	0	05627365	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733538	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594327	0	02594327	101	0	0	101
	Pressure 2{1}	2596060	0	02596060	-124	0	0	124
	Pressure 3{1}	2596058	0	02596058	-107	0	0	107
	GT1{1}	5627365	0	05627365	94	0	0	94
	GT2{1}	-.2E+07	0	01733538	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221692	0	08221692	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439739	0	02439739	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245066	0	03245066	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088747	0	03088747	1357	0	0	1357
+212 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627365	0	05627365	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733538	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594327	0	02594327	101	0	0	101
	Pressure 2{1}	2596060	0	02596060	-124	0	0	124
	Pressure 3{1}	2596058	0	02596058	-107	0	0	107
	GT1{1}	5627365	0	05627365	94	0	0	94

	GT2{1}	-.2E+07	0	01733538	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221692	0	08221692	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439739	0	02439739	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245066	0	03245066	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088747	0	03088747	1357	0	0	1357
+212 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627363	0	05627363	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733538	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594302	0	02594302	101	0	0	101
	Pressure 2{1}	2596060	0	02596060	-124	0	0	124
	Pressure 3{1}	2596058	0	02596058	-107	0	0	107
	GT1{1}	5627363	0	05627363	94	0	0	94
	GT2{1}	-.2E+07	0	01733538	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221665	0	08221665	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439739	0	02439739	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245066	0	03245066	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088747	0	03088747	1357	0	0	1357
+213 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627363	0	05627363	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733538	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594302	0	02594302	101	0	0	101
	Pressure 2{1}	2596060	0	02596060	-124	0	0	124
	Pressure 3{1}	2596058	0	02596058	-107	0	0	107
	GT1{1}	5627363	0	05627363	94	0	0	94
	GT2{1}	-.2E+07	0	01733538	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221665	0	08221665	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439739	0	02439739	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245066	0	03245066	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088747	0	03088747	1357	0	0	1357
+213 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627362	0	05627362	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733539	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594276	0	02594276	101	0	0	101
	Pressure 2{1}	2596060	0	02596060	-124	0	0	124
	Pressure 3{1}	2596058	0	02596058	-107	0	0	107
	GT1{1}	5627362	0	05627362	94	0	0	94
	GT2{1}	-.2E+07	0	01733539	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221638	0	08221638	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439739	0	02439739	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245066	0	03245066	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088747	0	03088747	1357	0	0	1357
+214 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627362	0	05627362	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733539	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594276	0	02594276	101	0	0	101
	Pressure 2{1}	2596060	0	02596060	-124	0	0	124
	Pressure 3{1}	2596058	0	02596058	-107	0	0	107
	GT1{1}	5627362	0	05627362	94	0	0	94

	GT2{1}	-.2E+07	0	01733539	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221638	0	08221638	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439739	0	02439739	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245066	0	03245066	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088747	0	03088747	1357	0	0	1357
+214 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627360	0	05627360	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733539	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594251	0	02594251	101	0	0	101
	Pressure 2{1}	2596061	0	02596061	-124	0	0	124
	Pressure 3{1}	2596059	0	02596059	-107	0	0	107
	GT1{1}	5627360	0	05627360	94	0	0	94
	GT2{1}	-.2E+07	0	01733539	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221611	0	08221611	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439740	0	02439740	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245067	0	03245067	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088747	0	03088747	1357	0	0	1357
+215 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627360	0	05627360	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733539	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594251	0	02594251	101	0	0	101
	Pressure 2{1}	2596061	0	02596061	-124	0	0	124
	Pressure 3{1}	2596059	0	02596059	-107	0	0	107
	GT1{1}	5627360	0	05627360	94	0	0	94
	GT2{1}	-.2E+07	0	01733539	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221611	0	08221611	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439740	0	02439740	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245067	0	03245067	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088747	0	03088747	1357	0	0	1357
+215 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627359	0	05627359	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733539	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594225	0	02594225	101	0	0	101
	Pressure 2{1}	2596061	0	02596061	-124	0	0	124
	Pressure 3{1}	2596059	0	02596059	-107	0	0	107
	GT1{1}	5627359	0	05627359	94	0	0	94
	GT2{1}	-.2E+07	0	01733539	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221584	0	08221584	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439740	0	02439740	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245067	0	03245067	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088748	0	03088748	1357	0	0	1357
+216 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627359	0	05627359	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733539	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594225	0	02594225	101	0	0	101
	Pressure 2{1}	2596061	0	02596061	-124	0	0	124
	Pressure 3{1}	2596059	0	02596059	-107	0	0	107
	GT1{1}	5627359	0	05627359	94	0	0	94

	GT2{1}	-.2E+07	0	01733539	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221584	0	08221584	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439740	0	02439740	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245067	0	03245067	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088748	0	03088748	1357	0	0	1357
+216 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627357	0	05627357	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733539	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594198	0	02594198	101	0	0	101
	Pressure 2{1}	2596061	0	02596061	-124	0	0	124
	Pressure 3{1}	2596059	0	02596059	-107	0	0	107
	GT1{1}	5627357	0	05627357	94	0	0	94
	GT2{1}	-.2E+07	0	01733539	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221555	0	08221555	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439740	0	02439740	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245067	0	03245067	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088748	0	03088748	1357	0	0	1357
+217 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627357	0	05627357	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733539	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594198	0	02594198	101	0	0	101
	Pressure 2{1}	2596061	0	02596061	-124	0	0	124
	Pressure 3{1}	2596059	0	02596059	-107	0	0	107
	GT1{1}	5627357	0	05627357	94	0	0	94
	GT2{1}	-.2E+07	0	01733539	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221555	0	08221555	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439740	0	02439740	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245067	0	03245067	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088748	0	03088748	1357	0	0	1357
+217 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627356	0	05627356	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733540	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594171	0	02594171	101	0	0	101
	Pressure 2{1}	2596062	0	02596062	-124	0	0	124
	Pressure 3{1}	2596060	0	02596060	-107	0	0	107
	GT1{1}	5627356	0	05627356	94	0	0	94
	GT2{1}	-.2E+07	0	01733540	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221528	0	08221528	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439740	0	02439740	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245067	0	03245067	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088748	0	03088748	1357	0	0	1357
+218 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627356	0	05627356	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733540	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594171	0	02594171	101	0	0	101
	Pressure 2{1}	2596062	0	02596062	-124	0	0	124
	Pressure 3{1}	2596060	0	02596060	-107	0	0	107
	GT1{1}	5627356	0	05627356	94	0	0	94

	GT2{1}	-.2E+07	0	01733540	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221528	0	08221528	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439740	0	02439740	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245067	0	03245067	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088748	0	03088748	1357	0	0	1357
+218 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627355	0	05627355	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733540	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594144	0	02594144	101	0	0	101
	Pressure 2{1}	2596062	0	02596062	-124	0	0	124
	Pressure 3{1}	2596060	0	02596060	-107	0	0	107
	GT1{1}	5627355	0	05627355	94	0	0	94
	GT2{1}	-.2E+07	0	01733540	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221498	0	08221498	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439741	0	02439741	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245067	0	03245067	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088748	0	03088748	1357	0	0	1357
+219 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627355	0	05627355	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733540	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594144	0	02594144	101	0	0	101
	Pressure 2{1}	2596062	0	02596062	-124	0	0	124
	Pressure 3{1}	2596060	0	02596060	-107	0	0	107
	GT1{1}	5627355	0	05627355	94	0	0	94
	GT2{1}	-.2E+07	0	01733540	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221498	0	08221498	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439741	0	02439741	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245067	0	03245067	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088748	0	03088748	1357	0	0	1357
+219 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627353	0	05627353	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733540	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594116	0	02594116	101	0	0	101
	Pressure 2{1}	2596062	0	02596062	-124	0	0	124
	Pressure 3{1}	2596060	0	02596060	-107	0	0	107
	GT1{1}	5627353	0	05627353	94	0	0	94
	GT2{1}	-.2E+07	0	01733540	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221469	0	08221469	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439741	0	02439741	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088748	0	03088748	1357	0	0	1357
+220 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627353	0	05627353	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733540	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594116	0	02594116	101	0	0	101
	Pressure 2{1}	2596062	0	02596062	-124	0	0	124
	Pressure 3{1}	2596060	0	02596060	-107	0	0	107
	GT1{1}	5627353	0	05627353	94	0	0	94

	GT2{1}	-.2E+07	0	01733540	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221469	0	08221469	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439741	0	02439741	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088748	0	03088748	1357	0	0	1357
+220 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627351	0	05627351	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733540	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594088	0	02594088	101	0	0	101
	Pressure 2{1}	2596062	0	02596062	-124	0	0	124
	Pressure 3{1}	2596060	0	02596060	-107	0	0	107
	GT1{1}	5627351	0	05627351	94	0	0	94
	GT2{1}	-.2E+07	0	01733540	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221439	0	08221439	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439741	0	02439741	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088748	0	03088748	1357	0	0	1357
+221 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627351	0	05627351	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733540	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594088	0	02594088	101	0	0	101
	Pressure 2{1}	2596062	0	02596062	-124	0	0	124
	Pressure 3{1}	2596060	0	02596060	-107	0	0	107
	GT1{1}	5627351	0	05627351	94	0	0	94
	GT2{1}	-.2E+07	0	01733540	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221439	0	08221439	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439741	0	02439741	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088748	0	03088748	1357	0	0	1357
+221 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627350	0	05627350	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733540	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594059	0	02594059	101	0	0	101
	Pressure 2{1}	2596063	0	02596063	-124	0	0	124
	Pressure 3{1}	2596060	0	02596060	-107	0	0	107
	GT1{1}	5627350	0	05627350	94	0	0	94
	GT2{1}	-.2E+07	0	01733540	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221409	0	08221409	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439741	0	02439741	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+222 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627350	0	05627350	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733540	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594059	0	02594059	101	0	0	101
	Pressure 2{1}	2596063	0	02596063	-124	0	0	124
	Pressure 3{1}	2596060	0	02596060	-107	0	0	107
	GT1{1}	5627350	0	05627350	94	0	0	94

	GT2{1}	-.2E+07	0	01733540	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221409	0	08221409	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439741	0	02439741	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+222 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627348	0	05627348	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733540	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594030	0	02594030	101	0	0	101
	Pressure 2{1}	2596063	0	02596063	-124	0	0	124
	Pressure 3{1}	2596061	0	02596061	-107	0	0	107
	GT1{1}	5627348	0	05627348	94	0	0	94
	GT2{1}	-.2E+07	0	01733540	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221378	0	08221378	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439741	0	02439741	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+223 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627348	0	05627348	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733540	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594030	0	02594030	101	0	0	101
	Pressure 2{1}	2596063	0	02596063	-124	0	0	124
	Pressure 3{1}	2596061	0	02596061	-107	0	0	107
	GT1{1}	5627348	0	05627348	94	0	0	94
	GT2{1}	-.2E+07	0	01733540	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221378	0	08221378	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439741	0	02439741	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+223 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627346	0	05627346	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733541	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594001	0	02594001	101	0	0	101
	Pressure 2{1}	2596063	0	02596063	-124	0	0	124
	Pressure 3{1}	2596061	0	02596061	-107	0	0	107
	GT1{1}	5627346	0	05627346	94	0	0	94
	GT2{1}	-.2E+07	0	01733541	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221347	0	08221347	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439742	0	02439742	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+224 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627346	0	05627346	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733541	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2594001	0	02594001	101	0	0	101
	Pressure 2{1}	2596063	0	02596063	-124	0	0	124
	Pressure 3{1}	2596061	0	02596061	-107	0	0	107
	GT1{1}	5627346	0	05627346	94	0	0	94

	GT2{1}	-.2E+07	0	01733541	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221347	0	08221347	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439742	0	02439742	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+224 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627344	0	05627344	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733541	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593971	0	02593971	101	0	0	101
	Pressure 2{1}	2596063	0	02596063	-124	0	0	124
	Pressure 3{1}	2596061	0	02596061	-107	0	0	107
	GT1{1}	5627344	0	05627344	94	0	0	94
	GT2{1}	-.2E+07	0	01733541	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221315	0	08221315	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439742	0	02439742	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+225 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627344	0	05627344	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733541	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593971	0	02593971	101	0	0	101
	Pressure 2{1}	2596063	0	02596063	-124	0	0	124
	Pressure 3{1}	2596061	0	02596061	-107	0	0	107
	GT1{1}	5627344	0	05627344	94	0	0	94
	GT2{1}	-.2E+07	0	01733541	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221315	0	08221315	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439742	0	02439742	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+225 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627342	0	05627342	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733541	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593941	0	02593941	101	0	0	101
	Pressure 2{1}	2596064	0	02596064	-124	0	0	124
	Pressure 3{1}	2596061	0	02596061	-107	0	0	107
	GT1{1}	5627342	0	05627342	94	0	0	94
	GT2{1}	-.2E+07	0	01733541	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221283	0	08221283	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439742	0	02439742	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+226 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627342	0	05627342	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733541	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593941	0	02593941	101	0	0	101
	Pressure 2{1}	2596064	0	02596064	-124	0	0	124
	Pressure 3{1}	2596061	0	02596061	-107	0	0	107
	GT1{1}	5627342	0	05627342	94	0	0	94

	GT2{1}	-.2E+07	0	01733541	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221283	0	08221283	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439742	0	02439742	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+226 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627340	0	05627340	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733541	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593910	0	02593910	101	0	0	101
	Pressure 2{1}	2596064	0	02596064	-124	0	0	124
	Pressure 3{1}	2596062	0	02596062	-107	0	0	107
	GT1{1}	5627340	0	05627340	94	0	0	94
	GT2{1}	-.2E+07	0	01733541	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221250	0	08221250	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439742	0	02439742	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+227 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627340	0	05627340	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733541	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593910	0	02593910	101	0	0	101
	Pressure 2{1}	2596064	0	02596064	-124	0	0	124
	Pressure 3{1}	2596062	0	02596062	-107	0	0	107
	GT1{1}	5627340	0	05627340	94	0	0	94
	GT2{1}	-.2E+07	0	01733541	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221250	0	08221250	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439742	0	02439742	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+227 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627339	0	05627339	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733541	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593879	0	02593879	101	0	0	101
	Pressure 2{1}	2596064	0	02596064	-124	0	0	124
	Pressure 3{1}	2596062	0	02596062	-107	0	0	107
	GT1{1}	5627339	0	05627339	94	0	0	94
	GT2{1}	-.2E+07	0	01733541	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221217	0	08221217	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439742	0	02439742	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+228 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627339	0	05627339	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733541	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593879	0	02593879	101	0	0	101
	Pressure 2{1}	2596064	0	02596064	-124	0	0	124
	Pressure 3{1}	2596062	0	02596062	-107	0	0	107
	GT1{1}	5627339	0	05627339	94	0	0	94

	GT2{1}	-.2E+07	0	01733541	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221217	0	08221217	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439742	0	02439742	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+228 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627336	0	05627336	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733541	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593847	0	02593847	101	0	0	101
	Pressure 2{1}	2596064	0	02596064	-124	0	0	124
	Pressure 3{1}	2596062	0	02596062	-107	0	0	107
	GT1{1}	5627336	0	05627336	94	0	0	94
	GT2{1}	-.2E+07	0	01733541	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221183	0	08221183	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439742	0	02439742	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+229 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627336	0	05627336	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733541	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593847	0	02593847	101	0	0	101
	Pressure 2{1}	2596064	0	02596064	-124	0	0	124
	Pressure 3{1}	2596062	0	02596062	-107	0	0	107
	GT1{1}	5627336	0	05627336	94	0	0	94
	GT2{1}	-.2E+07	0	01733541	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221183	0	08221183	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439742	0	02439742	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+229 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627334	0	05627334	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593815	0	02593815	101	0	0	101
	Pressure 2{1}	2596065	0	02596065	-124	0	0	124
	Pressure 3{1}	2596062	0	02596062	-107	0	0	107
	GT1{1}	5627334	0	05627334	94	0	0	94
	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221149	0	08221149	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439743	0	02439743	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+230 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627334	0	05627334	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593815	0	02593815	101	0	0	101
	Pressure 2{1}	2596065	0	02596065	-124	0	0	124
	Pressure 3{1}	2596062	0	02596062	-107	0	0	107
	GT1{1}	5627334	0	05627334	94	0	0	94

	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221149	0	08221149	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439743	0	02439743	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+230 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627332	0	05627332	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593782	0	02593782	101	0	0	101
	Pressure 2{1}	2596065	0	02596065	-124	0	0	124
	Pressure 3{1}	2596062	0	02596062	-107	0	0	107
	GT1{1}	5627332	0	05627332	94	0	0	94
	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221113	0	08221113	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439743	0	02439743	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+231 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627332	0	05627332	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593782	0	02593782	101	0	0	101
	Pressure 2{1}	2596065	0	02596065	-124	0	0	124
	Pressure 3{1}	2596062	0	02596062	-107	0	0	107
	GT1{1}	5627332	0	05627332	94	0	0	94
	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221113	0	08221113	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439743	0	02439743	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+231 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627330	0	05627330	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593749	0	02593749	101	0	0	101
	Pressure 2{1}	2596065	0	02596065	-124	0	0	124
	Pressure 3{1}	2596062	0	02596062	-107	0	0	107
	GT1{1}	5627330	0	05627330	94	0	0	94
	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221078	0	08221078	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439743	0	02439743	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+232 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627330	0	05627330	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593749	0	02593749	101	0	0	101
	Pressure 2{1}	2596065	0	02596065	-124	0	0	124
	Pressure 3{1}	2596062	0	02596062	-107	0	0	107
	GT1{1}	5627330	0	05627330	94	0	0	94

	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221078	0	08221078	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439743	0	02439743	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+232 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627327	0	05627327	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593715	0	02593715	101	0	0	101
	Pressure 2{1}	2596065	0	02596065	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627327	0	05627327	94	0	0	94
	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221042	0	08221042	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439743	0	02439743	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+233 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627327	0	05627327	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593715	0	02593715	101	0	0	101
	Pressure 2{1}	2596065	0	02596065	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627327	0	05627327	94	0	0	94
	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221042	0	08221042	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439743	0	02439743	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+233 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627325	0	05627325	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593681	0	02593681	101	0	0	101
	Pressure 2{1}	2596065	0	02596065	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627325	0	05627325	94	0	0	94
	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221006	0	08221006	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439743	0	02439743	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+234 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627325	0	05627325	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593681	0	02593681	101	0	0	101
	Pressure 2{1}	2596065	0	02596065	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627325	0	05627325	94	0	0	94

	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8221006	0	08221006	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439743	0	02439743	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+234 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627323	0	05627323	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593646	0	02593646	101	0	0	101
	Pressure 2{1}	2596066	0	02596066	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627323	0	05627323	94	0	0	94
	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220969	0	08220969	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+235 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627323	0	05627323	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593646	0	02593646	101	0	0	101
	Pressure 2{1}	2596066	0	02596066	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627323	0	05627323	94	0	0	94
	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220969	0	08220969	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+235 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627321	0	05627321	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593611	0	02593611	101	0	0	101
	Pressure 2{1}	2596066	0	02596066	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627321	0	05627321	94	0	0	94
	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220931	0	08220931	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+236 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627321	0	05627321	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593611	0	02593611	101	0	0	101
	Pressure 2{1}	2596066	0	02596066	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627321	0	05627321	94	0	0	94

	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220931	0	08220931	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+236 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627318	0	05627318	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593575	0	02593575	101	0	0	101
	Pressure 2{1}	2596066	0	02596066	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627318	0	05627318	94	0	0	94
	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220893	0	08220893	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+237 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627318	0	05627318	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593575	0	02593575	101	0	0	101
	Pressure 2{1}	2596066	0	02596066	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627318	0	05627318	94	0	0	94
	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220893	0	08220893	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+237 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627316	0	05627316	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593539	0	02593539	101	0	0	101
	Pressure 2{1}	2596066	0	02596066	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627316	0	05627316	94	0	0	94
	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220854	0	08220854	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+238 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627316	0	05627316	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593539	0	02593539	101	0	0	101
	Pressure 2{1}	2596066	0	02596066	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627316	0	05627316	94	0	0	94

	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220854	0	08220854	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+238 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627313	0	05627313	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593502	0	02593502	101	0	0	101
	Pressure 2{1}	2596066	0	02596066	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627313	0	05627313	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220815	0	08220815	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245070	0	03245070	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+239 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627313	0	05627313	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593502	0	02593502	101	0	0	101
	Pressure 2{1}	2596066	0	02596066	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627313	0	05627313	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220815	0	08220815	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245070	0	03245070	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+239 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627311	0	05627311	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593465	0	02593465	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627311	0	05627311	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220775	0	08220775	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245070	0	03245070	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+240 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627311	0	05627311	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593465	0	02593465	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627311	0	05627311	94	0	0	94

	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220775	0	08220775	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245070	0	03245070	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+240 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627308	0	05627308	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593427	0	02593427	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627308	0	05627308	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220735	0	08220735	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245070	0	03245070	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+241 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627308	0	05627308	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593427	0	02593427	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627308	0	05627308	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220735	0	08220735	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245070	0	03245070	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+241 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627305	0	05627305	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593388	0	02593388	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627305	0	05627305	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220693	0	08220693	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245070	0	03245070	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+242 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627305	0	05627305	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593388	0	02593388	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627305	0	05627305	94	0	0	94

	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220693	0	08220693	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245070	0	03245070	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+242 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627302	0	05627302	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593349	0	02593349	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627302	0	05627302	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220652	0	08220652	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+243 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627302	0	05627302	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593349	0	02593349	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627302	0	05627302	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220652	0	08220652	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+243 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627300	0	05627300	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593309	0	02593309	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627300	0	05627300	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220609	0	08220609	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+244 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627300	0	05627300	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593309	0	02593309	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627300	0	05627300	94	0	0	94

	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220609	0	08220609	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+244 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627297	0	05627297	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593269	0	02593269	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627297	0	05627297	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220566	0	08220566	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+245 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627297	0	05627297	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593269	0	02593269	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627297	0	05627297	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220566	0	08220566	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+245 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627294	0	05627294	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593229	0	02593229	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627294	0	05627294	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220522	0	08220522	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+246 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627294	0	05627294	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593229	0	02593229	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627294	0	05627294	94	0	0	94

	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220522	0	08220522	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+246 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627291	0	05627291	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593187	0	02593187	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627291	0	05627291	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220478	0	08220478	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+247 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627291	0	05627291	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593187	0	02593187	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627291	0	05627291	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220478	0	08220478	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+247 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627287	0	05627287	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593145	0	02593145	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627287	0	05627287	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220433	0	08220433	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+248 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627287	0	05627287	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593145	0	02593145	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627287	0	05627287	94	0	0	94

	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220433	0	08220433	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088750	0	03088750	1357	0	0	1357
+248 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627285	0	05627285	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593102	0	02593102	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627285	0	05627285	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220387	0	08220387	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+249 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627285	0	05627285	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593102	0	02593102	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627285	0	05627285	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220387	0	08220387	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+249 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627281	0	05627281	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593059	0	02593059	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627281	0	05627281	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220340	0	08220340	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+250 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627281	0	05627281	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593059	0	02593059	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627281	0	05627281	94	0	0	94

	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220340	0	08220340	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+250 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627278	0	05627278	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593015	0	02593015	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627278	0	05627278	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220293	0	08220293	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+251 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627278	0	05627278	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2593015	0	02593015	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627278	0	05627278	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220293	0	08220293	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+251 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627275	0	05627275	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592971	0	02592971	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627275	0	05627275	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220245	0	08220245	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+252 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627275	0	05627275	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592971	0	02592971	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627275	0	05627275	94	0	0	94

	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220245	0	08220245	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+252 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627271	0	05627271	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592925	0	02592925	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627271	0	05627271	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220196	0	08220196	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+253 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627271	0	05627271	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592925	0	02592925	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627271	0	05627271	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220196	0	08220196	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245069	0	03245069	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+253 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627268	0	05627268	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592879	0	02592879	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627268	0	05627268	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220147	0	08220147	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+254 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627268	0	05627268	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592879	0	02592879	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627268	0	05627268	94	0	0	94

	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220147	0	08220147	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+254 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627265	0	05627265	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592833	0	02592833	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627265	0	05627265	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220097	0	08220097	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+255 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627265	0	05627265	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592833	0	02592833	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627265	0	05627265	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220097	0	08220097	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+255 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627261	0	05627261	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592785	0	02592785	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627261	0	05627261	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220046	0	08220046	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+256 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627261	0	05627261	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592785	0	02592785	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627261	0	05627261	94	0	0	94

	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8220046	0	08220046	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+256 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627257	0	05627257	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592737	0	02592737	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627257	0	05627257	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219995	0	08219995	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+257 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627257	0	05627257	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592737	0	02592737	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627257	0	05627257	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219995	0	08219995	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088749	0	03088749	1357	0	0	1357
+257 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627253	0	05627253	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592689	0	02592689	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627253	0	05627253	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219942	0	08219942	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088748	0	03088748	1357	0	0	1357
+258 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627253	0	05627253	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592689	0	02592689	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627253	0	05627253	94	0	0	94

	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219942	0	08219942	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088748	0	03088748	1357	0	0	1357
+258 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627250	0	05627250	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592639	0	02592639	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627250	0	05627250	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219889	0	08219889	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088748	0	03088748	1357	0	0	1357
+259 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627250	0	05627250	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592639	0	02592639	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627250	0	05627250	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219889	0	08219889	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088748	0	03088748	1357	0	0	1357
+259 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627246	0	05627246	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592589	0	02592589	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627246	0	05627246	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219836	0	08219836	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088748	0	03088748	1357	0	0	1357
+260 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627246	0	05627246	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592589	0	02592589	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627246	0	05627246	94	0	0	94

	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219836	0	08219836	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245068	0	03245068	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088748	0	03088748	1357	0	0	1357
+260 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627242	0	05627242	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592538	0	02592538	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627242	0	05627242	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219781	0	08219781	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245067	0	03245067	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088748	0	03088748	1357	0	0	1357
+261 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627242	0	05627242	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592538	0	02592538	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627242	0	05627242	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219781	0	08219781	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245067	0	03245067	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088748	0	03088748	1357	0	0	1357
+261 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627238	0	05627238	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592487	0	02592487	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627238	0	05627238	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219724	0	08219724	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245067	0	03245067	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088747	0	03088747	1357	0	0	1357
+262 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627238	0	05627238	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592487	0	02592487	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627238	0	05627238	94	0	0	94

	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219724	0	08219724	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245067	0	03245067	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088747	0	03088747	1357	0	0	1357
+262 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627234	0	05627234	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592434	0	02592434	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627234	0	05627234	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219668	0	08219668	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245067	0	03245067	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088747	0	03088747	1357	0	0	1357
+263 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627234	0	05627234	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592434	0	02592434	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627234	0	05627234	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219668	0	08219668	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245067	0	03245067	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088747	0	03088747	1357	0	0	1357
+263 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627230	0	05627230	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592381	0	02592381	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627230	0	05627230	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219611	0	08219611	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245067	0	03245067	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088747	0	03088747	1357	0	0	1357
+264 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627230	0	05627230	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592381	0	02592381	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627230	0	05627230	94	0	0	94

	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219611	0	08219611	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245067	0	03245067	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088747	0	03088747	1357	0	0	1357
+264 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627226	0	05627226	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592327	0	02592327	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627226	0	05627226	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219553	0	08219553	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245067	0	03245067	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088747	0	03088747	1357	0	0	1357
+265 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627226	0	05627226	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592327	0	02592327	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627226	0	05627226	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219553	0	08219553	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245067	0	03245067	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088747	0	03088747	1357	0	0	1357
+265 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627222	0	05627222	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592272	0	02592272	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627222	0	05627222	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219494	0	08219494	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245066	0	03245066	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088747	0	03088747	1357	0	0	1357
+266 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627222	0	05627222	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592272	0	02592272	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627222	0	05627222	94	0	0	94

	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219494	0	08219494	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245066	0	03245066	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088747	0	03088747	1357	0	0	1357
+266 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627217	0	05627217	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592217	0	02592217	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627217	0	05627217	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219434	0	08219434	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245066	0	03245066	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088746	0	03088746	1357	0	0	1357
+267 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627217	0	05627217	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592217	0	02592217	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627217	0	05627217	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219434	0	08219434	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245066	0	03245066	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088746	0	03088746	1357	0	0	1357
+267 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627213	0	05627213	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592160	0	02592160	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627213	0	05627213	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219373	0	08219373	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245066	0	03245066	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088746	0	03088746	1357	0	0	1357
+268 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627213	0	05627213	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592160	0	02592160	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627213	0	05627213	94	0	0	94

	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219373	0	08219373	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245066	0	03245066	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088746	0	03088746	1357	0	0	1357
+268 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627208	0	05627208	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592103	0	02592103	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627208	0	05627208	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219311	0	08219311	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245065	0	03245065	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088746	0	03088746	1357	0	0	1357
+269 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627208	0	05627208	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592103	0	02592103	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596065	0	02596065	-107	0	0	107
	GT1{1}	5627208	0	05627208	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219311	0	08219311	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245065	0	03245065	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088746	0	03088746	1357	0	0	1357
+269 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627204	0	05627204	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592045	0	02592045	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627204	0	05627204	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219248	0	08219248	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245065	0	03245065	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088746	0	03088746	1357	0	0	1357
+270 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627204	0	05627204	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2592045	0	02592045	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627204	0	05627204	94	0	0	94

	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219248	0	08219248	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245065	0	03245065	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088746	0	03088746	1357	0	0	1357
+270 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627199	0	05627199	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591986	0	02591986	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627199	0	05627199	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219185	0	08219185	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245065	0	03245065	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088745	0	03088745	1357	0	0	1357
+271 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627199	0	05627199	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591986	0	02591986	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627199	0	05627199	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219185	0	08219185	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245065	0	03245065	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088745	0	03088745	1357	0	0	1357
+271 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627195	0	05627195	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591926	0	02591926	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627195	0	05627195	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219120	0	08219120	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245065	0	03245065	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088745	0	03088745	1357	0	0	1357
+272 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627195	0	05627195	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591926	0	02591926	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627195	0	05627195	94	0	0	94

	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219120	0	08219120	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245065	0	03245065	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088745	0	03088745	1357	0	0	1357
+272 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627190	0	05627190	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591865	0	02591865	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627190	0	05627190	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219055	0	08219055	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245064	0	03245064	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088744	0	03088744	1357	0	0	1357
+273 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627190	0	05627190	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591865	0	02591865	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627190	0	05627190	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8219055	0	08219055	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245064	0	03245064	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088744	0	03088744	1357	0	0	1357
+273 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627185	0	05627185	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591804	0	02591804	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627185	0	05627185	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218989	0	08218989	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245064	0	03245064	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088744	0	03088744	1357	0	0	1357
+274 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627185	0	05627185	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591804	0	02591804	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627185	0	05627185	94	0	0	94

	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218989	0	08218989	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439745	0	02439745	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245064	0	03245064	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088744	0	03088744	1357	0	0	1357
+274 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627180	0	05627180	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591741	0	02591741	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627180	0	05627180	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218921	0	08218921	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245063	0	03245063	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088744	0	03088744	1357	0	0	1357
+275 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627180	0	05627180	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591741	0	02591741	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627180	0	05627180	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218921	0	08218921	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245063	0	03245063	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088744	0	03088744	1357	0	0	1357
+275 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627175	0	05627175	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591678	0	02591678	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627175	0	05627175	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218852	0	08218852	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245063	0	03245063	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088743	0	03088743	1357	0	0	1357
+276 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627175	0	05627175	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591678	0	02591678	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627175	0	05627175	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218852	0	08218852	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245063	0	03245063	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088743	0	03088743	1357	0	0	1357

	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218852	0	08218852	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245063	0	03245063	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088743	0	03088743	1357	0	0	1357
+276 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627170	0	05627170	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591614	0	02591614	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627170	0	05627170	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218784	0	08218784	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245063	0	03245063	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088743	0	03088743	1357	0	0	1357
+277 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627170	0	05627170	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591614	0	02591614	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627170	0	05627170	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218784	0	08218784	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245063	0	03245063	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088743	0	03088743	1357	0	0	1357
+277 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627165	0	05627165	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591548	0	02591548	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627165	0	05627165	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218712	0	08218712	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245062	0	03245062	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088743	0	03088743	1357	0	0	1357
+278 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627165	0	05627165	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591548	0	02591548	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627165	0	05627165	94	0	0	94

	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218712	0	08218712	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245062	0	03245062	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088743	0	03088743	1357	0	0	1357
+278 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627160	0	05627160	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591482	0	02591482	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627160	0	05627160	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218641	0	08218641	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245062	0	03245062	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088742	0	03088742	1357	0	0	1357
+279 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627160	0	05627160	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591482	0	02591482	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596064	0	02596064	-107	0	0	107
	GT1{1}	5627160	0	05627160	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218641	0	08218641	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245062	0	03245062	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088742	0	03088742	1357	0	0	1357
+279 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627154	0	05627154	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591415	0	02591415	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627154	0	05627154	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218568	0	08218568	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245062	0	03245062	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088742	0	03088742	1357	0	0	1357
+280 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627154	0	05627154	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591415	0	02591415	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627154	0	05627154	94	0	0	94

	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218568	0	08218568	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245062	0	03245062	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088742	0	03088742	1357	0	0	1357
+280 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627148	0	05627148	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591346	0	02591346	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627148	0	05627148	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218494	0	08218494	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245061	0	03245061	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088741	0	03088741	1357	0	0	1357
+281 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627148	0	05627148	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591346	0	02591346	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627148	0	05627148	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218494	0	08218494	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245061	0	03245061	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088741	0	03088741	1357	0	0	1357
+281 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627143	0	05627143	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591277	0	02591277	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627143	0	05627143	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218420	0	08218420	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245061	0	03245061	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088741	0	03088741	1357	0	0	1357
+282 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627143	0	05627143	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591277	0	02591277	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627143	0	05627143	94	0	0	94

	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218420	0	08218420	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245061	0	03245061	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088741	0	03088741	1357	0	0	1357
+282 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627137	0	05627137	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591207	0	02591207	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627137	0	05627137	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218344	0	08218344	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245060	0	03245060	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088741	0	03088741	1357	0	0	1357
+283 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627137	0	05627137	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591207	0	02591207	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627137	0	05627137	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218344	0	08218344	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245060	0	03245060	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088741	0	03088741	1357	0	0	1357
+283 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627132	0	05627132	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591136	0	02591136	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627132	0	05627132	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218268	0	08218268	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245060	0	03245060	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088741	0	03088741	1357	0	0	1357
+284 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627132	0	05627132	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591136	0	02591136	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627132	0	05627132	94	0	0	94

	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218268	0	08218268	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439744	0	02439744	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245060	0	03245060	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088741	0	03088741	1357	0	0	1357
+284 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627126	0	05627126	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591063	0	02591063	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627126	0	05627126	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218189	0	08218189	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439743	0	02439743	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245060	0	03245060	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088740	0	03088740	1357	0	0	1357
+285 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627126	0	05627126	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2591063	0	02591063	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627126	0	05627126	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218189	0	08218189	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439743	0	02439743	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245060	0	03245060	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088740	0	03088740	1357	0	0	1357
+285 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627120	0	05627120	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2590990	0	02590990	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627120	0	05627120	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218110	0	08218110	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439743	0	02439743	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245059	0	03245059	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088739	0	03088739	1357	0	0	1357
+286 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627120	0	05627120	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2590990	0	02590990	101	0	0	101
	Pressure 2{1}	2596069	0	02596069	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627120	0	05627120	94	0	0	94

	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218110	0	08218110	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439743	0	02439743	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245059	0	03245059	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088739	0	03088739	1357	0	0	1357
+286 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627114	0	05627114	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2590915	0	02590915	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627114	0	05627114	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218029	0	08218029	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439743	0	02439743	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245059	0	03245059	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088739	0	03088739	1357	0	0	1357
+287 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627114	0	05627114	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2590915	0	02590915	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627114	0	05627114	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8218029	0	08218029	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439743	0	02439743	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245059	0	03245059	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088739	0	03088739	1357	0	0	1357
+287 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627108	0	05627108	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2590840	0	02590840	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627108	0	05627108	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8217947	0	08217947	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439743	0	02439743	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245058	0	03245058	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088738	0	03088738	1357	0	0	1357
+288 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627108	0	05627108	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2590840	0	02590840	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596063	0	02596063	-107	0	0	107
	GT1{1}	5627108	0	05627108	94	0	0	94

	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8217947	0	08217947	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439743	0	02439743	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245058	0	03245058	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088738	0	03088738	1357	0	0	1357
+288 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627102	0	05627102	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2590763	0	02590763	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596062	0	02596062	-107	0	0	107
	GT1{1}	5627102	0	05627102	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8217865	0	08217865	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439743	0	02439743	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245058	0	03245058	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088738	0	03088738	1357	0	0	1357
+289 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627102	0	05627102	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2590763	0	02590763	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596062	0	02596062	-107	0	0	107
	GT1{1}	5627102	0	05627102	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8217865	0	08217865	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439743	0	02439743	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245058	0	03245058	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088738	0	03088738	1357	0	0	1357
+289 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627095	0	05627095	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2590685	0	02590685	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596062	0	02596062	-107	0	0	107
	GT1{1}	5627095	0	05627095	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8217780	0	08217780	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439742	0	02439742	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245057	0	03245057	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088737	0	03088737	1357	0	0	1357
+290 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627095	0	05627095	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2590685	0	02590685	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596062	0	02596062	-107	0	0	107
	GT1{1}	5627095	0	05627095	94	0	0	94

	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8217780	0	08217780	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439742	0	02439742	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245057	0	03245057	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088737	0	03088737	1357	0	0	1357
+290 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627089	0	05627089	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2590606	0	02590606	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596062	0	02596062	-107	0	0	107
	GT1{1}	5627089	0	05627089	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8217695	0	08217695	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439742	0	02439742	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245057	0	03245057	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088737	0	03088737	1357	0	0	1357
+291 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627089	0	05627089	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733544	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2590606	0	02590606	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596062	0	02596062	-107	0	0	107
	GT1{1}	5627089	0	05627089	94	0	0	94
	GT2{1}	-.2E+07	0	01733544	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8217695	0	08217695	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439742	0	02439742	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245057	0	03245057	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088737	0	03088737	1357	0	0	1357
+291 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627082	0	05627082	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2590526	0	02590526	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596062	0	02596062	-107	0	0	107
	GT1{1}	5627082	0	05627082	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8217608	0	08217608	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439742	0	02439742	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245056	0	03245056	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088736	0	03088736	1357	0	0	1357
+292 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627082	0	05627082	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2590526	0	02590526	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596062	0	02596062	-107	0	0	107
	GT1{1}	5627082	0	05627082	94	0	0	94

	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8217608	0	08217608	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439742	0	02439742	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245056	0	03245056	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088736	0	03088736	1357	0	0	1357
+292 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627076	0	05627076	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2590445	0	02590445	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596062	0	02596062	-107	0	0	107
	GT1{1}	5627076	0	05627076	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8217520	0	08217520	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439742	0	02439742	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245055	0	03245055	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088736	0	03088736	1357	0	0	1357
+293 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627076	0	05627076	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2590445	0	02590445	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596062	0	02596062	-107	0	0	107
	GT1{1}	5627076	0	05627076	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8217520	0	08217520	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439742	0	02439742	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245055	0	03245055	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088736	0	03088736	1357	0	0	1357
+293 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627069	0	05627069	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2590362	0	02590362	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596062	0	02596062	-107	0	0	107
	GT1{1}	5627069	0	05627069	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8217431	0	08217431	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439742	0	02439742	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245055	0	03245055	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088735	0	03088735	1357	0	0	1357
+294 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627069	0	05627069	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2590362	0	02590362	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596062	0	02596062	-107	0	0	107
	GT1{1}	5627069	0	05627069	94	0	0	94

	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8217431	0	08217431	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439742	0	02439742	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245055	0	03245055	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088735	0	03088735	1357	0	0	1357
+294 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627062	0	05627062	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2590279	0	02590279	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596061	0	02596061	-107	0	0	107
	GT1{1}	5627062	0	05627062	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8217341	0	08217341	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439742	0	02439742	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245054	0	03245054	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088735	0	03088735	1357	0	0	1357
+295 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627062	0	05627062	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2590279	0	02590279	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596061	0	02596061	-107	0	0	107
	GT1{1}	5627062	0	05627062	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8217341	0	08217341	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439742	0	02439742	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245054	0	03245054	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088735	0	03088735	1357	0	0	1357
+295 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627055	0	05627055	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2590193	0	02590193	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596061	0	02596061	-107	0	0	107
	GT1{1}	5627055	0	05627055	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8217248	0	08217248	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439741	0	02439741	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245054	0	03245054	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088734	0	03088734	1357	0	0	1357
+296 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627055	0	05627055	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2590193	0	02590193	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596061	0	02596061	-107	0	0	107
	GT1{1}	5627055	0	05627055	94	0	0	94

	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8217248	0	08217248	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439741	0	02439741	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245054	0	03245054	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088734	0	03088734	1357	0	0	1357
+296 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627048	0	05627048	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2590107	0	02590107	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596061	0	02596061	-107	0	0	107
	GT1{1}	5627048	0	05627048	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8217155	0	08217155	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439741	0	02439741	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245053	0	03245053	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088734	0	03088734	1357	0	0	1357
+297 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627048	0	05627048	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2590107	0	02590107	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596061	0	02596061	-107	0	0	107
	GT1{1}	5627048	0	05627048	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8217155	0	08217155	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439741	0	02439741	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245053	0	03245053	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088734	0	03088734	1357	0	0	1357
+297 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627041	0	05627041	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2590020	0	02590020	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596061	0	02596061	-107	0	0	107
	GT1{1}	5627041	0	05627041	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8217061	0	08217061	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439741	0	02439741	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245053	0	03245053	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088733	0	03088733	1357	0	0	1357
+298 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627041	0	05627041	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2590020	0	02590020	101	0	0	101
	Pressure 2{1}	2596068	0	02596068	-124	0	0	124
	Pressure 3{1}	2596061	0	02596061	-107	0	0	107
	GT1{1}	5627041	0	05627041	94	0	0	94

	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8217061	0	08217061	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439741	0	02439741	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245053	0	03245053	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088733	0	03088733	1357	0	0	1357
+298 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627034	0	05627034	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2589931	0	02589931	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596060	0	02596060	-107	0	0	107
	GT1{1}	5627034	0	05627034	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8216965	0	08216965	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439741	0	02439741	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245052	0	03245052	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088732	0	03088732	1357	0	0	1357
+299 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627034	0	05627034	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2589931	0	02589931	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596060	0	02596060	-107	0	0	107
	GT1{1}	5627034	0	05627034	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8216965	0	08216965	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439741	0	02439741	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245052	0	03245052	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088732	0	03088732	1357	0	0	1357
+299 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627027	0	05627027	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2589841	0	02589841	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596060	0	02596060	-107	0	0	107
	GT1{1}	5627027	0	05627027	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8216867	0	08216867	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439741	0	02439741	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245051	0	03245051	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088732	0	03088732	1357	0	0	1357
+300 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627027	0	05627027	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2589841	0	02589841	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596060	0	02596060	-107	0	0	107
	GT1{1}	5627027	0	05627027	94	0	0	94

	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8216867	0	08216867	195	0	0	195
	GT2P2{1}	862525	0	0 862525	152	0	0	152
	GT3P3{1}	2439741	0	02439741	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245051	0	03245051	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088732	0	03088732	1357	0	0	1357
+300 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627019	0	05627019	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2589750	0	02589750	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596060	0	02596060	-107	0	0	107
	GT1{1}	5627019	0	05627019	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8216769	0	08216769	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439740	0	02439740	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245051	0	03245051	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088731	0	03088731	1357	0	0	1357
+301 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627019	0	05627019	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2589750	0	02589750	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596060	0	02596060	-107	0	0	107
	GT1{1}	5627019	0	05627019	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8216769	0	08216769	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439740	0	02439740	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245051	0	03245051	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088731	0	03088731	1357	0	0	1357
+301 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627011	0	05627011	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2589657	0	02589657	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596060	0	02596060	-107	0	0	107
	GT1{1}	5627011	0	05627011	94	0	0	94
	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8216668	0	08216668	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439740	0	02439740	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245050	0	03245050	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088731	0	03088731	1357	0	0	1357
+302 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627011	0	05627011	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733543	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2589657	0	02589657	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596060	0	02596060	-107	0	0	107
	GT1{1}	5627011	0	05627011	94	0	0	94

	GT2{1}	-.2E+07	0	01733543	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8216668	0	08216668	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439740	0	02439740	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245050	0	03245050	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088731	0	03088731	1357	0	0	1357
+302 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627004	0	05627004	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2589563	0	02589563	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596059	0	02596059	-107	0	0	107
	GT1{1}	5627004	0	05627004	94	0	0	94
	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8216566	0	08216566	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439740	0	02439740	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245049	0	03245049	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088730	0	03088730	1357	0	0	1357
+303 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5627004	0	05627004	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2589563	0	02589563	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596059	0	02596059	-107	0	0	107
	GT1{1}	5627004	0	05627004	94	0	0	94
	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8216566	0	08216566	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439740	0	02439740	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245049	0	03245049	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088730	0	03088730	1357	0	0	1357
+303 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626995	0	05626995	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2589467	0	02589467	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596059	0	02596059	-107	0	0	107
	GT1{1}	5626995	0	05626995	94	0	0	94
	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8216463	0	08216463	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439739	0	02439739	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245049	0	03245049	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088729	0	03088729	1357	0	0	1357
+304 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626995	0	05626995	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2589467	0	02589467	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596059	0	02596059	-107	0	0	107
	GT1{1}	5626995	0	05626995	94	0	0	94

	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8216463	0	08216463	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439739	0	02439739	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245049	0	03245049	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088729	0	03088729	1357	0	0	1357
+304 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626988	0	05626988	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2589370	0	02589370	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596059	0	02596059	-107	0	0	107
	GT1{1}	5626988	0	05626988	94	0	0	94
	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8216358	0	08216358	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439739	0	02439739	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245048	0	03245048	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088728	0	03088728	1357	0	0	1357
+305 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626988	0	05626988	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2589370	0	02589370	101	0	0	101
	Pressure 2{1}	2596067	0	02596067	-124	0	0	124
	Pressure 3{1}	2596059	0	02596059	-107	0	0	107
	GT1{1}	5626988	0	05626988	94	0	0	94
	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8216358	0	08216358	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439739	0	02439739	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245048	0	03245048	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088728	0	03088728	1357	0	0	1357
+305 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626980	0	05626980	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2589272	0	02589272	101	0	0	101
	Pressure 2{1}	2596066	0	02596066	-124	0	0	124
	Pressure 3{1}	2596058	0	02596058	-107	0	0	107
	GT1{1}	5626980	0	05626980	94	0	0	94
	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8216252	0	08216252	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439739	0	02439739	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245047	0	03245047	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088728	0	03088728	1357	0	0	1357
+306 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626980	0	05626980	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2589272	0	02589272	101	0	0	101
	Pressure 2{1}	2596066	0	02596066	-124	0	0	124
	Pressure 3{1}	2596058	0	02596058	-107	0	0	107
	GT1{1}	5626980	0	05626980	94	0	0	94

	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8216252	0	08216252	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439739	0	02439739	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245047	0	03245047	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088728	0	03088728	1357	0	0	1357
+306 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626972	0	05626972	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2589172	0	02589172	101	0	0	101
	Pressure 2{1}	2596066	0	02596066	-124	0	0	124
	Pressure 3{1}	2596058	0	02596058	-107	0	0	107
	GT1{1}	5626972	0	05626972	94	0	0	94
	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8216144	0	08216144	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439739	0	02439739	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245047	0	03245047	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088727	0	03088727	1357	0	0	1357
+307 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626972	0	05626972	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2589172	0	02589172	101	0	0	101
	Pressure 2{1}	2596066	0	02596066	-124	0	0	124
	Pressure 3{1}	2596058	0	02596058	-107	0	0	107
	GT1{1}	5626972	0	05626972	94	0	0	94
	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8216144	0	08216144	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439739	0	02439739	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245047	0	03245047	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088727	0	03088727	1357	0	0	1357
+307 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626963	0	05626963	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2589071	0	02589071	101	0	0	101
	Pressure 2{1}	2596066	0	02596066	-124	0	0	124
	Pressure 3{1}	2596058	0	02596058	-107	0	0	107
	GT1{1}	5626963	0	05626963	94	0	0	94
	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8216035	0	08216035	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439738	0	02439738	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245046	0	03245046	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088726	0	03088726	1357	0	0	1357
+308 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626963	0	05626963	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2589071	0	02589071	101	0	0	101
	Pressure 2{1}	2596066	0	02596066	-124	0	0	124
	Pressure 3{1}	2596058	0	02596058	-107	0	0	107
	GT1{1}	5626963	0	05626963	94	0	0	94

	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8216035	0	08216035	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439738	0	02439738	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245046	0	03245046	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088726	0	03088726	1357	0	0	1357
+308 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626955	0	05626955	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2588968	0	02588968	101	0	0	101
	Pressure 2{1}	2596066	0	02596066	-124	0	0	124
	Pressure 3{1}	2596058	0	02596058	-107	0	0	107
	GT1{1}	5626955	0	05626955	94	0	0	94
	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8215923	0	08215923	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439738	0	02439738	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245045	0	03245045	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088726	0	03088726	1357	0	0	1357
+309 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626955	0	05626955	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2588968	0	02588968	101	0	0	101
	Pressure 2{1}	2596066	0	02596066	-124	0	0	124
	Pressure 3{1}	2596058	0	02596058	-107	0	0	107
	GT1{1}	5626955	0	05626955	94	0	0	94
	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8215923	0	08215923	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439738	0	02439738	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245045	0	03245045	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088726	0	03088726	1357	0	0	1357
+309 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626946	0	05626946	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2588864	0	02588864	101	0	0	101
	Pressure 2{1}	2596066	0	02596066	-124	0	0	124
	Pressure 3{1}	2596057	0	02596057	-107	0	0	107
	GT1{1}	5626946	0	05626946	94	0	0	94
	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8215810	0	08215810	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439738	0	02439738	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245044	0	03245044	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088725	0	03088725	1357	0	0	1357
+310 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626946	0	05626946	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2588864	0	02588864	101	0	0	101
	Pressure 2{1}	2596066	0	02596066	-124	0	0	124
	Pressure 3{1}	2596057	0	02596057	-107	0	0	107
	GT1{1}	5626946	0	05626946	94	0	0	94

	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8215810	0	08215810	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439738	0	02439738	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245044	0	03245044	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088725	0	03088725	1357	0	0	1357
+310 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626937	0	05626937	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2588758	0	02588758	101	0	0	101
	Pressure 2{1}	2596065	0	02596065	-124	0	0	124
	Pressure 3{1}	2596057	0	02596057	-107	0	0	107
	GT1{1}	5626937	0	05626937	94	0	0	94
	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8215695	0	08215695	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439737	0	02439737	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245043	0	03245043	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088724	0	03088724	1357	0	0	1357
+311 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626937	0	05626937	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733542	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2588758	0	02588758	101	0	0	101
	Pressure 2{1}	2596065	0	02596065	-124	0	0	124
	Pressure 3{1}	2596057	0	02596057	-107	0	0	107
	GT1{1}	5626937	0	05626937	94	0	0	94
	GT2{1}	-.2E+07	0	01733542	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8215695	0	08215695	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439737	0	02439737	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245043	0	03245043	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088724	0	03088724	1357	0	0	1357
+311 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626928	0	05626928	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733541	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2588651	0	02588651	101	0	0	101
	Pressure 2{1}	2596065	0	02596065	-124	0	0	124
	Pressure 3{1}	2596057	0	02596057	-107	0	0	107
	GT1{1}	5626928	0	05626928	94	0	0	94
	GT2{1}	-.2E+07	0	01733541	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8215579	0	08215579	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439737	0	02439737	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245043	0	03245043	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088723	0	03088723	1357	0	0	1357
+312 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626928	0	05626928	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733541	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2588651	0	02588651	101	0	0	101
	Pressure 2{1}	2596065	0	02596065	-124	0	0	124
	Pressure 3{1}	2596057	0	02596057	-107	0	0	107
	GT1{1}	5626928	0	05626928	94	0	0	94

	GT2{1}	-.2E+07	0	01733541	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8215579	0	08215579	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439737	0	02439737	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245043	0	03245043	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088723	0	03088723	1357	0	0	1357
+312 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626919	0	05626919	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733541	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2588542	0	02588542	101	0	0	101
	Pressure 2{1}	2596065	0	02596065	-124	0	0	124
	Pressure 3{1}	2596057	0	02596057	-107	0	0	107
	GT1{1}	5626919	0	05626919	94	0	0	94
	GT2{1}	-.2E+07	0	01733541	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8215461	0	08215461	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439737	0	02439737	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245042	0	03245042	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088722	0	03088722	1357	0	0	1357
+313 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626919	0	05626919	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733541	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2588542	0	02588542	101	0	0	101
	Pressure 2{1}	2596065	0	02596065	-124	0	0	124
	Pressure 3{1}	2596057	0	02596057	-107	0	0	107
	GT1{1}	5626919	0	05626919	94	0	0	94
	GT2{1}	-.2E+07	0	01733541	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8215461	0	08215461	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439737	0	02439737	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245042	0	03245042	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088722	0	03088722	1357	0	0	1357
+313 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626910	0	05626910	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733541	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2588432	0	02588432	101	0	0	101
	Pressure 2{1}	2596065	0	02596065	-124	0	0	124
	Pressure 3{1}	2596056	0	02596056	-107	0	0	107
	GT1{1}	5626910	0	05626910	94	0	0	94
	GT2{1}	-.2E+07	0	01733541	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8215342	0	08215342	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439737	0	02439737	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245041	0	03245041	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088721	0	03088721	1357	0	0	1357
+314 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626910	0	05626910	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733541	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2588432	0	02588432	101	0	0	101
	Pressure 2{1}	2596065	0	02596065	-124	0	0	124
	Pressure 3{1}	2596056	0	02596056	-107	0	0	107
	GT1{1}	5626910	0	05626910	94	0	0	94

	GT2{1}	-.2E+07	0	01733541	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8215342	0	08215342	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439737	0	02439737	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245041	0	03245041	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088721	0	03088721	1357	0	0	1357
+314 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626901	0	05626901	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733541	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2588320	0	02588320	101	0	0	101
	Pressure 2{1}	2596065	0	02596065	-124	0	0	124
	Pressure 3{1}	2596056	0	02596056	-107	0	0	107
	GT1{1}	5626901	0	05626901	94	0	0	94
	GT2{1}	-.2E+07	0	01733541	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8215221	0	08215221	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439736	0	02439736	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245040	0	03245040	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088720	0	03088720	1357	0	0	1357
+315 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626901	0	05626901	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733541	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2588320	0	02588320	101	0	0	101
	Pressure 2{1}	2596065	0	02596065	-124	0	0	124
	Pressure 3{1}	2596056	0	02596056	-107	0	0	107
	GT1{1}	5626901	0	05626901	94	0	0	94
	GT2{1}	-.2E+07	0	01733541	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8215221	0	08215221	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439736	0	02439736	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245040	0	03245040	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088720	0	03088720	1357	0	0	1357
+315 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626892	0	05626892	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733541	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2588206	0	02588206	101	0	0	101
	Pressure 2{1}	2596064	0	02596064	-124	0	0	124
	Pressure 3{1}	2596055	0	02596055	-107	0	0	107
	GT1{1}	5626892	0	05626892	94	0	0	94
	GT2{1}	-.2E+07	0	01733541	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8215097	0	08215097	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439736	0	02439736	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245039	0	03245039	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088720	0	03088720	1357	0	0	1357
+316 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626892	0	05626892	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733541	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2588206	0	02588206	101	0	0	101
	Pressure 2{1}	2596064	0	02596064	-124	0	0	124
	Pressure 3{1}	2596055	0	02596055	-107	0	0	107
	GT1{1}	5626892	0	05626892	94	0	0	94

	GT2{1}	-.2E+07	0	01733541	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8215097	0	08215097	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439736	0	02439736	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245039	0	03245039	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088720	0	03088720	1357	0	0	1357
+316 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626882	0	05626882	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733541	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2588090	0	02588090	101	0	0	101
	Pressure 2{1}	2596064	0	02596064	-124	0	0	124
	Pressure 3{1}	2596055	0	02596055	-107	0	0	107
	GT1{1}	5626882	0	05626882	94	0	0	94
	GT2{1}	-.2E+07	0	01733541	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8214973	0	08214973	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439736	0	02439736	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245038	0	03245038	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088719	0	03088719	1357	0	0	1357
+317 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626882	0	05626882	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733541	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2588090	0	02588090	101	0	0	101
	Pressure 2{1}	2596064	0	02596064	-124	0	0	124
	Pressure 3{1}	2596055	0	02596055	-107	0	0	107
	GT1{1}	5626882	0	05626882	94	0	0	94
	GT2{1}	-.2E+07	0	01733541	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8214973	0	08214973	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439736	0	02439736	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245038	0	03245038	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088719	0	03088719	1357	0	0	1357
+317 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626873	0	05626873	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733540	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2587973	0	02587973	101	0	0	101
	Pressure 2{1}	2596064	0	02596064	-124	0	0	124
	Pressure 3{1}	2596055	0	02596055	-107	0	0	107
	GT1{1}	5626873	0	05626873	94	0	0	94
	GT2{1}	-.2E+07	0	01733540	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8214846	0	08214846	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439735	0	02439735	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245038	0	03245038	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088718	0	03088718	1357	0	0	1357
+318 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626873	0	05626873	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733540	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2587973	0	02587973	101	0	0	101
	Pressure 2{1}	2596064	0	02596064	-124	0	0	124
	Pressure 3{1}	2596055	0	02596055	-107	0	0	107
	GT1{1}	5626873	0	05626873	94	0	0	94

	GT2{1}	-.2E+07	0	01733540	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8214846	0	08214846	195	0	0	195
	GT2P2{1}	862524	0	0 862524	152	0	0	152
	GT3P3{1}	2439735	0	02439735	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245038	0	03245038	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088718	0	03088718	1357	0	0	1357
+318 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626863	0	05626863	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733540	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2587855	0	02587855	101	0	0	101
	Pressure 2{1}	2596064	0	02596064	-124	0	0	124
	Pressure 3{1}	2596054	0	02596054	-107	0	0	107
	GT1{1}	5626863	0	05626863	94	0	0	94
	GT2{1}	-.2E+07	0	01733540	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8214717	0	08214717	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439735	0	02439735	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245037	0	03245037	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088717	0	03088717	1357	0	0	1357
+319 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626863	0	05626863	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733540	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2587855	0	02587855	101	0	0	101
	Pressure 2{1}	2596064	0	02596064	-124	0	0	124
	Pressure 3{1}	2596054	0	02596054	-107	0	0	107
	GT1{1}	5626863	0	05626863	94	0	0	94
	GT2{1}	-.2E+07	0	01733540	276	0	0	276
	GT3{1}	-156320	0	0 156320	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8214717	0	08214717	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439735	0	02439735	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245037	0	03245037	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088717	0	03088717	1357	0	0	1357
+319 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626853	0	05626853	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733540	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2587734	0	02587734	101	0	0	101
	Pressure 2{1}	2596063	0	02596063	-124	0	0	124
	Pressure 3{1}	2596054	0	02596054	-107	0	0	107
	GT1{1}	5626853	0	05626853	94	0	0	94
	GT2{1}	-.2E+07	0	01733540	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8214587	0	08214587	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439735	0	02439735	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245036	0	03245036	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088716	0	03088716	1357	0	0	1357
+320 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626853	0	05626853	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733540	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2587734	0	02587734	101	0	0	101
	Pressure 2{1}	2596063	0	02596063	-124	0	0	124
	Pressure 3{1}	2596054	0	02596054	-107	0	0	107
	GT1{1}	5626853	0	05626853	94	0	0	94

	GT2{1}	-.2E+07	0	01733540	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8214587	0	08214587	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439735	0	02439735	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245036	0	03245036	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088716	0	03088716	1357	0	0	1357
+320 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626843	0	05626843	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733540	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2587612	0	02587612	101	0	0	101
	Pressure 2{1}	2596063	0	02596063	-124	0	0	124
	Pressure 3{1}	2596053	0	02596053	-107	0	0	107
	GT1{1}	5626843	0	05626843	94	0	0	94
	GT2{1}	-.2E+07	0	01733540	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8214454	0	08214454	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439734	0	02439734	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245035	0	03245035	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088715	0	03088715	1357	0	0	1357
+321 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626843	0	05626843	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733540	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2587612	0	02587612	101	0	0	101
	Pressure 2{1}	2596063	0	02596063	-124	0	0	124
	Pressure 3{1}	2596053	0	02596053	-107	0	0	107
	GT1{1}	5626843	0	05626843	94	0	0	94
	GT2{1}	-.2E+07	0	01733540	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8214454	0	08214454	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439734	0	02439734	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245035	0	03245035	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088715	0	03088715	1357	0	0	1357
+321 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626832	0	05626832	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733540	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2587487	0	02587487	101	0	0	101
	Pressure 2{1}	2596063	0	02596063	-124	0	0	124
	Pressure 3{1}	2596053	0	02596053	-107	0	0	107
	GT1{1}	5626832	0	05626832	94	0	0	94
	GT2{1}	-.2E+07	0	01733540	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8214319	0	08214319	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439734	0	02439734	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245034	0	03245034	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088714	0	03088714	1357	0	0	1357
+322 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626832	0	05626832	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733540	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2587487	0	02587487	101	0	0	101
	Pressure 2{1}	2596063	0	02596063	-124	0	0	124
	Pressure 3{1}	2596053	0	02596053	-107	0	0	107
	GT1{1}	5626832	0	05626832	94	0	0	94

	GT2{1}	-.2E+07	0	01733540	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8214319	0	08214319	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439734	0	02439734	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245034	0	03245034	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088714	0	03088714	1357	0	0	1357
+322 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626821	0	05626821	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733540	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2587361	0	02587361	101	0	0	101
	Pressure 2{1}	2596063	0	02596063	-124	0	0	124
	Pressure 3{1}	2596053	0	02596053	-107	0	0	107
	GT1{1}	5626821	0	05626821	94	0	0	94
	GT2{1}	-.2E+07	0	01733539	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8214183	0	08214183	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439734	0	02439734	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245033	0	03245033	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088713	0	03088713	1357	0	0	1357
+323 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626821	0	05626821	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733540	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2587361	0	02587361	101	0	0	101
	Pressure 2{1}	2596063	0	02596063	-124	0	0	124
	Pressure 3{1}	2596053	0	02596053	-107	0	0	107
	GT1{1}	5626821	0	05626821	94	0	0	94
	GT2{1}	-.2E+07	0	01733539	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8214183	0	08214183	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439734	0	02439734	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245033	0	03245033	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088713	0	03088713	1357	0	0	1357
+323 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626811	0	05626811	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733539	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2587234	0	02587234	101	0	0	101
	Pressure 2{1}	2596063	0	02596063	-124	0	0	124
	Pressure 3{1}	2596052	0	02596052	-107	0	0	107
	GT1{1}	5626811	0	05626811	94	0	0	94
	GT2{1}	-.2E+07	0	01733539	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8214045	0	08214045	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439733	0	02439733	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245032	0	03245032	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088712	0	03088712	1357	0	0	1357
+324 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626811	0	05626811	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733539	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2587234	0	02587234	101	0	0	101
	Pressure 2{1}	2596063	0	02596063	-124	0	0	124
	Pressure 3{1}	2596052	0	02596052	-107	0	0	107
	GT1{1}	5626811	0	05626811	94	0	0	94

	GT2{1}	-.2E+07	0	01733539	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8214045	0	08214045	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439733	0	02439733	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245032	0	03245032	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088712	0	03088712	1357	0	0	1357
+324 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626800	0	05626800	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733539	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2587104	0	02587104	101	0	0	101
	Pressure 2{1}	2596062	0	02596062	-124	0	0	124
	Pressure 3{1}	2596052	0	02596052	-107	0	0	107
	GT1{1}	5626800	0	05626800	94	0	0	94
	GT2{1}	-.2E+07	0	01733539	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8213904	0	08213904	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439733	0	02439733	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245031	0	03245031	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088711	0	03088711	1357	0	0	1357
+325 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626800	0	05626800	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733539	56	0	0	56
	Thermal 3{1}	-156320	0	0 156320	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2587104	0	02587104	101	0	0	101
	Pressure 2{1}	2596062	0	02596062	-124	0	0	124
	Pressure 3{1}	2596052	0	02596052	-107	0	0	107
	GT1{1}	5626800	0	05626800	94	0	0	94
	GT2{1}	-.2E+07	0	01733539	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8213904	0	08213904	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439733	0	02439733	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245031	0	03245031	871	0	0	871
	GT3{2}	-156320	0	0 156320	486	0	0	486
	Hydrotest-NL{2}	3088711	0	03088711	1357	0	0	1357
+325 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626789	0	05626789	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733539	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2586972	0	02586972	101	0	0	101
	Pressure 2{1}	2596062	0	02596062	-124	0	0	124
	Pressure 3{1}	2596052	0	02596052	-107	0	0	107
	GT1{1}	5626789	0	05626789	94	0	0	94
	GT2{1}	-.2E+07	0	01733539	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8213762	0	08213762	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439732	0	02439732	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245030	0	03245030	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088710	0	03088710	1357	0	0	1357
+326 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626789	0	05626789	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733539	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2586972	0	02586972	101	0	0	101
	Pressure 2{1}	2596062	0	02596062	-124	0	0	124
	Pressure 3{1}	2596052	0	02596052	-107	0	0	107
	GT1{1}	5626789	0	05626789	94	0	0	94

	GT2{1}	-.2E+07	0	01733539	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8213762	0	08213762	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439732	0	02439732	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245030	0	03245030	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088710	0	03088710	1357	0	0	1357
+326 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626778	0	05626778	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733539	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2586839	0	02586839	101	0	0	101
	Pressure 2{1}	2596062	0	02596062	-124	0	0	124
	Pressure 3{1}	2596051	0	02596051	-107	0	0	107
	GT1{1}	5626778	0	05626778	94	0	0	94
	GT2{1}	-.2E+07	0	01733539	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8213617	0	08213617	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439732	0	02439732	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245029	0	03245029	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088709	0	03088709	1357	0	0	1357
+327 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626778	0	05626778	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733539	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2586839	0	02586839	101	0	0	101
	Pressure 2{1}	2596062	0	02596062	-124	0	0	124
	Pressure 3{1}	2596051	0	02596051	-107	0	0	107
	GT1{1}	5626778	0	05626778	94	0	0	94
	GT2{1}	-.2E+07	0	01733539	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8213617	0	08213617	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439732	0	02439732	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245029	0	03245029	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088709	0	03088709	1357	0	0	1357
+327 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626767	0	05626767	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733539	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2586703	0	02586703	101	0	0	101
	Pressure 2{1}	2596061	0	02596061	-124	0	0	124
	Pressure 3{1}	2596051	0	02596051	-107	0	0	107
	GT1{1}	5626767	0	05626767	94	0	0	94
	GT2{1}	-.2E+07	0	01733538	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8213470	0	08213470	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439731	0	02439731	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245028	0	03245028	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088708	0	03088708	1357	0	0	1357
+328 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626767	0	05626767	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733539	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2586703	0	02586703	101	0	0	101
	Pressure 2{1}	2596061	0	02596061	-124	0	0	124
	Pressure 3{1}	2596051	0	02596051	-107	0	0	107
	GT1{1}	5626767	0	05626767	94	0	0	94

	GT2{1}	-.2E+07	0	01733538	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8213470	0	08213470	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439731	0	02439731	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245028	0	03245028	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088708	0	03088708	1357	0	0	1357
+328 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626755	0	05626755	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733538	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2586566	0	02586566	101	0	0	101
	Pressure 2{1}	2596061	0	02596061	-124	0	0	124
	Pressure 3{1}	2596050	0	02596050	-107	0	0	107
	GT1{1}	5626755	0	05626755	94	0	0	94
	GT2{1}	-.2E+07	0	01733538	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8213321	0	08213321	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439731	0	02439731	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245026	0	03245026	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088707	0	03088707	1357	0	0	1357
+329 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626755	0	05626755	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733538	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2586566	0	02586566	101	0	0	101
	Pressure 2{1}	2596061	0	02596061	-124	0	0	124
	Pressure 3{1}	2596050	0	02596050	-107	0	0	107
	GT1{1}	5626755	0	05626755	94	0	0	94
	GT2{1}	-.2E+07	0	01733538	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8213321	0	08213321	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439731	0	02439731	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245026	0	03245026	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088707	0	03088707	1357	0	0	1357
+329 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626744	0	05626744	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733538	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2586426	0	02586426	101	0	0	101
	Pressure 2{1}	2596061	0	02596061	-124	0	0	124
	Pressure 3{1}	2596050	0	02596050	-107	0	0	107
	GT1{1}	5626744	0	05626744	94	0	0	94
	GT2{1}	-.2E+07	0	01733538	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8213170	0	08213170	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439731	0	02439731	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245025	0	03245025	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088706	0	03088706	1357	0	0	1357
+330 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626744	0	05626744	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733538	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2586426	0	02586426	101	0	0	101
	Pressure 2{1}	2596061	0	02596061	-124	0	0	124
	Pressure 3{1}	2596050	0	02596050	-107	0	0	107
	GT1{1}	5626744	0	05626744	94	0	0	94

	GT2{1}	-.2E+07	0	01733538	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8213170	0	08213170	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439731	0	02439731	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245025	0	03245025	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088706	0	03088706	1357	0	0	1357
+330 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626732	0	05626732	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733538	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2586285	0	02586285	101	0	0	101
	Pressure 2{1}	2596060	0	02596060	-124	0	0	124
	Pressure 3{1}	2596049	0	02596049	-107	0	0	107
	GT1{1}	5626732	0	05626732	94	0	0	94
	GT2{1}	-.2E+07	0	01733538	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8213016	0	08213016	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439730	0	02439730	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245024	0	03245024	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088705	0	03088705	1357	0	0	1357
+331 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626732	0	05626732	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733538	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2586285	0	02586285	101	0	0	101
	Pressure 2{1}	2596060	0	02596060	-124	0	0	124
	Pressure 3{1}	2596049	0	02596049	-107	0	0	107
	GT1{1}	5626732	0	05626732	94	0	0	94
	GT2{1}	-.2E+07	0	01733538	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8213016	0	08213016	195	0	0	195
	GT2P2{1}	862523	0	0 862523	152	0	0	152
	GT3P3{1}	2439730	0	02439730	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245024	0	03245024	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088705	0	03088705	1357	0	0	1357
+331 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626720	0	05626720	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733538	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2586141	0	02586141	101	0	0	101
	Pressure 2{1}	2596060	0	02596060	-124	0	0	124
	Pressure 3{1}	2596049	0	02596049	-107	0	0	107
	GT1{1}	5626720	0	05626720	94	0	0	94
	GT2{1}	-.2E+07	0	01733538	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8212861	0	08212861	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439729	0	02439729	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245023	0	03245023	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088704	0	03088704	1357	0	0	1357
+332 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626720	0	05626720	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733538	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2586141	0	02586141	101	0	0	101
	Pressure 2{1}	2596060	0	02596060	-124	0	0	124
	Pressure 3{1}	2596049	0	02596049	-107	0	0	107
	GT1{1}	5626720	0	05626720	94	0	0	94

	GT2{1}	-.2E+07	0	01733538	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8212861	0	08212861	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439729	0	02439729	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245023	0	03245023	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088704	0	03088704	1357	0	0	1357
+332 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626707	0	05626707	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733537	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2585995	0	02585995	101	0	0	101
	Pressure 2{1}	2596060	0	02596060	-124	0	0	124
	Pressure 3{1}	2596048	0	02596048	-107	0	0	107
	GT1{1}	5626707	0	05626707	94	0	0	94
	GT2{1}	-.2E+07	0	01733537	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8212703	0	08212703	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439729	0	02439729	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245022	0	03245022	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088703	0	03088703	1357	0	0	1357
+333 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626707	0	05626707	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733537	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2585995	0	02585995	101	0	0	101
	Pressure 2{1}	2596060	0	02596060	-124	0	0	124
	Pressure 3{1}	2596048	0	02596048	-107	0	0	107
	GT1{1}	5626707	0	05626707	94	0	0	94
	GT2{1}	-.2E+07	0	01733537	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8212703	0	08212703	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439729	0	02439729	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245022	0	03245022	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088703	0	03088703	1357	0	0	1357
+333 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626695	0	05626695	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733537	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2585848	0	02585848	101	0	0	101
	Pressure 2{1}	2596060	0	02596060	-124	0	0	124
	Pressure 3{1}	2596048	0	02596048	-107	0	0	107
	GT1{1}	5626695	0	05626695	94	0	0	94
	GT2{1}	-.2E+07	0	01733537	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8212543	0	08212543	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439729	0	02439729	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245021	0	03245021	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088701	0	03088701	1357	0	0	1357
+334 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626695	0	05626695	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733537	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2585848	0	02585848	101	0	0	101
	Pressure 2{1}	2596060	0	02596060	-124	0	0	124
	Pressure 3{1}	2596048	0	02596048	-107	0	0	107
	GT1{1}	5626695	0	05626695	94	0	0	94
	GT2{1}	-.2E+07	0	01733537	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8212543	0	08212543	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439729	0	02439729	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245021	0	03245021	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088701	0	03088701	1357	0	0	1357

	GT2{1}	-.2E+07	0	01733537	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8212543	0	08212543	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439729	0	02439729	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245021	0	03245021	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088701	0	03088701	1357	0	0	1357
+334 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626683	0	05626683	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733537	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2585697	0	02585697	101	0	0	101
	Pressure 2{1}	2596059	0	02596059	-124	0	0	124
	Pressure 3{1}	2596047	0	02596047	-107	0	0	107
	GT1{1}	5626683	0	05626683	94	0	0	94
	GT2{1}	-.2E+07	0	01733537	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8212380	0	08212380	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439728	0	02439728	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245020	0	03245020	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088700	0	03088700	1357	0	0	1357
+335 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626683	0	05626683	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733537	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2585697	0	02585697	101	0	0	101
	Pressure 2{1}	2596059	0	02596059	-124	0	0	124
	Pressure 3{1}	2596047	0	02596047	-107	0	0	107
	GT1{1}	5626683	0	05626683	94	0	0	94
	GT2{1}	-.2E+07	0	01733537	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8212380	0	08212380	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439728	0	02439728	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245020	0	03245020	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088700	0	03088700	1357	0	0	1357
+335 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626670	0	05626670	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733537	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2585545	0	02585545	101	0	0	101
	Pressure 2{1}	2596059	0	02596059	-124	0	0	124
	Pressure 3{1}	2596047	0	02596047	-107	0	0	107
	GT1{1}	5626670	0	05626670	94	0	0	94
	GT2{1}	-.2E+07	0	01733537	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8212215	0	08212215	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439727	0	02439727	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245018	0	03245018	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088699	0	03088699	1357	0	0	1357
+336 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626670	0	05626670	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733537	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2585545	0	02585545	101	0	0	101
	Pressure 2{1}	2596059	0	02596059	-124	0	0	124
	Pressure 3{1}	2596047	0	02596047	-107	0	0	107
	GT1{1}	5626670	0	05626670	94	0	0	94

	GT2{1}	-.2E+07	0	01733537	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8212215	0	08212215	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439727	0	02439727	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245018	0	03245018	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088699	0	03088699	1357	0	0	1357
+336 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626657	0	05626657	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733537	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2585391	0	02585391	101	0	0	101
	Pressure 2{1}	2596058	0	02596058	-124	0	0	124
	Pressure 3{1}	2596046	0	02596046	-107	0	0	107
	GT1{1}	5626657	0	05626657	94	0	0	94
	GT2{1}	-.2E+07	0	01733536	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8212048	0	08212048	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439727	0	02439727	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245017	0	03245017	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088698	0	03088698	1357	0	0	1357
+337 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626657	0	05626657	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733537	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2585391	0	02585391	101	0	0	101
	Pressure 2{1}	2596058	0	02596058	-124	0	0	124
	Pressure 3{1}	2596046	0	02596046	-107	0	0	107
	GT1{1}	5626657	0	05626657	94	0	0	94
	GT2{1}	-.2E+07	0	01733536	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8212048	0	08212048	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439727	0	02439727	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245017	0	03245017	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088698	0	03088698	1357	0	0	1357
+337 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626644	0	05626644	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733536	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2585234	0	02585234	101	0	0	101
	Pressure 2{1}	2596058	0	02596058	-124	0	0	124
	Pressure 3{1}	2596046	0	02596046	-107	0	0	107
	GT1{1}	5626644	0	05626644	94	0	0	94
	GT2{1}	-.2E+07	0	01733536	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8211878	0	08211878	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439726	0	02439726	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245016	0	03245016	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088697	0	03088697	1357	0	0	1357
+338 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626644	0	05626644	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733536	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2585234	0	02585234	101	0	0	101
	Pressure 2{1}	2596058	0	02596058	-124	0	0	124
	Pressure 3{1}	2596046	0	02596046	-107	0	0	107
	GT1{1}	5626644	0	05626644	94	0	0	94

	GT2{1}	-.2E+07	0	01733536	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8211878	0	08211878	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439726	0	02439726	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245016	0	03245016	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088697	0	03088697	1357	0	0	1357
+338 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626631	0	05626631	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733536	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2585075	0	02585075	101	0	0	101
	Pressure 2{1}	2596058	0	02596058	-124	0	0	124
	Pressure 3{1}	2596045	0	02596045	-107	0	0	107
	GT1{1}	5626631	0	05626631	94	0	0	94
	GT2{1}	-.2E+07	0	01733536	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8211705	0	08211705	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439726	0	02439726	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245015	0	03245015	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088695	0	03088695	1357	0	0	1357
+339 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626631	0	05626631	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733536	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2585075	0	02585075	101	0	0	101
	Pressure 2{1}	2596058	0	02596058	-124	0	0	124
	Pressure 3{1}	2596045	0	02596045	-107	0	0	107
	GT1{1}	5626631	0	05626631	94	0	0	94
	GT2{1}	-.2E+07	0	01733536	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8211705	0	08211705	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439726	0	02439726	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156320	0	0 156320	25	0	0	25
	Pressure 1{2}	3245015	0	03245015	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088695	0	03088695	1357	0	0	1357
+339 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626617	0	05626617	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733536	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2584913	0	02584913	101	0	0	101
	Pressure 2{1}	2596057	0	02596057	-124	0	0	124
	Pressure 3{1}	2596045	0	02596045	-107	0	0	107
	GT1{1}	5626617	0	05626617	94	0	0	94
	GT2{1}	-.2E+07	0	01733536	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8211531	0	08211531	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439725	0	02439725	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245013	0	03245013	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088694	0	03088694	1357	0	0	1357
+340 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626617	0	05626617	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733536	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2584913	0	02584913	101	0	0	101
	Pressure 2{1}	2596057	0	02596057	-124	0	0	124
	Pressure 3{1}	2596045	0	02596045	-107	0	0	107
	GT1{1}	5626617	0	05626617	94	0	0	94

	GT2{1}	-.2E+07	0	01733536	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8211531	0	08211531	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439725	0	02439725	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245013	0	03245013	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088694	0	03088694	1357	0	0	1357
+340 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626603	0	05626603	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733536	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2584750	0	02584750	101	0	0	101
	Pressure 2{1}	2596057	0	02596057	-124	0	0	124
	Pressure 3{1}	2596044	0	02596044	-107	0	0	107
	GT1{1}	5626603	0	05626603	94	0	0	94
	GT2{1}	-.2E+07	0	01733535	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8211353	0	08211353	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439725	0	02439725	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245012	0	03245012	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088693	0	03088693	1357	0	0	1357
+341 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626603	0	05626603	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733536	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2584750	0	02584750	101	0	0	101
	Pressure 2{1}	2596057	0	02596057	-124	0	0	124
	Pressure 3{1}	2596044	0	02596044	-107	0	0	107
	GT1{1}	5626603	0	05626603	94	0	0	94
	GT2{1}	-.2E+07	0	01733535	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8211353	0	08211353	195	0	0	195
	GT2P2{1}	862522	0	0 862522	152	0	0	152
	GT3P3{1}	2439725	0	02439725	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245012	0	03245012	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088693	0	03088693	1357	0	0	1357
+341 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626590	0	05626590	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733535	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2584584	0	02584584	101	0	0	101
	Pressure 2{1}	2596057	0	02596057	-124	0	0	124
	Pressure 3{1}	2596043	0	02596043	-107	0	0	107
	GT1{1}	5626590	0	05626590	94	0	0	94
	GT2{1}	-.2E+07	0	01733535	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8211173	0	08211173	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439724	0	02439724	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245011	0	03245011	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088691	0	03088691	1357	0	0	1357
+342 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626590	0	05626590	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733535	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2584584	0	02584584	101	0	0	101
	Pressure 2{1}	2596057	0	02596057	-124	0	0	124
	Pressure 3{1}	2596043	0	02596043	-107	0	0	107
	GT1{1}	5626590	0	05626590	94	0	0	94

	GT2{1}	-.2E+07	0	01733535	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8211173	0	08211173	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439724	0	02439724	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245011	0	03245011	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088691	0	03088691	1357	0	0	1357
+342 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626576	0	05626576	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733535	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2584415	0	02584415	101	0	0	101
	Pressure 2{1}	2596056	0	02596056	-124	0	0	124
	Pressure 3{1}	2596043	0	02596043	-107	0	0	107
	GT1{1}	5626576	0	05626576	94	0	0	94
	GT2{1}	-.2E+07	0	01733535	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8210990	0	08210990	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439724	0	02439724	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245009	0	03245009	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088690	0	03088690	1357	0	0	1357
+343 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626576	0	05626576	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733535	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2584415	0	02584415	101	0	0	101
	Pressure 2{1}	2596056	0	02596056	-124	0	0	124
	Pressure 3{1}	2596043	0	02596043	-107	0	0	107
	GT1{1}	5626576	0	05626576	94	0	0	94
	GT2{1}	-.2E+07	0	01733535	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8210990	0	08210990	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439724	0	02439724	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245009	0	03245009	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088690	0	03088690	1357	0	0	1357
+343 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626561	0	05626561	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733535	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2584244	0	02584244	101	0	0	101
	Pressure 2{1}	2596056	0	02596056	-124	0	0	124
	Pressure 3{1}	2596042	0	02596042	-107	0	0	107
	GT1{1}	5626561	0	05626561	94	0	0	94
	GT2{1}	-.2E+07	0	01733535	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8210805	0	08210805	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439723	0	02439723	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245008	0	03245008	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088689	0	03088689	1357	0	0	1357
+344 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626561	0	05626561	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733535	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2584244	0	02584244	101	0	0	101
	Pressure 2{1}	2596056	0	02596056	-124	0	0	124
	Pressure 3{1}	2596042	0	02596042	-107	0	0	107
	GT1{1}	5626561	0	05626561	94	0	0	94

	GT2{1}	-.2E+07	0	01733535	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8210805	0	08210805	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439723	0	02439723	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245008	0	03245008	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088689	0	03088689	1357	0	0	1357
+344 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626547	0	05626547	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733534	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2584071	0	02584071	101	0	0	101
	Pressure 2{1}	2596055	0	02596055	-124	0	0	124
	Pressure 3{1}	2596042	0	02596042	-107	0	0	107
	GT1{1}	5626547	0	05626547	94	0	0	94
	GT2{1}	-.2E+07	0	01733534	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8210617	0	08210617	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439723	0	02439723	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245006	0	03245006	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088687	0	03088687	1357	0	0	1357
+345 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626547	0	05626547	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733534	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2584071	0	02584071	101	0	0	101
	Pressure 2{1}	2596055	0	02596055	-124	0	0	124
	Pressure 3{1}	2596042	0	02596042	-107	0	0	107
	GT1{1}	5626547	0	05626547	94	0	0	94
	GT2{1}	-.2E+07	0	01733534	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8210617	0	08210617	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439723	0	02439723	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245006	0	03245006	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088687	0	03088687	1357	0	0	1357
+345 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626532	0	05626532	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733534	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2583894	0	02583894	101	0	0	101
	Pressure 2{1}	2596055	0	02596055	-124	0	0	124
	Pressure 3{1}	2596041	0	02596041	-107	0	0	107
	GT1{1}	5626532	0	05626532	94	0	0	94
	GT2{1}	-.2E+07	0	01733534	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8210426	0	08210426	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439722	0	02439722	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245005	0	03245005	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088685	0	03088685	1357	0	0	1357
+346 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626532	0	05626532	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733534	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2583894	0	02583894	101	0	0	101
	Pressure 2{1}	2596055	0	02596055	-124	0	0	124
	Pressure 3{1}	2596041	0	02596041	-107	0	0	107
	GT1{1}	5626532	0	05626532	94	0	0	94
	GT2{1}	-.2E+07	0	01733534	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8210426	0	08210426	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439722	0	02439722	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245005	0	03245005	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088685	0	03088685	1357	0	0	1357

	GT2{1}	-.2E+07	0	01733534	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8210426	0	08210426	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439722	0	02439722	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245005	0	03245005	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088685	0	03088685	1357	0	0	1357
+346 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626517	0	05626517	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733534	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2583715	0	02583715	101	0	0	101
	Pressure 2{1}	2596055	0	02596055	-124	0	0	124
	Pressure 3{1}	2596040	0	02596040	-107	0	0	107
	GT1{1}	5626517	0	05626517	94	0	0	94
	GT2{1}	-.2E+07	0	01733534	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8210233	0	08210233	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439721	0	02439721	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245003	0	03245003	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088684	0	03088684	1357	0	0	1357
+347 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626517	0	05626517	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733534	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2583715	0	02583715	101	0	0	101
	Pressure 2{1}	2596055	0	02596055	-124	0	0	124
	Pressure 3{1}	2596040	0	02596040	-107	0	0	107
	GT1{1}	5626517	0	05626517	94	0	0	94
	GT2{1}	-.2E+07	0	01733534	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8210233	0	08210233	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439721	0	02439721	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245003	0	03245003	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088684	0	03088684	1357	0	0	1357
+347 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626502	0	05626502	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733533	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2583534	0	02583534	101	0	0	101
	Pressure 2{1}	2596054	0	02596054	-124	0	0	124
	Pressure 3{1}	2596040	0	02596040	-107	0	0	107
	GT1{1}	5626502	0	05626502	94	0	0	94
	GT2{1}	-.2E+07	0	01733533	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8210036	0	08210036	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439721	0	02439721	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245002	0	03245002	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088683	0	03088683	1357	0	0	1357
+348 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626502	0	05626502	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733533	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2583534	0	02583534	101	0	0	101
	Pressure 2{1}	2596054	0	02596054	-124	0	0	124
	Pressure 3{1}	2596040	0	02596040	-107	0	0	107
	GT1{1}	5626502	0	05626502	94	0	0	94

	GT2{1}	-.2E+07	0	01733533	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8210036	0	08210036	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439721	0	02439721	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245002	0	03245002	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088683	0	03088683	1357	0	0	1357
+348 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626487	0	05626487	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733533	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2583350	0	02583350	101	0	0	101
	Pressure 2{1}	2596054	0	02596054	-124	0	0	124
	Pressure 3{1}	2596039	0	02596039	-107	0	0	107
	GT1{1}	5626487	0	05626487	94	0	0	94
	GT2{1}	-.2E+07	0	01733533	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8209837	0	08209837	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439720	0	02439720	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245000	0	03245000	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088681	0	03088681	1357	0	0	1357
+349 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626487	0	05626487	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733533	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2583350	0	02583350	101	0	0	101
	Pressure 2{1}	2596054	0	02596054	-124	0	0	124
	Pressure 3{1}	2596039	0	02596039	-107	0	0	107
	GT1{1}	5626487	0	05626487	94	0	0	94
	GT2{1}	-.2E+07	0	01733533	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8209837	0	08209837	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439720	0	02439720	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3245000	0	03245000	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088681	0	03088681	1357	0	0	1357
+349 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626471	0	05626471	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733533	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2583164	0	02583164	101	0	0	101
	Pressure 2{1}	2596053	0	02596053	-124	0	0	124
	Pressure 3{1}	2596038	0	02596038	-107	0	0	107
	GT1{1}	5626471	0	05626471	94	0	0	94
	GT2{1}	-.2E+07	0	01733533	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8209634	0	08209634	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439719	0	02439719	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244999	0	03244999	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088680	0	03088680	1357	0	0	1357
+350 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626471	0	05626471	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733533	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2583164	0	02583164	101	0	0	101
	Pressure 2{1}	2596053	0	02596053	-124	0	0	124
	Pressure 3{1}	2596038	0	02596038	-107	0	0	107
	GT1{1}	5626471	0	05626471	94	0	0	94

	GT2{1}	-.2E+07	0	01733533	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8209634	0	08209634	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439719	0	02439719	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244999	0	03244999	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088680	0	03088680	1357	0	0	1357
+350 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626455	0	05626455	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733532	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2582974	0	02582974	101	0	0	101
	Pressure 2{1}	2596053	0	02596053	-124	0	0	124
	Pressure 3{1}	2596038	0	02596038	-107	0	0	107
	GT1{1}	5626455	0	05626455	94	0	0	94
	GT2{1}	-.2E+07	0	01733532	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8209429	0	08209429	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439719	0	02439719	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244997	0	03244997	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088678	0	03088678	1357	0	0	1357
+351 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626455	0	05626455	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733532	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2582974	0	02582974	101	0	0	101
	Pressure 2{1}	2596053	0	02596053	-124	0	0	124
	Pressure 3{1}	2596038	0	02596038	-107	0	0	107
	GT1{1}	5626455	0	05626455	94	0	0	94
	GT2{1}	-.2E+07	0	01733532	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8209429	0	08209429	195	0	0	195
	GT2P2{1}	862521	0	0 862521	152	0	0	152
	GT3P3{1}	2439719	0	02439719	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244997	0	03244997	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088678	0	03088678	1357	0	0	1357
+351 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626439	0	05626439	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733532	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2582782	0	02582782	101	0	0	101
	Pressure 2{1}	2596052	0	02596052	-124	0	0	124
	Pressure 3{1}	2596037	0	02596037	-107	0	0	107
	GT1{1}	5626439	0	05626439	94	0	0	94
	GT2{1}	-.2E+07	0	01733532	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8209221	0	08209221	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439718	0	02439718	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244996	0	03244996	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088677	0	03088677	1357	0	0	1357
+352 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626439	0	05626439	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733532	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2582782	0	02582782	101	0	0	101
	Pressure 2{1}	2596052	0	02596052	-124	0	0	124
	Pressure 3{1}	2596037	0	02596037	-107	0	0	107
	GT1{1}	5626439	0	05626439	94	0	0	94

	GT2{1}	-.2E+07	0	01733532	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8209221	0	08209221	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439718	0	02439718	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244996	0	03244996	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088677	0	03088677	1357	0	0	1357
+352 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626422	0	05626422	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733532	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2582587	0	02582587	101	0	0	101
	Pressure 2{1}	2596052	0	02596052	-124	0	0	124
	Pressure 3{1}	2596037	0	02596037	-107	0	0	107
	GT1{1}	5626422	0	05626422	94	0	0	94
	GT2{1}	-.2E+07	0	01733532	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8209009	0	08209009	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439717	0	02439717	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244994	0	03244994	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088675	0	03088675	1357	0	0	1357
+353 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626422	0	05626422	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733532	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2582587	0	02582587	101	0	0	101
	Pressure 2{1}	2596052	0	02596052	-124	0	0	124
	Pressure 3{1}	2596037	0	02596037	-107	0	0	107
	GT1{1}	5626422	0	05626422	94	0	0	94
	GT2{1}	-.2E+07	0	01733532	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8209009	0	08209009	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439717	0	02439717	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244994	0	03244994	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088675	0	03088675	1357	0	0	1357
+353 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626406	0	05626406	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733531	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2582389	0	02582389	101	0	0	101
	Pressure 2{1}	2596052	0	02596052	-124	0	0	124
	Pressure 3{1}	2596036	0	02596036	-107	0	0	107
	GT1{1}	5626406	0	05626406	94	0	0	94
	GT2{1}	-.2E+07	0	01733531	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8208795	0	08208795	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439717	0	02439717	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244993	0	03244993	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088674	0	03088674	1357	0	0	1357
+354 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626406	0	05626406	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733531	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2582389	0	02582389	101	0	0	101
	Pressure 2{1}	2596052	0	02596052	-124	0	0	124
	Pressure 3{1}	2596036	0	02596036	-107	0	0	107
	GT1{1}	5626406	0	05626406	94	0	0	94

	GT2{1}	-.2E+07	0	01733531	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8208795	0	08208795	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439717	0	02439717	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244993	0	03244993	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088674	0	03088674	1357	0	0	1357
+354 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626389	0	05626389	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733531	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2582188	0	02582188	101	0	0	101
	Pressure 2{1}	2596051	0	02596051	-124	0	0	124
	Pressure 3{1}	2596035	0	02596035	-107	0	0	107
	GT1{1}	5626389	0	05626389	94	0	0	94
	GT2{1}	-.2E+07	0	01733531	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8208577	0	08208577	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439716	0	02439716	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244991	0	03244991	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088672	0	03088672	1357	0	0	1357
+355 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626389	0	05626389	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733531	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2582188	0	02582188	101	0	0	101
	Pressure 2{1}	2596051	0	02596051	-124	0	0	124
	Pressure 3{1}	2596035	0	02596035	-107	0	0	107
	GT1{1}	5626389	0	05626389	94	0	0	94
	GT2{1}	-.2E+07	0	01733531	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8208577	0	08208577	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439716	0	02439716	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244991	0	03244991	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088672	0	03088672	1357	0	0	1357
+355 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626372	0	05626372	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733531	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2581985	0	02581985	101	0	0	101
	Pressure 2{1}	2596050	0	02596050	-124	0	0	124
	Pressure 3{1}	2596034	0	02596034	-107	0	0	107
	GT1{1}	5626372	0	05626372	94	0	0	94
	GT2{1}	-.2E+07	0	01733531	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8208357	0	08208357	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439716	0	02439716	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244989	0	03244989	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088670	0	03088670	1357	0	0	1357
+356 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626372	0	05626372	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733531	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2581985	0	02581985	101	0	0	101
	Pressure 2{1}	2596050	0	02596050	-124	0	0	124
	Pressure 3{1}	2596034	0	02596034	-107	0	0	107
	GT1{1}	5626372	0	05626372	94	0	0	94

	GT2{1}	-.2E+07	0	01733531	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8208357	0	08208357	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439716	0	02439716	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244989	0	03244989	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088670	0	03088670	1357	0	0	1357
+356 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626354	0	05626354	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733530	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2581778	0	02581778	101	0	0	101
	Pressure 2{1}	2596050	0	02596050	-124	0	0	124
	Pressure 3{1}	2596034	0	02596034	-107	0	0	107
	GT1{1}	5626354	0	05626354	94	0	0	94
	GT2{1}	-.2E+07	0	01733530	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8208132	0	08208132	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439715	0	02439715	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244988	0	03244988	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088669	0	03088669	1357	0	0	1357
+357 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626354	0	05626354	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733530	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2581778	0	02581778	101	0	0	101
	Pressure 2{1}	2596050	0	02596050	-124	0	0	124
	Pressure 3{1}	2596034	0	02596034	-107	0	0	107
	GT1{1}	5626354	0	05626354	94	0	0	94
	GT2{1}	-.2E+07	0	01733530	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8208132	0	08208132	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439715	0	02439715	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244988	0	03244988	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088669	0	03088669	1357	0	0	1357
+357 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626337	0	05626337	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733530	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2581568	0	02581568	101	0	0	101
	Pressure 2{1}	2596050	0	02596050	-124	0	0	124
	Pressure 3{1}	2596033	0	02596033	-107	0	0	107
	GT1{1}	5626337	0	05626337	94	0	0	94
	GT2{1}	-.2E+07	0	01733530	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8207905	0	08207905	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439714	0	02439714	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244986	0	03244986	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088667	0	03088667	1357	0	0	1357
+358 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626337	0	05626337	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733530	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2581568	0	02581568	101	0	0	101
	Pressure 2{1}	2596050	0	02596050	-124	0	0	124
	Pressure 3{1}	2596033	0	02596033	-107	0	0	107
	GT1{1}	5626337	0	05626337	94	0	0	94

	GT2{1}	-.2E+07	0	01733530	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8207905	0	08207905	195	0	0	195
	GT2P2{1}	862520	0	0 862520	152	0	0	152
	GT3P3{1}	2439714	0	02439714	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244986	0	03244986	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088667	0	03088667	1357	0	0	1357
+358 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626319	0	05626319	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733530	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2581355	0	02581355	101	0	0	101
	Pressure 2{1}	2596049	0	02596049	-124	0	0	124
	Pressure 3{1}	2596032	0	02596032	-107	0	0	107
	GT1{1}	5626319	0	05626319	94	0	0	94
	GT2{1}	-.2E+07	0	01733530	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8207674	0	08207674	195	0	0	195
	GT2P2{1}	862519	0	0 862519	152	0	0	152
	GT3P3{1}	2439713	0	02439713	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244984	0	03244984	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088665	0	03088665	1357	0	0	1357
+359 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626319	0	05626319	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733530	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2581355	0	02581355	101	0	0	101
	Pressure 2{1}	2596049	0	02596049	-124	0	0	124
	Pressure 3{1}	2596032	0	02596032	-107	0	0	107
	GT1{1}	5626319	0	05626319	94	0	0	94
	GT2{1}	-.2E+07	0	01733530	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8207674	0	08207674	195	0	0	195
	GT2P2{1}	862519	0	0 862519	152	0	0	152
	GT3P3{1}	2439713	0	02439713	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244984	0	03244984	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088665	0	03088665	1357	0	0	1357
+359 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626301	0	05626301	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733529	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2581139	0	02581139	101	0	0	101
	Pressure 2{1}	2596048	0	02596048	-124	0	0	124
	Pressure 3{1}	2596031	0	02596031	-107	0	0	107
	GT1{1}	5626301	0	05626301	94	0	0	94
	GT2{1}	-.2E+07	0	01733529	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8207440	0	08207440	195	0	0	195
	GT2P2{1}	862519	0	0 862519	152	0	0	152
	GT3P3{1}	2439712	0	02439712	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244982	0	03244982	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088664	0	03088664	1357	0	0	1357
+360 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626301	0	05626301	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733529	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2581139	0	02581139	101	0	0	101
	Pressure 2{1}	2596048	0	02596048	-124	0	0	124
	Pressure 3{1}	2596031	0	02596031	-107	0	0	107
	GT1{1}	5626301	0	05626301	94	0	0	94

	GT2{1}	-.2E+07	0	01733529	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8207440	0	08207440	195	0	0	195
	GT2P2{1}	862519	0	0 862519	152	0	0	152
	GT3P3{1}	2439712	0	02439712	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244982	0	03244982	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088664	0	03088664	1357	0	0	1357
+360 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626283	0	05626283	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733529	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2580920	0	02580920	101	0	0	101
	Pressure 2{1}	2596048	0	02596048	-124	0	0	124
	Pressure 3{1}	2596030	0	02596030	-107	0	0	107
	GT1{1}	5626283	0	05626283	94	0	0	94
	GT2{1}	-.2E+07	0	01733529	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8207203	0	08207203	195	0	0	195
	GT2P2{1}	862519	0	0 862519	152	0	0	152
	GT3P3{1}	2439712	0	02439712	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244980	0	03244980	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088662	0	03088662	1357	0	0	1357
+361 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626283	0	05626283	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733529	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2580920	0	02580920	101	0	0	101
	Pressure 2{1}	2596048	0	02596048	-124	0	0	124
	Pressure 3{1}	2596030	0	02596030	-107	0	0	107
	GT1{1}	5626283	0	05626283	94	0	0	94
	GT2{1}	-.2E+07	0	01733529	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8207203	0	08207203	195	0	0	195
	GT2P2{1}	862519	0	0 862519	152	0	0	152
	GT3P3{1}	2439712	0	02439712	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244980	0	03244980	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088662	0	03088662	1357	0	0	1357
+361 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626264	0	05626264	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733529	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2580698	0	02580698	101	0	0	101
	Pressure 2{1}	2596047	0	02596047	-124	0	0	124
	Pressure 3{1}	2596030	0	02596030	-107	0	0	107
	GT1{1}	5626264	0	05626264	94	0	0	94
	GT2{1}	-.2E+07	0	01733528	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8206961	0	08206961	195	0	0	195
	GT2P2{1}	862519	0	0 862519	152	0	0	152
	GT3P3{1}	2439711	0	02439711	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244978	0	03244978	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088660	0	03088660	1357	0	0	1357
+362 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626264	0	05626264	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733529	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2580698	0	02580698	101	0	0	101
	Pressure 2{1}	2596047	0	02596047	-124	0	0	124
	Pressure 3{1}	2596030	0	02596030	-107	0	0	107
	GT1{1}	5626264	0	05626264	94	0	0	94

	GT2{1}	-.2E+07	0	01733528	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8206961	0	08206961	195	0	0	195
	GT2P2{1}	862519	0	0 862519	152	0	0	152
	GT3P3{1}	2439711	0	02439711	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244978	0	03244978	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088660	0	03088660	1357	0	0	1357
+362 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626245	0	05626245	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733528	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2580472	0	02580472	101	0	0	101
	Pressure 2{1}	2596047	0	02596047	-124	0	0	124
	Pressure 3{1}	2596029	0	02596029	-107	0	0	107
	GT1{1}	5626245	0	05626245	94	0	0	94
	GT2{1}	-.2E+07	0	01733528	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8206717	0	08206717	195	0	0	195
	GT2P2{1}	862519	0	0 862519	152	0	0	152
	GT3P3{1}	2439710	0	02439710	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244977	0	03244977	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088658	0	03088658	1357	0	0	1357
+363 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626245	0	05626245	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733528	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2580472	0	02580472	101	0	0	101
	Pressure 2{1}	2596047	0	02596047	-124	0	0	124
	Pressure 3{1}	2596029	0	02596029	-107	0	0	107
	GT1{1}	5626245	0	05626245	94	0	0	94
	GT2{1}	-.2E+07	0	01733528	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8206717	0	08206717	195	0	0	195
	GT2P2{1}	862519	0	0 862519	152	0	0	152
	GT3P3{1}	2439710	0	02439710	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244977	0	03244977	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088658	0	03088658	1357	0	0	1357
+363 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626226	0	05626226	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733528	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2580243	0	02580243	101	0	0	101
	Pressure 2{1}	2596046	0	02596046	-124	0	0	124
	Pressure 3{1}	2596028	0	02596028	-107	0	0	107
	GT1{1}	5626226	0	05626226	94	0	0	94
	GT2{1}	-.2E+07	0	01733528	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8206469	0	08206469	195	0	0	195
	GT2P2{1}	862519	0	0 862519	152	0	0	152
	GT3P3{1}	2439710	0	02439710	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244975	0	03244975	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088656	0	03088656	1357	0	0	1357
+364 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626226	0	05626226	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733528	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2580243	0	02580243	101	0	0	101
	Pressure 2{1}	2596046	0	02596046	-124	0	0	124
	Pressure 3{1}	2596028	0	02596028	-107	0	0	107
	GT1{1}	5626226	0	05626226	94	0	0	94

	GT2{1}	-.2E+07	0	01733528	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8206469	0	08206469	195	0	0	195
	GT2P2{1}	862519	0	0 862519	152	0	0	152
	GT3P3{1}	2439710	0	02439710	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244975	0	03244975	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088656	0	03088656	1357	0	0	1357
+364 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626206	0	05626206	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733527	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2580011	0	02580011	101	0	0	101
	Pressure 2{1}	2596046	0	02596046	-124	0	0	124
	Pressure 3{1}	2596027	0	02596027	-107	0	0	107
	GT1{1}	5626206	0	05626206	94	0	0	94
	GT2{1}	-.2E+07	0	01733527	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8206217	0	08206217	195	0	0	195
	GT2P2{1}	862518	0	0 862518	152	0	0	152
	GT3P3{1}	2439709	0	02439709	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244973	0	03244973	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088654	0	03088654	1357	0	0	1357
+365 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626206	0	05626206	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733527	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2580011	0	02580011	101	0	0	101
	Pressure 2{1}	2596046	0	02596046	-124	0	0	124
	Pressure 3{1}	2596027	0	02596027	-107	0	0	107
	GT1{1}	5626206	0	05626206	94	0	0	94
	GT2{1}	-.2E+07	0	01733527	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8206217	0	08206217	195	0	0	195
	GT2P2{1}	862518	0	0 862518	152	0	0	152
	GT3P3{1}	2439709	0	02439709	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244973	0	03244973	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088654	0	03088654	1357	0	0	1357
+365 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626186	0	05626186	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733527	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2579775	0	02579775	101	0	0	101
	Pressure 2{1}	2596045	0	02596045	-124	0	0	124
	Pressure 3{1}	2596027	0	02596027	-107	0	0	107
	GT1{1}	5626186	0	05626186	94	0	0	94
	GT2{1}	-.2E+07	0	01733527	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8205962	0	08205962	195	0	0	195
	GT2P2{1}	862518	0	0 862518	152	0	0	152
	GT3P3{1}	2439708	0	02439708	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244971	0	03244971	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088652	0	03088652	1357	0	0	1357
+366 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626186	0	05626186	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733527	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2579775	0	02579775	101	0	0	101
	Pressure 2{1}	2596045	0	02596045	-124	0	0	124
	Pressure 3{1}	2596027	0	02596027	-107	0	0	107
	GT1{1}	5626186	0	05626186	94	0	0	94

	GT2{1}	-.2E+07	0	01733527	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8205962	0	08205962	195	0	0	195
	GT2P2{1}	862518	0	0 862518	152	0	0	152
	GT3P3{1}	2439708	0	02439708	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244971	0	03244971	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088652	0	03088652	1357	0	0	1357
+366 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626166	0	05626166	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733526	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2579536	0	02579536	101	0	0	101
	Pressure 2{1}	2596044	0	02596044	-124	0	0	124
	Pressure 3{1}	2596025	0	02596025	-107	0	0	107
	GT1{1}	5626166	0	05626166	94	0	0	94
	GT2{1}	-.2E+07	0	01733526	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8205702	0	08205702	195	0	0	195
	GT2P2{1}	862518	0	0 862518	152	0	0	152
	GT3P3{1}	2439707	0	02439707	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244969	0	03244969	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088650	0	03088650	1357	0	0	1357
+367 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626166	0	05626166	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733526	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2579536	0	02579536	101	0	0	101
	Pressure 2{1}	2596044	0	02596044	-124	0	0	124
	Pressure 3{1}	2596025	0	02596025	-107	0	0	107
	GT1{1}	5626166	0	05626166	94	0	0	94
	GT2{1}	-.2E+07	0	01733526	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8205702	0	08205702	195	0	0	195
	GT2P2{1}	862518	0	0 862518	152	0	0	152
	GT3P3{1}	2439707	0	02439707	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244969	0	03244969	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088650	0	03088650	1357	0	0	1357
+367 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626146	0	05626146	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733526	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2579293	0	02579293	101	0	0	101
	Pressure 2{1}	2596044	0	02596044	-124	0	0	124
	Pressure 3{1}	2596025	0	02596025	-107	0	0	107
	GT1{1}	5626146	0	05626146	94	0	0	94
	GT2{1}	-.2E+07	0	01733526	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8205439	0	08205439	195	0	0	195
	GT2P2{1}	862518	0	0 862518	152	0	0	152
	GT3P3{1}	2439706	0	02439706	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244967	0	03244967	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088648	0	03088648	1357	0	0	1357
+368 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626146	0	05626146	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733526	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2579293	0	02579293	101	0	0	101
	Pressure 2{1}	2596044	0	02596044	-124	0	0	124
	Pressure 3{1}	2596025	0	02596025	-107	0	0	107
	GT1{1}	5626146	0	05626146	94	0	0	94

	GT2{1}	-.2E+07	0	01733526	276	0	0	276
	GT3{1}	-156319	0	0 156319	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8205439	0	08205439	195	0	0	195
	GT2P2{1}	862518	0	0 862518	152	0	0	152
	GT3P3{1}	2439706	0	02439706	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244967	0	03244967	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088648	0	03088648	1357	0	0	1357
+368 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626125	0	05626125	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733526	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2579047	0	02579047	101	0	0	101
	Pressure 2{1}	2596043	0	02596043	-124	0	0	124
	Pressure 3{1}	2596024	0	02596024	-107	0	0	107
	GT1{1}	5626125	0	05626125	94	0	0	94
	GT2{1}	-.2E+07	0	01733526	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8205173	0	08205173	195	0	0	195
	GT2P2{1}	862518	0	0 862518	152	0	0	152
	GT3P3{1}	2439705	0	02439705	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244965	0	03244965	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088646	0	03088646	1357	0	0	1357
+369 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626125	0	05626125	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733526	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2579047	0	02579047	101	0	0	101
	Pressure 2{1}	2596043	0	02596043	-124	0	0	124
	Pressure 3{1}	2596024	0	02596024	-107	0	0	107
	GT1{1}	5626125	0	05626125	94	0	0	94
	GT2{1}	-.2E+07	0	01733526	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8205173	0	08205173	195	0	0	195
	GT2P2{1}	862518	0	0 862518	152	0	0	152
	GT3P3{1}	2439705	0	02439705	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244965	0	03244965	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088646	0	03088646	1357	0	0	1357
+369 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626104	0	05626104	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733525	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2578797	0	02578797	101	0	0	101
	Pressure 2{1}	2596043	0	02596043	-124	0	0	124
	Pressure 3{1}	2596023	0	02596023	-107	0	0	107
	GT1{1}	5626104	0	05626104	94	0	0	94
	GT2{1}	-.2E+07	0	01733525	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8204902	0	08204902	195	0	0	195
	GT2P2{1}	862517	0	0 862517	152	0	0	152
	GT3P3{1}	2439704	0	02439704	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244963	0	03244963	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088644	0	03088644	1357	0	0	1357
+370 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626104	0	05626104	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733525	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2578797	0	02578797	101	0	0	101
	Pressure 2{1}	2596043	0	02596043	-124	0	0	124
	Pressure 3{1}	2596023	0	02596023	-107	0	0	107
	GT1{1}	5626104	0	05626104	94	0	0	94

	GT2{1}	-.2E+07	0	01733525	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8204902	0	08204902	195	0	0	195
	GT2P2{1}	862517	0	0 862517	152	0	0	152
	GT3P3{1}	2439704	0	02439704	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244963	0	03244963	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088644	0	03088644	1357	0	0	1357
+370 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626083	0	05626083	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733525	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2578544	0	02578544	101	0	0	101
	Pressure 2{1}	2596042	0	02596042	-124	0	0	124
	Pressure 3{1}	2596022	0	02596022	-107	0	0	107
	GT1{1}	5626083	0	05626083	94	0	0	94
	GT2{1}	-.2E+07	0	01733525	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8204627	0	08204627	195	0	0	195
	GT2P2{1}	862517	0	0 862517	152	0	0	152
	GT3P3{1}	2439703	0	02439703	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244961	0	03244961	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088642	0	03088642	1357	0	0	1357
+371 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626083	0	05626083	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733525	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2578544	0	02578544	101	0	0	101
	Pressure 2{1}	2596042	0	02596042	-124	0	0	124
	Pressure 3{1}	2596022	0	02596022	-107	0	0	107
	GT1{1}	5626083	0	05626083	94	0	0	94
	GT2{1}	-.2E+07	0	01733525	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8204627	0	08204627	195	0	0	195
	GT2P2{1}	862517	0	0 862517	152	0	0	152
	GT3P3{1}	2439703	0	02439703	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244961	0	03244961	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088642	0	03088642	1357	0	0	1357
+371 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626061	0	05626061	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733524	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2578287	0	02578287	101	0	0	101
	Pressure 2{1}	2596041	0	02596041	-124	0	0	124
	Pressure 3{1}	2596021	0	02596021	-107	0	0	107
	GT1{1}	5626061	0	05626061	94	0	0	94
	GT2{1}	-.2E+07	0	01733524	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8204348	0	08204348	195	0	0	195
	GT2P2{1}	862517	0	0 862517	152	0	0	152
	GT3P3{1}	2439702	0	02439702	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244958	0	03244958	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088640	0	03088640	1357	0	0	1357
+372 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626061	0	05626061	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733524	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2578287	0	02578287	101	0	0	101
	Pressure 2{1}	2596041	0	02596041	-124	0	0	124
	Pressure 3{1}	2596021	0	02596021	-107	0	0	107
	GT1{1}	5626061	0	05626061	94	0	0	94

	GT2{1}	-.2E+07	0	01733524	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8204348	0	08204348	195	0	0	195
	GT2P2{1}	862517	0	0 862517	152	0	0	152
	GT3P3{1}	2439702	0	02439702	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244958	0	03244958	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088640	0	03088640	1357	0	0	1357
+372 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626039	0	05626039	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733524	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2578026	0	02578026	101	0	0	101
	Pressure 2{1}	2596041	0	02596041	-124	0	0	124
	Pressure 3{1}	2596020	0	02596020	-107	0	0	107
	GT1{1}	5626039	0	05626039	94	0	0	94
	GT2{1}	-.2E+07	0	01733524	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8204065	0	08204065	195	0	0	195
	GT2P2{1}	862517	0	0 862517	152	0	0	152
	GT3P3{1}	2439702	0	02439702	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244956	0	03244956	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088638	0	03088638	1357	0	0	1357
+373 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626039	0	05626039	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733524	56	0	0	56
	Thermal 3{1}	-156319	0	0 156319	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2578026	0	02578026	101	0	0	101
	Pressure 2{1}	2596041	0	02596041	-124	0	0	124
	Pressure 3{1}	2596020	0	02596020	-107	0	0	107
	GT1{1}	5626039	0	05626039	94	0	0	94
	GT2{1}	-.2E+07	0	01733524	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8204065	0	08204065	195	0	0	195
	GT2P2{1}	862517	0	0 862517	152	0	0	152
	GT3P3{1}	2439702	0	02439702	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244956	0	03244956	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088638	0	03088638	1357	0	0	1357
+373 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626017	0	05626017	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733523	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2577761	0	02577761	101	0	0	101
	Pressure 2{1}	2596040	0	02596040	-124	0	0	124
	Pressure 3{1}	2596019	0	02596019	-107	0	0	107
	GT1{1}	5626017	0	05626017	94	0	0	94
	GT2{1}	-.2E+07	0	01733523	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8203777	0	08203777	195	0	0	195
	GT2P2{1}	862517	0	0 862517	152	0	0	152
	GT3P3{1}	2439701	0	02439701	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244954	0	03244954	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088635	0	03088635	1357	0	0	1357
+374 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5626017	0	05626017	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733523	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2577761	0	02577761	101	0	0	101
	Pressure 2{1}	2596040	0	02596040	-124	0	0	124
	Pressure 3{1}	2596019	0	02596019	-107	0	0	107
	GT1{1}	5626017	0	05626017	94	0	0	94

	GT2{1}	-.2E+07	0	01733523	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8203777	0	08203777	195	0	0	195
	GT2P2{1}	862517	0	0 862517	152	0	0	152
	GT3P3{1}	2439701	0	02439701	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244954	0	03244954	871	0	0	871
	GT3{2}	-156319	0	0 156319	486	0	0	486
	Hydrotest-NL{2}	3088635	0	03088635	1357	0	0	1357
+374 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625995	0	05625995	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733523	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2577492	0	02577492	101	0	0	101
	Pressure 2{1}	2596039	0	02596039	-124	0	0	124
	Pressure 3{1}	2596018	0	02596018	-107	0	0	107
	GT1{1}	5625995	0	05625995	94	0	0	94
	GT2{1}	-.2E+07	0	01733523	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8203487	0	08203487	195	0	0	195
	GT2P2{1}	862517	0	0 862517	152	0	0	152
	GT3P3{1}	2439700	0	02439700	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244952	0	03244952	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088633	0	03088633	1357	0	0	1357
+375 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625995	0	05625995	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733523	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2577492	0	02577492	101	0	0	101
	Pressure 2{1}	2596039	0	02596039	-124	0	0	124
	Pressure 3{1}	2596018	0	02596018	-107	0	0	107
	GT1{1}	5625995	0	05625995	94	0	0	94
	GT2{1}	-.2E+07	0	01733523	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8203487	0	08203487	195	0	0	195
	GT2P2{1}	862517	0	0 862517	152	0	0	152
	GT3P3{1}	2439700	0	02439700	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244952	0	03244952	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088633	0	03088633	1357	0	0	1357
+375 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625971	0	05625971	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733522	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2577220	0	02577220	101	0	0	101
	Pressure 2{1}	2596039	0	02596039	-124	0	0	124
	Pressure 3{1}	2596017	0	02596017	-107	0	0	107
	GT1{1}	5625971	0	05625971	94	0	0	94
	GT2{1}	-.2E+07	0	01733522	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8203191	0	08203191	195	0	0	195
	GT2P2{1}	862516	0	0 862516	152	0	0	152
	GT3P3{1}	2439699	0	02439699	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244949	0	03244949	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088631	0	03088631	1357	0	0	1357
+376 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625971	0	05625971	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733522	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2577220	0	02577220	101	0	0	101
	Pressure 2{1}	2596039	0	02596039	-124	0	0	124
	Pressure 3{1}	2596017	0	02596017	-107	0	0	107
	GT1{1}	5625971	0	05625971	94	0	0	94

	GT2{1}	-.2E+07	0	01733522	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8203191	0	08203191	195	0	0	195
	GT2P2{1}	862516	0	0 862516	152	0	0	152
	GT3P3{1}	2439699	0	02439699	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244949	0	03244949	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088631	0	03088631	1357	0	0	1357
+376 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625948	0	05625948	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733522	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2576943	0	02576943	101	0	0	101
	Pressure 2{1}	2596038	0	02596038	-124	0	0	124
	Pressure 3{1}	2596016	0	02596016	-107	0	0	107
	GT1{1}	5625948	0	05625948	94	0	0	94
	GT2{1}	-.2E+07	0	01733522	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8202891	0	08202891	195	0	0	195
	GT2P2{1}	862516	0	0 862516	152	0	0	152
	GT3P3{1}	2439698	0	02439698	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244947	0	03244947	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088628	0	03088628	1357	0	0	1357
+377 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625948	0	05625948	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733522	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2576943	0	02576943	101	0	0	101
	Pressure 2{1}	2596038	0	02596038	-124	0	0	124
	Pressure 3{1}	2596016	0	02596016	-107	0	0	107
	GT1{1}	5625948	0	05625948	94	0	0	94
	GT2{1}	-.2E+07	0	01733522	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8202891	0	08202891	195	0	0	195
	GT2P2{1}	862516	0	0 862516	152	0	0	152
	GT3P3{1}	2439698	0	02439698	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244947	0	03244947	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088628	0	03088628	1357	0	0	1357
+377 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625925	0	05625925	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733521	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2576663	0	02576663	101	0	0	101
	Pressure 2{1}	2596037	0	02596037	-124	0	0	124
	Pressure 3{1}	2596015	0	02596015	-107	0	0	107
	GT1{1}	5625925	0	05625925	94	0	0	94
	GT2{1}	-.2E+07	0	01733521	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8202587	0	08202587	195	0	0	195
	GT2P2{1}	862516	0	0 862516	152	0	0	152
	GT3P3{1}	2439697	0	02439697	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244945	0	03244945	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088627	0	03088627	1357	0	0	1357
+378 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625925	0	05625925	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733521	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2576663	0	02576663	101	0	0	101
	Pressure 2{1}	2596037	0	02596037	-124	0	0	124
	Pressure 3{1}	2596015	0	02596015	-107	0	0	107
	GT1{1}	5625925	0	05625925	94	0	0	94

	GT2{1}	-.2E+07	0	01733521	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8202587	0	08202587	195	0	0	195
	GT2P2{1}	862516	0	0 862516	152	0	0	152
	GT3P3{1}	2439697	0	02439697	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244945	0	03244945	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088627	0	03088627	1357	0	0	1357
+378 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625901	0	05625901	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733521	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2576378	0	02576378	101	0	0	101
	Pressure 2{1}	2596037	0	02596037	-124	0	0	124
	Pressure 3{1}	2596014	0	02596014	-107	0	0	107
	GT1{1}	5625901	0	05625901	94	0	0	94
	GT2{1}	-.2E+07	0	01733521	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8202278	0	08202278	195	0	0	195
	GT2P2{1}	862516	0	0 862516	152	0	0	152
	GT3P3{1}	2439696	0	02439696	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244942	0	03244942	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088624	0	03088624	1357	0	0	1357
+379 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625901	0	05625901	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733521	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2576378	0	02576378	101	0	0	101
	Pressure 2{1}	2596037	0	02596037	-124	0	0	124
	Pressure 3{1}	2596014	0	02596014	-107	0	0	107
	GT1{1}	5625901	0	05625901	94	0	0	94
	GT2{1}	-.2E+07	0	01733521	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8202278	0	08202278	195	0	0	195
	GT2P2{1}	862516	0	0 862516	152	0	0	152
	GT3P3{1}	2439696	0	02439696	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244942	0	03244942	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088624	0	03088624	1357	0	0	1357
+379 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625876	0	05625876	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733520	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2576089	0	02576089	101	0	0	101
	Pressure 2{1}	2596036	0	02596036	-124	0	0	124
	Pressure 3{1}	2596013	0	02596013	-107	0	0	107
	GT1{1}	5625876	0	05625876	94	0	0	94
	GT2{1}	-.2E+07	0	01733520	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8201965	0	08201965	195	0	0	195
	GT2P2{1}	862515	0	0 862515	152	0	0	152
	GT3P3{1}	2439695	0	02439695	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244940	0	03244940	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088622	0	03088622	1357	0	0	1357
+380 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625876	0	05625876	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733520	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2576089	0	02576089	101	0	0	101
	Pressure 2{1}	2596036	0	02596036	-124	0	0	124
	Pressure 3{1}	2596013	0	02596013	-107	0	0	107
	GT1{1}	5625876	0	05625876	94	0	0	94

	GT2{1}	-.2E+07	0	01733520	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8201965	0	08201965	195	0	0	195
	GT2P2{1}	862515	0	0 862515	152	0	0	152
	GT3P3{1}	2439695	0	02439695	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244940	0	03244940	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088622	0	03088622	1357	0	0	1357
+380 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625852	0	05625852	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733520	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2575795	0	02575795	101	0	0	101
	Pressure 2{1}	2596035	0	02596035	-124	0	0	124
	Pressure 3{1}	2596012	0	02596012	-107	0	0	107
	GT1{1}	5625852	0	05625852	94	0	0	94
	GT2{1}	-.2E+07	0	01733520	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8201647	0	08201647	195	0	0	195
	GT2P2{1}	862515	0	0 862515	152	0	0	152
	GT3P3{1}	2439694	0	02439694	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244938	0	03244938	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088619	0	03088619	1357	0	0	1357
+381 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625852	0	05625852	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733520	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2575795	0	02575795	101	0	0	101
	Pressure 2{1}	2596035	0	02596035	-124	0	0	124
	Pressure 3{1}	2596012	0	02596012	-107	0	0	107
	GT1{1}	5625852	0	05625852	94	0	0	94
	GT2{1}	-.2E+07	0	01733520	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8201647	0	08201647	195	0	0	195
	GT2P2{1}	862515	0	0 862515	152	0	0	152
	GT3P3{1}	2439694	0	02439694	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244938	0	03244938	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088619	0	03088619	1357	0	0	1357
+381 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625827	0	05625827	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733519	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2575498	0	02575498	101	0	0	101
	Pressure 2{1}	2596034	0	02596034	-124	0	0	124
	Pressure 3{1}	2596011	0	02596011	-107	0	0	107
	GT1{1}	5625827	0	05625827	94	0	0	94
	GT2{1}	-.2E+07	0	01733519	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8201324	0	08201324	195	0	0	195
	GT2P2{1}	862515	0	0 862515	152	0	0	152
	GT3P3{1}	2439693	0	02439693	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244935	0	03244935	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088617	0	03088617	1357	0	0	1357
+382 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625827	0	05625827	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733519	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2575498	0	02575498	101	0	0	101
	Pressure 2{1}	2596034	0	02596034	-124	0	0	124
	Pressure 3{1}	2596011	0	02596011	-107	0	0	107
	GT1{1}	5625827	0	05625827	94	0	0	94

	GT2{1}	-.2E+07	0	01733519	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8201324	0	08201324	195	0	0	195
	GT2P2{1}	862515	0	0 862515	152	0	0	152
	GT3P3{1}	2439693	0	02439693	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244935	0	03244935	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088617	0	03088617	1357	0	0	1357
+382 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625801	0	05625801	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733519	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2575196	0	02575196	101	0	0	101
	Pressure 2{1}	2596033	0	02596033	-124	0	0	124
	Pressure 3{1}	2596010	0	02596010	-107	0	0	107
	GT1{1}	5625801	0	05625801	94	0	0	94
	GT2{1}	-.2E+07	0	01733519	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8200997	0	08200997	195	0	0	195
	GT2P2{1}	862515	0	0 862515	152	0	0	152
	GT3P3{1}	2439692	0	02439692	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244932	0	03244932	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088614	0	03088614	1357	0	0	1357
+383 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625801	0	05625801	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733519	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2575196	0	02575196	101	0	0	101
	Pressure 2{1}	2596033	0	02596033	-124	0	0	124
	Pressure 3{1}	2596010	0	02596010	-107	0	0	107
	GT1{1}	5625801	0	05625801	94	0	0	94
	GT2{1}	-.2E+07	0	01733519	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8200997	0	08200997	195	0	0	195
	GT2P2{1}	862515	0	0 862515	152	0	0	152
	GT3P3{1}	2439692	0	02439692	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244932	0	03244932	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088614	0	03088614	1357	0	0	1357
+383 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625776	0	05625776	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733518	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2574890	0	02574890	101	0	0	101
	Pressure 2{1}	2596033	0	02596033	-124	0	0	124
	Pressure 3{1}	2596008	0	02596008	-107	0	0	107
	GT1{1}	5625776	0	05625776	94	0	0	94
	GT2{1}	-.2E+07	0	01733518	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8200665	0	08200665	195	0	0	195
	GT2P2{1}	862515	0	0 862515	152	0	0	152
	GT3P3{1}	2439690	0	02439690	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244930	0	03244930	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088612	0	03088612	1357	0	0	1357
+384 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625776	0	05625776	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733518	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2574890	0	02574890	101	0	0	101
	Pressure 2{1}	2596033	0	02596033	-124	0	0	124
	Pressure 3{1}	2596008	0	02596008	-107	0	0	107
	GT1{1}	5625776	0	05625776	94	0	0	94

	GT2{1}	-.2E+07	0	01733518	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8200665	0	08200665	195	0	0	195
	GT2P2{1}	862515	0	0 862515	152	0	0	152
	GT3P3{1}	2439690	0	02439690	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156319	0	0 156319	25	0	0	25
	Pressure 1{2}	3244930	0	03244930	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088612	0	03088612	1357	0	0	1357
+384 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625749	0	05625749	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733518	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2574579	0	02574579	101	0	0	101
	Pressure 2{1}	2596032	0	02596032	-124	0	0	124
	Pressure 3{1}	2596007	0	02596007	-107	0	0	107
	GT1{1}	5625749	0	05625749	94	0	0	94
	GT2{1}	-.2E+07	0	01733517	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8200328	0	08200328	195	0	0	195
	GT2P2{1}	862514	0	0 862514	152	0	0	152
	GT3P3{1}	2439689	0	02439689	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244927	0	03244927	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088609	0	03088609	1357	0	0	1357
+385 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625749	0	05625749	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733518	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2574579	0	02574579	101	0	0	101
	Pressure 2{1}	2596032	0	02596032	-124	0	0	124
	Pressure 3{1}	2596007	0	02596007	-107	0	0	107
	GT1{1}	5625749	0	05625749	94	0	0	94
	GT2{1}	-.2E+07	0	01733517	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8200328	0	08200328	195	0	0	195
	GT2P2{1}	862514	0	0 862514	152	0	0	152
	GT3P3{1}	2439689	0	02439689	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244927	0	03244927	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088609	0	03088609	1357	0	0	1357
+385 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625723	0	05625723	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733517	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2574264	0	02574264	101	0	0	101
	Pressure 2{1}	2596031	0	02596031	-124	0	0	124
	Pressure 3{1}	2596006	0	02596006	-107	0	0	107
	GT1{1}	5625723	0	05625723	94	0	0	94
	GT2{1}	-.2E+07	0	01733517	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8199986	0	08199986	195	0	0	195
	GT2P2{1}	862514	0	0 862514	152	0	0	152
	GT3P3{1}	2439688	0	02439688	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244924	0	03244924	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088607	0	03088607	1357	0	0	1357
+386 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625723	0	05625723	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733517	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2574264	0	02574264	101	0	0	101
	Pressure 2{1}	2596031	0	02596031	-124	0	0	124
	Pressure 3{1}	2596006	0	02596006	-107	0	0	107
	GT1{1}	5625723	0	05625723	94	0	0	94

	GT2{1}	-.2E+07	0	01733517	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8199986	0	08199986	195	0	0	195
	GT2P2{1}	862514	0	0 862514	152	0	0	152
	GT3P3{1}	2439688	0	02439688	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244924	0	03244924	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088607	0	03088607	1357	0	0	1357
+386 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625695	0	05625695	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733516	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2573944	0	02573944	101	0	0	101
	Pressure 2{1}	2596030	0	02596030	-124	0	0	124
	Pressure 3{1}	2596005	0	02596005	-107	0	0	107
	GT1{1}	5625695	0	05625695	94	0	0	94
	GT2{1}	-.2E+07	0	01733516	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8199640	0	08199640	195	0	0	195
	GT2P2{1}	862514	0	0 862514	152	0	0	152
	GT3P3{1}	2439687	0	02439687	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244922	0	03244922	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088604	0	03088604	1357	0	0	1357
+387 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625695	0	05625695	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733516	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2573944	0	02573944	101	0	0	101
	Pressure 2{1}	2596030	0	02596030	-124	0	0	124
	Pressure 3{1}	2596005	0	02596005	-107	0	0	107
	GT1{1}	5625695	0	05625695	94	0	0	94
	GT2{1}	-.2E+07	0	01733516	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8199640	0	08199640	195	0	0	195
	GT2P2{1}	862514	0	0 862514	152	0	0	152
	GT3P3{1}	2439687	0	02439687	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244922	0	03244922	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088604	0	03088604	1357	0	0	1357
+387 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625668	0	05625668	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733516	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2573619	0	02573619	101	0	0	101
	Pressure 2{1}	2596029	0	02596029	-124	0	0	124
	Pressure 3{1}	2596004	0	02596004	-107	0	0	107
	GT1{1}	5625668	0	05625668	94	0	0	94
	GT2{1}	-.2E+07	0	01733516	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8199287	0	08199287	195	0	0	195
	GT2P2{1}	862513	0	0 862513	152	0	0	152
	GT3P3{1}	2439686	0	02439686	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244919	0	03244919	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088601	0	03088601	1357	0	0	1357
+388 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625668	0	05625668	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733516	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2573619	0	02573619	101	0	0	101
	Pressure 2{1}	2596029	0	02596029	-124	0	0	124
	Pressure 3{1}	2596004	0	02596004	-107	0	0	107
	GT1{1}	5625668	0	05625668	94	0	0	94

	GT2{1}	-.2E+07	0	01733516	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8199287	0	08199287	195	0	0	195
	GT2P2{1}	862513	0	0 862513	152	0	0	152
	GT3P3{1}	2439686	0	02439686	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244919	0	03244919	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088601	0	03088601	1357	0	0	1357
+388 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625640	0	05625640	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733515	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2573290	0	02573290	101	0	0	101
	Pressure 2{1}	2596028	0	02596028	-124	0	0	124
	Pressure 3{1}	2596003	0	02596003	-107	0	0	107
	GT1{1}	5625640	0	05625640	94	0	0	94
	GT2{1}	-.2E+07	0	01733515	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8198930	0	08198930	195	0	0	195
	GT2P2{1}	862513	0	0 862513	152	0	0	152
	GT3P3{1}	2439685	0	02439685	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244916	0	03244916	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088598	0	03088598	1357	0	0	1357
+389 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625640	0	05625640	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733515	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2573290	0	02573290	101	0	0	101
	Pressure 2{1}	2596028	0	02596028	-124	0	0	124
	Pressure 3{1}	2596003	0	02596003	-107	0	0	107
	GT1{1}	5625640	0	05625640	94	0	0	94
	GT2{1}	-.2E+07	0	01733515	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8198930	0	08198930	195	0	0	195
	GT2P2{1}	862513	0	0 862513	152	0	0	152
	GT3P3{1}	2439685	0	02439685	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244916	0	03244916	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088598	0	03088598	1357	0	0	1357
+389 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625613	0	05625613	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733515	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2572956	0	02572956	101	0	0	101
	Pressure 2{1}	2596028	0	02596028	-124	0	0	124
	Pressure 3{1}	2596001	0	02596001	-107	0	0	107
	GT1{1}	5625613	0	05625613	94	0	0	94
	GT2{1}	-.2E+07	0	01733515	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8198568	0	08198568	195	0	0	195
	GT2P2{1}	862513	0	0 862513	152	0	0	152
	GT3P3{1}	2439684	0	02439684	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244913	0	03244913	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088595	0	03088595	1357	0	0	1357
+390 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625613	0	05625613	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733515	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2572956	0	02572956	101	0	0	101
	Pressure 2{1}	2596028	0	02596028	-124	0	0	124
	Pressure 3{1}	2596001	0	02596001	-107	0	0	107
	GT1{1}	5625613	0	05625613	94	0	0	94

	GT2{1}	-.2E+07	0	01733515	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8198568	0	08198568	195	0	0	195
	GT2P2{1}	862513	0	0 862513	152	0	0	152
	GT3P3{1}	2439684	0	02439684	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244913	0	03244913	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088595	0	03088595	1357	0	0	1357
+390 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625584	0	05625584	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733514	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2572616	0	02572616	101	0	0	101
	Pressure 2{1}	2596027	0	02596027	-124	0	0	124
	Pressure 3{1}	2596000	0	02596000	-107	0	0	107
	GT1{1}	5625584	0	05625584	94	0	0	94
	GT2{1}	-.2E+07	0	01733514	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8198200	0	08198200	195	0	0	195
	GT2P2{1}	862513	0	0 862513	152	0	0	152
	GT3P3{1}	2439682	0	02439682	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244911	0	03244911	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088593	0	03088593	1357	0	0	1357
+391 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625584	0	05625584	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733514	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2572616	0	02572616	101	0	0	101
	Pressure 2{1}	2596027	0	02596027	-124	0	0	124
	Pressure 3{1}	2596000	0	02596000	-107	0	0	107
	GT1{1}	5625584	0	05625584	94	0	0	94
	GT2{1}	-.2E+07	0	01733514	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8198200	0	08198200	195	0	0	195
	GT2P2{1}	862513	0	0 862513	152	0	0	152
	GT3P3{1}	2439682	0	02439682	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244911	0	03244911	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088593	0	03088593	1357	0	0	1357
+391 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625555	0	05625555	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733513	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2572272	0	02572272	101	0	0	101
	Pressure 2{1}	2596026	0	02596026	-124	0	0	124
	Pressure 3{1}	2595999	0	02595999	-107	0	0	107
	GT1{1}	5625555	0	05625555	94	0	0	94
	GT2{1}	-.2E+07	0	01733513	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8197827	0	08197827	195	0	0	195
	GT2P2{1}	862513	0	0 862513	152	0	0	152
	GT3P3{1}	2439681	0	02439681	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244908	0	03244908	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088590	0	03088590	1357	0	0	1357
+392 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625555	0	05625555	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733513	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2572272	0	02572272	101	0	0	101
	Pressure 2{1}	2596026	0	02596026	-124	0	0	124
	Pressure 3{1}	2595999	0	02595999	-107	0	0	107
	GT1{1}	5625555	0	05625555	94	0	0	94

	GT2{1}	-.2E+07	0	01733513	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8197827	0	08197827	195	0	0	195
	GT2P2{1}	862513	0	0 862513	152	0	0	152
	GT3P3{1}	2439681	0	02439681	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244908	0	03244908	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088590	0	03088590	1357	0	0	1357
+392 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625525	0	05625525	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733513	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2571923	0	02571923	101	0	0	101
	Pressure 2{1}	2596025	0	02596025	-124	0	0	124
	Pressure 3{1}	2595997	0	02595997	-107	0	0	107
	GT1{1}	5625525	0	05625525	94	0	0	94
	GT2{1}	-.2E+07	0	01733513	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8197448	0	08197448	195	0	0	195
	GT2P2{1}	862512	0	0 862512	152	0	0	152
	GT3P3{1}	2439680	0	02439680	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244905	0	03244905	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088587	0	03088587	1357	0	0	1357
+393 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625525	0	05625525	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733513	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2571923	0	02571923	101	0	0	101
	Pressure 2{1}	2596025	0	02596025	-124	0	0	124
	Pressure 3{1}	2595997	0	02595997	-107	0	0	107
	GT1{1}	5625525	0	05625525	94	0	0	94
	GT2{1}	-.2E+07	0	01733513	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8197448	0	08197448	195	0	0	195
	GT2P2{1}	862512	0	0 862512	152	0	0	152
	GT3P3{1}	2439680	0	02439680	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244905	0	03244905	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088587	0	03088587	1357	0	0	1357
+393 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625496	0	05625496	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733512	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2571569	0	02571569	101	0	0	101
	Pressure 2{1}	2596024	0	02596024	-124	0	0	124
	Pressure 3{1}	2595996	0	02595996	-107	0	0	107
	GT1{1}	5625496	0	05625496	94	0	0	94
	GT2{1}	-.2E+07	0	01733512	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8197064	0	08197064	195	0	0	195
	GT2P2{1}	862512	0	0 862512	152	0	0	152
	GT3P3{1}	2439679	0	02439679	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244902	0	03244902	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088584	0	03088584	1357	0	0	1357
+394 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625496	0	05625496	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733512	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2571569	0	02571569	101	0	0	101
	Pressure 2{1}	2596024	0	02596024	-124	0	0	124
	Pressure 3{1}	2595996	0	02595996	-107	0	0	107
	GT1{1}	5625496	0	05625496	94	0	0	94

	GT2{1}	-.2E+07	0	01733512	276	0	0	276
	GT3{1}	-156318	0	0 156318	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8197064	0	08197064	195	0	0	195
	GT2P2{1}	862512	0	0 862512	152	0	0	152
	GT3P3{1}	2439679	0	02439679	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244902	0	03244902	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088584	0	03088584	1357	0	0	1357
+394 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625465	0	05625465	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733511	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2571209	0	02571209	101	0	0	101
	Pressure 2{1}	2596023	0	02596023	-124	0	0	124
	Pressure 3{1}	2595995	0	02595995	-107	0	0	107
	GT1{1}	5625465	0	05625465	94	0	0	94
	GT2{1}	-.2E+07	0	01733511	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8196674	0	08196674	195	0	0	195
	GT2P2{1}	862512	0	0 862512	152	0	0	152
	GT3P3{1}	2439677	0	02439677	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244899	0	03244899	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088581	0	03088581	1357	0	0	1357
+395 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625465	0	05625465	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733511	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2571209	0	02571209	101	0	0	101
	Pressure 2{1}	2596023	0	02596023	-124	0	0	124
	Pressure 3{1}	2595995	0	02595995	-107	0	0	107
	GT1{1}	5625465	0	05625465	94	0	0	94
	GT2{1}	-.2E+07	0	01733511	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8196674	0	08196674	195	0	0	195
	GT2P2{1}	862512	0	0 862512	152	0	0	152
	GT3P3{1}	2439677	0	02439677	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244899	0	03244899	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088581	0	03088581	1357	0	0	1357
+395 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625435	0	05625435	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733511	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2570844	0	02570844	101	0	0	101
	Pressure 2{1}	2596022	0	02596022	-124	0	0	124
	Pressure 3{1}	2595993	0	02595993	-107	0	0	107
	GT1{1}	5625435	0	05625435	94	0	0	94
	GT2{1}	-.2E+07	0	01733511	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8196279	0	08196279	195	0	0	195
	GT2P2{1}	862512	0	0 862512	152	0	0	152
	GT3P3{1}	2439676	0	02439676	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244896	0	03244896	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088578	0	03088578	1357	0	0	1357
+396 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625435	0	05625435	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733511	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2570844	0	02570844	101	0	0	101
	Pressure 2{1}	2596022	0	02596022	-124	0	0	124
	Pressure 3{1}	2595993	0	02595993	-107	0	0	107
	GT1{1}	5625435	0	05625435	94	0	0	94

	GT2{1}	-.2E+07	0	01733511	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8196279	0	08196279	195	0	0	195
	GT2P2{1}	862512	0	0 862512	152	0	0	152
	GT3P3{1}	2439676	0	02439676	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244896	0	03244896	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088578	0	03088578	1357	0	0	1357
+396 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625404	0	05625404	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733510	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2570474	0	02570474	101	0	0	101
	Pressure 2{1}	2596021	0	02596021	-124	0	0	124
	Pressure 3{1}	2595992	0	02595992	-107	0	0	107
	GT1{1}	5625404	0	05625404	94	0	0	94
	GT2{1}	-.2E+07	0	01733510	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8195877	0	08195877	195	0	0	195
	GT2P2{1}	862511	0	0 862511	152	0	0	152
	GT3P3{1}	2439675	0	02439675	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244892	0	03244892	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088575	0	03088575	1357	0	0	1357
+397 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625404	0	05625404	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733510	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2570474	0	02570474	101	0	0	101
	Pressure 2{1}	2596021	0	02596021	-124	0	0	124
	Pressure 3{1}	2595992	0	02595992	-107	0	0	107
	GT1{1}	5625404	0	05625404	94	0	0	94
	GT2{1}	-.2E+07	0	01733510	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8195877	0	08195877	195	0	0	195
	GT2P2{1}	862511	0	0 862511	152	0	0	152
	GT3P3{1}	2439675	0	02439675	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244892	0	03244892	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088575	0	03088575	1357	0	0	1357
+397 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625372	0	05625372	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733509	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2570099	0	02570099	101	0	0	101
	Pressure 2{1}	2596020	0	02596020	-124	0	0	124
	Pressure 3{1}	2595991	0	02595991	-107	0	0	107
	GT1{1}	5625372	0	05625372	94	0	0	94
	GT2{1}	-.2E+07	0	01733509	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8195470	0	08195470	195	0	0	195
	GT2P2{1}	862511	0	0 862511	152	0	0	152
	GT3P3{1}	2439673	0	02439673	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244889	0	03244889	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088571	0	03088571	1357	0	0	1357
+398 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625372	0	05625372	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733509	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2570099	0	02570099	101	0	0	101
	Pressure 2{1}	2596020	0	02596020	-124	0	0	124
	Pressure 3{1}	2595991	0	02595991	-107	0	0	107
	GT1{1}	5625372	0	05625372	94	0	0	94

	GT2{1}	-.2E+07	0	01733509	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8195470	0	08195470	195	0	0	195
	GT2P2{1}	862511	0	0 862511	152	0	0	152
	GT3P3{1}	2439673	0	02439673	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244889	0	03244889	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088571	0	03088571	1357	0	0	1357
+398 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625340	0	05625340	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733509	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2569718	0	02569718	101	0	0	101
	Pressure 2{1}	2596019	0	02596019	-124	0	0	124
	Pressure 3{1}	2595989	0	02595989	-107	0	0	107
	GT1{1}	5625340	0	05625340	94	0	0	94
	GT2{1}	-.2E+07	0	01733508	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8195057	0	08195057	195	0	0	195
	GT2P2{1}	862511	0	0 862511	152	0	0	152
	GT3P3{1}	2439672	0	02439672	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244886	0	03244886	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088569	0	03088569	1357	0	0	1357
+399 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625340	0	05625340	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733509	56	0	0	56
	Thermal 3{1}	-156318	0	0 156318	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2569718	0	02569718	101	0	0	101
	Pressure 2{1}	2596019	0	02596019	-124	0	0	124
	Pressure 3{1}	2595989	0	02595989	-107	0	0	107
	GT1{1}	5625340	0	05625340	94	0	0	94
	GT2{1}	-.2E+07	0	01733508	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8195057	0	08195057	195	0	0	195
	GT2P2{1}	862511	0	0 862511	152	0	0	152
	GT3P3{1}	2439672	0	02439672	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244886	0	03244886	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088569	0	03088569	1357	0	0	1357
+399 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625307	0	05625307	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733508	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2569331	0	02569331	101	0	0	101
	Pressure 2{1}	2596018	0	02596018	-124	0	0	124
	Pressure 3{1}	2595988	0	02595988	-107	0	0	107
	GT1{1}	5625307	0	05625307	94	0	0	94
	GT2{1}	-.2E+07	0	01733508	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8194639	0	08194639	195	0	0	195
	GT2P2{1}	862510	0	0 862510	152	0	0	152
	GT3P3{1}	2439670	0	02439670	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244883	0	03244883	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088565	0	03088565	1357	0	0	1357
+400 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625307	0	05625307	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733508	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2569331	0	02569331	101	0	0	101
	Pressure 2{1}	2596018	0	02596018	-124	0	0	124
	Pressure 3{1}	2595988	0	02595988	-107	0	0	107
	GT1{1}	5625307	0	05625307	94	0	0	94

	GT2{1}	-.2E+07	0	01733508	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8194639	0	08194639	195	0	0	195
	GT2P2{1}	862510	0	0 862510	152	0	0	152
	GT3P3{1}	2439670	0	02439670	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244883	0	03244883	871	0	0	871
	GT3{2}	-156318	0	0 156318	486	0	0	486
	Hydrotest-NL{2}	3088565	0	03088565	1357	0	0	1357
+400 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625274	0	05625274	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733507	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2568939	0	02568939	101	0	0	101
	Pressure 2{1}	2596017	0	02596017	-124	0	0	124
	Pressure 3{1}	2595986	0	02595986	-107	0	0	107
	GT1{1}	5625274	0	05625274	94	0	0	94
	GT2{1}	-.2E+07	0	01733507	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8194213	0	08194213	195	0	0	195
	GT2P2{1}	862510	0	0 862510	152	0	0	152
	GT3P3{1}	2439669	0	02439669	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244879	0	03244879	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088562	0	03088562	1357	0	0	1357
+401 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625274	0	05625274	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733507	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2568939	0	02568939	101	0	0	101
	Pressure 2{1}	2596017	0	02596017	-124	0	0	124
	Pressure 3{1}	2595986	0	02595986	-107	0	0	107
	GT1{1}	5625274	0	05625274	94	0	0	94
	GT2{1}	-.2E+07	0	01733507	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8194213	0	08194213	195	0	0	195
	GT2P2{1}	862510	0	0 862510	152	0	0	152
	GT3P3{1}	2439669	0	02439669	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244879	0	03244879	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088562	0	03088562	1357	0	0	1357
+401 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625241	0	05625241	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733507	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2568541	0	02568541	101	0	0	101
	Pressure 2{1}	2596016	0	02596016	-124	0	0	124
	Pressure 3{1}	2595985	0	02595985	-107	0	0	107
	GT1{1}	5625241	0	05625241	94	0	0	94
	GT2{1}	-.2E+07	0	01733506	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8193781	0	08193781	195	0	0	195
	GT2P2{1}	862510	0	0 862510	152	0	0	152
	GT3P3{1}	2439668	0	02439668	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244876	0	03244876	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088559	0	03088559	1357	0	0	1357
+402 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625241	0	05625241	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733507	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2568541	0	02568541	101	0	0	101
	Pressure 2{1}	2596016	0	02596016	-124	0	0	124
	Pressure 3{1}	2595985	0	02595985	-107	0	0	107
	GT1{1}	5625241	0	05625241	94	0	0	94

	GT2{1}	-.2E+07	0	01733506	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8193781	0	08193781	195	0	0	195
	GT2P2{1}	862510	0	0 862510	152	0	0	152
	GT3P3{1}	2439668	0	02439668	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244876	0	03244876	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088559	0	03088559	1357	0	0	1357
+402 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625207	0	05625207	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733506	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2568137	0	02568137	101	0	0	101
	Pressure 2{1}	2596015	0	02596015	-124	0	0	124
	Pressure 3{1}	2595983	0	02595983	-107	0	0	107
	GT1{1}	5625207	0	05625207	94	0	0	94
	GT2{1}	-.2E+07	0	01733506	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8193343	0	08193343	195	0	0	195
	GT2P2{1}	862509	0	0 862509	152	0	0	152
	GT3P3{1}	2439666	0	02439666	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244872	0	03244872	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088555	0	03088555	1357	0	0	1357
+403 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625207	0	05625207	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733506	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2568137	0	02568137	101	0	0	101
	Pressure 2{1}	2596015	0	02596015	-124	0	0	124
	Pressure 3{1}	2595983	0	02595983	-107	0	0	107
	GT1{1}	5625207	0	05625207	94	0	0	94
	GT2{1}	-.2E+07	0	01733506	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8193343	0	08193343	195	0	0	195
	GT2P2{1}	862509	0	0 862509	152	0	0	152
	GT3P3{1}	2439666	0	02439666	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244872	0	03244872	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088555	0	03088555	1357	0	0	1357
+403 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625172	0	05625172	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733505	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2567727	0	02567727	101	0	0	101
	Pressure 2{1}	2596014	0	02596014	-124	0	0	124
	Pressure 3{1}	2595982	0	02595982	-107	0	0	107
	GT1{1}	5625172	0	05625172	94	0	0	94
	GT2{1}	-.2E+07	0	01733505	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8192898	0	08192898	195	0	0	195
	GT2P2{1}	862509	0	0 862509	152	0	0	152
	GT3P3{1}	2439665	0	02439665	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244869	0	03244869	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088552	0	03088552	1357	0	0	1357
+404 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625172	0	05625172	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733505	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2567727	0	02567727	101	0	0	101
	Pressure 2{1}	2596014	0	02596014	-124	0	0	124
	Pressure 3{1}	2595982	0	02595982	-107	0	0	107
	GT1{1}	5625172	0	05625172	94	0	0	94

	GT2{1}	-.2E+07	0	01733505	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8192898	0	08192898	195	0	0	195
	GT2P2{1}	862509	0	0 862509	152	0	0	152
	GT3P3{1}	2439665	0	02439665	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244869	0	03244869	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088552	0	03088552	1357	0	0	1357
+404 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625137	0	05625137	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733504	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2567311	0	02567311	101	0	0	101
	Pressure 2{1}	2596013	0	02596013	-124	0	0	124
	Pressure 3{1}	2595980	0	02595980	-107	0	0	107
	GT1{1}	5625137	0	05625137	94	0	0	94
	GT2{1}	-.2E+07	0	01733504	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8192448	0	08192448	195	0	0	195
	GT2P2{1}	862509	0	0 862509	152	0	0	152
	GT3P3{1}	2439663	0	02439663	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244866	0	03244866	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088548	0	03088548	1357	0	0	1357
+405 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625137	0	05625137	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733504	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2567311	0	02567311	101	0	0	101
	Pressure 2{1}	2596013	0	02596013	-124	0	0	124
	Pressure 3{1}	2595980	0	02595980	-107	0	0	107
	GT1{1}	5625137	0	05625137	94	0	0	94
	GT2{1}	-.2E+07	0	01733504	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8192448	0	08192448	195	0	0	195
	GT2P2{1}	862509	0	0 862509	152	0	0	152
	GT3P3{1}	2439663	0	02439663	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244866	0	03244866	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088548	0	03088548	1357	0	0	1357
+405 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625101	0	05625101	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733504	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2566889	0	02566889	101	0	0	101
	Pressure 2{1}	2596012	0	02596012	-124	0	0	124
	Pressure 3{1}	2595979	0	02595979	-107	0	0	107
	GT1{1}	5625101	0	05625101	94	0	0	94
	GT2{1}	-.2E+07	0	01733503	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8191990	0	08191990	195	0	0	195
	GT2P2{1}	862509	0	0 862509	152	0	0	152
	GT3P3{1}	2439662	0	02439662	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244862	0	03244862	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088545	0	03088545	1357	0	0	1357
+406 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625101	0	05625101	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733504	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2566889	0	02566889	101	0	0	101
	Pressure 2{1}	2596012	0	02596012	-124	0	0	124
	Pressure 3{1}	2595979	0	02595979	-107	0	0	107
	GT1{1}	5625101	0	05625101	94	0	0	94

	GT2{1}	-.2E+07	0	01733503	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8191990	0	08191990	195	0	0	195
	GT2P2{1}	862509	0	0 862509	152	0	0	152
	GT3P3{1}	2439662	0	02439662	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244862	0	03244862	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088545	0	03088545	1357	0	0	1357
+406 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625066	0	05625066	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733503	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2566461	0	02566461	101	0	0	101
	Pressure 2{1}	2596011	0	02596011	-124	0	0	124
	Pressure 3{1}	2595977	0	02595977	-107	0	0	107
	GT1{1}	5625066	0	05625066	94	0	0	94
	GT2{1}	-.2E+07	0	01733502	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8191527	0	08191527	195	0	0	195
	GT2P2{1}	862508	0	0 862508	152	0	0	152
	GT3P3{1}	2439660	0	02439660	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244858	0	03244858	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088541	0	03088541	1357	0	0	1357
+407 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625066	0	05625066	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733503	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2566461	0	02566461	101	0	0	101
	Pressure 2{1}	2596011	0	02596011	-124	0	0	124
	Pressure 3{1}	2595977	0	02595977	-107	0	0	107
	GT1{1}	5625066	0	05625066	94	0	0	94
	GT2{1}	-.2E+07	0	01733502	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8191527	0	08191527	195	0	0	195
	GT2P2{1}	862508	0	0 862508	152	0	0	152
	GT3P3{1}	2439660	0	02439660	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244858	0	03244858	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088541	0	03088541	1357	0	0	1357
+407 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625029	0	05625029	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733502	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2566027	0	02566027	101	0	0	101
	Pressure 2{1}	2596010	0	02596010	-124	0	0	124
	Pressure 3{1}	2595975	0	02595975	-107	0	0	107
	GT1{1}	5625029	0	05625029	94	0	0	94
	GT2{1}	-.2E+07	0	01733502	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8191056	0	08191056	195	0	0	195
	GT2P2{1}	862508	0	0 862508	152	0	0	152
	GT3P3{1}	2439659	0	02439659	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244855	0	03244855	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088538	0	03088538	1357	0	0	1357
+408 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5625029	0	05625029	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733502	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2566027	0	02566027	101	0	0	101
	Pressure 2{1}	2596010	0	02596010	-124	0	0	124
	Pressure 3{1}	2595975	0	02595975	-107	0	0	107
	GT1{1}	5625029	0	05625029	94	0	0	94

	GT2{1}	-.2E+07	0	01733502	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8191056	0	08191056	195	0	0	195
	GT2P2{1}	862508	0	0 862508	152	0	0	152
	GT3P3{1}	2439659	0	02439659	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244855	0	03244855	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088538	0	03088538	1357	0	0	1357
+408 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624992	0	05624992	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733501	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2565586	0	02565586	101	0	0	101
	Pressure 2{1}	2596008	0	02596008	-124	0	0	124
	Pressure 3{1}	2595974	0	02595974	-107	0	0	107
	GT1{1}	5624992	0	05624992	94	0	0	94
	GT2{1}	-.2E+07	0	01733501	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8190577	0	08190577	195	0	0	195
	GT2P2{1}	862507	0	0 862507	152	0	0	152
	GT3P3{1}	2439657	0	02439657	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244851	0	03244851	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088534	0	03088534	1357	0	0	1357
+409 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624992	0	05624992	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733501	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2565586	0	02565586	101	0	0	101
	Pressure 2{1}	2596008	0	02596008	-124	0	0	124
	Pressure 3{1}	2595974	0	02595974	-107	0	0	107
	GT1{1}	5624992	0	05624992	94	0	0	94
	GT2{1}	-.2E+07	0	01733501	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8190577	0	08190577	195	0	0	195
	GT2P2{1}	862507	0	0 862507	152	0	0	152
	GT3P3{1}	2439657	0	02439657	135	0	0	135
	Gravity{2}	0	0	0 0	461	0	0	461
	Thermal 3{2}	-156318	0	0 156318	25	0	0	25
	Pressure 1{2}	3244851	0	03244851	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088534	0	03088534	1357	0	0	1357
+409 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624954	0	05624954	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733500	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2565139	0	02565139	101	0	0	101
	Pressure 2{1}	2596007	0	02596007	-124	0	0	124
	Pressure 3{1}	2595972	0	02595972	-107	0	0	107
	GT1{1}	5624954	0	05624954	94	0	0	94
	GT2{1}	-.2E+07	0	01733500	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8190093	0	08190093	195	0	0	195
	GT2P2{1}	862507	0	0 862507	152	0	0	152
	GT3P3{1}	2439655	0	02439655	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244847	0	03244847	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088530	0	03088530	1357	0	0	1357
+410 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624954	0	05624954	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733500	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2565139	0	02565139	101	0	0	101
	Pressure 2{1}	2596007	0	02596007	-124	0	0	124
	Pressure 3{1}	2595972	0	02595972	-107	0	0	107
	GT1{1}	5624954	0	05624954	94	0	0	94

	GT2{1}	-.2E+07	0	01733500	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8190093	0	08190093	195	0	0	195
	GT2P2{1}	862507	0	0 862507	152	0	0	152
	GT3P3{1}	2439655	0	02439655	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244847	0	03244847	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088530	0	03088530	1357	0	0	1357
+410 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624915	0	05624915	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733500	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2564685	0	02564685	101	0	0	101
	Pressure 2{1}	2596006	0	02596006	-124	0	0	124
	Pressure 3{1}	2595970	0	02595970	-107	0	0	107
	GT1{1}	5624915	0	05624915	94	0	0	94
	GT2{1}	-.2E+07	0	01733499	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8189600	0	08189600	195	0	0	195
	GT2P2{1}	862507	0	0 862507	152	0	0	152
	GT3P3{1}	2439654	0	02439654	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244843	0	03244843	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088526	0	03088526	1357	0	0	1357
+411 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624915	0	05624915	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733500	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2564685	0	02564685	101	0	0	101
	Pressure 2{1}	2596006	0	02596006	-124	0	0	124
	Pressure 3{1}	2595970	0	02595970	-107	0	0	107
	GT1{1}	5624915	0	05624915	94	0	0	94
	GT2{1}	-.2E+07	0	01733499	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8189600	0	08189600	195	0	0	195
	GT2P2{1}	862507	0	0 862507	152	0	0	152
	GT3P3{1}	2439654	0	02439654	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244843	0	03244843	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088526	0	03088526	1357	0	0	1357
+411 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624876	0	05624876	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733499	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2564225	0	02564225	101	0	0	101
	Pressure 2{1}	2596005	0	02596005	-124	0	0	124
	Pressure 3{1}	2595968	0	02595968	-107	0	0	107
	GT1{1}	5624876	0	05624876	94	0	0	94
	GT2{1}	-.2E+07	0	01733498	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8189101	0	08189101	195	0	0	195
	GT2P2{1}	862506	0	0 862506	152	0	0	152
	GT3P3{1}	2439652	0	02439652	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244839	0	03244839	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088523	0	03088523	1357	0	0	1357
+412 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624876	0	05624876	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733499	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2564225	0	02564225	101	0	0	101
	Pressure 2{1}	2596005	0	02596005	-124	0	0	124
	Pressure 3{1}	2595968	0	02595968	-107	0	0	107
	GT1{1}	5624876	0	05624876	94	0	0	94

	GT2{1}	-.2E+07	0	01733498	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8189101	0	08189101	195	0	0	195
	GT2P2{1}	862506	0	0 862506	152	0	0	152
	GT3P3{1}	2439652	0	02439652	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244839	0	03244839	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088523	0	03088523	1357	0	0	1357
+412 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624838	0	05624838	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733498	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2563757	0	02563757	101	0	0	101
	Pressure 2{1}	2596004	0	02596004	-124	0	0	124
	Pressure 3{1}	2595967	0	02595967	-107	0	0	107
	GT1{1}	5624838	0	05624838	94	0	0	94
	GT2{1}	-.2E+07	0	01733497	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8188595	0	08188595	195	0	0	195
	GT2P2{1}	862506	0	0 862506	152	0	0	152
	GT3P3{1}	2439650	0	02439650	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244835	0	03244835	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088518	0	03088518	1357	0	0	1357
+413 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624838	0	05624838	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733498	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2563757	0	02563757	101	0	0	101
	Pressure 2{1}	2596004	0	02596004	-124	0	0	124
	Pressure 3{1}	2595967	0	02595967	-107	0	0	107
	GT1{1}	5624838	0	05624838	94	0	0	94
	GT2{1}	-.2E+07	0	01733497	276	0	0	276
	GT3{1}	-156317	0	0 156317	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8188595	0	08188595	195	0	0	195
	GT2P2{1}	862506	0	0 862506	152	0	0	152
	GT3P3{1}	2439650	0	02439650	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244835	0	03244835	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088518	0	03088518	1357	0	0	1357
+413 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624798	0	05624798	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733497	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2563283	0	02563283	101	0	0	101
	Pressure 2{1}	2596003	0	02596003	-124	0	0	124
	Pressure 3{1}	2595965	0	02595965	-107	0	0	107
	GT1{1}	5624798	0	05624798	94	0	0	94
	GT2{1}	-.2E+07	0	01733497	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8188081	0	08188081	195	0	0	195
	GT2P2{1}	862506	0	0 862506	152	0	0	152
	GT3P3{1}	2439649	0	02439649	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244831	0	03244831	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088514	0	03088514	1357	0	0	1357
+414 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624798	0	05624798	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733497	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2563283	0	02563283	101	0	0	101
	Pressure 2{1}	2596003	0	02596003	-124	0	0	124
	Pressure 3{1}	2595965	0	02595965	-107	0	0	107
	GT1{1}	5624798	0	05624798	94	0	0	94

	GT2{1}	-.2E+07	0	01733497	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8188081	0	08188081	195	0	0	195
	GT2P2{1}	862506	0	0 862506	152	0	0	152
	GT3P3{1}	2439649	0	02439649	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244831	0	03244831	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088514	0	03088514	1357	0	0	1357
+414 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624757	0	05624757	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733496	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2562802	0	02562802	101	0	0	101
	Pressure 2{1}	2596001	0	02596001	-124	0	0	124
	Pressure 3{1}	2595963	0	02595963	-107	0	0	107
	GT1{1}	5624757	0	05624757	94	0	0	94
	GT2{1}	-.2E+07	0	01733496	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8187559	0	08187559	195	0	0	195
	GT2P2{1}	862505	0	0 862505	152	0	0	152
	GT3P3{1}	2439647	0	02439647	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244827	0	03244827	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088510	0	03088510	1357	0	0	1357
+415 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624757	0	05624757	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733496	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2562802	0	02562802	101	0	0	101
	Pressure 2{1}	2596001	0	02596001	-124	0	0	124
	Pressure 3{1}	2595963	0	02595963	-107	0	0	107
	GT1{1}	5624757	0	05624757	94	0	0	94
	GT2{1}	-.2E+07	0	01733496	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8187559	0	08187559	195	0	0	195
	GT2P2{1}	862505	0	0 862505	152	0	0	152
	GT3P3{1}	2439647	0	02439647	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244827	0	03244827	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088510	0	03088510	1357	0	0	1357
+415 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624716	0	05624716	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733495	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2562314	0	02562314	101	0	0	101
	Pressure 2{1}	2596000	0	02596000	-124	0	0	124
	Pressure 3{1}	2595961	0	02595961	-107	0	0	107
	GT1{1}	5624716	0	05624716	94	0	0	94
	GT2{1}	-.2E+07	0	01733495	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8187030	0	08187030	195	0	0	195
	GT2P2{1}	862505	0	0 862505	152	0	0	152
	GT3P3{1}	2439645	0	02439645	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244823	0	03244823	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088506	0	03088506	1357	0	0	1357
+416 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624716	0	05624716	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733495	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2562314	0	02562314	101	0	0	101
	Pressure 2{1}	2596000	0	02596000	-124	0	0	124
	Pressure 3{1}	2595961	0	02595961	-107	0	0	107
	GT1{1}	5624716	0	05624716	94	0	0	94

	GT2{1}	-.2E+07	0	01733495	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8187030	0	08187030	195	0	0	195
	GT2P2{1}	862505	0	0 862505	152	0	0	152
	GT3P3{1}	2439645	0	02439645	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244823	0	03244823	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088506	0	03088506	1357	0	0	1357
+416 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624674	0	05624674	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733494	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2561819	0	02561819	101	0	0	101
	Pressure 2{1}	2595999	0	02595999	-124	0	0	124
	Pressure 3{1}	2595960	0	02595960	-107	0	0	107
	GT1{1}	5624675	0	05624675	94	0	0	94
	GT2{1}	-.2E+07	0	01733494	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8186494	0	08186494	195	0	0	195
	GT2P2{1}	862505	0	0 862505	152	0	0	152
	GT3P3{1}	2439643	0	02439643	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244819	0	03244819	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088502	0	03088502	1357	0	0	1357
+417 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624674	0	05624674	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733494	56	0	0	56
	Thermal 3{1}	-156317	0	0 156317	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2561819	0	02561819	101	0	0	101
	Pressure 2{1}	2595999	0	02595999	-124	0	0	124
	Pressure 3{1}	2595960	0	02595960	-107	0	0	107
	GT1{1}	5624675	0	05624675	94	0	0	94
	GT2{1}	-.2E+07	0	01733494	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8186494	0	08186494	195	0	0	195
	GT2P2{1}	862505	0	0 862505	152	0	0	152
	GT3P3{1}	2439643	0	02439643	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244819	0	03244819	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088502	0	03088502	1357	0	0	1357
+417 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624631	0	05624631	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733493	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2561317	0	02561317	101	0	0	101
	Pressure 2{1}	2595997	0	02595997	-124	0	0	124
	Pressure 3{1}	2595958	0	02595958	-107	0	0	107
	GT1{1}	5624632	0	05624632	94	0	0	94
	GT2{1}	-.2E+07	0	01733493	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8185948	0	08185948	195	0	0	195
	GT2P2{1}	862504	0	0 862504	152	0	0	152
	GT3P3{1}	2439641	0	02439641	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244815	0	03244815	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088498	0	03088498	1357	0	0	1357
+418 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624631	0	05624631	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733493	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2561317	0	02561317	101	0	0	101
	Pressure 2{1}	2595997	0	02595997	-124	0	0	124
	Pressure 3{1}	2595958	0	02595958	-107	0	0	107
	GT1{1}	5624632	0	05624632	94	0	0	94

	GT2{1}	-.2E+07	0	01733493	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8185948	0	08185948	195	0	0	195
	GT2P2{1}	862504	0	0 862504	152	0	0	152
	GT3P3{1}	2439641	0	02439641	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244815	0	03244815	871	0	0	871
	GT3{2}	-156317	0	0 156317	486	0	0	486
	Hydrotest-NL{2}	3088498	0	03088498	1357	0	0	1357
+418 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624588	0	05624588	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733492	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2560807	0	02560807	101	0	0	101
	Pressure 2{1}	2595996	0	02595996	-124	0	0	124
	Pressure 3{1}	2595956	0	02595956	-107	0	0	107
	GT1{1}	5624589	0	05624589	94	0	0	94
	GT2{1}	-.2E+07	0	01733492	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8185396	0	08185396	195	0	0	195
	GT2P2{1}	862504	0	0 862504	152	0	0	152
	GT3P3{1}	2439640	0	02439640	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244810	0	03244810	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088494	0	03088494	1357	0	0	1357
+419 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624588	0	05624588	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733492	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2560807	0	02560807	101	0	0	101
	Pressure 2{1}	2595996	0	02595996	-124	0	0	124
	Pressure 3{1}	2595956	0	02595956	-107	0	0	107
	GT1{1}	5624589	0	05624589	94	0	0	94
	GT2{1}	-.2E+07	0	01733492	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8185396	0	08185396	195	0	0	195
	GT2P2{1}	862504	0	0 862504	152	0	0	152
	GT3P3{1}	2439640	0	02439640	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244810	0	03244810	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088494	0	03088494	1357	0	0	1357
+419 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624545	0	05624545	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733491	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2560290	0	02560290	101	0	0	101
	Pressure 2{1}	2595995	0	02595995	-124	0	0	124
	Pressure 3{1}	2595954	0	02595954	-107	0	0	107
	GT1{1}	5624546	0	05624546	94	0	0	94
	GT2{1}	-.2E+07	0	01733491	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8184835	0	08184835	195	0	0	195
	GT2P2{1}	862503	0	0 862503	152	0	0	152
	GT3P3{1}	2439638	0	02439638	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244806	0	03244806	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088489	0	03088489	1357	0	0	1357
+420 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624545	0	05624545	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733491	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2560290	0	02560290	101	0	0	101
	Pressure 2{1}	2595995	0	02595995	-124	0	0	124
	Pressure 3{1}	2595954	0	02595954	-107	0	0	107
	GT1{1}	5624546	0	05624546	94	0	0	94

	GT2{1}	-.2E+07	0	01733491	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8184835	0	08184835	195	0	0	195
	GT2P2{1}	862503	0	0 862503	152	0	0	152
	GT3P3{1}	2439638	0	02439638	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244806	0	03244806	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088489	0	03088489	1357	0	0	1357
+420 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624501	0	05624501	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733490	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2559765	0	02559765	101	0	0	101
	Pressure 2{1}	2595993	0	02595993	-124	0	0	124
	Pressure 3{1}	2595952	0	02595952	-107	0	0	107
	GT1{1}	5624501	0	05624501	94	0	0	94
	GT2{1}	-.2E+07	0	01733490	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8184265	0	08184265	195	0	0	195
	GT2P2{1}	862503	0	0 862503	152	0	0	152
	GT3P3{1}	2439636	0	02439636	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244801	0	03244801	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088485	0	03088485	1357	0	0	1357
+421 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624501	0	05624501	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733490	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2559765	0	02559765	101	0	0	101
	Pressure 2{1}	2595993	0	02595993	-124	0	0	124
	Pressure 3{1}	2595952	0	02595952	-107	0	0	107
	GT1{1}	5624501	0	05624501	94	0	0	94
	GT2{1}	-.2E+07	0	01733490	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8184265	0	08184265	195	0	0	195
	GT2P2{1}	862503	0	0 862503	152	0	0	152
	GT3P3{1}	2439636	0	02439636	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244801	0	03244801	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088485	0	03088485	1357	0	0	1357
+421 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624456	0	05624456	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733489	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2559232	0	02559232	101	0	0	101
	Pressure 2{1}	2595992	0	02595992	-124	0	0	124
	Pressure 3{1}	2595950	0	02595950	-107	0	0	107
	GT1{1}	5624456	0	05624456	94	0	0	94
	GT2{1}	-.2E+07	0	01733489	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8183688	0	08183688	195	0	0	195
	GT2P2{1}	862503	0	0 862503	152	0	0	152
	GT3P3{1}	2439634	0	02439634	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244797	0	03244797	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088481	0	03088481	1357	0	0	1357
+422 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624456	0	05624456	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733489	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2559232	0	02559232	101	0	0	101
	Pressure 2{1}	2595992	0	02595992	-124	0	0	124
	Pressure 3{1}	2595950	0	02595950	-107	0	0	107
	GT1{1}	5624456	0	05624456	94	0	0	94

	GT2{1}	-.2E+07	0	01733489	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8183688	0	08183688	195	0	0	195
	GT2P2{1}	862503	0	0 862503	152	0	0	152
	GT3P3{1}	2439634	0	02439634	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244797	0	03244797	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088481	0	03088481	1357	0	0	1357
+422 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624410	0	05624410	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733488	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2558692	0	02558692	101	0	0	101
	Pressure 2{1}	2595990	0	02595990	-124	0	0	124
	Pressure 3{1}	2595948	0	02595948	-107	0	0	107
	GT1{1}	5624411	0	05624411	94	0	0	94
	GT2{1}	-.2E+07	0	01733488	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8183102	0	08183102	195	0	0	195
	GT2P2{1}	862502	0	0 862502	152	0	0	152
	GT3P3{1}	2439632	0	02439632	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244792	0	03244792	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088476	0	03088476	1357	0	0	1357
+423 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624410	0	05624410	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733488	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2558692	0	02558692	101	0	0	101
	Pressure 2{1}	2595990	0	02595990	-124	0	0	124
	Pressure 3{1}	2595948	0	02595948	-107	0	0	107
	GT1{1}	5624411	0	05624411	94	0	0	94
	GT2{1}	-.2E+07	0	01733488	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8183102	0	08183102	195	0	0	195
	GT2P2{1}	862502	0	0 862502	152	0	0	152
	GT3P3{1}	2439632	0	02439632	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244792	0	03244792	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088476	0	03088476	1357	0	0	1357
+423 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624364	0	05624364	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733487	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2558143	0	02558143	101	0	0	101
	Pressure 2{1}	2595989	0	02595989	-124	0	0	124
	Pressure 3{1}	2595946	0	02595946	-107	0	0	107
	GT1{1}	5624364	0	05624364	94	0	0	94
	GT2{1}	-.2E+07	0	01733487	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8182507	0	08182507	195	0	0	195
	GT2P2{1}	862502	0	0 862502	152	0	0	152
	GT3P3{1}	2439630	0	02439630	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244787	0	03244787	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088471	0	03088471	1357	0	0	1357
+424 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624364	0	05624364	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733487	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2558143	0	02558143	101	0	0	101
	Pressure 2{1}	2595989	0	02595989	-124	0	0	124
	Pressure 3{1}	2595946	0	02595946	-107	0	0	107
	GT1{1}	5624364	0	05624364	94	0	0	94

	GT2{1}	-.2E+07	0	01733487	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8182507	0	08182507	195	0	0	195
	GT2P2{1}	862502	0	0 862502	152	0	0	152
	GT3P3{1}	2439630	0	02439630	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244787	0	03244787	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088471	0	03088471	1357	0	0	1357
+424 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624317	0	05624317	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733486	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2557587	0	02557587	101	0	0	101
	Pressure 2{1}	2595988	0	02595988	-124	0	0	124
	Pressure 3{1}	2595943	0	02595943	-107	0	0	107
	GT1{1}	5624318	0	05624318	94	0	0	94
	GT2{1}	-.2E+07	0	01733486	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8181904	0	08181904	195	0	0	195
	GT2P2{1}	862502	0	0 862502	152	0	0	152
	GT3P3{1}	2439628	0	02439628	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244783	0	03244783	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088467	0	03088467	1357	0	0	1357
+425 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624317	0	05624317	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733486	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2557587	0	02557587	101	0	0	101
	Pressure 2{1}	2595988	0	02595988	-124	0	0	124
	Pressure 3{1}	2595943	0	02595943	-107	0	0	107
	GT1{1}	5624318	0	05624318	94	0	0	94
	GT2{1}	-.2E+07	0	01733486	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8181904	0	08181904	195	0	0	195
	GT2P2{1}	862502	0	0 862502	152	0	0	152
	GT3P3{1}	2439628	0	02439628	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244783	0	03244783	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088467	0	03088467	1357	0	0	1357
+425 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624269	0	05624269	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733485	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2557023	0	02557023	101	0	0	101
	Pressure 2{1}	2595986	0	02595986	-124	0	0	124
	Pressure 3{1}	2595941	0	02595941	-107	0	0	107
	GT1{1}	5624270	0	05624270	94	0	0	94
	GT2{1}	-.2E+07	0	01733485	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8181292	0	08181292	195	0	0	195
	GT2P2{1}	862501	0	0 862501	152	0	0	152
	GT3P3{1}	2439626	0	02439626	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244778	0	03244778	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088462	0	03088462	1357	0	0	1357
+426 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624269	0	05624269	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733485	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2557023	0	02557023	101	0	0	101
	Pressure 2{1}	2595986	0	02595986	-124	0	0	124
	Pressure 3{1}	2595941	0	02595941	-107	0	0	107
	GT1{1}	5624270	0	05624270	94	0	0	94

	GT2{1}	-.2E+07	0	01733485	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8181292	0	08181292	195	0	0	195
	GT2P2{1}	862501	0	0 862501	152	0	0	152
	GT3P3{1}	2439626	0	02439626	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244778	0	03244778	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088462	0	03088462	1357	0	0	1357
+426 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624221	0	05624221	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733484	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2556450	0	02556450	101	0	0	101
	Pressure 2{1}	2595985	0	02595985	-124	0	0	124
	Pressure 3{1}	2595939	0	02595939	-107	0	0	107
	GT1{1}	5624221	0	05624221	94	0	0	94
	GT2{1}	-.2E+07	0	01733484	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8180671	0	08180671	195	0	0	195
	GT2P2{1}	862501	0	0 862501	152	0	0	152
	GT3P3{1}	2439624	0	02439624	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244773	0	03244773	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088457	0	03088457	1357	0	0	1357
+427 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624221	0	05624221	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733484	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2556450	0	02556450	101	0	0	101
	Pressure 2{1}	2595985	0	02595985	-124	0	0	124
	Pressure 3{1}	2595939	0	02595939	-107	0	0	107
	GT1{1}	5624221	0	05624221	94	0	0	94
	GT2{1}	-.2E+07	0	01733484	276	0	0	276
	GT3{1}	-156316	0	0 156316	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8180671	0	08180671	195	0	0	195
	GT2P2{1}	862501	0	0 862501	152	0	0	152
	GT3P3{1}	2439624	0	02439624	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156317	0	0 156317	25	0	0	25
	Pressure 1{2}	3244773	0	03244773	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088457	0	03088457	1357	0	0	1357
+427 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624172	0	05624172	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733483	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2555869	0	02555869	101	0	0	101
	Pressure 2{1}	2595983	0	02595983	-124	0	0	124
	Pressure 3{1}	2595937	0	02595937	-107	0	0	107
	GT1{1}	5624173	0	05624173	94	0	0	94
	GT2{1}	-.2E+07	0	01733483	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8180041	0	08180041	195	0	0	195
	GT2P2{1}	862500	0	0 862500	152	0	0	152
	GT3P3{1}	2439622	0	02439622	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244768	0	03244768	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088452	0	03088452	1357	0	0	1357
+428 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624172	0	05624172	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733483	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2555869	0	02555869	101	0	0	101
	Pressure 2{1}	2595983	0	02595983	-124	0	0	124
	Pressure 3{1}	2595937	0	02595937	-107	0	0	107
	GT1{1}	5624173	0	05624173	94	0	0	94

	GT2{1}	-.2E+07	0	01733483	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8180041	0	08180041	195	0	0	195
	GT2P2{1}	862500	0	0 862500	152	0	0	152
	GT3P3{1}	2439622	0	02439622	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244768	0	03244768	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088452	0	03088452	1357	0	0	1357
+428 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624122	0	05624122	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733482	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2555279	0	02555279	101	0	0	101
	Pressure 2{1}	2595981	0	02595981	-124	0	0	124
	Pressure 3{1}	2595935	0	02595935	-107	0	0	107
	GT1{1}	5624123	0	05624123	94	0	0	94
	GT2{1}	-.2E+07	0	01733482	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8179402	0	08179402	195	0	0	195
	GT2P2{1}	862500	0	0 862500	152	0	0	152
	GT3P3{1}	2439619	0	02439619	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244763	0	03244763	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088447	0	03088447	1357	0	0	1357
+429 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624122	0	05624122	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733482	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2555279	0	02555279	101	0	0	101
	Pressure 2{1}	2595981	0	02595981	-124	0	0	124
	Pressure 3{1}	2595935	0	02595935	-107	0	0	107
	GT1{1}	5624123	0	05624123	94	0	0	94
	GT2{1}	-.2E+07	0	01733482	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8179402	0	08179402	195	0	0	195
	GT2P2{1}	862500	0	0 862500	152	0	0	152
	GT3P3{1}	2439619	0	02439619	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244763	0	03244763	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088447	0	03088447	1357	0	0	1357
+429 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624072	0	05624072	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733481	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2554680	0	02554680	101	0	0	101
	Pressure 2{1}	2595980	0	02595980	-124	0	0	124
	Pressure 3{1}	2595933	0	02595933	-107	0	0	107
	GT1{1}	5624072	0	05624072	94	0	0	94
	GT2{1}	-.2E+07	0	01733481	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8178753	0	08178753	195	0	0	195
	GT2P2{1}	862499	0	0 862499	152	0	0	152
	GT3P3{1}	2439617	0	02439617	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244758	0	03244758	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088442	0	03088442	1357	0	0	1357
+430 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624072	0	05624072	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733481	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2554680	0	02554680	101	0	0	101
	Pressure 2{1}	2595980	0	02595980	-124	0	0	124
	Pressure 3{1}	2595933	0	02595933	-107	0	0	107
	GT1{1}	5624072	0	05624072	94	0	0	94

	GT2{1}	-.2E+07	0	01733481	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8178753	0	08178753	195	0	0	195
	GT2P2{1}	862499	0	0 862499	152	0	0	152
	GT3P3{1}	2439617	0	02439617	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244758	0	03244758	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088442	0	03088442	1357	0	0	1357
+430 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624021	0	05624021	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733480	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2554073	0	02554073	101	0	0	101
	Pressure 2{1}	2595978	0	02595978	-124	0	0	124
	Pressure 3{1}	2595930	0	02595930	-107	0	0	107
	GT1{1}	5624021	0	05624021	94	0	0	94
	GT2{1}	-.2E+07	0	01733480	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8178095	0	08178095	195	0	0	195
	GT2P2{1}	862499	0	0 862499	152	0	0	152
	GT3P3{1}	2439615	0	02439615	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244753	0	03244753	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088437	0	03088437	1357	0	0	1357
+431 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5624021	0	05624021	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733480	56	0	0	56
	Thermal 3{1}	-156316	0	0 156316	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2554073	0	02554073	101	0	0	101
	Pressure 2{1}	2595978	0	02595978	-124	0	0	124
	Pressure 3{1}	2595930	0	02595930	-107	0	0	107
	GT1{1}	5624021	0	05624021	94	0	0	94
	GT2{1}	-.2E+07	0	01733480	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8178095	0	08178095	195	0	0	195
	GT2P2{1}	862499	0	0 862499	152	0	0	152
	GT3P3{1}	2439615	0	02439615	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244753	0	03244753	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088437	0	03088437	1357	0	0	1357
+431 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623968	0	05623968	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733479	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2553457	0	02553457	101	0	0	101
	Pressure 2{1}	2595977	0	02595977	-124	0	0	124
	Pressure 3{1}	2595928	0	02595928	-107	0	0	107
	GT1{1}	5623969	0	05623969	94	0	0	94
	GT2{1}	-.2E+07	0	01733478	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8177426	0	08177426	195	0	0	195
	GT2P2{1}	862498	0	0 862498	152	0	0	152
	GT3P3{1}	2439613	0	02439613	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244748	0	03244748	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088432	0	03088432	1357	0	0	1357
+432 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623968	0	05623968	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733479	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2553457	0	02553457	101	0	0	101
	Pressure 2{1}	2595977	0	02595977	-124	0	0	124
	Pressure 3{1}	2595928	0	02595928	-107	0	0	107
	GT1{1}	5623969	0	05623969	94	0	0	94

	GT2{1}	-.2E+07	0	01733478	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8177426	0	08177426	195	0	0	195
	GT2P2{1}	862498	0	0 862498	152	0	0	152
	GT3P3{1}	2439613	0	02439613	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244748	0	03244748	871	0	0	871
	GT3{2}	-156316	0	0 156316	486	0	0	486
	Hydrotest-NL{2}	3088432	0	03088432	1357	0	0	1357
+432 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623916	0	05623916	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733477	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2552832	0	02552832	101	0	0	101
	Pressure 2{1}	2595975	0	02595975	-124	0	0	124
	Pressure 3{1}	2595926	0	02595926	-107	0	0	107
	GT1{1}	5623916	0	05623916	94	0	0	94
	GT2{1}	-.2E+07	0	01733477	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8176748	0	08176748	195	0	0	195
	GT2P2{1}	862498	0	0 862498	152	0	0	152
	GT3P3{1}	2439610	0	02439610	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244742	0	03244742	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088427	0	03088427	1357	0	0	1357
+433 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623916	0	05623916	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733477	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2552832	0	02552832	101	0	0	101
	Pressure 2{1}	2595975	0	02595975	-124	0	0	124
	Pressure 3{1}	2595926	0	02595926	-107	0	0	107
	GT1{1}	5623916	0	05623916	94	0	0	94
	GT2{1}	-.2E+07	0	01733477	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8176748	0	08176748	195	0	0	195
	GT2P2{1}	862498	0	0 862498	152	0	0	152
	GT3P3{1}	2439610	0	02439610	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244742	0	03244742	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088427	0	03088427	1357	0	0	1357
+433 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623862	0	05623862	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733476	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2552198	0	02552198	101	0	0	101
	Pressure 2{1}	2595973	0	02595973	-124	0	0	124
	Pressure 3{1}	2595923	0	02595923	-107	0	0	107
	GT1{1}	5623863	0	05623863	94	0	0	94
	GT2{1}	-.2E+07	0	01733476	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8176061	0	08176061	195	0	0	195
	GT2P2{1}	862497	0	0 862497	152	0	0	152
	GT3P3{1}	2439608	0	02439608	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244737	0	03244737	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088421	0	03088421	1357	0	0	1357
+434 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623862	0	05623862	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733476	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2552198	0	02552198	101	0	0	101
	Pressure 2{1}	2595973	0	02595973	-124	0	0	124
	Pressure 3{1}	2595923	0	02595923	-107	0	0	107
	GT1{1}	5623863	0	05623863	94	0	0	94

	GT2{1}	-.2E+07	0	01733476	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8176061	0	08176061	195	0	0	195
	GT2P2{1}	862497	0	0 862497	152	0	0	152
	GT3P3{1}	2439608	0	02439608	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244737	0	03244737	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088421	0	03088421	1357	0	0	1357
+434 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623808	0	05623808	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733475	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2551554	0	02551554	101	0	0	101
	Pressure 2{1}	2595971	0	02595971	-124	0	0	124
	Pressure 3{1}	2595921	0	02595921	-107	0	0	107
	GT1{1}	5623809	0	05623809	94	0	0	94
	GT2{1}	-.2E+07	0	01733475	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8175363	0	08175363	195	0	0	195
	GT2P2{1}	862497	0	0 862497	152	0	0	152
	GT3P3{1}	2439606	0	02439606	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244731	0	03244731	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088416	0	03088416	1357	0	0	1357
+435 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623808	0	05623808	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733475	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2551554	0	02551554	101	0	0	101
	Pressure 2{1}	2595971	0	02595971	-124	0	0	124
	Pressure 3{1}	2595921	0	02595921	-107	0	0	107
	GT1{1}	5623809	0	05623809	94	0	0	94
	GT2{1}	-.2E+07	0	01733475	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8175363	0	08175363	195	0	0	195
	GT2P2{1}	862497	0	0 862497	152	0	0	152
	GT3P3{1}	2439606	0	02439606	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244731	0	03244731	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088416	0	03088416	1357	0	0	1357
+435 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623753	0	05623753	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733474	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2550902	0	02550902	101	0	0	101
	Pressure 2{1}	2595970	0	02595970	-124	0	0	124
	Pressure 3{1}	2595918	0	02595918	-107	0	0	107
	GT1{1}	5623754	0	05623754	94	0	0	94
	GT2{1}	-.2E+07	0	01733473	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8174655	0	08174655	195	0	0	195
	GT2P2{1}	862496	0	0 862496	152	0	0	152
	GT3P3{1}	2439603	0	02439603	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244726	0	03244726	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088411	0	03088411	1357	0	0	1357
+436 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623753	0	05623753	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733474	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2550902	0	02550902	101	0	0	101
	Pressure 2{1}	2595970	0	02595970	-124	0	0	124
	Pressure 3{1}	2595918	0	02595918	-107	0	0	107
	GT1{1}	5623754	0	05623754	94	0	0	94

	GT2{1}	-.2E+07	0	01733473	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8174655	0	08174655	195	0	0	195
	GT2P2{1}	862496	0	0 862496	152	0	0	152
	GT3P3{1}	2439603	0	02439603	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244726	0	03244726	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088411	0	03088411	1357	0	0	1357
+436 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623697	0	05623697	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733473	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2550239	0	02550239	101	0	0	101
	Pressure 2{1}	2595968	0	02595968	-124	0	0	124
	Pressure 3{1}	2595916	0	02595916	-107	0	0	107
	GT1{1}	5623698	0	05623698	94	0	0	94
	GT2{1}	-.2E+07	0	01733472	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8173937	0	08173937	195	0	0	195
	GT2P2{1}	862496	0	0 862496	152	0	0	152
	GT3P3{1}	2439601	0	02439601	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244720	0	03244720	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088405	0	03088405	1357	0	0	1357
+437 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623697	0	05623697	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733473	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2550239	0	02550239	101	0	0	101
	Pressure 2{1}	2595968	0	02595968	-124	0	0	124
	Pressure 3{1}	2595916	0	02595916	-107	0	0	107
	GT1{1}	5623698	0	05623698	94	0	0	94
	GT2{1}	-.2E+07	0	01733472	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8173937	0	08173937	195	0	0	195
	GT2P2{1}	862496	0	0 862496	152	0	0	152
	GT3P3{1}	2439601	0	02439601	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244720	0	03244720	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088405	0	03088405	1357	0	0	1357
+437 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623640	0	05623640	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733471	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2549567	0	02549567	101	0	0	101
	Pressure 2{1}	2595966	0	02595966	-124	0	0	124
	Pressure 3{1}	2595913	0	02595913	-107	0	0	107
	GT1{1}	5623641	0	05623641	94	0	0	94
	GT2{1}	-.2E+07	0	01733471	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8173207	0	08173207	195	0	0	195
	GT2P2{1}	862496	0	0 862496	152	0	0	152
	GT3P3{1}	2439598	0	02439598	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244714	0	03244714	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088399	0	03088399	1357	0	0	1357
+438 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623640	0	05623640	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733471	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2549567	0	02549567	101	0	0	101
	Pressure 2{1}	2595966	0	02595966	-124	0	0	124
	Pressure 3{1}	2595913	0	02595913	-107	0	0	107
	GT1{1}	5623641	0	05623641	94	0	0	94

	GT2{1}	-.2E+07	0	01733471	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8173207	0	08173207	195	0	0	195
	GT2P2{1}	862496	0	0 862496	152	0	0	152
	GT3P3{1}	2439598	0	02439598	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244714	0	03244714	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088399	0	03088399	1357	0	0	1357
+438 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623583	0	05623583	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733470	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2548885	0	02548885	101	0	0	101
	Pressure 2{1}	2595965	0	02595965	-124	0	0	124
	Pressure 3{1}	2595911	0	02595911	-107	0	0	107
	GT1{1}	5623584	0	05623584	94	0	0	94
	GT2{1}	-.2E+07	0	01733470	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8172468	0	08172468	195	0	0	195
	GT2P2{1}	862495	0	0 862495	152	0	0	152
	GT3P3{1}	2439596	0	02439596	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244708	0	03244708	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088394	0	03088394	1357	0	0	1357
+439 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623583	0	05623583	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733470	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2548885	0	02548885	101	0	0	101
	Pressure 2{1}	2595965	0	02595965	-124	0	0	124
	Pressure 3{1}	2595911	0	02595911	-107	0	0	107
	GT1{1}	5623584	0	05623584	94	0	0	94
	GT2{1}	-.2E+07	0	01733470	276	0	0	276
	GT3{1}	-156315	0	0 156315	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8172468	0	08172468	195	0	0	195
	GT2P2{1}	862495	0	0 862495	152	0	0	152
	GT3P3{1}	2439596	0	02439596	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244708	0	03244708	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088394	0	03088394	1357	0	0	1357
+439 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623525	0	05623525	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733469	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2548192	0	02548192	101	0	0	101
	Pressure 2{1}	2595963	0	02595963	-124	0	0	124
	Pressure 3{1}	2595908	0	02595908	-107	0	0	107
	GT1{1}	5623525	0	05623525	94	0	0	94
	GT2{1}	-.2E+07	0	01733468	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8171717	0	08171717	195	0	0	195
	GT2P2{1}	862494	0	0 862494	152	0	0	152
	GT3P3{1}	2439594	0	02439594	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244703	0	03244703	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088388	0	03088388	1357	0	0	1357
+440 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623525	0	05623525	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733469	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2548192	0	02548192	101	0	0	101
	Pressure 2{1}	2595963	0	02595963	-124	0	0	124
	Pressure 3{1}	2595908	0	02595908	-107	0	0	107
	GT1{1}	5623525	0	05623525	94	0	0	94

	GT2{1}	-.2E+07	0	01733468	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8171717	0	08171717	195	0	0	195
	GT2P2{1}	862494	0	0 862494	152	0	0	152
	GT3P3{1}	2439594	0	02439594	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244703	0	03244703	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088388	0	03088388	1357	0	0	1357
+440 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623465	0	05623465	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733468	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2547490	0	02547490	101	0	0	101
	Pressure 2{1}	2595961	0	02595961	-124	0	0	124
	Pressure 3{1}	2595905	0	02595905	-107	0	0	107
	GT1{1}	5623466	0	05623466	94	0	0	94
	GT2{1}	-.2E+07	0	01733467	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8170956	0	08170956	195	0	0	195
	GT2P2{1}	862494	0	0 862494	152	0	0	152
	GT3P3{1}	2439591	0	02439591	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244696	0	03244696	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088382	0	03088382	1357	0	0	1357
+441 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623465	0	05623465	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733468	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2547490	0	02547490	101	0	0	101
	Pressure 2{1}	2595961	0	02595961	-124	0	0	124
	Pressure 3{1}	2595905	0	02595905	-107	0	0	107
	GT1{1}	5623466	0	05623466	94	0	0	94
	GT2{1}	-.2E+07	0	01733467	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8170956	0	08170956	195	0	0	195
	GT2P2{1}	862494	0	0 862494	152	0	0	152
	GT3P3{1}	2439591	0	02439591	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244696	0	03244696	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088382	0	03088382	1357	0	0	1357
+441 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623405	0	05623405	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733466	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2546777	0	02546777	101	0	0	101
	Pressure 2{1}	2595959	0	02595959	-124	0	0	124
	Pressure 3{1}	2595903	0	02595903	-107	0	0	107
	GT1{1}	5623406	0	05623406	94	0	0	94
	GT2{1}	-.2E+07	0	01733466	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8170183	0	08170183	195	0	0	195
	GT2P2{1}	862493	0	0 862493	152	0	0	152
	GT3P3{1}	2439588	0	02439588	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244690	0	03244690	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088376	0	03088376	1357	0	0	1357
+442 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623405	0	05623405	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733466	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2546777	0	02546777	101	0	0	101
	Pressure 2{1}	2595959	0	02595959	-124	0	0	124
	Pressure 3{1}	2595903	0	02595903	-107	0	0	107
	GT1{1}	5623406	0	05623406	94	0	0	94

	GT2{1}	-.2E+07	0	01733466	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8170183	0	08170183	195	0	0	195
	GT2P2{1}	862493	0	0 862493	152	0	0	152
	GT3P3{1}	2439588	0	02439588	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156316	0	0 156316	25	0	0	25
	Pressure 1{2}	3244690	0	03244690	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088376	0	03088376	1357	0	0	1357
+442 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623344	0	05623344	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733465	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2546055	0	02546055	101	0	0	101
	Pressure 2{1}	2595957	0	02595957	-124	0	0	124
	Pressure 3{1}	2595900	0	02595900	-107	0	0	107
	GT1{1}	5623345	0	05623345	94	0	0	94
	GT2{1}	-.2E+07	0	01733464	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8169399	0	08169399	195	0	0	195
	GT2P2{1}	862493	0	0 862493	152	0	0	152
	GT3P3{1}	2439586	0	02439586	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244684	0	03244684	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088370	0	03088370	1357	0	0	1357
+443 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623344	0	05623344	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733465	56	0	0	56
	Thermal 3{1}	-156315	0	0 156315	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2546055	0	02546055	101	0	0	101
	Pressure 2{1}	2595957	0	02595957	-124	0	0	124
	Pressure 3{1}	2595900	0	02595900	-107	0	0	107
	GT1{1}	5623345	0	05623345	94	0	0	94
	GT2{1}	-.2E+07	0	01733464	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8169399	0	08169399	195	0	0	195
	GT2P2{1}	862493	0	0 862493	152	0	0	152
	GT3P3{1}	2439586	0	02439586	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244684	0	03244684	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088370	0	03088370	1357	0	0	1357
+443 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623282	0	05623282	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733463	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2545321	0	02545321	101	0	0	101
	Pressure 2{1}	2595955	0	02595955	-124	0	0	124
	Pressure 3{1}	2595897	0	02595897	-107	0	0	107
	GT1{1}	5623283	0	05623283	94	0	0	94
	GT2{1}	-.2E+07	0	01733463	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8168604	0	08168604	195	0	0	195
	GT2P2{1}	862492	0	0 862492	152	0	0	152
	GT3P3{1}	2439583	0	02439583	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244678	0	03244678	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088364	0	03088364	1357	0	0	1357
+444 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623282	0	05623282	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733463	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2545321	0	02545321	101	0	0	101
	Pressure 2{1}	2595955	0	02595955	-124	0	0	124
	Pressure 3{1}	2595897	0	02595897	-107	0	0	107
	GT1{1}	5623283	0	05623283	94	0	0	94

	GT2{1}	-.2E+07	0	01733463	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8168604	0	08168604	195	0	0	195
	GT2P2{1}	862492	0	0 862492	152	0	0	152
	GT3P3{1}	2439583	0	02439583	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244678	0	03244678	871	0	0	871
	GT3{2}	-156315	0	0 156315	486	0	0	486
	Hydrotest-NL{2}	3088364	0	03088364	1357	0	0	1357
+444 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623220	0	05623220	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733462	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2544576	0	02544576	101	0	0	101
	Pressure 2{1}	2595953	0	02595953	-124	0	0	124
	Pressure 3{1}	2595894	0	02595894	-107	0	0	107
	GT1{1}	5623220	0	05623220	94	0	0	94
	GT2{1}	-.2E+07	0	01733462	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8167796	0	08167796	195	0	0	195
	GT2P2{1}	862491	0	0 862491	152	0	0	152
	GT3P3{1}	2439580	0	02439580	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244672	0	03244672	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088357	0	03088357	1357	0	0	1357
+445 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623220	0	05623220	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733462	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2544576	0	02544576	101	0	0	101
	Pressure 2{1}	2595953	0	02595953	-124	0	0	124
	Pressure 3{1}	2595894	0	02595894	-107	0	0	107
	GT1{1}	5623220	0	05623220	94	0	0	94
	GT2{1}	-.2E+07	0	01733462	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8167796	0	08167796	195	0	0	195
	GT2P2{1}	862491	0	0 862491	152	0	0	152
	GT3P3{1}	2439580	0	02439580	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244672	0	03244672	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088357	0	03088357	1357	0	0	1357
+445 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623156	0	05623156	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733461	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2543821	0	02543821	101	0	0	101
	Pressure 2{1}	2595951	0	02595951	-124	0	0	124
	Pressure 3{1}	2595891	0	02595891	-107	0	0	107
	GT1{1}	5623156	0	05623156	94	0	0	94
	GT2{1}	-.2E+07	0	01733460	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8166977	0	08166977	195	0	0	195
	GT2P2{1}	862491	0	0 862491	152	0	0	152
	GT3P3{1}	2439578	0	02439578	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244665	0	03244665	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088351	0	03088351	1357	0	0	1357
+446 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623156	0	05623156	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733461	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2543821	0	02543821	101	0	0	101
	Pressure 2{1}	2595951	0	02595951	-124	0	0	124
	Pressure 3{1}	2595891	0	02595891	-107	0	0	107
	GT1{1}	5623156	0	05623156	94	0	0	94

	GT2{1}	-.2E+07	0	01733460	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8166977	0	08166977	195	0	0	195
	GT2P2{1}	862491	0	0 862491	152	0	0	152
	GT3P3{1}	2439578	0	02439578	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244665	0	03244665	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088351	0	03088351	1357	0	0	1357
+446 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623091	0	05623091	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733459	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2543055	0	02543055	101	0	0	101
	Pressure 2{1}	2595949	0	02595949	-124	0	0	124
	Pressure 3{1}	2595889	0	02595889	-107	0	0	107
	GT1{1}	5623092	0	05623092	94	0	0	94
	GT2{1}	-.2E+07	0	01733459	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8166147	0	08166147	195	0	0	195
	GT2P2{1}	862490	0	0 862490	152	0	0	152
	GT3P3{1}	2439575	0	02439575	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244659	0	03244659	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088344	0	03088344	1357	0	0	1357
+447 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623091	0	05623091	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733459	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2543055	0	02543055	101	0	0	101
	Pressure 2{1}	2595949	0	02595949	-124	0	0	124
	Pressure 3{1}	2595889	0	02595889	-107	0	0	107
	GT1{1}	5623092	0	05623092	94	0	0	94
	GT2{1}	-.2E+07	0	01733459	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8166147	0	08166147	195	0	0	195
	GT2P2{1}	862490	0	0 862490	152	0	0	152
	GT3P3{1}	2439575	0	02439575	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244659	0	03244659	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088344	0	03088344	1357	0	0	1357
+447 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623025	0	05623025	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733458	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2542277	0	02542277	101	0	0	101
	Pressure 2{1}	2595947	0	02595947	-124	0	0	124
	Pressure 3{1}	2595886	0	02595886	-107	0	0	107
	GT1{1}	5623026	0	05623026	94	0	0	94
	GT2{1}	-.2E+07	0	01733457	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8165303	0	08165303	195	0	0	195
	GT2P2{1}	862490	0	0 862490	152	0	0	152
	GT3P3{1}	2439572	0	02439572	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244652	0	03244652	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088338	0	03088338	1357	0	0	1357
+448 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5623025	0	05623025	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733458	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2542277	0	02542277	101	0	0	101
	Pressure 2{1}	2595947	0	02595947	-124	0	0	124
	Pressure 3{1}	2595886	0	02595886	-107	0	0	107
	GT1{1}	5623026	0	05623026	94	0	0	94

	GT2{1}	-.2E+07	0	01733457	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8165303	0	08165303	195	0	0	195
	GT2P2{1}	862490	0	0 862490	152	0	0	152
	GT3P3{1}	2439572	0	02439572	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244652	0	03244652	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088338	0	03088338	1357	0	0	1357
+448 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5622959	0	05622959	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733456	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2541488	0	02541488	101	0	0	101
	Pressure 2{1}	2595945	0	02595945	-124	0	0	124
	Pressure 3{1}	2595882	0	02595882	-107	0	0	107
	GT1{1}	5622959	0	05622959	94	0	0	94
	GT2{1}	-.2E+07	0	01733456	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8164447	0	08164447	195	0	0	195
	GT2P2{1}	862489	0	0 862489	152	0	0	152
	GT3P3{1}	2439569	0	02439569	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244645	0	03244645	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088331	0	03088331	1357	0	0	1357
+449 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5622959	0	05622959	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733456	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2541488	0	02541488	101	0	0	101
	Pressure 2{1}	2595945	0	02595945	-124	0	0	124
	Pressure 3{1}	2595882	0	02595882	-107	0	0	107
	GT1{1}	5622959	0	05622959	94	0	0	94
	GT2{1}	-.2E+07	0	01733456	276	0	0	276
	GT3{1}	-156314	0	0 156314	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8164447	0	08164447	195	0	0	195
	GT2P2{1}	862489	0	0 862489	152	0	0	152
	GT3P3{1}	2439569	0	02439569	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244645	0	03244645	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088331	0	03088331	1357	0	0	1357
+449 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5622891	0	05622891	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733455	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2540688	0	02540688	101	0	0	101
	Pressure 2{1}	2595943	0	02595943	-124	0	0	124
	Pressure 3{1}	2595879	0	02595879	-107	0	0	107
	GT1{1}	5622892	0	05622892	94	0	0	94
	GT2{1}	-.2E+07	0	01733454	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8163580	0	08163580	195	0	0	195
	GT2P2{1}	862488	0	0 862488	152	0	0	152
	GT3P3{1}	2439566	0	02439566	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244638	0	03244638	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088324	0	03088324	1357	0	0	1357
+450 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5622891	0	05622891	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733455	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2540688	0	02540688	101	0	0	101
	Pressure 2{1}	2595943	0	02595943	-124	0	0	124
	Pressure 3{1}	2595879	0	02595879	-107	0	0	107
	GT1{1}	5622892	0	05622892	94	0	0	94

	GT2{1}	-.2E+07	0	01733454	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8163580	0	08163580	195	0	0	195
	GT2P2{1}	862488	0	0 862488	152	0	0	152
	GT3P3{1}	2439566	0	02439566	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244638	0	03244638	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088324	0	03088324	1357	0	0	1357
+450 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5622823	0	05622823	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733453	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2539876	0	02539876	101	0	0	101
	Pressure 2{1}	2595941	0	02595941	-124	0	0	124
	Pressure 3{1}	2595876	0	02595876	-107	0	0	107
	GT1{1}	5622824	0	05622824	94	0	0	94
	GT2{1}	-.2E+07	0	01733453	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8162699	0	08162699	195	0	0	195
	GT2P2{1}	862488	0	0 862488	152	0	0	152
	GT3P3{1}	2439563	0	02439563	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244631	0	03244631	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088318	0	03088318	1357	0	0	1357
+451 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5622823	0	05622823	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733453	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2539876	0	02539876	101	0	0	101
	Pressure 2{1}	2595941	0	02595941	-124	0	0	124
	Pressure 3{1}	2595876	0	02595876	-107	0	0	107
	GT1{1}	5622824	0	05622824	94	0	0	94
	GT2{1}	-.2E+07	0	01733453	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	0	0	0 0	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8162699	0	08162699	195	0	0	195
	GT2P2{1}	862488	0	0 862488	152	0	0	152
	GT3P3{1}	2439563	0	02439563	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244631	0	03244631	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088318	0	03088318	1357	0	0	1357
+451 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5622753	0	05622753	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733452	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2539051	0	02539051	101	0	0	101
	Pressure 2{1}	2595938	0	02595938	-124	0	0	124
	Pressure 3{1}	2595873	0	02595873	-107	0	0	107
	GT1{1}	5622754	0	05622754	94	0	0	94
	GT2{1}	-.2E+07	0	01733451	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8161805	0	08161805	195	0	0	195
	GT2P2{1}	862487	0	0 862487	152	0	0	152
	GT3P3{1}	2439560	0	02439560	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244624	0	03244624	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088311	0	03088311	1357	0	0	1357
+452 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5622753	0	05622753	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733452	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2539051	0	02539051	101	0	0	101
	Pressure 2{1}	2595938	0	02595938	-124	0	0	124
	Pressure 3{1}	2595873	0	02595873	-107	0	0	107
	GT1{1}	5622754	0	05622754	94	0	0	94

	GT2{1}	-.2E+07	0	01733451	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8161805	0	08161805	195	0	0	195
	GT2P2{1}	862487	0	0 862487	152	0	0	152
	GT3P3{1}	2439560	0	02439560	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244624	0	03244624	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088311	0	03088311	1357	0	0	1357
+452 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5622683	0	05622683	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733450	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2538215	0	02538215	101	0	0	101
	Pressure 2{1}	2595936	0	02595936	-124	0	0	124
	Pressure 3{1}	2595870	0	02595870	-107	0	0	107
	GT1{1}	5622683	0	05622683	94	0	0	94
	GT2{1}	-.2E+07	0	01733450	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8160898	0	08160898	195	0	0	195
	GT2P2{1}	862486	0	0 862486	152	0	0	152
	GT3P3{1}	2439557	0	02439557	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244617	0	03244617	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088303	0	03088303	1357	0	0	1357
+453 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5622683	0	05622683	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733450	56	0	0	56
	Thermal 3{1}	-156314	0	0 156314	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2538215	0	02538215	101	0	0	101
	Pressure 2{1}	2595936	0	02595936	-124	0	0	124
	Pressure 3{1}	2595870	0	02595870	-107	0	0	107
	GT1{1}	5622683	0	05622683	94	0	0	94
	GT2{1}	-.2E+07	0	01733450	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8160898	0	08160898	195	0	0	195
	GT2P2{1}	862486	0	0 862486	152	0	0	152
	GT3P3{1}	2439557	0	02439557	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244617	0	03244617	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088303	0	03088303	1357	0	0	1357
+453 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5622611	0	05622611	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733449	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2537366	0	02537366	101	0	0	101
	Pressure 2{1}	2595934	0	02595934	-124	0	0	124
	Pressure 3{1}	2595867	0	02595867	-107	0	0	107
	GT1{1}	5622612	0	05622612	94	0	0	94
	GT2{1}	-.2E+07	0	01733448	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8159978	0	08159978	195	0	0	195
	GT2P2{1}	862486	0	0 862486	152	0	0	152
	GT3P3{1}	2439554	0	02439554	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244610	0	03244610	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088297	0	03088297	1357	0	0	1357
+454 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5622611	0	05622611	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733449	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2537366	0	02537366	101	0	0	101
	Pressure 2{1}	2595934	0	02595934	-124	0	0	124
	Pressure 3{1}	2595867	0	02595867	-107	0	0	107
	GT1{1}	5622612	0	05622612	94	0	0	94

	GT2{1}	-.2E+07	0	01733448	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8159978	0	08159978	195	0	0	195
	GT2P2{1}	862486	0	0 862486	152	0	0	152
	GT3P3{1}	2439554	0	02439554	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156315	0	0 156315	25	0	0	25
	Pressure 1{2}	3244610	0	03244610	871	0	0	871
	GT3{2}	-156314	0	0 156314	486	0	0	486
	Hydrotest-NL{2}	3088297	0	03088297	1357	0	0	1357
+454 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5622538	0	05622538	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733447	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2536505	0	02536505	101	0	0	101
	Pressure 2{1}	2595932	0	02595932	-124	0	0	124
	Pressure 3{1}	2595864	0	02595864	-107	0	0	107
	GT1{1}	5622539	0	05622539	94	0	0	94
	GT2{1}	-.2E+07	0	01733446	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8159044	0	08159044	195	0	0	195
	GT2P2{1}	862485	0	0 862485	152	0	0	152
	GT3P3{1}	2439551	0	02439551	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244603	0	03244603	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088289	0	03088289	1357	0	0	1357
+455 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5622538	0	05622538	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733447	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2536505	0	02536505	101	0	0	101
	Pressure 2{1}	2595932	0	02595932	-124	0	0	124
	Pressure 3{1}	2595864	0	02595864	-107	0	0	107
	GT1{1}	5622539	0	05622539	94	0	0	94
	GT2{1}	-.2E+07	0	01733446	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	0	0	0 0	272	0	0	272
	GT1P1{1}	8159044	0	08159044	195	0	0	195
	GT2P2{1}	862485	0	0 862485	152	0	0	152
	GT3P3{1}	2439551	0	02439551	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244603	0	03244603	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088289	0	03088289	1357	0	0	1357
+455 +	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5622465	0	05622465	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733445	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2535632	0	02535632	101	0	0	101
	Pressure 2{1}	2595929	0	02595929	-124	0	0	124
	Pressure 3{1}	2595860	0	02595860	-107	0	0	107
	GT1{1}	5622466	0	05622466	94	0	0	94
	GT2{1}	-.2E+07	0	01733445	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8158097	0	08158097	195	0	0	195
	GT2P2{1}	862485	0	0 862485	152	0	0	152
	GT3P3{1}	2439548	0	02439548	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244595	0	03244595	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088282	0	03088282	1357	0	0	1357
+456 -	Gravity{1}	0	0	0 0	220	0	0	220
	Thermal 1{1}	5622465	0	05622465	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733445	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2535632	0	02535632	101	0	0	101
	Pressure 2{1}	2595929	0	02595929	-124	0	0	124
	Pressure 3{1}	2595860	0	02595860	-107	0	0	107
	GT1{1}	5622466	0	05622466	94	0	0	94

	GT2{1}	-.2E+07	0	01733445	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8158097	0	08158097	195	0	0	195
	GT2P2{1}	862485	0	0 862485	152	0	0	152
	GT3P3{1}	2439548	0	02439548	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244595	0	03244595	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088282	0	03088282	1357	0	0	1357
+456 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5622390	0	05622390	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733444	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2534745	0	02534745	101	0	0	101
	Pressure 2{1}	2595927	0	02595927	-124	0	0	124
	Pressure 3{1}	2595857	0	02595857	-107	0	0	107
	GT1{1}	5622390	0	05622390	94	0	0	94
	GT2{1}	-.2E+07	0	01733443	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8157136	0	08157136	195	0	0	195
	GT2P2{1}	862484	0	0 862484	152	0	0	152
	GT3P3{1}	2439544	0	02439544	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244588	0	03244588	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088274	0	03088274	1357	0	0	1357
+457 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5622390	0	05622390	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733444	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2534745	0	02534745	101	0	0	101
	Pressure 2{1}	2595927	0	02595927	-124	0	0	124
	Pressure 3{1}	2595857	0	02595857	-107	0	0	107
	GT1{1}	5622390	0	05622390	94	0	0	94
	GT2{1}	-.2E+07	0	01733443	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8157136	0	08157136	195	0	0	195
	GT2P2{1}	862484	0	0 862484	152	0	0	152
	GT3P3{1}	2439544	0	02439544	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244588	0	03244588	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088274	0	03088274	1357	0	0	1357
+457 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5622314	0	05622314	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733442	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2533846	0	02533846	101	0	0	101
	Pressure 2{1}	2595925	0	02595925	-124	0	0	124
	Pressure 3{1}	2595854	0	02595854	-107	0	0	107
	GT1{1}	5622315	0	05622315	94	0	0	94
	GT2{1}	-.2E+07	0	01733441	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8156160	0	08156160	195	0	0	195
	GT2P2{1}	862483	0	0 862483	152	0	0	152
	GT3P3{1}	2439541	0	02439541	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244580	0	03244580	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088267	0	03088267	1357	0	0	1357
+458 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5622314	0	05622314	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733442	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2533846	0	02533846	101	0	0	101
	Pressure 2{1}	2595925	0	02595925	-124	0	0	124
	Pressure 3{1}	2595854	0	02595854	-107	0	0	107
	GT1{1}	5622315	0	05622315	94	0	0	94

	GT2{1}	-.2E+07	0	01733441	276	0	0	276
	GT3{1}	-156313	0	0 156313	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	0	0	0 0	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8156160	0	08156160	195	0	0	195
	GT2P2{1}	862483	0	0 862483	152	0	0	152
	GT3P3{1}	2439541	0	02439541	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244580	0	03244580	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088267	0	03088267	1357	0	0	1357
+458 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5622237	0	05622237	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733440	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2532933	0	02532933	101	0	0	101
	Pressure 2{1}	2595922	0	02595922	-124	0	0	124
	Pressure 3{1}	2595850	0	02595850	-107	0	0	107
	GT1{1}	5622238	0	05622238	94	0	0	94
	GT2{1}	-.2E+07	0	01733440	276	0	0	276
	GT3{1}	-156312	0	0 156312	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8155171	0	08155171	195	0	0	195
	GT2P2{1}	862482	0	0 862482	152	0	0	152
	GT3P3{1}	2439538	0	02439538	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244572	0	03244572	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088259	0	03088259	1357	0	0	1357
+459 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5622237	0	05622237	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733440	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2532933	0	02532933	101	0	0	101
	Pressure 2{1}	2595922	0	02595922	-124	0	0	124
	Pressure 3{1}	2595850	0	02595850	-107	0	0	107
	GT1{1}	5622238	0	05622238	94	0	0	94
	GT2{1}	-.2E+07	0	01733440	276	0	0	276
	GT3{1}	-156312	0	0 156312	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8155171	0	08155171	195	0	0	195
	GT2P2{1}	862482	0	0 862482	152	0	0	152
	GT3P3{1}	2439538	0	02439538	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244572	0	03244572	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088259	0	03088259	1357	0	0	1357
+459 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5622159	0	05622159	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733439	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2532007	0	02532007	101	0	0	101
	Pressure 2{1}	2595920	0	02595920	-124	0	0	124
	Pressure 3{1}	2595847	0	02595847	-107	0	0	107
	GT1{1}	5622160	0	05622160	94	0	0	94
	GT2{1}	-.2E+07	0	01733438	276	0	0	276
	GT3{1}	-156312	0	0 156312	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8154166	0	08154166	195	0	0	195
	GT2P2{1}	862482	0	0 862482	152	0	0	152
	GT3P3{1}	2439534	0	02439534	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244564	0	03244564	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088251	0	03088251	1357	0	0	1357
+460 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5622159	0	05622159	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733439	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2532007	0	02532007	101	0	0	101
	Pressure 2{1}	2595920	0	02595920	-124	0	0	124
	Pressure 3{1}	2595847	0	02595847	-107	0	0	107
	GT1{1}	5622160	0	05622160	94	0	0	94

	GT2{1}	-.2E+07	0	01733438	276	0	0	276
	GT3{1}	-156312	0	0 156312	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8154166	0	08154166	195	0	0	195
	GT2P2{1}	862482	0	0 862482	152	0	0	152
	GT3P3{1}	2439534	0	02439534	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244564	0	03244564	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088251	0	03088251	1357	0	0	1357
+460 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5622080	0	05622080	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733437	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2531068	0	02531068	101	0	0	101
	Pressure 2{1}	2595917	0	02595917	-124	0	0	124
	Pressure 3{1}	2595843	0	02595843	-107	0	0	107
	GT1{1}	5622080	0	05622080	94	0	0	94
	GT2{1}	-.2E+07	0	01733436	276	0	0	276
	GT3{1}	-156312	0	0 156312	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8153148	0	08153148	195	0	0	195
	GT2P2{1}	862481	0	0 862481	152	0	0	152
	GT3P3{1}	2439531	0	02439531	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244556	0	03244556	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088243	0	03088243	1357	0	0	1357
+461 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5622080	0	05622080	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733437	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2531068	0	02531068	101	0	0	101
	Pressure 2{1}	2595917	0	02595917	-124	0	0	124
	Pressure 3{1}	2595843	0	02595843	-107	0	0	107
	GT1{1}	5622080	0	05622080	94	0	0	94
	GT2{1}	-.2E+07	0	01733436	276	0	0	276
	GT3{1}	-156312	0	0 156312	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8153148	0	08153148	195	0	0	195
	GT2P2{1}	862481	0	0 862481	152	0	0	152
	GT3P3{1}	2439531	0	02439531	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244556	0	03244556	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088243	0	03088243	1357	0	0	1357
+461 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5621999	0	05621999	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733435	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2530114	0	02530114	101	0	0	101
	Pressure 2{1}	2595915	0	02595915	-124	0	0	124
	Pressure 3{1}	2595839	0	02595839	-107	0	0	107
	GT1{1}	5622000	0	05622000	94	0	0	94
	GT2{1}	-.2E+07	0	01733434	276	0	0	276
	GT3{1}	-156312	0	0 156312	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8152114	0	08152114	195	0	0	195
	GT2P2{1}	862480	0	0 862480	152	0	0	152
	GT3P3{1}	2439527	0	02439527	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244548	0	03244548	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088235	0	03088235	1357	0	0	1357
+462 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5621999	0	05621999	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733435	56	0	0	56
	Thermal 3{1}	-156313	0	0 156313	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2530114	0	02530114	101	0	0	101
	Pressure 2{1}	2595915	0	02595915	-124	0	0	124
	Pressure 3{1}	2595839	0	02595839	-107	0	0	107
	GT1{1}	5622000	0	05622000	94	0	0	94

	GT2{1}	-.2E+07	0	01733434	276	0	0	276
	GT3{1}	-156312	0	0 156312	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8152114	0	08152114	195	0	0	195
	GT2P2{1}	862480	0	0 862480	152	0	0	152
	GT3P3{1}	2439527	0	02439527	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244548	0	03244548	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088235	0	03088235	1357	0	0	1357
+462 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5621917	0	05621917	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733433	56	0	0	56
	Thermal 3{1}	-156312	0	0 156312	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2529147	0	02529147	101	0	0	101
	Pressure 2{1}	2595912	0	02595912	-124	0	0	124
	Pressure 3{1}	2595836	0	02595836	-107	0	0	107
	GT1{1}	5621918	0	05621918	94	0	0	94
	GT2{1}	-.2E+07	0	01733433	276	0	0	276
	GT3{1}	-156312	0	0 156312	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8151065	0	08151065	195	0	0	195
	GT2P2{1}	862480	0	0 862480	152	0	0	152
	GT3P3{1}	2439524	0	02439524	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244540	0	03244540	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088227	0	03088227	1357	0	0	1357
+463 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5621917	0	05621917	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733433	56	0	0	56
	Thermal 3{1}	-156312	0	0 156312	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2529147	0	02529147	101	0	0	101
	Pressure 2{1}	2595912	0	02595912	-124	0	0	124
	Pressure 3{1}	2595836	0	02595836	-107	0	0	107
	GT1{1}	5621918	0	05621918	94	0	0	94
	GT2{1}	-.2E+07	0	01733433	276	0	0	276
	GT3{1}	-156312	0	0 156312	242	0	0	242
	GW1{1}	0	0	0 0	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8151065	0	08151065	195	0	0	195
	GT2P2{1}	862480	0	0 862480	152	0	0	152
	GT3P3{1}	2439524	0	02439524	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244540	0	03244540	871	0	0	871
	GT3{2}	-156313	0	0 156313	486	0	0	486
	Hydrotest-NL{2}	3088227	0	03088227	1357	0	0	1357
+463 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5621834	0	05621834	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733431	56	0	0	56
	Thermal 3{1}	-156312	0	0 156312	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2528165	0	02528165	101	0	0	101
	Pressure 2{1}	2595909	0	02595909	-124	0	0	124
	Pressure 3{1}	2595832	0	02595832	-107	0	0	107
	GT1{1}	5621835	0	05621835	94	0	0	94
	GT2{1}	-.2E+07	0	01733431	276	0	0	276
	GT3{1}	-156312	0	0 156312	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8150000	0	08150000	195	0	0	195
	GT2P2{1}	862479	0	0 862479	152	0	0	152
	GT3P3{1}	2439520	0	02439520	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244531	0	03244531	871	0	0	871
	GT3{2}	-156312	0	0 156312	486	0	0	486
	Hydrotest-NL{2}	3088219	0	03088219	1357	0	0	1357
+464 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5621834	0	05621834	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733431	56	0	0	56
	Thermal 3{1}	-156312	0	0 156312	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2528165	0	02528165	101	0	0	101
	Pressure 2{1}	2595909	0	02595909	-124	0	0	124
	Pressure 3{1}	2595832	0	02595832	-107	0	0	107
	GT1{1}	5621835	0	05621835	94	0	0	94

	GT2{1}	-.2E+07	0	01733431	276	0	0	276
	GT3{1}	-156312	0	0 156312	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8150000	0	08150000	195	0	0	195
	GT2P2{1}	862479	0	0 862479	152	0	0	152
	GT3P3{1}	2439520	0	02439520	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156314	0	0 156314	25	0	0	25
	Pressure 1{2}	3244531	0	03244531	871	0	0	871
	GT3{2}	-156312	0	0 156312	486	0	0	486
	Hydrotest-NL{2}	3088219	0	03088219	1357	0	0	1357
+464 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5621750	0	05621750	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733429	56	0	0	56
	Thermal 3{1}	-156312	0	0 156312	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2527169	0	02527169	101	0	0	101
	Pressure 2{1}	2595907	0	02595907	-124	0	0	124
	Pressure 3{1}	2595828	0	02595828	-107	0	0	107
	GT1{1}	5621751	0	05621751	94	0	0	94
	GT2{1}	-.2E+07	0	01733429	276	0	0	276
	GT3{1}	-156312	0	0 156312	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8148920	0	08148920	195	0	0	195
	GT2P2{1}	862478	0	0 862478	152	0	0	152
	GT3P3{1}	2439517	0	02439517	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244523	0	03244523	871	0	0	871
	GT3{2}	-156312	0	0 156312	486	0	0	486
	Hydrotest-NL{2}	3088210	0	03088210	1357	0	0	1357
+465 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5621750	0	05621750	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733429	56	0	0	56
	Thermal 3{1}	-156312	0	0 156312	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2527169	0	02527169	101	0	0	101
	Pressure 2{1}	2595907	0	02595907	-124	0	0	124
	Pressure 3{1}	2595828	0	02595828	-107	0	0	107
	GT1{1}	5621751	0	05621751	94	0	0	94
	GT2{1}	-.2E+07	0	01733429	276	0	0	276
	GT3{1}	-156312	0	0 156312	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8148920	0	08148920	195	0	0	195
	GT2P2{1}	862478	0	0 862478	152	0	0	152
	GT3P3{1}	2439517	0	02439517	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244523	0	03244523	871	0	0	871
	GT3{2}	-156312	0	0 156312	486	0	0	486
	Hydrotest-NL{2}	3088210	0	03088210	1357	0	0	1357
+465 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5621665	0	05621665	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733428	56	0	0	56
	Thermal 3{1}	-156312	0	0 156312	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2526159	0	02526159	101	0	0	101
	Pressure 2{1}	2595904	0	02595904	-124	0	0	124
	Pressure 3{1}	2595824	0	02595824	-107	0	0	107
	GT1{1}	5621666	0	05621666	94	0	0	94
	GT2{1}	-.2E+07	0	01733427	276	0	0	276
	GT3{1}	-156311	0	0 156311	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8147824	0	08147824	195	0	0	195
	GT2P2{1}	862477	0	0 862477	152	0	0	152
	GT3P3{1}	2439513	0	02439513	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244514	0	03244514	871	0	0	871
	GT3{2}	-156312	0	0 156312	486	0	0	486
	Hydrotest-NL{2}	3088202	0	03088202	1357	0	0	1357
+466 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5621665	0	05621665	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733428	56	0	0	56
	Thermal 3{1}	-156312	0	0 156312	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2526159	0	02526159	101	0	0	101
	Pressure 2{1}	2595904	0	02595904	-124	0	0	124
	Pressure 3{1}	2595824	0	02595824	-107	0	0	107
	GT1{1}	5621666	0	05621666	94	0	0	94

	GT2{1}	-.2E+07	0	01733427	276	0	0	276
	GT3{1}	-156311	0	0 156311	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8147824	0	08147824	195	0	0	195
	GT2P2{1}	862477	0	0 862477	152	0	0	152
	GT3P3{1}	2439513	0	02439513	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244514	0	03244514	871	0	0	871
	GT3{2}	-156312	0	0 156312	486	0	0	486
	Hydrotest-NL{2}	3088202	0	03088202	1357	0	0	1357
+466 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5621579	0	05621579	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733426	56	0	0	56
	Thermal 3{1}	-156312	0	0 156312	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2525134	0	02525134	101	0	0	101
	Pressure 2{1}	2595901	0	02595901	-124	0	0	124
	Pressure 3{1}	2595820	0	02595820	-107	0	0	107
	GT1{1}	5621579	0	05621579	94	0	0	94
	GT2{1}	-.2E+07	0	01733425	276	0	0	276
	GT3{1}	-156311	0	0 156311	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8146712	0	08146712	195	0	0	195
	GT2P2{1}	862476	0	0 862476	152	0	0	152
	GT3P3{1}	2439509	0	02439509	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244505	0	03244505	871	0	0	871
	GT3{2}	-156312	0	0 156312	486	0	0	486
	Hydrotest-NL{2}	3088193	0	03088193	1357	0	0	1357
+467 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5621579	0	05621579	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733426	56	0	0	56
	Thermal 3{1}	-156312	0	0 156312	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2525134	0	02525134	101	0	0	101
	Pressure 2{1}	2595901	0	02595901	-124	0	0	124
	Pressure 3{1}	2595820	0	02595820	-107	0	0	107
	GT1{1}	5621579	0	05621579	94	0	0	94
	GT2{1}	-.2E+07	0	01733425	276	0	0	276
	GT3{1}	-156311	0	0 156311	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8146712	0	08146712	195	0	0	195
	GT2P2{1}	862476	0	0 862476	152	0	0	152
	GT3P3{1}	2439509	0	02439509	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244505	0	03244505	871	0	0	871
	GT3{2}	-156312	0	0 156312	486	0	0	486
	Hydrotest-NL{2}	3088193	0	03088193	1357	0	0	1357
+467 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5621491	0	05621491	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733424	56	0	0	56
	Thermal 3{1}	-156312	0	0 156312	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2524093	0	02524093	101	0	0	101
	Pressure 2{1}	2595899	0	02595899	-124	0	0	124
	Pressure 3{1}	2595817	0	02595817	-107	0	0	107
	GT1{1}	5621491	0	05621491	94	0	0	94
	GT2{1}	-.2E+07	0	01733423	276	0	0	276
	GT3{1}	-156311	0	0 156311	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8145585	0	08145585	195	0	0	195
	GT2P2{1}	862476	0	0 862476	152	0	0	152
	GT3P3{1}	2439505	0	02439505	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244497	0	03244497	871	0	0	871
	GT3{2}	-156312	0	0 156312	486	0	0	486
	Hydrotest-NL{2}	3088185	0	03088185	1357	0	0	1357
+468 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5621491	0	05621491	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733424	56	0	0	56
	Thermal 3{1}	-156312	0	0 156312	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2524093	0	02524093	101	0	0	101
	Pressure 2{1}	2595899	0	02595899	-124	0	0	124
	Pressure 3{1}	2595817	0	02595817	-107	0	0	107
	GT1{1}	5621491	0	05621491	94	0	0	94

	GT2{1}	-.2E+07	0	01733423	276	0	0	276
	GT3{1}	-156311	0	0 156311	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8145585	0	08145585	195	0	0	195
	GT2P2{1}	862476	0	0 862476	152	0	0	152
	GT3P3{1}	2439505	0	02439505	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244497	0	03244497	871	0	0	871
	GT3{2}	-156312	0	0 156312	486	0	0	486
	Hydrotest-NL{2}	3088185	0	03088185	1357	0	0	1357
+468 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5621402	0	05621402	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733422	56	0	0	56
	Thermal 3{1}	-156312	0	0 156312	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2523038	0	02523038	101	0	0	101
	Pressure 2{1}	2595896	0	02595896	-124	0	0	124
	Pressure 3{1}	2595812	0	02595812	-107	0	0	107
	GT1{1}	5621402	0	05621402	94	0	0	94
	GT2{1}	-.2E+07	0	01733421	276	0	0	276
	GT3{1}	-156311	0	0 156311	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8144440	0	08144440	195	0	0	195
	GT2P2{1}	862475	0	0 862475	152	0	0	152
	GT3P3{1}	2439501	0	02439501	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244487	0	03244487	871	0	0	871
	GT3{2}	-156312	0	0 156312	486	0	0	486
	Hydrotest-NL{2}	3088176	0	03088176	1357	0	0	1357
+469 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5621402	0	05621402	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733422	56	0	0	56
	Thermal 3{1}	-156312	0	0 156312	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2523038	0	02523038	101	0	0	101
	Pressure 2{1}	2595896	0	02595896	-124	0	0	124
	Pressure 3{1}	2595812	0	02595812	-107	0	0	107
	GT1{1}	5621402	0	05621402	94	0	0	94
	GT2{1}	-.2E+07	0	01733421	276	0	0	276
	GT3{1}	-156311	0	0 156311	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8144440	0	08144440	195	0	0	195
	GT2P2{1}	862475	0	0 862475	152	0	0	152
	GT3P3{1}	2439501	0	02439501	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244487	0	03244487	871	0	0	871
	GT3{2}	-156312	0	0 156312	486	0	0	486
	Hydrotest-NL{2}	3088176	0	03088176	1357	0	0	1357
+469 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5621312	0	05621312	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733420	56	0	0	56
	Thermal 3{1}	-156312	0	0 156312	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2521966	0	02521966	101	0	0	101
	Pressure 2{1}	2595893	0	02595893	-124	0	0	124
	Pressure 3{1}	2595808	0	02595808	-107	0	0	107
	GT1{1}	5621312	0	05621312	94	0	0	94
	GT2{1}	-.2E+07	0	01733419	276	0	0	276
	GT3{1}	-156311	0	0 156311	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8143278	0	08143278	195	0	0	195
	GT2P2{1}	862474	0	0 862474	152	0	0	152
	GT3P3{1}	2439497	0	02439497	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244478	0	03244478	871	0	0	871
	GT3{2}	-156312	0	0 156312	486	0	0	486
	Hydrotest-NL{2}	3088167	0	03088167	1357	0	0	1357
+470 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5621312	0	05621312	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733420	56	0	0	56
	Thermal 3{1}	-156312	0	0 156312	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2521966	0	02521966	101	0	0	101
	Pressure 2{1}	2595893	0	02595893	-124	0	0	124
	Pressure 3{1}	2595808	0	02595808	-107	0	0	107
	GT1{1}	5621312	0	05621312	94	0	0	94

	GT2{1}	-.2E+07	0	01733419	276	0	0	276
	GT3{1}	-156311	0	0 156311	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8143278	0	08143278	195	0	0	195
	GT2P2{1}	862474	0	0 862474	152	0	0	152
	GT3P3{1}	2439497	0	02439497	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244478	0	03244478	871	0	0	871
	GT3{2}	-156312	0	0 156312	486	0	0	486
	Hydrotest-NL{2}	3088167	0	03088167	1357	0	0	1357
+470 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5621220	0	05621220	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733418	56	0	0	56
	Thermal 3{1}	-156311	0	0 156311	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2520880	0	02520880	101	0	0	101
	Pressure 2{1}	2595890	0	02595890	-124	0	0	124
	Pressure 3{1}	2595804	0	02595804	-107	0	0	107
	GT1{1}	5621221	0	05621221	94	0	0	94
	GT2{1}	-.2E+07	0	01733417	276	0	0	276
	GT3{1}	-156311	0	0 156311	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8142100	0	08142100	195	0	0	195
	GT2P2{1}	862473	0	0 862473	152	0	0	152
	GT3P3{1}	2439494	0	02439494	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244469	0	03244469	871	0	0	871
	GT3{2}	-156311	0	0 156311	486	0	0	486
	Hydrotest-NL{2}	3088158	0	03088158	1357	0	0	1357
+471 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5621220	0	05621220	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733418	56	0	0	56
	Thermal 3{1}	-156311	0	0 156311	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2520880	0	02520880	101	0	0	101
	Pressure 2{1}	2595890	0	02595890	-124	0	0	124
	Pressure 3{1}	2595804	0	02595804	-107	0	0	107
	GT1{1}	5621221	0	05621221	94	0	0	94
	GT2{1}	-.2E+07	0	01733417	276	0	0	276
	GT3{1}	-156311	0	0 156311	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8142100	0	08142100	195	0	0	195
	GT2P2{1}	862473	0	0 862473	152	0	0	152
	GT3P3{1}	2439494	0	02439494	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244469	0	03244469	871	0	0	871
	GT3{2}	-156311	0	0 156311	486	0	0	486
	Hydrotest-NL{2}	3088158	0	03088158	1357	0	0	1357
+471 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5621127	0	05621127	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733416	56	0	0	56
	Thermal 3{1}	-156311	0	0 156311	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2519777	0	02519777	101	0	0	101
	Pressure 2{1}	2595887	0	02595887	-124	0	0	124
	Pressure 3{1}	2595800	0	02595800	-107	0	0	107
	GT1{1}	5621127	0	05621127	94	0	0	94
	GT2{1}	-.2E+07	0	01733415	276	0	0	276
	GT3{1}	-156311	0	0 156311	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8140904	0	08140904	195	0	0	195
	GT2P2{1}	862472	0	0 862472	152	0	0	152
	GT3P3{1}	2439489	0	02439489	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244460	0	03244460	871	0	0	871
	GT3{2}	-156311	0	0 156311	486	0	0	486
	Hydrotest-NL{2}	3088148	0	03088148	1357	0	0	1357
+472 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5621127	0	05621127	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733416	56	0	0	56
	Thermal 3{1}	-156311	0	0 156311	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2519777	0	02519777	101	0	0	101
	Pressure 2{1}	2595887	0	02595887	-124	0	0	124
	Pressure 3{1}	2595800	0	02595800	-107	0	0	107
	GT1{1}	5621127	0	05621127	94	0	0	94

	GT2{1}	-.2E+07	0	01733415	276	0	0	276
	GT3{1}	-156311	0	0 156311	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8140904	0	08140904	195	0	0	195
	GT2P2{1}	862472	0	0 862472	152	0	0	152
	GT3P3{1}	2439489	0	02439489	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156313	0	0 156313	25	0	0	25
	Pressure 1{2}	3244460	0	03244460	871	0	0	871
	GT3{2}	-156311	0	0 156311	486	0	0	486
	Hydrotest-NL{2}	3088148	0	03088148	1357	0	0	1357
+472 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5621033	0	05621033	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733413	56	0	0	56
	Thermal 3{1}	-156311	0	0 156311	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2518658	0	02518658	101	0	0	101
	Pressure 2{1}	2595884	0	02595884	-124	0	0	124
	Pressure 3{1}	2595796	0	02595796	-107	0	0	107
	GT1{1}	5621033	0	05621033	94	0	0	94
	GT2{1}	-.2E+07	0	01733413	276	0	0	276
	GT3{1}	-156311	0	0 156311	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8139691	0	08139691	195	0	0	195
	GT2P2{1}	862472	0	0 862472	152	0	0	152
	GT3P3{1}	2439485	0	02439485	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156312	0	0 156312	25	0	0	25
	Pressure 1{2}	3244450	0	03244450	871	0	0	871
	GT3{2}	-156311	0	0 156311	486	0	0	486
	Hydrotest-NL{2}	3088139	0	03088139	1357	0	0	1357
+473 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5621033	0	05621033	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733413	56	0	0	56
	Thermal 3{1}	-156311	0	0 156311	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2518658	0	02518658	101	0	0	101
	Pressure 2{1}	2595884	0	02595884	-124	0	0	124
	Pressure 3{1}	2595796	0	02595796	-107	0	0	107
	GT1{1}	5621033	0	05621033	94	0	0	94
	GT2{1}	-.2E+07	0	01733413	276	0	0	276
	GT3{1}	-156311	0	0 156311	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8139691	0	08139691	195	0	0	195
	GT2P2{1}	862472	0	0 862472	152	0	0	152
	GT3P3{1}	2439485	0	02439485	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156312	0	0 156312	25	0	0	25
	Pressure 1{2}	3244450	0	03244450	871	0	0	871
	GT3{2}	-156311	0	0 156311	486	0	0	486
	Hydrotest-NL{2}	3088139	0	03088139	1357	0	0	1357
+473 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5620936	0	05620936	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733411	56	0	0	56
	Thermal 3{1}	-156311	0	0 156311	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2517523	0	02517523	101	0	0	101
	Pressure 2{1}	2595881	0	02595881	-124	0	0	124
	Pressure 3{1}	2595792	0	02595792	-107	0	0	107
	GT1{1}	5620937	0	05620937	94	0	0	94
	GT2{1}	-.2E+07	0	01733411	276	0	0	276
	GT3{1}	-156310	0	0 156310	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8138460	0	08138460	195	0	0	195
	GT2P2{1}	862471	0	0 862471	152	0	0	152
	GT3P3{1}	2439481	0	02439481	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156312	0	0 156312	25	0	0	25
	Pressure 1{2}	3244440	0	03244440	871	0	0	871
	GT3{2}	-156311	0	0 156311	486	0	0	486
	Hydrotest-NL{2}	3088129	0	03088129	1357	0	0	1357
+474 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5620936	0	05620936	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733411	56	0	0	56
	Thermal 3{1}	-156311	0	0 156311	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2517523	0	02517523	101	0	0	101
	Pressure 2{1}	2595881	0	02595881	-124	0	0	124
	Pressure 3{1}	2595792	0	02595792	-107	0	0	107
	GT1{1}	5620937	0	05620937	94	0	0	94

	GT2{1}	-.2E+07	0	01733411	276	0	0	276
	GT3{1}	-156310	0	0 156310	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8138460	0	08138460	195	0	0	195
	GT2P2{1}	862471	0	0 862471	152	0	0	152
	GT3P3{1}	2439481	0	02439481	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156312	0	0 156312	25	0	0	25
	Pressure 1{2}	3244440	0	03244440	871	0	0	871
	GT3{2}	-156311	0	0 156311	486	0	0	486
	Hydrotest-NL{2}	3088129	0	03088129	1357	0	0	1357
+474 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5620839	0	05620839	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733409	56	0	0	56
	Thermal 3{1}	-156311	0	0 156311	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2516371	0	02516371	101	0	0	101
	Pressure 2{1}	2595878	0	02595878	-124	0	0	124
	Pressure 3{1}	2595787	0	02595787	-107	0	0	107
	GT1{1}	5620840	0	05620840	94	0	0	94
	GT2{1}	-.2E+07	0	01733408	276	0	0	276
	GT3{1}	-156310	0	0 156310	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8137210	0	08137210	195	0	0	195
	GT2P2{1}	862470	0	0 862470	152	0	0	152
	GT3P3{1}	2439477	0	02439477	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156312	0	0 156312	25	0	0	25
	Pressure 1{2}	3244430	0	03244430	871	0	0	871
	GT3{2}	-156311	0	0 156311	486	0	0	486
	Hydrotest-NL{2}	3088119	0	03088119	1357	0	0	1357
+475 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5620839	0	05620839	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733409	56	0	0	56
	Thermal 3{1}	-156311	0	0 156311	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2516371	0	02516371	101	0	0	101
	Pressure 2{1}	2595878	0	02595878	-124	0	0	124
	Pressure 3{1}	2595787	0	02595787	-107	0	0	107
	GT1{1}	5620840	0	05620840	94	0	0	94
	GT2{1}	-.2E+07	0	01733408	276	0	0	276
	GT3{1}	-156310	0	0 156310	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8137210	0	08137210	195	0	0	195
	GT2P2{1}	862470	0	0 862470	152	0	0	152
	GT3P3{1}	2439477	0	02439477	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156312	0	0 156312	25	0	0	25
	Pressure 1{2}	3244430	0	03244430	871	0	0	871
	GT3{2}	-156311	0	0 156311	486	0	0	486
	Hydrotest-NL{2}	3088119	0	03088119	1357	0	0	1357
+475 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5620741	0	05620741	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733407	56	0	0	56
	Thermal 3{1}	-156311	0	0 156311	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2515202	0	02515202	101	0	0	101
	Pressure 2{1}	2595875	0	02595875	-124	0	0	124
	Pressure 3{1}	2595783	0	02595783	-107	0	0	107
	GT1{1}	5620741	0	05620741	94	0	0	94
	GT2{1}	-.2E+07	0	01733406	276	0	0	276
	GT3{1}	-156310	0	0 156310	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8135943	0	08135943	195	0	0	195
	GT2P2{1}	862469	0	0 862469	152	0	0	152
	GT3P3{1}	2439473	0	02439473	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156312	0	0 156312	25	0	0	25
	Pressure 1{2}	3244420	0	03244420	871	0	0	871
	GT3{2}	-156311	0	0 156311	486	0	0	486
	Hydrotest-NL{2}	3088110	0	03088110	1357	0	0	1357
+476 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5620741	0	05620741	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733407	56	0	0	56
	Thermal 3{1}	-156311	0	0 156311	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2515202	0	02515202	101	0	0	101
	Pressure 2{1}	2595875	0	02595875	-124	0	0	124
	Pressure 3{1}	2595783	0	02595783	-107	0	0	107
	GT1{1}	5620741	0	05620741	94	0	0	94

	GT2{1}	-.2E+07	0	01733406	276	0	0	276
	GT3{1}	-156310	0	0 156310	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8135943	0	08135943	195	0	0	195
	GT2P2{1}	862469	0	0 862469	152	0	0	152
	GT3P3{1}	2439473	0	02439473	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156312	0	0 156312	25	0	0	25
	Pressure 1{2}	3244420	0	03244420	871	0	0	871
	GT3{2}	-156311	0	0 156311	486	0	0	486
	Hydrotest-NL{2}	3088110	0	03088110	1357	0	0	1357
+476 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5620641	0	05620641	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733405	56	0	0	56
	Thermal 3{1}	-156311	0	0 156311	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2514016	0	02514016	101	0	0	101
	Pressure 2{1}	2595872	0	02595872	-124	0	0	124
	Pressure 3{1}	2595778	0	02595778	-107	0	0	107
	GT1{1}	5620641	0	05620641	94	0	0	94
	GT2{1}	-.2E+07	0	01733404	276	0	0	276
	GT3{1}	-156310	0	0 156310	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8134657	0	08134657	195	0	0	195
	GT2P2{1}	862468	0	0 862468	152	0	0	152
	GT3P3{1}	2439468	0	02439468	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156312	0	0 156312	25	0	0	25
	Pressure 1{2}	3244410	0	03244410	871	0	0	871
	GT3{2}	-156311	0	0 156311	486	0	0	486
	Hydrotest-NL{2}	3088099	0	03088099	1357	0	0	1357
+477 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5620641	0	05620641	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733405	56	0	0	56
	Thermal 3{1}	-156311	0	0 156311	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2514016	0	02514016	101	0	0	101
	Pressure 2{1}	2595872	0	02595872	-124	0	0	124
	Pressure 3{1}	2595778	0	02595778	-107	0	0	107
	GT1{1}	5620641	0	05620641	94	0	0	94
	GT2{1}	-.2E+07	0	01733404	276	0	0	276
	GT3{1}	-156310	0	0 156310	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8134657	0	08134657	195	0	0	195
	GT2P2{1}	862468	0	0 862468	152	0	0	152
	GT3P3{1}	2439468	0	02439468	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156312	0	0 156312	25	0	0	25
	Pressure 1{2}	3244410	0	03244410	871	0	0	871
	GT3{2}	-156311	0	0 156311	486	0	0	486
	Hydrotest-NL{2}	3088099	0	03088099	1357	0	0	1357
+477 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5620539	0	05620539	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733403	56	0	0	56
	Thermal 3{1}	-156310	0	0 156310	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2512813	0	02512813	101	0	0	101
	Pressure 2{1}	2595869	0	02595869	-124	0	0	124
	Pressure 3{1}	2595774	0	02595774	-107	0	0	107
	GT1{1}	5620539	0	05620539	94	0	0	94
	GT2{1}	-.2E+07	0	01733402	276	0	0	276
	GT3{1}	-156310	0	0 156310	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8133352	0	08133352	195	0	0	195
	GT2P2{1}	862467	0	0 862467	152	0	0	152
	GT3P3{1}	2439464	0	02439464	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156312	0	0 156312	25	0	0	25
	Pressure 1{2}	3244400	0	03244400	871	0	0	871
	GT3{2}	-156311	0	0 156311	486	0	0	486
	Hydrotest-NL{2}	3088089	0	03088089	1357	0	0	1357
+478 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5620539	0	05620539	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733403	56	0	0	56
	Thermal 3{1}	-156310	0	0 156310	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2512813	0	02512813	101	0	0	101
	Pressure 2{1}	2595869	0	02595869	-124	0	0	124
	Pressure 3{1}	2595774	0	02595774	-107	0	0	107
	GT1{1}	5620539	0	05620539	94	0	0	94

	GT2{1}	-.2E+07	0	01733402	276	0	0	276
	GT3{1}	-156310	0	0 156310	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8133352	0	08133352	195	0	0	195
	GT2P2{1}	862467	0	0 862467	152	0	0	152
	GT3P3{1}	2439464	0	02439464	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156312	0	0 156312	25	0	0	25
	Pressure 1{2}	3244400	0	03244400	871	0	0	871
	GT3{2}	-156311	0	0 156311	486	0	0	486
	Hydrotest-NL{2}	3088089	0	03088089	1357	0	0	1357
+478 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5620436	0	05620436	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733400	56	0	0	56
	Thermal 3{1}	-156310	0	0 156310	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2511592	0	02511592	101	0	0	101
	Pressure 2{1}	2595866	0	02595866	-124	0	0	124
	Pressure 3{1}	2595769	0	02595769	-107	0	0	107
	GT1{1}	5620437	0	05620437	94	0	0	94
	GT2{1}	-.2E+07	0	01733400	276	0	0	276
	GT3{1}	-156310	0	0 156310	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8132028	0	08132028	195	0	0	195
	GT2P2{1}	862466	0	0 862466	152	0	0	152
	GT3P3{1}	2439459	0	02439459	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156312	0	0 156312	25	0	0	25
	Pressure 1{2}	3244390	0	03244390	871	0	0	871
	GT3{2}	-156310	0	0 156310	486	0	0	486
	Hydrotest-NL{2}	3088079	0	03088079	1357	0	0	1357
+479 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5620436	0	05620436	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733400	56	0	0	56
	Thermal 3{1}	-156310	0	0 156310	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2511592	0	02511592	101	0	0	101
	Pressure 2{1}	2595866	0	02595866	-124	0	0	124
	Pressure 3{1}	2595769	0	02595769	-107	0	0	107
	GT1{1}	5620437	0	05620437	94	0	0	94
	GT2{1}	-.2E+07	0	01733400	276	0	0	276
	GT3{1}	-156310	0	0 156310	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8132028	0	08132028	195	0	0	195
	GT2P2{1}	862466	0	0 862466	152	0	0	152
	GT3P3{1}	2439459	0	02439459	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156312	0	0 156312	25	0	0	25
	Pressure 1{2}	3244390	0	03244390	871	0	0	871
	GT3{2}	-156310	0	0 156310	486	0	0	486
	Hydrotest-NL{2}	3088079	0	03088079	1357	0	0	1357
+479 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5620331	0	05620331	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733398	56	0	0	56
	Thermal 3{1}	-156310	0	0 156310	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2510353	0	02510353	101	0	0	101
	Pressure 2{1}	2595862	0	02595862	-124	0	0	124
	Pressure 3{1}	2595764	0	02595764	-107	0	0	107
	GT1{1}	5620332	0	05620332	94	0	0	94
	GT2{1}	-.2E+07	0	01733397	276	0	0	276
	GT3{1}	-156309	0	0 156309	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8130684	0	08130684	195	0	0	195
	GT2P2{1}	862465	0	0 862465	152	0	0	152
	GT3P3{1}	2439455	0	02439455	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156312	0	0 156312	25	0	0	25
	Pressure 1{2}	3244379	0	03244379	871	0	0	871
	GT3{2}	-156310	0	0 156310	486	0	0	486
	Hydrotest-NL{2}	3088069	0	03088069	1357	0	0	1357
+480 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5620331	0	05620331	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733398	56	0	0	56
	Thermal 3{1}	-156310	0	0 156310	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2510353	0	02510353	101	0	0	101
	Pressure 2{1}	2595862	0	02595862	-124	0	0	124
	Pressure 3{1}	2595764	0	02595764	-107	0	0	107
	GT1{1}	5620332	0	05620332	94	0	0	94

	GT2{1}	-.2E+07	0	01733397	276	0	0	276
	GT3{1}	-156309	0	0 156309	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8130684	0	08130684	195	0	0	195
	GT2P2{1}	862465	0	0 862465	152	0	0	152
	GT3P3{1}	2439455	0	02439455	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156312	0	0 156312	25	0	0	25
	Pressure 1{2}	3244379	0	03244379	871	0	0	871
	GT3{2}	-156310	0	0 156310	486	0	0	486
	Hydrotest-NL{2}	3088069	0	03088069	1357	0	0	1357
+480 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5620225	0	05620225	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733396	56	0	0	56
	Thermal 3{1}	-156310	0	0 156310	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2509095	0	02509095	101	0	0	101
	Pressure 2{1}	2595859	0	02595859	-124	0	0	124
	Pressure 3{1}	2595759	0	02595759	-107	0	0	107
	GT1{1}	5620226	0	05620226	94	0	0	94
	GT2{1}	-.2E+07	0	01733395	276	0	0	276
	GT3{1}	-156309	0	0 156309	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8129321	0	08129321	195	0	0	195
	GT2P2{1}	862464	0	0 862464	152	0	0	152
	GT3P3{1}	2439450	0	02439450	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156311	0	0 156311	25	0	0	25
	Pressure 1{2}	3244368	0	03244368	871	0	0	871
	GT3{2}	-156310	0	0 156310	486	0	0	486
	Hydrotest-NL{2}	3088058	0	03088058	1357	0	0	1357
+481 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5620225	0	05620225	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733396	56	0	0	56
	Thermal 3{1}	-156310	0	0 156310	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2509095	0	02509095	101	0	0	101
	Pressure 2{1}	2595859	0	02595859	-124	0	0	124
	Pressure 3{1}	2595759	0	02595759	-107	0	0	107
	GT1{1}	5620226	0	05620226	94	0	0	94
	GT2{1}	-.2E+07	0	01733395	276	0	0	276
	GT3{1}	-156309	0	0 156309	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8129321	0	08129321	195	0	0	195
	GT2P2{1}	862464	0	0 862464	152	0	0	152
	GT3P3{1}	2439450	0	02439450	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156311	0	0 156311	25	0	0	25
	Pressure 1{2}	3244368	0	03244368	871	0	0	871
	GT3{2}	-156310	0	0 156310	486	0	0	486
	Hydrotest-NL{2}	3088058	0	03088058	1357	0	0	1357
+481 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5620118	0	05620118	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733393	56	0	0	56
	Thermal 3{1}	-156310	0	0 156310	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2507820	0	02507820	101	0	0	101
	Pressure 2{1}	2595856	0	02595856	-124	0	0	124
	Pressure 3{1}	2595755	0	02595755	-107	0	0	107
	GT1{1}	5620119	0	05620119	94	0	0	94
	GT2{1}	-.2E+07	0	01733392	276	0	0	276
	GT3{1}	-156309	0	0 156309	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8127939	0	08127939	195	0	0	195
	GT2P2{1}	862463	0	0 862463	152	0	0	152
	GT3P3{1}	2439446	0	02439446	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156311	0	0 156311	25	0	0	25
	Pressure 1{2}	3244357	0	03244357	871	0	0	871
	GT3{2}	-156310	0	0 156310	486	0	0	486
	Hydrotest-NL{2}	3088047	0	03088047	1357	0	0	1357
+482 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5620118	0	05620118	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733393	56	0	0	56
	Thermal 3{1}	-156310	0	0 156310	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2507820	0	02507820	101	0	0	101
	Pressure 2{1}	2595856	0	02595856	-124	0	0	124
	Pressure 3{1}	2595755	0	02595755	-107	0	0	107
	GT1{1}	5620119	0	05620119	94	0	0	94

	GT2{1}	-.2E+07	0	01733392	276	0	0	276
	GT3{1}	-156309	0	0 156309	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8127939	0	08127939	195	0	0	195
	GT2P2{1}	862463	0	0 862463	152	0	0	152
	GT3P3{1}	2439446	0	02439446	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156311	0	0 156311	25	0	0	25
	Pressure 1{2}	3244357	0	03244357	871	0	0	871
	GT3{2}	-156310	0	0 156310	486	0	0	486
	Hydrotest-NL{2}	3088047	0	03088047	1357	0	0	1357
+482 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5620008	0	05620008	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733391	56	0	0	56
	Thermal 3{1}	-156310	0	0 156310	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2506526	0	02506526	101	0	0	101
	Pressure 2{1}	2595852	0	02595852	-124	0	0	124
	Pressure 3{1}	2595750	0	02595750	-107	0	0	107
	GT1{1}	5620009	0	05620009	94	0	0	94
	GT2{1}	-.2E+07	0	01733390	276	0	0	276
	GT3{1}	-156309	0	0 156309	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8126535	0	08126535	195	0	0	195
	GT2P2{1}	862462	0	0 862462	152	0	0	152
	GT3P3{1}	2439441	0	02439441	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156311	0	0 156311	25	0	0	25
	Pressure 1{2}	3244346	0	03244346	871	0	0	871
	GT3{2}	-156310	0	0 156310	486	0	0	486
	Hydrotest-NL{2}	3088037	0	03088037	1357	0	0	1357
+483 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5620008	0	05620008	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733391	56	0	0	56
	Thermal 3{1}	-156310	0	0 156310	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2506526	0	02506526	101	0	0	101
	Pressure 2{1}	2595852	0	02595852	-124	0	0	124
	Pressure 3{1}	2595750	0	02595750	-107	0	0	107
	GT1{1}	5620009	0	05620009	94	0	0	94
	GT2{1}	-.2E+07	0	01733390	276	0	0	276
	GT3{1}	-156309	0	0 156309	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8126535	0	08126535	195	0	0	195
	GT2P2{1}	862462	0	0 862462	152	0	0	152
	GT3P3{1}	2439441	0	02439441	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156311	0	0 156311	25	0	0	25
	Pressure 1{2}	3244346	0	03244346	871	0	0	871
	GT3{2}	-156310	0	0 156310	486	0	0	486
	Hydrotest-NL{2}	3088037	0	03088037	1357	0	0	1357
+483 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5619898	0	05619898	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733388	56	0	0	56
	Thermal 3{1}	-156309	0	0 156309	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2505212	0	02505212	101	0	0	101
	Pressure 2{1}	2595849	0	02595849	-124	0	0	124
	Pressure 3{1}	2595745	0	02595745	-107	0	0	107
	GT1{1}	5619898	0	05619898	94	0	0	94
	GT2{1}	-.2E+07	0	01733388	276	0	0	276
	GT3{1}	-156309	0	0 156309	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8125111	0	08125111	195	0	0	195
	GT2P2{1}	862461	0	0 862461	152	0	0	152
	GT3P3{1}	2439436	0	02439436	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156311	0	0 156311	25	0	0	25
	Pressure 1{2}	3244335	0	03244335	871	0	0	871
	GT3{2}	-156310	0	0 156310	486	0	0	486
	Hydrotest-NL{2}	3088025	0	03088025	1357	0	0	1357
+484 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5619898	0	05619898	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733388	56	0	0	56
	Thermal 3{1}	-156309	0	0 156309	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2505212	0	02505212	101	0	0	101
	Pressure 2{1}	2595849	0	02595849	-124	0	0	124
	Pressure 3{1}	2595745	0	02595745	-107	0	0	107
	GT1{1}	5619898	0	05619898	94	0	0	94

	GT2{1}	-.2E+07	0	01733388	276	0	0	276
	GT3{1}	-156309	0	0 156309	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8125111	0	08125111	195	0	0	195
	GT2P2{1}	862461	0	0 862461	152	0	0	152
	GT3P3{1}	2439436	0	02439436	135	0	0	135
	Gravity{2}	1	0	0 1	461	0	0	461
	Thermal 3{2}	-156311	0	0 156311	25	0	0	25
	Pressure 1{2}	3244335	0	03244335	871	0	0	871
	GT3{2}	-156310	0	0 156310	486	0	0	486
	Hydrotest-NL{2}	3088025	0	03088025	1357	0	0	1357
+484 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5619785	0	05619785	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733386	56	0	0	56
	Thermal 3{1}	-156309	0	0 156309	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2503880	0	02503880	101	0	0	101
	Pressure 2{1}	2595845	0	02595845	-124	0	0	124
	Pressure 3{1}	2595740	0	02595740	-107	0	0	107
	GT1{1}	5619786	0	05619786	94	0	0	94
	GT2{1}	-.2E+07	0	01733385	276	0	0	276
	GT3{1}	-156309	0	0 156309	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8123666	0	08123666	195	0	0	195
	GT2P2{1}	862460	0	0 862460	152	0	0	152
	GT3P3{1}	2439431	0	02439431	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156311	0	0 156311	25	0	0	25
	Pressure 1{2}	3244323	0	03244323	871	0	0	871
	GT3{2}	-156309	0	0 156309	486	0	0	486
	Hydrotest-NL{2}	3088014	0	03088014	1357	0	0	1357
+485 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5619785	0	05619785	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733386	56	0	0	56
	Thermal 3{1}	-156309	0	0 156309	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2503880	0	02503880	101	0	0	101
	Pressure 2{1}	2595845	0	02595845	-124	0	0	124
	Pressure 3{1}	2595740	0	02595740	-107	0	0	107
	GT1{1}	5619786	0	05619786	94	0	0	94
	GT2{1}	-.2E+07	0	01733385	276	0	0	276
	GT3{1}	-156309	0	0 156309	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8123666	0	08123666	195	0	0	195
	GT2P2{1}	862460	0	0 862460	152	0	0	152
	GT3P3{1}	2439431	0	02439431	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156311	0	0 156311	25	0	0	25
	Pressure 1{2}	3244323	0	03244323	871	0	0	871
	GT3{2}	-156309	0	0 156309	486	0	0	486
	Hydrotest-NL{2}	3088014	0	03088014	1357	0	0	1357
+485 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5619671	0	05619671	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733383	56	0	0	56
	Thermal 3{1}	-156309	0	0 156309	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2502528	0	02502528	101	0	0	101
	Pressure 2{1}	2595841	0	02595841	-124	0	0	124
	Pressure 3{1}	2595735	0	02595735	-107	0	0	107
	GT1{1}	5619671	0	05619671	94	0	0	94
	GT2{1}	-.2E+07	0	01733382	276	0	0	276
	GT3{1}	-156308	0	0 156308	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8122199	0	08122199	195	0	0	195
	GT2P2{1}	862459	0	0 862459	152	0	0	152
	GT3P3{1}	2439426	0	02439426	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156311	0	0 156311	25	0	0	25
	Pressure 1{2}	3244312	0	03244312	871	0	0	871
	GT3{2}	-156309	0	0 156309	486	0	0	486
	Hydrotest-NL{2}	3088003	0	03088003	1357	0	0	1357
+486 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5619671	0	05619671	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733383	56	0	0	56
	Thermal 3{1}	-156309	0	0 156309	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2502528	0	02502528	101	0	0	101
	Pressure 2{1}	2595841	0	02595841	-124	0	0	124
	Pressure 3{1}	2595735	0	02595735	-107	0	0	107
	GT1{1}	5619671	0	05619671	94	0	0	94

	GT2{1}	-.2E+07	0	01733382	276	0	0	276
	GT3{1}	-156308	0	0 156308	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8122199	0	08122199	195	0	0	195
	GT2P2{1}	862459	0	0 862459	152	0	0	152
	GT3P3{1}	2439426	0	02439426	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156311	0	0 156311	25	0	0	25
	Pressure 1{2}	3244312	0	03244312	871	0	0	871
	GT3{2}	-156309	0	0 156309	486	0	0	486
	Hydrotest-NL{2}	3088003	0	03088003	1357	0	0	1357
+486 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5619555	0	05619555	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733381	56	0	0	56
	Thermal 3{1}	-156309	0	0 156309	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2501156	0	02501156	101	0	0	101
	Pressure 2{1}	2595838	0	02595838	-124	0	0	124
	Pressure 3{1}	2595729	0	02595729	-107	0	0	107
	GT1{1}	5619556	0	05619556	94	0	0	94
	GT2{1}	-.2E+07	0	01733380	276	0	0	276
	GT3{1}	-156308	0	0 156308	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8120712	0	08120712	195	0	0	195
	GT2P2{1}	862458	0	0 862458	152	0	0	152
	GT3P3{1}	2439421	0	02439421	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156311	0	0 156311	25	0	0	25
	Pressure 1{2}	3244300	0	03244300	871	0	0	871
	GT3{2}	-156309	0	0 156309	486	0	0	486
	Hydrotest-NL{2}	3087991	0	03087991	1357	0	0	1357
+487 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5619555	0	05619555	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733381	56	0	0	56
	Thermal 3{1}	-156309	0	0 156309	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2501156	0	02501156	101	0	0	101
	Pressure 2{1}	2595838	0	02595838	-124	0	0	124
	Pressure 3{1}	2595729	0	02595729	-107	0	0	107
	GT1{1}	5619556	0	05619556	94	0	0	94
	GT2{1}	-.2E+07	0	01733380	276	0	0	276
	GT3{1}	-156308	0	0 156308	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8120712	0	08120712	195	0	0	195
	GT2P2{1}	862458	0	0 862458	152	0	0	152
	GT3P3{1}	2439421	0	02439421	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156311	0	0 156311	25	0	0	25
	Pressure 1{2}	3244300	0	03244300	871	0	0	871
	GT3{2}	-156309	0	0 156309	486	0	0	486
	Hydrotest-NL{2}	3087991	0	03087991	1357	0	0	1357
+487 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5619438	0	05619438	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733378	56	0	0	56
	Thermal 3{1}	-156309	0	0 156309	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2499765	0	02499765	101	0	0	101
	Pressure 2{1}	2595834	0	02595834	-124	0	0	124
	Pressure 3{1}	2595724	0	02595724	-107	0	0	107
	GT1{1}	5619439	0	05619439	94	0	0	94
	GT2{1}	-.2E+07	0	01733377	276	0	0	276
	GT3{1}	-156308	0	0 156308	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8119203	0	08119203	195	0	0	195
	GT2P2{1}	862457	0	0 862457	152	0	0	152
	GT3P3{1}	2439416	0	02439416	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156310	0	0 156310	25	0	0	25
	Pressure 1{2}	3244288	0	03244288	871	0	0	871
	GT3{2}	-156309	0	0 156309	486	0	0	486
	Hydrotest-NL{2}	3087979	0	03087979	1357	0	0	1357
+488 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5619438	0	05619438	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733378	56	0	0	56
	Thermal 3{1}	-156309	0	0 156309	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2499765	0	02499765	101	0	0	101
	Pressure 2{1}	2595834	0	02595834	-124	0	0	124
	Pressure 3{1}	2595724	0	02595724	-107	0	0	107
	GT1{1}	5619439	0	05619439	94	0	0	94

	GT2{1}	-.2E+07	0	01733377	276	0	0	276
	GT3{1}	-156308	0	0 156308	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8119203	0	08119203	195	0	0	195
	GT2P2{1}	862457	0	0 862457	152	0	0	152
	GT3P3{1}	2439416	0	02439416	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156310	0	0 156310	25	0	0	25
	Pressure 1{2}	3244288	0	03244288	871	0	0	871
	GT3{2}	-156309	0	0 156309	486	0	0	486
	Hydrotest-NL{2}	3087979	0	03087979	1357	0	0	1357
+488 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5619319	0	05619319	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733375	56	0	0	56
	Thermal 3{1}	-156309	0	0 156309	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2498352	0	02498352	101	0	0	101
	Pressure 2{1}	2595830	0	02595830	-124	0	0	124
	Pressure 3{1}	2595718	0	02595718	-107	0	0	107
	GT1{1}	5619320	0	05619320	94	0	0	94
	GT2{1}	-.2E+07	0	01733375	276	0	0	276
	GT3{1}	-156308	0	0 156308	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8117672	0	08117672	195	0	0	195
	GT2P2{1}	862456	0	0 862456	152	0	0	152
	GT3P3{1}	2439411	0	02439411	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156310	0	0 156310	25	0	0	25
	Pressure 1{2}	3244276	0	03244276	871	0	0	871
	GT3{2}	-156309	0	0 156309	486	0	0	486
	Hydrotest-NL{2}	3087967	0	03087967	1357	0	0	1357
+489 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5619319	0	05619319	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733375	56	0	0	56
	Thermal 3{1}	-156309	0	0 156309	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2498352	0	02498352	101	0	0	101
	Pressure 2{1}	2595830	0	02595830	-124	0	0	124
	Pressure 3{1}	2595718	0	02595718	-107	0	0	107
	GT1{1}	5619320	0	05619320	94	0	0	94
	GT2{1}	-.2E+07	0	01733375	276	0	0	276
	GT3{1}	-156308	0	0 156308	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8117672	0	08117672	195	0	0	195
	GT2P2{1}	862456	0	0 862456	152	0	0	152
	GT3P3{1}	2439411	0	02439411	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156310	0	0 156310	25	0	0	25
	Pressure 1{2}	3244276	0	03244276	871	0	0	871
	GT3{2}	-156309	0	0 156309	486	0	0	486
	Hydrotest-NL{2}	3087967	0	03087967	1357	0	0	1357
+489 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5619198	0	05619198	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733373	56	0	0	56
	Thermal 3{1}	-156308	0	0 156308	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2496919	0	02496919	101	0	0	101
	Pressure 2{1}	2595827	0	02595827	-124	0	0	124
	Pressure 3{1}	2595713	0	02595713	-107	0	0	107
	GT1{1}	5619198	0	05619198	94	0	0	94
	GT2{1}	-.2E+07	0	01733372	276	0	0	276
	GT3{1}	-156308	0	0 156308	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8116118	0	08116118	195	0	0	195
	GT2P2{1}	862455	0	0 862455	152	0	0	152
	GT3P3{1}	2439406	0	02439406	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156310	0	0 156310	25	0	0	25
	Pressure 1{2}	3244264	0	03244264	871	0	0	871
	GT3{2}	-156309	0	0 156309	486	0	0	486
	Hydrotest-NL{2}	3087955	0	03087955	1357	0	0	1357
+490 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5619198	0	05619198	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733373	56	0	0	56
	Thermal 3{1}	-156308	0	0 156308	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2496919	0	02496919	101	0	0	101
	Pressure 2{1}	2595827	0	02595827	-124	0	0	124
	Pressure 3{1}	2595713	0	02595713	-107	0	0	107
	GT1{1}	5619198	0	05619198	94	0	0	94

	GT2{1}	-.2E+07	0	01733372	276	0	0	276
	GT3{1}	-156308	0	0 156308	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8116118	0	08116118	195	0	0	195
	GT2P2{1}	862455	0	0 862455	152	0	0	152
	GT3P3{1}	2439406	0	02439406	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156310	0	0 156310	25	0	0	25
	Pressure 1{2}	3244264	0	03244264	871	0	0	871
	GT3{2}	-156309	0	0 156309	486	0	0	486
	Hydrotest-NL{2}	3087955	0	03087955	1357	0	0	1357
+490 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5619075	0	05619075	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733370	56	0	0	56
	Thermal 3{1}	-156308	0	0 156308	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2495465	0	02495465	101	0	0	101
	Pressure 2{1}	2595823	0	02595823	-124	0	0	124
	Pressure 3{1}	2595708	0	02595708	-107	0	0	107
	GT1{1}	5619075	0	05619075	94	0	0	94
	GT2{1}	-.2E+07	0	01733369	276	0	0	276
	GT3{1}	-156307	0	0 156307	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8114541	0	08114541	195	0	0	195
	GT2P2{1}	862454	0	0 862454	152	0	0	152
	GT3P3{1}	2439400	0	02439400	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156310	0	0 156310	25	0	0	25
	Pressure 1{2}	3244251	0	03244251	871	0	0	871
	GT3{2}	-156308	0	0 156308	486	0	0	486
	Hydrotest-NL{2}	3087943	0	03087943	1357	0	0	1357
+491 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5619075	0	05619075	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733370	56	0	0	56
	Thermal 3{1}	-156308	0	0 156308	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2495465	0	02495465	101	0	0	101
	Pressure 2{1}	2595823	0	02595823	-124	0	0	124
	Pressure 3{1}	2595708	0	02595708	-107	0	0	107
	GT1{1}	5619075	0	05619075	94	0	0	94
	GT2{1}	-.2E+07	0	01733369	276	0	0	276
	GT3{1}	-156307	0	0 156307	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8114541	0	08114541	195	0	0	195
	GT2P2{1}	862454	0	0 862454	152	0	0	152
	GT3P3{1}	2439400	0	02439400	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156310	0	0 156310	25	0	0	25
	Pressure 1{2}	3244251	0	03244251	871	0	0	871
	GT3{2}	-156308	0	0 156308	486	0	0	486
	Hydrotest-NL{2}	3087943	0	03087943	1357	0	0	1357
+491 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5618950	0	05618950	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733367	56	0	0	56
	Thermal 3{1}	-156308	0	0 156308	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2493990	0	02493990	101	0	0	101
	Pressure 2{1}	2595819	0	02595819	-124	0	0	124
	Pressure 3{1}	2595702	0	02595702	-107	0	0	107
	GT1{1}	5618951	0	05618951	94	0	0	94
	GT2{1}	-.2E+07	0	01733366	276	0	0	276
	GT3{1}	-156307	0	0 156307	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8112941	0	08112941	195	0	0	195
	GT2P2{1}	862452	0	0 862452	152	0	0	152
	GT3P3{1}	2439395	0	02439395	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156310	0	0 156310	25	0	0	25
	Pressure 1{2}	3244239	0	03244239	871	0	0	871
	GT3{2}	-156308	0	0 156308	486	0	0	486
	Hydrotest-NL{2}	3087931	0	03087931	1357	0	0	1357
+492 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5618950	0	05618950	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733367	56	0	0	56
	Thermal 3{1}	-156308	0	0 156308	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2493990	0	02493990	101	0	0	101
	Pressure 2{1}	2595819	0	02595819	-124	0	0	124
	Pressure 3{1}	2595702	0	02595702	-107	0	0	107
	GT1{1}	5618951	0	05618951	94	0	0	94

	GT2{1}	-.2E+07	0	01733366	276	0	0	276
	GT3{1}	-156307	0	0 156307	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8112941	0	08112941	195	0	0	195
	GT2P2{1}	862452	0	0 862452	152	0	0	152
	GT3P3{1}	2439395	0	02439395	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156310	0	0 156310	25	0	0	25
	Pressure 1{2}	3244239	0	03244239	871	0	0	871
	GT3{2}	-156308	0	0 156308	486	0	0	486
	Hydrotest-NL{2}	3087931	0	03087931	1357	0	0	1357
+492 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5618824	0	05618824	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733364	56	0	0	56
	Thermal 3{1}	-156308	0	0 156308	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2492493	0	02492493	101	0	0	101
	Pressure 2{1}	2595815	0	02595815	-124	0	0	124
	Pressure 3{1}	2595696	0	02595696	-107	0	0	107
	GT1{1}	5618825	0	05618825	94	0	0	94
	GT2{1}	-.2E+07	0	01733364	276	0	0	276
	GT3{1}	-156307	0	0 156307	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8111318	0	08111318	195	0	0	195
	GT2P2{1}	862451	0	0 862451	152	0	0	152
	GT3P3{1}	2439389	0	02439389	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156310	0	0 156310	25	0	0	25
	Pressure 1{2}	3244226	0	03244226	871	0	0	871
	GT3{2}	-156308	0	0 156308	486	0	0	486
	Hydrotest-NL{2}	3087918	0	03087918	1357	0	0	1357
+493 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5618824	0	05618824	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733364	56	0	0	56
	Thermal 3{1}	-156308	0	0 156308	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2492493	0	02492493	101	0	0	101
	Pressure 2{1}	2595815	0	02595815	-124	0	0	124
	Pressure 3{1}	2595696	0	02595696	-107	0	0	107
	GT1{1}	5618825	0	05618825	94	0	0	94
	GT2{1}	-.2E+07	0	01733364	276	0	0	276
	GT3{1}	-156307	0	0 156307	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8111318	0	08111318	195	0	0	195
	GT2P2{1}	862451	0	0 862451	152	0	0	152
	GT3P3{1}	2439389	0	02439389	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156310	0	0 156310	25	0	0	25
	Pressure 1{2}	3244226	0	03244226	871	0	0	871
	GT3{2}	-156308	0	0 156308	486	0	0	486
	Hydrotest-NL{2}	3087918	0	03087918	1357	0	0	1357
+493 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5618696	0	05618696	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733361	56	0	0	56
	Thermal 3{1}	-156308	0	0 156308	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2490974	0	02490974	101	0	0	101
	Pressure 2{1}	2595811	0	02595811	-124	0	0	124
	Pressure 3{1}	2595690	0	02595690	-107	0	0	107
	GT1{1}	5618697	0	05618697	94	0	0	94
	GT2{1}	-.2E+07	0	01733361	276	0	0	276
	GT3{1}	-156307	0	0 156307	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8109671	0	08109671	195	0	0	195
	GT2P2{1}	862450	0	0 862450	152	0	0	152
	GT3P3{1}	2439384	0	02439384	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156309	0	0 156309	25	0	0	25
	Pressure 1{2}	3244213	0	03244213	871	0	0	871
	GT3{2}	-156308	0	0 156308	486	0	0	486
	Hydrotest-NL{2}	3087905	0	03087905	1357	0	0	1357
+494 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5618696	0	05618696	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733361	56	0	0	56
	Thermal 3{1}	-156308	0	0 156308	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2490974	0	02490974	101	0	0	101
	Pressure 2{1}	2595811	0	02595811	-124	0	0	124
	Pressure 3{1}	2595690	0	02595690	-107	0	0	107
	GT1{1}	5618697	0	05618697	94	0	0	94

	GT2{1}	-.2E+07	0	01733361	276	0	0	276
	GT3{1}	-156307	0	0 156307	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8109671	0	08109671	195	0	0	195
	GT2P2{1}	862450	0	0 862450	152	0	0	152
	GT3P3{1}	2439384	0	02439384	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156309	0	0 156309	25	0	0	25
	Pressure 1{2}	3244213	0	03244213	871	0	0	871
	GT3{2}	-156308	0	0 156308	486	0	0	486
	Hydrotest-NL{2}	3087905	0	03087905	1357	0	0	1357
+494 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5618566	0	05618566	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733359	56	0	0	56
	Thermal 3{1}	-156307	0	0 156307	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2489432	0	02489432	101	0	0	101
	Pressure 2{1}	2595807	0	02595807	-124	0	0	124
	Pressure 3{1}	2595685	0	02595685	-107	0	0	107
	GT1{1}	5618567	0	05618567	94	0	0	94
	GT2{1}	-.2E+07	0	01733358	276	0	0	276
	GT3{1}	-156307	0	0 156307	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8108000	0	08108000	195	0	0	195
	GT2P2{1}	862449	0	0 862449	152	0	0	152
	GT3P3{1}	2439378	0	02439378	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156309	0	0 156309	25	0	0	25
	Pressure 1{2}	3244200	0	03244200	871	0	0	871
	GT3{2}	-156308	0	0 156308	486	0	0	486
	Hydrotest-NL{2}	3087892	0	03087892	1357	0	0	1357
+495 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5618566	0	05618566	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733359	56	0	0	56
	Thermal 3{1}	-156307	0	0 156307	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2489432	0	02489432	101	0	0	101
	Pressure 2{1}	2595807	0	02595807	-124	0	0	124
	Pressure 3{1}	2595685	0	02595685	-107	0	0	107
	GT1{1}	5618567	0	05618567	94	0	0	94
	GT2{1}	-.2E+07	0	01733358	276	0	0	276
	GT3{1}	-156307	0	0 156307	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8108000	0	08108000	195	0	0	195
	GT2P2{1}	862449	0	0 862449	152	0	0	152
	GT3P3{1}	2439378	0	02439378	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156309	0	0 156309	25	0	0	25
	Pressure 1{2}	3244200	0	03244200	871	0	0	871
	GT3{2}	-156308	0	0 156308	486	0	0	486
	Hydrotest-NL{2}	3087892	0	03087892	1357	0	0	1357
+495 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5618434	0	05618434	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733356	56	0	0	56
	Thermal 3{1}	-156307	0	0 156307	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2487869	0	02487869	101	0	0	101
	Pressure 2{1}	2595802	0	02595802	-124	0	0	124
	Pressure 3{1}	2595679	0	02595679	-107	0	0	107
	GT1{1}	5618435	0	05618435	94	0	0	94
	GT2{1}	-.2E+07	0	01733355	276	0	0	276
	GT3{1}	-156306	0	0 156306	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8106304	0	08106304	195	0	0	195
	GT2P2{1}	862448	0	0 862448	152	0	0	152
	GT3P3{1}	2439372	0	02439372	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156309	0	0 156309	25	0	0	25
	Pressure 1{2}	3244186	0	03244186	871	0	0	871
	GT3{2}	-156307	0	0 156307	486	0	0	486
	Hydrotest-NL{2}	3087879	0	03087879	1357	0	0	1357
+496 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5618434	0	05618434	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733356	56	0	0	56
	Thermal 3{1}	-156307	0	0 156307	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2487869	0	02487869	101	0	0	101
	Pressure 2{1}	2595802	0	02595802	-124	0	0	124
	Pressure 3{1}	2595679	0	02595679	-107	0	0	107
	GT1{1}	5618435	0	05618435	94	0	0	94

	GT2{1}	-.2E+07	0	01733355	276	0	0	276
	GT3{1}	-156306	0	0 156306	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8106304	0	08106304	195	0	0	195
	GT2P2{1}	862448	0	0 862448	152	0	0	152
	GT3P3{1}	2439372	0	02439372	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156309	0	0 156309	25	0	0	25
	Pressure 1{2}	3244186	0	03244186	871	0	0	871
	GT3{2}	-156307	0	0 156307	486	0	0	486
	Hydrotest-NL{2}	3087879	0	03087879	1357	0	0	1357
+496 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5618300	0	05618300	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733353	56	0	0	56
	Thermal 3{1}	-156307	0	0 156307	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2486282	0	02486282	101	0	0	101
	Pressure 2{1}	2595798	0	02595798	-124	0	0	124
	Pressure 3{1}	2595673	0	02595673	-107	0	0	107
	GT1{1}	5618301	0	05618301	94	0	0	94
	GT2{1}	-.2E+07	0	01733352	276	0	0	276
	GT3{1}	-156306	0	0 156306	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8104582	0	08104582	195	0	0	195
	GT2P2{1}	862446	0	0 862446	152	0	0	152
	GT3P3{1}	2439367	0	02439367	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156309	0	0 156309	25	0	0	25
	Pressure 1{2}	3244173	0	03244173	871	0	0	871
	GT3{2}	-156307	0	0 156307	486	0	0	486
	Hydrotest-NL{2}	3087866	0	03087866	1357	0	0	1357
+497 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5618300	0	05618300	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733353	56	0	0	56
	Thermal 3{1}	-156307	0	0 156307	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2486282	0	02486282	101	0	0	101
	Pressure 2{1}	2595798	0	02595798	-124	0	0	124
	Pressure 3{1}	2595673	0	02595673	-107	0	0	107
	GT1{1}	5618301	0	05618301	94	0	0	94
	GT2{1}	-.2E+07	0	01733352	276	0	0	276
	GT3{1}	-156306	0	0 156306	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8104582	0	08104582	195	0	0	195
	GT2P2{1}	862446	0	0 862446	152	0	0	152
	GT3P3{1}	2439367	0	02439367	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156309	0	0 156309	25	0	0	25
	Pressure 1{2}	3244173	0	03244173	871	0	0	871
	GT3{2}	-156307	0	0 156307	486	0	0	486
	Hydrotest-NL{2}	3087866	0	03087866	1357	0	0	1357
+497 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5618164	0	05618164	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733350	56	0	0	56
	Thermal 3{1}	-156307	0	0 156307	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2484672	0	02484672	101	0	0	101
	Pressure 2{1}	2595794	0	02595794	-124	0	0	124
	Pressure 3{1}	2595666	0	02595666	-107	0	0	107
	GT1{1}	5618165	0	05618165	94	0	0	94
	GT2{1}	-.2E+07	0	01733349	276	0	0	276
	GT3{1}	-156306	0	0 156306	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8102837	0	08102837	195	0	0	195
	GT2P2{1}	862445	0	0 862445	152	0	0	152
	GT3P3{1}	2439360	0	02439360	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156309	0	0 156309	25	0	0	25
	Pressure 1{2}	3244159	0	03244159	871	0	0	871
	GT3{2}	-156307	0	0 156307	486	0	0	486
	Hydrotest-NL{2}	3087852	0	03087852	1357	0	0	1357
+498 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5618164	0	05618164	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733350	56	0	0	56
	Thermal 3{1}	-156307	0	0 156307	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2484672	0	02484672	101	0	0	101
	Pressure 2{1}	2595794	0	02595794	-124	0	0	124
	Pressure 3{1}	2595666	0	02595666	-107	0	0	107
	GT1{1}	5618165	0	05618165	94	0	0	94

	GT2{1}	-.2E+07	0	01733349	276	0	0	276
	GT3{1}	-156306	0	0 156306	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8102837	0	08102837	195	0	0	195
	GT2P2{1}	862445	0	0 862445	152	0	0	152
	GT3P3{1}	2439360	0	02439360	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156309	0	0 156309	25	0	0	25
	Pressure 1{2}	3244159	0	03244159	871	0	0	871
	GT3{2}	-156307	0	0 156307	486	0	0	486
	Hydrotest-NL{2}	3087852	0	03087852	1357	0	0	1357
+498 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5618026	0	05618026	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733347	56	0	0	56
	Thermal 3{1}	-156307	0	0 156307	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2483038	0	02483038	101	0	0	101
	Pressure 2{1}	2595790	0	02595790	-124	0	0	124
	Pressure 3{1}	2595660	0	02595660	-107	0	0	107
	GT1{1}	5618027	0	05618027	94	0	0	94
	GT2{1}	-.2E+07	0	01733346	276	0	0	276
	GT3{1}	-156306	0	0 156306	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8101065	0	08101065	195	0	0	195
	GT2P2{1}	862444	0	0 862444	152	0	0	152
	GT3P3{1}	2439355	0	02439355	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156309	0	0 156309	25	0	0	25
	Pressure 1{2}	3244145	0	03244145	871	0	0	871
	GT3{2}	-156307	0	0 156307	486	0	0	486
	Hydrotest-NL{2}	3087838	0	03087838	1357	0	0	1357
+499 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5618026	0	05618026	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733347	56	0	0	56
	Thermal 3{1}	-156307	0	0 156307	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2483038	0	02483038	101	0	0	101
	Pressure 2{1}	2595790	0	02595790	-124	0	0	124
	Pressure 3{1}	2595660	0	02595660	-107	0	0	107
	GT1{1}	5618027	0	05618027	94	0	0	94
	GT2{1}	-.2E+07	0	01733346	276	0	0	276
	GT3{1}	-156306	0	0 156306	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8101065	0	08101065	195	0	0	195
	GT2P2{1}	862444	0	0 862444	152	0	0	152
	GT3P3{1}	2439355	0	02439355	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156309	0	0 156309	25	0	0	25
	Pressure 1{2}	3244145	0	03244145	871	0	0	871
	GT3{2}	-156307	0	0 156307	486	0	0	486
	Hydrotest-NL{2}	3087838	0	03087838	1357	0	0	1357
+499 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5617886	0	05617886	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733344	56	0	0	56
	Thermal 3{1}	-156306	0	0 156306	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2481381	0	02481381	101	0	0	101
	Pressure 2{1}	2595785	0	02595785	-124	0	0	124
	Pressure 3{1}	2595654	0	02595654	-107	0	0	107
	GT1{1}	5617887	0	05617887	94	0	0	94
	GT2{1}	-.2E+07	0	01733343	276	0	0	276
	GT3{1}	-156305	0	0 156305	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8099268	0	08099268	195	0	0	195
	GT2P2{1}	862443	0	0 862443	152	0	0	152
	GT3P3{1}	2439349	0	02439349	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156308	0	0 156308	25	0	0	25
	Pressure 1{2}	3244131	0	03244131	871	0	0	871
	GT3{2}	-156307	0	0 156307	486	0	0	486
	Hydrotest-NL{2}	3087824	0	03087824	1357	0	0	1357
+500 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5617886	0	05617886	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733344	56	0	0	56
	Thermal 3{1}	-156306	0	0 156306	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2481381	0	02481381	101	0	0	101
	Pressure 2{1}	2595785	0	02595785	-124	0	0	124
	Pressure 3{1}	2595654	0	02595654	-107	0	0	107
	GT1{1}	5617887	0	05617887	94	0	0	94

	GT2{1}	-.2E+07	0	01733343	276	0	0	276
	GT3{1}	-156305	0	0 156305	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8099268	0	08099268	195	0	0	195
	GT2P2{1}	862443	0	0 862443	152	0	0	152
	GT3P3{1}	2439349	0	02439349	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156308	0	0 156308	25	0	0	25
	Pressure 1{2}	3244131	0	03244131	871	0	0	871
	GT3{2}	-156307	0	0 156307	486	0	0	486
	Hydrotest-NL{2}	3087824	0	03087824	1357	0	0	1357
+500 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5617744	0	05617744	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733340	56	0	0	56
	Thermal 3{1}	-156306	0	0 156306	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2479699	0	02479699	101	0	0	101
	Pressure 2{1}	2595781	0	02595781	-124	0	0	124
	Pressure 3{1}	2595648	0	02595648	-107	0	0	107
	GT1{1}	5617745	0	05617745	94	0	0	94
	GT2{1}	-.2E+07	0	01733339	276	0	0	276
	GT3{1}	-156305	0	0 156305	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8097444	0	08097444	195	0	0	195
	GT2P2{1}	862441	0	0 862441	152	0	0	152
	GT3P3{1}	2439342	0	02439342	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156308	0	0 156308	25	0	0	25
	Pressure 1{2}	3244116	0	03244116	871	0	0	871
	GT3{2}	-156306	0	0 156306	486	0	0	486
	Hydrotest-NL{2}	3087810	0	03087810	1357	0	0	1357
+501 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5617744	0	05617744	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733340	56	0	0	56
	Thermal 3{1}	-156306	0	0 156306	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2479699	0	02479699	101	0	0	101
	Pressure 2{1}	2595781	0	02595781	-124	0	0	124
	Pressure 3{1}	2595648	0	02595648	-107	0	0	107
	GT1{1}	5617745	0	05617745	94	0	0	94
	GT2{1}	-.2E+07	0	01733339	276	0	0	276
	GT3{1}	-156305	0	0 156305	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8097444	0	08097444	195	0	0	195
	GT2P2{1}	862441	0	0 862441	152	0	0	152
	GT3P3{1}	2439342	0	02439342	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156308	0	0 156308	25	0	0	25
	Pressure 1{2}	3244116	0	03244116	871	0	0	871
	GT3{2}	-156306	0	0 156306	486	0	0	486
	Hydrotest-NL{2}	3087810	0	03087810	1357	0	0	1357
+501 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5617600	0	05617600	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733337	56	0	0	56
	Thermal 3{1}	-156306	0	0 156306	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2477992	0	02477992	101	0	0	101
	Pressure 2{1}	2595776	0	02595776	-124	0	0	124
	Pressure 3{1}	2595641	0	02595641	-107	0	0	107
	GT1{1}	5617601	0	05617601	94	0	0	94
	GT2{1}	-.2E+07	0	01733336	276	0	0	276
	GT3{1}	-156305	0	0 156305	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8095593	0	08095593	195	0	0	195
	GT2P2{1}	862440	0	0 862440	152	0	0	152
	GT3P3{1}	2439336	0	02439336	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156308	0	0 156308	25	0	0	25
	Pressure 1{2}	3244102	0	03244102	871	0	0	871
	GT3{2}	-156306	0	0 156306	486	0	0	486
	Hydrotest-NL{2}	3087796	0	03087796	1357	0	0	1357
+502 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5617600	0	05617600	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733337	56	0	0	56
	Thermal 3{1}	-156306	0	0 156306	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2477992	0	02477992	101	0	0	101
	Pressure 2{1}	2595776	0	02595776	-124	0	0	124
	Pressure 3{1}	2595641	0	02595641	-107	0	0	107
	GT1{1}	5617601	0	05617601	94	0	0	94

	GT2{1}	-.2E+07	0	01733336	276	0	0	276
	GT3{1}	-156305	0	0 156305	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8095593	0	08095593	195	0	0	195
	GT2P2{1}	862440	0	0 862440	152	0	0	152
	GT3P3{1}	2439336	0	02439336	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156308	0	0 156308	25	0	0	25
	Pressure 1{2}	3244102	0	03244102	871	0	0	871
	GT3{2}	-156306	0	0 156306	486	0	0	486
	Hydrotest-NL{2}	3087796	0	03087796	1357	0	0	1357
+502 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5617454	0	05617454	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733334	56	0	0	56
	Thermal 3{1}	-156306	0	0 156306	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2476261	0	02476261	101	0	0	101
	Pressure 2{1}	2595772	0	02595772	-124	0	0	124
	Pressure 3{1}	2595635	0	02595635	-107	0	0	107
	GT1{1}	5617455	0	05617455	94	0	0	94
	GT2{1}	-.2E+07	0	01733333	276	0	0	276
	GT3{1}	-156305	0	0 156305	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8093716	0	08093716	195	0	0	195
	GT2P2{1}	862439	0	0 862439	152	0	0	152
	GT3P3{1}	2439330	0	02439330	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156308	0	0 156308	25	0	0	25
	Pressure 1{2}	3244087	0	03244087	871	0	0	871
	GT3{2}	-156306	0	0 156306	486	0	0	486
	Hydrotest-NL{2}	3087781	0	03087781	1357	0	0	1357
+503 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5617454	0	05617454	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733334	56	0	0	56
	Thermal 3{1}	-156306	0	0 156306	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2476261	0	02476261	101	0	0	101
	Pressure 2{1}	2595772	0	02595772	-124	0	0	124
	Pressure 3{1}	2595635	0	02595635	-107	0	0	107
	GT1{1}	5617455	0	05617455	94	0	0	94
	GT2{1}	-.2E+07	0	01733333	276	0	0	276
	GT3{1}	-156305	0	0 156305	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8093716	0	08093716	195	0	0	195
	GT2P2{1}	862439	0	0 862439	152	0	0	152
	GT3P3{1}	2439330	0	02439330	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156308	0	0 156308	25	0	0	25
	Pressure 1{2}	3244087	0	03244087	871	0	0	871
	GT3{2}	-156306	0	0 156306	486	0	0	486
	Hydrotest-NL{2}	3087781	0	03087781	1357	0	0	1357
+503 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5617306	0	05617306	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733331	56	0	0	56
	Thermal 3{1}	-156306	0	0 156306	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2474504	0	02474504	101	0	0	101
	Pressure 2{1}	2595767	0	02595767	-124	0	0	124
	Pressure 3{1}	2595628	0	02595628	-107	0	0	107
	GT1{1}	5617307	0	05617307	94	0	0	94
	GT2{1}	-.2E+07	0	01733330	276	0	0	276
	GT3{1}	-156305	0	0 156305	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8091811	0	08091811	195	0	0	195
	GT2P2{1}	862437	0	0 862437	152	0	0	152
	GT3P3{1}	2439323	0	02439323	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156308	0	0 156308	25	0	0	25
	Pressure 1{2}	3244072	0	03244072	871	0	0	871
	GT3{2}	-156306	0	0 156306	486	0	0	486
	Hydrotest-NL{2}	3087766	0	03087766	1357	0	0	1357
+504 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5617306	0	05617306	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733331	56	0	0	56
	Thermal 3{1}	-156306	0	0 156306	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2474504	0	02474504	101	0	0	101
	Pressure 2{1}	2595767	0	02595767	-124	0	0	124
	Pressure 3{1}	2595628	0	02595628	-107	0	0	107
	GT1{1}	5617307	0	05617307	94	0	0	94

	GT2{1}	-.2E+07	0	01733330	276	0	0	276
	GT3{1}	-156305	0	0 156305	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8091811	0	08091811	195	0	0	195
	GT2P2{1}	862437	0	0 862437	152	0	0	152
	GT3P3{1}	2439323	0	02439323	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156308	0	0 156308	25	0	0	25
	Pressure 1{2}	3244072	0	03244072	871	0	0	871
	GT3{2}	-156306	0	0 156306	486	0	0	486
	Hydrotest-NL{2}	3087766	0	03087766	1357	0	0	1357
+504 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5617155	0	05617155	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733327	56	0	0	56
	Thermal 3{1}	-156305	0	0 156305	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2472721	0	02472721	101	0	0	101
	Pressure 2{1}	2595762	0	02595762	-124	0	0	124
	Pressure 3{1}	2595621	0	02595621	-107	0	0	107
	GT1{1}	5617157	0	05617157	94	0	0	94
	GT2{1}	-.2E+07	0	01733326	276	0	0	276
	GT3{1}	-156304	0	0 156304	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8089877	0	08089877	195	0	0	195
	GT2P2{1}	862436	0	0 862436	152	0	0	152
	GT3P3{1}	2439317	0	02439317	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156307	0	0 156307	25	0	0	25
	Pressure 1{2}	3244057	0	03244057	871	0	0	871
	GT3{2}	-156305	0	0 156305	486	0	0	486
	Hydrotest-NL{2}	3087751	0	03087751	1357	0	0	1357
+505 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5617155	0	05617155	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733327	56	0	0	56
	Thermal 3{1}	-156305	0	0 156305	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2472721	0	02472721	101	0	0	101
	Pressure 2{1}	2595762	0	02595762	-124	0	0	124
	Pressure 3{1}	2595621	0	02595621	-107	0	0	107
	GT1{1}	5617157	0	05617157	94	0	0	94
	GT2{1}	-.2E+07	0	01733326	276	0	0	276
	GT3{1}	-156304	0	0 156304	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8089877	0	08089877	195	0	0	195
	GT2P2{1}	862436	0	0 862436	152	0	0	152
	GT3P3{1}	2439317	0	02439317	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156307	0	0 156307	25	0	0	25
	Pressure 1{2}	3244057	0	03244057	871	0	0	871
	GT3{2}	-156305	0	0 156305	486	0	0	486
	Hydrotest-NL{2}	3087751	0	03087751	1357	0	0	1357
+505 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5617003	0	05617003	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733324	56	0	0	56
	Thermal 3{1}	-156305	0	0 156305	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2470912	0	02470912	101	0	0	101
	Pressure 2{1}	2595757	0	02595757	-124	0	0	124
	Pressure 3{1}	2595614	0	02595614	-107	0	0	107
	GT1{1}	5617004	0	05617004	94	0	0	94
	GT2{1}	-.2E+07	0	01733323	276	0	0	276
	GT3{1}	-156304	0	0 156304	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8087916	0	08087916	195	0	0	195
	GT2P2{1}	862434	0	0 862434	152	0	0	152
	GT3P3{1}	2439310	0	02439310	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156307	0	0 156307	25	0	0	25
	Pressure 1{2}	3244041	0	03244041	871	0	0	871
	GT3{2}	-156305	0	0 156305	486	0	0	486
	Hydrotest-NL{2}	3087736	0	03087736	1357	0	0	1357
+506 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5617003	0	05617003	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733324	56	0	0	56
	Thermal 3{1}	-156305	0	0 156305	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2470912	0	02470912	101	0	0	101
	Pressure 2{1}	2595757	0	02595757	-124	0	0	124
	Pressure 3{1}	2595614	0	02595614	-107	0	0	107
	GT1{1}	5617004	0	05617004	94	0	0	94

	GT2{1}	-.2E+07	0	01733323	276	0	0	276
	GT3{1}	-156304	0	0 156304	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8087916	0	08087916	195	0	0	195
	GT2P2{1}	862434	0	0 862434	152	0	0	152
	GT3P3{1}	2439310	0	02439310	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156307	0	0 156307	25	0	0	25
	Pressure 1{2}	3244041	0	03244041	871	0	0	871
	GT3{2}	-156305	0	0 156305	486	0	0	486
	Hydrotest-NL{2}	3087736	0	03087736	1357	0	0	1357
+506 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5616848	0	05616848	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733320	56	0	0	56
	Thermal 3{1}	-156305	0	0 156305	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2469077	0	02469077	101	0	0	101
	Pressure 2{1}	2595752	0	02595752	-124	0	0	124
	Pressure 3{1}	2595607	0	02595607	-107	0	0	107
	GT1{1}	5616849	0	05616849	94	0	0	94
	GT2{1}	-.2E+07	0	01733319	276	0	0	276
	GT3{1}	-156304	0	0 156304	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8085925	0	08085925	195	0	0	195
	GT2P2{1}	862433	0	0 862433	152	0	0	152
	GT3P3{1}	2439303	0	02439303	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156307	0	0 156307	25	0	0	25
	Pressure 1{2}	3244025	0	03244025	871	0	0	871
	GT3{2}	-156305	0	0 156305	486	0	0	486
	Hydrotest-NL{2}	3087720	0	03087720	1357	0	0	1357
+507 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5616848	0	05616848	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733320	56	0	0	56
	Thermal 3{1}	-156305	0	0 156305	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2469077	0	02469077	101	0	0	101
	Pressure 2{1}	2595752	0	02595752	-124	0	0	124
	Pressure 3{1}	2595607	0	02595607	-107	0	0	107
	GT1{1}	5616849	0	05616849	94	0	0	94
	GT2{1}	-.2E+07	0	01733319	276	0	0	276
	GT3{1}	-156304	0	0 156304	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8085925	0	08085925	195	0	0	195
	GT2P2{1}	862433	0	0 862433	152	0	0	152
	GT3P3{1}	2439303	0	02439303	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156307	0	0 156307	25	0	0	25
	Pressure 1{2}	3244025	0	03244025	871	0	0	871
	GT3{2}	-156305	0	0 156305	486	0	0	486
	Hydrotest-NL{2}	3087720	0	03087720	1357	0	0	1357
+507 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5616691	0	05616691	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733317	56	0	0	56
	Thermal 3{1}	-156305	0	0 156305	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2467214	0	02467214	101	0	0	101
	Pressure 2{1}	2595747	0	02595747	-124	0	0	124
	Pressure 3{1}	2595600	0	02595600	-107	0	0	107
	GT1{1}	5616692	0	05616692	94	0	0	94
	GT2{1}	-.2E+07	0	01733316	276	0	0	276
	GT3{1}	-156304	0	0 156304	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8083906	0	08083906	195	0	0	195
	GT2P2{1}	862432	0	0 862432	152	0	0	152
	GT3P3{1}	2439297	0	02439297	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156307	0	0 156307	25	0	0	25
	Pressure 1{2}	3244010	0	03244010	871	0	0	871
	GT3{2}	-156305	0	0 156305	486	0	0	486
	Hydrotest-NL{2}	3087705	0	03087705	1357	0	0	1357
+508 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5616691	0	05616691	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733317	56	0	0	56
	Thermal 3{1}	-156305	0	0 156305	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2467214	0	02467214	101	0	0	101
	Pressure 2{1}	2595747	0	02595747	-124	0	0	124
	Pressure 3{1}	2595600	0	02595600	-107	0	0	107
	GT1{1}	5616692	0	05616692	94	0	0	94

	GT2{1}	-.2E+07	0	01733316	276	0	0	276
	GT3{1}	-156304	0	0 156304	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8083906	0	08083906	195	0	0	195
	GT2P2{1}	862432	0	0 862432	152	0	0	152
	GT3P3{1}	2439297	0	02439297	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156307	0	0 156307	25	0	0	25
	Pressure 1{2}	3244010	0	03244010	871	0	0	871
	GT3{2}	-156305	0	0 156305	486	0	0	486
	Hydrotest-NL{2}	3087705	0	03087705	1357	0	0	1357
+508 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5616531	0	05616531	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733313	56	0	0	56
	Thermal 3{1}	-156304	0	0 156304	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2465325	0	02465325	101	0	0	101
	Pressure 2{1}	2595742	0	02595742	-124	0	0	124
	Pressure 3{1}	2595593	0	02595593	-107	0	0	107
	GT1{1}	5616532	0	05616532	94	0	0	94
	GT2{1}	-.2E+07	0	01733312	276	0	0	276
	GT3{1}	-156303	0	0 156303	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8081857	0	08081857	195	0	0	195
	GT2P2{1}	862430	0	0 862430	152	0	0	152
	GT3P3{1}	2439290	0	02439290	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156307	0	0 156307	25	0	0	25
	Pressure 1{2}	3243993	0	03243993	871	0	0	871
	GT3{2}	-156305	0	0 156305	486	0	0	486
	Hydrotest-NL{2}	3087689	0	03087689	1357	0	0	1357
+509 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5616531	0	05616531	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733313	56	0	0	56
	Thermal 3{1}	-156304	0	0 156304	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2465325	0	02465325	101	0	0	101
	Pressure 2{1}	2595742	0	02595742	-124	0	0	124
	Pressure 3{1}	2595593	0	02595593	-107	0	0	107
	GT1{1}	5616532	0	05616532	94	0	0	94
	GT2{1}	-.2E+07	0	01733312	276	0	0	276
	GT3{1}	-156303	0	0 156303	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8081857	0	08081857	195	0	0	195
	GT2P2{1}	862430	0	0 862430	152	0	0	152
	GT3P3{1}	2439290	0	02439290	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156307	0	0 156307	25	0	0	25
	Pressure 1{2}	3243993	0	03243993	871	0	0	871
	GT3{2}	-156305	0	0 156305	486	0	0	486
	Hydrotest-NL{2}	3087689	0	03087689	1357	0	0	1357
+509 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5616369	0	05616369	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733310	56	0	0	56
	Thermal 3{1}	-156304	0	0 156304	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2463408	0	02463408	101	0	0	101
	Pressure 2{1}	2595737	0	02595737	-124	0	0	124
	Pressure 3{1}	2595586	0	02595586	-107	0	0	107
	GT1{1}	5616370	0	05616370	94	0	0	94
	GT2{1}	-.2E+07	0	01733309	276	0	0	276
	GT3{1}	-156303	0	0 156303	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8079778	0	08079778	195	0	0	195
	GT2P2{1}	862429	0	0 862429	152	0	0	152
	GT3P3{1}	2439283	0	02439283	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156306	0	0 156306	25	0	0	25
	Pressure 1{2}	3243977	0	03243977	871	0	0	871
	GT3{2}	-156304	0	0 156304	486	0	0	486
	Hydrotest-NL{2}	3087673	0	03087673	1357	0	0	1357
+510 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5616369	0	05616369	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733310	56	0	0	56
	Thermal 3{1}	-156304	0	0 156304	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2463408	0	02463408	101	0	0	101
	Pressure 2{1}	2595737	0	02595737	-124	0	0	124
	Pressure 3{1}	2595586	0	02595586	-107	0	0	107
	GT1{1}	5616370	0	05616370	94	0	0	94

	GT2{1}	-.2E+07	0	01733309	276	0	0	276
	GT3{1}	-156303	0	0 156303	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8079778	0	08079778	195	0	0	195
	GT2P2{1}	862429	0	0 862429	152	0	0	152
	GT3P3{1}	2439283	0	02439283	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156306	0	0 156306	25	0	0	25
	Pressure 1{2}	3243977	0	03243977	871	0	0	871
	GT3{2}	-156304	0	0 156304	486	0	0	486
	Hydrotest-NL{2}	3087673	0	03087673	1357	0	0	1357
+510 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5616205	0	05616205	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733306	56	0	0	56
	Thermal 3{1}	-156304	0	0 156304	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2461462	0	02461462	101	0	0	101
	Pressure 2{1}	2595732	0	02595732	-124	0	0	124
	Pressure 3{1}	2595578	0	02595578	-107	0	0	107
	GT1{1}	5616206	0	05616206	94	0	0	94
	GT2{1}	-.2E+07	0	01733305	276	0	0	276
	GT3{1}	-156303	0	0 156303	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8077668	0	08077668	195	0	0	195
	GT2P2{1}	862427	0	0 862427	152	0	0	152
	GT3P3{1}	2439275	0	02439275	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156306	0	0 156306	25	0	0	25
	Pressure 1{2}	3243960	0	03243960	871	0	0	871
	GT3{2}	-156304	0	0 156304	486	0	0	486
	Hydrotest-NL{2}	3087656	0	03087656	1357	0	0	1357
+511 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5616205	0	05616205	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733306	56	0	0	56
	Thermal 3{1}	-156304	0	0 156304	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2461462	0	02461462	101	0	0	101
	Pressure 2{1}	2595732	0	02595732	-124	0	0	124
	Pressure 3{1}	2595578	0	02595578	-107	0	0	107
	GT1{1}	5616206	0	05616206	94	0	0	94
	GT2{1}	-.2E+07	0	01733305	276	0	0	276
	GT3{1}	-156303	0	0 156303	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8077668	0	08077668	195	0	0	195
	GT2P2{1}	862427	0	0 862427	152	0	0	152
	GT3P3{1}	2439275	0	02439275	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156306	0	0 156306	25	0	0	25
	Pressure 1{2}	3243960	0	03243960	871	0	0	871
	GT3{2}	-156304	0	0 156304	486	0	0	486
	Hydrotest-NL{2}	3087656	0	03087656	1357	0	0	1357
+511 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5616038	0	05616038	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733302	56	0	0	56
	Thermal 3{1}	-156304	0	0 156304	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2459488	0	02459488	101	0	0	101
	Pressure 2{1}	2595727	0	02595727	-124	0	0	124
	Pressure 3{1}	2595571	0	02595571	-107	0	0	107
	GT1{1}	5616040	0	05616040	94	0	0	94
	GT2{1}	-.2E+07	0	01733301	276	0	0	276
	GT3{1}	-156303	0	0 156303	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8075528	0	08075528	195	0	0	195
	GT2P2{1}	862425	0	0 862425	152	0	0	152
	GT3P3{1}	2439268	0	02439268	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156306	0	0 156306	25	0	0	25
	Pressure 1{2}	3243943	0	03243943	871	0	0	871
	GT3{2}	-156304	0	0 156304	486	0	0	486
	Hydrotest-NL{2}	3087640	0	03087640	1357	0	0	1357
+512 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5616038	0	05616038	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733302	56	0	0	56
	Thermal 3{1}	-156304	0	0 156304	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2459488	0	02459488	101	0	0	101
	Pressure 2{1}	2595727	0	02595727	-124	0	0	124
	Pressure 3{1}	2595571	0	02595571	-107	0	0	107
	GT1{1}	5616040	0	05616040	94	0	0	94

	GT2{1}	-.2E+07	0	01733301	276	0	0	276
	GT3{1}	-156303	0	0 156303	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8075528	0	08075528	195	0	0	195
	GT2P2{1}	862425	0	0 862425	152	0	0	152
	GT3P3{1}	2439268	0	02439268	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156306	0	0 156306	25	0	0	25
	Pressure 1{2}	3243943	0	03243943	871	0	0	871
	GT3{2}	-156304	0	0 156304	486	0	0	486
	Hydrotest-NL{2}	3087640	0	03087640	1357	0	0	1357
+512 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5615869	0	05615869	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733299	56	0	0	56
	Thermal 3{1}	-156303	0	0 156303	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2457485	0	02457485	101	0	0	101
	Pressure 2{1}	2595722	0	02595722	-124	0	0	124
	Pressure 3{1}	2595563	0	02595563	-107	0	0	107
	GT1{1}	5615870	0	05615870	94	0	0	94
	GT2{1}	-.2E+07	0	01733298	276	0	0	276
	GT3{1}	-156302	0	0 156302	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8073356	0	08073356	195	0	0	195
	GT2P2{1}	862424	0	0 862424	152	0	0	152
	GT3P3{1}	2439261	0	02439261	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156306	0	0 156306	25	0	0	25
	Pressure 1{2}	3243926	0	03243926	871	0	0	871
	GT3{2}	-156304	0	0 156304	486	0	0	486
	Hydrotest-NL{2}	3087623	0	03087623	1357	0	0	1357
+513 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5615869	0	05615869	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733299	56	0	0	56
	Thermal 3{1}	-156303	0	0 156303	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2457485	0	02457485	101	0	0	101
	Pressure 2{1}	2595722	0	02595722	-124	0	0	124
	Pressure 3{1}	2595563	0	02595563	-107	0	0	107
	GT1{1}	5615870	0	05615870	94	0	0	94
	GT2{1}	-.2E+07	0	01733298	276	0	0	276
	GT3{1}	-156302	0	0 156302	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8073356	0	08073356	195	0	0	195
	GT2P2{1}	862424	0	0 862424	152	0	0	152
	GT3P3{1}	2439261	0	02439261	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156306	0	0 156306	25	0	0	25
	Pressure 1{2}	3243926	0	03243926	871	0	0	871
	GT3{2}	-156304	0	0 156304	486	0	0	486
	Hydrotest-NL{2}	3087623	0	03087623	1357	0	0	1357
+513 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5615698	0	05615698	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733295	56	0	0	56
	Thermal 3{1}	-156303	0	0 156303	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2455453	0	02455453	101	0	0	101
	Pressure 2{1}	2595716	0	02595716	-124	0	0	124
	Pressure 3{1}	2595555	0	02595555	-107	0	0	107
	GT1{1}	5615699	0	05615699	94	0	0	94
	GT2{1}	-.2E+07	0	01733294	276	0	0	276
	GT3{1}	-156302	0	0 156302	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8071152	0	08071152	195	0	0	195
	GT2P2{1}	862422	0	0 862422	152	0	0	152
	GT3P3{1}	2439253	0	02439253	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156306	0	0 156306	25	0	0	25
	Pressure 1{2}	3243909	0	03243909	871	0	0	871
	GT3{2}	-156303	0	0 156303	486	0	0	486
	Hydrotest-NL{2}	3087605	0	03087605	1357	0	0	1357
+514 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5615698	0	05615698	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733295	56	0	0	56
	Thermal 3{1}	-156303	0	0 156303	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2455453	0	02455453	101	0	0	101
	Pressure 2{1}	2595716	0	02595716	-124	0	0	124
	Pressure 3{1}	2595555	0	02595555	-107	0	0	107
	GT1{1}	5615699	0	05615699	94	0	0	94

	GT2{1}	-.2E+07	0	01733294	276	0	0	276
	GT3{1}	-156302	0	0 156302	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8071152	0	08071152	195	0	0	195
	GT2P2{1}	862422	0	0 862422	152	0	0	152
	GT3P3{1}	2439253	0	02439253	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156306	0	0 156306	25	0	0	25
	Pressure 1{2}	3243909	0	03243909	871	0	0	871
	GT3{2}	-156303	0	0 156303	486	0	0	486
	Hydrotest-NL{2}	3087605	0	03087605	1357	0	0	1357
+514 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5615524	0	05615524	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733291	56	0	0	56
	Thermal 3{1}	-156303	0	0 156303	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2453391	0	02453391	101	0	0	101
	Pressure 2{1}	2595711	0	02595711	-124	0	0	124
	Pressure 3{1}	2595547	0	02595547	-107	0	0	107
	GT1{1}	5615525	0	05615525	94	0	0	94
	GT2{1}	-.2E+07	0	01733290	276	0	0	276
	GT3{1}	-156302	0	0 156302	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8068916	0	08068916	195	0	0	195
	GT2P2{1}	862421	0	0 862421	152	0	0	152
	GT3P3{1}	2439246	0	02439246	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156305	0	0 156305	25	0	0	25
	Pressure 1{2}	3243891	0	03243891	871	0	0	871
	GT3{2}	-156303	0	0 156303	486	0	0	486
	Hydrotest-NL{2}	3087588	0	03087588	1357	0	0	1357
+515 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5615524	0	05615524	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733291	56	0	0	56
	Thermal 3{1}	-156303	0	0 156303	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2453391	0	02453391	101	0	0	101
	Pressure 2{1}	2595711	0	02595711	-124	0	0	124
	Pressure 3{1}	2595547	0	02595547	-107	0	0	107
	GT1{1}	5615525	0	05615525	94	0	0	94
	GT2{1}	-.2E+07	0	01733290	276	0	0	276
	GT3{1}	-156302	0	0 156302	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8068916	0	08068916	195	0	0	195
	GT2P2{1}	862421	0	0 862421	152	0	0	152
	GT3P3{1}	2439246	0	02439246	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156305	0	0 156305	25	0	0	25
	Pressure 1{2}	3243891	0	03243891	871	0	0	871
	GT3{2}	-156303	0	0 156303	486	0	0	486
	Hydrotest-NL{2}	3087588	0	03087588	1357	0	0	1357
+515 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5615347	0	05615347	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733287	56	0	0	56
	Thermal 3{1}	-156303	0	0 156303	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2451299	0	02451299	101	0	0	101
	Pressure 2{1}	2595705	0	02595705	-124	0	0	124
	Pressure 3{1}	2595539	0	02595539	-107	0	0	107
	GT1{1}	5615348	0	05615348	94	0	0	94
	GT2{1}	-.2E+07	0	01733286	276	0	0	276
	GT3{1}	-156301	0	0 156301	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8066647	0	08066647	195	0	0	195
	GT2P2{1}	862419	0	0 862419	152	0	0	152
	GT3P3{1}	2439238	0	02439238	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156305	0	0 156305	25	0	0	25
	Pressure 1{2}	3243873	0	03243873	871	0	0	871
	GT3{2}	-156303	0	0 156303	486	0	0	486
	Hydrotest-NL{2}	3087570	0	03087570	1357	0	0	1357
+516 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5615347	0	05615347	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733287	56	0	0	56
	Thermal 3{1}	-156303	0	0 156303	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2451299	0	02451299	101	0	0	101
	Pressure 2{1}	2595705	0	02595705	-124	0	0	124
	Pressure 3{1}	2595539	0	02595539	-107	0	0	107
	GT1{1}	5615348	0	05615348	94	0	0	94

	GT2{1}	-.2E+07	0	01733286	276	0	0	276
	GT3{1}	-156301	0	0 156301	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8066647	0	08066647	195	0	0	195
	GT2P2{1}	862419	0	0 862419	152	0	0	152
	GT3P3{1}	2439238	0	02439238	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156305	0	0 156305	25	0	0	25
	Pressure 1{2}	3243873	0	03243873	871	0	0	871
	GT3{2}	-156303	0	0 156303	486	0	0	486
	Hydrotest-NL{2}	3087570	0	03087570	1357	0	0	1357
+516 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5615168	0	05615168	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733283	56	0	0	56
	Thermal 3{1}	-156302	0	0 156302	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2449176	0	02449176	101	0	0	101
	Pressure 2{1}	2595699	0	02595699	-124	0	0	124
	Pressure 3{1}	2595531	0	02595531	-107	0	0	107
	GT1{1}	5615169	0	05615169	94	0	0	94
	GT2{1}	-.2E+07	0	01733282	276	0	0	276
	GT3{1}	-156301	0	0 156301	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8064345	0	08064345	195	0	0	195
	GT2P2{1}	862418	0	0 862418	152	0	0	152
	GT3P3{1}	2439230	0	02439230	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156305	0	0 156305	25	0	0	25
	Pressure 1{2}	3243855	0	03243855	871	0	0	871
	GT3{2}	-156303	0	0 156303	486	0	0	486
	Hydrotest-NL{2}	3087552	0	03087552	1357	0	0	1357
+517 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5615168	0	05615168	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733283	56	0	0	56
	Thermal 3{1}	-156302	0	0 156302	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2449176	0	02449176	101	0	0	101
	Pressure 2{1}	2595699	0	02595699	-124	0	0	124
	Pressure 3{1}	2595531	0	02595531	-107	0	0	107
	GT1{1}	5615169	0	05615169	94	0	0	94
	GT2{1}	-.2E+07	0	01733282	276	0	0	276
	GT3{1}	-156301	0	0 156301	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8064345	0	08064345	195	0	0	195
	GT2P2{1}	862418	0	0 862418	152	0	0	152
	GT3P3{1}	2439230	0	02439230	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156305	0	0 156305	25	0	0	25
	Pressure 1{2}	3243855	0	03243855	871	0	0	871
	GT3{2}	-156303	0	0 156303	486	0	0	486
	Hydrotest-NL{2}	3087552	0	03087552	1357	0	0	1357
+517 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5614986	0	05614986	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733279	56	0	0	56
	Thermal 3{1}	-156302	0	0 156302	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2447022	0	02447022	101	0	0	101
	Pressure 2{1}	2595694	0	02595694	-124	0	0	124
	Pressure 3{1}	2595523	0	02595523	-107	0	0	107
	GT1{1}	5614988	0	05614988	94	0	0	94
	GT2{1}	-.2E+07	0	01733278	276	0	0	276
	GT3{1}	-156301	0	0 156301	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8062009	0	08062009	195	0	0	195
	GT2P2{1}	862416	0	0 862416	152	0	0	152
	GT3P3{1}	2439222	0	02439222	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156305	0	0 156305	25	0	0	25
	Pressure 1{2}	3243837	0	03243837	871	0	0	871
	GT3{2}	-156302	0	0 156302	486	0	0	486
	Hydrotest-NL{2}	3087534	0	03087534	1357	0	0	1357
+518 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5614986	0	05614986	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733279	56	0	0	56
	Thermal 3{1}	-156302	0	0 156302	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2447022	0	02447022	101	0	0	101
	Pressure 2{1}	2595694	0	02595694	-124	0	0	124
	Pressure 3{1}	2595523	0	02595523	-107	0	0	107
	GT1{1}	5614988	0	05614988	94	0	0	94

	GT2{1}	-.2E+07	0	01733278	276	0	0	276
	GT3{1}	-156301	0	0 156301	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8062009	0	08062009	195	0	0	195
	GT2P2{1}	862416	0	0 862416	152	0	0	152
	GT3P3{1}	2439222	0	02439222	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156305	0	0 156305	25	0	0	25
	Pressure 1{2}	3243837	0	03243837	871	0	0	871
	GT3{2}	-156302	0	0 156302	486	0	0	486
	Hydrotest-NL{2}	3087534	0	03087534	1357	0	0	1357
+518 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5614802	0	05614802	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733275	56	0	0	56
	Thermal 3{1}	-156302	0	0 156302	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2444836	0	02444836	101	0	0	101
	Pressure 2{1}	2595688	0	02595688	-124	0	0	124
	Pressure 3{1}	2595515	0	02595515	-107	0	0	107
	GT1{1}	5614803	0	05614803	94	0	0	94
	GT2{1}	-.2E+07	0	01733274	276	0	0	276
	GT3{1}	-156301	0	0 156301	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8059638	0	08059638	195	0	0	195
	GT2P2{1}	862414	0	0 862414	152	0	0	152
	GT3P3{1}	2439214	0	02439214	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156304	0	0 156304	25	0	0	25
	Pressure 1{2}	3243818	0	03243818	871	0	0	871
	GT3{2}	-156302	0	0 156302	486	0	0	486
	Hydrotest-NL{2}	3087516	0	03087516	1357	0	0	1357
+519 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5614802	0	05614802	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733275	56	0	0	56
	Thermal 3{1}	-156302	0	0 156302	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2444836	0	02444836	101	0	0	101
	Pressure 2{1}	2595688	0	02595688	-124	0	0	124
	Pressure 3{1}	2595515	0	02595515	-107	0	0	107
	GT1{1}	5614803	0	05614803	94	0	0	94
	GT2{1}	-.2E+07	0	01733274	276	0	0	276
	GT3{1}	-156301	0	0 156301	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8059638	0	08059638	195	0	0	195
	GT2P2{1}	862414	0	0 862414	152	0	0	152
	GT3P3{1}	2439214	0	02439214	135	0	0	135
	Gravity{2}	2	0	0 2	461	0	0	461
	Thermal 3{2}	-156304	0	0 156304	25	0	0	25
	Pressure 1{2}	3243818	0	03243818	871	0	0	871
	GT3{2}	-156302	0	0 156302	486	0	0	486
	Hydrotest-NL{2}	3087516	0	03087516	1357	0	0	1357
+519 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5614615	0	05614615	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733271	56	0	0	56
	Thermal 3{1}	-156302	0	0 156302	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2442618	0	02442618	101	0	0	101
	Pressure 2{1}	2595682	0	02595682	-124	0	0	124
	Pressure 3{1}	2595506	0	02595506	-107	0	0	107
	GT1{1}	5614616	0	05614616	94	0	0	94
	GT2{1}	-.2E+07	0	01733269	276	0	0	276
	GT3{1}	-156300	0	0 156300	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8057234	0	08057234	195	0	0	195
	GT2P2{1}	862412	0	0 862412	152	0	0	152
	GT3P3{1}	2439206	0	02439206	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156304	0	0 156304	25	0	0	25
	Pressure 1{2}	3243799	0	03243799	871	0	0	871
	GT3{2}	-156302	0	0 156302	486	0	0	486
	Hydrotest-NL{2}	3087497	0	03087497	1357	0	0	1357
+520 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5614615	0	05614615	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733271	56	0	0	56
	Thermal 3{1}	-156302	0	0 156302	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2442618	0	02442618	101	0	0	101
	Pressure 2{1}	2595682	0	02595682	-124	0	0	124
	Pressure 3{1}	2595506	0	02595506	-107	0	0	107
	GT1{1}	5614616	0	05614616	94	0	0	94

	GT2{1}	-.2E+07	0	01733269	276	0	0	276
	GT3{1}	-156300	0	0 156300	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8057234	0	08057234	195	0	0	195
	GT2P2{1}	862412	0	0 862412	152	0	0	152
	GT3P3{1}	2439206	0	02439206	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156304	0	0 156304	25	0	0	25
	Pressure 1{2}	3243799	0	03243799	871	0	0	871
	GT3{2}	-156302	0	0 156302	486	0	0	486
	Hydrotest-NL{2}	3087497	0	03087497	1357	0	0	1357
+520 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5614425	0	05614425	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733266	56	0	0	56
	Thermal 3{1}	-156301	0	0 156301	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2440368	0	02440368	101	0	0	101
	Pressure 2{1}	2595676	0	02595676	-124	0	0	124
	Pressure 3{1}	2595498	0	02595498	-107	0	0	107
	GT1{1}	5614426	0	05614426	94	0	0	94
	GT2{1}	-.2E+07	0	01733265	276	0	0	276
	GT3{1}	-156300	0	0 156300	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8054794	0	08054794	195	0	0	195
	GT2P2{1}	862411	0	0 862411	152	0	0	152
	GT3P3{1}	2439198	0	02439198	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156304	0	0 156304	25	0	0	25
	Pressure 1{2}	3243780	0	03243780	871	0	0	871
	GT3{2}	-156301	0	0 156301	486	0	0	486
	Hydrotest-NL{2}	3087478	0	03087478	1357	0	0	1357
+521 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5614425	0	05614425	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733266	56	0	0	56
	Thermal 3{1}	-156301	0	0 156301	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2440368	0	02440368	101	0	0	101
	Pressure 2{1}	2595676	0	02595676	-124	0	0	124
	Pressure 3{1}	2595498	0	02595498	-107	0	0	107
	GT1{1}	5614426	0	05614426	94	0	0	94
	GT2{1}	-.2E+07	0	01733265	276	0	0	276
	GT3{1}	-156300	0	0 156300	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8054794	0	08054794	195	0	0	195
	GT2P2{1}	862411	0	0 862411	152	0	0	152
	GT3P3{1}	2439198	0	02439198	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156304	0	0 156304	25	0	0	25
	Pressure 1{2}	3243780	0	03243780	871	0	0	871
	GT3{2}	-156301	0	0 156301	486	0	0	486
	Hydrotest-NL{2}	3087478	0	03087478	1357	0	0	1357
+521 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5614232	0	05614232	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733262	56	0	0	56
	Thermal 3{1}	-156301	0	0 156301	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2438085	0	02438085	101	0	0	101
	Pressure 2{1}	2595670	0	02595670	-124	0	0	124
	Pressure 3{1}	2595489	0	02595489	-107	0	0	107
	GT1{1}	5614233	0	05614233	94	0	0	94
	GT2{1}	-.2E+07	0	01733261	276	0	0	276
	GT3{1}	-156300	0	0 156300	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8052318	0	08052318	195	0	0	195
	GT2P2{1}	862409	0	0 862409	152	0	0	152
	GT3P3{1}	2439190	0	02439190	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156304	0	0 156304	25	0	0	25
	Pressure 1{2}	3243760	0	03243760	871	0	0	871
	GT3{2}	-156301	0	0 156301	486	0	0	486
	Hydrotest-NL{2}	3087459	0	03087459	1357	0	0	1357
+522 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5614232	0	05614232	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733262	56	0	0	56
	Thermal 3{1}	-156301	0	0 156301	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2438085	0	02438085	101	0	0	101
	Pressure 2{1}	2595670	0	02595670	-124	0	0	124
	Pressure 3{1}	2595489	0	02595489	-107	0	0	107
	GT1{1}	5614233	0	05614233	94	0	0	94

	GT2{1}	-.2E+07	0	01733261	276	0	0	276
	GT3{1}	-156300	0	0 156300	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8052318	0	08052318	195	0	0	195
	GT2P2{1}	862409	0	0 862409	152	0	0	152
	GT3P3{1}	2439190	0	02439190	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156304	0	0 156304	25	0	0	25
	Pressure 1{2}	3243760	0	03243760	871	0	0	871
	GT3{2}	-156301	0	0 156301	486	0	0	486
	Hydrotest-NL{2}	3087459	0	03087459	1357	0	0	1357
+522 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5614037	0	05614037	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733258	56	0	0	56
	Thermal 3{1}	-156301	0	0 156301	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2435768	0	02435768	101	0	0	101
	Pressure 2{1}	2595664	0	02595664	-124	0	0	124
	Pressure 3{1}	2595480	0	02595480	-107	0	0	107
	GT1{1}	5614038	0	05614038	94	0	0	94
	GT2{1}	-.2E+07	0	01733257	276	0	0	276
	GT3{1}	-156299	0	0 156299	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8049806	0	08049806	195	0	0	195
	GT2P2{1}	862407	0	0 862407	152	0	0	152
	GT3P3{1}	2439181	0	02439181	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156303	0	0 156303	25	0	0	25
	Pressure 1{2}	3243740	0	03243740	871	0	0	871
	GT3{2}	-156301	0	0 156301	486	0	0	486
	Hydrotest-NL{2}	3087439	0	03087439	1357	0	0	1357
+523 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5614037	0	05614037	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733258	56	0	0	56
	Thermal 3{1}	-156301	0	0 156301	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2435768	0	02435768	101	0	0	101
	Pressure 2{1}	2595664	0	02595664	-124	0	0	124
	Pressure 3{1}	2595480	0	02595480	-107	0	0	107
	GT1{1}	5614038	0	05614038	94	0	0	94
	GT2{1}	-.2E+07	0	01733257	276	0	0	276
	GT3{1}	-156299	0	0 156299	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8049806	0	08049806	195	0	0	195
	GT2P2{1}	862407	0	0 862407	152	0	0	152
	GT3P3{1}	2439181	0	02439181	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156303	0	0 156303	25	0	0	25
	Pressure 1{2}	3243740	0	03243740	871	0	0	871
	GT3{2}	-156301	0	0 156301	486	0	0	486
	Hydrotest-NL{2}	3087439	0	03087439	1357	0	0	1357
+523 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5613838	0	05613838	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733253	56	0	0	56
	Thermal 3{1}	-156300	0	0 156300	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2433417	0	02433417	101	0	0	101
	Pressure 2{1}	2595657	0	02595657	-124	0	0	124
	Pressure 3{1}	2595471	0	02595471	-107	0	0	107
	GT1{1}	5613839	0	05613839	94	0	0	94
	GT2{1}	-.2E+07	0	01733252	276	0	0	276
	GT3{1}	-156299	0	0 156299	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8047257	0	08047257	195	0	0	195
	GT2P2{1}	862405	0	0 862405	152	0	0	152
	GT3P3{1}	2439172	0	02439172	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156303	0	0 156303	25	0	0	25
	Pressure 1{2}	3243720	0	03243720	871	0	0	871
	GT3{2}	-156301	0	0 156301	486	0	0	486
	Hydrotest-NL{2}	3087420	0	03087420	1357	0	0	1357
+524 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5613838	0	05613838	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733253	56	0	0	56
	Thermal 3{1}	-156300	0	0 156300	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2433417	0	02433417	101	0	0	101
	Pressure 2{1}	2595657	0	02595657	-124	0	0	124
	Pressure 3{1}	2595471	0	02595471	-107	0	0	107
	GT1{1}	5613839	0	05613839	94	0	0	94

	GT2{1}	-.2E+07	0	01733252	276	0	0	276
	GT3{1}	-156299	0	0 156299	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8047257	0	08047257	195	0	0	195
	GT2P2{1}	862405	0	0 862405	152	0	0	152
	GT3P3{1}	2439172	0	02439172	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156303	0	0 156303	25	0	0	25
	Pressure 1{2}	3243720	0	03243720	871	0	0	871
	GT3{2}	-156301	0	0 156301	486	0	0	486
	Hydrotest-NL{2}	3087420	0	03087420	1357	0	0	1357
+524 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5613637	0	05613637	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733249	56	0	0	56
	Thermal 3{1}	-156300	0	0 156300	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2431032	0	02431032	101	0	0	101
	Pressure 2{1}	2595651	0	02595651	-124	0	0	124
	Pressure 3{1}	2595462	0	02595462	-107	0	0	107
	GT1{1}	5613638	0	05613638	94	0	0	94
	GT2{1}	-.2E+07	0	01733248	276	0	0	276
	GT3{1}	-156299	0	0 156299	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8044670	0	08044670	195	0	0	195
	GT2P2{1}	862403	0	0 862403	152	0	0	152
	GT3P3{1}	2439164	0	02439164	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156303	0	0 156303	25	0	0	25
	Pressure 1{2}	3243700	0	03243700	871	0	0	871
	GT3{2}	-156300	0	0 156300	486	0	0	486
	Hydrotest-NL{2}	3087399	0	03087399	1357	0	0	1357
+525 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5613637	0	05613637	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733249	56	0	0	56
	Thermal 3{1}	-156300	0	0 156300	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2431032	0	02431032	101	0	0	101
	Pressure 2{1}	2595651	0	02595651	-124	0	0	124
	Pressure 3{1}	2595462	0	02595462	-107	0	0	107
	GT1{1}	5613638	0	05613638	94	0	0	94
	GT2{1}	-.2E+07	0	01733248	276	0	0	276
	GT3{1}	-156299	0	0 156299	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8044670	0	08044670	195	0	0	195
	GT2P2{1}	862403	0	0 862403	152	0	0	152
	GT3P3{1}	2439164	0	02439164	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156303	0	0 156303	25	0	0	25
	Pressure 1{2}	3243700	0	03243700	871	0	0	871
	GT3{2}	-156300	0	0 156300	486	0	0	486
	Hydrotest-NL{2}	3087399	0	03087399	1357	0	0	1357
+525 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5613433	0	05613433	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733244	56	0	0	56
	Thermal 3{1}	-156300	0	0 156300	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2428612	0	02428612	101	0	0	101
	Pressure 2{1}	2595645	0	02595645	-124	0	0	124
	Pressure 3{1}	2595453	0	02595453	-107	0	0	107
	GT1{1}	5613434	0	05613434	94	0	0	94
	GT2{1}	-.2E+07	0	01733243	276	0	0	276
	GT3{1}	-156298	0	0 156298	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8042046	0	08042046	195	0	0	195
	GT2P2{1}	862402	0	0 862402	152	0	0	152
	GT3P3{1}	2439155	0	02439155	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156303	0	0 156303	25	0	0	25
	Pressure 1{2}	3243679	0	03243679	871	0	0	871
	GT3{2}	-156300	0	0 156300	486	0	0	486
	Hydrotest-NL{2}	3087379	0	03087379	1357	0	0	1357
+526 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5613433	0	05613433	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733244	56	0	0	56
	Thermal 3{1}	-156300	0	0 156300	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2428612	0	02428612	101	0	0	101
	Pressure 2{1}	2595645	0	02595645	-124	0	0	124
	Pressure 3{1}	2595453	0	02595453	-107	0	0	107
	GT1{1}	5613434	0	05613434	94	0	0	94

	GT2{1}	-.2E+07	0	01733243	276	0	0	276
	GT3{1}	-156298	0	0 156298	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	1	0	0 1	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8042046	0	08042046	195	0	0	195
	GT2P2{1}	862402	0	0 862402	152	0	0	152
	GT3P3{1}	2439155	0	02439155	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156303	0	0 156303	25	0	0	25
	Pressure 1{2}	3243679	0	03243679	871	0	0	871
	GT3{2}	-156300	0	0 156300	486	0	0	486
	Hydrotest-NL{2}	3087379	0	03087379	1357	0	0	1357
+526 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5613225	0	05613225	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733240	56	0	0	56
	Thermal 3{1}	-156299	0	0 156299	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2426156	0	02426156	101	0	0	101
	Pressure 2{1}	2595638	0	02595638	-124	0	0	124
	Pressure 3{1}	2595444	0	02595444	-107	0	0	107
	GT1{1}	5613227	0	05613227	94	0	0	94
	GT2{1}	-.2E+07	0	01733238	276	0	0	276
	GT3{1}	-156298	0	0 156298	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8039383	0	08039383	195	0	0	195
	GT2P2{1}	862400	0	0 862400	152	0	0	152
	GT3P3{1}	2439146	0	02439146	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156302	0	0 156302	25	0	0	25
	Pressure 1{2}	3243658	0	03243658	871	0	0	871
	GT3{2}	-156300	0	0 156300	486	0	0	486
	Hydrotest-NL{2}	3087358	0	03087358	1357	0	0	1357
+527 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5613225	0	05613225	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733240	56	0	0	56
	Thermal 3{1}	-156299	0	0 156299	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2426156	0	02426156	101	0	0	101
	Pressure 2{1}	2595638	0	02595638	-124	0	0	124
	Pressure 3{1}	2595444	0	02595444	-107	0	0	107
	GT1{1}	5613227	0	05613227	94	0	0	94
	GT2{1}	-.2E+07	0	01733238	276	0	0	276
	GT3{1}	-156298	0	0 156298	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8039383	0	08039383	195	0	0	195
	GT2P2{1}	862400	0	0 862400	152	0	0	152
	GT3P3{1}	2439146	0	02439146	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156302	0	0 156302	25	0	0	25
	Pressure 1{2}	3243658	0	03243658	871	0	0	871
	GT3{2}	-156300	0	0 156300	486	0	0	486
	Hydrotest-NL{2}	3087358	0	03087358	1357	0	0	1357
+527 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5613015	0	05613015	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733235	56	0	0	56
	Thermal 3{1}	-156299	0	0 156299	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2423665	0	02423665	101	0	0	101
	Pressure 2{1}	2595631	0	02595631	-124	0	0	124
	Pressure 3{1}	2595434	0	02595434	-107	0	0	107
	GT1{1}	5613017	0	05613017	94	0	0	94
	GT2{1}	-.2E+07	0	01733234	276	0	0	276
	GT3{1}	-156298	0	0 156298	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8036682	0	08036682	195	0	0	195
	GT2P2{1}	862398	0	0 862398	152	0	0	152
	GT3P3{1}	2439137	0	02439137	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156302	0	0 156302	25	0	0	25
	Pressure 1{2}	3243636	0	03243636	871	0	0	871
	GT3{2}	-156299	0	0 156299	486	0	0	486
	Hydrotest-NL{2}	3087337	0	03087337	1357	0	0	1357
+528 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5613015	0	05613015	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733235	56	0	0	56
	Thermal 3{1}	-156299	0	0 156299	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2423665	0	02423665	101	0	0	101
	Pressure 2{1}	2595631	0	02595631	-124	0	0	124
	Pressure 3{1}	2595434	0	02595434	-107	0	0	107
	GT1{1}	5613017	0	05613017	94	0	0	94

	GT2{1}	-.2E+07	0	01733234	276	0	0	276
	GT3{1}	-156298	0	0 156298	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8036682	0	08036682	195	0	0	195
	GT2P2{1}	862398	0	0 862398	152	0	0	152
	GT3P3{1}	2439137	0	02439137	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156302	0	0 156302	25	0	0	25
	Pressure 1{2}	3243636	0	03243636	871	0	0	871
	GT3{2}	-156299	0	0 156299	486	0	0	486
	Hydrotest-NL{2}	3087337	0	03087337	1357	0	0	1357
+528 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5612802	0	05612802	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733230	56	0	0	56
	Thermal 3{1}	-156299	0	0 156299	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2421137	0	02421137	101	0	0	101
	Pressure 2{1}	2595624	0	02595624	-124	0	0	124
	Pressure 3{1}	2595425	0	02595425	-107	0	0	107
	GT1{1}	5612803	0	05612803	94	0	0	94
	GT2{1}	-.2E+07	0	01733229	276	0	0	276
	GT3{1}	-156297	0	0 156297	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8033940	0	08033940	195	0	0	195
	GT2P2{1}	862396	0	0 862396	152	0	0	152
	GT3P3{1}	2439127	0	02439127	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156302	0	0 156302	25	0	0	25
	Pressure 1{2}	3243615	0	03243615	871	0	0	871
	GT3{2}	-156299	0	0 156299	486	0	0	486
	Hydrotest-NL{2}	3087316	0	03087316	1357	0	0	1357
+529 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5612802	0	05612802	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733230	56	0	0	56
	Thermal 3{1}	-156299	0	0 156299	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2421137	0	02421137	101	0	0	101
	Pressure 2{1}	2595624	0	02595624	-124	0	0	124
	Pressure 3{1}	2595425	0	02595425	-107	0	0	107
	GT1{1}	5612803	0	05612803	94	0	0	94
	GT2{1}	-.2E+07	0	01733229	276	0	0	276
	GT3{1}	-156297	0	0 156297	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8033940	0	08033940	195	0	0	195
	GT2P2{1}	862396	0	0 862396	152	0	0	152
	GT3P3{1}	2439127	0	02439127	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156302	0	0 156302	25	0	0	25
	Pressure 1{2}	3243615	0	03243615	871	0	0	871
	GT3{2}	-156299	0	0 156299	486	0	0	486
	Hydrotest-NL{2}	3087316	0	03087316	1357	0	0	1357
+529 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5612585	0	05612585	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733226	56	0	0	56
	Thermal 3{1}	-156298	0	0 156298	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2418572	0	02418572	101	0	0	101
	Pressure 2{1}	2595618	0	02595618	-124	0	0	124
	Pressure 3{1}	2595415	0	02595415	-107	0	0	107
	GT1{1}	5612587	0	05612587	94	0	0	94
	GT2{1}	-.2E+07	0	01733224	276	0	0	276
	GT3{1}	-156297	0	0 156297	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8031158	0	08031158	195	0	0	195
	GT2P2{1}	862394	0	0 862394	152	0	0	152
	GT3P3{1}	2439118	0	02439118	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156302	0	0 156302	25	0	0	25
	Pressure 1{2}	3243593	0	03243593	871	0	0	871
	GT3{2}	-156299	0	0 156299	486	0	0	486
	Hydrotest-NL{2}	3087294	0	03087294	1357	0	0	1357
+530 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5612585	0	05612585	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733226	56	0	0	56
	Thermal 3{1}	-156298	0	0 156298	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2418572	0	02418572	101	0	0	101
	Pressure 2{1}	2595618	0	02595618	-124	0	0	124
	Pressure 3{1}	2595415	0	02595415	-107	0	0	107
	GT1{1}	5612587	0	05612587	94	0	0	94

	GT2{1}	-.2E+07	0	01733224	276	0	0	276
	GT3{1}	-156297	0	0 156297	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8031158	0	08031158	195	0	0	195
	GT2P2{1}	862394	0	0 862394	152	0	0	152
	GT3P3{1}	2439118	0	02439118	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156302	0	0 156302	25	0	0	25
	Pressure 1{2}	3243593	0	03243593	871	0	0	871
	GT3{2}	-156299	0	0 156299	486	0	0	486
	Hydrotest-NL{2}	3087294	0	03087294	1357	0	0	1357
+530 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5612365	0	05612365	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733221	56	0	0	56
	Thermal 3{1}	-156298	0	0 156298	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2415969	0	02415969	101	0	0	101
	Pressure 2{1}	2595611	0	02595611	-124	0	0	124
	Pressure 3{1}	2595405	0	02595405	-107	0	0	107
	GT1{1}	5612367	0	05612367	94	0	0	94
	GT2{1}	-.2E+07	0	01733219	276	0	0	276
	GT3{1}	-156297	0	0 156297	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8028336	0	08028336	195	0	0	195
	GT2P2{1}	862392	0	0 862392	152	0	0	152
	GT3P3{1}	2439108	0	02439108	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156301	0	0 156301	25	0	0	25
	Pressure 1{2}	3243571	0	03243571	871	0	0	871
	GT3{2}	-156298	0	0 156298	486	0	0	486
	Hydrotest-NL{2}	3087272	0	03087272	1357	0	0	1357
+531 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5612365	0	05612365	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733221	56	0	0	56
	Thermal 3{1}	-156298	0	0 156298	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2415969	0	02415969	101	0	0	101
	Pressure 2{1}	2595611	0	02595611	-124	0	0	124
	Pressure 3{1}	2595405	0	02595405	-107	0	0	107
	GT1{1}	5612367	0	05612367	94	0	0	94
	GT2{1}	-.2E+07	0	01733219	276	0	0	276
	GT3{1}	-156297	0	0 156297	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	1	0	0 1	272	0	0	272
	GT1P1{1}	8028336	0	08028336	195	0	0	195
	GT2P2{1}	862392	0	0 862392	152	0	0	152
	GT3P3{1}	2439108	0	02439108	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156301	0	0 156301	25	0	0	25
	Pressure 1{2}	3243571	0	03243571	871	0	0	871
	GT3{2}	-156298	0	0 156298	486	0	0	486
	Hydrotest-NL{2}	3087272	0	03087272	1357	0	0	1357
+531 +	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5612142	0	05612142	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733216	56	0	0	56
	Thermal 3{1}	-156298	0	0 156298	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2413328	0	02413328	101	0	0	101
	Pressure 2{1}	2595604	0	02595604	-124	0	0	124
	Pressure 3{1}	2595395	0	02595395	-107	0	0	107
	GT1{1}	5612144	0	05612144	94	0	0	94
	GT2{1}	-.2E+07	0	01733214	276	0	0	276
	GT3{1}	-156296	0	0 156296	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	8025472	0	08025472	195	0	0	195
	GT2P2{1}	862390	0	0 862390	152	0	0	152
	GT3P3{1}	2439099	0	02439099	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156301	0	0 156301	25	0	0	25
	Pressure 1{2}	3243548	0	03243548	871	0	0	871
	GT3{2}	-156298	0	0 156298	486	0	0	486
	Hydrotest-NL{2}	3087250	0	03087250	1357	0	0	1357
+532 -	Gravity{1}	1	0	0 1	220	0	0	220
	Thermal 1{1}	5612142	0	05612142	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733216	56	0	0	56
	Thermal 3{1}	-156298	0	0 156298	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2413328	0	02413328	101	0	0	101
	Pressure 2{1}	2595604	0	02595604	-124	0	0	124
	Pressure 3{1}	2595395	0	02595395	-107	0	0	107
	GT1{1}	5612144	0	05612144	94	0	0	94

	GT2{1}	-.2E+07	0	01733214	276	0	0	276
	GT3{1}	-156296	0	0 156296	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	8025472	0	08025472	195	0	0	195
	GT2P2{1}	862390	0	0 862390	152	0	0	152
	GT3P3{1}	2439099	0	02439099	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156301	0	0 156301	25	0	0	25
	Pressure 1{2}	3243548	0	03243548	871	0	0	871
	GT3{2}	-156298	0	0 156298	486	0	0	486
	Hydrotest-NL{2}	3087250	0	03087250	1357	0	0	1357
+532 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5611917	0	05611917	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733211	56	0	0	56
	Thermal 3{1}	-156298	0	0 156298	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2410648	0	02410648	101	0	0	101
	Pressure 2{1}	2595597	0	02595597	-124	0	0	124
	Pressure 3{1}	2595385	0	02595385	-107	0	0	107
	GT1{1}	5611918	0	05611918	94	0	0	94
	GT2{1}	-.2E+07	0	01733209	276	0	0	276
	GT3{1}	-156296	0	0 156296	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	8022566	0	08022566	195	0	0	195
	GT2P2{1}	862388	0	0 862388	152	0	0	152
	GT3P3{1}	2439089	0	02439089	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156301	0	0 156301	25	0	0	25
	Pressure 1{2}	3243525	0	03243525	871	0	0	871
	GT3{2}	-156298	0	0 156298	486	0	0	486
	Hydrotest-NL{2}	3087227	0	03087227	1357	0	0	1357
+533 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5611917	0	05611917	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733211	56	0	0	56
	Thermal 3{1}	-156298	0	0 156298	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2410648	0	02410648	101	0	0	101
	Pressure 2{1}	2595597	0	02595597	-124	0	0	124
	Pressure 3{1}	2595385	0	02595385	-107	0	0	107
	GT1{1}	5611918	0	05611918	94	0	0	94
	GT2{1}	-.2E+07	0	01733209	276	0	0	276
	GT3{1}	-156296	0	0 156296	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	1	0	0 1	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	8022566	0	08022566	195	0	0	195
	GT2P2{1}	862388	0	0 862388	152	0	0	152
	GT3P3{1}	2439089	0	02439089	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156301	0	0 156301	25	0	0	25
	Pressure 1{2}	3243525	0	03243525	871	0	0	871
	GT3{2}	-156298	0	0 156298	486	0	0	486
	Hydrotest-NL{2}	3087227	0	03087227	1357	0	0	1357
+533 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5611687	0	05611687	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733206	56	0	0	56
	Thermal 3{1}	-156297	0	0 156297	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2407929	0	02407929	101	0	0	101
	Pressure 2{1}	2595589	0	02595589	-124	0	0	124
	Pressure 3{1}	2595374	0	02595374	-107	0	0	107
	GT1{1}	5611689	0	05611689	94	0	0	94
	GT2{1}	-.2E+07	0	01733204	276	0	0	276
	GT3{1}	-156296	0	0 156296	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	8019618	0	08019618	195	0	0	195
	GT2P2{1}	862385	0	0 862385	152	0	0	152
	GT3P3{1}	2439079	0	02439079	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156300	0	0 156300	25	0	0	25
	Pressure 1{2}	3243502	0	03243502	871	0	0	871
	GT3{2}	-156297	0	0 156297	486	0	0	486
	Hydrotest-NL{2}	3087204	0	03087204	1357	0	0	1357
+534 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5611687	0	05611687	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733206	56	0	0	56
	Thermal 3{1}	-156297	0	0 156297	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2407929	0	02407929	101	0	0	101
	Pressure 2{1}	2595589	0	02595589	-124	0	0	124
	Pressure 3{1}	2595374	0	02595374	-107	0	0	107
	GT1{1}	5611689	0	05611689	94	0	0	94

	GT2{1}	-.2E+07	0	01733204	276	0	0	276
	GT3{1}	-156296	0	0 156296	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	8019618	0	08019618	195	0	0	195
	GT2P2{1}	862385	0	0 862385	152	0	0	152
	GT3P3{1}	2439079	0	02439079	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156300	0	0 156300	25	0	0	25
	Pressure 1{2}	3243502	0	03243502	871	0	0	871
	GT3{2}	-156297	0	0 156297	486	0	0	486
	Hydrotest-NL{2}	3087204	0	03087204	1357	0	0	1357
+534 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5611454	0	05611454	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733200	56	0	0	56
	Thermal 3{1}	-156297	0	0 156297	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2405170	0	02405170	101	0	0	101
	Pressure 2{1}	2595582	0	02595582	-124	0	0	124
	Pressure 3{1}	2595364	0	02595364	-107	0	0	107
	GT1{1}	5611456	0	05611456	94	0	0	94
	GT2{1}	-.2E+07	0	01733199	276	0	0	276
	GT3{1}	-156295	0	0 156295	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	8016626	0	08016626	195	0	0	195
	GT2P2{1}	862383	0	0 862383	152	0	0	152
	GT3P3{1}	2439069	0	02439069	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156300	0	0 156300	25	0	0	25
	Pressure 1{2}	3243478	0	03243478	871	0	0	871
	GT3{2}	-156297	0	0 156297	486	0	0	486
	Hydrotest-NL{2}	3087181	0	03087181	1357	0	0	1357
+535 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5611454	0	05611454	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733200	56	0	0	56
	Thermal 3{1}	-156297	0	0 156297	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2405170	0	02405170	101	0	0	101
	Pressure 2{1}	2595582	0	02595582	-124	0	0	124
	Pressure 3{1}	2595364	0	02595364	-107	0	0	107
	GT1{1}	5611456	0	05611456	94	0	0	94
	GT2{1}	-.2E+07	0	01733199	276	0	0	276
	GT3{1}	-156295	0	0 156295	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	8016626	0	08016626	195	0	0	195
	GT2P2{1}	862383	0	0 862383	152	0	0	152
	GT3P3{1}	2439069	0	02439069	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156300	0	0 156300	25	0	0	25
	Pressure 1{2}	3243478	0	03243478	871	0	0	871
	GT3{2}	-156297	0	0 156297	486	0	0	486
	Hydrotest-NL{2}	3087181	0	03087181	1357	0	0	1357
+535 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5611218	0	05611218	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733195	56	0	0	56
	Thermal 3{1}	-156296	0	0 156296	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2402371	0	02402371	101	0	0	101
	Pressure 2{1}	2595575	0	02595575	-124	0	0	124
	Pressure 3{1}	2595353	0	02595353	-107	0	0	107
	GT1{1}	5611219	0	05611219	94	0	0	94
	GT2{1}	-.2E+07	0	01733194	276	0	0	276
	GT3{1}	-156295	0	0 156295	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	8013591	0	08013591	195	0	0	195
	GT2P2{1}	862381	0	0 862381	152	0	0	152
	GT3P3{1}	2439058	0	02439058	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156300	0	0 156300	25	0	0	25
	Pressure 1{2}	3243454	0	03243454	871	0	0	871
	GT3{2}	-156297	0	0 156297	486	0	0	486
	Hydrotest-NL{2}	3087158	0	03087158	1357	0	0	1357
+536 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5611218	0	05611218	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733195	56	0	0	56
	Thermal 3{1}	-156296	0	0 156296	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2402371	0	02402371	101	0	0	101
	Pressure 2{1}	2595575	0	02595575	-124	0	0	124
	Pressure 3{1}	2595353	0	02595353	-107	0	0	107
	GT1{1}	5611219	0	05611219	94	0	0	94

	GT2{1}	-.2E+07	0	01733194	276	0	0	276
	GT3{1}	-156295	0	0 156295	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	8013591	0	08013591	195	0	0	195
	GT2P2{1}	862381	0	0 862381	152	0	0	152
	GT3P3{1}	2439058	0	02439058	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156300	0	0 156300	25	0	0	25
	Pressure 1{2}	3243454	0	03243454	871	0	0	871
	GT3{2}	-156297	0	0 156297	486	0	0	486
	Hydrotest-NL{2}	3087158	0	03087158	1357	0	0	1357
+536 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5610978	0	05610978	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733190	56	0	0	56
	Thermal 3{1}	-156296	0	0 156296	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2399531	0	02399531	101	0	0	101
	Pressure 2{1}	2595567	0	02595567	-124	0	0	124
	Pressure 3{1}	2595342	0	02595342	-107	0	0	107
	GT1{1}	5610980	0	05610980	94	0	0	94
	GT2{1}	-.2E+07	0	01733188	276	0	0	276
	GT3{1}	-156294	0	0 156294	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	8010510	0	08010510	195	0	0	195
	GT2P2{1}	862379	0	0 862379	152	0	0	152
	GT3P3{1}	2439048	0	02439048	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156300	0	0 156300	25	0	0	25
	Pressure 1{2}	3243430	0	03243430	871	0	0	871
	GT3{2}	-156296	0	0 156296	486	0	0	486
	Hydrotest-NL{2}	3087133	0	03087133	1357	0	0	1357
+537 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5610978	0	05610978	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733190	56	0	0	56
	Thermal 3{1}	-156296	0	0 156296	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2399531	0	02399531	101	0	0	101
	Pressure 2{1}	2595567	0	02595567	-124	0	0	124
	Pressure 3{1}	2595342	0	02595342	-107	0	0	107
	GT1{1}	5610980	0	05610980	94	0	0	94
	GT2{1}	-.2E+07	0	01733188	276	0	0	276
	GT3{1}	-156294	0	0 156294	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	8010510	0	08010510	195	0	0	195
	GT2P2{1}	862379	0	0 862379	152	0	0	152
	GT3P3{1}	2439048	0	02439048	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156300	0	0 156300	25	0	0	25
	Pressure 1{2}	3243430	0	03243430	871	0	0	871
	GT3{2}	-156296	0	0 156296	486	0	0	486
	Hydrotest-NL{2}	3087133	0	03087133	1357	0	0	1357
+537 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5610735	0	05610735	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733184	56	0	0	56
	Thermal 3{1}	-156296	0	0 156296	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2396649	0	02396649	101	0	0	101
	Pressure 2{1}	2595559	0	02595559	-124	0	0	124
	Pressure 3{1}	2595331	0	02595331	-107	0	0	107
	GT1{1}	5610737	0	05610737	94	0	0	94
	GT2{1}	-.2E+07	0	01733183	276	0	0	276
	GT3{1}	-156294	0	0 156294	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	8007385	0	08007385	195	0	0	195
	GT2P2{1}	862377	0	0 862377	152	0	0	152
	GT3P3{1}	2439037	0	02439037	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156299	0	0 156299	25	0	0	25
	Pressure 1{2}	3243405	0	03243405	871	0	0	871
	GT3{2}	-156296	0	0 156296	486	0	0	486
	Hydrotest-NL{2}	3087109	0	03087109	1357	0	0	1357
+538 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5610735	0	05610735	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733184	56	0	0	56
	Thermal 3{1}	-156296	0	0 156296	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2396649	0	02396649	101	0	0	101
	Pressure 2{1}	2595559	0	02595559	-124	0	0	124
	Pressure 3{1}	2595331	0	02595331	-107	0	0	107
	GT1{1}	5610737	0	05610737	94	0	0	94

	GT2{1}	-.2E+07	0	01733183	276	0	0	276
	GT3{1}	-156294	0	0 156294	242	0	0	242
	GW1{1}	1	0	0 1	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	8007385	0	08007385	195	0	0	195
	GT2P2{1}	862377	0	0 862377	152	0	0	152
	GT3P3{1}	2439037	0	02439037	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156299	0	0 156299	25	0	0	25
	Pressure 1{2}	3243405	0	03243405	871	0	0	871
	GT3{2}	-156296	0	0 156296	486	0	0	486
	Hydrotest-NL{2}	3087109	0	03087109	1357	0	0	1357
+538 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5610488	0	05610488	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733179	56	0	0	56
	Thermal 3{1}	-156295	0	0 156295	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2393725	0	02393725	101	0	0	101
	Pressure 2{1}	2595552	0	02595552	-124	0	0	124
	Pressure 3{1}	2595320	0	02595320	-107	0	0	107
	GT1{1}	5610490	0	05610490	94	0	0	94
	GT2{1}	-.2E+07	0	01733177	276	0	0	276
	GT3{1}	-156294	0	0 156294	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	8004214	0	08004214	195	0	0	195
	GT2P2{1}	862374	0	0 862374	152	0	0	152
	GT3P3{1}	2439027	0	02439027	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156299	0	0 156299	25	0	0	25
	Pressure 1{2}	3243380	0	03243380	871	0	0	871
	GT3{2}	-156296	0	0 156296	486	0	0	486
	Hydrotest-NL{2}	3087084	0	03087084	1357	0	0	1357
+539 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5610488	0	05610488	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733179	56	0	0	56
	Thermal 3{1}	-156295	0	0 156295	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2393725	0	02393725	101	0	0	101
	Pressure 2{1}	2595552	0	02595552	-124	0	0	124
	Pressure 3{1}	2595320	0	02595320	-107	0	0	107
	GT1{1}	5610490	0	05610490	94	0	0	94
	GT2{1}	-.2E+07	0	01733177	276	0	0	276
	GT3{1}	-156294	0	0 156294	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	8004214	0	08004214	195	0	0	195
	GT2P2{1}	862374	0	0 862374	152	0	0	152
	GT3P3{1}	2439027	0	02439027	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156299	0	0 156299	25	0	0	25
	Pressure 1{2}	3243380	0	03243380	871	0	0	871
	GT3{2}	-156296	0	0 156296	486	0	0	486
	Hydrotest-NL{2}	3087084	0	03087084	1357	0	0	1357
+539 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5610237	0	05610237	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733173	56	0	0	56
	Thermal 3{1}	-156295	0	0 156295	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2390758	0	02390758	101	0	0	101
	Pressure 2{1}	2595544	0	02595544	-124	0	0	124
	Pressure 3{1}	2595309	0	02595309	-107	0	0	107
	GT1{1}	5610239	0	05610239	94	0	0	94
	GT2{1}	-.2E+07	0	01733172	276	0	0	276
	GT3{1}	-156293	0	0 156293	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	8000996	0	08000996	195	0	0	195
	GT2P2{1}	862372	0	0 862372	152	0	0	152
	GT3P3{1}	2439016	0	02439016	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156299	0	0 156299	25	0	0	25
	Pressure 1{2}	3243355	0	03243355	871	0	0	871
	GT3{2}	-156295	0	0 156295	486	0	0	486
	Hydrotest-NL{2}	3087059	0	03087059	1357	0	0	1357
+540 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5610237	0	05610237	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733173	56	0	0	56
	Thermal 3{1}	-156295	0	0 156295	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2390758	0	02390758	101	0	0	101
	Pressure 2{1}	2595544	0	02595544	-124	0	0	124
	Pressure 3{1}	2595309	0	02595309	-107	0	0	107
	GT1{1}	5610239	0	05610239	94	0	0	94

	GT2{1}	-.2E+07	0	01733172	276	0	0	276
	GT3{1}	-156293	0	0 156293	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	8000996	0	08000996	195	0	0	195
	GT2P2{1}	862372	0	0 862372	152	0	0	152
	GT3P3{1}	2439016	0	02439016	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156299	0	0 156299	25	0	0	25
	Pressure 1{2}	3243355	0	03243355	871	0	0	871
	GT3{2}	-156295	0	0 156295	486	0	0	486
	Hydrotest-NL{2}	3087059	0	03087059	1357	0	0	1357
+540 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5609983	0	05609983	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733168	56	0	0	56
	Thermal 3{1}	-156295	0	0 156295	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2387747	0	02387747	101	0	0	101
	Pressure 2{1}	2595536	0	02595536	-124	0	0	124
	Pressure 3{1}	2595298	0	02595298	-107	0	0	107
	GT1{1}	5609985	0	05609985	94	0	0	94
	GT2{1}	-.2E+07	0	01733166	276	0	0	276
	GT3{1}	-156293	0	0 156293	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7997731	0	07997731	195	0	0	195
	GT2P2{1}	862370	0	0 862370	152	0	0	152
	GT3P3{1}	2439005	0	02439005	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156298	0	0 156298	25	0	0	25
	Pressure 1{2}	3243329	0	03243329	871	0	0	871
	GT3{2}	-156295	0	0 156295	486	0	0	486
	Hydrotest-NL{2}	3087034	0	03087034	1357	0	0	1357
+541 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5609983	0	05609983	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733168	56	0	0	56
	Thermal 3{1}	-156295	0	0 156295	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2387747	0	02387747	101	0	0	101
	Pressure 2{1}	2595536	0	02595536	-124	0	0	124
	Pressure 3{1}	2595298	0	02595298	-107	0	0	107
	GT1{1}	5609985	0	05609985	94	0	0	94
	GT2{1}	-.2E+07	0	01733166	276	0	0	276
	GT3{1}	-156293	0	0 156293	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7997731	0	07997731	195	0	0	195
	GT2P2{1}	862370	0	0 862370	152	0	0	152
	GT3P3{1}	2439005	0	02439005	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156298	0	0 156298	25	0	0	25
	Pressure 1{2}	3243329	0	03243329	871	0	0	871
	GT3{2}	-156295	0	0 156295	486	0	0	486
	Hydrotest-NL{2}	3087034	0	03087034	1357	0	0	1357
+541 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5609726	0	05609726	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733162	56	0	0	56
	Thermal 3{1}	-156294	0	0 156294	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2384692	0	02384692	101	0	0	101
	Pressure 2{1}	2595527	0	02595527	-124	0	0	124
	Pressure 3{1}	2595286	0	02595286	-107	0	0	107
	GT1{1}	5609727	0	05609727	94	0	0	94
	GT2{1}	-.2E+07	0	01733160	276	0	0	276
	GT3{1}	-156293	0	0 156293	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7994420	0	07994420	195	0	0	195
	GT2P2{1}	862367	0	0 862367	152	0	0	152
	GT3P3{1}	2438994	0	02438994	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156298	0	0 156298	25	0	0	25
	Pressure 1{2}	3243303	0	03243303	871	0	0	871
	GT3{2}	-156294	0	0 156294	486	0	0	486
	Hydrotest-NL{2}	3087008	0	03087008	1357	0	0	1357
+542 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5609726	0	05609726	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733162	56	0	0	56
	Thermal 3{1}	-156294	0	0 156294	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2384692	0	02384692	101	0	0	101
	Pressure 2{1}	2595527	0	02595527	-124	0	0	124
	Pressure 3{1}	2595286	0	02595286	-107	0	0	107
	GT1{1}	5609727	0	05609727	94	0	0	94

	GT2{1}	-.2E+07	0	01733160	276	0	0	276
	GT3{1}	-156293	0	0 156293	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7994420	0	07994420	195	0	0	195
	GT2P2{1}	862367	0	0 862367	152	0	0	152
	GT3P3{1}	2438994	0	02438994	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156298	0	0 156298	25	0	0	25
	Pressure 1{2}	3243303	0	03243303	871	0	0	871
	GT3{2}	-156294	0	0 156294	486	0	0	486
	Hydrotest-NL{2}	3087008	0	03087008	1357	0	0	1357
+542 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5609464	0	05609464	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733156	56	0	0	56
	Thermal 3{1}	-156294	0	0 156294	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2381593	0	02381593	101	0	0	101
	Pressure 2{1}	2595519	0	02595519	-124	0	0	124
	Pressure 3{1}	2595274	0	02595274	-107	0	0	107
	GT1{1}	5609466	0	05609466	94	0	0	94
	GT2{1}	-.2E+07	0	01733154	276	0	0	276
	GT3{1}	-156292	0	0 156292	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7991058	0	07991058	195	0	0	195
	GT2P2{1}	862365	0	0 862365	152	0	0	152
	GT3P3{1}	2438982	0	02438982	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156298	0	0 156298	25	0	0	25
	Pressure 1{2}	3243276	0	03243276	871	0	0	871
	GT3{2}	-156294	0	0 156294	486	0	0	486
	Hydrotest-NL{2}	3086982	0	03086982	1357	0	0	1357
+543 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5609464	0	05609464	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733156	56	0	0	56
	Thermal 3{1}	-156294	0	0 156294	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2381593	0	02381593	101	0	0	101
	Pressure 2{1}	2595519	0	02595519	-124	0	0	124
	Pressure 3{1}	2595274	0	02595274	-107	0	0	107
	GT1{1}	5609466	0	05609466	94	0	0	94
	GT2{1}	-.2E+07	0	01733154	276	0	0	276
	GT3{1}	-156292	0	0 156292	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7991058	0	07991058	195	0	0	195
	GT2P2{1}	862365	0	0 862365	152	0	0	152
	GT3P3{1}	2438982	0	02438982	135	0	0	135
	Gravity{2}	3	0	0 3	461	0	0	461
	Thermal 3{2}	-156298	0	0 156298	25	0	0	25
	Pressure 1{2}	3243276	0	03243276	871	0	0	871
	GT3{2}	-156294	0	0 156294	486	0	0	486
	Hydrotest-NL{2}	3086982	0	03086982	1357	0	0	1357
+543 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5609199	0	05609199	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733150	56	0	0	56
	Thermal 3{1}	-156293	0	0 156293	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2378448	0	02378448	101	0	0	101
	Pressure 2{1}	2595511	0	02595511	-124	0	0	124
	Pressure 3{1}	2595262	0	02595262	-107	0	0	107
	GT1{1}	5609200	0	05609200	94	0	0	94
	GT2{1}	-.2E+07	0	01733148	276	0	0	276
	GT3{1}	-156292	0	0 156292	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7987648	0	07987648	195	0	0	195
	GT2P2{1}	862362	0	0 862362	152	0	0	152
	GT3P3{1}	2438971	0	02438971	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156297	0	0 156297	25	0	0	25
	Pressure 1{2}	3243249	0	03243249	871	0	0	871
	GT3{2}	-156294	0	0 156294	486	0	0	486
	Hydrotest-NL{2}	3086955	0	03086955	1357	0	0	1357
+544 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5609199	0	05609199	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733150	56	0	0	56
	Thermal 3{1}	-156293	0	0 156293	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2378448	0	02378448	101	0	0	101
	Pressure 2{1}	2595511	0	02595511	-124	0	0	124
	Pressure 3{1}	2595262	0	02595262	-107	0	0	107
	GT1{1}	5609200	0	05609200	94	0	0	94

	GT2{1}	-.2E+07	0	01733148	276	0	0	276
	GT3{1}	-156292	0	0 156292	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7987648	0	07987648	195	0	0	195
	GT2P2{1}	862362	0	0 862362	152	0	0	152
	GT3P3{1}	2438971	0	02438971	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156297	0	0 156297	25	0	0	25
	Pressure 1{2}	3243249	0	03243249	871	0	0	871
	GT3{2}	-156294	0	0 156294	486	0	0	486
	Hydrotest-NL{2}	3086955	0	03086955	1357	0	0	1357
+544 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5608929	0	05608929	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733144	56	0	0	56
	Thermal 3{1}	-156293	0	0 156293	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2375256	0	02375256	101	0	0	101
	Pressure 2{1}	2595502	0	02595502	-124	0	0	124
	Pressure 3{1}	2595250	0	02595250	-107	0	0	107
	GT1{1}	5608931	0	05608931	94	0	0	94
	GT2{1}	-.2E+07	0	01733142	276	0	0	276
	GT3{1}	-156291	0	0 156291	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7984187	0	07984187	195	0	0	195
	GT2P2{1}	862360	0	0 862360	152	0	0	152
	GT3P3{1}	2438959	0	02438959	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156297	0	0 156297	25	0	0	25
	Pressure 1{2}	3243222	0	03243222	871	0	0	871
	GT3{2}	-156293	0	0 156293	486	0	0	486
	Hydrotest-NL{2}	3086928	0	03086928	1357	0	0	1357
+545 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5608929	0	05608929	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733144	56	0	0	56
	Thermal 3{1}	-156293	0	0 156293	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2375256	0	02375256	101	0	0	101
	Pressure 2{1}	2595502	0	02595502	-124	0	0	124
	Pressure 3{1}	2595250	0	02595250	-107	0	0	107
	GT1{1}	5608931	0	05608931	94	0	0	94
	GT2{1}	-.2E+07	0	01733142	276	0	0	276
	GT3{1}	-156291	0	0 156291	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7984187	0	07984187	195	0	0	195
	GT2P2{1}	862360	0	0 862360	152	0	0	152
	GT3P3{1}	2438959	0	02438959	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156297	0	0 156297	25	0	0	25
	Pressure 1{2}	3243222	0	03243222	871	0	0	871
	GT3{2}	-156293	0	0 156293	486	0	0	486
	Hydrotest-NL{2}	3086928	0	03086928	1357	0	0	1357
+545 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5608656	0	05608656	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733138	56	0	0	56
	Thermal 3{1}	-156293	0	0 156293	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2372019	0	02372019	101	0	0	101
	Pressure 2{1}	2595494	0	02595494	-124	0	0	124
	Pressure 3{1}	2595237	0	02595237	-107	0	0	107
	GT1{1}	5608658	0	05608658	94	0	0	94
	GT2{1}	-.2E+07	0	01733136	276	0	0	276
	GT3{1}	-156291	0	0 156291	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7980676	0	07980676	195	0	0	195
	GT2P2{1}	862358	0	0 862358	152	0	0	152
	GT3P3{1}	2438947	0	02438947	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156297	0	0 156297	25	0	0	25
	Pressure 1{2}	3243194	0	03243194	871	0	0	871
	GT3{2}	-156293	0	0 156293	486	0	0	486
	Hydrotest-NL{2}	3086901	0	03086901	1357	0	0	1357
+546 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5608656	0	05608656	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733138	56	0	0	56
	Thermal 3{1}	-156293	0	0 156293	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2372019	0	02372019	101	0	0	101
	Pressure 2{1}	2595494	0	02595494	-124	0	0	124
	Pressure 3{1}	2595237	0	02595237	-107	0	0	107
	GT1{1}	5608658	0	05608658	94	0	0	94

	GT2{1}	-.2E+07	0	01733136	276	0	0	276
	GT3{1}	-156291	0	0 156291	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7980676	0	07980676	195	0	0	195
	GT2P2{1}	862358	0	0 862358	152	0	0	152
	GT3P3{1}	2438947	0	02438947	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156297	0	0 156297	25	0	0	25
	Pressure 1{2}	3243194	0	03243194	871	0	0	871
	GT3{2}	-156293	0	0 156293	486	0	0	486
	Hydrotest-NL{2}	3086901	0	03086901	1357	0	0	1357
+546 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5608379	0	05608379	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733132	56	0	0	56
	Thermal 3{1}	-156292	0	0 156292	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2368733	0	02368733	101	0	0	101
	Pressure 2{1}	2595485	0	02595485	-124	0	0	124
	Pressure 3{1}	2595225	0	02595225	-107	0	0	107
	GT1{1}	5608380	0	05608380	94	0	0	94
	GT2{1}	-.2E+07	0	01733130	276	0	0	276
	GT3{1}	-156290	0	0 156290	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7977113	0	07977113	195	0	0	195
	GT2P2{1}	862355	0	0 862355	152	0	0	152
	GT3P3{1}	2438935	0	02438935	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156296	0	0 156296	25	0	0	25
	Pressure 1{2}	3243166	0	03243166	871	0	0	871
	GT3{2}	-156292	0	0 156292	486	0	0	486
	Hydrotest-NL{2}	3086873	0	03086873	1357	0	0	1357
+547 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5608379	0	05608379	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733132	56	0	0	56
	Thermal 3{1}	-156292	0	0 156292	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2368733	0	02368733	101	0	0	101
	Pressure 2{1}	2595485	0	02595485	-124	0	0	124
	Pressure 3{1}	2595225	0	02595225	-107	0	0	107
	GT1{1}	5608380	0	05608380	94	0	0	94
	GT2{1}	-.2E+07	0	01733130	276	0	0	276
	GT3{1}	-156290	0	0 156290	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7977113	0	07977113	195	0	0	195
	GT2P2{1}	862355	0	0 862355	152	0	0	152
	GT3P3{1}	2438935	0	02438935	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156296	0	0 156296	25	0	0	25
	Pressure 1{2}	3243166	0	03243166	871	0	0	871
	GT3{2}	-156292	0	0 156292	486	0	0	486
	Hydrotest-NL{2}	3086873	0	03086873	1357	0	0	1357
+547 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5608097	0	05608097	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733126	56	0	0	56
	Thermal 3{1}	-156292	0	0 156292	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2365400	0	02365400	101	0	0	101
	Pressure 2{1}	2595476	0	02595476	-124	0	0	124
	Pressure 3{1}	2595212	0	02595212	-107	0	0	107
	GT1{1}	5608099	0	05608099	94	0	0	94
	GT2{1}	-.2E+07	0	01733124	276	0	0	276
	GT3{1}	-156290	0	0 156290	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7973499	0	07973499	195	0	0	195
	GT2P2{1}	862352	0	0 862352	152	0	0	152
	GT3P3{1}	2438923	0	02438923	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156296	0	0 156296	25	0	0	25
	Pressure 1{2}	3243137	0	03243137	871	0	0	871
	GT3{2}	-156292	0	0 156292	486	0	0	486
	Hydrotest-NL{2}	3086845	0	03086845	1357	0	0	1357
+548 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5608097	0	05608097	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733126	56	0	0	56
	Thermal 3{1}	-156292	0	0 156292	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2365400	0	02365400	101	0	0	101
	Pressure 2{1}	2595476	0	02595476	-124	0	0	124
	Pressure 3{1}	2595212	0	02595212	-107	0	0	107
	GT1{1}	5608099	0	05608099	94	0	0	94

	GT2{1}	-.2E+07	0	01733124	276	0	0	276
	GT3{1}	-156290	0	0 156290	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7973499	0	07973499	195	0	0	195
	GT2P2{1}	862352	0	0 862352	152	0	0	152
	GT3P3{1}	2438923	0	02438923	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156296	0	0 156296	25	0	0	25
	Pressure 1{2}	3243137	0	03243137	871	0	0	871
	GT3{2}	-156292	0	0 156292	486	0	0	486
	Hydrotest-NL{2}	3086845	0	03086845	1357	0	0	1357
+548 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5607812	0	05607812	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733119	56	0	0	56
	Thermal 3{1}	-156291	0	0 156291	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2362017	0	02362017	101	0	0	101
	Pressure 2{1}	2595467	0	02595467	-124	0	0	124
	Pressure 3{1}	2595199	0	02595199	-107	0	0	107
	GT1{1}	5607814	0	05607814	94	0	0	94
	GT2{1}	-.2E+07	0	01733117	276	0	0	276
	GT3{1}	-156289	0	0 156289	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7969831	0	07969831	195	0	0	195
	GT2P2{1}	862350	0	0 862350	152	0	0	152
	GT3P3{1}	2438910	0	02438910	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156295	0	0 156295	25	0	0	25
	Pressure 1{2}	3243108	0	03243108	871	0	0	871
	GT3{2}	-156292	0	0 156292	486	0	0	486
	Hydrotest-NL{2}	3086817	0	03086817	1357	0	0	1357
+549 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5607812	0	05607812	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733119	56	0	0	56
	Thermal 3{1}	-156291	0	0 156291	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2362017	0	02362017	101	0	0	101
	Pressure 2{1}	2595467	0	02595467	-124	0	0	124
	Pressure 3{1}	2595199	0	02595199	-107	0	0	107
	GT1{1}	5607814	0	05607814	94	0	0	94
	GT2{1}	-.2E+07	0	01733117	276	0	0	276
	GT3{1}	-156289	0	0 156289	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7969831	0	07969831	195	0	0	195
	GT2P2{1}	862350	0	0 862350	152	0	0	152
	GT3P3{1}	2438910	0	02438910	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156295	0	0 156295	25	0	0	25
	Pressure 1{2}	3243108	0	03243108	871	0	0	871
	GT3{2}	-156292	0	0 156292	486	0	0	486
	Hydrotest-NL{2}	3086817	0	03086817	1357	0	0	1357
+549 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5607522	0	05607522	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733113	56	0	0	56
	Thermal 3{1}	-156291	0	0 156291	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2358585	0	02358585	101	0	0	101
	Pressure 2{1}	2595458	0	02595458	-124	0	0	124
	Pressure 3{1}	2595186	0	02595186	-107	0	0	107
	GT1{1}	5607524	0	05607524	94	0	0	94
	GT2{1}	-.2E+07	0	01733111	276	0	0	276
	GT3{1}	-156289	0	0 156289	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7966109	0	07966109	195	0	0	195
	GT2P2{1}	862347	0	0 862347	152	0	0	152
	GT3P3{1}	2438897	0	02438897	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156295	0	0 156295	25	0	0	25
	Pressure 1{2}	3243079	0	03243079	871	0	0	871
	GT3{2}	-156291	0	0 156291	486	0	0	486
	Hydrotest-NL{2}	3086788	0	03086788	1357	0	0	1357
+550 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5607522	0	05607522	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733113	56	0	0	56
	Thermal 3{1}	-156291	0	0 156291	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2358585	0	02358585	101	0	0	101
	Pressure 2{1}	2595458	0	02595458	-124	0	0	124
	Pressure 3{1}	2595186	0	02595186	-107	0	0	107
	GT1{1}	5607524	0	05607524	94	0	0	94

	GT2{1}	-.2E+07	0	01733111	276	0	0	276
	GT3{1}	-156289	0	0 156289	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7966109	0	07966109	195	0	0	195
	GT2P2{1}	862347	0	0 862347	152	0	0	152
	GT3P3{1}	2438897	0	02438897	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156295	0	0 156295	25	0	0	25
	Pressure 1{2}	3243079	0	03243079	871	0	0	871
	GT3{2}	-156291	0	0 156291	486	0	0	486
	Hydrotest-NL{2}	3086788	0	03086788	1357	0	0	1357
+550 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5607228	0	05607228	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733106	56	0	0	56
	Thermal 3{1}	-156290	0	0 156290	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2355103	0	02355103	101	0	0	101
	Pressure 2{1}	2595449	0	02595449	-124	0	0	124
	Pressure 3{1}	2595173	0	02595173	-107	0	0	107
	GT1{1}	5607230	0	05607230	94	0	0	94
	GT2{1}	-.2E+07	0	01733104	276	0	0	276
	GT3{1}	-156289	0	0 156289	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7962333	0	07962333	195	0	0	195
	GT2P2{1}	862344	0	0 862344	152	0	0	152
	GT3P3{1}	2438885	0	02438885	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156295	0	0 156295	25	0	0	25
	Pressure 1{2}	3243049	0	03243049	871	0	0	871
	GT3{2}	-156291	0	0 156291	486	0	0	486
	Hydrotest-NL{2}	3086758	0	03086758	1357	0	0	1357
+551 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5607228	0	05607228	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733106	56	0	0	56
	Thermal 3{1}	-156290	0	0 156290	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2355103	0	02355103	101	0	0	101
	Pressure 2{1}	2595449	0	02595449	-124	0	0	124
	Pressure 3{1}	2595173	0	02595173	-107	0	0	107
	GT1{1}	5607230	0	05607230	94	0	0	94
	GT2{1}	-.2E+07	0	01733104	276	0	0	276
	GT3{1}	-156289	0	0 156289	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7962333	0	07962333	195	0	0	195
	GT2P2{1}	862344	0	0 862344	152	0	0	152
	GT3P3{1}	2438885	0	02438885	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156295	0	0 156295	25	0	0	25
	Pressure 1{2}	3243049	0	03243049	871	0	0	871
	GT3{2}	-156291	0	0 156291	486	0	0	486
	Hydrotest-NL{2}	3086758	0	03086758	1357	0	0	1357
+551 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5606930	0	05606930	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733099	56	0	0	56
	Thermal 3{1}	-156290	0	0 156290	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2351570	0	02351570	101	0	0	101
	Pressure 2{1}	2595439	0	02595439	-124	0	0	124
	Pressure 3{1}	2595160	0	02595160	-107	0	0	107
	GT1{1}	5606932	0	05606932	94	0	0	94
	GT2{1}	-.2E+07	0	01733098	276	0	0	276
	GT3{1}	-156288	0	0 156288	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7958502	0	07958502	195	0	0	195
	GT2P2{1}	862342	0	0 862342	152	0	0	152
	GT3P3{1}	2438872	0	02438872	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156294	0	0 156294	25	0	0	25
	Pressure 1{2}	3243019	0	03243019	871	0	0	871
	GT3{2}	-156290	0	0 156290	486	0	0	486
	Hydrotest-NL{2}	3086728	0	03086728	1357	0	0	1357
+552 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5606930	0	05606930	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733099	56	0	0	56
	Thermal 3{1}	-156290	0	0 156290	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2351570	0	02351570	101	0	0	101
	Pressure 2{1}	2595439	0	02595439	-124	0	0	124
	Pressure 3{1}	2595160	0	02595160	-107	0	0	107
	GT1{1}	5606932	0	05606932	94	0	0	94

	GT2{1}	-.2E+07	0	01733098	276	0	0	276
	GT3{1}	-156288	0	0 156288	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7958502	0	07958502	195	0	0	195
	GT2P2{1}	862342	0	0 862342	152	0	0	152
	GT3P3{1}	2438872	0	02438872	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156294	0	0 156294	25	0	0	25
	Pressure 1{2}	3243019	0	03243019	871	0	0	871
	GT3{2}	-156290	0	0 156290	486	0	0	486
	Hydrotest-NL{2}	3086728	0	03086728	1357	0	0	1357
+552 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5606627	0	05606627	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733093	56	0	0	56
	Thermal 3{1}	-156290	0	0 156290	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2347984	0	02347984	101	0	0	101
	Pressure 2{1}	2595430	0	02595430	-124	0	0	124
	Pressure 3{1}	2595146	0	02595146	-107	0	0	107
	GT1{1}	5606629	0	05606629	94	0	0	94
	GT2{1}	-.2E+07	0	01733091	276	0	0	276
	GT3{1}	-156288	0	0 156288	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7954614	0	07954614	195	0	0	195
	GT2P2{1}	862339	0	0 862339	152	0	0	152
	GT3P3{1}	2438858	0	02438858	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156294	0	0 156294	25	0	0	25
	Pressure 1{2}	3242988	0	03242988	871	0	0	871
	GT3{2}	-156290	0	0 156290	486	0	0	486
	Hydrotest-NL{2}	3086698	0	03086698	1357	0	0	1357
+553 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5606627	0	05606627	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733093	56	0	0	56
	Thermal 3{1}	-156290	0	0 156290	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2347984	0	02347984	101	0	0	101
	Pressure 2{1}	2595430	0	02595430	-124	0	0	124
	Pressure 3{1}	2595146	0	02595146	-107	0	0	107
	GT1{1}	5606629	0	05606629	94	0	0	94
	GT2{1}	-.2E+07	0	01733091	276	0	0	276
	GT3{1}	-156288	0	0 156288	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7954614	0	07954614	195	0	0	195
	GT2P2{1}	862339	0	0 862339	152	0	0	152
	GT3P3{1}	2438858	0	02438858	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156294	0	0 156294	25	0	0	25
	Pressure 1{2}	3242988	0	03242988	871	0	0	871
	GT3{2}	-156290	0	0 156290	486	0	0	486
	Hydrotest-NL{2}	3086698	0	03086698	1357	0	0	1357
+553 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5606320	0	05606320	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733086	56	0	0	56
	Thermal 3{1}	-156289	0	0 156289	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2344347	0	02344347	101	0	0	101
	Pressure 2{1}	2595420	0	02595420	-124	0	0	124
	Pressure 3{1}	2595132	0	02595132	-107	0	0	107
	GT1{1}	5606322	0	05606322	94	0	0	94
	GT2{1}	-.2E+07	0	01733084	276	0	0	276
	GT3{1}	-156287	0	0 156287	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7950669	0	07950669	195	0	0	195
	GT2P2{1}	862336	0	0 862336	152	0	0	152
	GT3P3{1}	2438845	0	02438845	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156294	0	0 156294	25	0	0	25
	Pressure 1{2}	3242957	0	03242957	871	0	0	871
	GT3{2}	-156289	0	0 156289	486	0	0	486
	Hydrotest-NL{2}	3086668	0	03086668	1357	0	0	1357
+554 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5606320	0	05606320	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733086	56	0	0	56
	Thermal 3{1}	-156289	0	0 156289	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2344347	0	02344347	101	0	0	101
	Pressure 2{1}	2595420	0	02595420	-124	0	0	124
	Pressure 3{1}	2595132	0	02595132	-107	0	0	107
	GT1{1}	5606322	0	05606322	94	0	0	94

	GT2{1}	-.2E+07	0	01733084	276	0	0	276
	GT3{1}	-156287	0	0 156287	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7950669	0	07950669	195	0	0	195
	GT2P2{1}	862336	0	0 862336	152	0	0	152
	GT3P3{1}	2438845	0	02438845	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156294	0	0 156294	25	0	0	25
	Pressure 1{2}	3242957	0	03242957	871	0	0	871
	GT3{2}	-156289	0	0 156289	486	0	0	486
	Hydrotest-NL{2}	3086668	0	03086668	1357	0	0	1357
+554 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5606009	0	05606009	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733079	56	0	0	56
	Thermal 3{1}	-156289	0	0 156289	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2340655	0	02340655	101	0	0	101
	Pressure 2{1}	2595410	0	02595410	-124	0	0	124
	Pressure 3{1}	2595118	0	02595118	-107	0	0	107
	GT1{1}	5606011	0	05606011	94	0	0	94
	GT2{1}	-.2E+07	0	01733077	276	0	0	276
	GT3{1}	-156287	0	0 156287	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7946666	0	07946666	195	0	0	195
	GT2P2{1}	862333	0	0 862333	152	0	0	152
	GT3P3{1}	2438832	0	02438832	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156293	0	0 156293	25	0	0	25
	Pressure 1{2}	3242925	0	03242925	871	0	0	871
	GT3{2}	-156289	0	0 156289	486	0	0	486
	Hydrotest-NL{2}	3086636	0	03086636	1357	0	0	1357
+555 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5606009	0	05606009	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733079	56	0	0	56
	Thermal 3{1}	-156289	0	0 156289	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2340655	0	02340655	101	0	0	101
	Pressure 2{1}	2595410	0	02595410	-124	0	0	124
	Pressure 3{1}	2595118	0	02595118	-107	0	0	107
	GT1{1}	5606011	0	05606011	94	0	0	94
	GT2{1}	-.2E+07	0	01733077	276	0	0	276
	GT3{1}	-156287	0	0 156287	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7946666	0	07946666	195	0	0	195
	GT2P2{1}	862333	0	0 862333	152	0	0	152
	GT3P3{1}	2438832	0	02438832	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156293	0	0 156293	25	0	0	25
	Pressure 1{2}	3242925	0	03242925	871	0	0	871
	GT3{2}	-156289	0	0 156289	486	0	0	486
	Hydrotest-NL{2}	3086636	0	03086636	1357	0	0	1357
+555 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5605692	0	05605692	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733072	56	0	0	56
	Thermal 3{1}	-156288	0	0 156288	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2336910	0	02336910	101	0	0	101
	Pressure 2{1}	2595400	0	02595400	-124	0	0	124
	Pressure 3{1}	2595104	0	02595104	-107	0	0	107
	GT1{1}	5605695	0	05605695	94	0	0	94
	GT2{1}	-.2E+07	0	01733070	276	0	0	276
	GT3{1}	-156286	0	0 156286	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7942605	0	07942605	195	0	0	195
	GT2P2{1}	862330	0	0 862330	152	0	0	152
	GT3P3{1}	2438818	0	02438818	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156293	0	0 156293	25	0	0	25
	Pressure 1{2}	3242893	0	03242893	871	0	0	871
	GT3{2}	-156289	0	0 156289	486	0	0	486
	Hydrotest-NL{2}	3086605	0	03086605	1357	0	0	1357
+556 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5605692	0	05605692	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733072	56	0	0	56
	Thermal 3{1}	-156288	0	0 156288	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2336910	0	02336910	101	0	0	101
	Pressure 2{1}	2595400	0	02595400	-124	0	0	124
	Pressure 3{1}	2595104	0	02595104	-107	0	0	107
	GT1{1}	5605695	0	05605695	94	0	0	94

	GT2{1}	-.2E+07	0	01733070	276	0	0	276
	GT3{1}	-156286	0	0 156286	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7942605	0	07942605	195	0	0	195
	GT2P2{1}	862330	0	0 862330	152	0	0	152
	GT3P3{1}	2438818	0	02438818	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156293	0	0 156293	25	0	0	25
	Pressure 1{2}	3242893	0	03242893	871	0	0	871
	GT3{2}	-156289	0	0 156289	486	0	0	486
	Hydrotest-NL{2}	3086605	0	03086605	1357	0	0	1357
+556 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5605372	0	05605372	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733065	56	0	0	56
	Thermal 3{1}	-156288	0	0 156288	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2333110	0	02333110	101	0	0	101
	Pressure 2{1}	2595390	0	02595390	-124	0	0	124
	Pressure 3{1}	2595089	0	02595089	-107	0	0	107
	GT1{1}	5605374	0	05605374	94	0	0	94
	GT2{1}	-.2E+07	0	01733063	276	0	0	276
	GT3{1}	-156286	0	0 156286	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7938483	0	07938483	195	0	0	195
	GT2P2{1}	862327	0	0 862327	152	0	0	152
	GT3P3{1}	2438804	0	02438804	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156292	0	0 156292	25	0	0	25
	Pressure 1{2}	3242861	0	03242861	871	0	0	871
	GT3{2}	-156288	0	0 156288	486	0	0	486
	Hydrotest-NL{2}	3086573	0	03086573	1357	0	0	1357
+557 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5605372	0	05605372	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733065	56	0	0	56
	Thermal 3{1}	-156288	0	0 156288	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2333110	0	02333110	101	0	0	101
	Pressure 2{1}	2595390	0	02595390	-124	0	0	124
	Pressure 3{1}	2595089	0	02595089	-107	0	0	107
	GT1{1}	5605374	0	05605374	94	0	0	94
	GT2{1}	-.2E+07	0	01733063	276	0	0	276
	GT3{1}	-156286	0	0 156286	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7938483	0	07938483	195	0	0	195
	GT2P2{1}	862327	0	0 862327	152	0	0	152
	GT3P3{1}	2438804	0	02438804	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156292	0	0 156292	25	0	0	25
	Pressure 1{2}	3242861	0	03242861	871	0	0	871
	GT3{2}	-156288	0	0 156288	486	0	0	486
	Hydrotest-NL{2}	3086573	0	03086573	1357	0	0	1357
+557 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5605046	0	05605046	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733058	56	0	0	56
	Thermal 3{1}	-156287	0	0 156287	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2329254	0	02329254	101	0	0	101
	Pressure 2{1}	2595380	0	02595380	-124	0	0	124
	Pressure 3{1}	2595075	0	02595075	-107	0	0	107
	GT1{1}	5605049	0	05605049	94	0	0	94
	GT2{1}	-.2E+07	0	01733055	276	0	0	276
	GT3{1}	-156285	0	0 156285	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7934303	0	07934303	195	0	0	195
	GT2P2{1}	862324	0	0 862324	152	0	0	152
	GT3P3{1}	2438790	0	02438790	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156292	0	0 156292	25	0	0	25
	Pressure 1{2}	3242828	0	03242828	871	0	0	871
	GT3{2}	-156288	0	0 156288	486	0	0	486
	Hydrotest-NL{2}	3086540	0	03086540	1357	0	0	1357
+558 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5605046	0	05605046	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733058	56	0	0	56
	Thermal 3{1}	-156287	0	0 156287	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2329254	0	02329254	101	0	0	101
	Pressure 2{1}	2595380	0	02595380	-124	0	0	124
	Pressure 3{1}	2595075	0	02595075	-107	0	0	107
	GT1{1}	5605049	0	05605049	94	0	0	94

	GT2{1}	-.2E+07	0	01733055	276	0	0	276
	GT3{1}	-156285	0	0 156285	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7934303	0	07934303	195	0	0	195
	GT2P2{1}	862324	0	0 862324	152	0	0	152
	GT3P3{1}	2438790	0	02438790	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156292	0	0 156292	25	0	0	25
	Pressure 1{2}	3242828	0	03242828	871	0	0	871
	GT3{2}	-156288	0	0 156288	486	0	0	486
	Hydrotest-NL{2}	3086540	0	03086540	1357	0	0	1357
+558 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5604716	0	05604716	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733050	56	0	0	56
	Thermal 3{1}	-156287	0	0 156287	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2325342	0	02325342	101	0	0	101
	Pressure 2{1}	2595369	0	02595369	-124	0	0	124
	Pressure 3{1}	2595060	0	02595060	-107	0	0	107
	GT1{1}	5604718	0	05604718	94	0	0	94
	GT2{1}	-.2E+07	0	01733048	276	0	0	276
	GT3{1}	-156285	0	0 156285	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7930060	0	07930060	195	0	0	195
	GT2P2{1}	862321	0	0 862321	152	0	0	152
	GT3P3{1}	2438775	0	02438775	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156291	0	0 156291	25	0	0	25
	Pressure 1{2}	3242794	0	03242794	871	0	0	871
	GT3{2}	-156287	0	0 156287	486	0	0	486
	Hydrotest-NL{2}	3086507	0	03086507	1357	0	0	1357
+559 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5604716	0	05604716	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733050	56	0	0	56
	Thermal 3{1}	-156287	0	0 156287	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2325342	0	02325342	101	0	0	101
	Pressure 2{1}	2595369	0	02595369	-124	0	0	124
	Pressure 3{1}	2595060	0	02595060	-107	0	0	107
	GT1{1}	5604718	0	05604718	94	0	0	94
	GT2{1}	-.2E+07	0	01733048	276	0	0	276
	GT3{1}	-156285	0	0 156285	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7930060	0	07930060	195	0	0	195
	GT2P2{1}	862321	0	0 862321	152	0	0	152
	GT3P3{1}	2438775	0	02438775	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156291	0	0 156291	25	0	0	25
	Pressure 1{2}	3242794	0	03242794	871	0	0	871
	GT3{2}	-156287	0	0 156287	486	0	0	486
	Hydrotest-NL{2}	3086507	0	03086507	1357	0	0	1357
+559 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5604381	0	05604381	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733043	56	0	0	56
	Thermal 3{1}	-156286	0	0 156286	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2321372	0	02321372	101	0	0	101
	Pressure 2{1}	2595359	0	02595359	-124	0	0	124
	Pressure 3{1}	2595045	0	02595045	-107	0	0	107
	GT1{1}	5604384	0	05604384	94	0	0	94
	GT2{1}	-.2E+07	0	01733041	276	0	0	276
	GT3{1}	-156284	0	0 156284	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7925755	0	07925755	195	0	0	195
	GT2P2{1}	862318	0	0 862318	152	0	0	152
	GT3P3{1}	2438761	0	02438761	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156291	0	0 156291	25	0	0	25
	Pressure 1{2}	3242760	0	03242760	871	0	0	871
	GT3{2}	-156287	0	0 156287	486	0	0	486
	Hydrotest-NL{2}	3086474	0	03086474	1357	0	0	1357
+560 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5604381	0	05604381	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733043	56	0	0	56
	Thermal 3{1}	-156286	0	0 156286	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2321372	0	02321372	101	0	0	101
	Pressure 2{1}	2595359	0	02595359	-124	0	0	124
	Pressure 3{1}	2595045	0	02595045	-107	0	0	107
	GT1{1}	5604384	0	05604384	94	0	0	94

	GT2{1}	-.2E+07	0	01733041	276	0	0	276
	GT3{1}	-156284	0	0 156284	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7925755	0	07925755	195	0	0	195
	GT2P2{1}	862318	0	0 862318	152	0	0	152
	GT3P3{1}	2438761	0	02438761	135	0	0	135
	Gravity{2}	4	0	0 4	461	0	0	461
	Thermal 3{2}	-156291	0	0 156291	25	0	0	25
	Pressure 1{2}	3242760	0	03242760	871	0	0	871
	GT3{2}	-156287	0	0 156287	486	0	0	486
	Hydrotest-NL{2}	3086474	0	03086474	1357	0	0	1357
+560 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5604041	0	05604041	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733035	56	0	0	56
	Thermal 3{1}	-156286	0	0 156286	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2317344	0	02317344	101	0	0	101
	Pressure 2{1}	2595348	0	02595348	-124	0	0	124
	Pressure 3{1}	2595029	0	02595029	-107	0	0	107
	GT1{1}	5604043	0	05604043	94	0	0	94
	GT2{1}	-.2E+07	0	01733033	276	0	0	276
	GT3{1}	-156283	0	0 156283	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7921387	0	07921387	195	0	0	195
	GT2P2{1}	862315	0	0 862315	152	0	0	152
	GT3P3{1}	2438746	0	02438746	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156291	0	0 156291	25	0	0	25
	Pressure 1{2}	3242726	0	03242726	871	0	0	871
	GT3{2}	-156286	0	0 156286	486	0	0	486
	Hydrotest-NL{2}	3086440	0	03086440	1357	0	0	1357
+561 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5604041	0	05604041	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733035	56	0	0	56
	Thermal 3{1}	-156286	0	0 156286	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2317344	0	02317344	101	0	0	101
	Pressure 2{1}	2595348	0	02595348	-124	0	0	124
	Pressure 3{1}	2595029	0	02595029	-107	0	0	107
	GT1{1}	5604043	0	05604043	94	0	0	94
	GT2{1}	-.2E+07	0	01733033	276	0	0	276
	GT3{1}	-156283	0	0 156283	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	2	0	0 2	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7921387	0	07921387	195	0	0	195
	GT2P2{1}	862315	0	0 862315	152	0	0	152
	GT3P3{1}	2438746	0	02438746	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156291	0	0 156291	25	0	0	25
	Pressure 1{2}	3242726	0	03242726	871	0	0	871
	GT3{2}	-156286	0	0 156286	486	0	0	486
	Hydrotest-NL{2}	3086440	0	03086440	1357	0	0	1357
+561 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5603696	0	05603696	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733027	56	0	0	56
	Thermal 3{1}	-156285	0	0 156285	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2313257	0	02313257	101	0	0	101
	Pressure 2{1}	2595337	0	02595337	-124	0	0	124
	Pressure 3{1}	2595014	0	02595014	-107	0	0	107
	GT1{1}	5603698	0	05603698	94	0	0	94
	GT2{1}	-.2E+07	0	01733025	276	0	0	276
	GT3{1}	-156283	0	0 156283	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7916955	0	07916955	195	0	0	195
	GT2P2{1}	862312	0	0 862312	152	0	0	152
	GT3P3{1}	2438731	0	02438731	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156290	0	0 156290	25	0	0	25
	Pressure 1{2}	3242691	0	03242691	871	0	0	871
	GT3{2}	-156286	0	0 156286	486	0	0	486
	Hydrotest-NL{2}	3086405	0	03086405	1357	0	0	1357
+562 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5603696	0	05603696	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733027	56	0	0	56
	Thermal 3{1}	-156285	0	0 156285	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2313257	0	02313257	101	0	0	101
	Pressure 2{1}	2595337	0	02595337	-124	0	0	124
	Pressure 3{1}	2595014	0	02595014	-107	0	0	107
	GT1{1}	5603698	0	05603698	94	0	0	94

	GT2{1}	-.2E+07	0	01733025	276	0	0	276
	GT3{1}	-156283	0	0 156283	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7916955	0	07916955	195	0	0	195
	GT2P2{1}	862312	0	0 862312	152	0	0	152
	GT3P3{1}	2438731	0	02438731	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156290	0	0 156290	25	0	0	25
	Pressure 1{2}	3242691	0	03242691	871	0	0	871
	GT3{2}	-156286	0	0 156286	486	0	0	486
	Hydrotest-NL{2}	3086405	0	03086405	1357	0	0	1357
+562 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5603346	0	05603346	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733020	56	0	0	56
	Thermal 3{1}	-156285	0	0 156285	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2309110	0	02309110	101	0	0	101
	Pressure 2{1}	2595326	0	02595326	-124	0	0	124
	Pressure 3{1}	2594998	0	02594998	-107	0	0	107
	GT1{1}	5603348	0	05603348	94	0	0	94
	GT2{1}	-.2E+07	0	01733017	276	0	0	276
	GT3{1}	-156282	0	0 156282	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7912458	0	07912458	195	0	0	195
	GT2P2{1}	862309	0	0 862309	152	0	0	152
	GT3P3{1}	2438716	0	02438716	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156290	0	0 156290	25	0	0	25
	Pressure 1{2}	3242655	0	03242655	871	0	0	871
	GT3{2}	-156285	0	0 156285	486	0	0	486
	Hydrotest-NL{2}	3086370	0	03086370	1357	0	0	1357
+563 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5603346	0	05603346	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733020	56	0	0	56
	Thermal 3{1}	-156285	0	0 156285	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2309110	0	02309110	101	0	0	101
	Pressure 2{1}	2595326	0	02595326	-124	0	0	124
	Pressure 3{1}	2594998	0	02594998	-107	0	0	107
	GT1{1}	5603348	0	05603348	94	0	0	94
	GT2{1}	-.2E+07	0	01733017	276	0	0	276
	GT3{1}	-156282	0	0 156282	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7912458	0	07912458	195	0	0	195
	GT2P2{1}	862309	0	0 862309	152	0	0	152
	GT3P3{1}	2438716	0	02438716	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156290	0	0 156290	25	0	0	25
	Pressure 1{2}	3242655	0	03242655	871	0	0	871
	GT3{2}	-156285	0	0 156285	486	0	0	486
	Hydrotest-NL{2}	3086370	0	03086370	1357	0	0	1357
+563 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5602991	0	05602991	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733012	56	0	0	56
	Thermal 3{1}	-156284	0	0 156284	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2304902	0	02304902	101	0	0	101
	Pressure 2{1}	2595315	0	02595315	-124	0	0	124
	Pressure 3{1}	2594982	0	02594982	-107	0	0	107
	GT1{1}	5602993	0	05602993	94	0	0	94
	GT2{1}	-.2E+07	0	01733009	276	0	0	276
	GT3{1}	-156282	0	0 156282	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7907896	0	07907896	195	0	0	195
	GT2P2{1}	862305	0	0 862305	152	0	0	152
	GT3P3{1}	2438700	0	02438700	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156289	0	0 156289	25	0	0	25
	Pressure 1{2}	3242619	0	03242619	871	0	0	871
	GT3{2}	-156284	0	0 156284	486	0	0	486
	Hydrotest-NL{2}	3086334	0	03086334	1357	0	0	1357
+564 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5602991	0	05602991	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733012	56	0	0	56
	Thermal 3{1}	-156284	0	0 156284	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2304902	0	02304902	101	0	0	101
	Pressure 2{1}	2595315	0	02595315	-124	0	0	124
	Pressure 3{1}	2594982	0	02594982	-107	0	0	107
	GT1{1}	5602993	0	05602993	94	0	0	94

	GT2{1}	-.2E+07	0	01733009	276	0	0	276
	GT3{1}	-156282	0	0 156282	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7907896	0	07907896	195	0	0	195
	GT2P2{1}	862305	0	0 862305	152	0	0	152
	GT3P3{1}	2438700	0	02438700	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156289	0	0 156289	25	0	0	25
	Pressure 1{2}	3242619	0	03242619	871	0	0	871
	GT3{2}	-156284	0	0 156284	486	0	0	486
	Hydrotest-NL{2}	3086334	0	03086334	1357	0	0	1357
+564 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5602630	0	05602630	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733004	56	0	0	56
	Thermal 3{1}	-156284	0	0 156284	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2300633	0	02300633	101	0	0	101
	Pressure 2{1}	2595303	0	02595303	-124	0	0	124
	Pressure 3{1}	2594966	0	02594966	-107	0	0	107
	GT1{1}	5602633	0	05602633	94	0	0	94
	GT2{1}	-.2E+07	0	01733001	276	0	0	276
	GT3{1}	-156281	0	0 156281	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7903266	0	07903266	195	0	0	195
	GT2P2{1}	862302	0	0 862302	152	0	0	152
	GT3P3{1}	2438685	0	02438685	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156289	0	0 156289	25	0	0	25
	Pressure 1{2}	3242582	0	03242582	871	0	0	871
	GT3{2}	-156284	0	0 156284	486	0	0	486
	Hydrotest-NL{2}	3086298	0	03086298	1357	0	0	1357
+565 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5602630	0	05602630	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01733004	56	0	0	56
	Thermal 3{1}	-156284	0	0 156284	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2300633	0	02300633	101	0	0	101
	Pressure 2{1}	2595303	0	02595303	-124	0	0	124
	Pressure 3{1}	2594966	0	02594966	-107	0	0	107
	GT1{1}	5602633	0	05602633	94	0	0	94
	GT2{1}	-.2E+07	0	01733001	276	0	0	276
	GT3{1}	-156281	0	0 156281	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7903266	0	07903266	195	0	0	195
	GT2P2{1}	862302	0	0 862302	152	0	0	152
	GT3P3{1}	2438685	0	02438685	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156289	0	0 156289	25	0	0	25
	Pressure 1{2}	3242582	0	03242582	871	0	0	871
	GT3{2}	-156284	0	0 156284	486	0	0	486
	Hydrotest-NL{2}	3086298	0	03086298	1357	0	0	1357
+565 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5602265	0	05602265	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732996	56	0	0	56
	Thermal 3{1}	-156283	0	0 156283	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2296301	0	02296301	101	0	0	101
	Pressure 2{1}	2595292	0	02595292	-124	0	0	124
	Pressure 3{1}	2594949	0	02594949	-107	0	0	107
	GT1{1}	5602267	0	05602267	94	0	0	94
	GT2{1}	-.2E+07	0	01732993	276	0	0	276
	GT3{1}	-156281	0	0 156281	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7898568	0	07898568	195	0	0	195
	GT2P2{1}	862299	0	0 862299	152	0	0	152
	GT3P3{1}	2438669	0	02438669	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156288	0	0 156288	25	0	0	25
	Pressure 1{2}	3242545	0	03242545	871	0	0	871
	GT3{2}	-156283	0	0 156283	486	0	0	486
	Hydrotest-NL{2}	3086262	0	03086262	1357	0	0	1357
+566 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5602265	0	05602265	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732996	56	0	0	56
	Thermal 3{1}	-156283	0	0 156283	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2296301	0	02296301	101	0	0	101
	Pressure 2{1}	2595292	0	02595292	-124	0	0	124
	Pressure 3{1}	2594949	0	02594949	-107	0	0	107
	GT1{1}	5602267	0	05602267	94	0	0	94

	GT2{1}	-.2E+07	0	01732993	276	0	0	276
	GT3{1}	-156281	0	0 156281	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	2	0	0 2	272	0	0	272
	GT1P1{1}	7898568	0	07898568	195	0	0	195
	GT2P2{1}	862299	0	0 862299	152	0	0	152
	GT3P3{1}	2438669	0	02438669	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156288	0	0 156288	25	0	0	25
	Pressure 1{2}	3242545	0	03242545	871	0	0	871
	GT3{2}	-156283	0	0 156283	486	0	0	486
	Hydrotest-NL{2}	3086262	0	03086262	1357	0	0	1357
+566 +	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5601894	0	05601894	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732987	56	0	0	56
	Thermal 3{1}	-156282	0	0 156282	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2291905	0	02291905	101	0	0	101
	Pressure 2{1}	2595280	0	02595280	-124	0	0	124
	Pressure 3{1}	2594933	0	02594933	-107	0	0	107
	GT1{1}	5601896	0	05601896	94	0	0	94
	GT2{1}	-.2E+07	0	01732985	276	0	0	276
	GT3{1}	-156280	0	0 156280	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7893802	0	07893802	195	0	0	195
	GT2P2{1}	862295	0	0 862295	152	0	0	152
	GT3P3{1}	2438653	0	02438653	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156288	0	0 156288	25	0	0	25
	Pressure 1{2}	3242508	0	03242508	871	0	0	871
	GT3{2}	-156283	0	0 156283	486	0	0	486
	Hydrotest-NL{2}	3086225	0	03086225	1357	0	0	1357
+567 -	Gravity{1}	2	0	0 2	220	0	0	220
	Thermal 1{1}	5601894	0	05601894	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732987	56	0	0	56
	Thermal 3{1}	-156282	0	0 156282	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2291905	0	02291905	101	0	0	101
	Pressure 2{1}	2595280	0	02595280	-124	0	0	124
	Pressure 3{1}	2594933	0	02594933	-107	0	0	107
	GT1{1}	5601896	0	05601896	94	0	0	94
	GT2{1}	-.2E+07	0	01732985	276	0	0	276
	GT3{1}	-156280	0	0 156280	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7893802	0	07893802	195	0	0	195
	GT2P2{1}	862295	0	0 862295	152	0	0	152
	GT3P3{1}	2438653	0	02438653	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156288	0	0 156288	25	0	0	25
	Pressure 1{2}	3242508	0	03242508	871	0	0	871
	GT3{2}	-156283	0	0 156283	486	0	0	486
	Hydrotest-NL{2}	3086225	0	03086225	1357	0	0	1357
+567 +	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5601518	0	05601518	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732979	56	0	0	56
	Thermal 3{1}	-156282	0	0 156282	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2287445	0	02287445	101	0	0	101
	Pressure 2{1}	2595268	0	02595268	-124	0	0	124
	Pressure 3{1}	2594916	0	02594916	-107	0	0	107
	GT1{1}	5601521	0	05601521	94	0	0	94
	GT2{1}	-.2E+07	0	01732976	276	0	0	276
	GT3{1}	-156279	0	0 156279	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7888966	0	07888966	195	0	0	195
	GT2P2{1}	862292	0	0 862292	152	0	0	152
	GT3P3{1}	2438636	0	02438636	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156287	0	0 156287	25	0	0	25
	Pressure 1{2}	3242469	0	03242469	871	0	0	871
	GT3{2}	-156282	0	0 156282	486	0	0	486
	Hydrotest-NL{2}	3086187	0	03086187	1357	0	0	1357
+568 -	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5601518	0	05601518	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732979	56	0	0	56
	Thermal 3{1}	-156282	0	0 156282	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2287445	0	02287445	101	0	0	101
	Pressure 2{1}	2595268	0	02595268	-124	0	0	124
	Pressure 3{1}	2594916	0	02594916	-107	0	0	107
	GT1{1}	5601521	0	05601521	94	0	0	94

	GT2{1}	-.2E+07	0	01732976	276	0	0	276
	GT3{1}	-156279	0	0 156279	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	2	0	0 2	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7888966	0	07888966	195	0	0	195
	GT2P2{1}	862292	0	0 862292	152	0	0	152
	GT3P3{1}	2438636	0	02438636	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156287	0	0 156287	25	0	0	25
	Pressure 1{2}	3242469	0	03242469	871	0	0	871
	GT3{2}	-156282	0	0 156282	486	0	0	486
	Hydrotest-NL{2}	3086187	0	03086187	1357	0	0	1357
+568 +	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5601136	0	05601136	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732970	56	0	0	56
	Thermal 3{1}	-156281	0	0 156281	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2282920	0	02282920	101	0	0	101
	Pressure 2{1}	2595256	0	02595256	-124	0	0	124
	Pressure 3{1}	2594898	0	02594898	-107	0	0	107
	GT1{1}	5601139	0	05601139	94	0	0	94
	GT2{1}	-.2E+07	0	01732968	276	0	0	276
	GT3{1}	-156279	0	0 156279	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7884058	0	07884058	195	0	0	195
	GT2P2{1}	862288	0	0 862288	152	0	0	152
	GT3P3{1}	2438620	0	02438620	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156287	0	0 156287	25	0	0	25
	Pressure 1{2}	3242431	0	03242431	871	0	0	871
	GT3{2}	-156282	0	0 156282	486	0	0	486
	Hydrotest-NL{2}	3086149	0	03086149	1357	0	0	1357
+569 -	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5601136	0	05601136	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732970	56	0	0	56
	Thermal 3{1}	-156281	0	0 156281	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2282920	0	02282920	101	0	0	101
	Pressure 2{1}	2595256	0	02595256	-124	0	0	124
	Pressure 3{1}	2594898	0	02594898	-107	0	0	107
	GT1{1}	5601139	0	05601139	94	0	0	94
	GT2{1}	-.2E+07	0	01732968	276	0	0	276
	GT3{1}	-156279	0	0 156279	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7884058	0	07884058	195	0	0	195
	GT2P2{1}	862288	0	0 862288	152	0	0	152
	GT3P3{1}	2438620	0	02438620	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156287	0	0 156287	25	0	0	25
	Pressure 1{2}	3242431	0	03242431	871	0	0	871
	GT3{2}	-156282	0	0 156282	486	0	0	486
	Hydrotest-NL{2}	3086149	0	03086149	1357	0	0	1357
+569 +	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5600748	0	05600748	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732962	56	0	0	56
	Thermal 3{1}	-156281	0	0 156281	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2278328	0	02278328	101	0	0	101
	Pressure 2{1}	2595244	0	02595244	-124	0	0	124
	Pressure 3{1}	2594881	0	02594881	-107	0	0	107
	GT1{1}	5600751	0	05600751	94	0	0	94
	GT2{1}	-.2E+07	0	01732959	276	0	0	276
	GT3{1}	-156278	0	0 156278	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7879079	0	07879079	195	0	0	195
	GT2P2{1}	862285	0	0 862285	152	0	0	152
	GT3P3{1}	2438603	0	02438603	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156286	0	0 156286	25	0	0	25
	Pressure 1{2}	3242391	0	03242391	871	0	0	871
	GT3{2}	-156281	0	0 156281	486	0	0	486
	Hydrotest-NL{2}	3086110	0	03086110	1357	0	0	1357
+570 -	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5600748	0	05600748	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732962	56	0	0	56
	Thermal 3{1}	-156281	0	0 156281	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2278328	0	02278328	101	0	0	101
	Pressure 2{1}	2595244	0	02595244	-124	0	0	124
	Pressure 3{1}	2594881	0	02594881	-107	0	0	107
	GT1{1}	5600751	0	05600751	94	0	0	94

	GT2{1}	-.2E+07	0	01732959	276	0	0	276
	GT3{1}	-156278	0	0 156278	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7879079	0	07879079	195	0	0	195
	GT2P2{1}	862285	0	0 862285	152	0	0	152
	GT3P3{1}	2438603	0	02438603	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156286	0	0 156286	25	0	0	25
	Pressure 1{2}	3242391	0	03242391	871	0	0	871
	GT3{2}	-156281	0	0 156281	486	0	0	486
	Hydrotest-NL{2}	3086110	0	03086110	1357	0	0	1357
+570 +	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5600355	0	05600355	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732953	56	0	0	56
	Thermal 3{1}	-156280	0	0 156280	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2273669	0	02273669	101	0	0	101
	Pressure 2{1}	2595232	0	02595232	-124	0	0	124
	Pressure 3{1}	2594863	0	02594863	-107	0	0	107
	GT1{1}	5600357	0	05600357	94	0	0	94
	GT2{1}	-.2E+07	0	01732950	276	0	0	276
	GT3{1}	-156278	0	0 156278	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7874026	0	07874026	195	0	0	195
	GT2P2{1}	862281	0	0 862281	152	0	0	152
	GT3P3{1}	2438585	0	02438585	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156286	0	0 156286	25	0	0	25
	Pressure 1{2}	3242351	0	03242351	871	0	0	871
	GT3{2}	-156281	0	0 156281	486	0	0	486
	Hydrotest-NL{2}	3086071	0	03086071	1357	0	0	1357
+571 -	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5600355	0	05600355	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732953	56	0	0	56
	Thermal 3{1}	-156280	0	0 156280	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2273669	0	02273669	101	0	0	101
	Pressure 2{1}	2595232	0	02595232	-124	0	0	124
	Pressure 3{1}	2594863	0	02594863	-107	0	0	107
	GT1{1}	5600357	0	05600357	94	0	0	94
	GT2{1}	-.2E+07	0	01732950	276	0	0	276
	GT3{1}	-156278	0	0 156278	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7874026	0	07874026	195	0	0	195
	GT2P2{1}	862281	0	0 862281	152	0	0	152
	GT3P3{1}	2438585	0	02438585	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156286	0	0 156286	25	0	0	25
	Pressure 1{2}	3242351	0	03242351	871	0	0	871
	GT3{2}	-156281	0	0 156281	486	0	0	486
	Hydrotest-NL{2}	3086071	0	03086071	1357	0	0	1357
+571 +	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5599956	0	05599956	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732944	56	0	0	56
	Thermal 3{1}	-156280	0	0 156280	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2268942	0	02268942	101	0	0	101
	Pressure 2{1}	2595219	0	02595219	-124	0	0	124
	Pressure 3{1}	2594845	0	02594845	-107	0	0	107
	GT1{1}	5599959	0	05599959	94	0	0	94
	GT2{1}	-.2E+07	0	01732942	276	0	0	276
	GT3{1}	-156277	0	0 156277	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7868900	0	07868900	195	0	0	195
	GT2P2{1}	862277	0	0 862277	152	0	0	152
	GT3P3{1}	2438568	0	02438568	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156285	0	0 156285	25	0	0	25
	Pressure 1{2}	3242311	0	03242311	871	0	0	871
	GT3{2}	-156280	0	0 156280	486	0	0	486
	Hydrotest-NL{2}	3086031	0	03086031	1357	0	0	1357
+572 -	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5599956	0	05599956	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732944	56	0	0	56
	Thermal 3{1}	-156280	0	0 156280	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2268942	0	02268942	101	0	0	101
	Pressure 2{1}	2595219	0	02595219	-124	0	0	124
	Pressure 3{1}	2594845	0	02594845	-107	0	0	107
	GT1{1}	5599959	0	05599959	94	0	0	94

	GT2{1}	-.2E+07	0	01732942	276	0	0	276
	GT3{1}	-156277	0	0 156277	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7868900	0	07868900	195	0	0	195
	GT2P2{1}	862277	0	0 862277	152	0	0	152
	GT3P3{1}	2438568	0	02438568	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156285	0	0 156285	25	0	0	25
	Pressure 1{2}	3242311	0	03242311	871	0	0	871
	GT3{2}	-156280	0	0 156280	486	0	0	486
	Hydrotest-NL{2}	3086031	0	03086031	1357	0	0	1357
+572 +	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5599551	0	05599551	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732935	56	0	0	56
	Thermal 3{1}	-156279	0	0 156279	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2264145	0	02264145	101	0	0	101
	Pressure 2{1}	2595206	0	02595206	-124	0	0	124
	Pressure 3{1}	2594827	0	02594827	-107	0	0	107
	GT1{1}	5599554	0	05599554	94	0	0	94
	GT2{1}	-.2E+07	0	01732932	276	0	0	276
	GT3{1}	-156276	0	0 156276	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7863699	0	07863699	195	0	0	195
	GT2P2{1}	862274	0	0 862274	152	0	0	152
	GT3P3{1}	2438551	0	02438551	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156285	0	0 156285	25	0	0	25
	Pressure 1{2}	3242270	0	03242270	871	0	0	871
	GT3{2}	-156279	0	0 156279	486	0	0	486
	Hydrotest-NL{2}	3085990	0	03085990	1357	0	0	1357
+573 -	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5599551	0	05599551	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732935	56	0	0	56
	Thermal 3{1}	-156279	0	0 156279	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2264145	0	02264145	101	0	0	101
	Pressure 2{1}	2595206	0	02595206	-124	0	0	124
	Pressure 3{1}	2594827	0	02594827	-107	0	0	107
	GT1{1}	5599554	0	05599554	94	0	0	94
	GT2{1}	-.2E+07	0	01732932	276	0	0	276
	GT3{1}	-156276	0	0 156276	242	0	0	242
	GW1{1}	2	0	0 2	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7863699	0	07863699	195	0	0	195
	GT2P2{1}	862274	0	0 862274	152	0	0	152
	GT3P3{1}	2438551	0	02438551	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156285	0	0 156285	25	0	0	25
	Pressure 1{2}	3242270	0	03242270	871	0	0	871
	GT3{2}	-156279	0	0 156279	486	0	0	486
	Hydrotest-NL{2}	3085990	0	03085990	1357	0	0	1357
+573 +	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5599140	0	05599140	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732926	56	0	0	56
	Thermal 3{1}	-156278	0	0 156278	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2259278	0	02259278	101	0	0	101
	Pressure 2{1}	2595193	0	02595193	-124	0	0	124
	Pressure 3{1}	2594808	0	02594808	-107	0	0	107
	GT1{1}	5599143	0	05599143	94	0	0	94
	GT2{1}	-.2E+07	0	01732923	276	0	0	276
	GT3{1}	-156276	0	0 156276	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7858421	0	07858421	195	0	0	195
	GT2P2{1}	862270	0	0 862270	152	0	0	152
	GT3P3{1}	2438533	0	02438533	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156284	0	0 156284	25	0	0	25
	Pressure 1{2}	3242228	0	03242228	871	0	0	871
	GT3{2}	-156279	0	0 156279	486	0	0	486
	Hydrotest-NL{2}	3085949	0	03085949	1357	0	0	1357
+574 -	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5599140	0	05599140	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732926	56	0	0	56
	Thermal 3{1}	-156278	0	0 156278	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2259278	0	02259278	101	0	0	101
	Pressure 2{1}	2595193	0	02595193	-124	0	0	124
	Pressure 3{1}	2594808	0	02594808	-107	0	0	107
	GT1{1}	5599143	0	05599143	94	0	0	94

	GT2{1}	-.2E+07	0	01732923	276	0	0	276
	GT3{1}	-156276	0	0 156276	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7858421	0	07858421	195	0	0	195
	GT2P2{1}	862270	0	0 862270	152	0	0	152
	GT3P3{1}	2438533	0	02438533	135	0	0	135
	Gravity{2}	5	0	0 5	461	0	0	461
	Thermal 3{2}	-156284	0	0 156284	25	0	0	25
	Pressure 1{2}	3242228	0	03242228	871	0	0	871
	GT3{2}	-156279	0	0 156279	486	0	0	486
	Hydrotest-NL{2}	3085949	0	03085949	1357	0	0	1357
+574 +	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5598723	0	05598723	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732917	56	0	0	56
	Thermal 3{1}	-156278	0	0 156278	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2254340	0	02254340	101	0	0	101
	Pressure 2{1}	2595180	0	02595180	-124	0	0	124
	Pressure 3{1}	2594789	0	02594789	-107	0	0	107
	GT1{1}	5598726	0	05598726	94	0	0	94
	GT2{1}	-.2E+07	0	01732914	276	0	0	276
	GT3{1}	-156275	0	0 156275	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7853065	0	07853065	195	0	0	195
	GT2P2{1}	862266	0	0 862266	152	0	0	152
	GT3P3{1}	2438514	0	02438514	135	0	0	135
	Gravity{2}	6	0	0 6	461	0	0	461
	Thermal 3{2}	-156284	0	0 156284	25	0	0	25
	Pressure 1{2}	3242186	0	03242186	871	0	0	871
	GT3{2}	-156278	0	0 156278	486	0	0	486
	Hydrotest-NL{2}	3085908	0	03085908	1357	0	0	1357
+575 -	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5598723	0	05598723	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732917	56	0	0	56
	Thermal 3{1}	-156278	0	0 156278	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2254340	0	02254340	101	0	0	101
	Pressure 2{1}	2595180	0	02595180	-124	0	0	124
	Pressure 3{1}	2594789	0	02594789	-107	0	0	107
	GT1{1}	5598726	0	05598726	94	0	0	94
	GT2{1}	-.2E+07	0	01732914	276	0	0	276
	GT3{1}	-156275	0	0 156275	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7853065	0	07853065	195	0	0	195
	GT2P2{1}	862266	0	0 862266	152	0	0	152
	GT3P3{1}	2438514	0	02438514	135	0	0	135
	Gravity{2}	6	0	0 6	461	0	0	461
	Thermal 3{2}	-156284	0	0 156284	25	0	0	25
	Pressure 1{2}	3242186	0	03242186	871	0	0	871
	GT3{2}	-156278	0	0 156278	486	0	0	486
	Hydrotest-NL{2}	3085908	0	03085908	1357	0	0	1357
+575 +	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5598300	0	05598300	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732907	56	0	0	56
	Thermal 3{1}	-156277	0	0 156277	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2249329	0	02249329	101	0	0	101
	Pressure 2{1}	2595167	0	02595167	-124	0	0	124
	Pressure 3{1}	2594770	0	02594770	-107	0	0	107
	GT1{1}	5598303	0	05598303	94	0	0	94
	GT2{1}	-.2E+07	0	01732904	276	0	0	276
	GT3{1}	-156274	0	0 156274	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7847632	0	07847632	195	0	0	195
	GT2P2{1}	862262	0	0 862262	152	0	0	152
	GT3P3{1}	2438496	0	02438496	135	0	0	135
	Gravity{2}	6	0	0 6	461	0	0	461
	Thermal 3{2}	-156283	0	0 156283	25	0	0	25
	Pressure 1{2}	3242143	0	03242143	871	0	0	871
	GT3{2}	-156278	0	0 156278	486	0	0	486
	Hydrotest-NL{2}	3085865	0	03085865	1357	0	0	1357
+576 -	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5598300	0	05598300	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732907	56	0	0	56
	Thermal 3{1}	-156277	0	0 156277	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2249329	0	02249329	101	0	0	101
	Pressure 2{1}	2595167	0	02595167	-124	0	0	124
	Pressure 3{1}	2594770	0	02594770	-107	0	0	107
	GT1{1}	5598303	0	05598303	94	0	0	94

	GT2{1}	-.2E+07	0	01732904	276	0	0	276
	GT3{1}	-156274	0	0 156274	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7847632	0	07847632	195	0	0	195
	GT2P2{1}	862262	0	0 862262	152	0	0	152
	GT3P3{1}	2438496	0	02438496	135	0	0	135
	Gravity{2}	6	0	0 6	461	0	0	461
	Thermal 3{2}	-156283	0	0 156283	25	0	0	25
	Pressure 1{2}	3242143	0	03242143	871	0	0	871
	GT3{2}	-156278	0	0 156278	486	0	0	486
	Hydrotest-NL{2}	3085865	0	03085865	1357	0	0	1357
+576 +	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5597871	0	05597871	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732898	56	0	0	56
	Thermal 3{1}	-156276	0	0 156276	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2244245	0	02244245	101	0	0	101
	Pressure 2{1}	2595153	0	02595153	-124	0	0	124
	Pressure 3{1}	2594751	0	02594751	-107	0	0	107
	GT1{1}	5597874	0	05597874	94	0	0	94
	GT2{1}	-.2E+07	0	01732895	276	0	0	276
	GT3{1}	-156274	0	0 156274	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7842119	0	07842119	195	0	0	195
	GT2P2{1}	862258	0	0 862258	152	0	0	152
	GT3P3{1}	2438478	0	02438478	135	0	0	135
	Gravity{2}	6	0	0 6	461	0	0	461
	Thermal 3{2}	-156283	0	0 156283	25	0	0	25
	Pressure 1{2}	3242099	0	03242099	871	0	0	871
	GT3{2}	-156277	0	0 156277	486	0	0	486
	Hydrotest-NL{2}	3085822	0	03085822	1357	0	0	1357
+577 -	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5597871	0	05597871	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732898	56	0	0	56
	Thermal 3{1}	-156276	0	0 156276	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2244245	0	02244245	101	0	0	101
	Pressure 2{1}	2595153	0	02595153	-124	0	0	124
	Pressure 3{1}	2594751	0	02594751	-107	0	0	107
	GT1{1}	5597874	0	05597874	94	0	0	94
	GT2{1}	-.2E+07	0	01732895	276	0	0	276
	GT3{1}	-156274	0	0 156274	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7842119	0	07842119	195	0	0	195
	GT2P2{1}	862258	0	0 862258	152	0	0	152
	GT3P3{1}	2438478	0	02438478	135	0	0	135
	Gravity{2}	6	0	0 6	461	0	0	461
	Thermal 3{2}	-156283	0	0 156283	25	0	0	25
	Pressure 1{2}	3242099	0	03242099	871	0	0	871
	GT3{2}	-156277	0	0 156277	486	0	0	486
	Hydrotest-NL{2}	3085822	0	03085822	1357	0	0	1357
+577 +	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5597436	0	05597436	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732888	56	0	0	56
	Thermal 3{1}	-156276	0	0 156276	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2239086	0	02239086	101	0	0	101
	Pressure 2{1}	2595139	0	02595139	-124	0	0	124
	Pressure 3{1}	2594731	0	02594731	-107	0	0	107
	GT1{1}	5597439	0	05597439	94	0	0	94
	GT2{1}	-.2E+07	0	01732885	276	0	0	276
	GT3{1}	-156273	0	0 156273	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7836525	0	07836525	195	0	0	195
	GT2P2{1}	862254	0	0 862254	152	0	0	152
	GT3P3{1}	2438458	0	02438458	135	0	0	135
	Gravity{2}	6	0	0 6	461	0	0	461
	Thermal 3{2}	-156282	0	0 156282	25	0	0	25
	Pressure 1{2}	3242055	0	03242055	871	0	0	871
	GT3{2}	-156276	0	0 156276	486	0	0	486
	Hydrotest-NL{2}	3085779	0	03085779	1357	0	0	1357
+578 -	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5597436	0	05597436	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732888	56	0	0	56
	Thermal 3{1}	-156276	0	0 156276	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2239086	0	02239086	101	0	0	101
	Pressure 2{1}	2595139	0	02595139	-124	0	0	124
	Pressure 3{1}	2594731	0	02594731	-107	0	0	107
	GT1{1}	5597439	0	05597439	94	0	0	94

	GT2{1}	-.2E+07	0	01732885	276	0	0	276
	GT3{1}	-156273	0	0 156273	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7836525	0	07836525	195	0	0	195
	GT2P2{1}	862254	0	0 862254	152	0	0	152
	GT3P3{1}	2438458	0	02438458	135	0	0	135
	Gravity{2}	6	0	0 6	461	0	0	461
	Thermal 3{2}	-156282	0	0 156282	25	0	0	25
	Pressure 1{2}	3242055	0	03242055	871	0	0	871
	GT3{2}	-156276	0	0 156276	486	0	0	486
	Hydrotest-NL{2}	3085779	0	03085779	1357	0	0	1357
+578 +	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5596994	0	05596994	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732878	56	0	0	56
	Thermal 3{1}	-156275	0	0 156275	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2233851	0	02233851	101	0	0	101
	Pressure 2{1}	2595125	0	02595125	-124	0	0	124
	Pressure 3{1}	2594711	0	02594711	-107	0	0	107
	GT1{1}	5596997	0	05596997	94	0	0	94
	GT2{1}	-.2E+07	0	01732875	276	0	0	276
	GT3{1}	-156272	0	0 156272	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7830848	0	07830848	195	0	0	195
	GT2P2{1}	862250	0	0 862250	152	0	0	152
	GT3P3{1}	2438439	0	02438439	135	0	0	135
	Gravity{2}	6	0	0 6	461	0	0	461
	Thermal 3{2}	-156282	0	0 156282	25	0	0	25
	Pressure 1{2}	3242010	0	03242010	871	0	0	871
	GT3{2}	-156276	0	0 156276	486	0	0	486
	Hydrotest-NL{2}	3085735	0	03085735	1357	0	0	1357
+579 -	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5596994	0	05596994	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732878	56	0	0	56
	Thermal 3{1}	-156275	0	0 156275	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2233851	0	02233851	101	0	0	101
	Pressure 2{1}	2595125	0	02595125	-124	0	0	124
	Pressure 3{1}	2594711	0	02594711	-107	0	0	107
	GT1{1}	5596997	0	05596997	94	0	0	94
	GT2{1}	-.2E+07	0	01732875	276	0	0	276
	GT3{1}	-156272	0	0 156272	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7830848	0	07830848	195	0	0	195
	GT2P2{1}	862250	0	0 862250	152	0	0	152
	GT3P3{1}	2438439	0	02438439	135	0	0	135
	Gravity{2}	6	0	0 6	461	0	0	461
	Thermal 3{2}	-156282	0	0 156282	25	0	0	25
	Pressure 1{2}	3242010	0	03242010	871	0	0	871
	GT3{2}	-156276	0	0 156276	486	0	0	486
	Hydrotest-NL{2}	3085735	0	03085735	1357	0	0	1357
+579 +	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5596546	0	05596546	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732868	56	0	0	56
	Thermal 3{1}	-156274	0	0 156274	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2228540	0	02228540	101	0	0	101
	Pressure 2{1}	2595111	0	02595111	-124	0	0	124
	Pressure 3{1}	2594691	0	02594691	-107	0	0	107
	GT1{1}	5596549	0	05596549	94	0	0	94
	GT2{1}	-.2E+07	0	01732865	276	0	0	276
	GT3{1}	-156271	0	0 156271	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7825088	0	07825088	195	0	0	195
	GT2P2{1}	862246	0	0 862246	152	0	0	152
	GT3P3{1}	2438420	0	02438420	135	0	0	135
	Gravity{2}	6	0	0 6	461	0	0	461
	Thermal 3{2}	-156281	0	0 156281	25	0	0	25
	Pressure 1{2}	3241965	0	03241965	871	0	0	871
	GT3{2}	-156275	0	0 156275	486	0	0	486
	Hydrotest-NL{2}	3085690	0	03085690	1357	0	0	1357
+580 -	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5596546	0	05596546	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732868	56	0	0	56
	Thermal 3{1}	-156274	0	0 156274	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2228540	0	02228540	101	0	0	101
	Pressure 2{1}	2595111	0	02595111	-124	0	0	124
	Pressure 3{1}	2594691	0	02594691	-107	0	0	107
	GT1{1}	5596549	0	05596549	94	0	0	94

	GT2{1}	-.2E+07	0	01732865	276	0	0	276
	GT3{1}	-156271	0	0 156271	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7825088	0	07825088	195	0	0	195
	GT2P2{1}	862246	0	0 862246	152	0	0	152
	GT3P3{1}	2438420	0	02438420	135	0	0	135
	Gravity{2}	6	0	0 6	461	0	0	461
	Thermal 3{2}	-156281	0	0 156281	25	0	0	25
	Pressure 1{2}	3241965	0	03241965	871	0	0	871
	GT3{2}	-156275	0	0 156275	486	0	0	486
	Hydrotest-NL{2}	3085690	0	03085690	1357	0	0	1357
+580 +	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5596091	0	05596091	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732858	56	0	0	56
	Thermal 3{1}	-156274	0	0 156274	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2223151	0	02223151	101	0	0	101
	Pressure 2{1}	2595097	0	02595097	-124	0	0	124
	Pressure 3{1}	2594671	0	02594671	-107	0	0	107
	GT1{1}	5596094	0	05596094	94	0	0	94
	GT2{1}	-.2E+07	0	01732855	276	0	0	276
	GT3{1}	-156271	0	0 156271	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7819244	0	07819244	195	0	0	195
	GT2P2{1}	862242	0	0 862242	152	0	0	152
	GT3P3{1}	2438400	0	02438400	135	0	0	135
	Gravity{2}	6	0	0 6	461	0	0	461
	Thermal 3{2}	-156280	0	0 156280	25	0	0	25
	Pressure 1{2}	3241919	0	03241919	871	0	0	871
	GT3{2}	-156274	0	0 156274	486	0	0	486
	Hydrotest-NL{2}	3085644	0	03085644	1357	0	0	1357
+581 -	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5596091	0	05596091	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732858	56	0	0	56
	Thermal 3{1}	-156274	0	0 156274	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2223151	0	02223151	101	0	0	101
	Pressure 2{1}	2595097	0	02595097	-124	0	0	124
	Pressure 3{1}	2594671	0	02594671	-107	0	0	107
	GT1{1}	5596094	0	05596094	94	0	0	94
	GT2{1}	-.2E+07	0	01732855	276	0	0	276
	GT3{1}	-156271	0	0 156271	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7819244	0	07819244	195	0	0	195
	GT2P2{1}	862242	0	0 862242	152	0	0	152
	GT3P3{1}	2438400	0	02438400	135	0	0	135
	Gravity{2}	6	0	0 6	461	0	0	461
	Thermal 3{2}	-156280	0	0 156280	25	0	0	25
	Pressure 1{2}	3241919	0	03241919	871	0	0	871
	GT3{2}	-156274	0	0 156274	486	0	0	486
	Hydrotest-NL{2}	3085644	0	03085644	1357	0	0	1357
+581 +	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5595629	0	05595629	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732848	56	0	0	56
	Thermal 3{1}	-156273	0	0 156273	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2217683	0	02217683	101	0	0	101
	Pressure 2{1}	2595082	0	02595082	-124	0	0	124
	Pressure 3{1}	2594650	0	02594650	-107	0	0	107
	GT1{1}	5595633	0	05595633	94	0	0	94
	GT2{1}	-.2E+07	0	01732845	276	0	0	276
	GT3{1}	-156270	0	0 156270	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7813316	0	07813316	195	0	0	195
	GT2P2{1}	862238	0	0 862238	152	0	0	152
	GT3P3{1}	2438380	0	02438380	135	0	0	135
	Gravity{2}	6	0	0 6	461	0	0	461
	Thermal 3{2}	-156280	0	0 156280	25	0	0	25
	Pressure 1{2}	3241872	0	03241872	871	0	0	871
	GT3{2}	-156274	0	0 156274	486	0	0	486
	Hydrotest-NL{2}	3085598	0	03085598	1357	0	0	1357
+582 -	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5595629	0	05595629	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732848	56	0	0	56
	Thermal 3{1}	-156273	0	0 156273	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2217683	0	02217683	101	0	0	101
	Pressure 2{1}	2595082	0	02595082	-124	0	0	124
	Pressure 3{1}	2594650	0	02594650	-107	0	0	107
	GT1{1}	5595633	0	05595633	94	0	0	94

	GT2{1}	-.2E+07	0	01732845	276	0	0	276
	GT3{1}	-156270	0	0 156270	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7813316	0	07813316	195	0	0	195
	GT2P2{1}	862238	0	0 862238	152	0	0	152
	GT3P3{1}	2438380	0	02438380	135	0	0	135
	Gravity{2}	6	0	0 6	461	0	0	461
	Thermal 3{2}	-156280	0	0 156280	25	0	0	25
	Pressure 1{2}	3241872	0	03241872	871	0	0	871
	GT3{2}	-156274	0	0 156274	486	0	0	486
	Hydrotest-NL{2}	3085598	0	03085598	1357	0	0	1357
+582 +	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5595161	0	05595161	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732837	56	0	0	56
	Thermal 3{1}	-156272	0	0 156272	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2212135	0	02212135	101	0	0	101
	Pressure 2{1}	2595068	0	02595068	-124	0	0	124
	Pressure 3{1}	2594629	0	02594629	-107	0	0	107
	GT1{1}	5595164	0	05595164	94	0	0	94
	GT2{1}	-.2E+07	0	01732834	276	0	0	276
	GT3{1}	-156269	0	0 156269	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7807299	0	07807299	195	0	0	195
	GT2P2{1}	862234	0	0 862234	152	0	0	152
	GT3P3{1}	2438359	0	02438359	135	0	0	135
	Gravity{2}	6	0	0 6	461	0	0	461
	Thermal 3{2}	-156279	0	0 156279	25	0	0	25
	Pressure 1{2}	3241824	0	03241824	871	0	0	871
	GT3{2}	-156273	0	0 156273	486	0	0	486
	Hydrotest-NL{2}	3085551	0	03085551	1357	0	0	1357
+583 -	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5595161	0	05595161	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732837	56	0	0	56
	Thermal 3{1}	-156272	0	0 156272	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2212135	0	02212135	101	0	0	101
	Pressure 2{1}	2595068	0	02595068	-124	0	0	124
	Pressure 3{1}	2594629	0	02594629	-107	0	0	107
	GT1{1}	5595164	0	05595164	94	0	0	94
	GT2{1}	-.2E+07	0	01732834	276	0	0	276
	GT3{1}	-156269	0	0 156269	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7807299	0	07807299	195	0	0	195
	GT2P2{1}	862234	0	0 862234	152	0	0	152
	GT3P3{1}	2438359	0	02438359	135	0	0	135
	Gravity{2}	6	0	0 6	461	0	0	461
	Thermal 3{2}	-156279	0	0 156279	25	0	0	25
	Pressure 1{2}	3241824	0	03241824	871	0	0	871
	GT3{2}	-156273	0	0 156273	486	0	0	486
	Hydrotest-NL{2}	3085551	0	03085551	1357	0	0	1357
+583 +	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5594686	0	05594686	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732827	56	0	0	56
	Thermal 3{1}	-156272	0	0 156272	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2206505	0	02206505	101	0	0	101
	Pressure 2{1}	2595053	0	02595053	-124	0	0	124
	Pressure 3{1}	2594607	0	02594607	-107	0	0	107
	GT1{1}	5594689	0	05594689	94	0	0	94
	GT2{1}	-.2E+07	0	01732824	276	0	0	276
	GT3{1}	-156269	0	0 156269	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7801194	0	07801194	195	0	0	195
	GT2P2{1}	862229	0	0 862229	152	0	0	152
	GT3P3{1}	2438339	0	02438339	135	0	0	135
	Gravity{2}	6	0	0 6	461	0	0	461
	Thermal 3{2}	-156279	0	0 156279	25	0	0	25
	Pressure 1{2}	3241776	0	03241776	871	0	0	871
	GT3{2}	-156272	0	0 156272	486	0	0	486
	Hydrotest-NL{2}	3085504	0	03085504	1357	0	0	1357
+584 -	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5594686	0	05594686	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732827	56	0	0	56
	Thermal 3{1}	-156272	0	0 156272	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2206505	0	02206505	101	0	0	101
	Pressure 2{1}	2595053	0	02595053	-124	0	0	124
	Pressure 3{1}	2594607	0	02594607	-107	0	0	107
	GT1{1}	5594689	0	05594689	94	0	0	94

	GT2{1}	-.2E+07	0	01732824	276	0	0	276
	GT3{1}	-156269	0	0 156269	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	3	0	0 3	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7801194	0	07801194	195	0	0	195
	GT2P2{1}	862229	0	0 862229	152	0	0	152
	GT3P3{1}	2438339	0	02438339	135	0	0	135
	Gravity{2}	6	0	0 6	461	0	0	461
	Thermal 3{2}	-156279	0	0 156279	25	0	0	25
	Pressure 1{2}	3241776	0	03241776	871	0	0	871
	GT3{2}	-156272	0	0 156272	486	0	0	486
	Hydrotest-NL{2}	3085504	0	03085504	1357	0	0	1357
+584 +	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5594204	0	05594204	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732816	56	0	0	56
	Thermal 3{1}	-156271	0	0 156271	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2200793	0	02200793	101	0	0	101
	Pressure 2{1}	2595037	0	02595037	-124	0	0	124
	Pressure 3{1}	2594586	0	02594586	-107	0	0	107
	GT1{1}	5594207	0	05594207	94	0	0	94
	GT2{1}	-.2E+07	0	01732813	276	0	0	276
	GT3{1}	-156268	0	0 156268	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7795000	0	07795000	195	0	0	195
	GT2P2{1}	862224	0	0 862224	152	0	0	152
	GT3P3{1}	2438318	0	02438318	135	0	0	135
	Gravity{2}	6	0	0 6	461	0	0	461
	Thermal 3{2}	-156278	0	0 156278	25	0	0	25
	Pressure 1{2}	3241727	0	03241727	871	0	0	871
	GT3{2}	-156271	0	0 156271	486	0	0	486
	Hydrotest-NL{2}	3085456	0	03085456	1357	0	0	1357
+585 -	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5594204	0	05594204	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732816	56	0	0	56
	Thermal 3{1}	-156271	0	0 156271	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2200793	0	02200793	101	0	0	101
	Pressure 2{1}	2595037	0	02595037	-124	0	0	124
	Pressure 3{1}	2594586	0	02594586	-107	0	0	107
	GT1{1}	5594207	0	05594207	94	0	0	94
	GT2{1}	-.2E+07	0	01732813	276	0	0	276
	GT3{1}	-156268	0	0 156268	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7795000	0	07795000	195	0	0	195
	GT2P2{1}	862224	0	0 862224	152	0	0	152
	GT3P3{1}	2438318	0	02438318	135	0	0	135
	Gravity{2}	6	0	0 6	461	0	0	461
	Thermal 3{2}	-156278	0	0 156278	25	0	0	25
	Pressure 1{2}	3241727	0	03241727	871	0	0	871
	GT3{2}	-156271	0	0 156271	486	0	0	486
	Hydrotest-NL{2}	3085456	0	03085456	1357	0	0	1357
+585 +	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5593714	0	05593714	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732805	56	0	0	56
	Thermal 3{1}	-156270	0	0 156270	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2194997	0	02194997	101	0	0	101
	Pressure 2{1}	2595022	0	02595022	-124	0	0	124
	Pressure 3{1}	2594563	0	02594563	-107	0	0	107
	GT1{1}	5593718	0	05593718	94	0	0	94
	GT2{1}	-.2E+07	0	01732802	276	0	0	276
	GT3{1}	-156267	0	0 156267	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7788715	0	07788715	195	0	0	195
	GT2P2{1}	862220	0	0 862220	152	0	0	152
	GT3P3{1}	2438296	0	02438296	135	0	0	135
	Gravity{2}	7	0	0 7	461	0	0	461
	Thermal 3{2}	-156277	0	0 156277	25	0	0	25
	Pressure 1{2}	3241677	0	03241677	871	0	0	871
	GT3{2}	-156271	0	0 156271	486	0	0	486
	Hydrotest-NL{2}	3085407	0	03085407	1357	0	0	1357
+586 -	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5593714	0	05593714	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732805	56	0	0	56
	Thermal 3{1}	-156270	0	0 156270	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2194997	0	02194997	101	0	0	101
	Pressure 2{1}	2595022	0	02595022	-124	0	0	124
	Pressure 3{1}	2594563	0	02594563	-107	0	0	107
	GT1{1}	5593718	0	05593718	94	0	0	94

	GT2{1}	-.2E+07	0	01732802	276	0	0	276
	GT3{1}	-156267	0	0 156267	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7788715	0	07788715	195	0	0	195
	GT2P2{1}	862220	0	0 862220	152	0	0	152
	GT3P3{1}	2438296	0	02438296	135	0	0	135
	Gravity{2}	7	0	0 7	461	0	0	461
	Thermal 3{2}	-156277	0	0 156277	25	0	0	25
	Pressure 1{2}	3241677	0	03241677	871	0	0	871
	GT3{2}	-156271	0	0 156271	486	0	0	486
	Hydrotest-NL{2}	3085407	0	03085407	1357	0	0	1357
+586 +	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5593218	0	05593218	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732794	56	0	0	56
	Thermal 3{1}	-156270	0	0 156270	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2189116	0	02189116	101	0	0	101
	Pressure 2{1}	2595006	0	02595006	-124	0	0	124
	Pressure 3{1}	2594541	0	02594541	-107	0	0	107
	GT1{1}	5593221	0	05593221	94	0	0	94
	GT2{1}	-.2E+07	0	01732791	276	0	0	276
	GT3{1}	-156266	0	0 156266	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7782338	0	07782338	195	0	0	195
	GT2P2{1}	862215	0	0 862215	152	0	0	152
	GT3P3{1}	2438275	0	02438275	135	0	0	135
	Gravity{2}	7	0	0 7	461	0	0	461
	Thermal 3{2}	-156277	0	0 156277	25	0	0	25
	Pressure 1{2}	3241627	0	03241627	871	0	0	871
	GT3{2}	-156270	0	0 156270	486	0	0	486
	Hydrotest-NL{2}	3085357	0	03085357	1357	0	0	1357
+587 -	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5593218	0	05593218	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732794	56	0	0	56
	Thermal 3{1}	-156270	0	0 156270	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2189116	0	02189116	101	0	0	101
	Pressure 2{1}	2595006	0	02595006	-124	0	0	124
	Pressure 3{1}	2594541	0	02594541	-107	0	0	107
	GT1{1}	5593221	0	05593221	94	0	0	94
	GT2{1}	-.2E+07	0	01732791	276	0	0	276
	GT3{1}	-156266	0	0 156266	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7782338	0	07782338	195	0	0	195
	GT2P2{1}	862215	0	0 862215	152	0	0	152
	GT3P3{1}	2438275	0	02438275	135	0	0	135
	Gravity{2}	7	0	0 7	461	0	0	461
	Thermal 3{2}	-156277	0	0 156277	25	0	0	25
	Pressure 1{2}	3241627	0	03241627	871	0	0	871
	GT3{2}	-156270	0	0 156270	486	0	0	486
	Hydrotest-NL{2}	3085357	0	03085357	1357	0	0	1357
+587 +	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5592714	0	05592714	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732783	56	0	0	56
	Thermal 3{1}	-156269	0	0 156269	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2183149	0	02183149	101	0	0	101
	Pressure 2{1}	2594990	0	02594990	-124	0	0	124
	Pressure 3{1}	2594518	0	02594518	-107	0	0	107
	GT1{1}	5592718	0	05592718	94	0	0	94
	GT2{1}	-.2E+07	0	01732779	276	0	0	276
	GT3{1}	-156265	0	0 156265	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7775867	0	07775867	195	0	0	195
	GT2P2{1}	862211	0	0 862211	152	0	0	152
	GT3P3{1}	2438253	0	02438253	135	0	0	135
	Gravity{2}	7	0	0 7	461	0	0	461
	Thermal 3{2}	-156276	0	0 156276	25	0	0	25
	Pressure 1{2}	3241576	0	03241576	871	0	0	871
	GT3{2}	-156269	0	0 156269	486	0	0	486
	Hydrotest-NL{2}	3085306	0	03085306	1357	0	0	1357
+588 -	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5592714	0	05592714	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732783	56	0	0	56
	Thermal 3{1}	-156269	0	0 156269	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2183149	0	02183149	101	0	0	101
	Pressure 2{1}	2594990	0	02594990	-124	0	0	124
	Pressure 3{1}	2594518	0	02594518	-107	0	0	107
	GT1{1}	5592718	0	05592718	94	0	0	94

	GT2{1}	-.2E+07	0	01732779	276	0	0	276
	GT3{1}	-156265	0	0 156265	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7775867	0	07775867	195	0	0	195
	GT2P2{1}	862211	0	0 862211	152	0	0	152
	GT3P3{1}	2438253	0	02438253	135	0	0	135
	Gravity{2}	7	0	0 7	461	0	0	461
	Thermal 3{2}	-156276	0	0 156276	25	0	0	25
	Pressure 1{2}	3241576	0	03241576	871	0	0	871
	GT3{2}	-156269	0	0 156269	486	0	0	486
	Hydrotest-NL{2}	3085306	0	03085306	1357	0	0	1357
+588 +	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5592203	0	05592203	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732771	56	0	0	56
	Thermal 3{1}	-156268	0	0 156268	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2177095	0	02177095	101	0	0	101
	Pressure 2{1}	2594974	0	02594974	-124	0	0	124
	Pressure 3{1}	2594495	0	02594495	-107	0	0	107
	GT1{1}	5592207	0	05592207	94	0	0	94
	GT2{1}	-.2E+07	0	01732768	276	0	0	276
	GT3{1}	-156265	0	0 156265	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7769301	0	07769301	195	0	0	195
	GT2P2{1}	862206	0	0 862206	152	0	0	152
	GT3P3{1}	2438231	0	02438231	135	0	0	135
	Gravity{2}	7	0	0 7	461	0	0	461
	Thermal 3{2}	-156275	0	0 156275	25	0	0	25
	Pressure 1{2}	3241524	0	03241524	871	0	0	871
	GT3{2}	-156269	0	0 156269	486	0	0	486
	Hydrotest-NL{2}	3085255	0	03085255	1357	0	0	1357
+589 -	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5592203	0	05592203	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732771	56	0	0	56
	Thermal 3{1}	-156268	0	0 156268	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2177095	0	02177095	101	0	0	101
	Pressure 2{1}	2594974	0	02594974	-124	0	0	124
	Pressure 3{1}	2594495	0	02594495	-107	0	0	107
	GT1{1}	5592207	0	05592207	94	0	0	94
	GT2{1}	-.2E+07	0	01732768	276	0	0	276
	GT3{1}	-156265	0	0 156265	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	3	0	0 3	272	0	0	272
	GT1P1{1}	7769301	0	07769301	195	0	0	195
	GT2P2{1}	862206	0	0 862206	152	0	0	152
	GT3P3{1}	2438231	0	02438231	135	0	0	135
	Gravity{2}	7	0	0 7	461	0	0	461
	Thermal 3{2}	-156275	0	0 156275	25	0	0	25
	Pressure 1{2}	3241524	0	03241524	871	0	0	871
	GT3{2}	-156269	0	0 156269	486	0	0	486
	Hydrotest-NL{2}	3085255	0	03085255	1357	0	0	1357
+589 +	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5591685	0	05591685	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732760	56	0	0	56
	Thermal 3{1}	-156267	0	0 156267	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2170951	0	02170951	101	0	0	101
	Pressure 2{1}	2594958	0	02594958	-124	0	0	124
	Pressure 3{1}	2594472	0	02594472	-107	0	0	107
	GT1{1}	5591688	0	05591688	94	0	0	94
	GT2{1}	-.2E+07	0	01732756	276	0	0	276
	GT3{1}	-156264	0	0 156264	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7762640	0	07762640	195	0	0	195
	GT2P2{1}	862201	0	0 862201	152	0	0	152
	GT3P3{1}	2438208	0	02438208	135	0	0	135
	Gravity{2}	7	0	0 7	461	0	0	461
	Thermal 3{2}	-156275	0	0 156275	25	0	0	25
	Pressure 1{2}	3241471	0	03241471	871	0	0	871
	GT3{2}	-156268	0	0 156268	486	0	0	486
	Hydrotest-NL{2}	3085204	0	03085204	1357	0	0	1357
+590 -	Gravity{1}	3	0	0 3	220	0	0	220
	Thermal 1{1}	5591685	0	05591685	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732760	56	0	0	56
	Thermal 3{1}	-156267	0	0 156267	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2170951	0	02170951	101	0	0	101
	Pressure 2{1}	2594958	0	02594958	-124	0	0	124
	Pressure 3{1}	2594472	0	02594472	-107	0	0	107
	GT1{1}	5591688	0	05591688	94	0	0	94

	GT2{1}	-.2E+07	0	01732756	276	0	0	276
	GT3{1}	-156264	0	0 156264	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7762640	0	07762640	195	0	0	195
	GT2P2{1}	862201	0	0 862201	152	0	0	152
	GT3P3{1}	2438208	0	02438208	135	0	0	135
	Gravity{2}	7	0	0 7	461	0	0	461
	Thermal 3{2}	-156275	0	0 156275	25	0	0	25
	Pressure 1{2}	3241471	0	03241471	871	0	0	871
	GT3{2}	-156268	0	0 156268	486	0	0	486
	Hydrotest-NL{2}	3085204	0	03085204	1357	0	0	1357
+590 +	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5591158	0	05591158	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732748	56	0	0	56
	Thermal 3{1}	-156266	0	0 156266	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2164718	0	02164718	101	0	0	101
	Pressure 2{1}	2594941	0	02594941	-124	0	0	124
	Pressure 3{1}	2594448	0	02594448	-107	0	0	107
	GT1{1}	5591162	0	05591162	94	0	0	94
	GT2{1}	-.2E+07	0	01732745	276	0	0	276
	GT3{1}	-156263	0	0 156263	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7755880	0	07755880	195	0	0	195
	GT2P2{1}	862196	0	0 862196	152	0	0	152
	GT3P3{1}	2438185	0	02438185	135	0	0	135
	Gravity{2}	7	0	0 7	461	0	0	461
	Thermal 3{2}	-156274	0	0 156274	25	0	0	25
	Pressure 1{2}	3241418	0	03241418	871	0	0	871
	GT3{2}	-156267	0	0 156267	486	0	0	486
	Hydrotest-NL{2}	3085151	0	03085151	1357	0	0	1357
+591 -	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5591158	0	05591158	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732748	56	0	0	56
	Thermal 3{1}	-156266	0	0 156266	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2164718	0	02164718	101	0	0	101
	Pressure 2{1}	2594941	0	02594941	-124	0	0	124
	Pressure 3{1}	2594448	0	02594448	-107	0	0	107
	GT1{1}	5591162	0	05591162	94	0	0	94
	GT2{1}	-.2E+07	0	01732745	276	0	0	276
	GT3{1}	-156263	0	0 156263	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	3	0	0 3	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7755880	0	07755880	195	0	0	195
	GT2P2{1}	862196	0	0 862196	152	0	0	152
	GT3P3{1}	2438185	0	02438185	135	0	0	135
	Gravity{2}	7	0	0 7	461	0	0	461
	Thermal 3{2}	-156274	0	0 156274	25	0	0	25
	Pressure 1{2}	3241418	0	03241418	871	0	0	871
	GT3{2}	-156267	0	0 156267	486	0	0	486
	Hydrotest-NL{2}	3085151	0	03085151	1357	0	0	1357
+591 +	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5590625	0	05590625	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732736	56	0	0	56
	Thermal 3{1}	-156266	0	0 156266	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2158393	0	02158393	101	0	0	101
	Pressure 2{1}	2594924	0	02594924	-124	0	0	124
	Pressure 3{1}	2594424	0	02594424	-107	0	0	107
	GT1{1}	5590628	0	05590628	94	0	0	94
	GT2{1}	-.2E+07	0	01732733	276	0	0	276
	GT3{1}	-156262	0	0 156262	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7749021	0	07749021	195	0	0	195
	GT2P2{1}	862192	0	0 862192	152	0	0	152
	GT3P3{1}	2438162	0	02438162	135	0	0	135
	Gravity{2}	7	0	0 7	461	0	0	461
	Thermal 3{2}	-156273	0	0 156273	25	0	0	25
	Pressure 1{2}	3241364	0	03241364	871	0	0	871
	GT3{2}	-156266	0	0 156266	486	0	0	486
	Hydrotest-NL{2}	3085097	0	03085097	1357	0	0	1357
+592 -	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5590625	0	05590625	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732736	56	0	0	56
	Thermal 3{1}	-156266	0	0 156266	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2158393	0	02158393	101	0	0	101
	Pressure 2{1}	2594924	0	02594924	-124	0	0	124
	Pressure 3{1}	2594424	0	02594424	-107	0	0	107
	GT1{1}	5590628	0	05590628	94	0	0	94

	GT2{1}	-.2E+07	0	01732733	276	0	0	276
	GT3{1}	-156262	0	0 156262	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7749021	0	07749021	195	0	0	195
	GT2P2{1}	862192	0	0 862192	152	0	0	152
	GT3P3{1}	2438162	0	02438162	135	0	0	135
	Gravity{2}	7	0	0 7	461	0	0	461
	Thermal 3{2}	-156273	0	0 156273	25	0	0	25
	Pressure 1{2}	3241364	0	03241364	871	0	0	871
	GT3{2}	-156266	0	0 156266	486	0	0	486
	Hydrotest-NL{2}	3085097	0	03085097	1357	0	0	1357
+592 +	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5590083	0	05590083	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732724	56	0	0	56
	Thermal 3{1}	-156265	0	0 156265	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2151975	0	02151975	101	0	0	101
	Pressure 2{1}	2594907	0	02594907	-124	0	0	124
	Pressure 3{1}	2594400	0	02594400	-107	0	0	107
	GT1{1}	5590087	0	05590087	94	0	0	94
	GT2{1}	-.2E+07	0	01732721	276	0	0	276
	GT3{1}	-156261	0	0 156261	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7742062	0	07742062	195	0	0	195
	GT2P2{1}	862187	0	0 862187	152	0	0	152
	GT3P3{1}	2438138	0	02438138	135	0	0	135
	Gravity{2}	7	0	0 7	461	0	0	461
	Thermal 3{2}	-156273	0	0 156273	25	0	0	25
	Pressure 1{2}	3241309	0	03241309	871	0	0	871
	GT3{2}	-156265	0	0 156265	486	0	0	486
	Hydrotest-NL{2}	3085043	0	03085043	1357	0	0	1357
+593 -	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5590083	0	05590083	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732724	56	0	0	56
	Thermal 3{1}	-156265	0	0 156265	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2151975	0	02151975	101	0	0	101
	Pressure 2{1}	2594907	0	02594907	-124	0	0	124
	Pressure 3{1}	2594400	0	02594400	-107	0	0	107
	GT1{1}	5590087	0	05590087	94	0	0	94
	GT2{1}	-.2E+07	0	01732721	276	0	0	276
	GT3{1}	-156261	0	0 156261	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7742062	0	07742062	195	0	0	195
	GT2P2{1}	862187	0	0 862187	152	0	0	152
	GT3P3{1}	2438138	0	02438138	135	0	0	135
	Gravity{2}	7	0	0 7	461	0	0	461
	Thermal 3{2}	-156273	0	0 156273	25	0	0	25
	Pressure 1{2}	3241309	0	03241309	871	0	0	871
	GT3{2}	-156265	0	0 156265	486	0	0	486
	Hydrotest-NL{2}	3085043	0	03085043	1357	0	0	1357
+593 +	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5589534	0	05589534	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732712	56	0	0	56
	Thermal 3{1}	-156264	0	0 156264	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2145464	0	02145464	101	0	0	101
	Pressure 2{1}	2594890	0	02594890	-124	0	0	124
	Pressure 3{1}	2594375	0	02594375	-107	0	0	107
	GT1{1}	5589538	0	05589538	94	0	0	94
	GT2{1}	-.2E+07	0	01732708	276	0	0	276
	GT3{1}	-156260	0	0 156260	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7735001	0	07735001	195	0	0	195
	GT2P2{1}	862181	0	0 862181	152	0	0	152
	GT3P3{1}	2438114	0	02438114	135	0	0	135
	Gravity{2}	7	0	0 7	461	0	0	461
	Thermal 3{2}	-156272	0	0 156272	25	0	0	25
	Pressure 1{2}	3241253	0	03241253	871	0	0	871
	GT3{2}	-156265	0	0 156265	486	0	0	486
	Hydrotest-NL{2}	3084988	0	03084988	1357	0	0	1357
+594 -	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5589534	0	05589534	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732712	56	0	0	56
	Thermal 3{1}	-156264	0	0 156264	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2145464	0	02145464	101	0	0	101
	Pressure 2{1}	2594890	0	02594890	-124	0	0	124
	Pressure 3{1}	2594375	0	02594375	-107	0	0	107
	GT1{1}	5589538	0	05589538	94	0	0	94

	GT2{1}	-.2E+07	0	01732708	276	0	0	276
	GT3{1}	-156260	0	0 156260	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7735001	0	07735001	195	0	0	195
	GT2P2{1}	862181	0	0 862181	152	0	0	152
	GT3P3{1}	2438114	0	02438114	135	0	0	135
	Gravity{2}	7	0	0 7	461	0	0	461
	Thermal 3{2}	-156272	0	0 156272	25	0	0	25
	Pressure 1{2}	3241253	0	03241253	871	0	0	871
	GT3{2}	-156265	0	0 156265	486	0	0	486
	Hydrotest-NL{2}	3084988	0	03084988	1357	0	0	1357
+594 +	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5588976	0	05588976	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732700	56	0	0	56
	Thermal 3{1}	-156263	0	0 156263	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2138857	0	02138857	101	0	0	101
	Pressure 2{1}	2594872	0	02594872	-124	0	0	124
	Pressure 3{1}	2594350	0	02594350	-107	0	0	107
	GT1{1}	5588980	0	05588980	94	0	0	94
	GT2{1}	-.2E+07	0	01732696	276	0	0	276
	GT3{1}	-156259	0	0 156259	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7727836	0	07727836	195	0	0	195
	GT2P2{1}	862176	0	0 862176	152	0	0	152
	GT3P3{1}	2438090	0	02438090	135	0	0	135
	Gravity{2}	7	0	0 7	461	0	0	461
	Thermal 3{2}	-156271	0	0 156271	25	0	0	25
	Pressure 1{2}	3241196	0	03241196	871	0	0	871
	GT3{2}	-156264	0	0 156264	486	0	0	486
	Hydrotest-NL{2}	3084933	0	03084933	1357	0	0	1357
+595 -	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5588976	0	05588976	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732700	56	0	0	56
	Thermal 3{1}	-156263	0	0 156263	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2138857	0	02138857	101	0	0	101
	Pressure 2{1}	2594872	0	02594872	-124	0	0	124
	Pressure 3{1}	2594350	0	02594350	-107	0	0	107
	GT1{1}	5588980	0	05588980	94	0	0	94
	GT2{1}	-.2E+07	0	01732696	276	0	0	276
	GT3{1}	-156259	0	0 156259	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7727836	0	07727836	195	0	0	195
	GT2P2{1}	862176	0	0 862176	152	0	0	152
	GT3P3{1}	2438090	0	02438090	135	0	0	135
	Gravity{2}	7	0	0 7	461	0	0	461
	Thermal 3{2}	-156271	0	0 156271	25	0	0	25
	Pressure 1{2}	3241196	0	03241196	871	0	0	871
	GT3{2}	-156264	0	0 156264	486	0	0	486
	Hydrotest-NL{2}	3084933	0	03084933	1357	0	0	1357
+595 +	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5588410	0	05588410	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732687	56	0	0	56
	Thermal 3{1}	-156262	0	0 156262	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2132153	0	02132153	101	0	0	101
	Pressure 2{1}	2594854	0	02594854	-124	0	0	124
	Pressure 3{1}	2594324	0	02594324	-107	0	0	107
	GT1{1}	5588414	0	05588414	94	0	0	94
	GT2{1}	-.2E+07	0	01732683	276	0	0	276
	GT3{1}	-156259	0	0 156259	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7720566	0	07720566	195	0	0	195
	GT2P2{1}	862171	0	0 862171	152	0	0	152
	GT3P3{1}	2438065	0	02438065	135	0	0	135
	Gravity{2}	8	0	0 8	461	0	0	461
	Thermal 3{2}	-156270	0	0 156270	25	0	0	25
	Pressure 1{2}	3241139	0	03241139	871	0	0	871
	GT3{2}	-156263	0	0 156263	486	0	0	486
	Hydrotest-NL{2}	3084876	0	03084876	1357	0	0	1357
+596 -	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5588410	0	05588410	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732687	56	0	0	56
	Thermal 3{1}	-156262	0	0 156262	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2132153	0	02132153	101	0	0	101
	Pressure 2{1}	2594854	0	02594854	-124	0	0	124
	Pressure 3{1}	2594324	0	02594324	-107	0	0	107
	GT1{1}	5588414	0	05588414	94	0	0	94

	GT2{1}	-.2E+07	0	01732683	276	0	0	276
	GT3{1}	-156259	0	0 156259	242	0	0	242
	GW1{1}	3	0	0 3	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7720566	0	07720566	195	0	0	195
	GT2P2{1}	862171	0	0 862171	152	0	0	152
	GT3P3{1}	2438065	0	02438065	135	0	0	135
	Gravity{2}	8	0	0 8	461	0	0	461
	Thermal 3{2}	-156270	0	0 156270	25	0	0	25
	Pressure 1{2}	3241139	0	03241139	871	0	0	871
	GT3{2}	-156263	0	0 156263	486	0	0	486
	Hydrotest-NL{2}	3084876	0	03084876	1357	0	0	1357
+596 +	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5587836	0	05587836	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732674	56	0	0	56
	Thermal 3{1}	-156261	0	0 156261	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2125350	0	02125350	101	0	0	101
	Pressure 2{1}	2594836	0	02594836	-124	0	0	124
	Pressure 3{1}	2594298	0	02594298	-107	0	0	107
	GT1{1}	5587839	0	05587839	94	0	0	94
	GT2{1}	-.2E+07	0	01732670	276	0	0	276
	GT3{1}	-156258	0	0 156258	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7713189	0	07713189	195	0	0	195
	GT2P2{1}	862166	0	0 862166	152	0	0	152
	GT3P3{1}	2438040	0	02438040	135	0	0	135
	Gravity{2}	8	0	0 8	461	0	0	461
	Thermal 3{2}	-156270	0	0 156270	25	0	0	25
	Pressure 1{2}	3241081	0	03241081	871	0	0	871
	GT3{2}	-156262	0	0 156262	486	0	0	486
	Hydrotest-NL{2}	3084819	0	03084819	1357	0	0	1357
+597 -	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5587836	0	05587836	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732674	56	0	0	56
	Thermal 3{1}	-156261	0	0 156261	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2125350	0	02125350	101	0	0	101
	Pressure 2{1}	2594836	0	02594836	-124	0	0	124
	Pressure 3{1}	2594298	0	02594298	-107	0	0	107
	GT1{1}	5587839	0	05587839	94	0	0	94
	GT2{1}	-.2E+07	0	01732670	276	0	0	276
	GT3{1}	-156258	0	0 156258	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7713189	0	07713189	195	0	0	195
	GT2P2{1}	862166	0	0 862166	152	0	0	152
	GT3P3{1}	2438040	0	02438040	135	0	0	135
	Gravity{2}	8	0	0 8	461	0	0	461
	Thermal 3{2}	-156270	0	0 156270	25	0	0	25
	Pressure 1{2}	3241081	0	03241081	871	0	0	871
	GT3{2}	-156262	0	0 156262	486	0	0	486
	Hydrotest-NL{2}	3084819	0	03084819	1357	0	0	1357
+597 +	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5587253	0	05587253	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732661	56	0	0	56
	Thermal 3{1}	-156261	0	0 156261	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2118448	0	02118448	101	0	0	101
	Pressure 2{1}	2594818	0	02594818	-124	0	0	124
	Pressure 3{1}	2594272	0	02594272	-107	0	0	107
	GT1{1}	5587257	0	05587257	94	0	0	94
	GT2{1}	-.2E+07	0	01732657	276	0	0	276
	GT3{1}	-156257	0	0 156257	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7705705	0	07705705	195	0	0	195
	GT2P2{1}	862160	0	0 862160	152	0	0	152
	GT3P3{1}	2438015	0	02438015	135	0	0	135
	Gravity{2}	8	0	0 8	461	0	0	461
	Thermal 3{2}	-156269	0	0 156269	25	0	0	25
	Pressure 1{2}	3241021	0	03241021	871	0	0	871
	GT3{2}	-156261	0	0 156261	486	0	0	486
	Hydrotest-NL{2}	3084760	0	03084760	1357	0	0	1357
+598 -	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5587253	0	05587253	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732661	56	0	0	56
	Thermal 3{1}	-156261	0	0 156261	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2118448	0	02118448	101	0	0	101
	Pressure 2{1}	2594818	0	02594818	-124	0	0	124
	Pressure 3{1}	2594272	0	02594272	-107	0	0	107
	GT1{1}	5587257	0	05587257	94	0	0	94

	GT2{1}	-.2E+07	0	01732657	276	0	0	276
	GT3{1}	-156257	0	0 156257	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7705705	0	07705705	195	0	0	195
	GT2P2{1}	862160	0	0 862160	152	0	0	152
	GT3P3{1}	2438015	0	02438015	135	0	0	135
	Gravity{2}	8	0	0 8	461	0	0	461
	Thermal 3{2}	-156269	0	0 156269	25	0	0	25
	Pressure 1{2}	3241021	0	03241021	871	0	0	871
	GT3{2}	-156261	0	0 156261	486	0	0	486
	Hydrotest-NL{2}	3084760	0	03084760	1357	0	0	1357
+598 +	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5586662	0	05586662	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732648	56	0	0	56
	Thermal 3{1}	-156260	0	0 156260	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2111445	0	02111445	101	0	0	101
	Pressure 2{1}	2594799	0	02594799	-124	0	0	124
	Pressure 3{1}	2594245	0	02594245	-107	0	0	107
	GT1{1}	5586666	0	05586666	94	0	0	94
	GT2{1}	-.2E+07	0	01732644	276	0	0	276
	GT3{1}	-156256	0	0 156256	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7698111	0	07698111	195	0	0	195
	GT2P2{1}	862155	0	0 862155	152	0	0	152
	GT3P3{1}	2437990	0	02437990	135	0	0	135
	Gravity{2}	8	0	0 8	461	0	0	461
	Thermal 3{2}	-156268	0	0 156268	25	0	0	25
	Pressure 1{2}	3240961	0	03240961	871	0	0	871
	GT3{2}	-156260	0	0 156260	486	0	0	486
	Hydrotest-NL{2}	3084701	0	03084701	1357	0	0	1357
+599 -	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5586662	0	05586662	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732648	56	0	0	56
	Thermal 3{1}	-156260	0	0 156260	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2111445	0	02111445	101	0	0	101
	Pressure 2{1}	2594799	0	02594799	-124	0	0	124
	Pressure 3{1}	2594245	0	02594245	-107	0	0	107
	GT1{1}	5586666	0	05586666	94	0	0	94
	GT2{1}	-.2E+07	0	01732644	276	0	0	276
	GT3{1}	-156256	0	0 156256	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7698111	0	07698111	195	0	0	195
	GT2P2{1}	862155	0	0 862155	152	0	0	152
	GT3P3{1}	2437990	0	02437990	135	0	0	135
	Gravity{2}	8	0	0 8	461	0	0	461
	Thermal 3{2}	-156268	0	0 156268	25	0	0	25
	Pressure 1{2}	3240961	0	03240961	871	0	0	871
	GT3{2}	-156260	0	0 156260	486	0	0	486
	Hydrotest-NL{2}	3084701	0	03084701	1357	0	0	1357
+599 +	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5586062	0	05586062	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732635	56	0	0	56
	Thermal 3{1}	-156259	0	0 156259	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2104339	0	02104339	101	0	0	101
	Pressure 2{1}	2594780	0	02594780	-124	0	0	124
	Pressure 3{1}	2594218	0	02594218	-107	0	0	107
	GT1{1}	5586066	0	05586066	94	0	0	94
	GT2{1}	-.2E+07	0	01732631	276	0	0	276
	GT3{1}	-156255	0	0 156255	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7690405	0	07690405	195	0	0	195
	GT2P2{1}	862150	0	0 862150	152	0	0	152
	GT3P3{1}	2437963	0	02437963	135	0	0	135
	Gravity{2}	8	0	0 8	461	0	0	461
	Thermal 3{2}	-156267	0	0 156267	25	0	0	25
	Pressure 1{2}	3240900	0	03240900	871	0	0	871
	GT3{2}	-156259	0	0 156259	486	0	0	486
	Hydrotest-NL{2}	3084641	0	03084641	1357	0	0	1357
+600 -	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5586062	0	05586062	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732635	56	0	0	56
	Thermal 3{1}	-156259	0	0 156259	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2104339	0	02104339	101	0	0	101
	Pressure 2{1}	2594780	0	02594780	-124	0	0	124
	Pressure 3{1}	2594218	0	02594218	-107	0	0	107
	GT1{1}	5586066	0	05586066	94	0	0	94

	GT2{1}	-.2E+07	0	01732631	276	0	0	276
	GT3{1}	-156255	0	0 156255	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7690405	0	07690405	195	0	0	195
	GT2P2{1}	862150	0	0 862150	152	0	0	152
	GT3P3{1}	2437963	0	02437963	135	0	0	135
	Gravity{2}	8	0	0 8	461	0	0	461
	Thermal 3{2}	-156267	0	0 156267	25	0	0	25
	Pressure 1{2}	3240900	0	03240900	871	0	0	871
	GT3{2}	-156259	0	0 156259	486	0	0	486
	Hydrotest-NL{2}	3084641	0	03084641	1357	0	0	1357
+600 +	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5585454	0	05585454	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732621	56	0	0	56
	Thermal 3{1}	-156258	0	0 156258	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2097129	0	02097129	101	0	0	101
	Pressure 2{1}	2594761	0	02594761	-124	0	0	124
	Pressure 3{1}	2594190	0	02594190	-107	0	0	107
	GT1{1}	5585457	0	05585457	94	0	0	94
	GT2{1}	-.2E+07	0	01732617	276	0	0	276
	GT3{1}	-156254	0	0 156254	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7682586	0	07682586	195	0	0	195
	GT2P2{1}	862144	0	0 862144	152	0	0	152
	GT3P3{1}	2437937	0	02437937	135	0	0	135
	Gravity{2}	8	0	0 8	461	0	0	461
	Thermal 3{2}	-156267	0	0 156267	25	0	0	25
	Pressure 1{2}	3240839	0	03240839	871	0	0	871
	GT3{2}	-156258	0	0 156258	486	0	0	486
	Hydrotest-NL{2}	3084580	0	03084580	1357	0	0	1357
+601 -	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5585454	0	05585454	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732621	56	0	0	56
	Thermal 3{1}	-156258	0	0 156258	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2097129	0	02097129	101	0	0	101
	Pressure 2{1}	2594761	0	02594761	-124	0	0	124
	Pressure 3{1}	2594190	0	02594190	-107	0	0	107
	GT1{1}	5585457	0	05585457	94	0	0	94
	GT2{1}	-.2E+07	0	01732617	276	0	0	276
	GT3{1}	-156254	0	0 156254	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7682586	0	07682586	195	0	0	195
	GT2P2{1}	862144	0	0 862144	152	0	0	152
	GT3P3{1}	2437937	0	02437937	135	0	0	135
	Gravity{2}	8	0	0 8	461	0	0	461
	Thermal 3{2}	-156267	0	0 156267	25	0	0	25
	Pressure 1{2}	3240839	0	03240839	871	0	0	871
	GT3{2}	-156258	0	0 156258	486	0	0	486
	Hydrotest-NL{2}	3084580	0	03084580	1357	0	0	1357
+601 +	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5584836	0	05584836	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732607	56	0	0	56
	Thermal 3{1}	-156257	0	0 156257	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2089813	0	02089813	101	0	0	101
	Pressure 2{1}	2594742	0	02594742	-124	0	0	124
	Pressure 3{1}	2594163	0	02594163	-107	0	0	107
	GT1{1}	5584840	0	05584840	94	0	0	94
	GT2{1}	-.2E+07	0	01732603	276	0	0	276
	GT3{1}	-156253	0	0 156253	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7674653	0	07674653	195	0	0	195
	GT2P2{1}	862138	0	0 862138	152	0	0	152
	GT3P3{1}	2437910	0	02437910	135	0	0	135
	Gravity{2}	8	0	0 8	461	0	0	461
	Thermal 3{2}	-156266	0	0 156266	25	0	0	25
	Pressure 1{2}	3240776	0	03240776	871	0	0	871
	GT3{2}	-156258	0	0 156258	486	0	0	486
	Hydrotest-NL{2}	3084518	0	03084518	1357	0	0	1357
+602 -	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5584836	0	05584836	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732607	56	0	0	56
	Thermal 3{1}	-156257	0	0 156257	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2089813	0	02089813	101	0	0	101
	Pressure 2{1}	2594742	0	02594742	-124	0	0	124
	Pressure 3{1}	2594163	0	02594163	-107	0	0	107
	GT1{1}	5584840	0	05584840	94	0	0	94

	GT2{1}	-.2E+07	0	01732603	276	0	0	276
	GT3{1}	-156253	0	0 156253	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	4	0	0 4	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7674653	0	07674653	195	0	0	195
	GT2P2{1}	862138	0	0 862138	152	0	0	152
	GT3P3{1}	2437910	0	02437910	135	0	0	135
	Gravity{2}	8	0	0 8	461	0	0	461
	Thermal 3{2}	-156266	0	0 156266	25	0	0	25
	Pressure 1{2}	3240776	0	03240776	871	0	0	871
	GT3{2}	-156258	0	0 156258	486	0	0	486
	Hydrotest-NL{2}	3084518	0	03084518	1357	0	0	1357
+602 +	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5584210	0	05584210	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732593	56	0	0	56
	Thermal 3{1}	-156256	0	0 156256	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2082390	0	02082390	101	0	0	101
	Pressure 2{1}	2594722	0	02594722	-124	0	0	124
	Pressure 3{1}	2594135	0	02594135	-107	0	0	107
	GT1{1}	5584214	0	05584214	94	0	0	94
	GT2{1}	-.2E+07	0	01732589	276	0	0	276
	GT3{1}	-156252	0	0 156252	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	5	0	0 5	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7666604	0	07666604	195	0	0	195
	GT2P2{1}	862132	0	0 862132	152	0	0	152
	GT3P3{1}	2437883	0	02437883	135	0	0	135
	Gravity{2}	8	0	0 8	461	0	0	461
	Thermal 3{2}	-156265	0	0 156265	25	0	0	25
	Pressure 1{2}	3240713	0	03240713	871	0	0	871
	GT3{2}	-156257	0	0 156257	486	0	0	486
	Hydrotest-NL{2}	3084456	0	03084456	1357	0	0	1357
+603 -	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5584210	0	05584210	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732593	56	0	0	56
	Thermal 3{1}	-156256	0	0 156256	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2082390	0	02082390	101	0	0	101
	Pressure 2{1}	2594722	0	02594722	-124	0	0	124
	Pressure 3{1}	2594135	0	02594135	-107	0	0	107
	GT1{1}	5584214	0	05584214	94	0	0	94
	GT2{1}	-.2E+07	0	01732589	276	0	0	276
	GT3{1}	-156252	0	0 156252	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	5	0	0 5	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7666604	0	07666604	195	0	0	195
	GT2P2{1}	862132	0	0 862132	152	0	0	152
	GT3P3{1}	2437883	0	02437883	135	0	0	135
	Gravity{2}	8	0	0 8	461	0	0	461
	Thermal 3{2}	-156265	0	0 156265	25	0	0	25
	Pressure 1{2}	3240713	0	03240713	871	0	0	871
	GT3{2}	-156257	0	0 156257	486	0	0	486
	Hydrotest-NL{2}	3084456	0	03084456	1357	0	0	1357
+603 +	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5583574	0	05583574	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732579	56	0	0	56
	Thermal 3{1}	-156255	0	0 156255	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2074858	0	02074858	101	0	0	101
	Pressure 2{1}	2594701	0	02594701	-124	0	0	124
	Pressure 3{1}	2594106	0	02594106	-107	0	0	107
	GT1{1}	5583578	0	05583578	94	0	0	94
	GT2{1}	-.2E+07	0	01732575	276	0	0	276
	GT3{1}	-156251	0	0 156251	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	5	0	0 5	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7658436	0	07658436	195	0	0	195
	GT2P2{1}	862127	0	0 862127	152	0	0	152
	GT3P3{1}	2437855	0	02437855	135	0	0	135
	Gravity{2}	8	0	0 8	461	0	0	461
	Thermal 3{2}	-156264	0	0 156264	25	0	0	25
	Pressure 1{2}	3240648	0	03240648	871	0	0	871
	GT3{2}	-156256	0	0 156256	486	0	0	486
	Hydrotest-NL{2}	3084392	0	03084392	1357	0	0	1357
+604 -	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5583574	0	05583574	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732579	56	0	0	56
	Thermal 3{1}	-156255	0	0 156255	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2074858	0	02074858	101	0	0	101
	Pressure 2{1}	2594701	0	02594701	-124	0	0	124
	Pressure 3{1}	2594106	0	02594106	-107	0	0	107
	GT1{1}	5583578	0	05583578	94	0	0	94

	GT2{1}	-.2E+07	0	01732575	276	0	0	276
	GT3{1}	-156251	0	0 156251	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	5	0	0 5	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7658436	0	07658436	195	0	0	195
	GT2P2{1}	862127	0	0 862127	152	0	0	152
	GT3P3{1}	2437855	0	02437855	135	0	0	135
	Gravity{2}	8	0	0 8	461	0	0	461
	Thermal 3{2}	-156264	0	0 156264	25	0	0	25
	Pressure 1{2}	3240648	0	03240648	871	0	0	871
	GT3{2}	-156256	0	0 156256	486	0	0	486
	Hydrotest-NL{2}	3084392	0	03084392	1357	0	0	1357
+604 +	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5582929	0	05582929	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732565	56	0	0	56
	Thermal 3{1}	-156254	0	0 156254	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2067216	0	02067216	101	0	0	101
	Pressure 2{1}	2594681	0	02594681	-124	0	0	124
	Pressure 3{1}	2594077	0	02594077	-107	0	0	107
	GT1{1}	5582933	0	05582933	94	0	0	94
	GT2{1}	-.2E+07	0	01732561	276	0	0	276
	GT3{1}	-156250	0	0 156250	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	5	0	0 5	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7650149	0	07650149	195	0	0	195
	GT2P2{1}	862121	0	0 862121	152	0	0	152
	GT3P3{1}	2437827	0	02437827	135	0	0	135
	Gravity{2}	9	0	0 9	461	0	0	461
	Thermal 3{2}	-156263	0	0 156263	25	0	0	25
	Pressure 1{2}	3240582	0	03240582	871	0	0	871
	GT3{2}	-156255	0	0 156255	486	0	0	486
	Hydrotest-NL{2}	3084328	0	03084328	1357	0	0	1357
+605 -	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5582929	0	05582929	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732565	56	0	0	56
	Thermal 3{1}	-156254	0	0 156254	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2067216	0	02067216	101	0	0	101
	Pressure 2{1}	2594681	0	02594681	-124	0	0	124
	Pressure 3{1}	2594077	0	02594077	-107	0	0	107
	GT1{1}	5582933	0	05582933	94	0	0	94
	GT2{1}	-.2E+07	0	01732561	276	0	0	276
	GT3{1}	-156250	0	0 156250	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	5	0	0 5	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7650149	0	07650149	195	0	0	195
	GT2P2{1}	862121	0	0 862121	152	0	0	152
	GT3P3{1}	2437827	0	02437827	135	0	0	135
	Gravity{2}	9	0	0 9	461	0	0	461
	Thermal 3{2}	-156263	0	0 156263	25	0	0	25
	Pressure 1{2}	3240582	0	03240582	871	0	0	871
	GT3{2}	-156255	0	0 156255	486	0	0	486
	Hydrotest-NL{2}	3084328	0	03084328	1357	0	0	1357
+605 +	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5582274	0	05582274	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732550	56	0	0	56
	Thermal 3{1}	-156253	0	0 156253	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2059461	0	02059461	101	0	0	101
	Pressure 2{1}	2594660	0	02594660	-124	0	0	124
	Pressure 3{1}	2594047	0	02594047	-107	0	0	107
	GT1{1}	5582279	0	05582279	94	0	0	94
	GT2{1}	-.2E+07	0	01732546	276	0	0	276
	GT3{1}	-156249	0	0 156249	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	5	0	0 5	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7641740	0	07641740	195	0	0	195
	GT2P2{1}	862115	0	0 862115	152	0	0	152
	GT3P3{1}	2437798	0	02437798	135	0	0	135
	Gravity{2}	9	0	0 9	461	0	0	461
	Thermal 3{2}	-156263	0	0 156263	25	0	0	25
	Pressure 1{2}	3240516	0	03240516	871	0	0	871
	GT3{2}	-156254	0	0 156254	486	0	0	486
	Hydrotest-NL{2}	3084262	0	03084262	1357	0	0	1357
+606 -	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5582274	0	05582274	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732550	56	0	0	56
	Thermal 3{1}	-156253	0	0 156253	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2059461	0	02059461	101	0	0	101
	Pressure 2{1}	2594660	0	02594660	-124	0	0	124
	Pressure 3{1}	2594047	0	02594047	-107	0	0	107
	GT1{1}	5582279	0	05582279	94	0	0	94

	GT2{1}	-.2E+07	0	01732546	276	0	0	276
	GT3{1}	-156249	0	0 156249	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	5	0	0 5	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	4	0	0 4	272	0	0	272
	GT1P1{1}	7641740	0	07641740	195	0	0	195
	GT2P2{1}	862115	0	0 862115	152	0	0	152
	GT3P3{1}	2437798	0	02437798	135	0	0	135
	Gravity{2}	9	0	0 9	461	0	0	461
	Thermal 3{2}	-156263	0	0 156263	25	0	0	25
	Pressure 1{2}	3240516	0	03240516	871	0	0	871
	GT3{2}	-156254	0	0 156254	486	0	0	486
	Hydrotest-NL{2}	3084262	0	03084262	1357	0	0	1357
+606 +	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5581610	0	05581610	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732535	56	0	0	56
	Thermal 3{1}	-156252	0	0 156252	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2051593	0	02051593	101	0	0	101
	Pressure 2{1}	2594639	0	02594639	-124	0	0	124
	Pressure 3{1}	2594017	0	02594017	-107	0	0	107
	GT1{1}	5581615	0	05581615	94	0	0	94
	GT2{1}	-.2E+07	0	01732531	276	0	0	276
	GT3{1}	-156248	0	0 156248	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	5	0	0 5	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7633208	0	07633208	195	0	0	195
	GT2P2{1}	862109	0	0 862109	152	0	0	152
	GT3P3{1}	2437770	0	02437770	135	0	0	135
	Gravity{2}	9	0	0 9	461	0	0	461
	Thermal 3{2}	-156262	0	0 156262	25	0	0	25
	Pressure 1{2}	3240448	0	03240448	871	0	0	871
	GT3{2}	-156253	0	0 156253	486	0	0	486
	Hydrotest-NL{2}	3084196	0	03084196	1357	0	0	1357
+607 -	Gravity{1}	4	0	0 4	220	0	0	220
	Thermal 1{1}	5581610	0	05581610	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732535	56	0	0	56
	Thermal 3{1}	-156252	0	0 156252	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2051593	0	02051593	101	0	0	101
	Pressure 2{1}	2594639	0	02594639	-124	0	0	124
	Pressure 3{1}	2594017	0	02594017	-107	0	0	107
	GT1{1}	5581615	0	05581615	94	0	0	94
	GT2{1}	-.2E+07	0	01732531	276	0	0	276
	GT3{1}	-156248	0	0 156248	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	5	0	0 5	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7633208	0	07633208	195	0	0	195
	GT2P2{1}	862109	0	0 862109	152	0	0	152
	GT3P3{1}	2437770	0	02437770	135	0	0	135
	Gravity{2}	9	0	0 9	461	0	0	461
	Thermal 3{2}	-156262	0	0 156262	25	0	0	25
	Pressure 1{2}	3240448	0	03240448	871	0	0	871
	GT3{2}	-156253	0	0 156253	486	0	0	486
	Hydrotest-NL{2}	3084196	0	03084196	1357	0	0	1357
+607 +	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5580936	0	05580936	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732520	56	0	0	56
	Thermal 3{1}	-156251	0	0 156251	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2043610	0	02043610	101	0	0	101
	Pressure 2{1}	2594618	0	02594618	-124	0	0	124
	Pressure 3{1}	2593987	0	02593987	-107	0	0	107
	GT1{1}	5580941	0	05580941	94	0	0	94
	GT2{1}	-.2E+07	0	01732516	276	0	0	276
	GT3{1}	-156247	0	0 156247	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	5	0	0 5	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7624550	0	07624550	195	0	0	195
	GT2P2{1}	862102	0	0 862102	152	0	0	152
	GT3P3{1}	2437740	0	02437740	135	0	0	135
	Gravity{2}	9	0	0 9	461	0	0	461
	Thermal 3{2}	-156261	0	0 156261	25	0	0	25
	Pressure 1{2}	3240380	0	03240380	871	0	0	871
	GT3{2}	-156252	0	0 156252	486	0	0	486
	Hydrotest-NL{2}	3084128	0	03084128	1357	0	0	1357
+608 -	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5580936	0	05580936	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732520	56	0	0	56
	Thermal 3{1}	-156251	0	0 156251	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2043610	0	02043610	101	0	0	101
	Pressure 2{1}	2594618	0	02594618	-124	0	0	124
	Pressure 3{1}	2593987	0	02593987	-107	0	0	107
	GT1{1}	5580941	0	05580941	94	0	0	94

	GT2{1}	-.2E+07	0	01732516	276	0	0	276
	GT3{1}	-156247	0	0 156247	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	5	0	0 5	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7624550	0	07624550	195	0	0	195
	GT2P2{1}	862102	0	0 862102	152	0	0	152
	GT3P3{1}	2437740	0	02437740	135	0	0	135
	Gravity{2}	9	0	0 9	461	0	0	461
	Thermal 3{2}	-156261	0	0 156261	25	0	0	25
	Pressure 1{2}	3240380	0	03240380	871	0	0	871
	GT3{2}	-156252	0	0 156252	486	0	0	486
	Hydrotest-NL{2}	3084128	0	03084128	1357	0	0	1357
+608 +	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5580252	0	05580252	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732505	56	0	0	56
	Thermal 3{1}	-156250	0	0 156250	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2035509	0	02035509	101	0	0	101
	Pressure 2{1}	2594597	0	02594597	-124	0	0	124
	Pressure 3{1}	2593956	0	02593956	-107	0	0	107
	GT1{1}	5580257	0	05580257	94	0	0	94
	GT2{1}	-.2E+07	0	01732501	276	0	0	276
	GT3{1}	-156245	0	0 156245	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	5	0	0 5	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7615766	0	07615766	195	0	0	195
	GT2P2{1}	862096	0	0 862096	152	0	0	152
	GT3P3{1}	2437710	0	02437710	135	0	0	135
	Gravity{2}	9	0	0 9	461	0	0	461
	Thermal 3{2}	-156260	0	0 156260	25	0	0	25
	Pressure 1{2}	3240311	0	03240311	871	0	0	871
	GT3{2}	-156251	0	0 156251	486	0	0	486
	Hydrotest-NL{2}	3084060	0	03084060	1357	0	0	1357
+609 -	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5580252	0	05580252	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732505	56	0	0	56
	Thermal 3{1}	-156250	0	0 156250	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2035509	0	02035509	101	0	0	101
	Pressure 2{1}	2594597	0	02594597	-124	0	0	124
	Pressure 3{1}	2593956	0	02593956	-107	0	0	107
	GT1{1}	5580257	0	05580257	94	0	0	94
	GT2{1}	-.2E+07	0	01732501	276	0	0	276
	GT3{1}	-156245	0	0 156245	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	5	0	0 5	221	0	0	221
	GW3{1}	4	0	0 4	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7615766	0	07615766	195	0	0	195
	GT2P2{1}	862096	0	0 862096	152	0	0	152
	GT3P3{1}	2437710	0	02437710	135	0	0	135
	Gravity{2}	9	0	0 9	461	0	0	461
	Thermal 3{2}	-156260	0	0 156260	25	0	0	25
	Pressure 1{2}	3240311	0	03240311	871	0	0	871
	GT3{2}	-156251	0	0 156251	486	0	0	486
	Hydrotest-NL{2}	3084060	0	03084060	1357	0	0	1357
+609 +	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5579559	0	05579559	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732490	56	0	0	56
	Thermal 3{1}	-156249	0	0 156249	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2027290	0	02027290	101	0	0	101
	Pressure 2{1}	2594575	0	02594575	-124	0	0	124
	Pressure 3{1}	2593925	0	02593925	-107	0	0	107
	GT1{1}	5579564	0	05579564	94	0	0	94
	GT2{1}	-.2E+07	0	01732485	276	0	0	276
	GT3{1}	-156244	0	0 156244	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	5	0	0 5	221	0	0	221
	GW3{1}	5	0	0 5	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7606853	0	07606853	195	0	0	195
	GT2P2{1}	862089	0	0 862089	152	0	0	152
	GT3P3{1}	2437680	0	02437680	135	0	0	135
	Gravity{2}	9	0	0 9	461	0	0	461
	Thermal 3{2}	-156259	0	0 156259	25	0	0	25
	Pressure 1{2}	3240240	0	03240240	871	0	0	871
	GT3{2}	-156250	0	0 156250	486	0	0	486
	Hydrotest-NL{2}	3083990	0	03083990	1357	0	0	1357
+610 -	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5579559	0	05579559	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732490	56	0	0	56
	Thermal 3{1}	-156249	0	0 156249	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2027290	0	02027290	101	0	0	101
	Pressure 2{1}	2594575	0	02594575	-124	0	0	124
	Pressure 3{1}	2593925	0	02593925	-107	0	0	107
	GT1{1}	5579564	0	05579564	94	0	0	94

	GT2{1}	-.2E+07	0	01732485	276	0	0	276
	GT3{1}	-156244	0	0 156244	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	5	0	0 5	221	0	0	221
	GW3{1}	5	0	0 5	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7606853	0	07606853	195	0	0	195
	GT2P2{1}	862089	0	0 862089	152	0	0	152
	GT3P3{1}	2437680	0	02437680	135	0	0	135
	Gravity{2}	9	0	0 9	461	0	0	461
	Thermal 3{2}	-156259	0	0 156259	25	0	0	25
	Pressure 1{2}	3240240	0	03240240	871	0	0	871
	GT3{2}	-156250	0	0 156250	486	0	0	486
	Hydrotest-NL{2}	3083990	0	03083990	1357	0	0	1357
+610 +	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5578855	0	05578855	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732474	56	0	0	56
	Thermal 3{1}	-156248	0	0 156248	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2018950	0	02018950	101	0	0	101
	Pressure 2{1}	2594552	0	02594552	-124	0	0	124
	Pressure 3{1}	2593893	0	02593893	-107	0	0	107
	GT1{1}	5578860	0	05578860	94	0	0	94
	GT2{1}	-.2E+07	0	01732469	276	0	0	276
	GT3{1}	-156243	0	0 156243	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	5	0	0 5	221	0	0	221
	GW3{1}	5	0	0 5	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7597809	0	07597809	195	0	0	195
	GT2P2{1}	862083	0	0 862083	152	0	0	152
	GT3P3{1}	2437650	0	02437650	135	0	0	135
	Gravity{2}	9	0	0 9	461	0	0	461
	Thermal 3{2}	-156258	0	0 156258	25	0	0	25
	Pressure 1{2}	3240169	0	03240169	871	0	0	871
	GT3{2}	-156249	0	0 156249	486	0	0	486
	Hydrotest-NL{2}	3083920	0	03083920	1357	0	0	1357
+611 -	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5578855	0	05578855	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732474	56	0	0	56
	Thermal 3{1}	-156248	0	0 156248	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2018950	0	02018950	101	0	0	101
	Pressure 2{1}	2594552	0	02594552	-124	0	0	124
	Pressure 3{1}	2593893	0	02593893	-107	0	0	107
	GT1{1}	5578860	0	05578860	94	0	0	94
	GT2{1}	-.2E+07	0	01732469	276	0	0	276
	GT3{1}	-156243	0	0 156243	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	5	0	0 5	221	0	0	221
	GW3{1}	5	0	0 5	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7597809	0	07597809	195	0	0	195
	GT2P2{1}	862083	0	0 862083	152	0	0	152
	GT3P3{1}	2437650	0	02437650	135	0	0	135
	Gravity{2}	9	0	0 9	461	0	0	461
	Thermal 3{2}	-156258	0	0 156258	25	0	0	25
	Pressure 1{2}	3240169	0	03240169	871	0	0	871
	GT3{2}	-156249	0	0 156249	486	0	0	486
	Hydrotest-NL{2}	3083920	0	03083920	1357	0	0	1357
+611 +	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5578141	0	05578141	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732458	56	0	0	56
	Thermal 3{1}	-156247	0	0 156247	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2010488	0	02010488	101	0	0	101
	Pressure 2{1}	2594530	0	02594530	-124	0	0	124
	Pressure 3{1}	2593860	0	02593860	-107	0	0	107
	GT1{1}	5578146	0	05578146	94	0	0	94
	GT2{1}	-.2E+07	0	01732453	276	0	0	276
	GT3{1}	-156242	0	0 156242	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	5	0	0 5	221	0	0	221
	GW3{1}	5	0	0 5	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7588633	0	07588633	195	0	0	195
	GT2P2{1}	862077	0	0 862077	152	0	0	152
	GT3P3{1}	2437618	0	02437618	135	0	0	135
	Gravity{2}	10	0	0 10	461	0	0	461
	Thermal 3{2}	-156257	0	0 156257	25	0	0	25
	Pressure 1{2}	3240096	0	03240096	871	0	0	871
	GT3{2}	-156248	0	0 156248	486	0	0	486
	Hydrotest-NL{2}	3083849	0	03083849	1357	0	0	1357
+612 -	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5578141	0	05578141	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732458	56	0	0	56
	Thermal 3{1}	-156247	0	0 156247	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2010488	0	02010488	101	0	0	101
	Pressure 2{1}	2594530	0	02594530	-124	0	0	124
	Pressure 3{1}	2593860	0	02593860	-107	0	0	107
	GT1{1}	5578146	0	05578146	94	0	0	94

	GT2{1}	-.2E+07	0	01732453	276	0	0	276
	GT3{1}	-156242	0	0 156242	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	5	0	0 5	221	0	0	221
	GW3{1}	5	0	0 5	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7588633	0	07588633	195	0	0	195
	GT2P2{1}	862077	0	0 862077	152	0	0	152
	GT3P3{1}	2437618	0	02437618	135	0	0	135
	Gravity{2}	10	0	0 10	461	0	0	461
	Thermal 3{2}	-156257	0	0 156257	25	0	0	25
	Pressure 1{2}	3240096	0	03240096	871	0	0	871
	GT3{2}	-156248	0	0 156248	486	0	0	486
	Hydrotest-NL{2}	3083849	0	03083849	1357	0	0	1357
+612 +	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5577416	0	05577416	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732442	56	0	0	56
	Thermal 3{1}	-156246	0	0 156246	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2001901	0	02001901	101	0	0	101
	Pressure 2{1}	2594507	0	02594507	-124	0	0	124
	Pressure 3{1}	2593828	0	02593828	-107	0	0	107
	GT1{1}	5577421	0	05577421	94	0	0	94
	GT2{1}	-.2E+07	0	01732437	276	0	0	276
	GT3{1}	-156241	0	0 156241	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	5	0	0 5	221	0	0	221
	GW3{1}	5	0	0 5	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7579322	0	07579322	195	0	0	195
	GT2P2{1}	862070	0	0 862070	152	0	0	152
	GT3P3{1}	2437587	0	02437587	135	0	0	135
	Gravity{2}	10	0	0 10	461	0	0	461
	Thermal 3{2}	-156256	0	0 156256	25	0	0	25
	Pressure 1{2}	3240023	0	03240023	871	0	0	871
	GT3{2}	-156247	0	0 156247	486	0	0	486
	Hydrotest-NL{2}	3083776	0	03083776	1357	0	0	1357
+613 -	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5577416	0	05577416	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732442	56	0	0	56
	Thermal 3{1}	-156246	0	0 156246	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	2001901	0	02001901	101	0	0	101
	Pressure 2{1}	2594507	0	02594507	-124	0	0	124
	Pressure 3{1}	2593828	0	02593828	-107	0	0	107
	GT1{1}	5577421	0	05577421	94	0	0	94
	GT2{1}	-.2E+07	0	01732437	276	0	0	276
	GT3{1}	-156241	0	0 156241	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	5	0	0 5	221	0	0	221
	GW3{1}	5	0	0 5	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7579322	0	07579322	195	0	0	195
	GT2P2{1}	862070	0	0 862070	152	0	0	152
	GT3P3{1}	2437587	0	02437587	135	0	0	135
	Gravity{2}	10	0	0 10	461	0	0	461
	Thermal 3{2}	-156256	0	0 156256	25	0	0	25
	Pressure 1{2}	3240023	0	03240023	871	0	0	871
	GT3{2}	-156247	0	0 156247	486	0	0	486
	Hydrotest-NL{2}	3083776	0	03083776	1357	0	0	1357
+613 +	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5576681	0	05576681	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732426	56	0	0	56
	Thermal 3{1}	-156245	0	0 156245	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1993190	0	01993190	101	0	0	101
	Pressure 2{1}	2594484	0	02594484	-124	0	0	124
	Pressure 3{1}	2593795	0	02593795	-107	0	0	107
	GT1{1}	5576686	0	05576686	94	0	0	94
	GT2{1}	-.2E+07	0	01732421	276	0	0	276
	GT3{1}	-156240	0	0 156240	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	5	0	0 5	221	0	0	221
	GW3{1}	5	0	0 5	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7569875	0	07569875	195	0	0	195
	GT2P2{1}	862063	0	0 862063	152	0	0	152
	GT3P3{1}	2437555	0	02437555	135	0	0	135
	Gravity{2}	10	0	0 10	461	0	0	461
	Thermal 3{2}	-156255	0	0 156255	25	0	0	25
	Pressure 1{2}	3239948	0	03239948	871	0	0	871
	GT3{2}	-156245	0	0 156245	486	0	0	486
	Hydrotest-NL{2}	3083703	0	03083703	1357	0	0	1357
+614 -	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5576681	0	05576681	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732426	56	0	0	56
	Thermal 3{1}	-156245	0	0 156245	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1993190	0	01993190	101	0	0	101
	Pressure 2{1}	2594484	0	02594484	-124	0	0	124
	Pressure 3{1}	2593795	0	02593795	-107	0	0	107
	GT1{1}	5576686	0	05576686	94	0	0	94

	GT2{1}	-.2E+07	0	01732421	276	0	0	276
	GT3{1}	-156240	0	0 156240	242	0	0	242
	GW1{1}	4	0	0 4	219	0	0	219
	GW2{1}	5	0	0 5	221	0	0	221
	GW3{1}	5	0	0 5	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7569875	0	07569875	195	0	0	195
	GT2P2{1}	862063	0	0 862063	152	0	0	152
	GT3P3{1}	2437555	0	02437555	135	0	0	135
	Gravity{2}	10	0	0 10	461	0	0	461
	Thermal 3{2}	-156255	0	0 156255	25	0	0	25
	Pressure 1{2}	3239948	0	03239948	871	0	0	871
	GT3{2}	-156245	0	0 156245	486	0	0	486
	Hydrotest-NL{2}	3083703	0	03083703	1357	0	0	1357
+614 +	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5575934	0	05575934	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732409	56	0	0	56
	Thermal 3{1}	-156244	0	0 156244	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1984350	0	01984350	101	0	0	101
	Pressure 2{1}	2594460	0	02594460	-124	0	0	124
	Pressure 3{1}	2593761	0	02593761	-107	0	0	107
	GT1{1}	5575939	0	05575939	94	0	0	94
	GT2{1}	-.2E+07	0	01732404	276	0	0	276
	GT3{1}	-156239	0	0 156239	242	0	0	242
	GW1{1}	5	0	0 5	219	0	0	219
	GW2{1}	5	0	0 5	221	0	0	221
	GW3{1}	5	0	0 5	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7560289	0	07560289	195	0	0	195
	GT2P2{1}	862056	0	0 862056	152	0	0	152
	GT3P3{1}	2437522	0	02437522	135	0	0	135
	Gravity{2}	10	0	0 10	461	0	0	461
	Thermal 3{2}	-156254	0	0 156254	25	0	0	25
	Pressure 1{2}	3239872	0	03239872	871	0	0	871
	GT3{2}	-156244	0	0 156244	486	0	0	486
	Hydrotest-NL{2}	3083628	0	03083628	1357	0	0	1357
+615 -	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5575934	0	05575934	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732409	56	0	0	56
	Thermal 3{1}	-156244	0	0 156244	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1984350	0	01984350	101	0	0	101
	Pressure 2{1}	2594460	0	02594460	-124	0	0	124
	Pressure 3{1}	2593761	0	02593761	-107	0	0	107
	GT1{1}	5575939	0	05575939	94	0	0	94
	GT2{1}	-.2E+07	0	01732404	276	0	0	276
	GT3{1}	-156239	0	0 156239	242	0	0	242
	GW1{1}	5	0	0 5	219	0	0	219
	GW2{1}	5	0	0 5	221	0	0	221
	GW3{1}	5	0	0 5	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7560289	0	07560289	195	0	0	195
	GT2P2{1}	862056	0	0 862056	152	0	0	152
	GT3P3{1}	2437522	0	02437522	135	0	0	135
	Gravity{2}	10	0	0 10	461	0	0	461
	Thermal 3{2}	-156254	0	0 156254	25	0	0	25
	Pressure 1{2}	3239872	0	03239872	871	0	0	871
	GT3{2}	-156244	0	0 156244	486	0	0	486
	Hydrotest-NL{2}	3083628	0	03083628	1357	0	0	1357
+615 +	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5575178	0	05575178	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732392	56	0	0	56
	Thermal 3{1}	-156242	0	0 156242	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1975381	0	01975381	101	0	0	101
	Pressure 2{1}	2594436	0	02594436	-124	0	0	124
	Pressure 3{1}	2593727	0	02593727	-107	0	0	107
	GT1{1}	5575183	0	05575183	94	0	0	94
	GT2{1}	-.2E+07	0	01732387	276	0	0	276
	GT3{1}	-156237	0	0 156237	242	0	0	242
	GW1{1}	5	0	0 5	219	0	0	219
	GW2{1}	6	0	0 6	221	0	0	221
	GW3{1}	5	0	0 5	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7550563	0	07550563	195	0	0	195
	GT2P2{1}	862049	0	0 862049	152	0	0	152
	GT3P3{1}	2437489	0	02437489	135	0	0	135
	Gravity{2}	10	0	0 10	461	0	0	461
	Thermal 3{2}	-156253	0	0 156253	25	0	0	25
	Pressure 1{2}	3239796	0	03239796	871	0	0	871
	GT3{2}	-156243	0	0 156243	486	0	0	486
	Hydrotest-NL{2}	3083553	0	03083553	1357	0	0	1357
+616 -	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5575178	0	05575178	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732392	56	0	0	56
	Thermal 3{1}	-156242	0	0 156242	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1975381	0	01975381	101	0	0	101
	Pressure 2{1}	2594436	0	02594436	-124	0	0	124
	Pressure 3{1}	2593727	0	02593727	-107	0	0	107
	GT1{1}	5575183	0	05575183	94	0	0	94

	GT2{1}	-.2E+07	0	01732387	276	0	0	276
	GT3{1}	-156237	0	0 156237	242	0	0	242
	GW1{1}	5	0	0 5	219	0	0	219
	GW2{1}	6	0	0 6	221	0	0	221
	GW3{1}	5	0	0 5	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7550563	0	07550563	195	0	0	195
	GT2P2{1}	862049	0	0 862049	152	0	0	152
	GT3P3{1}	2437489	0	02437489	135	0	0	135
	Gravity{2}	10	0	0 10	461	0	0	461
	Thermal 3{2}	-156253	0	0 156253	25	0	0	25
	Pressure 1{2}	3239796	0	03239796	871	0	0	871
	GT3{2}	-156243	0	0 156243	486	0	0	486
	Hydrotest-NL{2}	3083553	0	03083553	1357	0	0	1357
+616 +	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5574409	0	05574409	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732375	56	0	0	56
	Thermal 3{1}	-156241	0	0 156241	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1966280	0	01966280	101	0	0	101
	Pressure 2{1}	2594412	0	02594412	-124	0	0	124
	Pressure 3{1}	2593692	0	02593692	-107	0	0	107
	GT1{1}	5574414	0	05574414	94	0	0	94
	GT2{1}	-.2E+07	0	01732370	276	0	0	276
	GT3{1}	-156236	0	0 156236	242	0	0	242
	GW1{1}	5	0	0 5	219	0	0	219
	GW2{1}	6	0	0 6	221	0	0	221
	GW3{1}	5	0	0 5	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7540694	0	07540694	195	0	0	195
	GT2P2{1}	862042	0	0 862042	152	0	0	152
	GT3P3{1}	2437456	0	02437456	135	0	0	135
	Gravity{2}	10	0	0 10	461	0	0	461
	Thermal 3{2}	-156252	0	0 156252	25	0	0	25
	Pressure 1{2}	3239718	0	03239718	871	0	0	871
	GT3{2}	-156242	0	0 156242	486	0	0	486
	Hydrotest-NL{2}	3083475	0	03083475	1357	0	0	1357
+617 -	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5574409	0	05574409	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732375	56	0	0	56
	Thermal 3{1}	-156241	0	0 156241	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1966280	0	01966280	101	0	0	101
	Pressure 2{1}	2594412	0	02594412	-124	0	0	124
	Pressure 3{1}	2593692	0	02593692	-107	0	0	107
	GT1{1}	5574414	0	05574414	94	0	0	94
	GT2{1}	-.2E+07	0	01732370	276	0	0	276
	GT3{1}	-156236	0	0 156236	242	0	0	242
	GW1{1}	5	0	0 5	219	0	0	219
	GW2{1}	6	0	0 6	221	0	0	221
	GW3{1}	5	0	0 5	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7540694	0	07540694	195	0	0	195
	GT2P2{1}	862042	0	0 862042	152	0	0	152
	GT3P3{1}	2437456	0	02437456	135	0	0	135
	Gravity{2}	10	0	0 10	461	0	0	461
	Thermal 3{2}	-156252	0	0 156252	25	0	0	25
	Pressure 1{2}	3239718	0	03239718	871	0	0	871
	GT3{2}	-156242	0	0 156242	486	0	0	486
	Hydrotest-NL{2}	3083475	0	03083475	1357	0	0	1357
+617 +	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5573630	0	05573630	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732358	56	0	0	56
	Thermal 3{1}	-156240	0	0 156240	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1957045	0	01957045	101	0	0	101
	Pressure 2{1}	2594387	0	02594387	-124	0	0	124
	Pressure 3{1}	2593657	0	02593657	-107	0	0	107
	GT1{1}	5573635	0	05573635	94	0	0	94
	GT2{1}	-.2E+07	0	01732352	276	0	0	276
	GT3{1}	-156235	0	0 156235	242	0	0	242
	GW1{1}	5	0	0 5	219	0	0	219
	GW2{1}	6	0	0 6	221	0	0	221
	GW3{1}	5	0	0 5	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7530680	0	07530680	195	0	0	195
	GT2P2{1}	862035	0	0 862035	152	0	0	152
	GT3P3{1}	2437422	0	02437422	135	0	0	135
	Gravity{2}	10	0	0 10	461	0	0	461
	Thermal 3{2}	-156251	0	0 156251	25	0	0	25
	Pressure 1{2}	3239639	0	03239639	871	0	0	871
	GT3{2}	-156241	0	0 156241	486	0	0	486
	Hydrotest-NL{2}	3083398	0	03083398	1357	0	0	1357
+618 -	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5573630	0	05573630	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732358	56	0	0	56
	Thermal 3{1}	-156240	0	0 156240	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1957045	0	01957045	101	0	0	101
	Pressure 2{1}	2594387	0	02594387	-124	0	0	124
	Pressure 3{1}	2593657	0	02593657	-107	0	0	107
	GT1{1}	5573635	0	05573635	94	0	0	94

	GT2{1}	-.2E+07	0	01732352	276	0	0	276
	GT3{1}	-156235	0	0 156235	242	0	0	242
	GW1{1}	5	0	0 5	219	0	0	219
	GW2{1}	6	0	0 6	221	0	0	221
	GW3{1}	5	0	0 5	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7530680	0	07530680	195	0	0	195
	GT2P2{1}	862035	0	0 862035	152	0	0	152
	GT3P3{1}	2437422	0	02437422	135	0	0	135
	Gravity{2}	10	0	0 10	461	0	0	461
	Thermal 3{2}	-156251	0	0 156251	25	0	0	25
	Pressure 1{2}	3239639	0	03239639	871	0	0	871
	GT3{2}	-156241	0	0 156241	486	0	0	486
	Hydrotest-NL{2}	3083398	0	03083398	1357	0	0	1357
+618 +	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5572839	0	05572839	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732340	56	0	0	56
	Thermal 3{1}	-156239	0	0 156239	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1947675	0	01947675	101	0	0	101
	Pressure 2{1}	2594362	0	02594362	-124	0	0	124
	Pressure 3{1}	2593621	0	02593621	-107	0	0	107
	GT1{1}	5572845	0	05572845	94	0	0	94
	GT2{1}	-.2E+07	0	01732335	276	0	0	276
	GT3{1}	-156234	0	0 156234	242	0	0	242
	GW1{1}	5	0	0 5	219	0	0	219
	GW2{1}	6	0	0 6	221	0	0	221
	GW3{1}	5	0	0 5	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7520520	0	07520520	195	0	0	195
	GT2P2{1}	862028	0	0 862028	152	0	0	152
	GT3P3{1}	2437388	0	02437388	135	0	0	135
	Gravity{2}	11	0	0 11	461	0	0	461
	Thermal 3{2}	-156250	0	0 156250	25	0	0	25
	Pressure 1{2}	3239558	0	03239558	871	0	0	871
	GT3{2}	-156240	0	0 156240	486	0	0	486
	Hydrotest-NL{2}	3083318	0	03083318	1357	0	0	1357
+619 -	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5572839	0	05572839	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732340	56	0	0	56
	Thermal 3{1}	-156239	0	0 156239	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1947675	0	01947675	101	0	0	101
	Pressure 2{1}	2594362	0	02594362	-124	0	0	124
	Pressure 3{1}	2593621	0	02593621	-107	0	0	107
	GT1{1}	5572845	0	05572845	94	0	0	94
	GT2{1}	-.2E+07	0	01732335	276	0	0	276
	GT3{1}	-156234	0	0 156234	242	0	0	242
	GW1{1}	5	0	0 5	219	0	0	219
	GW2{1}	6	0	0 6	221	0	0	221
	GW3{1}	5	0	0 5	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7520520	0	07520520	195	0	0	195
	GT2P2{1}	862028	0	0 862028	152	0	0	152
	GT3P3{1}	2437388	0	02437388	135	0	0	135
	Gravity{2}	11	0	0 11	461	0	0	461
	Thermal 3{2}	-156250	0	0 156250	25	0	0	25
	Pressure 1{2}	3239558	0	03239558	871	0	0	871
	GT3{2}	-156240	0	0 156240	486	0	0	486
	Hydrotest-NL{2}	3083318	0	03083318	1357	0	0	1357
+619 +	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5572037	0	05572037	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732322	56	0	0	56
	Thermal 3{1}	-156238	0	0 156238	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1938168	0	01938168	101	0	0	101
	Pressure 2{1}	2594337	0	02594337	-124	0	0	124
	Pressure 3{1}	2593585	0	02593585	-107	0	0	107
	GT1{1}	5572042	0	05572042	94	0	0	94
	GT2{1}	-.2E+07	0	01732317	276	0	0	276
	GT3{1}	-156232	0	0 156232	242	0	0	242
	GW1{1}	5	0	0 5	219	0	0	219
	GW2{1}	6	0	0 6	221	0	0	221
	GW3{1}	5	0	0 5	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7510210	0	07510210	195	0	0	195
	GT2P2{1}	862020	0	0 862020	152	0	0	152
	GT3P3{1}	2437353	0	02437353	135	0	0	135
	Gravity{2}	11	0	0 11	461	0	0	461
	Thermal 3{2}	-156249	0	0 156249	25	0	0	25
	Pressure 1{2}	3239477	0	03239477	871	0	0	871
	GT3{2}	-156239	0	0 156239	486	0	0	486
	Hydrotest-NL{2}	3083238	0	03083238	1357	0	0	1357
+620 -	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5572037	0	05572037	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732322	56	0	0	56
	Thermal 3{1}	-156238	0	0 156238	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1938168	0	01938168	101	0	0	101
	Pressure 2{1}	2594337	0	02594337	-124	0	0	124
	Pressure 3{1}	2593585	0	02593585	-107	0	0	107
	GT1{1}	5572042	0	05572042	94	0	0	94

	GT2{1}	-.2E+07	0	01732317	276	0	0	276
	GT3{1}	-156232	0	0 156232	242	0	0	242
	GW1{1}	5	0	0 5	219	0	0	219
	GW2{1}	6	0	0 6	221	0	0	221
	GW3{1}	5	0	0 5	163	0	0	163
	GW4{1}	5	0	0 5	272	0	0	272
	GT1P1{1}	7510210	0	07510210	195	0	0	195
	GT2P2{1}	862020	0	0 862020	152	0	0	152
	GT3P3{1}	2437353	0	02437353	135	0	0	135
	Gravity{2}	11	0	0 11	461	0	0	461
	Thermal 3{2}	-156249	0	0 156249	25	0	0	25
	Pressure 1{2}	3239477	0	03239477	871	0	0	871
	GT3{2}	-156239	0	0 156239	486	0	0	486
	Hydrotest-NL{2}	3083238	0	03083238	1357	0	0	1357
+620 +	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5571222	0	05571222	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732304	56	0	0	56
	Thermal 3{1}	-156237	0	0 156237	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1928522	0	01928522	101	0	0	101
	Pressure 2{1}	2594311	0	02594311	-124	0	0	124
	Pressure 3{1}	2593548	0	02593548	-107	0	0	107
	GT1{1}	5571228	0	05571228	94	0	0	94
	GT2{1}	-.2E+07	0	01732299	276	0	0	276
	GT3{1}	-156231	0	0 156231	242	0	0	242
	GW1{1}	5	0	0 5	219	0	0	219
	GW2{1}	6	0	0 6	221	0	0	221
	GW3{1}	5	0	0 5	163	0	0	163
	GW4{1}	6	0	0 6	272	0	0	272
	GT1P1{1}	7499749	0	07499749	195	0	0	195
	GT2P2{1}	862013	0	0 862013	152	0	0	152
	GT3P3{1}	2437317	0	02437317	135	0	0	135
	Gravity{2}	11	0	0 11	461	0	0	461
	Thermal 3{2}	-156248	0	0 156248	25	0	0	25
	Pressure 1{2}	3239394	0	03239394	871	0	0	871
	GT3{2}	-156237	0	0 156237	486	0	0	486
	Hydrotest-NL{2}	3083157	0	03083157	1357	0	0	1357
+621 -	Gravity{1}	5	0	0 5	220	0	0	220
	Thermal 1{1}	5571222	0	05571222	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732304	56	0	0	56
	Thermal 3{1}	-156237	0	0 156237	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1928522	0	01928522	101	0	0	101
	Pressure 2{1}	2594311	0	02594311	-124	0	0	124
	Pressure 3{1}	2593548	0	02593548	-107	0	0	107
	GT1{1}	5571228	0	05571228	94	0	0	94
	GT2{1}	-.2E+07	0	01732299	276	0	0	276
	GT3{1}	-156231	0	0 156231	242	0	0	242
	GW1{1}	5	0	0 5	219	0	0	219
	GW2{1}	6	0	0 6	221	0	0	221
	GW3{1}	5	0	0 5	163	0	0	163
	GW4{1}	6	0	0 6	272	0	0	272
	GT1P1{1}	7499749	0	07499749	195	0	0	195
	GT2P2{1}	862013	0	0 862013	152	0	0	152
	GT3P3{1}	2437317	0	02437317	135	0	0	135
	Gravity{2}	11	0	0 11	461	0	0	461
	Thermal 3{2}	-156248	0	0 156248	25	0	0	25
	Pressure 1{2}	3239394	0	03239394	871	0	0	871
	GT3{2}	-156237	0	0 156237	486	0	0	486
	Hydrotest-NL{2}	3083157	0	03083157	1357	0	0	1357
+621 +	Gravity{1}	6	0	0 6	220	0	0	220
	Thermal 1{1}	5570396	0	05570396	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732286	56	0	0	56
	Thermal 3{1}	-156235	0	0 156235	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1918734	0	01918734	101	0	0	101
	Pressure 2{1}	2594285	0	02594285	-124	0	0	124
	Pressure 3{1}	2593511	0	02593511	-107	0	0	107
	GT1{1}	5570401	0	05570401	94	0	0	94
	GT2{1}	-.2E+07	0	01732280	276	0	0	276
	GT3{1}	-156230	0	0 156230	242	0	0	242
	GW1{1}	5	0	0 5	219	0	0	219
	GW2{1}	6	0	0 6	221	0	0	221
	GW3{1}	5	0	0 5	163	0	0	163
	GW4{1}	6	0	0 6	272	0	0	272
	GT1P1{1}	7489135	0	07489135	195	0	0	195
	GT2P2{1}	862005	0	0 862005	152	0	0	152
	GT3P3{1}	2437281	0	02437281	135	0	0	135
	Gravity{2}	11	0	0 11	461	0	0	461
	Thermal 3{2}	-156247	0	0 156247	25	0	0	25
	Pressure 1{2}	3239310	0	03239310	871	0	0	871
	GT3{2}	-156236	0	0 156236	486	0	0	486
	Hydrotest-NL{2}	3083074	0	03083074	1357	0	0	1357
+622 -	Gravity{1}	6	0	0 6	220	0	0	220
	Thermal 1{1}	5570396	0	05570396	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732286	56	0	0	56
	Thermal 3{1}	-156235	0	0 156235	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1918734	0	01918734	101	0	0	101
	Pressure 2{1}	2594285	0	02594285	-124	0	0	124
	Pressure 3{1}	2593511	0	02593511	-107	0	0	107
	GT1{1}	5570401	0	05570401	94	0	0	94

	GT2{1}	-.2E+07	0	01732280	276	0	0	276
	GT3{1}	-156230	0	0 156230	242	0	0	242
	GW1{1}	5	0	0 5	219	0	0	219
	GW2{1}	6	0	0 6	221	0	0	221
	GW3{1}	5	0	0 5	163	0	0	163
	GW4{1}	6	0	0 6	272	0	0	272
	GT1P1{1}	7489135	0	07489135	195	0	0	195
	GT2P2{1}	862005	0	0 862005	152	0	0	152
	GT3P3{1}	2437281	0	02437281	135	0	0	135
	Gravity{2}	11	0	0 11	461	0	0	461
	Thermal 3{2}	-156247	0	0 156247	25	0	0	25
	Pressure 1{2}	3239310	0	03239310	871	0	0	871
	GT3{2}	-156236	0	0 156236	486	0	0	486
	Hydrotest-NL{2}	3083074	0	03083074	1357	0	0	1357
+622 +	Gravity{1}	6	0	0 6	220	0	0	220
	Thermal 1{1}	5569558	0	05569558	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732267	56	0	0	56
	Thermal 3{1}	-156234	0	0 156234	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1908802	0	01908802	101	0	0	101
	Pressure 2{1}	2594259	0	02594259	-124	0	0	124
	Pressure 3{1}	2593473	0	02593473	-107	0	0	107
	GT1{1}	5569563	0	05569563	94	0	0	94
	GT2{1}	-.2E+07	0	01732261	276	0	0	276
	GT3{1}	-156228	0	0 156228	242	0	0	242
	GW1{1}	5	0	0 5	219	0	0	219
	GW2{1}	6	0	0 6	221	0	0	221
	GW3{1}	6	0	0 6	163	0	0	163
	GW4{1}	6	0	0 6	272	0	0	272
	GT1P1{1}	7478366	0	07478366	195	0	0	195
	GT2P2{1}	861997	0	0 861997	152	0	0	152
	GT3P3{1}	2437245	0	02437245	135	0	0	135
	Gravity{2}	11	0	0 11	461	0	0	461
	Thermal 3{2}	-156246	0	0 156246	25	0	0	25
	Pressure 1{2}	3239225	0	03239225	871	0	0	871
	GT3{2}	-156235	0	0 156235	486	0	0	486
	Hydrotest-NL{2}	3082990	0	03082990	1357	0	0	1357
+623 -	Gravity{1}	6	0	0 6	220	0	0	220
	Thermal 1{1}	5569558	0	05569558	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732267	56	0	0	56
	Thermal 3{1}	-156234	0	0 156234	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	0	0	0 0	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1908802	0	01908802	101	0	0	101
	Pressure 2{1}	2594259	0	02594259	-124	0	0	124
	Pressure 3{1}	2593473	0	02593473	-107	0	0	107
	GT1{1}	5569563	0	05569563	94	0	0	94
	GT2{1}	-.2E+07	0	01732261	276	0	0	276
	GT3{1}	-156228	0	0 156228	242	0	0	242
	GW1{1}	5	0	0 5	219	0	0	219
	GW2{1}	6	0	0 6	221	0	0	221
	GW3{1}	6	0	0 6	163	0	0	163
	GW4{1}	6	0	0 6	272	0	0	272
	GT1P1{1}	7478366	0	07478366	195	0	0	195
	GT2P2{1}	861997	0	0 861997	152	0	0	152
	GT3P3{1}	2437245	0	02437245	135	0	0	135
	Gravity{2}	11	0	0 11	461	0	0	461
	Thermal 3{2}	-156246	0	0 156246	25	0	0	25
	Pressure 1{2}	3239225	0	03239225	871	0	0	871
	GT3{2}	-156235	0	0 156235	486	0	0	486
	Hydrotest-NL{2}	3082990	0	03082990	1357	0	0	1357
+623 +	Gravity{1}	6	0	0 6	220	0	0	220
	Thermal 1{1}	5568707	0	05568707	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732248	56	0	0	56
	Thermal 3{1}	-156233	0	0 156233	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1898725	0	01898725	101	0	0	101
	Pressure 2{1}	2594232	0	02594232	-124	0	0	124
	Pressure 3{1}	2593435	0	02593435	-107	0	0	107
	GT1{1}	5568713	0	05568713	94	0	0	94
	GT2{1}	-.2E+07	0	01732242	276	0	0	276
	GT3{1}	-156227	0	0 156227	242	0	0	242
	GW1{1}	5	0	0 5	219	0	0	219
	GW2{1}	6	0	0 6	221	0	0	221
	GW3{1}	6	0	0 6	163	0	0	163
	GW4{1}	6	0	0 6	272	0	0	272
	GT1P1{1}	7467438	0	07467438	195	0	0	195
	GT2P2{1}	861990	0	0 861990	152	0	0	152
	GT3P3{1}	2437208	0	02437208	135	0	0	135
	Gravity{2}	11	0	0 11	461	0	0	461
	Thermal 3{2}	-156245	0	0 156245	25	0	0	25
	Pressure 1{2}	3239139	0	03239139	871	0	0	871
	GT3{2}	-156234	0	0 156234	486	0	0	486
	Hydrotest-NL{2}	3082905	0	03082905	1357	0	0	1357
+624 -	Gravity{1}	6	0	0 6	220	0	0	220
	Thermal 1{1}	5568707	0	05568707	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732248	56	0	0	56
	Thermal 3{1}	-156233	0	0 156233	22	0	0	22
	Wind 1{1}	0	0	0 0	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1898725	0	01898725	101	0	0	101
	Pressure 2{1}	2594232	0	02594232	-124	0	0	124
	Pressure 3{1}	2593435	0	02593435	-107	0	0	107
	GT1{1}	5568713	0	05568713	94	0	0	94

	GT2{1}	-.2E+07	0	01732242	276	0	0	276
	GT3{1}	-156227	0	0 156227	242	0	0	242
	GW1{1}	5	0	0 5	219	0	0	219
	GW2{1}	6	0	0 6	221	0	0	221
	GW3{1}	6	0	0 6	163	0	0	163
	GW4{1}	6	0	0 6	272	0	0	272
	GT1P1{1}	7467438	0	07467438	195	0	0	195
	GT2P2{1}	861990	0	0 861990	152	0	0	152
	GT3P3{1}	2437208	0	02437208	135	0	0	135
	Gravity{2}	11	0	0 11	461	0	0	461
	Thermal 3{2}	-156245	0	0 156245	25	0	0	25
	Pressure 1{2}	3239139	0	03239139	871	0	0	871
	GT3{2}	-156234	0	0 156234	486	0	0	486
	Hydrotest-NL{2}	3082905	0	03082905	1357	0	0	1357
+624 +	Gravity{1}	6	0	0 6	220	0	0	220
	Thermal 1{1}	5567844	0	05567844	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732229	56	0	0	56
	Thermal 3{1}	-156232	0	0 156232	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1888500	0	01888500	101	0	0	101
	Pressure 2{1}	2594205	0	02594205	-124	0	0	124
	Pressure 3{1}	2593396	0	02593396	-107	0	0	107
	GT1{1}	5567850	0	05567850	94	0	0	94
	GT2{1}	-.2E+07	0	01732223	276	0	0	276
	GT3{1}	-156226	0	0 156226	242	0	0	242
	GW1{1}	5	0	0 5	219	0	0	219
	GW2{1}	6	0	0 6	221	0	0	221
	GW3{1}	6	0	0 6	163	0	0	163
	GW4{1}	6	0	0 6	272	0	0	272
	GT1P1{1}	7456350	0	07456350	195	0	0	195
	GT2P2{1}	861982	0	0 861982	152	0	0	152
	GT3P3{1}	2437170	0	02437170	135	0	0	135
	Gravity{2}	12	0	0 12	461	0	0	461
	Thermal 3{2}	-156244	0	0 156244	25	0	0	25
	Pressure 1{2}	3239051	0	03239051	871	0	0	871
	GT3{2}	-156232	0	0 156232	486	0	0	486
	Hydrotest-NL{2}	3082819	0	03082819	1357	0	0	1357
+625 -	Gravity{1}	6	0	0 6	220	0	0	220
	Thermal 1{1}	5567844	0	05567844	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732229	56	0	0	56
	Thermal 3{1}	-156232	0	0 156232	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1888500	0	01888500	101	0	0	101
	Pressure 2{1}	2594205	0	02594205	-124	0	0	124
	Pressure 3{1}	2593396	0	02593396	-107	0	0	107
	GT1{1}	5567850	0	05567850	94	0	0	94
	GT2{1}	-.2E+07	0	01732223	276	0	0	276
	GT3{1}	-156226	0	0 156226	242	0	0	242
	GW1{1}	5	0	0 5	219	0	0	219
	GW2{1}	6	0	0 6	221	0	0	221
	GW3{1}	6	0	0 6	163	0	0	163
	GW4{1}	6	0	0 6	272	0	0	272
	GT1P1{1}	7456350	0	07456350	195	0	0	195
	GT2P2{1}	861982	0	0 861982	152	0	0	152
	GT3P3{1}	2437170	0	02437170	135	0	0	135
	Gravity{2}	12	0	0 12	461	0	0	461
	Thermal 3{2}	-156244	0	0 156244	25	0	0	25
	Pressure 1{2}	3239051	0	03239051	871	0	0	871
	GT3{2}	-156232	0	0 156232	486	0	0	486
	Hydrotest-NL{2}	3082819	0	03082819	1357	0	0	1357
+625 +	Gravity{1}	6	0	0 6	220	0	0	220
	Thermal 1{1}	5566968	0	05566968	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732209	56	0	0	56
	Thermal 3{1}	-156230	0	0 156230	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1878125	0	01878125	101	0	0	101
	Pressure 2{1}	2594177	0	02594177	-124	0	0	124
	Pressure 3{1}	2593356	0	02593356	-107	0	0	107
	GT1{1}	5566975	0	05566975	94	0	0	94
	GT2{1}	-.2E+07	0	01732203	276	0	0	276
	GT3{1}	-156224	0	0 156224	242	0	0	242
	GW1{1}	5	0	0 5	219	0	0	219
	GW2{1}	6	0	0 6	221	0	0	221
	GW3{1}	6	0	0 6	163	0	0	163
	GW4{1}	6	0	0 6	272	0	0	272
	GT1P1{1}	7445100	0	07445100	195	0	0	195
	GT2P2{1}	861974	0	0 861974	152	0	0	152
	GT3P3{1}	2437132	0	02437132	135	0	0	135
	Gravity{2}	12	0	0 12	461	0	0	461
	Thermal 3{2}	-156243	0	0 156243	25	0	0	25
	Pressure 1{2}	3238962	0	03238962	871	0	0	871
	GT3{2}	-156231	0	0 156231	486	0	0	486
	Hydrotest-NL{2}	3082731	0	03082731	1357	0	0	1357
+626 -	Gravity{1}	6	0	0 6	220	0	0	220
	Thermal 1{1}	5566968	0	05566968	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732209	56	0	0	56
	Thermal 3{1}	-156230	0	0 156230	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1878125	0	01878125	101	0	0	101
	Pressure 2{1}	2594177	0	02594177	-124	0	0	124
	Pressure 3{1}	2593356	0	02593356	-107	0	0	107
	GT1{1}	5566975	0	05566975	94	0	0	94

	GT2{1}	-.2E+07	0	01732203	276	0	0	276
	GT3{1}	-156224	0	0 156224	242	0	0	242
	GW1{1}	5	0	0 5	219	0	0	219
	GW2{1}	6	0	0 6	221	0	0	221
	GW3{1}	6	0	0 6	163	0	0	163
	GW4{1}	6	0	0 6	272	0	0	272
	GT1P1{1}	7445100	0	07445100	195	0	0	195
	GT2P2{1}	861974	0	0 861974	152	0	0	152
	GT3P3{1}	2437132	0	02437132	135	0	0	135
	Gravity{2}	12	0	0 12	461	0	0	461
	Thermal 3{2}	-156243	0	0 156243	25	0	0	25
	Pressure 1{2}	3238962	0	03238962	871	0	0	871
	GT3{2}	-156231	0	0 156231	486	0	0	486
	Hydrotest-NL{2}	3082731	0	03082731	1357	0	0	1357
+626 +	Gravity{1}	6	0	0 6	220	0	0	220
	Thermal 1{1}	5566080	0	05566080	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732189	56	0	0	56
	Thermal 3{1}	-156229	0	0 156229	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1867599	0	01867599	101	0	0	101
	Pressure 2{1}	2594149	0	02594149	-124	0	0	124
	Pressure 3{1}	2593316	0	02593316	-107	0	0	107
	GT1{1}	5566086	0	05566086	94	0	0	94
	GT2{1}	-.2E+07	0	01732183	276	0	0	276
	GT3{1}	-156223	0	0 156223	242	0	0	242
	GW1{1}	5	0	0 5	219	0	0	219
	GW2{1}	6	0	0 6	221	0	0	221
	GW3{1}	6	0	0 6	163	0	0	163
	GW4{1}	6	0	0 6	272	0	0	272
	GT1P1{1}	7433684	0	07433684	195	0	0	195
	GT2P2{1}	861965	0	0 861965	152	0	0	152
	GT3P3{1}	2437094	0	02437094	135	0	0	135
	Gravity{2}	12	0	0 12	461	0	0	461
	Thermal 3{2}	-156242	0	0 156242	25	0	0	25
	Pressure 1{2}	3238872	0	03238872	871	0	0	871
	GT3{2}	-156230	0	0 156230	486	0	0	486
	Hydrotest-NL{2}	3082642	0	03082642	1357	0	0	1357
+627 -	Gravity{1}	6	0	0 6	220	0	0	220
	Thermal 1{1}	5566080	0	05566080	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732189	56	0	0	56
	Thermal 3{1}	-156229	0	0 156229	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1867599	0	01867599	101	0	0	101
	Pressure 2{1}	2594149	0	02594149	-124	0	0	124
	Pressure 3{1}	2593316	0	02593316	-107	0	0	107
	GT1{1}	5566086	0	05566086	94	0	0	94
	GT2{1}	-.2E+07	0	01732183	276	0	0	276
	GT3{1}	-156223	0	0 156223	242	0	0	242
	GW1{1}	5	0	0 5	219	0	0	219
	GW2{1}	6	0	0 6	221	0	0	221
	GW3{1}	6	0	0 6	163	0	0	163
	GW4{1}	6	0	0 6	272	0	0	272
	GT1P1{1}	7433684	0	07433684	195	0	0	195
	GT2P2{1}	861965	0	0 861965	152	0	0	152
	GT3P3{1}	2437094	0	02437094	135	0	0	135
	Gravity{2}	12	0	0 12	461	0	0	461
	Thermal 3{2}	-156242	0	0 156242	25	0	0	25
	Pressure 1{2}	3238872	0	03238872	871	0	0	871
	GT3{2}	-156230	0	0 156230	486	0	0	486
	Hydrotest-NL{2}	3082642	0	03082642	1357	0	0	1357
+627 +	Gravity{1}	6	0	0 6	220	0	0	220
	Thermal 1{1}	5565179	0	05565179	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732169	56	0	0	56
	Thermal 3{1}	-156228	0	0 156228	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1856917	0	01856917	101	0	0	101
	Pressure 2{1}	2594120	0	02594120	-124	0	0	124
	Pressure 3{1}	2593276	0	02593276	-107	0	0	107
	GT1{1}	5565185	0	05565185	94	0	0	94
	GT2{1}	-.2E+07	0	01732163	276	0	0	276
	GT3{1}	-156221	0	0 156221	242	0	0	242
	GW1{1}	6	0	0 6	219	0	0	219
	GW2{1}	7	0	0 7	221	0	0	221
	GW3{1}	6	0	0 6	163	0	0	163
	GW4{1}	6	0	0 6	272	0	0	272
	GT1P1{1}	7422102	0	07422102	195	0	0	195
	GT2P2{1}	861957	0	0 861957	152	0	0	152
	GT3P3{1}	2437054	0	02437054	135	0	0	135
	Gravity{2}	12	0	0 12	461	0	0	461
	Thermal 3{2}	-156240	0	0 156240	25	0	0	25
	Pressure 1{2}	3238781	0	03238781	871	0	0	871
	GT3{2}	-156228	0	0 156228	486	0	0	486
	Hydrotest-NL{2}	3082552	0	03082552	1357	0	0	1357
+628 -	Gravity{1}	6	0	0 6	220	0	0	220
	Thermal 1{1}	5565179	0	05565179	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732169	56	0	0	56
	Thermal 3{1}	-156228	0	0 156228	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1856917	0	01856917	101	0	0	101
	Pressure 2{1}	2594120	0	02594120	-124	0	0	124
	Pressure 3{1}	2593276	0	02593276	-107	0	0	107
	GT1{1}	5565185	0	05565185	94	0	0	94

	GT2{1}	-.2E+07	0	01732163	276	0	0	276
	GT3{1}	-156221	0	0 156221	242	0	0	242
	GW1{1}	6	0	0 6	219	0	0	219
	GW2{1}	7	0	0 7	221	0	0	221
	GW3{1}	6	0	0 6	163	0	0	163
	GW4{1}	6	0	0 6	272	0	0	272
	GT1P1{1}	7422102	0	07422102	195	0	0	195
	GT2P2{1}	861957	0	0 861957	152	0	0	152
	GT3P3{1}	2437054	0	02437054	135	0	0	135
	Gravity{2}	12	0	0 12	461	0	0	461
	Thermal 3{2}	-156240	0	0 156240	25	0	0	25
	Pressure 1{2}	3238781	0	03238781	871	0	0	871
	GT3{2}	-156228	0	0 156228	486	0	0	486
	Hydrotest-NL{2}	3082552	0	03082552	1357	0	0	1357
+628 +	Gravity{1}	6	0	0 6	220	0	0	220
	Thermal 1{1}	5564263	0	05564263	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732149	56	0	0	56
	Thermal 3{1}	-156226	0	0 156226	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1846080	0	01846080	101	0	0	101
	Pressure 2{1}	2594092	0	02594092	-124	0	0	124
	Pressure 3{1}	2593234	0	02593234	-107	0	0	107
	GT1{1}	5564269	0	05564269	94	0	0	94
	GT2{1}	-.2E+07	0	01732143	276	0	0	276
	GT3{1}	-156220	0	0 156220	242	0	0	242
	GW1{1}	6	0	0 6	219	0	0	219
	GW2{1}	7	0	0 7	221	0	0	221
	GW3{1}	6	0	0 6	163	0	0	163
	GW4{1}	6	0	0 6	272	0	0	272
	GT1P1{1}	7410349	0	07410349	195	0	0	195
	GT2P2{1}	861949	0	0 861949	152	0	0	152
	GT3P3{1}	2437014	0	02437014	135	0	0	135
	Gravity{2}	12	0	0 12	461	0	0	461
	Thermal 3{2}	-156239	0	0 156239	25	0	0	25
	Pressure 1{2}	3238688	0	03238688	871	0	0	871
	GT3{2}	-156227	0	0 156227	486	0	0	486
	Hydrotest-NL{2}	3082461	0	03082461	1357	0	0	1357
+629 -	Gravity{1}	6	0	0 6	220	0	0	220
	Thermal 1{1}	5564263	0	05564263	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732149	56	0	0	56
	Thermal 3{1}	-156226	0	0 156226	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1846080	0	01846080	101	0	0	101
	Pressure 2{1}	2594092	0	02594092	-124	0	0	124
	Pressure 3{1}	2593234	0	02593234	-107	0	0	107
	GT1{1}	5564269	0	05564269	94	0	0	94
	GT2{1}	-.2E+07	0	01732143	276	0	0	276
	GT3{1}	-156220	0	0 156220	242	0	0	242
	GW1{1}	6	0	0 6	219	0	0	219
	GW2{1}	7	0	0 7	221	0	0	221
	GW3{1}	6	0	0 6	163	0	0	163
	GW4{1}	6	0	0 6	272	0	0	272
	GT1P1{1}	7410349	0	07410349	195	0	0	195
	GT2P2{1}	861949	0	0 861949	152	0	0	152
	GT3P3{1}	2437014	0	02437014	135	0	0	135
	Gravity{2}	12	0	0 12	461	0	0	461
	Thermal 3{2}	-156239	0	0 156239	25	0	0	25
	Pressure 1{2}	3238688	0	03238688	871	0	0	871
	GT3{2}	-156227	0	0 156227	486	0	0	486
	Hydrotest-NL{2}	3082461	0	03082461	1357	0	0	1357
+629 +	Gravity{1}	6	0	0 6	220	0	0	220
	Thermal 1{1}	5563335	0	05563335	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732128	56	0	0	56
	Thermal 3{1}	-156225	0	0 156225	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1835083	0	01835083	101	0	0	101
	Pressure 2{1}	2594062	0	02594062	-124	0	0	124
	Pressure 3{1}	2593192	0	02593192	-107	0	0	107
	GT1{1}	5563341	0	05563341	94	0	0	94
	GT2{1}	-.2E+07	0	01732122	276	0	0	276
	GT3{1}	-156219	0	0 156219	242	0	0	242
	GW1{1}	6	0	0 6	219	0	0	219
	GW2{1}	7	0	0 7	221	0	0	221
	GW3{1}	6	0	0 6	163	0	0	163
	GW4{1}	6	0	0 6	272	0	0	272
	GT1P1{1}	7398424	0	07398424	195	0	0	195
	GT2P2{1}	861940	0	0 861940	152	0	0	152
	GT3P3{1}	2436974	0	02436974	135	0	0	135
	Gravity{2}	12	0	0 12	461	0	0	461
	Thermal 3{2}	-156238	0	0 156238	25	0	0	25
	Pressure 1{2}	3238594	0	03238594	871	0	0	871
	GT3{2}	-156226	0	0 156226	486	0	0	486
	Hydrotest-NL{2}	3082368	0	03082368	1357	0	0	1357
+630 -	Gravity{1}	6	0	0 6	220	0	0	220
	Thermal 1{1}	5563335	0	05563335	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732128	56	0	0	56
	Thermal 3{1}	-156225	0	0 156225	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1835083	0	01835083	101	0	0	101
	Pressure 2{1}	2594062	0	02594062	-124	0	0	124
	Pressure 3{1}	2593192	0	02593192	-107	0	0	107
	GT1{1}	5563341	0	05563341	94	0	0	94

	GT2{1}	-.2E+07	0	01732122	276	0	0	276
	GT3{1}	-156219	0	0 156219	242	0	0	242
	GW1{1}	6	0	0 6	219	0	0	219
	GW2{1}	7	0	0 7	221	0	0	221
	GW3{1}	6	0	0 6	163	0	0	163
	GW4{1}	6	0	0 6	272	0	0	272
	GT1P1{1}	7398424	0	07398424	195	0	0	195
	GT2P2{1}	861940	0	0 861940	152	0	0	152
	GT3P3{1}	2436974	0	02436974	135	0	0	135
	Gravity{2}	12	0	0 12	461	0	0	461
	Thermal 3{2}	-156238	0	0 156238	25	0	0	25
	Pressure 1{2}	3238594	0	03238594	871	0	0	871
	GT3{2}	-156226	0	0 156226	486	0	0	486
	Hydrotest-NL{2}	3082368	0	03082368	1357	0	0	1357
+630 +	Gravity{1}	6	0	0 6	220	0	0	220
	Thermal 1{1}	5562393	0	05562393	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732107	56	0	0	56
	Thermal 3{1}	-156223	0	0 156223	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1823925	0	01823925	101	0	0	101
	Pressure 2{1}	2594033	0	02594033	-124	0	0	124
	Pressure 3{1}	2593150	0	02593150	-107	0	0	107
	GT1{1}	5562400	0	05562400	94	0	0	94
	GT2{1}	-.2E+07	0	01732101	276	0	0	276
	GT3{1}	-156217	0	0 156217	242	0	0	242
	GW1{1}	6	0	0 6	219	0	0	219
	GW2{1}	7	0	0 7	221	0	0	221
	GW3{1}	6	0	0 6	163	0	0	163
	GW4{1}	6	0	0 6	272	0	0	272
	GT1P1{1}	7386324	0	07386324	195	0	0	195
	GT2P2{1}	861932	0	0 861932	152	0	0	152
	GT3P3{1}	2436933	0	02436933	135	0	0	135
	Gravity{2}	13	0	0 13	461	0	0	461
	Thermal 3{2}	-156237	0	0 156237	25	0	0	25
	Pressure 1{2}	3238498	0	03238498	871	0	0	871
	GT3{2}	-156224	0	0 156224	486	0	0	486
	Hydrotest-NL{2}	3082274	0	03082274	1357	0	0	1357
+631 -	Gravity{1}	6	0	0 6	220	0	0	220
	Thermal 1{1}	5562393	0	05562393	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732107	56	0	0	56
	Thermal 3{1}	-156223	0	0 156223	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1823925	0	01823925	101	0	0	101
	Pressure 2{1}	2594033	0	02594033	-124	0	0	124
	Pressure 3{1}	2593150	0	02593150	-107	0	0	107
	GT1{1}	5562400	0	05562400	94	0	0	94
	GT2{1}	-.2E+07	0	01732101	276	0	0	276
	GT3{1}	-156217	0	0 156217	242	0	0	242
	GW1{1}	6	0	0 6	219	0	0	219
	GW2{1}	7	0	0 7	221	0	0	221
	GW3{1}	6	0	0 6	163	0	0	163
	GW4{1}	6	0	0 6	272	0	0	272
	GT1P1{1}	7386324	0	07386324	195	0	0	195
	GT2P2{1}	861932	0	0 861932	152	0	0	152
	GT3P3{1}	2436933	0	02436933	135	0	0	135
	Gravity{2}	13	0	0 13	461	0	0	461
	Thermal 3{2}	-156237	0	0 156237	25	0	0	25
	Pressure 1{2}	3238498	0	03238498	871	0	0	871
	GT3{2}	-156224	0	0 156224	486	0	0	486
	Hydrotest-NL{2}	3082274	0	03082274	1357	0	0	1357
+631 +	Gravity{1}	6	0	0 6	220	0	0	220
	Thermal 1{1}	5561438	0	05561438	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732086	56	0	0	56
	Thermal 3{1}	-156222	0	0 156222	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1812603	0	01812603	101	0	0	101
	Pressure 2{1}	2594002	0	02594002	-124	0	0	124
	Pressure 3{1}	2593107	0	02593107	-107	0	0	107
	GT1{1}	5561445	0	05561445	94	0	0	94
	GT2{1}	-.2E+07	0	01732080	276	0	0	276
	GT3{1}	-156216	0	0 156216	242	0	0	242
	GW1{1}	6	0	0 6	219	0	0	219
	GW2{1}	7	0	0 7	221	0	0	221
	GW3{1}	6	0	0 6	163	0	0	163
	GW4{1}	7	0	0 7	272	0	0	272
	GT1P1{1}	7374048	0	07374048	195	0	0	195
	GT2P2{1}	861923	0	0 861923	152	0	0	152
	GT3P3{1}	2436891	0	02436891	135	0	0	135
	Gravity{2}	13	0	0 13	461	0	0	461
	Thermal 3{2}	-156236	0	0 156236	25	0	0	25
	Pressure 1{2}	3238401	0	03238401	871	0	0	871
	GT3{2}	-156223	0	0 156223	486	0	0	486
	Hydrotest-NL{2}	3082178	0	03082178	1357	0	0	1357
+632 -	Gravity{1}	6	0	0 6	220	0	0	220
	Thermal 1{1}	5561438	0	05561438	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732086	56	0	0	56
	Thermal 3{1}	-156222	0	0 156222	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1812603	0	01812603	101	0	0	101
	Pressure 2{1}	2594002	0	02594002	-124	0	0	124
	Pressure 3{1}	2593107	0	02593107	-107	0	0	107
	GT1{1}	5561445	0	05561445	94	0	0	94

	GT2{1}	-.2E+07	0	01732080	276	0	0	276
	GT3{1}	-156216	0	0 156216	242	0	0	242
	GW1{1}	6	0	0 6	219	0	0	219
	GW2{1}	7	0	0 7	221	0	0	221
	GW3{1}	6	0	0 6	163	0	0	163
	GW4{1}	7	0	0 7	272	0	0	272
	GT1P1{1}	7374048	0	07374048	195	0	0	195
	GT2P2{1}	861923	0	0 861923	152	0	0	152
	GT3P3{1}	2436891	0	02436891	135	0	0	135
	Gravity{2}	13	0	0 13	461	0	0	461
	Thermal 3{2}	-156236	0	0 156236	25	0	0	25
	Pressure 1{2}	3238401	0	03238401	871	0	0	871
	GT3{2}	-156223	0	0 156223	486	0	0	486
	Hydrotest-NL{2}	3082178	0	03082178	1357	0	0	1357
+632 +	Gravity{1}	6	0	0 6	220	0	0	220
	Thermal 1{1}	5560468	0	05560468	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732064	56	0	0	56
	Thermal 3{1}	-156220	0	0 156220	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1801116	0	01801116	101	0	0	101
	Pressure 2{1}	2593972	0	02593972	-124	0	0	124
	Pressure 3{1}	2593063	0	02593063	-107	0	0	107
	GT1{1}	5560475	0	05560475	94	0	0	94
	GT2{1}	-.2E+07	0	01732058	276	0	0	276
	GT3{1}	-156214	0	0 156214	242	0	0	242
	GW1{1}	6	0	0 6	219	0	0	219
	GW2{1}	7	0	0 7	221	0	0	221
	GW3{1}	6	0	0 6	163	0	0	163
	GW4{1}	7	0	0 7	272	0	0	272
	GT1P1{1}	7361590	0	07361590	195	0	0	195
	GT2P2{1}	861914	0	0 861914	152	0	0	152
	GT3P3{1}	2436849	0	02436849	135	0	0	135
	Gravity{2}	13	0	0 13	461	0	0	461
	Thermal 3{2}	-156234	0	0 156234	25	0	0	25
	Pressure 1{2}	3238302	0	03238302	871	0	0	871
	GT3{2}	-156221	0	0 156221	486	0	0	486
	Hydrotest-NL{2}	3082081	0	03082081	1357	0	0	1357
+633 -	Gravity{1}	6	0	0 6	220	0	0	220
	Thermal 1{1}	5560468	0	05560468	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732064	56	0	0	56
	Thermal 3{1}	-156220	0	0 156220	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1801116	0	01801116	101	0	0	101
	Pressure 2{1}	2593972	0	02593972	-124	0	0	124
	Pressure 3{1}	2593063	0	02593063	-107	0	0	107
	GT1{1}	5560475	0	05560475	94	0	0	94
	GT2{1}	-.2E+07	0	01732058	276	0	0	276
	GT3{1}	-156214	0	0 156214	242	0	0	242
	GW1{1}	6	0	0 6	219	0	0	219
	GW2{1}	7	0	0 7	221	0	0	221
	GW3{1}	6	0	0 6	163	0	0	163
	GW4{1}	7	0	0 7	272	0	0	272
	GT1P1{1}	7361590	0	07361590	195	0	0	195
	GT2P2{1}	861914	0	0 861914	152	0	0	152
	GT3P3{1}	2436849	0	02436849	135	0	0	135
	Gravity{2}	13	0	0 13	461	0	0	461
	Thermal 3{2}	-156234	0	0 156234	25	0	0	25
	Pressure 1{2}	3238302	0	03238302	871	0	0	871
	GT3{2}	-156221	0	0 156221	486	0	0	486
	Hydrotest-NL{2}	3082081	0	03082081	1357	0	0	1357
+633 +	Gravity{1}	7	0	0 7	220	0	0	220
	Thermal 1{1}	5559484	0	05559484	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732042	56	0	0	56
	Thermal 3{1}	-156219	0	0 156219	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1789460	0	01789460	101	0	0	101
	Pressure 2{1}	2593941	0	02593941	-124	0	0	124
	Pressure 3{1}	2593019	0	02593019	-107	0	0	107
	GT1{1}	5559491	0	05559491	94	0	0	94
	GT2{1}	-.2E+07	0	01732036	276	0	0	276
	GT3{1}	-156212	0	0 156212	242	0	0	242
	GW1{1}	6	0	0 6	219	0	0	219
	GW2{1}	7	0	0 7	221	0	0	221
	GW3{1}	6	0	0 6	163	0	0	163
	GW4{1}	7	0	0 7	272	0	0	272
	GT1P1{1}	7348951	0	07348951	195	0	0	195
	GT2P2{1}	861905	0	0 861905	152	0	0	152
	GT3P3{1}	2436806	0	02436806	135	0	0	135
	Gravity{2}	13	0	0 13	461	0	0	461
	Thermal 3{2}	-156233	0	0 156233	25	0	0	25
	Pressure 1{2}	3238203	0	03238203	871	0	0	871
	GT3{2}	-156220	0	0 156220	486	0	0	486
	Hydrotest-NL{2}	3081983	0	03081983	1357	0	0	1357
+634 -	Gravity{1}	7	0	0 7	220	0	0	220
	Thermal 1{1}	5559484	0	05559484	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732042	56	0	0	56
	Thermal 3{1}	-156219	0	0 156219	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1789460	0	01789460	101	0	0	101
	Pressure 2{1}	2593941	0	02593941	-124	0	0	124
	Pressure 3{1}	2593019	0	02593019	-107	0	0	107
	GT1{1}	5559491	0	05559491	94	0	0	94

	GT2{1}	-.2E+07	0	01732036	276	0	0	276
	GT3{1}	-156212	0	0 156212	242	0	0	242
	GW1{1}	6	0	0 6	219	0	0	219
	GW2{1}	7	0	0 7	221	0	0	221
	GW3{1}	6	0	0 6	163	0	0	163
	GW4{1}	7	0	0 7	272	0	0	272
	GT1P1{1}	7348951	0	07348951	195	0	0	195
	GT2P2{1}	861905	0	0 861905	152	0	0	152
	GT3P3{1}	2436806	0	02436806	135	0	0	135
	Gravity{2}	13	0	0 13	461	0	0	461
	Thermal 3{2}	-156233	0	0 156233	25	0	0	25
	Pressure 1{2}	3238203	0	03238203	871	0	0	871
	GT3{2}	-156220	0	0 156220	486	0	0	486
	Hydrotest-NL{2}	3081983	0	03081983	1357	0	0	1357
+634 +	Gravity{1}	7	0	0 7	220	0	0	220
	Thermal 1{1}	5558486	0	05558486	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732020	56	0	0	56
	Thermal 3{1}	-156218	0	0 156218	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1777633	0	01777633	101	0	0	101
	Pressure 2{1}	2593909	0	02593909	-124	0	0	124
	Pressure 3{1}	2592974	0	02592974	-107	0	0	107
	GT1{1}	5558493	0	05558493	94	0	0	94
	GT2{1}	-.2E+07	0	01732014	276	0	0	276
	GT3{1}	-156211	0	0 156211	242	0	0	242
	GW1{1}	6	0	0 6	219	0	0	219
	GW2{1}	7	0	0 7	221	0	0	221
	GW3{1}	7	0	0 7	163	0	0	163
	GW4{1}	7	0	0 7	272	0	0	272
	GT1P1{1}	7336126	0	07336126	195	0	0	195
	GT2P2{1}	861896	0	0 861896	152	0	0	152
	GT3P3{1}	2436763	0	02436763	135	0	0	135
	Gravity{2}	13	0	0 13	461	0	0	461
	Thermal 3{2}	-156232	0	0 156232	25	0	0	25
	Pressure 1{2}	3238101	0	03238101	871	0	0	871
	GT3{2}	-156218	0	0 156218	486	0	0	486
	Hydrotest-NL{2}	3081883	0	03081883	1357	0	0	1357
+635 -	Gravity{1}	7	0	0 7	220	0	0	220
	Thermal 1{1}	5558486	0	05558486	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01732020	56	0	0	56
	Thermal 3{1}	-156218	0	0 156218	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1777633	0	01777633	101	0	0	101
	Pressure 2{1}	2593909	0	02593909	-124	0	0	124
	Pressure 3{1}	2592974	0	02592974	-107	0	0	107
	GT1{1}	5558493	0	05558493	94	0	0	94
	GT2{1}	-.2E+07	0	01732014	276	0	0	276
	GT3{1}	-156211	0	0 156211	242	0	0	242
	GW1{1}	6	0	0 6	219	0	0	219
	GW2{1}	7	0	0 7	221	0	0	221
	GW3{1}	7	0	0 7	163	0	0	163
	GW4{1}	7	0	0 7	272	0	0	272
	GT1P1{1}	7336126	0	07336126	195	0	0	195
	GT2P2{1}	861896	0	0 861896	152	0	0	152
	GT3P3{1}	2436763	0	02436763	135	0	0	135
	Gravity{2}	13	0	0 13	461	0	0	461
	Thermal 3{2}	-156232	0	0 156232	25	0	0	25
	Pressure 1{2}	3238101	0	03238101	871	0	0	871
	GT3{2}	-156218	0	0 156218	486	0	0	486
	Hydrotest-NL{2}	3081883	0	03081883	1357	0	0	1357
+635 +	Gravity{1}	7	0	0 7	220	0	0	220
	Thermal 1{1}	5557473	0	05557473	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731998	56	0	0	56
	Thermal 3{1}	-156216	0	0 156216	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1765632	0	01765632	101	0	0	101
	Pressure 2{1}	2593877	0	02593877	-124	0	0	124
	Pressure 3{1}	2592928	0	02592928	-107	0	0	107
	GT1{1}	5557480	0	05557480	94	0	0	94
	GT2{1}	-.2E+07	0	01731991	276	0	0	276
	GT3{1}	-156209	0	0 156209	242	0	0	242
	GW1{1}	6	0	0 6	219	0	0	219
	GW2{1}	7	0	0 7	221	0	0	221
	GW3{1}	7	0	0 7	163	0	0	163
	GW4{1}	7	0	0 7	272	0	0	272
	GT1P1{1}	7323112	0	07323112	195	0	0	195
	GT2P2{1}	861886	0	0 861886	152	0	0	152
	GT3P3{1}	2436719	0	02436719	135	0	0	135
	Gravity{2}	14	0	0 14	461	0	0	461
	Thermal 3{2}	-156231	0	0 156231	25	0	0	25
	Pressure 1{2}	3237998	0	03237998	871	0	0	871
	GT3{2}	-156217	0	0 156217	486	0	0	486
	Hydrotest-NL{2}	3081781	0	03081781	1357	0	0	1357
+636 -	Gravity{1}	7	0	0 7	220	0	0	220
	Thermal 1{1}	5557473	0	05557473	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731998	56	0	0	56
	Thermal 3{1}	-156216	0	0 156216	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1765632	0	01765632	101	0	0	101
	Pressure 2{1}	2593877	0	02593877	-124	0	0	124
	Pressure 3{1}	2592928	0	02592928	-107	0	0	107
	GT1{1}	5557480	0	05557480	94	0	0	94

	GT2{1}	-.2E+07	0	01731991	276	0	0	276
	GT3{1}	-156209	0	0 156209	242	0	0	242
	GW1{1}	6	0	0 6	219	0	0	219
	GW2{1}	7	0	0 7	221	0	0	221
	GW3{1}	7	0	0 7	163	0	0	163
	GW4{1}	7	0	0 7	272	0	0	272
	GT1P1{1}	7323112	0	07323112	195	0	0	195
	GT2P2{1}	861886	0	0 861886	152	0	0	152
	GT3P3{1}	2436719	0	02436719	135	0	0	135
	Gravity{2}	14	0	0 14	461	0	0	461
	Thermal 3{2}	-156231	0	0 156231	25	0	0	25
	Pressure 1{2}	3237998	0	03237998	871	0	0	871
	GT3{2}	-156217	0	0 156217	486	0	0	486
	Hydrotest-NL{2}	3081781	0	03081781	1357	0	0	1357
+636 +	Gravity{1}	7	0	0 7	220	0	0	220
	Thermal 1{1}	5556446	0	05556446	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731975	56	0	0	56
	Thermal 3{1}	-156214	0	0 156214	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1753456	0	01753456	101	0	0	101
	Pressure 2{1}	2593845	0	02593845	-124	0	0	124
	Pressure 3{1}	2592882	0	02592882	-107	0	0	107
	GT1{1}	5556452	0	05556452	94	0	0	94
	GT2{1}	-.2E+07	0	01731968	276	0	0	276
	GT3{1}	-156208	0	0 156208	242	0	0	242
	GW1{1}	6	0	0 6	219	0	0	219
	GW2{1}	7	0	0 7	221	0	0	221
	GW3{1}	7	0	0 7	163	0	0	163
	GW4{1}	7	0	0 7	272	0	0	272
	GT1P1{1}	7309908	0	07309908	195	0	0	195
	GT2P2{1}	861877	0	0 861877	152	0	0	152
	GT3P3{1}	2436674	0	02436674	135	0	0	135
	Gravity{2}	14	0	0 14	461	0	0	461
	Thermal 3{2}	-156229	0	0 156229	25	0	0	25
	Pressure 1{2}	3237894	0	03237894	871	0	0	871
	GT3{2}	-156215	0	0 156215	486	0	0	486
	Hydrotest-NL{2}	3081679	0	03081679	1357	0	0	1357
+637 -	Gravity{1}	7	0	0 7	220	0	0	220
	Thermal 1{1}	5556446	0	05556446	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731975	56	0	0	56
	Thermal 3{1}	-156214	0	0 156214	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1753456	0	01753456	101	0	0	101
	Pressure 2{1}	2593845	0	02593845	-124	0	0	124
	Pressure 3{1}	2592882	0	02592882	-107	0	0	107
	GT1{1}	5556452	0	05556452	94	0	0	94
	GT2{1}	-.2E+07	0	01731968	276	0	0	276
	GT3{1}	-156208	0	0 156208	242	0	0	242
	GW1{1}	6	0	0 6	219	0	0	219
	GW2{1}	7	0	0 7	221	0	0	221
	GW3{1}	7	0	0 7	163	0	0	163
	GW4{1}	7	0	0 7	272	0	0	272
	GT1P1{1}	7309908	0	07309908	195	0	0	195
	GT2P2{1}	861877	0	0 861877	152	0	0	152
	GT3P3{1}	2436674	0	02436674	135	0	0	135
	Gravity{2}	14	0	0 14	461	0	0	461
	Thermal 3{2}	-156229	0	0 156229	25	0	0	25
	Pressure 1{2}	3237894	0	03237894	871	0	0	871
	GT3{2}	-156215	0	0 156215	486	0	0	486
	Hydrotest-NL{2}	3081679	0	03081679	1357	0	0	1357
+637 +	Gravity{1}	7	0	0 7	220	0	0	220
	Thermal 1{1}	5555403	0	05555403	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731952	56	0	0	56
	Thermal 3{1}	-156213	0	0 156213	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1741101	0	01741101	101	0	0	101
	Pressure 2{1}	2593812	0	02593812	-124	0	0	124
	Pressure 3{1}	2592834	0	02592834	-107	0	0	107
	GT1{1}	5555410	0	05555410	94	0	0	94
	GT2{1}	-.2E+07	0	01731945	276	0	0	276
	GT3{1}	-156206	0	0 156206	242	0	0	242
	GW1{1}	6	0	0 6	219	0	0	219
	GW2{1}	8	0	0 8	221	0	0	221
	GW3{1}	7	0	0 7	163	0	0	163
	GW4{1}	7	0	0 7	272	0	0	272
	GT1P1{1}	7296511	0	07296511	195	0	0	195
	GT2P2{1}	861867	0	0 861867	152	0	0	152
	GT3P3{1}	2436628	0	02436628	135	0	0	135
	Gravity{2}	14	0	0 14	461	0	0	461
	Thermal 3{2}	-156228	0	0 156228	25	0	0	25
	Pressure 1{2}	3237788	0	03237788	871	0	0	871
	GT3{2}	-156214	0	0 156214	486	0	0	486
	Hydrotest-NL{2}	3081574	0	03081574	1357	0	0	1357
+638 -	Gravity{1}	7	0	0 7	220	0	0	220
	Thermal 1{1}	5555403	0	05555403	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731952	56	0	0	56
	Thermal 3{1}	-156213	0	0 156213	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1741101	0	01741101	101	0	0	101
	Pressure 2{1}	2593812	0	02593812	-124	0	0	124
	Pressure 3{1}	2592834	0	02592834	-107	0	0	107
	GT1{1}	5555410	0	05555410	94	0	0	94

	GT2{1}	-.2E+07	0	01731945	276	0	0	276
	GT3{1}	-156206	0	0 156206	242	0	0	242
	GW1{1}	6	0	0 6	219	0	0	219
	GW2{1}	8	0	0 8	221	0	0	221
	GW3{1}	7	0	0 7	163	0	0	163
	GW4{1}	7	0	0 7	272	0	0	272
	GT1P1{1}	7296511	0	07296511	195	0	0	195
	GT2P2{1}	861867	0	0 861867	152	0	0	152
	GT3P3{1}	2436628	0	02436628	135	0	0	135
	Gravity{2}	14	0	0 14	461	0	0	461
	Thermal 3{2}	-156228	0	0 156228	25	0	0	25
	Pressure 1{2}	3237788	0	03237788	871	0	0	871
	GT3{2}	-156214	0	0 156214	486	0	0	486
	Hydrotest-NL{2}	3081574	0	03081574	1357	0	0	1357
+638 +	Gravity{1}	7	0	0 7	220	0	0	220
	Thermal 1{1}	5554344	0	05554344	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731928	56	0	0	56
	Thermal 3{1}	-156211	0	0 156211	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1728565	0	01728565	101	0	0	101
	Pressure 2{1}	2593778	0	02593778	-124	0	0	124
	Pressure 3{1}	2592787	0	02592787	-107	0	0	107
	GT1{1}	5554352	0	05554352	94	0	0	94
	GT2{1}	-.2E+07	0	01731921	276	0	0	276
	GT3{1}	-156204	0	0 156204	242	0	0	242
	GW1{1}	6	0	0 6	219	0	0	219
	GW2{1}	8	0	0 8	221	0	0	221
	GW3{1}	7	0	0 7	163	0	0	163
	GW4{1}	7	0	0 7	272	0	0	272
	GT1P1{1}	7282917	0	07282917	195	0	0	195
	GT2P2{1}	861857	0	0 861857	152	0	0	152
	GT3P3{1}	2436583	0	02436583	135	0	0	135
	Gravity{2}	14	0	0 14	461	0	0	461
	Thermal 3{2}	-156226	0	0 156226	25	0	0	25
	Pressure 1{2}	3237681	0	03237681	871	0	0	871
	GT3{2}	-156212	0	0 156212	486	0	0	486
	Hydrotest-NL{2}	3081469	0	03081469	1357	0	0	1357
+639 -	Gravity{1}	7	0	0 7	220	0	0	220
	Thermal 1{1}	5554344	0	05554344	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731928	56	0	0	56
	Thermal 3{1}	-156211	0	0 156211	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1728565	0	01728565	101	0	0	101
	Pressure 2{1}	2593778	0	02593778	-124	0	0	124
	Pressure 3{1}	2592787	0	02592787	-107	0	0	107
	GT1{1}	5554352	0	05554352	94	0	0	94
	GT2{1}	-.2E+07	0	01731921	276	0	0	276
	GT3{1}	-156204	0	0 156204	242	0	0	242
	GW1{1}	6	0	0 6	219	0	0	219
	GW2{1}	8	0	0 8	221	0	0	221
	GW3{1}	7	0	0 7	163	0	0	163
	GW4{1}	7	0	0 7	272	0	0	272
	GT1P1{1}	7282917	0	07282917	195	0	0	195
	GT2P2{1}	861857	0	0 861857	152	0	0	152
	GT3P3{1}	2436583	0	02436583	135	0	0	135
	Gravity{2}	14	0	0 14	461	0	0	461
	Thermal 3{2}	-156226	0	0 156226	25	0	0	25
	Pressure 1{2}	3237681	0	03237681	871	0	0	871
	GT3{2}	-156212	0	0 156212	486	0	0	486
	Hydrotest-NL{2}	3081469	0	03081469	1357	0	0	1357
+639 +	Gravity{1}	7	0	0 7	220	0	0	220
	Thermal 1{1}	5553271	0	05553271	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731904	56	0	0	56
	Thermal 3{1}	-156210	0	0 156210	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1715846	0	01715846	101	0	0	101
	Pressure 2{1}	2593744	0	02593744	-124	0	0	124
	Pressure 3{1}	2592738	0	02592738	-107	0	0	107
	GT1{1}	5553278	0	05553278	94	0	0	94
	GT2{1}	-.2E+07	0	01731897	276	0	0	276
	GT3{1}	-156202	0	0 156202	242	0	0	242
	GW1{1}	7	0	0 7	219	0	0	219
	GW2{1}	8	0	0 8	221	0	0	221
	GW3{1}	7	0	0 7	163	0	0	163
	GW4{1}	7	0	0 7	272	0	0	272
	GT1P1{1}	7269124	0	07269124	195	0	0	195
	GT2P2{1}	861847	0	0 861847	152	0	0	152
	GT3P3{1}	2436536	0	02436536	135	0	0	135
	Gravity{2}	14	0	0 14	461	0	0	461
	Thermal 3{2}	-156225	0	0 156225	25	0	0	25
	Pressure 1{2}	3237572	0	03237572	871	0	0	871
	GT3{2}	-156211	0	0 156211	486	0	0	486
	Hydrotest-NL{2}	3081361	0	03081361	1357	0	0	1357
+640 -	Gravity{1}	7	0	0 7	220	0	0	220
	Thermal 1{1}	5553271	0	05553271	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731904	56	0	0	56
	Thermal 3{1}	-156210	0	0 156210	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1715846	0	01715846	101	0	0	101
	Pressure 2{1}	2593744	0	02593744	-124	0	0	124
	Pressure 3{1}	2592738	0	02592738	-107	0	0	107
	GT1{1}	5553278	0	05553278	94	0	0	94

	GT2{1}	-.2E+07	0	01731897	276	0	0	276
	GT3{1}	-156202	0	0 156202	242	0	0	242
	GW1{1}	7	0	0 7	219	0	0	219
	GW2{1}	8	0	0 8	221	0	0	221
	GW3{1}	7	0	0 7	163	0	0	163
	GW4{1}	7	0	0 7	272	0	0	272
	GT1P1{1}	7269124	0	07269124	195	0	0	195
	GT2P2{1}	861847	0	0 861847	152	0	0	152
	GT3P3{1}	2436536	0	02436536	135	0	0	135
	Gravity{2}	14	0	0 14	461	0	0	461
	Thermal 3{2}	-156225	0	0 156225	25	0	0	25
	Pressure 1{2}	3237572	0	03237572	871	0	0	871
	GT3{2}	-156211	0	0 156211	486	0	0	486
	Hydrotest-NL{2}	3081361	0	03081361	1357	0	0	1357
+640 +	Gravity{1}	7	0	0 7	220	0	0	220
	Thermal 1{1}	5552181	0	05552181	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731880	56	0	0	56
	Thermal 3{1}	-156208	0	0 156208	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1702939	0	01702939	101	0	0	101
	Pressure 2{1}	2593710	0	02593710	-124	0	0	124
	Pressure 3{1}	2592689	0	02592689	-107	0	0	107
	GT1{1}	5552189	0	05552189	94	0	0	94
	GT2{1}	-.2E+07	0	01731872	276	0	0	276
	GT3{1}	-156201	0	0 156201	242	0	0	242
	GW1{1}	7	0	0 7	219	0	0	219
	GW2{1}	8	0	0 8	221	0	0	221
	GW3{1}	7	0	0 7	163	0	0	163
	GW4{1}	7	0	0 7	272	0	0	272
	GT1P1{1}	7255128	0	07255128	195	0	0	195
	GT2P2{1}	861837	0	0 861837	152	0	0	152
	GT3P3{1}	2436489	0	02436489	135	0	0	135
	Gravity{2}	15	0	0 15	461	0	0	461
	Thermal 3{2}	-156224	0	0 156224	25	0	0	25
	Pressure 1{2}	3237461	0	03237461	871	0	0	871
	GT3{2}	-156209	0	0 156209	486	0	0	486
	Hydrotest-NL{2}	3081252	0	03081252	1357	0	0	1357
+641 -	Gravity{1}	7	0	0 7	220	0	0	220
	Thermal 1{1}	5552181	0	05552181	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731880	56	0	0	56
	Thermal 3{1}	-156208	0	0 156208	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1702939	0	01702939	101	0	0	101
	Pressure 2{1}	2593710	0	02593710	-124	0	0	124
	Pressure 3{1}	2592689	0	02592689	-107	0	0	107
	GT1{1}	5552189	0	05552189	94	0	0	94
	GT2{1}	-.2E+07	0	01731872	276	0	0	276
	GT3{1}	-156201	0	0 156201	242	0	0	242
	GW1{1}	7	0	0 7	219	0	0	219
	GW2{1}	8	0	0 8	221	0	0	221
	GW3{1}	7	0	0 7	163	0	0	163
	GW4{1}	7	0	0 7	272	0	0	272
	GT1P1{1}	7255128	0	07255128	195	0	0	195
	GT2P2{1}	861837	0	0 861837	152	0	0	152
	GT3P3{1}	2436489	0	02436489	135	0	0	135
	Gravity{2}	15	0	0 15	461	0	0	461
	Thermal 3{2}	-156224	0	0 156224	25	0	0	25
	Pressure 1{2}	3237461	0	03237461	871	0	0	871
	GT3{2}	-156209	0	0 156209	486	0	0	486
	Hydrotest-NL{2}	3081252	0	03081252	1357	0	0	1357
+641 +	Gravity{1}	7	0	0 7	220	0	0	220
	Thermal 1{1}	5551077	0	05551077	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731855	56	0	0	56
	Thermal 3{1}	-156206	0	0 156206	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1689844	0	01689844	101	0	0	101
	Pressure 2{1}	2593675	0	02593675	-124	0	0	124
	Pressure 3{1}	2592639	0	02592639	-107	0	0	107
	GT1{1}	5551084	0	05551084	94	0	0	94
	GT2{1}	-.2E+07	0	01731848	276	0	0	276
	GT3{1}	-156199	0	0 156199	242	0	0	242
	GW1{1}	7	0	0 7	219	0	0	219
	GW2{1}	8	0	0 8	221	0	0	221
	GW3{1}	7	0	0 7	163	0	0	163
	GW4{1}	8	0	0 8	272	0	0	272
	GT1P1{1}	7240928	0	07240928	195	0	0	195
	GT2P2{1}	861827	0	0 861827	152	0	0	152
	GT3P3{1}	2436440	0	02436440	135	0	0	135
	Gravity{2}	15	0	0 15	461	0	0	461
	Thermal 3{2}	-156222	0	0 156222	25	0	0	25
	Pressure 1{2}	3237349	0	03237349	871	0	0	871
	GT3{2}	-156208	0	0 156208	486	0	0	486
	Hydrotest-NL{2}	3081141	0	03081141	1357	0	0	1357
+642 -	Gravity{1}	7	0	0 7	220	0	0	220
	Thermal 1{1}	5551077	0	05551077	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731855	56	0	0	56
	Thermal 3{1}	-156206	0	0 156206	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1689844	0	01689844	101	0	0	101
	Pressure 2{1}	2593675	0	02593675	-124	0	0	124
	Pressure 3{1}	2592639	0	02592639	-107	0	0	107
	GT1{1}	5551084	0	05551084	94	0	0	94

	GT2{1}	-.2E+07	0	01731848	276	0	0	276
	GT3{1}	-156199	0	0 156199	242	0	0	242
	GW1{1}	7	0	0 7	219	0	0	219
	GW2{1}	8	0	0 8	221	0	0	221
	GW3{1}	7	0	0 7	163	0	0	163
	GW4{1}	8	0	0 8	272	0	0	272
	GT1P1{1}	7240928	0	07240928	195	0	0	195
	GT2P2{1}	861827	0	0 861827	152	0	0	152
	GT3P3{1}	2436440	0	02436440	135	0	0	135
	Gravity{2}	15	0	0 15	461	0	0	461
	Thermal 3{2}	-156222	0	0 156222	25	0	0	25
	Pressure 1{2}	3237349	0	03237349	871	0	0	871
	GT3{2}	-156208	0	0 156208	486	0	0	486
	Hydrotest-NL{2}	3081141	0	03081141	1357	0	0	1357
+642 +	Gravity{1}	8	0	0 8	220	0	0	220
	Thermal 1{1}	5549955	0	05549955	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731830	56	0	0	56
	Thermal 3{1}	-156205	0	0 156205	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1676557	0	01676557	101	0	0	101
	Pressure 2{1}	2593639	0	02593639	-124	0	0	124
	Pressure 3{1}	2592589	0	02592589	-107	0	0	107
	GT1{1}	5549962	0	05549962	94	0	0	94
	GT2{1}	-.2E+07	0	01731823	276	0	0	276
	GT3{1}	-156197	0	0 156197	242	0	0	242
	GW1{1}	7	0	0 7	219	0	0	219
	GW2{1}	8	0	0 8	221	0	0	221
	GW3{1}	7	0	0 7	163	0	0	163
	GW4{1}	8	0	0 8	272	0	0	272
	GT1P1{1}	7226519	0	07226519	195	0	0	195
	GT2P2{1}	861817	0	0 861817	152	0	0	152
	GT3P3{1}	2436391	0	02436391	135	0	0	135
	Gravity{2}	15	0	0 15	461	0	0	461
	Thermal 3{2}	-156221	0	0 156221	25	0	0	25
	Pressure 1{2}	3237235	0	03237235	871	0	0	871
	GT3{2}	-156206	0	0 156206	486	0	0	486
	Hydrotest-NL{2}	3081029	0	03081029	1357	0	0	1357
+643 -	Gravity{1}	8	0	0 8	220	0	0	220
	Thermal 1{1}	5549955	0	05549955	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731830	56	0	0	56
	Thermal 3{1}	-156205	0	0 156205	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1676557	0	01676557	101	0	0	101
	Pressure 2{1}	2593639	0	02593639	-124	0	0	124
	Pressure 3{1}	2592589	0	02592589	-107	0	0	107
	GT1{1}	5549962	0	05549962	94	0	0	94
	GT2{1}	-.2E+07	0	01731823	276	0	0	276
	GT3{1}	-156197	0	0 156197	242	0	0	242
	GW1{1}	7	0	0 7	219	0	0	219
	GW2{1}	8	0	0 8	221	0	0	221
	GW3{1}	7	0	0 7	163	0	0	163
	GW4{1}	8	0	0 8	272	0	0	272
	GT1P1{1}	7226519	0	07226519	195	0	0	195
	GT2P2{1}	861817	0	0 861817	152	0	0	152
	GT3P3{1}	2436391	0	02436391	135	0	0	135
	Gravity{2}	15	0	0 15	461	0	0	461
	Thermal 3{2}	-156221	0	0 156221	25	0	0	25
	Pressure 1{2}	3237235	0	03237235	871	0	0	871
	GT3{2}	-156206	0	0 156206	486	0	0	486
	Hydrotest-NL{2}	3081029	0	03081029	1357	0	0	1357
+643 +	Gravity{1}	8	0	0 8	220	0	0	220
	Thermal 1{1}	5548817	0	05548817	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731805	56	0	0	56
	Thermal 3{1}	-156203	0	0 156203	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1663129	0	01663129	101	0	0	101
	Pressure 2{1}	2593604	0	02593604	-124	0	0	124
	Pressure 3{1}	2592537	0	02592537	-107	0	0	107
	GT1{1}	5548825	0	05548825	94	0	0	94
	GT2{1}	-.2E+07	0	01731797	276	0	0	276
	GT3{1}	-156195	0	0 156195	242	0	0	242
	GW1{1}	7	0	0 7	219	0	0	219
	GW2{1}	8	0	0 8	221	0	0	221
	GW3{1}	7	0	0 7	163	0	0	163
	GW4{1}	8	0	0 8	272	0	0	272
	GT1P1{1}	7211954	0	07211954	195	0	0	195
	GT2P2{1}	861806	0	0 861806	152	0	0	152
	GT3P3{1}	2436342	0	02436342	135	0	0	135
	Gravity{2}	15	0	0 15	461	0	0	461
	Thermal 3{2}	-156219	0	0 156219	25	0	0	25
	Pressure 1{2}	3237120	0	03237120	871	0	0	871
	GT3{2}	-156204	0	0 156204	486	0	0	486
	Hydrotest-NL{2}	3080915	0	03080915	1357	0	0	1357
+644 -	Gravity{1}	8	0	0 8	220	0	0	220
	Thermal 1{1}	5548817	0	05548817	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731805	56	0	0	56
	Thermal 3{1}	-156203	0	0 156203	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1663129	0	01663129	101	0	0	101
	Pressure 2{1}	2593604	0	02593604	-124	0	0	124
	Pressure 3{1}	2592537	0	02592537	-107	0	0	107
	GT1{1}	5548825	0	05548825	94	0	0	94

	GT2{1}	-.2E+07	0	01731797	276	0	0	276
	GT3{1}	-156195	0	0 156195	242	0	0	242
	GW1{1}	7	0	0 7	219	0	0	219
	GW2{1}	8	0	0 8	221	0	0	221
	GW3{1}	7	0	0 7	163	0	0	163
	GW4{1}	8	0	0 8	272	0	0	272
	GT1P1{1}	7211954	0	07211954	195	0	0	195
	GT2P2{1}	861806	0	0 861806	152	0	0	152
	GT3P3{1}	2436342	0	02436342	135	0	0	135
	Gravity{2}	15	0	0 15	461	0	0	461
	Thermal 3{2}	-156219	0	0 156219	25	0	0	25
	Pressure 1{2}	3237120	0	03237120	871	0	0	871
	GT3{2}	-156204	0	0 156204	486	0	0	486
	Hydrotest-NL{2}	3080915	0	03080915	1357	0	0	1357
+644 +	Gravity{1}	8	0	0 8	220	0	0	220
	Thermal 1{1}	5547662	0	05547662	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731779	56	0	0	56
	Thermal 3{1}	-156201	0	0 156201	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1649703	0	01649703	101	0	0	101
	Pressure 2{1}	2593567	0	02593567	-124	0	0	124
	Pressure 3{1}	2592485	0	02592485	-107	0	0	107
	GT1{1}	5547670	0	05547670	94	0	0	94
	GT2{1}	-.2E+07	0	01731771	276	0	0	276
	GT3{1}	-156194	0	0 156194	242	0	0	242
	GW1{1}	7	0	0 7	219	0	0	219
	GW2{1}	8	0	0 8	221	0	0	221
	GW3{1}	8	0	0 8	163	0	0	163
	GW4{1}	8	0	0 8	272	0	0	272
	GT1P1{1}	7197373	0	07197373	195	0	0	195
	GT2P2{1}	861796	0	0 861796	152	0	0	152
	GT3P3{1}	2436291	0	02436291	135	0	0	135
	Gravity{2}	15	0	0 15	461	0	0	461
	Thermal 3{2}	-156218	0	0 156218	25	0	0	25
	Pressure 1{2}	3237002	0	03237002	871	0	0	871
	GT3{2}	-156202	0	0 156202	486	0	0	486
	Hydrotest-NL{2}	3080800	0	03080800	1357	0	0	1357
+645 -	Gravity{1}	8	0	0 8	220	0	0	220
	Thermal 1{1}	5547662	0	05547662	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731779	56	0	0	56
	Thermal 3{1}	-156201	0	0 156201	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1649703	0	01649703	101	0	0	101
	Pressure 2{1}	2593567	0	02593567	-124	0	0	124
	Pressure 3{1}	2592485	0	02592485	-107	0	0	107
	GT1{1}	5547670	0	05547670	94	0	0	94
	GT2{1}	-.2E+07	0	01731771	276	0	0	276
	GT3{1}	-156194	0	0 156194	242	0	0	242
	GW1{1}	7	0	0 7	219	0	0	219
	GW2{1}	8	0	0 8	221	0	0	221
	GW3{1}	8	0	0 8	163	0	0	163
	GW4{1}	8	0	0 8	272	0	0	272
	GT1P1{1}	7197373	0	07197373	195	0	0	195
	GT2P2{1}	861796	0	0 861796	152	0	0	152
	GT3P3{1}	2436291	0	02436291	135	0	0	135
	Gravity{2}	15	0	0 15	461	0	0	461
	Thermal 3{2}	-156218	0	0 156218	25	0	0	25
	Pressure 1{2}	3237002	0	03237002	871	0	0	871
	GT3{2}	-156202	0	0 156202	486	0	0	486
	Hydrotest-NL{2}	3080800	0	03080800	1357	0	0	1357
+645 +	Gravity{1}	8	0	0 8	220	0	0	220
	Thermal 1{1}	5546490	0	05546490	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731753	56	0	0	56
	Thermal 3{1}	-156200	0	0 156200	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1636293	0	01636293	101	0	0	101
	Pressure 2{1}	2593530	0	02593530	-124	0	0	124
	Pressure 3{1}	2592432	0	02592432	-107	0	0	107
	GT1{1}	5546498	0	05546498	94	0	0	94
	GT2{1}	-.2E+07	0	01731745	276	0	0	276
	GT3{1}	-156192	0	0 156192	242	0	0	242
	GW1{1}	7	0	0 7	219	0	0	219
	GW2{1}	9	0	0 9	221	0	0	221
	GW3{1}	8	0	0 8	163	0	0	163
	GW4{1}	8	0	0 8	272	0	0	272
	GT1P1{1}	7182791	0	07182791	195	0	0	195
	GT2P2{1}	861785	0	0 861785	152	0	0	152
	GT3P3{1}	2436241	0	02436241	135	0	0	135
	Gravity{2}	16	0	0 16	461	0	0	461
	Thermal 3{2}	-156216	0	0 156216	25	0	0	25
	Pressure 1{2}	3236883	0	03236883	871	0	0	871
	GT3{2}	-156201	0	0 156201	486	0	0	486
	Hydrotest-NL{2}	3080683	0	03080683	1357	0	0	1357
+646 -	Gravity{1}	8	0	0 8	220	0	0	220
	Thermal 1{1}	5546490	0	05546490	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731753	56	0	0	56
	Thermal 3{1}	-156200	0	0 156200	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1636293	0	01636293	101	0	0	101
	Pressure 2{1}	2593530	0	02593530	-124	0	0	124
	Pressure 3{1}	2592432	0	02592432	-107	0	0	107
	GT1{1}	5546498	0	05546498	94	0	0	94

	GT2{1}	-.2E+07	0	01731745	276	0	0	276
	GT3{1}	-156192	0	0 156192	242	0	0	242
	GW1{1}	7	0	0 7	219	0	0	219
	GW2{1}	9	0	0 9	221	0	0	221
	GW3{1}	8	0	0 8	163	0	0	163
	GW4{1}	8	0	0 8	272	0	0	272
	GT1P1{1}	7182791	0	07182791	195	0	0	195
	GT2P2{1}	861785	0	0 861785	152	0	0	152
	GT3P3{1}	2436241	0	02436241	135	0	0	135
	Gravity{2}	16	0	0 16	461	0	0	461
	Thermal 3{2}	-156216	0	0 156216	25	0	0	25
	Pressure 1{2}	3236883	0	03236883	871	0	0	871
	GT3{2}	-156201	0	0 156201	486	0	0	486
	Hydrotest-NL{2}	3080683	0	03080683	1357	0	0	1357
+646 +	Gravity{1}	8	0	0 8	220	0	0	220
	Thermal 1{1}	5545302	0	05545302	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731726	56	0	0	56
	Thermal 3{1}	-156198	0	0 156198	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1622901	0	01622901	101	0	0	101
	Pressure 2{1}	2593493	0	02593493	-124	0	0	124
	Pressure 3{1}	2592379	0	02592379	-107	0	0	107
	GT1{1}	5545309	0	05545309	94	0	0	94
	GT2{1}	-.2E+07	0	01731719	276	0	0	276
	GT3{1}	-156190	0	0 156190	242	0	0	242
	GW1{1}	7	0	0 7	219	0	0	219
	GW2{1}	9	0	0 9	221	0	0	221
	GW3{1}	8	0	0 8	163	0	0	163
	GW4{1}	8	0	0 8	272	0	0	272
	GT1P1{1}	7168210	0	07168210	195	0	0	195
	GT2P2{1}	861774	0	0 861774	152	0	0	152
	GT3P3{1}	2436189	0	02436189	135	0	0	135
	Gravity{2}	16	0	0 16	461	0	0	461
	Thermal 3{2}	-156215	0	0 156215	25	0	0	25
	Pressure 1{2}	3236763	0	03236763	871	0	0	871
	GT3{2}	-156199	0	0 156199	486	0	0	486
	Hydrotest-NL{2}	3080564	0	03080564	1357	0	0	1357
+647 -	Gravity{1}	8	0	0 8	220	0	0	220
	Thermal 1{1}	5545302	0	05545302	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731726	56	0	0	56
	Thermal 3{1}	-156198	0	0 156198	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1622901	0	01622901	101	0	0	101
	Pressure 2{1}	2593493	0	02593493	-124	0	0	124
	Pressure 3{1}	2592379	0	02592379	-107	0	0	107
	GT1{1}	5545309	0	05545309	94	0	0	94
	GT2{1}	-.2E+07	0	01731719	276	0	0	276
	GT3{1}	-156190	0	0 156190	242	0	0	242
	GW1{1}	7	0	0 7	219	0	0	219
	GW2{1}	9	0	0 9	221	0	0	221
	GW3{1}	8	0	0 8	163	0	0	163
	GW4{1}	8	0	0 8	272	0	0	272
	GT1P1{1}	7168210	0	07168210	195	0	0	195
	GT2P2{1}	861774	0	0 861774	152	0	0	152
	GT3P3{1}	2436189	0	02436189	135	0	0	135
	Gravity{2}	16	0	0 16	461	0	0	461
	Thermal 3{2}	-156215	0	0 156215	25	0	0	25
	Pressure 1{2}	3236763	0	03236763	871	0	0	871
	GT3{2}	-156199	0	0 156199	486	0	0	486
	Hydrotest-NL{2}	3080564	0	03080564	1357	0	0	1357
+647 +	Gravity{1}	8	0	0 8	220	0	0	220
	Thermal 1{1}	5544096	0	05544096	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731700	56	0	0	56
	Thermal 3{1}	-156196	0	0 156196	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1609526	0	01609526	101	0	0	101
	Pressure 2{1}	2593455	0	02593455	-124	0	0	124
	Pressure 3{1}	2592324	0	02592324	-107	0	0	107
	GT1{1}	5544104	0	05544104	94	0	0	94
	GT2{1}	-.2E+07	0	01731691	276	0	0	276
	GT3{1}	-156188	0	0 156188	242	0	0	242
	GW1{1}	7	0	0 7	219	0	0	219
	GW2{1}	9	0	0 9	221	0	0	221
	GW3{1}	8	0	0 8	163	0	0	163
	GW4{1}	8	0	0 8	272	0	0	272
	GT1P1{1}	7153630	0	07153630	195	0	0	195
	GT2P2{1}	861763	0	0 861763	152	0	0	152
	GT3P3{1}	2436136	0	02436136	135	0	0	135
	Gravity{2}	16	0	0 16	461	0	0	461
	Thermal 3{2}	-156213	0	0 156213	25	0	0	25
	Pressure 1{2}	3236640	0	03236640	871	0	0	871
	GT3{2}	-156197	0	0 156197	486	0	0	486
	Hydrotest-NL{2}	3080443	0	03080443	1357	0	0	1357
+648 -	Gravity{1}	8	0	0 8	220	0	0	220
	Thermal 1{1}	5544096	0	05544096	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731700	56	0	0	56
	Thermal 3{1}	-156196	0	0 156196	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1609526	0	01609526	101	0	0	101
	Pressure 2{1}	2593455	0	02593455	-124	0	0	124
	Pressure 3{1}	2592324	0	02592324	-107	0	0	107
	GT1{1}	5544104	0	05544104	94	0	0	94

	GT2{1}	-.2E+07	0	01731691	276	0	0	276
	GT3{1}	-156188	0	0 156188	242	0	0	242
	GW1{1}	7	0	0 7	219	0	0	219
	GW2{1}	9	0	0 9	221	0	0	221
	GW3{1}	8	0	0 8	163	0	0	163
	GW4{1}	8	0	0 8	272	0	0	272
	GT1P1{1}	7153630	0	07153630	195	0	0	195
	GT2P2{1}	861763	0	0 861763	152	0	0	152
	GT3P3{1}	2436136	0	02436136	135	0	0	135
	Gravity{2}	16	0	0 16	461	0	0	461
	Thermal 3{2}	-156213	0	0 156213	25	0	0	25
	Pressure 1{2}	3236640	0	03236640	871	0	0	871
	GT3{2}	-156197	0	0 156197	486	0	0	486
	Hydrotest-NL{2}	3080443	0	03080443	1357	0	0	1357
+648 +	Gravity{1}	8	0	0 8	220	0	0	220
	Thermal 1{1}	5542872	0	05542872	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731672	56	0	0	56
	Thermal 3{1}	-156194	0	0 156194	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1596169	0	01596169	101	0	0	101
	Pressure 2{1}	2593416	0	02593416	-124	0	0	124
	Pressure 3{1}	2592269	0	02592269	-107	0	0	107
	GT1{1}	5542880	0	05542880	94	0	0	94
	GT2{1}	-.2E+07	0	01731664	276	0	0	276
	GT3{1}	-156186	0	0 156186	242	0	0	242
	GW1{1}	7	0	0 7	219	0	0	219
	GW2{1}	9	0	0 9	221	0	0	221
	GW3{1}	8	0	0 8	163	0	0	163
	GW4{1}	8	0	0 8	272	0	0	272
	GT1P1{1}	7139049	0	07139049	195	0	0	195
	GT2P2{1}	861752	0	0 861752	152	0	0	152
	GT3P3{1}	2436083	0	02436083	135	0	0	135
	Gravity{2}	16	0	0 16	461	0	0	461
	Thermal 3{2}	-156212	0	0 156212	25	0	0	25
	Pressure 1{2}	3236516	0	03236516	871	0	0	871
	GT3{2}	-156195	0	0 156195	486	0	0	486
	Hydrotest-NL{2}	3080321	0	03080321	1357	0	0	1357
+649 -	Gravity{1}	8	0	0 8	220	0	0	220
	Thermal 1{1}	5542872	0	05542872	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731672	56	0	0	56
	Thermal 3{1}	-156194	0	0 156194	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1596169	0	01596169	101	0	0	101
	Pressure 2{1}	2593416	0	02593416	-124	0	0	124
	Pressure 3{1}	2592269	0	02592269	-107	0	0	107
	GT1{1}	5542880	0	05542880	94	0	0	94
	GT2{1}	-.2E+07	0	01731664	276	0	0	276
	GT3{1}	-156186	0	0 156186	242	0	0	242
	GW1{1}	7	0	0 7	219	0	0	219
	GW2{1}	9	0	0 9	221	0	0	221
	GW3{1}	8	0	0 8	163	0	0	163
	GW4{1}	8	0	0 8	272	0	0	272
	GT1P1{1}	7139049	0	07139049	195	0	0	195
	GT2P2{1}	861752	0	0 861752	152	0	0	152
	GT3P3{1}	2436083	0	02436083	135	0	0	135
	Gravity{2}	16	0	0 16	461	0	0	461
	Thermal 3{2}	-156212	0	0 156212	25	0	0	25
	Pressure 1{2}	3236516	0	03236516	871	0	0	871
	GT3{2}	-156195	0	0 156195	486	0	0	486
	Hydrotest-NL{2}	3080321	0	03080321	1357	0	0	1357
+649 +	Gravity{1}	8	0	0 8	220	0	0	220
	Thermal 1{1}	5541630	0	05541630	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731645	56	0	0	56
	Thermal 3{1}	-156192	0	0 156192	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1582829	0	01582829	101	0	0	101
	Pressure 2{1}	2593376	0	02593376	-124	0	0	124
	Pressure 3{1}	2592213	0	02592213	-107	0	0	107
	GT1{1}	5541638	0	05541638	94	0	0	94
	GT2{1}	-.2E+07	0	01731636	276	0	0	276
	GT3{1}	-156184	0	0 156184	242	0	0	242
	GW1{1}	8	0	0 8	219	0	0	219
	GW2{1}	9	0	0 9	221	0	0	221
	GW3{1}	8	0	0 8	163	0	0	163
	GW4{1}	8	0	0 8	272	0	0	272
	GT1P1{1}	7124467	0	07124467	195	0	0	195
	GT2P2{1}	861740	0	0 861740	152	0	0	152
	GT3P3{1}	2436029	0	02436029	135	0	0	135
	Gravity{2}	17	0	0 17	461	0	0	461
	Thermal 3{2}	-156210	0	0 156210	25	0	0	25
	Pressure 1{2}	3236390	0	03236390	871	0	0	871
	GT3{2}	-156193	0	0 156193	486	0	0	486
	Hydrotest-NL{2}	3080197	0	03080197	1357	0	0	1357
+650 -	Gravity{1}	8	0	0 8	220	0	0	220
	Thermal 1{1}	5541630	0	05541630	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731645	56	0	0	56
	Thermal 3{1}	-156192	0	0 156192	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1582829	0	01582829	101	0	0	101
	Pressure 2{1}	2593376	0	02593376	-124	0	0	124
	Pressure 3{1}	2592213	0	02592213	-107	0	0	107
	GT1{1}	5541638	0	05541638	94	0	0	94

	GT2{1}	-.2E+07	0	01731636	276	0	0	276
	GT3{1}	-156184	0	0 156184	242	0	0	242
	GW1{1}	8	0	0 8	219	0	0	219
	GW2{1}	9	0	0 9	221	0	0	221
	GW3{1}	8	0	0 8	163	0	0	163
	GW4{1}	8	0	0 8	272	0	0	272
	GT1P1{1}	7124467	0	07124467	195	0	0	195
	GT2P2{1}	861740	0	0 861740	152	0	0	152
	GT3P3{1}	2436029	0	02436029	135	0	0	135
	Gravity{2}	17	0	0 17	461	0	0	461
	Thermal 3{2}	-156210	0	0 156210	25	0	0	25
	Pressure 1{2}	3236390	0	03236390	871	0	0	871
	GT3{2}	-156193	0	0 156193	486	0	0	486
	Hydrotest-NL{2}	3080197	0	03080197	1357	0	0	1357
+650 +	Gravity{1}	8	0	0 8	220	0	0	220
	Thermal 1{1}	5540370	0	05540370	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731617	56	0	0	56
	Thermal 3{1}	-156190	0	0 156190	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1569508	0	01569508	101	0	0	101
	Pressure 2{1}	2593337	0	02593337	-124	0	0	124
	Pressure 3{1}	2592156	0	02592156	-107	0	0	107
	GT1{1}	5540378	0	05540378	94	0	0	94
	GT2{1}	-.2E+07	0	01731608	276	0	0	276
	GT3{1}	-156182	0	0 156182	242	0	0	242
	GW1{1}	8	0	0 8	219	0	0	219
	GW2{1}	9	0	0 9	221	0	0	221
	GW3{1}	8	0	0 8	163	0	0	163
	GW4{1}	9	0	0 9	272	0	0	272
	GT1P1{1}	7109886	0	07109886	195	0	0	195
	GT2P2{1}	861729	0	0 861729	152	0	0	152
	GT3P3{1}	2435974	0	02435974	135	0	0	135
	Gravity{2}	17	0	0 17	461	0	0	461
	Thermal 3{2}	-156208	0	0 156208	25	0	0	25
	Pressure 1{2}	3236262	0	03236262	871	0	0	871
	GT3{2}	-156192	0	0 156192	486	0	0	486
	Hydrotest-NL{2}	3080070	0	03080070	1357	0	0	1357
+651 -	Gravity{1}	8	0	0 8	220	0	0	220
	Thermal 1{1}	5540370	0	05540370	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731617	56	0	0	56
	Thermal 3{1}	-156190	0	0 156190	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1569508	0	01569508	101	0	0	101
	Pressure 2{1}	2593337	0	02593337	-124	0	0	124
	Pressure 3{1}	2592156	0	02592156	-107	0	0	107
	GT1{1}	5540378	0	05540378	94	0	0	94
	GT2{1}	-.2E+07	0	01731608	276	0	0	276
	GT3{1}	-156182	0	0 156182	242	0	0	242
	GW1{1}	8	0	0 8	219	0	0	219
	GW2{1}	9	0	0 9	221	0	0	221
	GW3{1}	8	0	0 8	163	0	0	163
	GW4{1}	9	0	0 9	272	0	0	272
	GT1P1{1}	7109886	0	07109886	195	0	0	195
	GT2P2{1}	861729	0	0 861729	152	0	0	152
	GT3P3{1}	2435974	0	02435974	135	0	0	135
	Gravity{2}	17	0	0 17	461	0	0	461
	Thermal 3{2}	-156208	0	0 156208	25	0	0	25
	Pressure 1{2}	3236262	0	03236262	871	0	0	871
	GT3{2}	-156192	0	0 156192	486	0	0	486
	Hydrotest-NL{2}	3080070	0	03080070	1357	0	0	1357
+651 +	Gravity{1}	9	0	0 9	220	0	0	220
	Thermal 1{1}	5539091	0	05539091	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731588	56	0	0	56
	Thermal 3{1}	-156188	0	0 156188	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1556205	0	01556205	101	0	0	101
	Pressure 2{1}	2593296	0	02593296	-124	0	0	124
	Pressure 3{1}	2592098	0	02592098	-107	0	0	107
	GT1{1}	5539100	0	05539100	94	0	0	94
	GT2{1}	-.2E+07	0	01731579	276	0	0	276
	GT3{1}	-156180	0	0 156180	242	0	0	242
	GW1{1}	8	0	0 8	219	0	0	219
	GW2{1}	9	0	0 9	221	0	0	221
	GW3{1}	8	0	0 8	163	0	0	163
	GW4{1}	9	0	0 9	272	0	0	272
	GT1P1{1}	7095305	0	07095305	195	0	0	195
	GT2P2{1}	861717	0	0 861717	152	0	0	152
	GT3P3{1}	2435919	0	02435919	135	0	0	135
	Gravity{2}	17	0	0 17	461	0	0	461
	Thermal 3{2}	-156207	0	0 156207	25	0	0	25
	Pressure 1{2}	3236132	0	03236132	871	0	0	871
	GT3{2}	-156190	0	0 156190	486	0	0	486
	Hydrotest-NL{2}	3079942	0	03079942	1357	0	0	1357
+652 -	Gravity{1}	9	0	0 9	220	0	0	220
	Thermal 1{1}	5539091	0	05539091	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731588	56	0	0	56
	Thermal 3{1}	-156188	0	0 156188	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1556205	0	01556205	101	0	0	101
	Pressure 2{1}	2593296	0	02593296	-124	0	0	124
	Pressure 3{1}	2592098	0	02592098	-107	0	0	107
	GT1{1}	5539100	0	05539100	94	0	0	94

	GT2{1}	-.2E+07	0	01731579	276	0	0	276
	GT3{1}	-156180	0	0 156180	242	0	0	242
	GW1{1}	8	0	0 8	219	0	0	219
	GW2{1}	9	0	0 9	221	0	0	221
	GW3{1}	8	0	0 8	163	0	0	163
	GW4{1}	9	0	0 9	272	0	0	272
	GT1P1{1}	7095305	0	07095305	195	0	0	195
	GT2P2{1}	861717	0	0 861717	152	0	0	152
	GT3P3{1}	2435919	0	02435919	135	0	0	135
	Gravity{2}	17	0	0 17	461	0	0	461
	Thermal 3{2}	-156207	0	0 156207	25	0	0	25
	Pressure 1{2}	3236132	0	03236132	871	0	0	871
	GT3{2}	-156190	0	0 156190	486	0	0	486
	Hydrotest-NL{2}	3079942	0	03079942	1357	0	0	1357
+652 +	Gravity{1}	9	0	0 9	220	0	0	220
	Thermal 1{1}	5537794	0	05537794	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731559	56	0	0	56
	Thermal 3{1}	-156187	0	0 156187	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1542921	0	01542921	101	0	0	101
	Pressure 2{1}	2593256	0	02593256	-124	0	0	124
	Pressure 3{1}	2592040	0	02592040	-107	0	0	107
	GT1{1}	5537803	0	05537803	94	0	0	94
	GT2{1}	-.2E+07	0	01731550	276	0	0	276
	GT3{1}	-156178	0	0 156178	242	0	0	242
	GW1{1}	8	0	0 8	219	0	0	219
	GW2{1}	9	0	0 9	221	0	0	221
	GW3{1}	9	0	0 9	163	0	0	163
	GW4{1}	9	0	0 9	272	0	0	272
	GT1P1{1}	7080724	0	07080724	195	0	0	195
	GT2P2{1}	861705	0	0 861705	152	0	0	152
	GT3P3{1}	2435862	0	02435862	135	0	0	135
	Gravity{2}	17	0	0 17	461	0	0	461
	Thermal 3{2}	-156205	0	0 156205	25	0	0	25
	Pressure 1{2}	3236001	0	03236001	871	0	0	871
	GT3{2}	-156188	0	0 156188	486	0	0	486
	Hydrotest-NL{2}	3079813	0	03079813	1357	0	0	1357
+653 -	Gravity{1}	9	0	0 9	220	0	0	220
	Thermal 1{1}	5537794	0	05537794	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731559	56	0	0	56
	Thermal 3{1}	-156187	0	0 156187	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1542921	0	01542921	101	0	0	101
	Pressure 2{1}	2593256	0	02593256	-124	0	0	124
	Pressure 3{1}	2592040	0	02592040	-107	0	0	107
	GT1{1}	5537803	0	05537803	94	0	0	94
	GT2{1}	-.2E+07	0	01731550	276	0	0	276
	GT3{1}	-156178	0	0 156178	242	0	0	242
	GW1{1}	8	0	0 8	219	0	0	219
	GW2{1}	9	0	0 9	221	0	0	221
	GW3{1}	9	0	0 9	163	0	0	163
	GW4{1}	9	0	0 9	272	0	0	272
	GT1P1{1}	7080724	0	07080724	195	0	0	195
	GT2P2{1}	861705	0	0 861705	152	0	0	152
	GT3P3{1}	2435862	0	02435862	135	0	0	135
	Gravity{2}	17	0	0 17	461	0	0	461
	Thermal 3{2}	-156205	0	0 156205	25	0	0	25
	Pressure 1{2}	3236001	0	03236001	871	0	0	871
	GT3{2}	-156188	0	0 156188	486	0	0	486
	Hydrotest-NL{2}	3079813	0	03079813	1357	0	0	1357
+653 +	Gravity{1}	9	0	0 9	220	0	0	220
	Thermal 1{1}	5536478	0	05536478	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731530	56	0	0	56
	Thermal 3{1}	-156185	0	0 156185	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1529656	0	01529656	101	0	0	101
	Pressure 2{1}	2593214	0	02593214	-124	0	0	124
	Pressure 3{1}	2591980	0	02591980	-107	0	0	107
	GT1{1}	5536486	0	05536486	94	0	0	94
	GT2{1}	-.2E+07	0	01731521	276	0	0	276
	GT3{1}	-156176	0	0 156176	242	0	0	242
	GW1{1}	8	0	0 8	219	0	0	219
	GW2{1}	10	0	0 10	221	0	0	221
	GW3{1}	9	0	0 9	163	0	0	163
	GW4{1}	9	0	0 9	272	0	0	272
	GT1P1{1}	7066143	0	07066143	195	0	0	195
	GT2P2{1}	861693	0	0 861693	152	0	0	152
	GT3P3{1}	2435805	0	02435805	135	0	0	135
	Gravity{2}	18	0	0 18	461	0	0	461
	Thermal 3{2}	-156203	0	0 156203	25	0	0	25
	Pressure 1{2}	3235867	0	03235867	871	0	0	871
	GT3{2}	-156186	0	0 156186	486	0	0	486
	Hydrotest-NL{2}	3079681	0	03079681	1357	0	0	1357
+654 -	Gravity{1}	9	0	0 9	220	0	0	220
	Thermal 1{1}	5536478	0	05536478	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731530	56	0	0	56
	Thermal 3{1}	-156185	0	0 156185	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1529656	0	01529656	101	0	0	101
	Pressure 2{1}	2593214	0	02593214	-124	0	0	124
	Pressure 3{1}	2591980	0	02591980	-107	0	0	107
	GT1{1}	5536486	0	05536486	94	0	0	94

	GT2{1}	-.2E+07	0	01731521	276	0	0	276
	GT3{1}	-156176	0	0 156176	242	0	0	242
	GW1{1}	8	0	0 8	219	0	0	219
	GW2{1}	10	0	0 10	221	0	0	221
	GW3{1}	9	0	0 9	163	0	0	163
	GW4{1}	9	0	0 9	272	0	0	272
	GT1P1{1}	7066143	0	07066143	195	0	0	195
	GT2P2{1}	861693	0	0 861693	152	0	0	152
	GT3P3{1}	2435805	0	02435805	135	0	0	135
	Gravity{2}	18	0	0 18	461	0	0	461
	Thermal 3{2}	-156203	0	0 156203	25	0	0	25
	Pressure 1{2}	3235867	0	03235867	871	0	0	871
	GT3{2}	-156186	0	0 156186	486	0	0	486
	Hydrotest-NL{2}	3079681	0	03079681	1357	0	0	1357
+654 +	Gravity{1}	9	0	0 9	220	0	0	220
	Thermal 1{1}	5535142	0	05535142	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731500	56	0	0	56
	Thermal 3{1}	-156183	0	0 156183	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1516411	0	01516411	101	0	0	101
	Pressure 2{1}	2593172	0	02593172	-124	0	0	124
	Pressure 3{1}	2591920	0	02591920	-107	0	0	107
	GT1{1}	5535151	0	05535151	94	0	0	94
	GT2{1}	-.2E+07	0	01731491	276	0	0	276
	GT3{1}	-156174	0	0 156174	242	0	0	242
	GW1{1}	8	0	0 8	219	0	0	219
	GW2{1}	10	0	0 10	221	0	0	221
	GW3{1}	9	0	0 9	163	0	0	163
	GW4{1}	9	0	0 9	272	0	0	272
	GT1P1{1}	7051562	0	07051562	195	0	0	195
	GT2P2{1}	861680	0	0 861680	152	0	0	152
	GT3P3{1}	2435747	0	02435747	135	0	0	135
	Gravity{2}	18	0	0 18	461	0	0	461
	Thermal 3{2}	-156202	0	0 156202	25	0	0	25
	Pressure 1{2}	3235731	0	03235731	871	0	0	871
	GT3{2}	-156184	0	0 156184	486	0	0	486
	Hydrotest-NL{2}	3079547	0	03079547	1357	0	0	1357
+655 -	Gravity{1}	9	0	0 9	220	0	0	220
	Thermal 1{1}	5535142	0	05535142	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731500	56	0	0	56
	Thermal 3{1}	-156183	0	0 156183	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1516411	0	01516411	101	0	0	101
	Pressure 2{1}	2593172	0	02593172	-124	0	0	124
	Pressure 3{1}	2591920	0	02591920	-107	0	0	107
	GT1{1}	5535151	0	05535151	94	0	0	94
	GT2{1}	-.2E+07	0	01731491	276	0	0	276
	GT3{1}	-156174	0	0 156174	242	0	0	242
	GW1{1}	8	0	0 8	219	0	0	219
	GW2{1}	10	0	0 10	221	0	0	221
	GW3{1}	9	0	0 9	163	0	0	163
	GW4{1}	9	0	0 9	272	0	0	272
	GT1P1{1}	7051562	0	07051562	195	0	0	195
	GT2P2{1}	861680	0	0 861680	152	0	0	152
	GT3P3{1}	2435747	0	02435747	135	0	0	135
	Gravity{2}	18	0	0 18	461	0	0	461
	Thermal 3{2}	-156202	0	0 156202	25	0	0	25
	Pressure 1{2}	3235731	0	03235731	871	0	0	871
	GT3{2}	-156184	0	0 156184	486	0	0	486
	Hydrotest-NL{2}	3079547	0	03079547	1357	0	0	1357
+655 +	Gravity{1}	9	0	0 9	220	0	0	220
	Thermal 1{1}	5533787	0	05533787	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731470	56	0	0	56
	Thermal 3{1}	-156181	0	0 156181	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1503185	0	01503185	101	0	0	101
	Pressure 2{1}	2593129	0	02593129	-124	0	0	124
	Pressure 3{1}	2591859	0	02591859	-107	0	0	107
	GT1{1}	5533796	0	05533796	94	0	0	94
	GT2{1}	-.2E+07	0	01731461	276	0	0	276
	GT3{1}	-156171	0	0 156171	242	0	0	242
	GW1{1}	8	0	0 8	219	0	0	219
	GW2{1}	10	0	0 10	221	0	0	221
	GW3{1}	9	0	0 9	163	0	0	163
	GW4{1}	9	0	0 9	272	0	0	272
	GT1P1{1}	7036981	0	07036981	195	0	0	195
	GT2P2{1}	861668	0	0 861668	152	0	0	152
	GT3P3{1}	2435688	0	02435688	135	0	0	135
	Gravity{2}	18	0	0 18	461	0	0	461
	Thermal 3{2}	-156200	0	0 156200	25	0	0	25
	Pressure 1{2}	3235594	0	03235594	871	0	0	871
	GT3{2}	-156182	0	0 156182	486	0	0	486
	Hydrotest-NL{2}	3079412	0	03079412	1357	0	0	1357
+656 -	Gravity{1}	9	0	0 9	220	0	0	220
	Thermal 1{1}	5533787	0	05533787	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731470	56	0	0	56
	Thermal 3{1}	-156181	0	0 156181	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1503185	0	01503185	101	0	0	101
	Pressure 2{1}	2593129	0	02593129	-124	0	0	124
	Pressure 3{1}	2591859	0	02591859	-107	0	0	107
	GT1{1}	5533796	0	05533796	94	0	0	94

	GT2{1}	-.2E+07	0	01731461	276	0	0	276
	GT3{1}	-156171	0	0 156171	242	0	0	242
	GW1{1}	8	0	0 8	219	0	0	219
	GW2{1}	10	0	0 10	221	0	0	221
	GW3{1}	9	0	0 9	163	0	0	163
	GW4{1}	9	0	0 9	272	0	0	272
	GT1P1{1}	7036981	0	07036981	195	0	0	195
	GT2P2{1}	861668	0	0 861668	152	0	0	152
	GT3P3{1}	2435688	0	02435688	135	0	0	135
	Gravity{2}	18	0	0 18	461	0	0	461
	Thermal 3{2}	-156200	0	0 156200	25	0	0	25
	Pressure 1{2}	3235594	0	03235594	871	0	0	871
	GT3{2}	-156182	0	0 156182	486	0	0	486
	Hydrotest-NL{2}	3079412	0	03079412	1357	0	0	1357
+656 +	Gravity{1}	9	0	0 9	220	0	0	220
	Thermal 1{1}	5532412	0	05532412	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731439	56	0	0	56
	Thermal 3{1}	-156178	0	0 156178	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1489979	0	01489979	101	0	0	101
	Pressure 2{1}	2593085	0	02593085	-124	0	0	124
	Pressure 3{1}	2591797	0	02591797	-107	0	0	107
	GT1{1}	5532421	0	05532421	94	0	0	94
	GT2{1}	-.2E+07	0	01731430	276	0	0	276
	GT3{1}	-156169	0	0 156169	242	0	0	242
	GW1{1}	8	0	0 8	219	0	0	219
	GW2{1}	10	0	0 10	221	0	0	221
	GW3{1}	9	0	0 9	163	0	0	163
	GW4{1}	9	0	0 9	272	0	0	272
	GT1P1{1}	7022400	0	07022400	195	0	0	195
	GT2P2{1}	861655	0	0 861655	152	0	0	152
	GT3P3{1}	2435628	0	02435628	135	0	0	135
	Gravity{2}	18	0	0 18	461	0	0	461
	Thermal 3{2}	-156198	0	0 156198	25	0	0	25
	Pressure 1{2}	3235454	0	03235454	871	0	0	871
	GT3{2}	-156180	0	0 156180	486	0	0	486
	Hydrotest-NL{2}	3079274	0	03079274	1357	0	0	1357
+657 -	Gravity{1}	9	0	0 9	220	0	0	220
	Thermal 1{1}	5532412	0	05532412	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731439	56	0	0	56
	Thermal 3{1}	-156178	0	0 156178	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1489979	0	01489979	101	0	0	101
	Pressure 2{1}	2593085	0	02593085	-124	0	0	124
	Pressure 3{1}	2591797	0	02591797	-107	0	0	107
	GT1{1}	5532421	0	05532421	94	0	0	94
	GT2{1}	-.2E+07	0	01731430	276	0	0	276
	GT3{1}	-156169	0	0 156169	242	0	0	242
	GW1{1}	8	0	0 8	219	0	0	219
	GW2{1}	10	0	0 10	221	0	0	221
	GW3{1}	9	0	0 9	163	0	0	163
	GW4{1}	9	0	0 9	272	0	0	272
	GT1P1{1}	7022400	0	07022400	195	0	0	195
	GT2P2{1}	861655	0	0 861655	152	0	0	152
	GT3P3{1}	2435628	0	02435628	135	0	0	135
	Gravity{2}	18	0	0 18	461	0	0	461
	Thermal 3{2}	-156198	0	0 156198	25	0	0	25
	Pressure 1{2}	3235454	0	03235454	871	0	0	871
	GT3{2}	-156180	0	0 156180	486	0	0	486
	Hydrotest-NL{2}	3079274	0	03079274	1357	0	0	1357
+657 +	Gravity{1}	9	0	0 9	220	0	0	220
	Thermal 1{1}	5531017	0	05531017	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731408	56	0	0	56
	Thermal 3{1}	-156176	0	0 156176	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1476792	0	01476792	101	0	0	101
	Pressure 2{1}	2593041	0	02593041	-124	0	0	124
	Pressure 3{1}	2591734	0	02591734	-107	0	0	107
	GT1{1}	5531026	0	05531026	94	0	0	94
	GT2{1}	-.2E+07	0	01731399	276	0	0	276
	GT3{1}	-156167	0	0 156167	242	0	0	242
	GW1{1}	9	0	0 9	219	0	0	219
	GW2{1}	10	0	0 10	221	0	0	221
	GW3{1}	9	0	0 9	163	0	0	163
	GW4{1}	10	0	0 10	272	0	0	272
	GT1P1{1}	7007819	0	07007819	195	0	0	195
	GT2P2{1}	861642	0	0 861642	152	0	0	152
	GT3P3{1}	2435567	0	02435567	135	0	0	135
	Gravity{2}	19	0	0 19	461	0	0	461
	Thermal 3{2}	-156196	0	0 156196	25	0	0	25
	Pressure 1{2}	3235313	0	03235313	871	0	0	871
	GT3{2}	-156178	0	0 156178	486	0	0	486
	Hydrotest-NL{2}	3079135	0	03079135	1357	0	0	1357
+658 -	Gravity{1}	9	0	0 9	220	0	0	220
	Thermal 1{1}	5531017	0	05531017	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731408	56	0	0	56
	Thermal 3{1}	-156176	0	0 156176	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1476792	0	01476792	101	0	0	101
	Pressure 2{1}	2593041	0	02593041	-124	0	0	124
	Pressure 3{1}	2591734	0	02591734	-107	0	0	107
	GT1{1}	5531026	0	05531026	94	0	0	94

	GT2{1}	-.2E+07	0	01731399	276	0	0	276
	GT3{1}	-156167	0	0 156167	242	0	0	242
	GW1{1}	9	0	0 9	219	0	0	219
	GW2{1}	10	0	0 10	221	0	0	221
	GW3{1}	9	0	0 9	163	0	0	163
	GW4{1}	10	0	0 10	272	0	0	272
	GT1P1{1}	7007819	0	07007819	195	0	0	195
	GT2P2{1}	861642	0	0 861642	152	0	0	152
	GT3P3{1}	2435567	0	02435567	135	0	0	135
	Gravity{2}	19	0	0 19	461	0	0	461
	Thermal 3{2}	-156196	0	0 156196	25	0	0	25
	Pressure 1{2}	3235313	0	03235313	871	0	0	871
	GT3{2}	-156178	0	0 156178	486	0	0	486
	Hydrotest-NL{2}	3079135	0	03079135	1357	0	0	1357
+658 +	Gravity{1}	9	0	0 9	220	0	0	220
	Thermal 1{1}	5529601	0	05529601	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731377	56	0	0	56
	Thermal 3{1}	-156174	0	0 156174	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1463627	0	01463627	101	0	0	101
	Pressure 2{1}	2592997	0	02592997	-124	0	0	124
	Pressure 3{1}	2591670	0	02591670	-107	0	0	107
	GT1{1}	5529611	0	05529611	94	0	0	94
	GT2{1}	-.2E+07	0	01731367	276	0	0	276
	GT3{1}	-156165	0	0 156165	242	0	0	242
	GW1{1}	9	0	0 9	219	0	0	219
	GW2{1}	10	0	0 10	221	0	0	221
	GW3{1}	9	0	0 9	163	0	0	163
	GW4{1}	10	0	0 10	272	0	0	272
	GT1P1{1}	6993237	0	06993237	195	0	0	195
	GT2P2{1}	861630	0	0 861630	152	0	0	152
	GT3P3{1}	2435505	0	02435505	135	0	0	135
	Gravity{2}	19	0	0 19	461	0	0	461
	Thermal 3{2}	-156195	0	0 156195	25	0	0	25
	Pressure 1{2}	3235169	0	03235169	871	0	0	871
	GT3{2}	-156176	0	0 156176	486	0	0	486
	Hydrotest-NL{2}	3078993	0	03078993	1357	0	0	1357
+659 -	Gravity{1}	9	0	0 9	220	0	0	220
	Thermal 1{1}	5529601	0	05529601	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731377	56	0	0	56
	Thermal 3{1}	-156174	0	0 156174	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1463627	0	01463627	101	0	0	101
	Pressure 2{1}	2592997	0	02592997	-124	0	0	124
	Pressure 3{1}	2591670	0	02591670	-107	0	0	107
	GT1{1}	5529611	0	05529611	94	0	0	94
	GT2{1}	-.2E+07	0	01731367	276	0	0	276
	GT3{1}	-156165	0	0 156165	242	0	0	242
	GW1{1}	9	0	0 9	219	0	0	219
	GW2{1}	10	0	0 10	221	0	0	221
	GW3{1}	9	0	0 9	163	0	0	163
	GW4{1}	10	0	0 10	272	0	0	272
	GT1P1{1}	6993237	0	06993237	195	0	0	195
	GT2P2{1}	861630	0	0 861630	152	0	0	152
	GT3P3{1}	2435505	0	02435505	135	0	0	135
	Gravity{2}	19	0	0 19	461	0	0	461
	Thermal 3{2}	-156195	0	0 156195	25	0	0	25
	Pressure 1{2}	3235169	0	03235169	871	0	0	871
	GT3{2}	-156176	0	0 156176	486	0	0	486
	Hydrotest-NL{2}	3078993	0	03078993	1357	0	0	1357
+659 +	Gravity{1}	10	0	0 10	220	0	0	220
	Thermal 1{1}	5528164	0	05528164	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731345	56	0	0	56
	Thermal 3{1}	-156172	0	0 156172	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1450482	0	01450482	101	0	0	101
	Pressure 2{1}	2592951	0	02592951	-124	0	0	124
	Pressure 3{1}	2591605	0	02591605	-107	0	0	107
	GT1{1}	5528174	0	05528174	94	0	0	94
	GT2{1}	-.2E+07	0	01731335	276	0	0	276
	GT3{1}	-156162	0	0 156162	242	0	0	242
	GW1{1}	9	0	0 9	219	0	0	219
	GW2{1}	10	0	0 10	221	0	0	221
	GW3{1}	9	0	0 9	163	0	0	163
	GW4{1}	10	0	0 10	272	0	0	272
	GT1P1{1}	6978656	0	06978656	195	0	0	195
	GT2P2{1}	861616	0	0 861616	152	0	0	152
	GT3P3{1}	2435443	0	02435443	135	0	0	135
	Gravity{2}	19	0	0 19	461	0	0	461
	Thermal 3{2}	-156193	0	0 156193	25	0	0	25
	Pressure 1{2}	3235023	0	03235023	871	0	0	871
	GT3{2}	-156174	0	0 156174	486	0	0	486
	Hydrotest-NL{2}	3078849	0	03078849	1357	0	0	1357
+660 -	Gravity{1}	10	0	0 10	220	0	0	220
	Thermal 1{1}	5528164	0	05528164	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731345	56	0	0	56
	Thermal 3{1}	-156172	0	0 156172	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1450482	0	01450482	101	0	0	101
	Pressure 2{1}	2592951	0	02592951	-124	0	0	124
	Pressure 3{1}	2591605	0	02591605	-107	0	0	107
	GT1{1}	5528174	0	05528174	94	0	0	94

	GT2{1}	-.2E+07	0	01731335	276	0	0	276
	GT3{1}	-156162	0	0 156162	242	0	0	242
	GW1{1}	9	0	0 9	219	0	0	219
	GW2{1}	10	0	0 10	221	0	0	221
	GW3{1}	9	0	0 9	163	0	0	163
	GW4{1}	10	0	0 10	272	0	0	272
	GT1P1{1}	6978656	0	06978656	195	0	0	195
	GT2P2{1}	861616	0	0 861616	152	0	0	152
	GT3P3{1}	2435443	0	02435443	135	0	0	135
	Gravity{2}	19	0	0 19	461	0	0	461
	Thermal 3{2}	-156193	0	0 156193	25	0	0	25
	Pressure 1{2}	3235023	0	03235023	871	0	0	871
	GT3{2}	-156174	0	0 156174	486	0	0	486
	Hydrotest-NL{2}	3078849	0	03078849	1357	0	0	1357
+660 +	Gravity{1}	10	0	0 10	220	0	0	220
	Thermal 1{1}	5526707	0	05526707	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731312	56	0	0	56
	Thermal 3{1}	-156170	0	0 156170	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1437358	0	01437358	101	0	0	101
	Pressure 2{1}	2592905	0	02592905	-124	0	0	124
	Pressure 3{1}	2591539	0	02591539	-107	0	0	107
	GT1{1}	5526717	0	05526717	94	0	0	94
	GT2{1}	-.2E+07	0	01731302	276	0	0	276
	GT3{1}	-156160	0	0 156160	242	0	0	242
	GW1{1}	9	0	0 9	219	0	0	219
	GW2{1}	11	0	0 11	221	0	0	221
	GW3{1}	10	0	0 10	163	0	0	163
	GW4{1}	10	0	0 10	272	0	0	272
	GT1P1{1}	6964075	0	06964075	195	0	0	195
	GT2P2{1}	861603	0	0 861603	152	0	0	152
	GT3P3{1}	2435379	0	02435379	135	0	0	135
	Gravity{2}	19	0	0 19	461	0	0	461
	Thermal 3{2}	-156191	0	0 156191	25	0	0	25
	Pressure 1{2}	3234875	0	03234875	871	0	0	871
	GT3{2}	-156171	0	0 156171	486	0	0	486
	Hydrotest-NL{2}	3078704	0	03078704	1357	0	0	1357
+661 -	Gravity{1}	10	0	0 10	220	0	0	220
	Thermal 1{1}	5526707	0	05526707	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731312	56	0	0	56
	Thermal 3{1}	-156170	0	0 156170	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1437358	0	01437358	101	0	0	101
	Pressure 2{1}	2592905	0	02592905	-124	0	0	124
	Pressure 3{1}	2591539	0	02591539	-107	0	0	107
	GT1{1}	5526717	0	05526717	94	0	0	94
	GT2{1}	-.2E+07	0	01731302	276	0	0	276
	GT3{1}	-156160	0	0 156160	242	0	0	242
	GW1{1}	9	0	0 9	219	0	0	219
	GW2{1}	11	0	0 11	221	0	0	221
	GW3{1}	10	0	0 10	163	0	0	163
	GW4{1}	10	0	0 10	272	0	0	272
	GT1P1{1}	6964075	0	06964075	195	0	0	195
	GT2P2{1}	861603	0	0 861603	152	0	0	152
	GT3P3{1}	2435379	0	02435379	135	0	0	135
	Gravity{2}	19	0	0 19	461	0	0	461
	Thermal 3{2}	-156191	0	0 156191	25	0	0	25
	Pressure 1{2}	3234875	0	03234875	871	0	0	871
	GT3{2}	-156171	0	0 156171	486	0	0	486
	Hydrotest-NL{2}	3078704	0	03078704	1357	0	0	1357
+661 +	Gravity{1}	10	0	0 10	220	0	0	220
	Thermal 1{1}	5525228	0	05525228	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731279	56	0	0	56
	Thermal 3{1}	-156168	0	0 156168	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1424256	0	01424256	101	0	0	101
	Pressure 2{1}	2592859	0	02592859	-124	0	0	124
	Pressure 3{1}	2591473	0	02591473	-107	0	0	107
	GT1{1}	5525238	0	05525238	94	0	0	94
	GT2{1}	-.2E+07	0	01731269	276	0	0	276
	GT3{1}	-156158	0	0 156158	242	0	0	242
	GW1{1}	9	0	0 9	219	0	0	219
	GW2{1}	11	0	0 11	221	0	0	221
	GW3{1}	10	0	0 10	163	0	0	163
	GW4{1}	10	0	0 10	272	0	0	272
	GT1P1{1}	6949494	0	06949494	195	0	0	195
	GT2P2{1}	861589	0	0 861589	152	0	0	152
	GT3P3{1}	2435315	0	02435315	135	0	0	135
	Gravity{2}	20	0	0 20	461	0	0	461
	Thermal 3{2}	-156189	0	0 156189	25	0	0	25
	Pressure 1{2}	3234725	0	03234725	871	0	0	871
	GT3{2}	-156169	0	0 156169	486	0	0	486
	Hydrotest-NL{2}	3078556	0	03078556	1357	0	0	1357
+662 -	Gravity{1}	10	0	0 10	220	0	0	220
	Thermal 1{1}	5525228	0	05525228	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731279	56	0	0	56
	Thermal 3{1}	-156168	0	0 156168	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1424256	0	01424256	101	0	0	101
	Pressure 2{1}	2592859	0	02592859	-124	0	0	124
	Pressure 3{1}	2591473	0	02591473	-107	0	0	107
	GT1{1}	5525238	0	05525238	94	0	0	94

	GT2{1}	-.2E+07	0	01731269	276	0	0	276
	GT3{1}	-156158	0	0 156158	242	0	0	242
	GW1{1}	9	0	0 9	219	0	0	219
	GW2{1}	11	0	0 11	221	0	0	221
	GW3{1}	10	0	0 10	163	0	0	163
	GW4{1}	10	0	0 10	272	0	0	272
	GT1P1{1}	6949494	0	06949494	195	0	0	195
	GT2P2{1}	861589	0	0 861589	152	0	0	152
	GT3P3{1}	2435315	0	02435315	135	0	0	135
	Gravity{2}	20	0	0 20	461	0	0	461
	Thermal 3{2}	-156189	0	0 156189	25	0	0	25
	Pressure 1{2}	3234725	0	03234725	871	0	0	871
	GT3{2}	-156169	0	0 156169	486	0	0	486
	Hydrotest-NL{2}	3078556	0	03078556	1357	0	0	1357
+662 +	Gravity{1}	10	0	0 10	220	0	0	220
	Thermal 1{1}	5523728	0	05523728	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731246	56	0	0	56
	Thermal 3{1}	-156165	0	0 156165	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1411175	0	01411175	101	0	0	101
	Pressure 2{1}	2592811	0	02592811	-124	0	0	124
	Pressure 3{1}	2591405	0	02591405	-107	0	0	107
	GT1{1}	5523738	0	05523738	94	0	0	94
	GT2{1}	-.2E+07	0	01731236	276	0	0	276
	GT3{1}	-156155	0	0 156155	242	0	0	242
	GW1{1}	9	0	0 9	219	0	0	219
	GW2{1}	11	0	0 11	221	0	0	221
	GW3{1}	10	0	0 10	163	0	0	163
	GW4{1}	10	0	0 10	272	0	0	272
	GT1P1{1}	6934913	0	06934913	195	0	0	195
	GT2P2{1}	861575	0	0 861575	152	0	0	152
	GT3P3{1}	2435250	0	02435250	135	0	0	135
	Gravity{2}	20	0	0 20	461	0	0	461
	Thermal 3{2}	-156187	0	0 156187	25	0	0	25
	Pressure 1{2}	3234573	0	03234573	871	0	0	871
	GT3{2}	-156167	0	0 156167	486	0	0	486
	Hydrotest-NL{2}	3078406	0	03078406	1357	0	0	1357
+663 -	Gravity{1}	10	0	0 10	220	0	0	220
	Thermal 1{1}	5523728	0	05523728	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731246	56	0	0	56
	Thermal 3{1}	-156165	0	0 156165	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1411175	0	01411175	101	0	0	101
	Pressure 2{1}	2592811	0	02592811	-124	0	0	124
	Pressure 3{1}	2591405	0	02591405	-107	0	0	107
	GT1{1}	5523738	0	05523738	94	0	0	94
	GT2{1}	-.2E+07	0	01731236	276	0	0	276
	GT3{1}	-156155	0	0 156155	242	0	0	242
	GW1{1}	9	0	0 9	219	0	0	219
	GW2{1}	11	0	0 11	221	0	0	221
	GW3{1}	10	0	0 10	163	0	0	163
	GW4{1}	10	0	0 10	272	0	0	272
	GT1P1{1}	6934913	0	06934913	195	0	0	195
	GT2P2{1}	861575	0	0 861575	152	0	0	152
	GT3P3{1}	2435250	0	02435250	135	0	0	135
	Gravity{2}	20	0	0 20	461	0	0	461
	Thermal 3{2}	-156187	0	0 156187	25	0	0	25
	Pressure 1{2}	3234573	0	03234573	871	0	0	871
	GT3{2}	-156167	0	0 156167	486	0	0	486
	Hydrotest-NL{2}	3078406	0	03078406	1357	0	0	1357
+663 +	Gravity{1}	10	0	0 10	220	0	0	220
	Thermal 1{1}	5522205	0	05522205	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731212	56	0	0	56
	Thermal 3{1}	-156163	0	0 156163	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1398117	0	01398117	101	0	0	101
	Pressure 2{1}	2592763	0	02592763	-124	0	0	124
	Pressure 3{1}	2591336	0	02591336	-107	0	0	107
	GT1{1}	5522215	0	05522215	94	0	0	94
	GT2{1}	-.2E+07	0	01731202	276	0	0	276
	GT3{1}	-156153	0	0 156153	242	0	0	242
	GW1{1}	9	0	0 9	219	0	0	219
	GW2{1}	11	0	0 11	221	0	0	221
	GW3{1}	10	0	0 10	163	0	0	163
	GW4{1}	10	0	0 10	272	0	0	272
	GT1P1{1}	6920332	0	06920332	195	0	0	195
	GT2P2{1}	861561	0	0 861561	152	0	0	152
	GT3P3{1}	2435183	0	02435183	135	0	0	135
	Gravity{2}	20	0	0 20	461	0	0	461
	Thermal 3{2}	-156185	0	0 156185	25	0	0	25
	Pressure 1{2}	3234418	0	03234418	871	0	0	871
	GT3{2}	-156165	0	0 156165	486	0	0	486
	Hydrotest-NL{2}	3078253	0	03078253	1357	0	0	1357
+664 -	Gravity{1}	10	0	0 10	220	0	0	220
	Thermal 1{1}	5522205	0	05522205	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731212	56	0	0	56
	Thermal 3{1}	-156163	0	0 156163	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1398117	0	01398117	101	0	0	101
	Pressure 2{1}	2592763	0	02592763	-124	0	0	124
	Pressure 3{1}	2591336	0	02591336	-107	0	0	107
	GT1{1}	5522215	0	05522215	94	0	0	94

	GT2{1}	-.2E+07	0	01731202	276	0	0	276
	GT3{1}	-156153	0	0 156153	242	0	0	242
	GW1{1}	9	0	0 9	219	0	0	219
	GW2{1}	11	0	0 11	221	0	0	221
	GW3{1}	10	0	0 10	163	0	0	163
	GW4{1}	10	0	0 10	272	0	0	272
	GT1P1{1}	6920332	0	06920332	195	0	0	195
	GT2P2{1}	861561	0	0 861561	152	0	0	152
	GT3P3{1}	2435183	0	02435183	135	0	0	135
	Gravity{2}	20	0	0 20	461	0	0	461
	Thermal 3{2}	-156185	0	0 156185	25	0	0	25
	Pressure 1{2}	3234418	0	03234418	871	0	0	871
	GT3{2}	-156165	0	0 156165	486	0	0	486
	Hydrotest-NL{2}	3078253	0	03078253	1357	0	0	1357
+664 +	Gravity{1}	10	0	0 10	220	0	0	220
	Thermal 1{1}	5520660	0	05520660	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731177	56	0	0	56
	Thermal 3{1}	-156161	0	0 156161	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1385080	0	01385080	101	0	0	101
	Pressure 2{1}	2592714	0	02592714	-124	0	0	124
	Pressure 3{1}	2591267	0	02591267	-107	0	0	107
	GT1{1}	5520671	0	05520671	94	0	0	94
	GT2{1}	-.2E+07	0	01731167	276	0	0	276
	GT3{1}	-156151	0	0 156151	242	0	0	242
	GW1{1}	9	0	0 9	219	0	0	219
	GW2{1}	11	0	0 11	221	0	0	221
	GW3{1}	10	0	0 10	163	0	0	163
	GW4{1}	11	0	0 11	272	0	0	272
	GT1P1{1}	6905751	0	06905751	195	0	0	195
	GT2P2{1}	861547	0	0 861547	152	0	0	152
	GT3P3{1}	2435116	0	02435116	135	0	0	135
	Gravity{2}	21	0	0 21	461	0	0	461
	Thermal 3{2}	-156183	0	0 156183	25	0	0	25
	Pressure 1{2}	3234261	0	03234261	871	0	0	871
	GT3{2}	-156162	0	0 156162	486	0	0	486
	Hydrotest-NL{2}	3078099	0	03078099	1357	0	0	1357
+665 -	Gravity{1}	10	0	0 10	220	0	0	220
	Thermal 1{1}	5520660	0	05520660	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731177	56	0	0	56
	Thermal 3{1}	-156161	0	0 156161	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1385080	0	01385080	101	0	0	101
	Pressure 2{1}	2592714	0	02592714	-124	0	0	124
	Pressure 3{1}	2591267	0	02591267	-107	0	0	107
	GT1{1}	5520671	0	05520671	94	0	0	94
	GT2{1}	-.2E+07	0	01731167	276	0	0	276
	GT3{1}	-156151	0	0 156151	242	0	0	242
	GW1{1}	9	0	0 9	219	0	0	219
	GW2{1}	11	0	0 11	221	0	0	221
	GW3{1}	10	0	0 10	163	0	0	163
	GW4{1}	11	0	0 11	272	0	0	272
	GT1P1{1}	6905751	0	06905751	195	0	0	195
	GT2P2{1}	861547	0	0 861547	152	0	0	152
	GT3P3{1}	2435116	0	02435116	135	0	0	135
	Gravity{2}	21	0	0 21	461	0	0	461
	Thermal 3{2}	-156183	0	0 156183	25	0	0	25
	Pressure 1{2}	3234261	0	03234261	871	0	0	871
	GT3{2}	-156162	0	0 156162	486	0	0	486
	Hydrotest-NL{2}	3078099	0	03078099	1357	0	0	1357
+665 +	Gravity{1}	11	0	0 11	220	0	0	220
	Thermal 1{1}	5519093	0	05519093	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731142	56	0	0	56
	Thermal 3{1}	-156159	0	0 156159	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1372066	0	01372066	101	0	0	101
	Pressure 2{1}	2592665	0	02592665	-124	0	0	124
	Pressure 3{1}	2591196	0	02591196	-107	0	0	107
	GT1{1}	5519103	0	05519103	94	0	0	94
	GT2{1}	-.2E+07	0	01731132	276	0	0	276
	GT3{1}	-156148	0	0 156148	242	0	0	242
	GW1{1}	10	0	0 10	219	0	0	219
	GW2{1}	11	0	0 11	221	0	0	221
	GW3{1}	10	0	0 10	163	0	0	163
	GW4{1}	11	0	0 11	272	0	0	272
	GT1P1{1}	6891170	0	06891170	195	0	0	195
	GT2P2{1}	861533	0	0 861533	152	0	0	152
	GT3P3{1}	2435048	0	02435048	135	0	0	135
	Gravity{2}	21	0	0 21	461	0	0	461
	Thermal 3{2}	-156181	0	0 156181	25	0	0	25
	Pressure 1{2}	3234102	0	03234102	871	0	0	871
	GT3{2}	-156160	0	0 156160	486	0	0	486
	Hydrotest-NL{2}	3077942	0	03077942	1357	0	0	1357
+666 -	Gravity{1}	11	0	0 11	220	0	0	220
	Thermal 1{1}	5519093	0	05519093	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731142	56	0	0	56
	Thermal 3{1}	-156159	0	0 156159	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1372066	0	01372066	101	0	0	101
	Pressure 2{1}	2592665	0	02592665	-124	0	0	124
	Pressure 3{1}	2591196	0	02591196	-107	0	0	107
	GT1{1}	5519103	0	05519103	94	0	0	94

	GT2{1}	-.2E+07	0	01731132	276	0	0	276
	GT3{1}	-156148	0	0 156148	242	0	0	242
	GW1{1}	10	0	0 10	219	0	0	219
	GW2{1}	11	0	0 11	221	0	0	221
	GW3{1}	10	0	0 10	163	0	0	163
	GW4{1}	11	0	0 11	272	0	0	272
	GT1P1{1}	6891170	0	06891170	195	0	0	195
	GT2P2{1}	861533	0	0 861533	152	0	0	152
	GT3P3{1}	2435048	0	02435048	135	0	0	135
	Gravity{2}	21	0	0 21	461	0	0	461
	Thermal 3{2}	-156181	0	0 156181	25	0	0	25
	Pressure 1{2}	3234102	0	03234102	871	0	0	871
	GT3{2}	-156160	0	0 156160	486	0	0	486
	Hydrotest-NL{2}	3077942	0	03077942	1357	0	0	1357
+666 +	Gravity{1}	11	0	0 11	220	0	0	220
	Thermal 1{1}	5517502	0	05517502	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731107	56	0	0	56
	Thermal 3{1}	-156156	0	0 156156	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1359076	0	01359076	101	0	0	101
	Pressure 2{1}	2592614	0	02592614	-124	0	0	124
	Pressure 3{1}	2591124	0	02591124	-107	0	0	107
	GT1{1}	5517513	0	05517513	94	0	0	94
	GT2{1}	-.2E+07	0	01731096	276	0	0	276
	GT3{1}	-156145	0	0 156145	242	0	0	242
	GW1{1}	10	0	0 10	219	0	0	219
	GW2{1}	12	0	0 12	221	0	0	221
	GW3{1}	10	0	0 10	163	0	0	163
	GW4{1}	11	0	0 11	272	0	0	272
	GT1P1{1}	6876588	0	06876588	195	0	0	195
	GT2P2{1}	861518	0	0 861518	152	0	0	152
	GT3P3{1}	2434978	0	02434978	135	0	0	135
	Gravity{2}	21	0	0 21	461	0	0	461
	Thermal 3{2}	-156179	0	0 156179	25	0	0	25
	Pressure 1{2}	3233941	0	03233941	871	0	0	871
	GT3{2}	-156158	0	0 156158	486	0	0	486
	Hydrotest-NL{2}	3077783	0	03077783	1357	0	0	1357
+667 -	Gravity{1}	11	0	0 11	220	0	0	220
	Thermal 1{1}	5517502	0	05517502	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731107	56	0	0	56
	Thermal 3{1}	-156156	0	0 156156	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1359076	0	01359076	101	0	0	101
	Pressure 2{1}	2592614	0	02592614	-124	0	0	124
	Pressure 3{1}	2591124	0	02591124	-107	0	0	107
	GT1{1}	5517513	0	05517513	94	0	0	94
	GT2{1}	-.2E+07	0	01731096	276	0	0	276
	GT3{1}	-156145	0	0 156145	242	0	0	242
	GW1{1}	10	0	0 10	219	0	0	219
	GW2{1}	12	0	0 12	221	0	0	221
	GW3{1}	10	0	0 10	163	0	0	163
	GW4{1}	11	0	0 11	272	0	0	272
	GT1P1{1}	6876588	0	06876588	195	0	0	195
	GT2P2{1}	861518	0	0 861518	152	0	0	152
	GT3P3{1}	2434978	0	02434978	135	0	0	135
	Gravity{2}	21	0	0 21	461	0	0	461
	Thermal 3{2}	-156179	0	0 156179	25	0	0	25
	Pressure 1{2}	3233941	0	03233941	871	0	0	871
	GT3{2}	-156158	0	0 156158	486	0	0	486
	Hydrotest-NL{2}	3077783	0	03077783	1357	0	0	1357
+667 +	Gravity{1}	11	0	0 11	220	0	0	220
	Thermal 1{1}	5515888	0	05515888	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731071	56	0	0	56
	Thermal 3{1}	-156154	0	0 156154	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1346109	0	01346109	101	0	0	101
	Pressure 2{1}	2592564	0	02592564	-124	0	0	124
	Pressure 3{1}	2591051	0	02591051	-107	0	0	107
	GT1{1}	5515899	0	05515899	94	0	0	94
	GT2{1}	-.2E+07	0	01731060	276	0	0	276
	GT3{1}	-156143	0	0 156143	242	0	0	242
	GW1{1}	10	0	0 10	219	0	0	219
	GW2{1}	12	0	0 12	221	0	0	221
	GW3{1}	11	0	0 11	163	0	0	163
	GW4{1}	11	0	0 11	272	0	0	272
	GT1P1{1}	6862008	0	06862008	195	0	0	195
	GT2P2{1}	861503	0	0 861503	152	0	0	152
	GT3P3{1}	2434908	0	02434908	135	0	0	135
	Gravity{2}	22	0	0 22	461	0	0	461
	Thermal 3{2}	-156177	0	0 156177	25	0	0	25
	Pressure 1{2}	3233777	0	03233777	871	0	0	871
	GT3{2}	-156155	0	0 156155	486	0	0	486
	Hydrotest-NL{2}	3077622	0	03077622	1357	0	0	1357
+668 -	Gravity{1}	11	0	0 11	220	0	0	220
	Thermal 1{1}	5515888	0	05515888	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731071	56	0	0	56
	Thermal 3{1}	-156154	0	0 156154	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1346109	0	01346109	101	0	0	101
	Pressure 2{1}	2592564	0	02592564	-124	0	0	124
	Pressure 3{1}	2591051	0	02591051	-107	0	0	107
	GT1{1}	5515899	0	05515899	94	0	0	94

	GT2{1}	-.2E+07	0	01731060	276	0	0	276
	GT3{1}	-156143	0	0 156143	242	0	0	242
	GW1{1}	10	0	0 10	219	0	0	219
	GW2{1}	12	0	0 12	221	0	0	221
	GW3{1}	11	0	0 11	163	0	0	163
	GW4{1}	11	0	0 11	272	0	0	272
	GT1P1{1}	6862008	0	06862008	195	0	0	195
	GT2P2{1}	861503	0	0 861503	152	0	0	152
	GT3P3{1}	2434908	0	02434908	135	0	0	135
	Gravity{2}	22	0	0 22	461	0	0	461
	Thermal 3{2}	-156177	0	0 156177	25	0	0	25
	Pressure 1{2}	3233777	0	03233777	871	0	0	871
	GT3{2}	-156155	0	0 156155	486	0	0	486
	Hydrotest-NL{2}	3077622	0	03077622	1357	0	0	1357
+668 +	Gravity{1}	11	0	0 11	220	0	0	220
	Thermal 1{1}	5514251	0	05514251	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731035	56	0	0	56
	Thermal 3{1}	-156151	0	0 156151	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1333165	0	01333165	101	0	0	101
	Pressure 2{1}	2592512	0	02592512	-124	0	0	124
	Pressure 3{1}	2590977	0	02590977	-107	0	0	107
	GT1{1}	5514262	0	05514262	94	0	0	94
	GT2{1}	-.2E+07	0	01731024	276	0	0	276
	GT3{1}	-156140	0	0 156140	242	0	0	242
	GW1{1}	10	0	0 10	219	0	0	219
	GW2{1}	12	0	0 12	221	0	0	221
	GW3{1}	11	0	0 11	163	0	0	163
	GW4{1}	11	0	0 11	272	0	0	272
	GT1P1{1}	6847426	0	06847426	195	0	0	195
	GT2P2{1}	861488	0	0 861488	152	0	0	152
	GT3P3{1}	2434837	0	02434837	135	0	0	135
	Gravity{2}	22	0	0 22	461	0	0	461
	Thermal 3{2}	-156175	0	0 156175	25	0	0	25
	Pressure 1{2}	3233611	0	03233611	871	0	0	871
	GT3{2}	-156153	0	0 156153	486	0	0	486
	Hydrotest-NL{2}	3077458	0	03077458	1357	0	0	1357
+669 -	Gravity{1}	11	0	0 11	220	0	0	220
	Thermal 1{1}	5514251	0	05514251	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01731035	56	0	0	56
	Thermal 3{1}	-156151	0	0 156151	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1333165	0	01333165	101	0	0	101
	Pressure 2{1}	2592512	0	02592512	-124	0	0	124
	Pressure 3{1}	2590977	0	02590977	-107	0	0	107
	GT1{1}	5514262	0	05514262	94	0	0	94
	GT2{1}	-.2E+07	0	01731024	276	0	0	276
	GT3{1}	-156140	0	0 156140	242	0	0	242
	GW1{1}	10	0	0 10	219	0	0	219
	GW2{1}	12	0	0 12	221	0	0	221
	GW3{1}	11	0	0 11	163	0	0	163
	GW4{1}	11	0	0 11	272	0	0	272
	GT1P1{1}	6847426	0	06847426	195	0	0	195
	GT2P2{1}	861488	0	0 861488	152	0	0	152
	GT3P3{1}	2434837	0	02434837	135	0	0	135
	Gravity{2}	22	0	0 22	461	0	0	461
	Thermal 3{2}	-156175	0	0 156175	25	0	0	25
	Pressure 1{2}	3233611	0	03233611	871	0	0	871
	GT3{2}	-156153	0	0 156153	486	0	0	486
	Hydrotest-NL{2}	3077458	0	03077458	1357	0	0	1357
+669 +	Gravity{1}	11	0	0 11	220	0	0	220
	Thermal 1{1}	5512589	0	05512589	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730998	56	0	0	56
	Thermal 3{1}	-156149	0	0 156149	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1320245	0	01320245	101	0	0	101
	Pressure 2{1}	2592459	0	02592459	-124	0	0	124
	Pressure 3{1}	2590902	0	02590902	-107	0	0	107
	GT1{1}	5512601	0	05512601	94	0	0	94
	GT2{1}	-.2E+07	0	01730986	276	0	0	276
	GT3{1}	-156138	0	0 156138	242	0	0	242
	GW1{1}	10	0	0 10	219	0	0	219
	GW2{1}	12	0	0 12	221	0	0	221
	GW3{1}	11	0	0 11	163	0	0	163
	GW4{1}	11	0	0 11	272	0	0	272
	GT1P1{1}	6832846	0	06832846	195	0	0	195
	GT2P2{1}	861473	0	0 861473	152	0	0	152
	GT3P3{1}	2434765	0	02434765	135	0	0	135
	Gravity{2}	22	0	0 22	461	0	0	461
	Thermal 3{2}	-156173	0	0 156173	25	0	0	25
	Pressure 1{2}	3233442	0	03233442	871	0	0	871
	GT3{2}	-156150	0	0 156150	486	0	0	486
	Hydrotest-NL{2}	3077292	0	03077292	1357	0	0	1357
+670 -	Gravity{1}	11	0	0 11	220	0	0	220
	Thermal 1{1}	5512589	0	05512589	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730998	56	0	0	56
	Thermal 3{1}	-156149	0	0 156149	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1320245	0	01320245	101	0	0	101
	Pressure 2{1}	2592459	0	02592459	-124	0	0	124
	Pressure 3{1}	2590902	0	02590902	-107	0	0	107
	GT1{1}	5512601	0	05512601	94	0	0	94

	GT2{1}	-.2E+07	0	01730986	276	0	0	276
	GT3{1}	-156138	0	0 156138	242	0	0	242
	GW1{1}	10	0	0 10	219	0	0	219
	GW2{1}	12	0	0 12	221	0	0	221
	GW3{1}	11	0	0 11	163	0	0	163
	GW4{1}	11	0	0 11	272	0	0	272
	GT1P1{1}	6832846	0	06832846	195	0	0	195
	GT2P2{1}	861473	0	0 861473	152	0	0	152
	GT3P3{1}	2434765	0	02434765	135	0	0	135
	Gravity{2}	22	0	0 22	461	0	0	461
	Thermal 3{2}	-156173	0	0 156173	25	0	0	25
	Pressure 1{2}	3233442	0	03233442	871	0	0	871
	GT3{2}	-156150	0	0 156150	486	0	0	486
	Hydrotest-NL{2}	3077292	0	03077292	1357	0	0	1357
+670 +	Gravity{1}	11	0	0 11	220	0	0	220
	Thermal 1{1}	5510904	0	05510904	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730960	56	0	0	56
	Thermal 3{1}	-156146	0	0 156146	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1307349	0	01307349	101	0	0	101
	Pressure 2{1}	2592406	0	02592406	-124	0	0	124
	Pressure 3{1}	2590826	0	02590826	-107	0	0	107
	GT1{1}	5510915	0	05510915	94	0	0	94
	GT2{1}	-.2E+07	0	01730949	276	0	0	276
	GT3{1}	-156135	0	0 156135	242	0	0	242
	GW1{1}	10	0	0 10	219	0	0	219
	GW2{1}	12	0	0 12	221	0	0	221
	GW3{1}	11	0	0 11	163	0	0	163
	GW4{1}	11	0	0 11	272	0	0	272
	GT1P1{1}	6818264	0	06818264	195	0	0	195
	GT2P2{1}	861457	0	0 861457	152	0	0	152
	GT3P3{1}	2434691	0	02434691	135	0	0	135
	Gravity{2}	23	0	0 23	461	0	0	461
	Thermal 3{2}	-156170	0	0 156170	25	0	0	25
	Pressure 1{2}	3233271	0	03233271	871	0	0	871
	GT3{2}	-156148	0	0 156148	486	0	0	486
	Hydrotest-NL{2}	3077123	0	03077123	1357	0	0	1357
+671 -	Gravity{1}	11	0	0 11	220	0	0	220
	Thermal 1{1}	5510904	0	05510904	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730960	56	0	0	56
	Thermal 3{1}	-156146	0	0 156146	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1307349	0	01307349	101	0	0	101
	Pressure 2{1}	2592406	0	02592406	-124	0	0	124
	Pressure 3{1}	2590826	0	02590826	-107	0	0	107
	GT1{1}	5510915	0	05510915	94	0	0	94
	GT2{1}	-.2E+07	0	01730949	276	0	0	276
	GT3{1}	-156135	0	0 156135	242	0	0	242
	GW1{1}	10	0	0 10	219	0	0	219
	GW2{1}	12	0	0 12	221	0	0	221
	GW3{1}	11	0	0 11	163	0	0	163
	GW4{1}	11	0	0 11	272	0	0	272
	GT1P1{1}	6818264	0	06818264	195	0	0	195
	GT2P2{1}	861457	0	0 861457	152	0	0	152
	GT3P3{1}	2434691	0	02434691	135	0	0	135
	Gravity{2}	23	0	0 23	461	0	0	461
	Thermal 3{2}	-156170	0	0 156170	25	0	0	25
	Pressure 1{2}	3233271	0	03233271	871	0	0	871
	GT3{2}	-156148	0	0 156148	486	0	0	486
	Hydrotest-NL{2}	3077123	0	03077123	1357	0	0	1357
+671 +	Gravity{1}	11	0	0 11	220	0	0	220
	Thermal 1{1}	5509193	0	05509193	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730922	56	0	0	56
	Thermal 3{1}	-156144	0	0 156144	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1294479	0	01294479	101	0	0	101
	Pressure 2{1}	2592352	0	02592352	-124	0	0	124
	Pressure 3{1}	2590749	0	02590749	-107	0	0	107
	GT1{1}	5509205	0	05509205	94	0	0	94
	GT2{1}	-.2E+07	0	01730911	276	0	0	276
	GT3{1}	-156132	0	0 156132	242	0	0	242
	GW1{1}	10	0	0 10	219	0	0	219
	GW2{1}	12	0	0 12	221	0	0	221
	GW3{1}	11	0	0 11	163	0	0	163
	GW4{1}	12	0	0 12	272	0	0	272
	GT1P1{1}	6803684	0	06803684	195	0	0	195
	GT2P2{1}	861441	0	0 861441	152	0	0	152
	GT3P3{1}	2434617	0	02434617	135	0	0	135
	Gravity{2}	23	0	0 23	461	0	0	461
	Thermal 3{2}	-156168	0	0 156168	25	0	0	25
	Pressure 1{2}	3233097	0	03233097	871	0	0	871
	GT3{2}	-156145	0	0 156145	486	0	0	486
	Hydrotest-NL{2}	3076952	0	03076952	1357	0	0	1357
+672 -	Gravity{1}	11	0	0 11	220	0	0	220
	Thermal 1{1}	5509193	0	05509193	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730922	56	0	0	56
	Thermal 3{1}	-156144	0	0 156144	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1294479	0	01294479	101	0	0	101
	Pressure 2{1}	2592352	0	02592352	-124	0	0	124
	Pressure 3{1}	2590749	0	02590749	-107	0	0	107
	GT1{1}	5509205	0	05509205	94	0	0	94

	GT2{1}	-.2E+07	0	01730911	276	0	0	276
	GT3{1}	-156132	0	0 156132	242	0	0	242
	GW1{1}	10	0	0 10	219	0	0	219
	GW2{1}	12	0	0 12	221	0	0	221
	GW3{1}	11	0	0 11	163	0	0	163
	GW4{1}	12	0	0 12	272	0	0	272
	GT1P1{1}	6803684	0	06803684	195	0	0	195
	GT2P2{1}	861441	0	0 861441	152	0	0	152
	GT3P3{1}	2434617	0	02434617	135	0	0	135
	Gravity{2}	23	0	0 23	461	0	0	461
	Thermal 3{2}	-156168	0	0 156168	25	0	0	25
	Pressure 1{2}	3233097	0	03233097	871	0	0	871
	GT3{2}	-156145	0	0 156145	486	0	0	486
	Hydrotest-NL{2}	3076952	0	03076952	1357	0	0	1357
+672 +	Gravity{1}	12	0	0 12	220	0	0	220
	Thermal 1{1}	5507457	0	05507457	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730883	56	0	0	56
	Thermal 3{1}	-156141	0	0 156141	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1281633	0	01281633	101	0	0	101
	Pressure 2{1}	2592297	0	02592297	-124	0	0	124
	Pressure 3{1}	2590671	0	02590671	-107	0	0	107
	GT1{1}	5507469	0	05507469	94	0	0	94
	GT2{1}	-.2E+07	0	01730871	276	0	0	276
	GT3{1}	-156129	0	0 156129	242	0	0	242
	GW1{1}	11	0	0 11	219	0	0	219
	GW2{1}	13	0	0 13	221	0	0	221
	GW3{1}	11	0	0 11	163	0	0	163
	GW4{1}	12	0	0 12	272	0	0	272
	GT1P1{1}	6789102	0	06789102	195	0	0	195
	GT2P2{1}	861426	0	0 861426	152	0	0	152
	GT3P3{1}	2434541	0	02434541	135	0	0	135
	Gravity{2}	23	0	0 23	461	0	0	461
	Thermal 3{2}	-156166	0	0 156166	25	0	0	25
	Pressure 1{2}	3232921	0	03232921	871	0	0	871
	GT3{2}	-156143	0	0 156143	486	0	0	486
	Hydrotest-NL{2}	3076778	0	03076778	1357	0	0	1357
+673 -	Gravity{1}	12	0	0 12	220	0	0	220
	Thermal 1{1}	5507457	0	05507457	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730883	56	0	0	56
	Thermal 3{1}	-156141	0	0 156141	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1281633	0	01281633	101	0	0	101
	Pressure 2{1}	2592297	0	02592297	-124	0	0	124
	Pressure 3{1}	2590671	0	02590671	-107	0	0	107
	GT1{1}	5507469	0	05507469	94	0	0	94
	GT2{1}	-.2E+07	0	01730871	276	0	0	276
	GT3{1}	-156129	0	0 156129	242	0	0	242
	GW1{1}	11	0	0 11	219	0	0	219
	GW2{1}	13	0	0 13	221	0	0	221
	GW3{1}	11	0	0 11	163	0	0	163
	GW4{1}	12	0	0 12	272	0	0	272
	GT1P1{1}	6789102	0	06789102	195	0	0	195
	GT2P2{1}	861426	0	0 861426	152	0	0	152
	GT3P3{1}	2434541	0	02434541	135	0	0	135
	Gravity{2}	23	0	0 23	461	0	0	461
	Thermal 3{2}	-156166	0	0 156166	25	0	0	25
	Pressure 1{2}	3232921	0	03232921	871	0	0	871
	GT3{2}	-156143	0	0 156143	486	0	0	486
	Hydrotest-NL{2}	3076778	0	03076778	1357	0	0	1357
+673 +	Gravity{1}	12	0	0 12	220	0	0	220
	Thermal 1{1}	5505696	0	05505696	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730844	56	0	0	56
	Thermal 3{1}	-156138	0	0 156138	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1268813	0	01268813	101	0	0	101
	Pressure 2{1}	2592242	0	02592242	-124	0	0	124
	Pressure 3{1}	2590591	0	02590591	-107	0	0	107
	GT1{1}	5505708	0	05505708	94	0	0	94
	GT2{1}	-.2E+07	0	01730832	276	0	0	276
	GT3{1}	-156127	0	0 156127	242	0	0	242
	GW1{1}	11	0	0 11	219	0	0	219
	GW2{1}	13	0	0 13	221	0	0	221
	GW3{1}	12	0	0 12	163	0	0	163
	GW4{1}	12	0	0 12	272	0	0	272
	GT1P1{1}	6774521	0	06774521	195	0	0	195
	GT2P2{1}	861409	0	0 861409	152	0	0	152
	GT3P3{1}	2434465	0	02434465	135	0	0	135
	Gravity{2}	24	0	0 24	461	0	0	461
	Thermal 3{2}	-156164	0	0 156164	25	0	0	25
	Pressure 1{2}	3232742	0	03232742	871	0	0	871
	GT3{2}	-156140	0	0 156140	486	0	0	486
	Hydrotest-NL{2}	3076602	0	03076602	1357	0	0	1357
+674 -	Gravity{1}	12	0	0 12	220	0	0	220
	Thermal 1{1}	5505696	0	05505696	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730844	56	0	0	56
	Thermal 3{1}	-156138	0	0 156138	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1268813	0	01268813	101	0	0	101
	Pressure 2{1}	2592242	0	02592242	-124	0	0	124
	Pressure 3{1}	2590591	0	02590591	-107	0	0	107
	GT1{1}	5505708	0	05505708	94	0	0	94

	GT2{1}	-.2E+07	0	01730832	276	0	0	276
	GT3{1}	-156127	0	0 156127	242	0	0	242
	GW1{1}	11	0	0 11	219	0	0	219
	GW2{1}	13	0	0 13	221	0	0	221
	GW3{1}	12	0	0 12	163	0	0	163
	GW4{1}	12	0	0 12	272	0	0	272
	GT1P1{1}	6774521	0	06774521	195	0	0	195
	GT2P2{1}	861409	0	0 861409	152	0	0	152
	GT3P3{1}	2434465	0	02434465	135	0	0	135
	Gravity{2}	24	0	0 24	461	0	0	461
	Thermal 3{2}	-156164	0	0 156164	25	0	0	25
	Pressure 1{2}	3232742	0	03232742	871	0	0	871
	GT3{2}	-156140	0	0 156140	486	0	0	486
	Hydrotest-NL{2}	3076602	0	03076602	1357	0	0	1357
+674 +	Gravity{1}	12	0	0 12	220	0	0	220
	Thermal 1{1}	5503909	0	05503909	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730804	56	0	0	56
	Thermal 3{1}	-156136	0	0 156136	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1256018	0	01256018	101	0	0	101
	Pressure 2{1}	2592185	0	02592185	-124	0	0	124
	Pressure 3{1}	2590511	0	02590511	-107	0	0	107
	GT1{1}	5503922	0	05503922	94	0	0	94
	GT2{1}	-.2E+07	0	01730792	276	0	0	276
	GT3{1}	-156124	0	0 156124	242	0	0	242
	GW1{1}	11	0	0 11	219	0	0	219
	GW2{1}	13	0	0 13	221	0	0	221
	GW3{1}	12	0	0 12	163	0	0	163
	GW4{1}	12	0	0 12	272	0	0	272
	GT1P1{1}	6759940	0	06759940	195	0	0	195
	GT2P2{1}	861393	0	0 861393	152	0	0	152
	GT3P3{1}	2434387	0	02434387	135	0	0	135
	Gravity{2}	24	0	0 24	461	0	0	461
	Thermal 3{2}	-156161	0	0 156161	25	0	0	25
	Pressure 1{2}	3232561	0	03232561	871	0	0	871
	GT3{2}	-156138	0	0 156138	486	0	0	486
	Hydrotest-NL{2}	3076423	0	03076423	1357	0	0	1357
+675 -	Gravity{1}	12	0	0 12	220	0	0	220
	Thermal 1{1}	5503909	0	05503909	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730804	56	0	0	56
	Thermal 3{1}	-156136	0	0 156136	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1256018	0	01256018	101	0	0	101
	Pressure 2{1}	2592185	0	02592185	-124	0	0	124
	Pressure 3{1}	2590511	0	02590511	-107	0	0	107
	GT1{1}	5503922	0	05503922	94	0	0	94
	GT2{1}	-.2E+07	0	01730792	276	0	0	276
	GT3{1}	-156124	0	0 156124	242	0	0	242
	GW1{1}	11	0	0 11	219	0	0	219
	GW2{1}	13	0	0 13	221	0	0	221
	GW3{1}	12	0	0 12	163	0	0	163
	GW4{1}	12	0	0 12	272	0	0	272
	GT1P1{1}	6759940	0	06759940	195	0	0	195
	GT2P2{1}	861393	0	0 861393	152	0	0	152
	GT3P3{1}	2434387	0	02434387	135	0	0	135
	Gravity{2}	24	0	0 24	461	0	0	461
	Thermal 3{2}	-156161	0	0 156161	25	0	0	25
	Pressure 1{2}	3232561	0	03232561	871	0	0	871
	GT3{2}	-156138	0	0 156138	486	0	0	486
	Hydrotest-NL{2}	3076423	0	03076423	1357	0	0	1357
+675 +	Gravity{1}	12	0	0 12	220	0	0	220
	Thermal 1{1}	5502096	0	05502096	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730764	56	0	0	56
	Thermal 3{1}	-156133	0	0 156133	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1243250	0	01243250	101	0	0	101
	Pressure 2{1}	2592128	0	02592128	-124	0	0	124
	Pressure 3{1}	2590429	0	02590429	-107	0	0	107
	GT1{1}	5502108	0	05502108	94	0	0	94
	GT2{1}	-.2E+07	0	01730752	276	0	0	276
	GT3{1}	-156121	0	0 156121	242	0	0	242
	GW1{1}	11	0	0 11	219	0	0	219
	GW2{1}	13	0	0 13	221	0	0	221
	GW3{1}	12	0	0 12	163	0	0	163
	GW4{1}	12	0	0 12	272	0	0	272
	GT1P1{1}	6745359	0	06745359	195	0	0	195
	GT2P2{1}	861376	0	0 861376	152	0	0	152
	GT3P3{1}	2434308	0	02434308	135	0	0	135
	Gravity{2}	24	0	0 24	461	0	0	461
	Thermal 3{2}	-156159	0	0 156159	25	0	0	25
	Pressure 1{2}	3232377	0	03232377	871	0	0	871
	GT3{2}	-156135	0	0 156135	486	0	0	486
	Hydrotest-NL{2}	3076242	0	03076242	1357	0	0	1357
+676 -	Gravity{1}	12	0	0 12	220	0	0	220
	Thermal 1{1}	5502096	0	05502096	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730764	56	0	0	56
	Thermal 3{1}	-156133	0	0 156133	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1243250	0	01243250	101	0	0	101
	Pressure 2{1}	2592128	0	02592128	-124	0	0	124
	Pressure 3{1}	2590429	0	02590429	-107	0	0	107
	GT1{1}	5502108	0	05502108	94	0	0	94

	GT2{1}	-.2E+07	0	01730752	276	0	0	276
	GT3{1}	-156121	0	0 156121	242	0	0	242
	GW1{1}	11	0	0 11	219	0	0	219
	GW2{1}	13	0	0 13	221	0	0	221
	GW3{1}	12	0	0 12	163	0	0	163
	GW4{1}	12	0	0 12	272	0	0	272
	GT1P1{1}	6745359	0	06745359	195	0	0	195
	GT2P2{1}	861376	0	0 861376	152	0	0	152
	GT3P3{1}	2434308	0	02434308	135	0	0	135
	Gravity{2}	24	0	0 24	461	0	0	461
	Thermal 3{2}	-156159	0	0 156159	25	0	0	25
	Pressure 1{2}	3232377	0	03232377	871	0	0	871
	GT3{2}	-156135	0	0 156135	486	0	0	486
	Hydrotest-NL{2}	3076242	0	03076242	1357	0	0	1357
+676 +	Gravity{1}	12	0	0 12	220	0	0	220
	Thermal 1{1}	5500256	0	05500256	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730723	56	0	0	56
	Thermal 3{1}	-156130	0	0 156130	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1230509	0	01230509	101	0	0	101
	Pressure 2{1}	2592070	0	02592070	-124	0	0	124
	Pressure 3{1}	2590346	0	02590346	-107	0	0	107
	GT1{1}	5500268	0	05500268	94	0	0	94
	GT2{1}	-.2E+07	0	01730710	276	0	0	276
	GT3{1}	-156118	0	0 156118	242	0	0	242
	GW1{1}	11	0	0 11	219	0	0	219
	GW2{1}	13	0	0 13	221	0	0	221
	GW3{1}	12	0	0 12	163	0	0	163
	GW4{1}	13	0	0 13	272	0	0	272
	GT1P1{1}	6730777	0	06730777	195	0	0	195
	GT2P2{1}	861359	0	0 861359	152	0	0	152
	GT3P3{1}	2434228	0	02434228	135	0	0	135
	Gravity{2}	25	0	0 25	461	0	0	461
	Thermal 3{2}	-156157	0	0 156157	25	0	0	25
	Pressure 1{2}	3232190	0	03232190	871	0	0	871
	GT3{2}	-156132	0	0 156132	486	0	0	486
	Hydrotest-NL{2}	3076058	0	03076058	1357	0	0	1357
+677 -	Gravity{1}	12	0	0 12	220	0	0	220
	Thermal 1{1}	5500256	0	05500256	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730723	56	0	0	56
	Thermal 3{1}	-156130	0	0 156130	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1230509	0	01230509	101	0	0	101
	Pressure 2{1}	2592070	0	02592070	-124	0	0	124
	Pressure 3{1}	2590346	0	02590346	-107	0	0	107
	GT1{1}	5500268	0	05500268	94	0	0	94
	GT2{1}	-.2E+07	0	01730710	276	0	0	276
	GT3{1}	-156118	0	0 156118	242	0	0	242
	GW1{1}	11	0	0 11	219	0	0	219
	GW2{1}	13	0	0 13	221	0	0	221
	GW3{1}	12	0	0 12	163	0	0	163
	GW4{1}	13	0	0 13	272	0	0	272
	GT1P1{1}	6730777	0	06730777	195	0	0	195
	GT2P2{1}	861359	0	0 861359	152	0	0	152
	GT3P3{1}	2434228	0	02434228	135	0	0	135
	Gravity{2}	25	0	0 25	461	0	0	461
	Thermal 3{2}	-156157	0	0 156157	25	0	0	25
	Pressure 1{2}	3232190	0	03232190	871	0	0	871
	GT3{2}	-156132	0	0 156132	486	0	0	486
	Hydrotest-NL{2}	3076058	0	03076058	1357	0	0	1357
+677 +	Gravity{1}	13	0	0 13	220	0	0	220
	Thermal 1{1}	5498390	0	05498390	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730681	56	0	0	56
	Thermal 3{1}	-156128	0	0 156128	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1217794	0	01217794	101	0	0	101
	Pressure 2{1}	2592011	0	02592011	-124	0	0	124
	Pressure 3{1}	2590262	0	02590262	-107	0	0	107
	GT1{1}	5498402	0	05498402	94	0	0	94
	GT2{1}	-.2E+07	0	01730669	276	0	0	276
	GT3{1}	-156115	0	0 156115	242	0	0	242
	GW1{1}	11	0	0 11	219	0	0	219
	GW2{1}	14	0	0 14	221	0	0	221
	GW3{1}	12	0	0 12	163	0	0	163
	GW4{1}	13	0	0 13	272	0	0	272
	GT1P1{1}	6716196	0	06716196	195	0	0	195
	GT2P2{1}	861342	0	0 861342	152	0	0	152
	GT3P3{1}	2434147	0	02434147	135	0	0	135
	Gravity{2}	25	0	0 25	461	0	0	461
	Thermal 3{2}	-156154	0	0 156154	25	0	0	25
	Pressure 1{2}	3232001	0	03232001	871	0	0	871
	GT3{2}	-156129	0	0 156129	486	0	0	486
	Hydrotest-NL{2}	3075871	0	03075871	1357	0	0	1357
+678 -	Gravity{1}	13	0	0 13	220	0	0	220
	Thermal 1{1}	5498390	0	05498390	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730681	56	0	0	56
	Thermal 3{1}	-156128	0	0 156128	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1217794	0	01217794	101	0	0	101
	Pressure 2{1}	2592011	0	02592011	-124	0	0	124
	Pressure 3{1}	2590262	0	02590262	-107	0	0	107
	GT1{1}	5498402	0	05498402	94	0	0	94

	GT2{1}	-.2E+07	0	01730669	276	0	0	276
	GT3{1}	-156115	0	0 156115	242	0	0	242
	GW1{1}	11	0	0 11	219	0	0	219
	GW2{1}	14	0	0 14	221	0	0	221
	GW3{1}	12	0	0 12	163	0	0	163
	GW4{1}	13	0	0 13	272	0	0	272
	GT1P1{1}	6716196	0	06716196	195	0	0	195
	GT2P2{1}	861342	0	0 861342	152	0	0	152
	GT3P3{1}	2434147	0	02434147	135	0	0	135
	Gravity{2}	25	0	0 25	461	0	0	461
	Thermal 3{2}	-156154	0	0 156154	25	0	0	25
	Pressure 1{2}	3232001	0	03232001	871	0	0	871
	GT3{2}	-156129	0	0 156129	486	0	0	486
	Hydrotest-NL{2}	3075871	0	03075871	1357	0	0	1357
+678 +	Gravity{1}	13	0	0 13	220	0	0	220
	Thermal 1{1}	5496496	0	05496496	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730639	56	0	0	56
	Thermal 3{1}	-156125	0	0 156125	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1205107	0	01205107	101	0	0	101
	Pressure 2{1}	2591951	0	02591951	-124	0	0	124
	Pressure 3{1}	2590176	0	02590176	-107	0	0	107
	GT1{1}	5496509	0	05496509	94	0	0	94
	GT2{1}	-.2E+07	0	01730626	276	0	0	276
	GT3{1}	-156112	0	0 156112	242	0	0	242
	GW1{1}	12	0	0 12	219	0	0	219
	GW2{1}	14	0	0 14	221	0	0	221
	GW3{1}	12	0	0 12	163	0	0	163
	GW4{1}	13	0	0 13	272	0	0	272
	GT1P1{1}	6701615	0	06701615	195	0	0	195
	GT2P2{1}	861325	0	0 861325	152	0	0	152
	GT3P3{1}	2434064	0	02434064	135	0	0	135
	Gravity{2}	25	0	0 25	461	0	0	461
	Thermal 3{2}	-156152	0	0 156152	25	0	0	25
	Pressure 1{2}	3231808	0	03231808	871	0	0	871
	GT3{2}	-156127	0	0 156127	486	0	0	486
	Hydrotest-NL{2}	3075682	0	03075682	1357	0	0	1357
+679 -	Gravity{1}	13	0	0 13	220	0	0	220
	Thermal 1{1}	5496496	0	05496496	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730639	56	0	0	56
	Thermal 3{1}	-156125	0	0 156125	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1205107	0	01205107	101	0	0	101
	Pressure 2{1}	2591951	0	02591951	-124	0	0	124
	Pressure 3{1}	2590176	0	02590176	-107	0	0	107
	GT1{1}	5496509	0	05496509	94	0	0	94
	GT2{1}	-.2E+07	0	01730626	276	0	0	276
	GT3{1}	-156112	0	0 156112	242	0	0	242
	GW1{1}	12	0	0 12	219	0	0	219
	GW2{1}	14	0	0 14	221	0	0	221
	GW3{1}	12	0	0 12	163	0	0	163
	GW4{1}	13	0	0 13	272	0	0	272
	GT1P1{1}	6701615	0	06701615	195	0	0	195
	GT2P2{1}	861325	0	0 861325	152	0	0	152
	GT3P3{1}	2434064	0	02434064	135	0	0	135
	Gravity{2}	25	0	0 25	461	0	0	461
	Thermal 3{2}	-156152	0	0 156152	25	0	0	25
	Pressure 1{2}	3231808	0	03231808	871	0	0	871
	GT3{2}	-156127	0	0 156127	486	0	0	486
	Hydrotest-NL{2}	3075682	0	03075682	1357	0	0	1357
+679 +	Gravity{1}	13	0	0 13	220	0	0	220
	Thermal 1{1}	5494574	0	05494574	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730596	56	0	0	56
	Thermal 3{1}	-156122	0	0 156122	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1192447	0	01192447	101	0	0	101
	Pressure 2{1}	2591890	0	02591890	-124	0	0	124
	Pressure 3{1}	2590089	0	02590089	-107	0	0	107
	GT1{1}	5494587	0	05494587	94	0	0	94
	GT2{1}	-.2E+07	0	01730583	276	0	0	276
	GT3{1}	-156109	0	0 156109	242	0	0	242
	GW1{1}	12	0	0 12	219	0	0	219
	GW2{1}	14	0	0 14	221	0	0	221
	GW3{1}	13	0	0 13	163	0	0	163
	GW4{1}	13	0	0 13	272	0	0	272
	GT1P1{1}	6687034	0	06687034	195	0	0	195
	GT2P2{1}	861307	0	0 861307	152	0	0	152
	GT3P3{1}	2433980	0	02433980	135	0	0	135
	Gravity{2}	26	0	0 26	461	0	0	461
	Thermal 3{2}	-156149	0	0 156149	25	0	0	25
	Pressure 1{2}	3231613	0	03231613	871	0	0	871
	GT3{2}	-156124	0	0 156124	486	0	0	486
	Hydrotest-NL{2}	3075490	0	03075490	1357	0	0	1357
+680 -	Gravity{1}	13	0	0 13	220	0	0	220
	Thermal 1{1}	5494574	0	05494574	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730596	56	0	0	56
	Thermal 3{1}	-156122	0	0 156122	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1192447	0	01192447	101	0	0	101
	Pressure 2{1}	2591890	0	02591890	-124	0	0	124
	Pressure 3{1}	2590089	0	02590089	-107	0	0	107
	GT1{1}	5494587	0	05494587	94	0	0	94

	GT2{1}	-.2E+07	0	01730583	276	0	0	276
	GT3{1}	-156109	0	0 156109	242	0	0	242
	GW1{1}	12	0	0 12	219	0	0	219
	GW2{1}	14	0	0 14	221	0	0	221
	GW3{1}	13	0	0 13	163	0	0	163
	GW4{1}	13	0	0 13	272	0	0	272
	GT1P1{1}	6687034	0	06687034	195	0	0	195
	GT2P2{1}	861307	0	0 861307	152	0	0	152
	GT3P3{1}	2433980	0	02433980	135	0	0	135
	Gravity{2}	26	0	0 26	461	0	0	461
	Thermal 3{2}	-156149	0	0 156149	25	0	0	25
	Pressure 1{2}	3231613	0	03231613	871	0	0	871
	GT3{2}	-156124	0	0 156124	486	0	0	486
	Hydrotest-NL{2}	3075490	0	03075490	1357	0	0	1357
+680 +	Gravity{1}	13	0	0 13	220	0	0	220
	Thermal 1{1}	5492624	0	05492624	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730553	56	0	0	56
	Thermal 3{1}	-156119	0	0 156119	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1179816	0	01179816	101	0	0	101
	Pressure 2{1}	2591828	0	02591828	-124	0	0	124
	Pressure 3{1}	2590001	0	02590001	-107	0	0	107
	GT1{1}	5492637	0	05492637	94	0	0	94
	GT2{1}	-.2E+07	0	01730540	276	0	0	276
	GT3{1}	-156106	0	0 156106	242	0	0	242
	GW1{1}	12	0	0 12	219	0	0	219
	GW2{1}	14	0	0 14	221	0	0	221
	GW3{1}	13	0	0 13	163	0	0	163
	GW4{1}	13	0	0 13	272	0	0	272
	GT1P1{1}	6672453	0	06672453	195	0	0	195
	GT2P2{1}	861289	0	0 861289	152	0	0	152
	GT3P3{1}	2433896	0	02433896	135	0	0	135
	Gravity{2}	26	0	0 26	461	0	0	461
	Thermal 3{2}	-156147	0	0 156147	25	0	0	25
	Pressure 1{2}	3231415	0	03231415	871	0	0	871
	GT3{2}	-156121	0	0 156121	486	0	0	486
	Hydrotest-NL{2}	3075294	0	03075294	1357	0	0	1357
+681 -	Gravity{1}	13	0	0 13	220	0	0	220
	Thermal 1{1}	5492624	0	05492624	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730553	56	0	0	56
	Thermal 3{1}	-156119	0	0 156119	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1179816	0	01179816	101	0	0	101
	Pressure 2{1}	2591828	0	02591828	-124	0	0	124
	Pressure 3{1}	2590001	0	02590001	-107	0	0	107
	GT1{1}	5492637	0	05492637	94	0	0	94
	GT2{1}	-.2E+07	0	01730540	276	0	0	276
	GT3{1}	-156106	0	0 156106	242	0	0	242
	GW1{1}	12	0	0 12	219	0	0	219
	GW2{1}	14	0	0 14	221	0	0	221
	GW3{1}	13	0	0 13	163	0	0	163
	GW4{1}	13	0	0 13	272	0	0	272
	GT1P1{1}	6672453	0	06672453	195	0	0	195
	GT2P2{1}	861289	0	0 861289	152	0	0	152
	GT3P3{1}	2433896	0	02433896	135	0	0	135
	Gravity{2}	26	0	0 26	461	0	0	461
	Thermal 3{2}	-156147	0	0 156147	25	0	0	25
	Pressure 1{2}	3231415	0	03231415	871	0	0	871
	GT3{2}	-156121	0	0 156121	486	0	0	486
	Hydrotest-NL{2}	3075294	0	03075294	1357	0	0	1357
+681 +	Gravity{1}	13	0	0 13	220	0	0	220
	Thermal 1{1}	5490645	0	05490645	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730509	56	0	0	56
	Thermal 3{1}	-156116	0	0 156116	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1167213	0	01167213	101	0	0	101
	Pressure 2{1}	2591766	0	02591766	-124	0	0	124
	Pressure 3{1}	2589912	0	02589912	-107	0	0	107
	GT1{1}	5490659	0	05490659	94	0	0	94
	GT2{1}	-.2E+07	0	01730495	276	0	0	276
	GT3{1}	-156103	0	0 156103	242	0	0	242
	GW1{1}	12	0	0 12	219	0	0	219
	GW2{1}	14	0	0 14	221	0	0	221
	GW3{1}	13	0	0 13	163	0	0	163
	GW4{1}	13	0	0 13	272	0	0	272
	GT1P1{1}	6657872	0	06657872	195	0	0	195
	GT2P2{1}	861270	0	0 861270	152	0	0	152
	GT3P3{1}	2433809	0	02433809	135	0	0	135
	Gravity{2}	26	0	0 26	461	0	0	461
	Thermal 3{2}	-156144	0	0 156144	25	0	0	25
	Pressure 1{2}	3231214	0	03231214	871	0	0	871
	GT3{2}	-156118	0	0 156118	486	0	0	486
	Hydrotest-NL{2}	3075097	0	03075097	1357	0	0	1357
+682 -	Gravity{1}	13	0	0 13	220	0	0	220
	Thermal 1{1}	5490645	0	05490645	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730509	56	0	0	56
	Thermal 3{1}	-156116	0	0 156116	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1167213	0	01167213	101	0	0	101
	Pressure 2{1}	2591766	0	02591766	-124	0	0	124
	Pressure 3{1}	2589912	0	02589912	-107	0	0	107
	GT1{1}	5490659	0	05490659	94	0	0	94

	GT2{1}	-.2E+07	0	01730495	276	0	0	276
	GT3{1}	-156103	0	0 156103	242	0	0	242
	GW1{1}	12	0	0 12	219	0	0	219
	GW2{1}	14	0	0 14	221	0	0	221
	GW3{1}	13	0	0 13	163	0	0	163
	GW4{1}	13	0	0 13	272	0	0	272
	GT1P1{1}	6657872	0	06657872	195	0	0	195
	GT2P2{1}	861270	0	0 861270	152	0	0	152
	GT3P3{1}	2433809	0	02433809	135	0	0	135
	Gravity{2}	26	0	0 26	461	0	0	461
	Thermal 3{2}	-156144	0	0 156144	25	0	0	25
	Pressure 1{2}	3231214	0	03231214	871	0	0	871
	GT3{2}	-156118	0	0 156118	486	0	0	486
	Hydrotest-NL{2}	3075097	0	03075097	1357	0	0	1357
+682 +	Gravity{1}	13	0	0 13	220	0	0	220
	Thermal 1{1}	5488638	0	05488638	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730464	56	0	0	56
	Thermal 3{1}	-156113	0	0 156113	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1154639	0	01154639	101	0	0	101
	Pressure 2{1}	2591703	0	02591703	-124	0	0	124
	Pressure 3{1}	2589822	0	02589822	-107	0	0	107
	GT1{1}	5488651	0	05488651	94	0	0	94
	GT2{1}	-.2E+07	0	01730450	276	0	0	276
	GT3{1}	-156099	0	0 156099	242	0	0	242
	GW1{1}	12	0	0 12	219	0	0	219
	GW2{1}	15	0	0 15	221	0	0	221
	GW3{1}	13	0	0 13	163	0	0	163
	GW4{1}	14	0	0 14	272	0	0	272
	GT1P1{1}	6643291	0	06643291	195	0	0	195
	GT2P2{1}	861252	0	0 861252	152	0	0	152
	GT3P3{1}	2433722	0	02433722	135	0	0	135
	Gravity{2}	27	0	0 27	461	0	0	461
	Thermal 3{2}	-156142	0	0 156142	25	0	0	25
	Pressure 1{2}	3231011	0	03231011	871	0	0	871
	GT3{2}	-156115	0	0 156115	486	0	0	486
	Hydrotest-NL{2}	3074896	0	03074896	1357	0	0	1357
+683 -	Gravity{1}	13	0	0 13	220	0	0	220
	Thermal 1{1}	5488638	0	05488638	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730464	56	0	0	56
	Thermal 3{1}	-156113	0	0 156113	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1154639	0	01154639	101	0	0	101
	Pressure 2{1}	2591703	0	02591703	-124	0	0	124
	Pressure 3{1}	2589822	0	02589822	-107	0	0	107
	GT1{1}	5488651	0	05488651	94	0	0	94
	GT2{1}	-.2E+07	0	01730450	276	0	0	276
	GT3{1}	-156099	0	0 156099	242	0	0	242
	GW1{1}	12	0	0 12	219	0	0	219
	GW2{1}	15	0	0 15	221	0	0	221
	GW3{1}	13	0	0 13	163	0	0	163
	GW4{1}	14	0	0 14	272	0	0	272
	GT1P1{1}	6643291	0	06643291	195	0	0	195
	GT2P2{1}	861252	0	0 861252	152	0	0	152
	GT3P3{1}	2433722	0	02433722	135	0	0	135
	Gravity{2}	27	0	0 27	461	0	0	461
	Thermal 3{2}	-156142	0	0 156142	25	0	0	25
	Pressure 1{2}	3231011	0	03231011	871	0	0	871
	GT3{2}	-156115	0	0 156115	486	0	0	486
	Hydrotest-NL{2}	3074896	0	03074896	1357	0	0	1357
+683 +	Gravity{1}	14	0	0 14	220	0	0	220
	Thermal 1{1}	5486601	0	05486601	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730418	56	0	0	56
	Thermal 3{1}	-156110	0	0 156110	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1142095	0	01142095	101	0	0	101
	Pressure 2{1}	2591638	0	02591638	-124	0	0	124
	Pressure 3{1}	2589729	0	02589729	-107	0	0	107
	GT1{1}	5486615	0	05486615	94	0	0	94
	GT2{1}	-.2E+07	0	01730405	276	0	0	276
	GT3{1}	-156096	0	0 156096	242	0	0	242
	GW1{1}	12	0	0 12	219	0	0	219
	GW2{1}	15	0	0 15	221	0	0	221
	GW3{1}	13	0	0 13	163	0	0	163
	GW4{1}	14	0	0 14	272	0	0	272
	GT1P1{1}	6628710	0	06628710	195	0	0	195
	GT2P2{1}	861233	0	0 861233	152	0	0	152
	GT3P3{1}	2433633	0	02433633	135	0	0	135
	Gravity{2}	27	0	0 27	461	0	0	461
	Thermal 3{2}	-156139	0	0 156139	25	0	0	25
	Pressure 1{2}	3230804	0	03230804	871	0	0	871
	GT3{2}	-156112	0	0 156112	486	0	0	486
	Hydrotest-NL{2}	3074692	0	03074692	1357	0	0	1357
+684 -	Gravity{1}	14	0	0 14	220	0	0	220
	Thermal 1{1}	5486601	0	05486601	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730418	56	0	0	56
	Thermal 3{1}	-156110	0	0 156110	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1142095	0	01142095	101	0	0	101
	Pressure 2{1}	2591638	0	02591638	-124	0	0	124
	Pressure 3{1}	2589729	0	02589729	-107	0	0	107
	GT1{1}	5486615	0	05486615	94	0	0	94

	GT2{1}	-.2E+07	0	01730405	276	0	0	276
	GT3{1}	-156096	0	0 156096	242	0	0	242
	GW1{1}	12	0	0 12	219	0	0	219
	GW2{1}	15	0	0 15	221	0	0	221
	GW3{1}	13	0	0 13	163	0	0	163
	GW4{1}	14	0	0 14	272	0	0	272
	GT1P1{1}	6628710	0	06628710	195	0	0	195
	GT2P2{1}	861233	0	0 861233	152	0	0	152
	GT3P3{1}	2433633	0	02433633	135	0	0	135
	Gravity{2}	27	0	0 27	461	0	0	461
	Thermal 3{2}	-156139	0	0 156139	25	0	0	25
	Pressure 1{2}	3230804	0	03230804	871	0	0	871
	GT3{2}	-156112	0	0 156112	486	0	0	486
	Hydrotest-NL{2}	3074692	0	03074692	1357	0	0	1357
+684 +	Gravity{1}	14	0	0 14	220	0	0	220
	Thermal 1{1}	5484534	0	05484534	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730372	56	0	0	56
	Thermal 3{1}	-156107	0	0 156107	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1129581	0	01129581	101	0	0	101
	Pressure 2{1}	2591573	0	02591573	-124	0	0	124
	Pressure 3{1}	2589636	0	02589636	-107	0	0	107
	GT1{1}	5484548	0	05484548	94	0	0	94
	GT2{1}	-.2E+07	0	01730359	276	0	0	276
	GT3{1}	-156093	0	0 156093	242	0	0	242
	GW1{1}	13	0	0 13	219	0	0	219
	GW2{1}	15	0	0 15	221	0	0	221
	GW3{1}	14	0	0 14	163	0	0	163
	GW4{1}	14	0	0 14	272	0	0	272
	GT1P1{1}	6614128	0	06614128	195	0	0	195
	GT2P2{1}	861214	0	0 861214	152	0	0	152
	GT3P3{1}	2433543	0	02433543	135	0	0	135
	Gravity{2}	28	0	0 28	461	0	0	461
	Thermal 3{2}	-156136	0	0 156136	25	0	0	25
	Pressure 1{2}	3230594	0	03230594	871	0	0	871
	GT3{2}	-156109	0	0 156109	486	0	0	486
	Hydrotest-NL{2}	3074485	0	03074485	1357	0	0	1357
+685 -	Gravity{1}	14	0	0 14	220	0	0	220
	Thermal 1{1}	5484534	0	05484534	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730372	56	0	0	56
	Thermal 3{1}	-156107	0	0 156107	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1129581	0	01129581	101	0	0	101
	Pressure 2{1}	2591573	0	02591573	-124	0	0	124
	Pressure 3{1}	2589636	0	02589636	-107	0	0	107
	GT1{1}	5484548	0	05484548	94	0	0	94
	GT2{1}	-.2E+07	0	01730359	276	0	0	276
	GT3{1}	-156093	0	0 156093	242	0	0	242
	GW1{1}	13	0	0 13	219	0	0	219
	GW2{1}	15	0	0 15	221	0	0	221
	GW3{1}	14	0	0 14	163	0	0	163
	GW4{1}	14	0	0 14	272	0	0	272
	GT1P1{1}	6614128	0	06614128	195	0	0	195
	GT2P2{1}	861214	0	0 861214	152	0	0	152
	GT3P3{1}	2433543	0	02433543	135	0	0	135
	Gravity{2}	28	0	0 28	461	0	0	461
	Thermal 3{2}	-156136	0	0 156136	25	0	0	25
	Pressure 1{2}	3230594	0	03230594	871	0	0	871
	GT3{2}	-156109	0	0 156109	486	0	0	486
	Hydrotest-NL{2}	3074485	0	03074485	1357	0	0	1357
+685 +	Gravity{1}	14	0	0 14	220	0	0	220
	Thermal 1{1}	5482437	0	05482437	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730326	56	0	0	56
	Thermal 3{1}	-156104	0	0 156104	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1117097	0	01117097	101	0	0	101
	Pressure 2{1}	2591507	0	02591507	-124	0	0	124
	Pressure 3{1}	2589542	0	02589542	-107	0	0	107
	GT1{1}	5482451	0	05482451	94	0	0	94
	GT2{1}	-.2E+07	0	01730312	276	0	0	276
	GT3{1}	-156090	0	0 156090	242	0	0	242
	GW1{1}	13	0	0 13	219	0	0	219
	GW2{1}	15	0	0 15	221	0	0	221
	GW3{1}	14	0	0 14	163	0	0	163
	GW4{1}	14	0	0 14	272	0	0	272
	GT1P1{1}	6599547	0	06599547	195	0	0	195
	GT2P2{1}	861195	0	0 861195	152	0	0	152
	GT3P3{1}	2433452	0	02433452	135	0	0	135
	Gravity{2}	28	0	0 28	461	0	0	461
	Thermal 3{2}	-156134	0	0 156134	25	0	0	25
	Pressure 1{2}	3230381	0	03230381	871	0	0	871
	GT3{2}	-156106	0	0 156106	486	0	0	486
	Hydrotest-NL{2}	3074275	0	03074275	1357	0	0	1357
+686 -	Gravity{1}	14	0	0 14	220	0	0	220
	Thermal 1{1}	5482437	0	05482437	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730326	56	0	0	56
	Thermal 3{1}	-156104	0	0 156104	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1117097	0	01117097	101	0	0	101
	Pressure 2{1}	2591507	0	02591507	-124	0	0	124
	Pressure 3{1}	2589542	0	02589542	-107	0	0	107
	GT1{1}	5482451	0	05482451	94	0	0	94

	GT2{1}	-.2E+07	0	01730312	276	0	0	276
	GT3{1}	-156090	0	0 156090	242	0	0	242
	GW1{1}	13	0	0 13	219	0	0	219
	GW2{1}	15	0	0 15	221	0	0	221
	GW3{1}	14	0	0 14	163	0	0	163
	GW4{1}	14	0	0 14	272	0	0	272
	GT1P1{1}	6599547	0	06599547	195	0	0	195
	GT2P2{1}	861195	0	0 861195	152	0	0	152
	GT3P3{1}	2433452	0	02433452	135	0	0	135
	Gravity{2}	28	0	0 28	461	0	0	461
	Thermal 3{2}	-156134	0	0 156134	25	0	0	25
	Pressure 1{2}	3230381	0	03230381	871	0	0	871
	GT3{2}	-156106	0	0 156106	486	0	0	486
	Hydrotest-NL{2}	3074275	0	03074275	1357	0	0	1357
+686 +	Gravity{1}	14	0	0 14	220	0	0	220
	Thermal 1{1}	5480309	0	05480309	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730278	56	0	0	56
	Thermal 3{1}	-156100	0	0 156100	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1104643	0	01104643	101	0	0	101
	Pressure 2{1}	2591440	0	02591440	-124	0	0	124
	Pressure 3{1}	2589446	0	02589446	-107	0	0	107
	GT1{1}	5480323	0	05480323	94	0	0	94
	GT2{1}	-.2E+07	0	01730264	276	0	0	276
	GT3{1}	-156086	0	0 156086	242	0	0	242
	GW1{1}	13	0	0 13	219	0	0	219
	GW2{1}	16	0	0 16	221	0	0	221
	GW3{1}	14	0	0 14	163	0	0	163
	GW4{1}	15	0	0 15	272	0	0	272
	GT1P1{1}	6584966	0	06584966	195	0	0	195
	GT2P2{1}	861176	0	0 861176	152	0	0	152
	GT3P3{1}	2433360	0	02433360	135	0	0	135
	Gravity{2}	28	0	0 28	461	0	0	461
	Thermal 3{2}	-156131	0	0 156131	25	0	0	25
	Pressure 1{2}	3230165	0	03230165	871	0	0	871
	GT3{2}	-156103	0	0 156103	486	0	0	486
	Hydrotest-NL{2}	3074063	0	03074063	1357	0	0	1357
+687 -	Gravity{1}	14	0	0 14	220	0	0	220
	Thermal 1{1}	5480309	0	05480309	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730278	56	0	0	56
	Thermal 3{1}	-156100	0	0 156100	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1104643	0	01104643	101	0	0	101
	Pressure 2{1}	2591440	0	02591440	-124	0	0	124
	Pressure 3{1}	2589446	0	02589446	-107	0	0	107
	GT1{1}	5480323	0	05480323	94	0	0	94
	GT2{1}	-.2E+07	0	01730264	276	0	0	276
	GT3{1}	-156086	0	0 156086	242	0	0	242
	GW1{1}	13	0	0 13	219	0	0	219
	GW2{1}	16	0	0 16	221	0	0	221
	GW3{1}	14	0	0 14	163	0	0	163
	GW4{1}	15	0	0 15	272	0	0	272
	GT1P1{1}	6584966	0	06584966	195	0	0	195
	GT2P2{1}	861176	0	0 861176	152	0	0	152
	GT3P3{1}	2433360	0	02433360	135	0	0	135
	Gravity{2}	28	0	0 28	461	0	0	461
	Thermal 3{2}	-156131	0	0 156131	25	0	0	25
	Pressure 1{2}	3230165	0	03230165	871	0	0	871
	GT3{2}	-156103	0	0 156103	486	0	0	486
	Hydrotest-NL{2}	3074063	0	03074063	1357	0	0	1357
+687 +	Gravity{1}	14	0	0 14	220	0	0	220
	Thermal 1{1}	5478150	0	05478150	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730230	56	0	0	56
	Thermal 3{1}	-156097	0	0 156097	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1092221	0	01092221	101	0	0	101
	Pressure 2{1}	2591371	0	02591371	-124	0	0	124
	Pressure 3{1}	2589348	0	02589348	-107	0	0	107
	GT1{1}	5478164	0	05478164	94	0	0	94
	GT2{1}	-.2E+07	0	01730216	276	0	0	276
	GT3{1}	-156083	0	0 156083	242	0	0	242
	GW1{1}	13	0	0 13	219	0	0	219
	GW2{1}	16	0	0 16	221	0	0	221
	GW3{1}	14	0	0 14	163	0	0	163
	GW4{1}	15	0	0 15	272	0	0	272
	GT1P1{1}	6570385	0	06570385	195	0	0	195
	GT2P2{1}	861156	0	0 861156	152	0	0	152
	GT3P3{1}	2433265	0	02433265	135	0	0	135
	Gravity{2}	29	0	0 29	461	0	0	461
	Thermal 3{2}	-156128	0	0 156128	25	0	0	25
	Pressure 1{2}	3229946	0	03229946	871	0	0	871
	GT3{2}	-156099	0	0 156099	486	0	0	486
	Hydrotest-NL{2}	3073846	0	03073846	1357	0	0	1357
+688 -	Gravity{1}	14	0	0 14	220	0	0	220
	Thermal 1{1}	5478150	0	05478150	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730230	56	0	0	56
	Thermal 3{1}	-156097	0	0 156097	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1092221	0	01092221	101	0	0	101
	Pressure 2{1}	2591371	0	02591371	-124	0	0	124
	Pressure 3{1}	2589348	0	02589348	-107	0	0	107
	GT1{1}	5478164	0	05478164	94	0	0	94

	GT2{1}	-.2E+07	0	01730216	276	0	0	276
	GT3{1}	-156083	0	0 156083	242	0	0	242
	GW1{1}	13	0	0 13	219	0	0	219
	GW2{1}	16	0	0 16	221	0	0	221
	GW3{1}	14	0	0 14	163	0	0	163
	GW4{1}	15	0	0 15	272	0	0	272
	GT1P1{1}	6570385	0	06570385	195	0	0	195
	GT2P2{1}	861156	0	0 861156	152	0	0	152
	GT3P3{1}	2433265	0	02433265	135	0	0	135
	Gravity{2}	29	0	0 29	461	0	0	461
	Thermal 3{2}	-156128	0	0 156128	25	0	0	25
	Pressure 1{2}	3229946	0	03229946	871	0	0	871
	GT3{2}	-156099	0	0 156099	486	0	0	486
	Hydrotest-NL{2}	3073846	0	03073846	1357	0	0	1357
+688 +	Gravity{1}	15	0	0 15	220	0	0	220
	Thermal 1{1}	5475959	0	05475959	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730181	56	0	0	56
	Thermal 3{1}	-156094	0	0 156094	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1079830	0	01079830	101	0	0	101
	Pressure 2{1}	2591302	0	02591302	-124	0	0	124
	Pressure 3{1}	2589249	0	02589249	-107	0	0	107
	GT1{1}	5475973	0	05475973	94	0	0	94
	GT2{1}	-.2E+07	0	01730167	276	0	0	276
	GT3{1}	-156079	0	0 156079	242	0	0	242
	GW1{1}	13	0	0 13	219	0	0	219
	GW2{1}	16	0	0 16	221	0	0	221
	GW3{1}	14	0	0 14	163	0	0	163
	GW4{1}	15	0	0 15	272	0	0	272
	GT1P1{1}	6555804	0	06555804	195	0	0	195
	GT2P2{1}	861136	0	0 861136	152	0	0	152
	GT3P3{1}	2433170	0	02433170	135	0	0	135
	Gravity{2}	29	0	0 29	461	0	0	461
	Thermal 3{2}	-156125	0	0 156125	25	0	0	25
	Pressure 1{2}	3229724	0	03229724	871	0	0	871
	GT3{2}	-156096	0	0 156096	486	0	0	486
	Hydrotest-NL{2}	3073627	0	03073627	1357	0	0	1357
+689 -	Gravity{1}	15	0	0 15	220	0	0	220
	Thermal 1{1}	5475959	0	05475959	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730181	56	0	0	56
	Thermal 3{1}	-156094	0	0 156094	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1079830	0	01079830	101	0	0	101
	Pressure 2{1}	2591302	0	02591302	-124	0	0	124
	Pressure 3{1}	2589249	0	02589249	-107	0	0	107
	GT1{1}	5475973	0	05475973	94	0	0	94
	GT2{1}	-.2E+07	0	01730167	276	0	0	276
	GT3{1}	-156079	0	0 156079	242	0	0	242
	GW1{1}	13	0	0 13	219	0	0	219
	GW2{1}	16	0	0 16	221	0	0	221
	GW3{1}	14	0	0 14	163	0	0	163
	GW4{1}	15	0	0 15	272	0	0	272
	GT1P1{1}	6555804	0	06555804	195	0	0	195
	GT2P2{1}	861136	0	0 861136	152	0	0	152
	GT3P3{1}	2433170	0	02433170	135	0	0	135
	Gravity{2}	29	0	0 29	461	0	0	461
	Thermal 3{2}	-156125	0	0 156125	25	0	0	25
	Pressure 1{2}	3229724	0	03229724	871	0	0	871
	GT3{2}	-156096	0	0 156096	486	0	0	486
	Hydrotest-NL{2}	3073627	0	03073627	1357	0	0	1357
+689 +	Gravity{1}	15	0	0 15	220	0	0	220
	Thermal 1{1}	5473736	0	05473736	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730132	56	0	0	56
	Thermal 3{1}	-156091	0	0 156091	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1067472	0	01067472	101	0	0	101
	Pressure 2{1}	2591232	0	02591232	-124	0	0	124
	Pressure 3{1}	2589149	0	02589149	-107	0	0	107
	GT1{1}	5473751	0	05473751	94	0	0	94
	GT2{1}	-.2E+07	0	01730117	276	0	0	276
	GT3{1}	-156076	0	0 156076	242	0	0	242
	GW1{1}	14	0	0 14	219	0	0	219
	GW2{1}	16	0	0 16	221	0	0	221
	GW3{1}	15	0	0 15	163	0	0	163
	GW4{1}	15	0	0 15	272	0	0	272
	GT1P1{1}	6541223	0	06541223	195	0	0	195
	GT2P2{1}	861115	0	0 861115	152	0	0	152
	GT3P3{1}	2433073	0	02433073	135	0	0	135
	Gravity{2}	30	0	0 30	461	0	0	461
	Thermal 3{2}	-156123	0	0 156123	25	0	0	25
	Pressure 1{2}	3229498	0	03229498	871	0	0	871
	GT3{2}	-156093	0	0 156093	486	0	0	486
	Hydrotest-NL{2}	3073405	0	03073405	1357	0	0	1357
+690 -	Gravity{1}	15	0	0 15	220	0	0	220
	Thermal 1{1}	5473736	0	05473736	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730132	56	0	0	56
	Thermal 3{1}	-156091	0	0 156091	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1067472	0	01067472	101	0	0	101
	Pressure 2{1}	2591232	0	02591232	-124	0	0	124
	Pressure 3{1}	2589149	0	02589149	-107	0	0	107
	GT1{1}	5473751	0	05473751	94	0	0	94

	GT2{1}	-.2E+07	0	01730117	276	0	0	276
	GT3{1}	-156076	0	0 156076	242	0	0	242
	GW1{1}	14	0	0 14	219	0	0	219
	GW2{1}	16	0	0 16	221	0	0	221
	GW3{1}	15	0	0 15	163	0	0	163
	GW4{1}	15	0	0 15	272	0	0	272
	GT1P1{1}	6541223	0	06541223	195	0	0	195
	GT2P2{1}	861115	0	0 861115	152	0	0	152
	GT3P3{1}	2433073	0	02433073	135	0	0	135
	Gravity{2}	30	0	0 30	461	0	0	461
	Thermal 3{2}	-156123	0	0 156123	25	0	0	25
	Pressure 1{2}	3229498	0	03229498	871	0	0	871
	GT3{2}	-156093	0	0 156093	486	0	0	486
	Hydrotest-NL{2}	3073405	0	03073405	1357	0	0	1357
+690 +	Gravity{1}	15	0	0 15	220	0	0	220
	Thermal 1{1}	5471480	0	05471480	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730082	56	0	0	56
	Thermal 3{1}	-156087	0	0 156087	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1055146	0	01055146	101	0	0	101
	Pressure 2{1}	2591161	0	02591161	-124	0	0	124
	Pressure 3{1}	2589047	0	02589047	-107	0	0	107
	GT1{1}	5471495	0	05471495	94	0	0	94
	GT2{1}	-.2E+07	0	01730066	276	0	0	276
	GT3{1}	-156072	0	0 156072	242	0	0	242
	GW1{1}	14	0	0 14	219	0	0	219
	GW2{1}	16	0	0 16	221	0	0	221
	GW3{1}	15	0	0 15	163	0	0	163
	GW4{1}	15	0	0 15	272	0	0	272
	GT1P1{1}	6526641	0	06526641	195	0	0	195
	GT2P2{1}	861094	0	0 861094	152	0	0	152
	GT3P3{1}	2432975	0	02432975	135	0	0	135
	Gravity{2}	30	0	0 30	461	0	0	461
	Thermal 3{2}	-156120	0	0 156120	25	0	0	25
	Pressure 1{2}	3229269	0	03229269	871	0	0	871
	GT3{2}	-156089	0	0 156089	486	0	0	486
	Hydrotest-NL{2}	3073180	0	03073180	1357	0	0	1357
+691 -	Gravity{1}	15	0	0 15	220	0	0	220
	Thermal 1{1}	5471480	0	05471480	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730082	56	0	0	56
	Thermal 3{1}	-156087	0	0 156087	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1055146	0	01055146	101	0	0	101
	Pressure 2{1}	2591161	0	02591161	-124	0	0	124
	Pressure 3{1}	2589047	0	02589047	-107	0	0	107
	GT1{1}	5471495	0	05471495	94	0	0	94
	GT2{1}	-.2E+07	0	01730066	276	0	0	276
	GT3{1}	-156072	0	0 156072	242	0	0	242
	GW1{1}	14	0	0 14	219	0	0	219
	GW2{1}	16	0	0 16	221	0	0	221
	GW3{1}	15	0	0 15	163	0	0	163
	GW4{1}	15	0	0 15	272	0	0	272
	GT1P1{1}	6526641	0	06526641	195	0	0	195
	GT2P2{1}	861094	0	0 861094	152	0	0	152
	GT3P3{1}	2432975	0	02432975	135	0	0	135
	Gravity{2}	30	0	0 30	461	0	0	461
	Thermal 3{2}	-156120	0	0 156120	25	0	0	25
	Pressure 1{2}	3229269	0	03229269	871	0	0	871
	GT3{2}	-156089	0	0 156089	486	0	0	486
	Hydrotest-NL{2}	3073180	0	03073180	1357	0	0	1357
+691 +	Gravity{1}	15	0	0 15	220	0	0	220
	Thermal 1{1}	5469192	0	05469192	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730031	56	0	0	56
	Thermal 3{1}	-156084	0	0 156084	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1042854	0	01042854	101	0	0	101
	Pressure 2{1}	2591088	0	02591088	-124	0	0	124
	Pressure 3{1}	2588944	0	02588944	-107	0	0	107
	GT1{1}	5469207	0	05469207	94	0	0	94
	GT2{1}	-.2E+07	0	01730015	276	0	0	276
	GT3{1}	-156068	0	0 156068	242	0	0	242
	GW1{1}	14	0	0 14	219	0	0	219
	GW2{1}	17	0	0 17	221	0	0	221
	GW3{1}	15	0	0 15	163	0	0	163
	GW4{1}	16	0	0 16	272	0	0	272
	GT1P1{1}	6512061	0	06512061	195	0	0	195
	GT2P2{1}	861073	0	0 861073	152	0	0	152
	GT3P3{1}	2432875	0	02432875	135	0	0	135
	Gravity{2}	31	0	0 31	461	0	0	461
	Thermal 3{2}	-156117	0	0 156117	25	0	0	25
	Pressure 1{2}	3229037	0	03229037	871	0	0	871
	GT3{2}	-156086	0	0 156086	486	0	0	486
	Hydrotest-NL{2}	3072950	0	03072950	1357	0	0	1357
+692 -	Gravity{1}	15	0	0 15	220	0	0	220
	Thermal 1{1}	5469192	0	05469192	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01730031	56	0	0	56
	Thermal 3{1}	-156084	0	0 156084	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1042854	0	01042854	101	0	0	101
	Pressure 2{1}	2591088	0	02591088	-124	0	0	124
	Pressure 3{1}	2588944	0	02588944	-107	0	0	107
	GT1{1}	5469207	0	05469207	94	0	0	94

	GT2{1}	-.2E+07	0	01730015	276	0	0	276
	GT3{1}	-156068	0	0 156068	242	0	0	242
	GW1{1}	14	0	0 14	219	0	0	219
	GW2{1}	17	0	0 17	221	0	0	221
	GW3{1}	15	0	0 15	163	0	0	163
	GW4{1}	16	0	0 16	272	0	0	272
	GT1P1{1}	6512061	0	06512061	195	0	0	195
	GT2P2{1}	861073	0	0 861073	152	0	0	152
	GT3P3{1}	2432875	0	02432875	135	0	0	135
	Gravity{2}	31	0	0 31	461	0	0	461
	Thermal 3{2}	-156117	0	0 156117	25	0	0	25
	Pressure 1{2}	3229037	0	03229037	871	0	0	871
	GT3{2}	-156086	0	0 156086	486	0	0	486
	Hydrotest-NL{2}	3072950	0	03072950	1357	0	0	1357
+692 +	Gravity{1}	16	0	0 16	220	0	0	220
	Thermal 1{1}	5466870	0	05466870	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729979	56	0	0	56
	Thermal 3{1}	-156080	0	0 156080	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1030594	0	01030594	101	0	0	101
	Pressure 2{1}	2591015	0	02591015	-124	0	0	124
	Pressure 3{1}	2588839	0	02588839	-107	0	0	107
	GT1{1}	5466885	0	05466885	94	0	0	94
	GT2{1}	-.2E+07	0	01729963	276	0	0	276
	GT3{1}	-156065	0	0 156065	242	0	0	242
	GW1{1}	14	0	0 14	219	0	0	219
	GW2{1}	17	0	0 17	221	0	0	221
	GW3{1}	15	0	0 15	163	0	0	163
	GW4{1}	16	0	0 16	272	0	0	272
	GT1P1{1}	6497479	0	06497479	195	0	0	195
	GT2P2{1}	861052	0	0 861052	152	0	0	152
	GT3P3{1}	2432774	0	02432774	135	0	0	135
	Gravity{2}	31	0	0 31	461	0	0	461
	Thermal 3{2}	-156114	0	0 156114	25	0	0	25
	Pressure 1{2}	3228801	0	03228801	871	0	0	871
	GT3{2}	-156083	0	0 156083	486	0	0	486
	Hydrotest-NL{2}	3072718	0	03072718	1357	0	0	1357
+693 -	Gravity{1}	16	0	0 16	220	0	0	220
	Thermal 1{1}	5466870	0	05466870	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729979	56	0	0	56
	Thermal 3{1}	-156080	0	0 156080	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1030594	0	01030594	101	0	0	101
	Pressure 2{1}	2591015	0	02591015	-124	0	0	124
	Pressure 3{1}	2588839	0	02588839	-107	0	0	107
	GT1{1}	5466885	0	05466885	94	0	0	94
	GT2{1}	-.2E+07	0	01729963	276	0	0	276
	GT3{1}	-156065	0	0 156065	242	0	0	242
	GW1{1}	14	0	0 14	219	0	0	219
	GW2{1}	17	0	0 17	221	0	0	221
	GW3{1}	15	0	0 15	163	0	0	163
	GW4{1}	16	0	0 16	272	0	0	272
	GT1P1{1}	6497479	0	06497479	195	0	0	195
	GT2P2{1}	861052	0	0 861052	152	0	0	152
	GT3P3{1}	2432774	0	02432774	135	0	0	135
	Gravity{2}	31	0	0 31	461	0	0	461
	Thermal 3{2}	-156114	0	0 156114	25	0	0	25
	Pressure 1{2}	3228801	0	03228801	871	0	0	871
	GT3{2}	-156083	0	0 156083	486	0	0	486
	Hydrotest-NL{2}	3072718	0	03072718	1357	0	0	1357
+693 +	Gravity{1}	16	0	0 16	220	0	0	220
	Thermal 1{1}	5464514	0	05464514	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729926	56	0	0	56
	Thermal 3{1}	-156077	0	0 156077	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1018369	0	01018369	101	0	0	101
	Pressure 2{1}	2590941	0	02590941	-124	0	0	124
	Pressure 3{1}	2588733	0	02588733	-107	0	0	107
	GT1{1}	5464529	0	05464529	94	0	0	94
	GT2{1}	-.2E+07	0	01729911	276	0	0	276
	GT3{1}	-156061	0	0 156061	242	0	0	242
	GW1{1}	14	0	0 14	219	0	0	219
	GW2{1}	17	0	0 17	221	0	0	221
	GW3{1}	15	0	0 15	163	0	0	163
	GW4{1}	16	0	0 16	272	0	0	272
	GT1P1{1}	6482899	0	06482899	195	0	0	195
	GT2P2{1}	861030	0	0 861030	152	0	0	152
	GT3P3{1}	2432672	0	02432672	135	0	0	135
	Gravity{2}	31	0	0 31	461	0	0	461
	Thermal 3{2}	-156111	0	0 156111	25	0	0	25
	Pressure 1{2}	3228562	0	03228562	871	0	0	871
	GT3{2}	-156079	0	0 156079	486	0	0	486
	Hydrotest-NL{2}	3072483	0	03072483	1357	0	0	1357
+694 -	Gravity{1}	16	0	0 16	220	0	0	220
	Thermal 1{1}	5464514	0	05464514	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729926	56	0	0	56
	Thermal 3{1}	-156077	0	0 156077	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1018369	0	01018369	101	0	0	101
	Pressure 2{1}	2590941	0	02590941	-124	0	0	124
	Pressure 3{1}	2588733	0	02588733	-107	0	0	107
	GT1{1}	5464529	0	05464529	94	0	0	94

	GT2{1}	-.2E+07	0	01729911	276	0	0	276
	GT3{1}	-156061	0	0 156061	242	0	0	242
	GW1{1}	14	0	0 14	219	0	0	219
	GW2{1}	17	0	0 17	221	0	0	221
	GW3{1}	15	0	0 15	163	0	0	163
	GW4{1}	16	0	0 16	272	0	0	272
	GT1P1{1}	6482899	0	06482899	195	0	0	195
	GT2P2{1}	861030	0	0 861030	152	0	0	152
	GT3P3{1}	2432672	0	02432672	135	0	0	135
	Gravity{2}	31	0	0 31	461	0	0	461
	Thermal 3{2}	-156111	0	0 156111	25	0	0	25
	Pressure 1{2}	3228562	0	03228562	871	0	0	871
	GT3{2}	-156079	0	0 156079	486	0	0	486
	Hydrotest-NL{2}	3072483	0	03072483	1357	0	0	1357
+694 +	Gravity{1}	16	0	0 16	220	0	0	220
	Thermal 1{1}	5462123	0	05462123	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729873	56	0	0	56
	Thermal 3{1}	-156073	0	0 156073	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1006179	0	01006179	101	0	0	101
	Pressure 2{1}	2590865	0	02590865	-124	0	0	124
	Pressure 3{1}	2588625	0	02588625	-107	0	0	107
	GT1{1}	5462139	0	05462139	94	0	0	94
	GT2{1}	-.2E+07	0	01729857	276	0	0	276
	GT3{1}	-156057	0	0 156057	242	0	0	242
	GW1{1}	15	0	0 15	219	0	0	219
	GW2{1}	17	0	0 17	221	0	0	221
	GW3{1}	16	0	0 16	163	0	0	163
	GW4{1}	16	0	0 16	272	0	0	272
	GT1P1{1}	6468317	0	06468317	195	0	0	195
	GT2P2{1}	861008	0	0 861008	152	0	0	152
	GT3P3{1}	2432568	0	02432568	135	0	0	135
	Gravity{2}	32	0	0 32	461	0	0	461
	Thermal 3{2}	-156108	0	0 156108	25	0	0	25
	Pressure 1{2}	3228319	0	03228319	871	0	0	871
	GT3{2}	-156076	0	0 156076	486	0	0	486
	Hydrotest-NL{2}	3072243	0	03072243	1357	0	0	1357
+695 -	Gravity{1}	16	0	0 16	220	0	0	220
	Thermal 1{1}	5462123	0	05462123	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729873	56	0	0	56
	Thermal 3{1}	-156073	0	0 156073	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	1006179	0	01006179	101	0	0	101
	Pressure 2{1}	2590865	0	02590865	-124	0	0	124
	Pressure 3{1}	2588625	0	02588625	-107	0	0	107
	GT1{1}	5462139	0	05462139	94	0	0	94
	GT2{1}	-.2E+07	0	01729857	276	0	0	276
	GT3{1}	-156057	0	0 156057	242	0	0	242
	GW1{1}	15	0	0 15	219	0	0	219
	GW2{1}	17	0	0 17	221	0	0	221
	GW3{1}	16	0	0 16	163	0	0	163
	GW4{1}	16	0	0 16	272	0	0	272
	GT1P1{1}	6468317	0	06468317	195	0	0	195
	GT2P2{1}	861008	0	0 861008	152	0	0	152
	GT3P3{1}	2432568	0	02432568	135	0	0	135
	Gravity{2}	32	0	0 32	461	0	0	461
	Thermal 3{2}	-156108	0	0 156108	25	0	0	25
	Pressure 1{2}	3228319	0	03228319	871	0	0	871
	GT3{2}	-156076	0	0 156076	486	0	0	486
	Hydrotest-NL{2}	3072243	0	03072243	1357	0	0	1357
+695 +	Gravity{1}	16	0	0 16	220	0	0	220
	Thermal 1{1}	5459697	0	05459697	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729819	56	0	0	56
	Thermal 3{1}	-156070	0	0 156070	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	994023	0	0 994023	101	0	0	101
	Pressure 2{1}	2590788	0	02590788	-124	0	0	124
	Pressure 3{1}	2588515	0	02588515	-107	0	0	107
	GT1{1}	5459713	0	05459713	94	0	0	94
	GT2{1}	-.2E+07	0	01729803	276	0	0	276
	GT3{1}	-156053	0	0 156053	242	0	0	242
	GW1{1}	15	0	0 15	219	0	0	219
	GW2{1}	18	0	0 18	221	0	0	221
	GW3{1}	16	0	0 16	163	0	0	163
	GW4{1}	17	0	0 17	272	0	0	272
	GT1P1{1}	6453736	0	06453736	195	0	0	195
	GT2P2{1}	860986	0	0 860986	152	0	0	152
	GT3P3{1}	2432462	0	02432462	135	0	0	135
	Gravity{2}	32	0	0 32	461	0	0	461
	Thermal 3{2}	-156104	0	0 156104	25	0	0	25
	Pressure 1{2}	3228073	0	03228073	871	0	0	871
	GT3{2}	-156072	0	0 156072	486	0	0	486
	Hydrotest-NL{2}	3072001	0	03072001	1357	0	0	1357
+696 -	Gravity{1}	16	0	0 16	220	0	0	220
	Thermal 1{1}	5459697	0	05459697	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729819	56	0	0	56
	Thermal 3{1}	-156070	0	0 156070	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	994023	0	0 994023	101	0	0	101
	Pressure 2{1}	2590788	0	02590788	-124	0	0	124
	Pressure 3{1}	2588515	0	02588515	-107	0	0	107
	GT1{1}	5459713	0	05459713	94	0	0	94

	GT2{1}	-.2E+07	0	01729803	276	0	0	276
	GT3{1}	-156053	0	0 156053	242	0	0	242
	GW1{1}	15	0	0 15	219	0	0	219
	GW2{1}	18	0	0 18	221	0	0	221
	GW3{1}	16	0	0 16	163	0	0	163
	GW4{1}	17	0	0 17	272	0	0	272
	GT1P1{1}	6453736	0	06453736	195	0	0	195
	GT2P2{1}	860986	0	0 860986	152	0	0	152
	GT3P3{1}	2432462	0	02432462	135	0	0	135
	Gravity{2}	32	0	0 32	461	0	0	461
	Thermal 3{2}	-156104	0	0 156104	25	0	0	25
	Pressure 1{2}	3228073	0	03228073	871	0	0	871
	GT3{2}	-156072	0	0 156072	486	0	0	486
	Hydrotest-NL{2}	3072001	0	03072001	1357	0	0	1357
+696 +	Gravity{1}	16	0	0 16	220	0	0	220
	Thermal 1{1}	5457235	0	05457235	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729764	56	0	0	56
	Thermal 3{1}	-156066	0	0 156066	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	981903	0	0 981903	101	0	0	101
	Pressure 2{1}	2590711	0	02590711	-124	0	0	124
	Pressure 3{1}	2588404	0	02588404	-107	0	0	107
	GT1{1}	5457252	0	05457252	94	0	0	94
	GT2{1}	-.2E+07	0	01729748	276	0	0	276
	GT3{1}	-156049	0	0 156049	242	0	0	242
	GW1{1}	15	0	0 15	219	0	0	219
	GW2{1}	18	0	0 18	221	0	0	221
	GW3{1}	16	0	0 16	163	0	0	163
	GW4{1}	17	0	0 17	272	0	0	272
	GT1P1{1}	6439155	0	06439155	195	0	0	195
	GT2P2{1}	860963	0	0 860963	152	0	0	152
	GT3P3{1}	2432355	0	02432355	135	0	0	135
	Gravity{2}	33	0	0 33	461	0	0	461
	Thermal 3{2}	-156101	0	0 156101	25	0	0	25
	Pressure 1{2}	3227823	0	03227823	871	0	0	871
	GT3{2}	-156068	0	0 156068	486	0	0	486
	Hydrotest-NL{2}	3071754	0	03071754	1357	0	0	1357
+697 -	Gravity{1}	16	0	0 16	220	0	0	220
	Thermal 1{1}	5457235	0	05457235	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729764	56	0	0	56
	Thermal 3{1}	-156066	0	0 156066	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	981903	0	0 981903	101	0	0	101
	Pressure 2{1}	2590711	0	02590711	-124	0	0	124
	Pressure 3{1}	2588404	0	02588404	-107	0	0	107
	GT1{1}	5457252	0	05457252	94	0	0	94
	GT2{1}	-.2E+07	0	01729748	276	0	0	276
	GT3{1}	-156049	0	0 156049	242	0	0	242
	GW1{1}	15	0	0 15	219	0	0	219
	GW2{1}	18	0	0 18	221	0	0	221
	GW3{1}	16	0	0 16	163	0	0	163
	GW4{1}	17	0	0 17	272	0	0	272
	GT1P1{1}	6439155	0	06439155	195	0	0	195
	GT2P2{1}	860963	0	0 860963	152	0	0	152
	GT3P3{1}	2432355	0	02432355	135	0	0	135
	Gravity{2}	33	0	0 33	461	0	0	461
	Thermal 3{2}	-156101	0	0 156101	25	0	0	25
	Pressure 1{2}	3227823	0	03227823	871	0	0	871
	GT3{2}	-156068	0	0 156068	486	0	0	486
	Hydrotest-NL{2}	3071754	0	03071754	1357	0	0	1357
+697 +	Gravity{1}	17	0	0 17	220	0	0	220
	Thermal 1{1}	5454738	0	05454738	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729709	56	0	0	56
	Thermal 3{1}	-156062	0	0 156062	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	969819	0	0 969819	101	0	0	101
	Pressure 2{1}	2590632	0	02590632	-124	0	0	124
	Pressure 3{1}	2588292	0	02588292	-107	0	0	107
	GT1{1}	5454755	0	05454755	94	0	0	94
	GT2{1}	-.2E+07	0	01729692	276	0	0	276
	GT3{1}	-156045	0	0 156045	242	0	0	242
	GW1{1}	15	0	0 15	219	0	0	219
	GW2{1}	18	0	0 18	221	0	0	221
	GW3{1}	16	0	0 16	163	0	0	163
	GW4{1}	17	0	0 17	272	0	0	272
	GT1P1{1}	6424574	0	06424574	195	0	0	195
	GT2P2{1}	860940	0	0 860940	152	0	0	152
	GT3P3{1}	2432246	0	02432246	135	0	0	135
	Gravity{2}	33	0	0 33	461	0	0	461
	Thermal 3{2}	-156098	0	0 156098	25	0	0	25
	Pressure 1{2}	3227569	0	03227569	871	0	0	871
	GT3{2}	-156065	0	0 156065	486	0	0	486
	Hydrotest-NL{2}	3071504	0	03071504	1357	0	0	1357
+698 -	Gravity{1}	17	0	0 17	220	0	0	220
	Thermal 1{1}	5454738	0	05454738	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729709	56	0	0	56
	Thermal 3{1}	-156062	0	0 156062	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	969819	0	0 969819	101	0	0	101
	Pressure 2{1}	2590632	0	02590632	-124	0	0	124
	Pressure 3{1}	2588292	0	02588292	-107	0	0	107
	GT1{1}	5454755	0	05454755	94	0	0	94

	GT2{1}	-.2E+07	0	01729692	276	0	0	276
	GT3{1}	-156045	0	0 156045	242	0	0	242
	GW1{1}	15	0	0 15	219	0	0	219
	GW2{1}	18	0	0 18	221	0	0	221
	GW3{1}	16	0	0 16	163	0	0	163
	GW4{1}	17	0	0 17	272	0	0	272
	GT1P1{1}	6424574	0	06424574	195	0	0	195
	GT2P2{1}	860940	0	0 860940	152	0	0	152
	GT3P3{1}	2432246	0	02432246	135	0	0	135
	Gravity{2}	33	0	0 33	461	0	0	461
	Thermal 3{2}	-156098	0	0 156098	25	0	0	25
	Pressure 1{2}	3227569	0	03227569	871	0	0	871
	GT3{2}	-156065	0	0 156065	486	0	0	486
	Hydrotest-NL{2}	3071504	0	03071504	1357	0	0	1357
+698 +	Gravity{1}	17	0	0 17	220	0	0	220
	Thermal 1{1}	5452204	0	05452204	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729652	56	0	0	56
	Thermal 3{1}	-156058	0	0 156058	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	957772	0	0 957772	101	0	0	101
	Pressure 2{1}	2590552	0	02590552	-124	0	0	124
	Pressure 3{1}	2588177	0	02588177	-107	0	0	107
	GT1{1}	5452221	0	05452221	94	0	0	94
	GT2{1}	-.2E+07	0	01729635	276	0	0	276
	GT3{1}	-156041	0	0 156041	242	0	0	242
	GW1{1}	15	0	0 15	219	0	0	219
	GW2{1}	18	0	0 18	221	0	0	221
	GW3{1}	17	0	0 17	163	0	0	163
	GW4{1}	17	0	0 17	272	0	0	272
	GT1P1{1}	6409993	0	06409993	195	0	0	195
	GT2P2{1}	860917	0	0 860917	152	0	0	152
	GT3P3{1}	2432136	0	02432136	135	0	0	135
	Gravity{2}	34	0	0 34	461	0	0	461
	Thermal 3{2}	-156095	0	0 156095	25	0	0	25
	Pressure 1{2}	3227312	0	03227312	871	0	0	871
	GT3{2}	-156061	0	0 156061	486	0	0	486
	Hydrotest-NL{2}	3071251	0	03071251	1357	0	0	1357
+699 -	Gravity{1}	17	0	0 17	220	0	0	220
	Thermal 1{1}	5452204	0	05452204	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729652	56	0	0	56
	Thermal 3{1}	-156058	0	0 156058	22	0	0	22
	Wind 1{1}	-1	0	0 1	-1	0	0	1
	Wind 2{1}	1	0	0 1	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	957772	0	0 957772	101	0	0	101
	Pressure 2{1}	2590552	0	02590552	-124	0	0	124
	Pressure 3{1}	2588177	0	02588177	-107	0	0	107
	GT1{1}	5452221	0	05452221	94	0	0	94
	GT2{1}	-.2E+07	0	01729635	276	0	0	276
	GT3{1}	-156041	0	0 156041	242	0	0	242
	GW1{1}	15	0	0 15	219	0	0	219
	GW2{1}	18	0	0 18	221	0	0	221
	GW3{1}	17	0	0 17	163	0	0	163
	GW4{1}	17	0	0 17	272	0	0	272
	GT1P1{1}	6409993	0	06409993	195	0	0	195
	GT2P2{1}	860917	0	0 860917	152	0	0	152
	GT3P3{1}	2432136	0	02432136	135	0	0	135
	Gravity{2}	34	0	0 34	461	0	0	461
	Thermal 3{2}	-156095	0	0 156095	25	0	0	25
	Pressure 1{2}	3227312	0	03227312	871	0	0	871
	GT3{2}	-156061	0	0 156061	486	0	0	486
	Hydrotest-NL{2}	3071251	0	03071251	1357	0	0	1357
+699 +	Gravity{1}	17	0	0 17	220	0	0	220
	Thermal 1{1}	5449633	0	05449633	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729595	56	0	0	56
	Thermal 3{1}	-156055	0	0 156055	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	945761	0	0 945761	101	0	0	101
	Pressure 2{1}	2590470	0	02590470	-124	0	0	124
	Pressure 3{1}	2588061	0	02588061	-107	0	0	107
	GT1{1}	5449650	0	05449650	94	0	0	94
	GT2{1}	-.2E+07	0	01729578	276	0	0	276
	GT3{1}	-156037	0	0 156037	242	0	0	242
	GW1{1}	16	0	0 16	219	0	0	219
	GW2{1}	19	0	0 19	221	0	0	221
	GW3{1}	17	0	0 17	163	0	0	163
	GW4{1}	18	0	0 18	272	0	0	272
	GT1P1{1}	6395412	0	06395412	195	0	0	195
	GT2P2{1}	860893	0	0 860893	152	0	0	152
	GT3P3{1}	2432024	0	02432024	135	0	0	135
	Gravity{2}	34	0	0 34	461	0	0	461
	Thermal 3{2}	-156091	0	0 156091	25	0	0	25
	Pressure 1{2}	3227051	0	03227051	871	0	0	871
	GT3{2}	-156057	0	0 156057	486	0	0	486
	Hydrotest-NL{2}	3070994	0	03070994	1357	0	0	1357
+700 -	Gravity{1}	17	0	0 17	220	0	0	220
	Thermal 1{1}	5449633	0	05449633	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729595	56	0	0	56
	Thermal 3{1}	-156055	0	0 156055	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	945761	0	0 945761	101	0	0	101
	Pressure 2{1}	2590470	0	02590470	-124	0	0	124
	Pressure 3{1}	2588061	0	02588061	-107	0	0	107
	GT1{1}	5449650	0	05449650	94	0	0	94

	GT2{1}	-.2E+07	0	01729578	276	0	0	276
	GT3{1}	-156037	0	0 156037	242	0	0	242
	GW1{1}	16	0	0 16	219	0	0	219
	GW2{1}	19	0	0 19	221	0	0	221
	GW3{1}	17	0	0 17	163	0	0	163
	GW4{1}	18	0	0 18	272	0	0	272
	GT1P1{1}	6395412	0	06395412	195	0	0	195
	GT2P2{1}	860893	0	0 860893	152	0	0	152
	GT3P3{1}	2432024	0	02432024	135	0	0	135
	Gravity{2}	34	0	0 34	461	0	0	461
	Thermal 3{2}	-156091	0	0 156091	25	0	0	25
	Pressure 1{2}	3227051	0	03227051	871	0	0	871
	GT3{2}	-156057	0	0 156057	486	0	0	486
	Hydrotest-NL{2}	3070994	0	03070994	1357	0	0	1357
+700 +	Gravity{1}	17	0	0 17	220	0	0	220
	Thermal 1{1}	5447024	0	05447024	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729537	56	0	0	56
	Thermal 3{1}	-156051	0	0 156051	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	933789	0	0 933789	101	0	0	101
	Pressure 2{1}	2590388	0	02590388	-124	0	0	124
	Pressure 3{1}	2587944	0	02587944	-107	0	0	107
	GT1{1}	5447041	0	05447041	94	0	0	94
	GT2{1}	-.2E+07	0	01729519	276	0	0	276
	GT3{1}	-156033	0	0 156033	242	0	0	242
	GW1{1}	16	0	0 16	219	0	0	219
	GW2{1}	19	0	0 19	221	0	0	221
	GW3{1}	17	0	0 17	163	0	0	163
	GW4{1}	18	0	0 18	272	0	0	272
	GT1P1{1}	6380830	0	06380830	195	0	0	195
	GT2P2{1}	860869	0	0 860869	152	0	0	152
	GT3P3{1}	2431911	0	02431911	135	0	0	135
	Gravity{2}	35	0	0 35	461	0	0	461
	Thermal 3{2}	-156088	0	0 156088	25	0	0	25
	Pressure 1{2}	3226786	0	03226786	871	0	0	871
	GT3{2}	-156053	0	0 156053	486	0	0	486
	Hydrotest-NL{2}	3070733	0	03070733	1357	0	0	1357
+701 -	Gravity{1}	17	0	0 17	220	0	0	220
	Thermal 1{1}	5447024	0	05447024	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729537	56	0	0	56
	Thermal 3{1}	-156051	0	0 156051	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	933789	0	0 933789	101	0	0	101
	Pressure 2{1}	2590388	0	02590388	-124	0	0	124
	Pressure 3{1}	2587944	0	02587944	-107	0	0	107
	GT1{1}	5447041	0	05447041	94	0	0	94
	GT2{1}	-.2E+07	0	01729519	276	0	0	276
	GT3{1}	-156033	0	0 156033	242	0	0	242
	GW1{1}	16	0	0 16	219	0	0	219
	GW2{1}	19	0	0 19	221	0	0	221
	GW3{1}	17	0	0 17	163	0	0	163
	GW4{1}	18	0	0 18	272	0	0	272
	GT1P1{1}	6380830	0	06380830	195	0	0	195
	GT2P2{1}	860869	0	0 860869	152	0	0	152
	GT3P3{1}	2431911	0	02431911	135	0	0	135
	Gravity{2}	35	0	0 35	461	0	0	461
	Thermal 3{2}	-156088	0	0 156088	25	0	0	25
	Pressure 1{2}	3226786	0	03226786	871	0	0	871
	GT3{2}	-156053	0	0 156053	486	0	0	486
	Hydrotest-NL{2}	3070733	0	03070733	1357	0	0	1357
+701 +	Gravity{1}	18	0	0 18	220	0	0	220
	Thermal 1{1}	5444377	0	05444377	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729478	56	0	0	56
	Thermal 3{1}	-156047	0	0 156047	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	921855	0	0 921855	101	0	0	101
	Pressure 2{1}	2590304	0	02590304	-124	0	0	124
	Pressure 3{1}	2587824	0	02587824	-107	0	0	107
	GT1{1}	5444394	0	05444394	94	0	0	94
	GT2{1}	-.2E+07	0	01729460	276	0	0	276
	GT3{1}	-156029	0	0 156029	242	0	0	242
	GW1{1}	16	0	0 16	219	0	0	219
	GW2{1}	19	0	0 19	221	0	0	221
	GW3{1}	17	0	0 17	163	0	0	163
	GW4{1}	18	0	0 18	272	0	0	272
	GT1P1{1}	6366249	0	06366249	195	0	0	195
	GT2P2{1}	860845	0	0 860845	152	0	0	152
	GT3P3{1}	2431795	0	02431795	135	0	0	135
	Gravity{2}	35	0	0 35	461	0	0	461
	Thermal 3{2}	-156085	0	0 156085	25	0	0	25
	Pressure 1{2}	3226517	0	03226517	871	0	0	871
	GT3{2}	-156049	0	0 156049	486	0	0	486
	Hydrotest-NL{2}	3070468	0	03070468	1357	0	0	1357
+702 -	Gravity{1}	18	0	0 18	220	0	0	220
	Thermal 1{1}	5444377	0	05444377	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729478	56	0	0	56
	Thermal 3{1}	-156047	0	0 156047	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	921855	0	0 921855	101	0	0	101
	Pressure 2{1}	2590304	0	02590304	-124	0	0	124
	Pressure 3{1}	2587824	0	02587824	-107	0	0	107
	GT1{1}	5444394	0	05444394	94	0	0	94

	GT2{1}	-.2E+07	0	01729460	276	0	0	276
	GT3{1}	-156029	0	0 156029	242	0	0	242
	GW1{1}	16	0	0 16	219	0	0	219
	GW2{1}	19	0	0 19	221	0	0	221
	GW3{1}	17	0	0 17	163	0	0	163
	GW4{1}	18	0	0 18	272	0	0	272
	GT1P1{1}	6366249	0	06366249	195	0	0	195
	GT2P2{1}	860845	0	0 860845	152	0	0	152
	GT3P3{1}	2431795	0	02431795	135	0	0	135
	Gravity{2}	35	0	0 35	461	0	0	461
	Thermal 3{2}	-156085	0	0 156085	25	0	0	25
	Pressure 1{2}	3226517	0	03226517	871	0	0	871
	GT3{2}	-156049	0	0 156049	486	0	0	486
	Hydrotest-NL{2}	3070468	0	03070468	1357	0	0	1357
+702 +	Gravity{1}	18	0	0 18	220	0	0	220
	Thermal 1{1}	5441690	0	05441690	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729418	56	0	0	56
	Thermal 3{1}	-156043	0	0 156043	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	909959	0	0 909959	101	0	0	101
	Pressure 2{1}	2590220	0	02590220	-124	0	0	124
	Pressure 3{1}	2587703	0	02587703	-107	0	0	107
	GT1{1}	5441708	0	05441708	94	0	0	94
	GT2{1}	-.2E+07	0	01729400	276	0	0	276
	GT3{1}	-156025	0	0 156025	242	0	0	242
	GW1{1}	16	0	0 16	219	0	0	219
	GW2{1}	20	0	0 20	221	0	0	221
	GW3{1}	18	0	0 18	163	0	0	163
	GW4{1}	18	0	0 18	272	0	0	272
	GT1P1{1}	6351667	0	06351667	195	0	0	195
	GT2P2{1}	860820	0	0 860820	152	0	0	152
	GT3P3{1}	2431678	0	02431678	135	0	0	135
	Gravity{2}	36	0	0 36	461	0	0	461
	Thermal 3{2}	-156081	0	0 156081	25	0	0	25
	Pressure 1{2}	3226245	0	03226245	871	0	0	871
	GT3{2}	-156045	0	0 156045	486	0	0	486
	Hydrotest-NL{2}	3070200	0	03070200	1357	0	0	1357
+703 -	Gravity{1}	18	0	0 18	220	0	0	220
	Thermal 1{1}	5441690	0	05441690	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729418	56	0	0	56
	Thermal 3{1}	-156043	0	0 156043	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	909959	0	0 909959	101	0	0	101
	Pressure 2{1}	2590220	0	02590220	-124	0	0	124
	Pressure 3{1}	2587703	0	02587703	-107	0	0	107
	GT1{1}	5441708	0	05441708	94	0	0	94
	GT2{1}	-.2E+07	0	01729400	276	0	0	276
	GT3{1}	-156025	0	0 156025	242	0	0	242
	GW1{1}	16	0	0 16	219	0	0	219
	GW2{1}	20	0	0 20	221	0	0	221
	GW3{1}	18	0	0 18	163	0	0	163
	GW4{1}	18	0	0 18	272	0	0	272
	GT1P1{1}	6351667	0	06351667	195	0	0	195
	GT2P2{1}	860820	0	0 860820	152	0	0	152
	GT3P3{1}	2431678	0	02431678	135	0	0	135
	Gravity{2}	36	0	0 36	461	0	0	461
	Thermal 3{2}	-156081	0	0 156081	25	0	0	25
	Pressure 1{2}	3226245	0	03226245	871	0	0	871
	GT3{2}	-156045	0	0 156045	486	0	0	486
	Hydrotest-NL{2}	3070200	0	03070200	1357	0	0	1357
+703 +	Gravity{1}	18	0	0 18	220	0	0	220
	Thermal 1{1}	5438965	0	05438965	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729357	56	0	0	56
	Thermal 3{1}	-156039	0	0 156039	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	898103	0	0 898103	101	0	0	101
	Pressure 2{1}	2590133	0	02590133	-124	0	0	124
	Pressure 3{1}	2587580	0	02587580	-107	0	0	107
	GT1{1}	5438984	0	05438984	94	0	0	94
	GT2{1}	-.2E+07	0	01729339	276	0	0	276
	GT3{1}	-156020	0	0 156020	242	0	0	242
	GW1{1}	17	0	0 17	219	0	0	219
	GW2{1}	20	0	0 20	221	0	0	221
	GW3{1}	18	0	0 18	163	0	0	163
	GW4{1}	19	0	0 19	272	0	0	272
	GT1P1{1}	6337087	0	06337087	195	0	0	195
	GT2P2{1}	860795	0	0 860795	152	0	0	152
	GT3P3{1}	2431559	0	02431559	135	0	0	135
	Gravity{2}	36	0	0 36	461	0	0	461
	Thermal 3{2}	-156078	0	0 156078	25	0	0	25
	Pressure 1{2}	3225968	0	03225968	871	0	0	871
	GT3{2}	-156041	0	0 156041	486	0	0	486
	Hydrotest-NL{2}	3069927	0	03069927	1357	0	0	1357
+704 -	Gravity{1}	18	0	0 18	220	0	0	220
	Thermal 1{1}	5438965	0	05438965	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729357	56	0	0	56
	Thermal 3{1}	-156039	0	0 156039	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	898103	0	0 898103	101	0	0	101
	Pressure 2{1}	2590133	0	02590133	-124	0	0	124
	Pressure 3{1}	2587580	0	02587580	-107	0	0	107
	GT1{1}	5438984	0	05438984	94	0	0	94

	GT2{1}	-.2E+07	0	01729339	276	0	0	276
	GT3{1}	-156020	0	0 156020	242	0	0	242
	GW1{1}	17	0	0 17	219	0	0	219
	GW2{1}	20	0	0 20	221	0	0	221
	GW3{1}	18	0	0 18	163	0	0	163
	GW4{1}	19	0	0 19	272	0	0	272
	GT1P1{1}	6337087	0	06337087	195	0	0	195
	GT2P2{1}	860795	0	0 860795	152	0	0	152
	GT3P3{1}	2431559	0	02431559	135	0	0	135
	Gravity{2}	36	0	0 36	461	0	0	461
	Thermal 3{2}	-156078	0	0 156078	25	0	0	25
	Pressure 1{2}	3225968	0	03225968	871	0	0	871
	GT3{2}	-156041	0	0 156041	486	0	0	486
	Hydrotest-NL{2}	3069927	0	03069927	1357	0	0	1357
+704 +	Gravity{1}	19	0	0 19	220	0	0	220
	Thermal 1{1}	5436200	0	05436200	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729295	56	0	0	56
	Thermal 3{1}	-156034	0	0 156034	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	886287	0	0 886287	101	0	0	101
	Pressure 2{1}	2590046	0	02590046	-124	0	0	124
	Pressure 3{1}	2587455	0	02587455	-107	0	0	107
	GT1{1}	5436219	0	05436219	94	0	0	94
	GT2{1}	-.2E+07	0	01729277	276	0	0	276
	GT3{1}	-156016	0	0 156016	242	0	0	242
	GW1{1}	17	0	0 17	219	0	0	219
	GW2{1}	20	0	0 20	221	0	0	221
	GW3{1}	18	0	0 18	163	0	0	163
	GW4{1}	19	0	0 19	272	0	0	272
	GT1P1{1}	6322506	0	06322506	195	0	0	195
	GT2P2{1}	860769	0	0 860769	152	0	0	152
	GT3P3{1}	2431439	0	02431439	135	0	0	135
	Gravity{2}	37	0	0 37	461	0	0	461
	Thermal 3{2}	-156074	0	0 156074	25	0	0	25
	Pressure 1{2}	3225687	0	03225687	871	0	0	871
	GT3{2}	-156037	0	0 156037	486	0	0	486
	Hydrotest-NL{2}	3069650	0	03069650	1357	0	0	1357
+705 -	Gravity{1}	19	0	0 19	220	0	0	220
	Thermal 1{1}	5436200	0	05436200	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729295	56	0	0	56
	Thermal 3{1}	-156034	0	0 156034	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	886287	0	0 886287	101	0	0	101
	Pressure 2{1}	2590046	0	02590046	-124	0	0	124
	Pressure 3{1}	2587455	0	02587455	-107	0	0	107
	GT1{1}	5436219	0	05436219	94	0	0	94
	GT2{1}	-.2E+07	0	01729277	276	0	0	276
	GT3{1}	-156016	0	0 156016	242	0	0	242
	GW1{1}	17	0	0 17	219	0	0	219
	GW2{1}	20	0	0 20	221	0	0	221
	GW3{1}	18	0	0 18	163	0	0	163
	GW4{1}	19	0	0 19	272	0	0	272
	GT1P1{1}	6322506	0	06322506	195	0	0	195
	GT2P2{1}	860769	0	0 860769	152	0	0	152
	GT3P3{1}	2431439	0	02431439	135	0	0	135
	Gravity{2}	37	0	0 37	461	0	0	461
	Thermal 3{2}	-156074	0	0 156074	25	0	0	25
	Pressure 1{2}	3225687	0	03225687	871	0	0	871
	GT3{2}	-156037	0	0 156037	486	0	0	486
	Hydrotest-NL{2}	3069650	0	03069650	1357	0	0	1357
+705 +	Gravity{1}	19	0	0 19	220	0	0	220
	Thermal 1{1}	5433394	0	05433394	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729233	56	0	0	56
	Thermal 3{1}	-156030	0	0 156030	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	874511	0	0 874511	101	0	0	101
	Pressure 2{1}	2589957	0	02589957	-124	0	0	124
	Pressure 3{1}	2587328	0	02587328	-107	0	0	107
	GT1{1}	5433413	0	05433413	94	0	0	94
	GT2{1}	-.2E+07	0	01729214	276	0	0	276
	GT3{1}	-156011	0	0 156011	242	0	0	242
	GW1{1}	17	0	0 17	219	0	0	219
	GW2{1}	20	0	0 20	221	0	0	221
	GW3{1}	18	0	0 18	163	0	0	163
	GW4{1}	19	0	0 19	272	0	0	272
	GT1P1{1}	6307925	0	06307925	195	0	0	195
	GT2P2{1}	860743	0	0 860743	152	0	0	152
	GT3P3{1}	2431317	0	02431317	135	0	0	135
	Gravity{2}	38	0	0 38	461	0	0	461
	Thermal 3{2}	-156070	0	0 156070	25	0	0	25
	Pressure 1{2}	3225403	0	03225403	871	0	0	871
	GT3{2}	-156033	0	0 156033	486	0	0	486
	Hydrotest-NL{2}	3069370	0	03069370	1357	0	0	1357
+706 -	Gravity{1}	19	0	0 19	220	0	0	220
	Thermal 1{1}	5433394	0	05433394	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729233	56	0	0	56
	Thermal 3{1}	-156030	0	0 156030	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	874511	0	0 874511	101	0	0	101
	Pressure 2{1}	2589957	0	02589957	-124	0	0	124
	Pressure 3{1}	2587328	0	02587328	-107	0	0	107
	GT1{1}	5433413	0	05433413	94	0	0	94

	GT2{1}	-.2E+07	0	01729214	276	0	0	276
	GT3{1}	-156011	0	0 156011	242	0	0	242
	GW1{1}	17	0	0 17	219	0	0	219
	GW2{1}	20	0	0 20	221	0	0	221
	GW3{1}	18	0	0 18	163	0	0	163
	GW4{1}	19	0	0 19	272	0	0	272
	GT1P1{1}	6307925	0	06307925	195	0	0	195
	GT2P2{1}	860743	0	0 860743	152	0	0	152
	GT3P3{1}	2431317	0	02431317	135	0	0	135
	Gravity{2}	38	0	0 38	461	0	0	461
	Thermal 3{2}	-156070	0	0 156070	25	0	0	25
	Pressure 1{2}	3225403	0	03225403	871	0	0	871
	GT3{2}	-156033	0	0 156033	486	0	0	486
	Hydrotest-NL{2}	3069370	0	03069370	1357	0	0	1357
+706 +	Gravity{1}	19	0	0 19	220	0	0	220
	Thermal 1{1}	5430547	0	05430547	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729169	56	0	0	56
	Thermal 3{1}	-156026	0	0 156026	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	862777	0	0 862777	101	0	0	101
	Pressure 2{1}	2589868	0	02589868	-124	0	0	124
	Pressure 3{1}	2587200	0	02587200	-107	0	0	107
	GT1{1}	5430566	0	05430566	94	0	0	94
	GT2{1}	-.2E+07	0	01729150	276	0	0	276
	GT3{1}	-156007	0	0 156007	242	0	0	242
	GW1{1}	17	0	0 17	219	0	0	219
	GW2{1}	21	0	0 21	221	0	0	221
	GW3{1}	19	0	0 19	163	0	0	163
	GW4{1}	19	0	0 19	272	0	0	272
	GT1P1{1}	6293343	0	06293343	195	0	0	195
	GT2P2{1}	860717	0	0 860717	152	0	0	152
	GT3P3{1}	2431193	0	02431193	135	0	0	135
	Gravity{2}	38	0	0 38	461	0	0	461
	Thermal 3{2}	-156067	0	0 156067	25	0	0	25
	Pressure 1{2}	3225113	0	03225113	871	0	0	871
	GT3{2}	-156029	0	0 156029	486	0	0	486
	Hydrotest-NL{2}	3069085	0	03069085	1357	0	0	1357
+707 -	Gravity{1}	19	0	0 19	220	0	0	220
	Thermal 1{1}	5430547	0	05430547	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729169	56	0	0	56
	Thermal 3{1}	-156026	0	0 156026	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	862777	0	0 862777	101	0	0	101
	Pressure 2{1}	2589868	0	02589868	-124	0	0	124
	Pressure 3{1}	2587200	0	02587200	-107	0	0	107
	GT1{1}	5430566	0	05430566	94	0	0	94
	GT2{1}	-.2E+07	0	01729150	276	0	0	276
	GT3{1}	-156007	0	0 156007	242	0	0	242
	GW1{1}	17	0	0 17	219	0	0	219
	GW2{1}	21	0	0 21	221	0	0	221
	GW3{1}	19	0	0 19	163	0	0	163
	GW4{1}	19	0	0 19	272	0	0	272
	GT1P1{1}	6293343	0	06293343	195	0	0	195
	GT2P2{1}	860717	0	0 860717	152	0	0	152
	GT3P3{1}	2431193	0	02431193	135	0	0	135
	Gravity{2}	38	0	0 38	461	0	0	461
	Thermal 3{2}	-156067	0	0 156067	25	0	0	25
	Pressure 1{2}	3225113	0	03225113	871	0	0	871
	GT3{2}	-156029	0	0 156029	486	0	0	486
	Hydrotest-NL{2}	3069085	0	03069085	1357	0	0	1357
+707 +	Gravity{1}	19	0	0 19	220	0	0	220
	Thermal 1{1}	5427659	0	05427659	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729105	56	0	0	56
	Thermal 3{1}	-156022	0	0 156022	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	851084	0	0 851084	101	0	0	101
	Pressure 2{1}	2589776	0	02589776	-124	0	0	124
	Pressure 3{1}	2587069	0	02587069	-107	0	0	107
	GT1{1}	5427678	0	05427678	94	0	0	94
	GT2{1}	-.2E+07	0	01729086	276	0	0	276
	GT3{1}	-156002	0	0 156002	242	0	0	242
	GW1{1}	18	0	0 18	219	0	0	219
	GW2{1}	21	0	0 21	221	0	0	221
	GW3{1}	19	0	0 19	163	0	0	163
	GW4{1}	20	0	0 20	272	0	0	272
	GT1P1{1}	6278763	0	06278763	195	0	0	195
	GT2P2{1}	860691	0	0 860691	152	0	0	152
	GT3P3{1}	2431067	0	02431067	135	0	0	135
	Gravity{2}	39	0	0 39	461	0	0	461
	Thermal 3{2}	-156063	0	0 156063	25	0	0	25
	Pressure 1{2}	3224820	0	03224820	871	0	0	871
	GT3{2}	-156024	0	0 156024	486	0	0	486
	Hydrotest-NL{2}	3068796	0	03068796	1357	0	0	1357
+708 -	Gravity{1}	19	0	0 19	220	0	0	220
	Thermal 1{1}	5427659	0	05427659	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729105	56	0	0	56
	Thermal 3{1}	-156022	0	0 156022	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	851084	0	0 851084	101	0	0	101
	Pressure 2{1}	2589776	0	02589776	-124	0	0	124
	Pressure 3{1}	2587069	0	02587069	-107	0	0	107
	GT1{1}	5427678	0	05427678	94	0	0	94

	GT2{1}	-.2E+07	0	01729086	276	0	0	276
	GT3{1}	-156002	0	0 156002	242	0	0	242
	GW1{1}	18	0	0 18	219	0	0	219
	GW2{1}	21	0	0 21	221	0	0	221
	GW3{1}	19	0	0 19	163	0	0	163
	GW4{1}	20	0	0 20	272	0	0	272
	GT1P1{1}	6278763	0	06278763	195	0	0	195
	GT2P2{1}	860691	0	0 860691	152	0	0	152
	GT3P3{1}	2431067	0	02431067	135	0	0	135
	Gravity{2}	39	0	0 39	461	0	0	461
	Thermal 3{2}	-156063	0	0 156063	25	0	0	25
	Pressure 1{2}	3224820	0	03224820	871	0	0	871
	GT3{2}	-156024	0	0 156024	486	0	0	486
	Hydrotest-NL{2}	3068796	0	03068796	1357	0	0	1357
+708 +	Gravity{1}	20	0	0 20	220	0	0	220
	Thermal 1{1}	5424727	0	05424727	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729040	56	0	0	56
	Thermal 3{1}	-156017	0	0 156017	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	839434	0	0 839434	101	0	0	101
	Pressure 2{1}	2589684	0	02589684	-124	0	0	124
	Pressure 3{1}	2586937	0	02586937	-107	0	0	107
	GT1{1}	5424747	0	05424747	94	0	0	94
	GT2{1}	-.2E+07	0	01729020	276	0	0	276
	GT3{1}	-155998	0	0 155998	242	0	0	242
	GW1{1}	18	0	0 18	219	0	0	219
	GW2{1}	21	0	0 21	221	0	0	221
	GW3{1}	19	0	0 19	163	0	0	163
	GW4{1}	20	0	0 20	272	0	0	272
	GT1P1{1}	6264181	0	06264181	195	0	0	195
	GT2P2{1}	860664	0	0 860664	152	0	0	152
	GT3P3{1}	2430939	0	02430939	135	0	0	135
	Gravity{2}	39	0	0 39	461	0	0	461
	Thermal 3{2}	-156059	0	0 156059	25	0	0	25
	Pressure 1{2}	3224523	0	03224523	871	0	0	871
	GT3{2}	-156020	0	0 156020	486	0	0	486
	Hydrotest-NL{2}	3068503	0	03068503	1357	0	0	1357
+709 -	Gravity{1}	20	0	0 20	220	0	0	220
	Thermal 1{1}	5424727	0	05424727	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01729040	56	0	0	56
	Thermal 3{1}	-156017	0	0 156017	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	839434	0	0 839434	101	0	0	101
	Pressure 2{1}	2589684	0	02589684	-124	0	0	124
	Pressure 3{1}	2586937	0	02586937	-107	0	0	107
	GT1{1}	5424747	0	05424747	94	0	0	94
	GT2{1}	-.2E+07	0	01729020	276	0	0	276
	GT3{1}	-155998	0	0 155998	242	0	0	242
	GW1{1}	18	0	0 18	219	0	0	219
	GW2{1}	21	0	0 21	221	0	0	221
	GW3{1}	19	0	0 19	163	0	0	163
	GW4{1}	20	0	0 20	272	0	0	272
	GT1P1{1}	6264181	0	06264181	195	0	0	195
	GT2P2{1}	860664	0	0 860664	152	0	0	152
	GT3P3{1}	2430939	0	02430939	135	0	0	135
	Gravity{2}	39	0	0 39	461	0	0	461
	Thermal 3{2}	-156059	0	0 156059	25	0	0	25
	Pressure 1{2}	3224523	0	03224523	871	0	0	871
	GT3{2}	-156020	0	0 156020	486	0	0	486
	Hydrotest-NL{2}	3068503	0	03068503	1357	0	0	1357
+709 +	Gravity{1}	20	0	0 20	220	0	0	220
	Thermal 1{1}	5421753	0	05421753	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728974	56	0	0	56
	Thermal 3{1}	-156013	0	0 156013	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	827827	0	0 827827	101	0	0	101
	Pressure 2{1}	2589590	0	02589590	-124	0	0	124
	Pressure 3{1}	2586803	0	02586803	-107	0	0	107
	GT1{1}	5421773	0	05421773	94	0	0	94
	GT2{1}	-.2E+07	0	01728954	276	0	0	276
	GT3{1}	-155993	0	0 155993	242	0	0	242
	GW1{1}	18	0	0 18	219	0	0	219
	GW2{1}	22	0	0 22	221	0	0	221
	GW3{1}	20	0	0 20	163	0	0	163
	GW4{1}	20	0	0 20	272	0	0	272
	GT1P1{1}	6249599	0	06249599	195	0	0	195
	GT2P2{1}	860636	0	0 860636	152	0	0	152
	GT3P3{1}	2430810	0	02430810	135	0	0	135
	Gravity{2}	40	0	0 40	461	0	0	461
	Thermal 3{2}	-156055	0	0 156055	25	0	0	25
	Pressure 1{2}	3224221	0	03224221	871	0	0	871
	GT3{2}	-156016	0	0 156016	486	0	0	486
	Hydrotest-NL{2}	3068205	0	03068205	1357	0	0	1357
+710 -	Gravity{1}	20	0	0 20	220	0	0	220
	Thermal 1{1}	5421753	0	05421753	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728974	56	0	0	56
	Thermal 3{1}	-156013	0	0 156013	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	827827	0	0 827827	101	0	0	101
	Pressure 2{1}	2589590	0	02589590	-124	0	0	124
	Pressure 3{1}	2586803	0	02586803	-107	0	0	107
	GT1{1}	5421773	0	05421773	94	0	0	94

	GT2{1}	-.2E+07	0	01728954	276	0	0	276
	GT3{1}	-155993	0	0 155993	242	0	0	242
	GW1{1}	18	0	0 18	219	0	0	219
	GW2{1}	22	0	0 22	221	0	0	221
	GW3{1}	20	0	0 20	163	0	0	163
	GW4{1}	20	0	0 20	272	0	0	272
	GT1P1{1}	6249599	0	06249599	195	0	0	195
	GT2P2{1}	860636	0	0 860636	152	0	0	152
	GT3P3{1}	2430810	0	02430810	135	0	0	135
	Gravity{2}	40	0	0 40	461	0	0	461
	Thermal 3{2}	-156055	0	0 156055	25	0	0	25
	Pressure 1{2}	3224221	0	03224221	871	0	0	871
	GT3{2}	-156016	0	0 156016	486	0	0	486
	Hydrotest-NL{2}	3068205	0	03068205	1357	0	0	1357
+710 +	Gravity{1}	20	0	0 20	220	0	0	220
	Thermal 1{1}	5418735	0	05418735	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728906	56	0	0	56
	Thermal 3{1}	-156008	0	0 156008	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	816263	0	0 816263	101	0	0	101
	Pressure 2{1}	2589495	0	02589495	-124	0	0	124
	Pressure 3{1}	2586667	0	02586667	-107	0	0	107
	GT1{1}	5418755	0	05418755	94	0	0	94
	GT2{1}	-.2E+07	0	01728886	276	0	0	276
	GT3{1}	-155988	0	0 155988	242	0	0	242
	GW1{1}	18	0	0 18	219	0	0	219
	GW2{1}	22	0	0 22	221	0	0	221
	GW3{1}	20	0	0 20	163	0	0	163
	GW4{1}	21	0	0 21	272	0	0	272
	GT1P1{1}	6235018	0	06235018	195	0	0	195
	GT2P2{1}	860608	0	0 860608	152	0	0	152
	GT3P3{1}	2430679	0	02430679	135	0	0	135
	Gravity{2}	40	0	0 40	461	0	0	461
	Thermal 3{2}	-156052	0	0 156052	25	0	0	25
	Pressure 1{2}	3223914	0	03223914	871	0	0	871
	GT3{2}	-156011	0	0 156011	486	0	0	486
	Hydrotest-NL{2}	3067903	0	03067903	1357	0	0	1357
+711 -	Gravity{1}	20	0	0 20	220	0	0	220
	Thermal 1{1}	5418735	0	05418735	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728906	56	0	0	56
	Thermal 3{1}	-156008	0	0 156008	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	816263	0	0 816263	101	0	0	101
	Pressure 2{1}	2589495	0	02589495	-124	0	0	124
	Pressure 3{1}	2586667	0	02586667	-107	0	0	107
	GT1{1}	5418755	0	05418755	94	0	0	94
	GT2{1}	-.2E+07	0	01728886	276	0	0	276
	GT3{1}	-155988	0	0 155988	242	0	0	242
	GW1{1}	18	0	0 18	219	0	0	219
	GW2{1}	22	0	0 22	221	0	0	221
	GW3{1}	20	0	0 20	163	0	0	163
	GW4{1}	21	0	0 21	272	0	0	272
	GT1P1{1}	6235018	0	06235018	195	0	0	195
	GT2P2{1}	860608	0	0 860608	152	0	0	152
	GT3P3{1}	2430679	0	02430679	135	0	0	135
	Gravity{2}	40	0	0 40	461	0	0	461
	Thermal 3{2}	-156052	0	0 156052	25	0	0	25
	Pressure 1{2}	3223914	0	03223914	871	0	0	871
	GT3{2}	-156011	0	0 156011	486	0	0	486
	Hydrotest-NL{2}	3067903	0	03067903	1357	0	0	1357
+711 +	Gravity{1}	21	0	0 21	220	0	0	220
	Thermal 1{1}	5415673	0	05415673	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728838	56	0	0	56
	Thermal 3{1}	-156004	0	0 156004	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	804743	0	0 804743	101	0	0	101
	Pressure 2{1}	2589398	0	02589398	-124	0	0	124
	Pressure 3{1}	2586529	0	02586529	-107	0	0	107
	GT1{1}	5415694	0	05415694	94	0	0	94
	GT2{1}	-.2E+07	0	01728817	276	0	0	276
	GT3{1}	-155983	0	0 155983	242	0	0	242
	GW1{1}	19	0	0 19	219	0	0	219
	GW2{1}	22	0	0 22	221	0	0	221
	GW3{1}	20	0	0 20	163	0	0	163
	GW4{1}	21	0	0 21	272	0	0	272
	GT1P1{1}	6220437	0	06220437	195	0	0	195
	GT2P2{1}	860580	0	0 860580	152	0	0	152
	GT3P3{1}	2430545	0	02430545	135	0	0	135
	Gravity{2}	41	0	0 41	461	0	0	461
	Thermal 3{2}	-156048	0	0 156048	25	0	0	25
	Pressure 1{2}	3223604	0	03223604	871	0	0	871
	GT3{2}	-156007	0	0 156007	486	0	0	486
	Hydrotest-NL{2}	3067597	0	03067597	1357	0	0	1357
+712 -	Gravity{1}	21	0	0 21	220	0	0	220
	Thermal 1{1}	5415673	0	05415673	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728838	56	0	0	56
	Thermal 3{1}	-156004	0	0 156004	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	804743	0	0 804743	101	0	0	101
	Pressure 2{1}	2589398	0	02589398	-124	0	0	124
	Pressure 3{1}	2586529	0	02586529	-107	0	0	107
	GT1{1}	5415694	0	05415694	94	0	0	94

	GT2{1}	-.2E+07	0	01728817	276	0	0	276
	GT3{1}	-155983	0	0 155983	242	0	0	242
	GW1{1}	19	0	0 19	219	0	0	219
	GW2{1}	22	0	0 22	221	0	0	221
	GW3{1}	20	0	0 20	163	0	0	163
	GW4{1}	21	0	0 21	272	0	0	272
	GT1P1{1}	6220437	0	06220437	195	0	0	195
	GT2P2{1}	860580	0	0 860580	152	0	0	152
	GT3P3{1}	2430545	0	02430545	135	0	0	135
	Gravity{2}	41	0	0 41	461	0	0	461
	Thermal 3{2}	-156048	0	0 156048	25	0	0	25
	Pressure 1{2}	3223604	0	03223604	871	0	0	871
	GT3{2}	-156007	0	0 156007	486	0	0	486
	Hydrotest-NL{2}	3067597	0	03067597	1357	0	0	1357
+712 +	Gravity{1}	21	0	0 21	220	0	0	220
	Thermal 1{1}	5412567	0	05412567	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728769	56	0	0	56
	Thermal 3{1}	-155999	0	0 155999	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	793269	0	0 793269	101	0	0	101
	Pressure 2{1}	2589300	0	02589300	-124	0	0	124
	Pressure 3{1}	2586388	0	02586388	-107	0	0	107
	GT1{1}	5412587	0	05412587	94	0	0	94
	GT2{1}	-.2E+07	0	01728748	276	0	0	276
	GT3{1}	-155978	0	0 155978	242	0	0	242
	GW1{1}	19	0	0 19	219	0	0	219
	GW2{1}	23	0	0 23	221	0	0	221
	GW3{1}	20	0	0 20	163	0	0	163
	GW4{1}	21	0	0 21	272	0	0	272
	GT1P1{1}	6205856	0	06205856	195	0	0	195
	GT2P2{1}	860552	0	0 860552	152	0	0	152
	GT3P3{1}	2430410	0	02430410	135	0	0	135
	Gravity{2}	42	0	0 42	461	0	0	461
	Thermal 3{2}	-156044	0	0 156044	25	0	0	25
	Pressure 1{2}	3223288	0	03223288	871	0	0	871
	GT3{2}	-156002	0	0 156002	486	0	0	486
	Hydrotest-NL{2}	3067286	0	03067286	1357	0	0	1357
+713 -	Gravity{1}	21	0	0 21	220	0	0	220
	Thermal 1{1}	5412567	0	05412567	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728769	56	0	0	56
	Thermal 3{1}	-155999	0	0 155999	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	793269	0	0 793269	101	0	0	101
	Pressure 2{1}	2589300	0	02589300	-124	0	0	124
	Pressure 3{1}	2586388	0	02586388	-107	0	0	107
	GT1{1}	5412587	0	05412587	94	0	0	94
	GT2{1}	-.2E+07	0	01728748	276	0	0	276
	GT3{1}	-155978	0	0 155978	242	0	0	242
	GW1{1}	19	0	0 19	219	0	0	219
	GW2{1}	23	0	0 23	221	0	0	221
	GW3{1}	20	0	0 20	163	0	0	163
	GW4{1}	21	0	0 21	272	0	0	272
	GT1P1{1}	6205856	0	06205856	195	0	0	195
	GT2P2{1}	860552	0	0 860552	152	0	0	152
	GT3P3{1}	2430410	0	02430410	135	0	0	135
	Gravity{2}	42	0	0 42	461	0	0	461
	Thermal 3{2}	-156044	0	0 156044	25	0	0	25
	Pressure 1{2}	3223288	0	03223288	871	0	0	871
	GT3{2}	-156002	0	0 156002	486	0	0	486
	Hydrotest-NL{2}	3067286	0	03067286	1357	0	0	1357
+713 +	Gravity{1}	21	0	0 21	220	0	0	220
	Thermal 1{1}	5409414	0	05409414	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728699	56	0	0	56
	Thermal 3{1}	-155994	0	0 155994	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	781840	0	0 781840	101	0	0	101
	Pressure 2{1}	2589200	0	02589200	-124	0	0	124
	Pressure 3{1}	2586246	0	02586246	-107	0	0	107
	GT1{1}	5409435	0	05409435	94	0	0	94
	GT2{1}	-.2E+07	0	01728678	276	0	0	276
	GT3{1}	-155973	0	0 155973	242	0	0	242
	GW1{1}	19	0	0 19	219	0	0	219
	GW2{1}	23	0	0 23	221	0	0	221
	GW3{1}	21	0	0 21	163	0	0	163
	GW4{1}	21	0	0 21	272	0	0	272
	GT1P1{1}	6191275	0	06191275	195	0	0	195
	GT2P2{1}	860523	0	0 860523	152	0	0	152
	GT3P3{1}	2430273	0	02430273	135	0	0	135
	Gravity{2}	42	0	0 42	461	0	0	461
	Thermal 3{2}	-156040	0	0 156040	25	0	0	25
	Pressure 1{2}	3222968	0	03222968	871	0	0	871
	GT3{2}	-155997	0	0 155997	486	0	0	486
	Hydrotest-NL{2}	3066971	0	03066971	1357	0	0	1357
+714 -	Gravity{1}	21	0	0 21	220	0	0	220
	Thermal 1{1}	5409414	0	05409414	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728699	56	0	0	56
	Thermal 3{1}	-155994	0	0 155994	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	781840	0	0 781840	101	0	0	101
	Pressure 2{1}	2589200	0	02589200	-124	0	0	124
	Pressure 3{1}	2586246	0	02586246	-107	0	0	107
	GT1{1}	5409435	0	05409435	94	0	0	94

	GT2{1}	-.2E+07	0	01728678	276	0	0	276
	GT3{1}	-155973	0	0 155973	242	0	0	242
	GW1{1}	19	0	0 19	219	0	0	219
	GW2{1}	23	0	0 23	221	0	0	221
	GW3{1}	21	0	0 21	163	0	0	163
	GW4{1}	21	0	0 21	272	0	0	272
	GT1P1{1}	6191275	0	06191275	195	0	0	195
	GT2P2{1}	860523	0	0 860523	152	0	0	152
	GT3P3{1}	2430273	0	02430273	135	0	0	135
	Gravity{2}	42	0	0 42	461	0	0	461
	Thermal 3{2}	-156040	0	0 156040	25	0	0	25
	Pressure 1{2}	3222968	0	03222968	871	0	0	871
	GT3{2}	-155997	0	0 155997	486	0	0	486
	Hydrotest-NL{2}	3066971	0	03066971	1357	0	0	1357
+714 +	Gravity{1}	21	0	0 21	220	0	0	220
	Thermal 1{1}	5406215	0	05406215	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728627	56	0	0	56
	Thermal 3{1}	-155990	0	0 155990	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	770457	0	0 770457	101	0	0	101
	Pressure 2{1}	2589099	0	02589099	-124	0	0	124
	Pressure 3{1}	2586102	0	02586102	-107	0	0	107
	GT1{1}	5406237	0	05406237	94	0	0	94
	GT2{1}	-.2E+07	0	01728606	276	0	0	276
	GT3{1}	-155968	0	0 155968	242	0	0	242
	GW1{1}	20	0	0 20	219	0	0	219
	GW2{1}	23	0	0 23	221	0	0	221
	GW3{1}	21	0	0 21	163	0	0	163
	GW4{1}	22	0	0 22	272	0	0	272
	GT1P1{1}	6176694	0	06176694	195	0	0	195
	GT2P2{1}	860493	0	0 860493	152	0	0	152
	GT3P3{1}	2430134	0	02430134	135	0	0	135
	Gravity{2}	43	0	0 43	461	0	0	461
	Thermal 3{2}	-156035	0	0 156035	25	0	0	25
	Pressure 1{2}	3222644	0	03222644	871	0	0	871
	GT3{2}	-155993	0	0 155993	486	0	0	486
	Hydrotest-NL{2}	3066651	0	03066651	1357	0	0	1357
+715 -	Gravity{1}	21	0	0 21	220	0	0	220
	Thermal 1{1}	5406215	0	05406215	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728627	56	0	0	56
	Thermal 3{1}	-155990	0	0 155990	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	770457	0	0 770457	101	0	0	101
	Pressure 2{1}	2589099	0	02589099	-124	0	0	124
	Pressure 3{1}	2586102	0	02586102	-107	0	0	107
	GT1{1}	5406237	0	05406237	94	0	0	94
	GT2{1}	-.2E+07	0	01728606	276	0	0	276
	GT3{1}	-155968	0	0 155968	242	0	0	242
	GW1{1}	20	0	0 20	219	0	0	219
	GW2{1}	23	0	0 23	221	0	0	221
	GW3{1}	21	0	0 21	163	0	0	163
	GW4{1}	22	0	0 22	272	0	0	272
	GT1P1{1}	6176694	0	06176694	195	0	0	195
	GT2P2{1}	860493	0	0 860493	152	0	0	152
	GT3P3{1}	2430134	0	02430134	135	0	0	135
	Gravity{2}	43	0	0 43	461	0	0	461
	Thermal 3{2}	-156035	0	0 156035	25	0	0	25
	Pressure 1{2}	3222644	0	03222644	871	0	0	871
	GT3{2}	-155993	0	0 155993	486	0	0	486
	Hydrotest-NL{2}	3066651	0	03066651	1357	0	0	1357
+715 +	Gravity{1}	22	0	0 22	220	0	0	220
	Thermal 1{1}	5402970	0	05402970	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728555	56	0	0	56
	Thermal 3{1}	-155985	0	0 155985	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	759121	0	0 759121	101	0	0	101
	Pressure 2{1}	2588996	0	02588996	-124	0	0	124
	Pressure 3{1}	2585955	0	02585955	-107	0	0	107
	GT1{1}	5402991	0	05402991	94	0	0	94
	GT2{1}	-.2E+07	0	01728533	276	0	0	276
	GT3{1}	-155963	0	0 155963	242	0	0	242
	GW1{1}	20	0	0 20	219	0	0	219
	GW2{1}	24	0	0 24	221	0	0	221
	GW3{1}	21	0	0 21	163	0	0	163
	GW4{1}	22	0	0 22	272	0	0	272
	GT1P1{1}	6162112	0	06162112	195	0	0	195
	GT2P2{1}	860463	0	0 860463	152	0	0	152
	GT3P3{1}	2429992	0	02429992	135	0	0	135
	Gravity{2}	43	0	0 43	461	0	0	461
	Thermal 3{2}	-156031	0	0 156031	25	0	0	25
	Pressure 1{2}	3222314	0	03222314	871	0	0	871
	GT3{2}	-155988	0	0 155988	486	0	0	486
	Hydrotest-NL{2}	3066326	0	03066326	1357	0	0	1357
+716 -	Gravity{1}	22	0	0 22	220	0	0	220
	Thermal 1{1}	5402970	0	05402970	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728555	56	0	0	56
	Thermal 3{1}	-155985	0	0 155985	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	759121	0	0 759121	101	0	0	101
	Pressure 2{1}	2588996	0	02588996	-124	0	0	124
	Pressure 3{1}	2585955	0	02585955	-107	0	0	107
	GT1{1}	5402991	0	05402991	94	0	0	94

	GT2{1}	-.2E+07	0	01728533	276	0	0	276
	GT3{1}	-155963	0	0 155963	242	0	0	242
	GW1{1}	20	0	0 20	219	0	0	219
	GW2{1}	24	0	0 24	221	0	0	221
	GW3{1}	21	0	0 21	163	0	0	163
	GW4{1}	22	0	0 22	272	0	0	272
	GT1P1{1}	6162112	0	06162112	195	0	0	195
	GT2P2{1}	860463	0	0 860463	152	0	0	152
	GT3P3{1}	2429992	0	02429992	135	0	0	135
	Gravity{2}	43	0	0 43	461	0	0	461
	Thermal 3{2}	-156031	0	0 156031	25	0	0	25
	Pressure 1{2}	3222314	0	03222314	871	0	0	871
	GT3{2}	-155988	0	0 155988	486	0	0	486
	Hydrotest-NL{2}	3066326	0	03066326	1357	0	0	1357
+716 +	Gravity{1}	22	0	0 22	220	0	0	220
	Thermal 1{1}	5399677	0	05399677	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728482	56	0	0	56
	Thermal 3{1}	-155980	0	0 155980	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	747832	0	0 747832	101	0	0	101
	Pressure 2{1}	2588892	0	02588892	-124	0	0	124
	Pressure 3{1}	2585807	0	02585807	-107	0	0	107
	GT1{1}	5399699	0	05399699	94	0	0	94
	GT2{1}	-.2E+07	0	01728460	276	0	0	276
	GT3{1}	-155958	0	0 155958	242	0	0	242
	GW1{1}	20	0	0 20	219	0	0	219
	GW2{1}	24	0	0 24	221	0	0	221
	GW3{1}	22	0	0 22	163	0	0	163
	GW4{1}	22	0	0 22	272	0	0	272
	GT1P1{1}	6147532	0	06147532	195	0	0	195
	GT2P2{1}	860433	0	0 860433	152	0	0	152
	GT3P3{1}	2429849	0	02429849	135	0	0	135
	Gravity{2}	44	0	0 44	461	0	0	461
	Thermal 3{2}	-156027	0	0 156027	25	0	0	25
	Pressure 1{2}	3221980	0	03221980	871	0	0	871
	GT3{2}	-155983	0	0 155983	486	0	0	486
	Hydrotest-NL{2}	3065997	0	03065997	1357	0	0	1357
+717 -	Gravity{1}	22	0	0 22	220	0	0	220
	Thermal 1{1}	5399677	0	05399677	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728482	56	0	0	56
	Thermal 3{1}	-155980	0	0 155980	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	747832	0	0 747832	101	0	0	101
	Pressure 2{1}	2588892	0	02588892	-124	0	0	124
	Pressure 3{1}	2585807	0	02585807	-107	0	0	107
	GT1{1}	5399699	0	05399699	94	0	0	94
	GT2{1}	-.2E+07	0	01728460	276	0	0	276
	GT3{1}	-155958	0	0 155958	242	0	0	242
	GW1{1}	20	0	0 20	219	0	0	219
	GW2{1}	24	0	0 24	221	0	0	221
	GW3{1}	22	0	0 22	163	0	0	163
	GW4{1}	22	0	0 22	272	0	0	272
	GT1P1{1}	6147532	0	06147532	195	0	0	195
	GT2P2{1}	860433	0	0 860433	152	0	0	152
	GT3P3{1}	2429849	0	02429849	135	0	0	135
	Gravity{2}	44	0	0 44	461	0	0	461
	Thermal 3{2}	-156027	0	0 156027	25	0	0	25
	Pressure 1{2}	3221980	0	03221980	871	0	0	871
	GT3{2}	-155983	0	0 155983	486	0	0	486
	Hydrotest-NL{2}	3065997	0	03065997	1357	0	0	1357
+717 +	Gravity{1}	22	0	0 22	220	0	0	220
	Thermal 1{1}	5396336	0	05396336	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728407	56	0	0	56
	Thermal 3{1}	-155975	0	0 155975	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	736592	0	0 736592	101	0	0	101
	Pressure 2{1}	2588787	0	02588787	-124	0	0	124
	Pressure 3{1}	2585656	0	02585656	-107	0	0	107
	GT1{1}	5396358	0	05396358	94	0	0	94
	GT2{1}	-.2E+07	0	01728385	276	0	0	276
	GT3{1}	-155952	0	0 155952	242	0	0	242
	GW1{1}	20	0	0 20	219	0	0	219
	GW2{1}	24	0	0 24	221	0	0	221
	GW3{1}	22	0	0 22	163	0	0	163
	GW4{1}	23	0	0 23	272	0	0	272
	GT1P1{1}	6132950	0	06132950	195	0	0	195
	GT2P2{1}	860402	0	0 860402	152	0	0	152
	GT3P3{1}	2429703	0	02429703	135	0	0	135
	Gravity{2}	45	0	0 45	461	0	0	461
	Thermal 3{2}	-156023	0	0 156023	25	0	0	25
	Pressure 1{2}	3221641	0	03221641	871	0	0	871
	GT3{2}	-155978	0	0 155978	486	0	0	486
	Hydrotest-NL{2}	3065663	0	03065663	1357	0	0	1357
+718 -	Gravity{1}	22	0	0 22	220	0	0	220
	Thermal 1{1}	5396336	0	05396336	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728407	56	0	0	56
	Thermal 3{1}	-155975	0	0 155975	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	736592	0	0 736592	101	0	0	101
	Pressure 2{1}	2588787	0	02588787	-124	0	0	124
	Pressure 3{1}	2585656	0	02585656	-107	0	0	107
	GT1{1}	5396358	0	05396358	94	0	0	94

	GT2{1}	-.2E+07	0	01728385	276	0	0	276
	GT3{1}	-155952	0	0 155952	242	0	0	242
	GW1{1}	20	0	0 20	219	0	0	219
	GW2{1}	24	0	0 24	221	0	0	221
	GW3{1}	22	0	0 22	163	0	0	163
	GW4{1}	23	0	0 23	272	0	0	272
	GT1P1{1}	6132950	0	06132950	195	0	0	195
	GT2P2{1}	860402	0	0 860402	152	0	0	152
	GT3P3{1}	2429703	0	02429703	135	0	0	135
	Gravity{2}	45	0	0 45	461	0	0	461
	Thermal 3{2}	-156023	0	0 156023	25	0	0	25
	Pressure 1{2}	3221641	0	03221641	871	0	0	871
	GT3{2}	-155978	0	0 155978	486	0	0	486
	Hydrotest-NL{2}	3065663	0	03065663	1357	0	0	1357
+718 +	Gravity{1}	23	0	0 23	220	0	0	220
	Thermal 1{1}	5392945	0	05392945	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728332	56	0	0	56
	Thermal 3{1}	-155970	0	0 155970	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	725401	0	0 725401	101	0	0	101
	Pressure 2{1}	2588680	0	02588680	-124	0	0	124
	Pressure 3{1}	2585503	0	02585503	-107	0	0	107
	GT1{1}	5392968	0	05392968	94	0	0	94
	GT2{1}	-.2E+07	0	01728309	276	0	0	276
	GT3{1}	-155947	0	0 155947	242	0	0	242
	GW1{1}	21	0	0 21	219	0	0	219
	GW2{1}	25	0	0 25	221	0	0	221
	GW3{1}	22	0	0 22	163	0	0	163
	GW4{1}	23	0	0 23	272	0	0	272
	GT1P1{1}	6118369	0	06118369	195	0	0	195
	GT2P2{1}	860371	0	0 860371	152	0	0	152
	GT3P3{1}	2429556	0	02429556	135	0	0	135
	Gravity{2}	45	0	0 45	461	0	0	461
	Thermal 3{2}	-156018	0	0 156018	25	0	0	25
	Pressure 1{2}	3221296	0	03221296	871	0	0	871
	GT3{2}	-155973	0	0 155973	486	0	0	486
	Hydrotest-NL{2}	3065323	0	03065323	1357	0	0	1357
+719 -	Gravity{1}	23	0	0 23	220	0	0	220
	Thermal 1{1}	5392945	0	05392945	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728332	56	0	0	56
	Thermal 3{1}	-155970	0	0 155970	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	725401	0	0 725401	101	0	0	101
	Pressure 2{1}	2588680	0	02588680	-124	0	0	124
	Pressure 3{1}	2585503	0	02585503	-107	0	0	107
	GT1{1}	5392968	0	05392968	94	0	0	94
	GT2{1}	-.2E+07	0	01728309	276	0	0	276
	GT3{1}	-155947	0	0 155947	242	0	0	242
	GW1{1}	21	0	0 21	219	0	0	219
	GW2{1}	25	0	0 25	221	0	0	221
	GW3{1}	22	0	0 22	163	0	0	163
	GW4{1}	23	0	0 23	272	0	0	272
	GT1P1{1}	6118369	0	06118369	195	0	0	195
	GT2P2{1}	860371	0	0 860371	152	0	0	152
	GT3P3{1}	2429556	0	02429556	135	0	0	135
	Gravity{2}	45	0	0 45	461	0	0	461
	Thermal 3{2}	-156018	0	0 156018	25	0	0	25
	Pressure 1{2}	3221296	0	03221296	871	0	0	871
	GT3{2}	-155973	0	0 155973	486	0	0	486
	Hydrotest-NL{2}	3065323	0	03065323	1357	0	0	1357
+719 +	Gravity{1}	23	0	0 23	220	0	0	220
	Thermal 1{1}	5389505	0	05389505	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728255	56	0	0	56
	Thermal 3{1}	-155964	0	0 155964	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	714260	0	0 714260	101	0	0	101
	Pressure 2{1}	2588571	0	02588571	-124	0	0	124
	Pressure 3{1}	2585348	0	02585348	-107	0	0	107
	GT1{1}	5389528	0	05389528	94	0	0	94
	GT2{1}	-.2E+07	0	01728232	276	0	0	276
	GT3{1}	-155941	0	0 155941	242	0	0	242
	GW1{1}	21	0	0 21	219	0	0	219
	GW2{1}	25	0	0 25	221	0	0	221
	GW3{1}	23	0	0 23	163	0	0	163
	GW4{1}	23	0	0 23	272	0	0	272
	GT1P1{1}	6103787	0	06103787	195	0	0	195
	GT2P2{1}	860339	0	0 860339	152	0	0	152
	GT3P3{1}	2429406	0	02429406	135	0	0	135
	Gravity{2}	46	0	0 46	461	0	0	461
	Thermal 3{2}	-156014	0	0 156014	25	0	0	25
	Pressure 1{2}	3220947	0	03220947	871	0	0	871
	GT3{2}	-155968	0	0 155968	486	0	0	486
	Hydrotest-NL{2}	3064979	0	03064979	1357	0	0	1357
+720 -	Gravity{1}	23	0	0 23	220	0	0	220
	Thermal 1{1}	5389505	0	05389505	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728255	56	0	0	56
	Thermal 3{1}	-155964	0	0 155964	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	714260	0	0 714260	101	0	0	101
	Pressure 2{1}	2588571	0	02588571	-124	0	0	124
	Pressure 3{1}	2585348	0	02585348	-107	0	0	107
	GT1{1}	5389528	0	05389528	94	0	0	94

	GT2{1}	-.2E+07	0	01728232	276	0	0	276
	GT3{1}	-155941	0	0 155941	242	0	0	242
	GW1{1}	21	0	0 21	219	0	0	219
	GW2{1}	25	0	0 25	221	0	0	221
	GW3{1}	23	0	0 23	163	0	0	163
	GW4{1}	23	0	0 23	272	0	0	272
	GT1P1{1}	6103787	0	06103787	195	0	0	195
	GT2P2{1}	860339	0	0 860339	152	0	0	152
	GT3P3{1}	2429406	0	02429406	135	0	0	135
	Gravity{2}	46	0	0 46	461	0	0	461
	Thermal 3{2}	-156014	0	0 156014	25	0	0	25
	Pressure 1{2}	3220947	0	03220947	871	0	0	871
	GT3{2}	-155968	0	0 155968	486	0	0	486
	Hydrotest-NL{2}	3064979	0	03064979	1357	0	0	1357
+720 +	Gravity{1}	23	0	0 23	220	0	0	220
	Thermal 1{1}	5386015	0	05386015	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728177	56	0	0	56
	Thermal 3{1}	-155959	0	0 155959	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	703169	0	0 703169	101	0	0	101
	Pressure 2{1}	2588461	0	02588461	-124	0	0	124
	Pressure 3{1}	2585190	0	02585190	-107	0	0	107
	GT1{1}	5386038	0	05386038	94	0	0	94
	GT2{1}	-.2E+07	0	01728154	276	0	0	276
	GT3{1}	-155936	0	0 155936	242	0	0	242
	GW1{1}	21	0	0 21	219	0	0	219
	GW2{1}	25	0	0 25	221	0	0	221
	GW3{1}	23	0	0 23	163	0	0	163
	GW4{1}	24	0	0 24	272	0	0	272
	GT1P1{1}	6089207	0	06089207	195	0	0	195
	GT2P2{1}	860307	0	0 860307	152	0	0	152
	GT3P3{1}	2429254	0	02429254	135	0	0	135
	Gravity{2}	47	0	0 47	461	0	0	461
	Thermal 3{2}	-156009	0	0 156009	25	0	0	25
	Pressure 1{2}	3220593	0	03220593	871	0	0	871
	GT3{2}	-155963	0	0 155963	486	0	0	486
	Hydrotest-NL{2}	3064630	0	03064630	1357	0	0	1357
+721 -	Gravity{1}	23	0	0 23	220	0	0	220
	Thermal 1{1}	5386015	0	05386015	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728177	56	0	0	56
	Thermal 3{1}	-155959	0	0 155959	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	703169	0	0 703169	101	0	0	101
	Pressure 2{1}	2588461	0	02588461	-124	0	0	124
	Pressure 3{1}	2585190	0	02585190	-107	0	0	107
	GT1{1}	5386038	0	05386038	94	0	0	94
	GT2{1}	-.2E+07	0	01728154	276	0	0	276
	GT3{1}	-155936	0	0 155936	242	0	0	242
	GW1{1}	21	0	0 21	219	0	0	219
	GW2{1}	25	0	0 25	221	0	0	221
	GW3{1}	23	0	0 23	163	0	0	163
	GW4{1}	24	0	0 24	272	0	0	272
	GT1P1{1}	6089207	0	06089207	195	0	0	195
	GT2P2{1}	860307	0	0 860307	152	0	0	152
	GT3P3{1}	2429254	0	02429254	135	0	0	135
	Gravity{2}	47	0	0 47	461	0	0	461
	Thermal 3{2}	-156009	0	0 156009	25	0	0	25
	Pressure 1{2}	3220593	0	03220593	871	0	0	871
	GT3{2}	-155963	0	0 155963	486	0	0	486
	Hydrotest-NL{2}	3064630	0	03064630	1357	0	0	1357
+721 +	Gravity{1}	24	0	0 24	220	0	0	220
	Thermal 1{1}	5382473	0	05382473	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728098	56	0	0	56
	Thermal 3{1}	-155954	0	0 155954	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	692129	0	0 692129	101	0	0	101
	Pressure 2{1}	2588349	0	02588349	-124	0	0	124
	Pressure 3{1}	2585030	0	02585030	-107	0	0	107
	GT1{1}	5382497	0	05382497	94	0	0	94
	GT2{1}	-.2E+07	0	01728075	276	0	0	276
	GT3{1}	-155930	0	0 155930	242	0	0	242
	GW1{1}	22	0	0 22	219	0	0	219
	GW2{1}	26	0	0 26	221	0	0	221
	GW3{1}	23	0	0 23	163	0	0	163
	GW4{1}	24	0	0 24	272	0	0	272
	GT1P1{1}	6074625	0	06074625	195	0	0	195
	GT2P2{1}	860274	0	0 860274	152	0	0	152
	GT3P3{1}	2429100	0	02429100	135	0	0	135
	Gravity{2}	47	0	0 47	461	0	0	461
	Thermal 3{2}	-156005	0	0 156005	25	0	0	25
	Pressure 1{2}	3220234	0	03220234	871	0	0	871
	GT3{2}	-155957	0	0 155957	486	0	0	486
	Hydrotest-NL{2}	3064276	0	03064276	1357	0	0	1357
+722 -	Gravity{1}	24	0	0 24	220	0	0	220
	Thermal 1{1}	5382473	0	05382473	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728098	56	0	0	56
	Thermal 3{1}	-155954	0	0 155954	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	692129	0	0 692129	101	0	0	101
	Pressure 2{1}	2588349	0	02588349	-124	0	0	124
	Pressure 3{1}	2585030	0	02585030	-107	0	0	107
	GT1{1}	5382497	0	05382497	94	0	0	94

	GT2{1}	-.2E+07	0	01728075	276	0	0	276
	GT3{1}	-155930	0	0 155930	242	0	0	242
	GW1{1}	22	0	0 22	219	0	0	219
	GW2{1}	26	0	0 26	221	0	0	221
	GW3{1}	23	0	0 23	163	0	0	163
	GW4{1}	24	0	0 24	272	0	0	272
	GT1P1{1}	6074625	0	06074625	195	0	0	195
	GT2P2{1}	860274	0	0 860274	152	0	0	152
	GT3P3{1}	2429100	0	02429100	135	0	0	135
	Gravity{2}	47	0	0 47	461	0	0	461
	Thermal 3{2}	-156005	0	0 156005	25	0	0	25
	Pressure 1{2}	3220234	0	03220234	871	0	0	871
	GT3{2}	-155957	0	0 155957	486	0	0	486
	Hydrotest-NL{2}	3064276	0	03064276	1357	0	0	1357
+722 +	Gravity{1}	24	0	0 24	220	0	0	220
	Thermal 1{1}	5378879	0	05378879	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728018	56	0	0	56
	Thermal 3{1}	-155949	0	0 155949	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	681141	0	0 681141	101	0	0	101
	Pressure 2{1}	2588235	0	02588235	-124	0	0	124
	Pressure 3{1}	2584868	0	02584868	-107	0	0	107
	GT1{1}	5378903	0	05378903	94	0	0	94
	GT2{1}	-.2E+07	0	01727994	276	0	0	276
	GT3{1}	-155924	0	0 155924	242	0	0	242
	GW1{1}	22	0	0 22	219	0	0	219
	GW2{1}	26	0	0 26	221	0	0	221
	GW3{1}	24	0	0 24	163	0	0	163
	GW4{1}	25	0	0 25	272	0	0	272
	GT1P1{1}	6060044	0	06060044	195	0	0	195
	GT2P2{1}	860241	0	0 860241	152	0	0	152
	GT3P3{1}	2428944	0	02428944	135	0	0	135
	Gravity{2}	48	0	0 48	461	0	0	461
	Thermal 3{2}	-156000	0	0 156000	25	0	0	25
	Pressure 1{2}	3219868	0	03219868	871	0	0	871
	GT3{2}	-155952	0	0 155952	486	0	0	486
	Hydrotest-NL{2}	3063916	0	03063916	1357	0	0	1357
+723 -	Gravity{1}	24	0	0 24	220	0	0	220
	Thermal 1{1}	5378879	0	05378879	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01728018	56	0	0	56
	Thermal 3{1}	-155949	0	0 155949	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	681141	0	0 681141	101	0	0	101
	Pressure 2{1}	2588235	0	02588235	-124	0	0	124
	Pressure 3{1}	2584868	0	02584868	-107	0	0	107
	GT1{1}	5378903	0	05378903	94	0	0	94
	GT2{1}	-.2E+07	0	01727994	276	0	0	276
	GT3{1}	-155924	0	0 155924	242	0	0	242
	GW1{1}	22	0	0 22	219	0	0	219
	GW2{1}	26	0	0 26	221	0	0	221
	GW3{1}	24	0	0 24	163	0	0	163
	GW4{1}	25	0	0 25	272	0	0	272
	GT1P1{1}	6060044	0	06060044	195	0	0	195
	GT2P2{1}	860241	0	0 860241	152	0	0	152
	GT3P3{1}	2428944	0	02428944	135	0	0	135
	Gravity{2}	48	0	0 48	461	0	0	461
	Thermal 3{2}	-156000	0	0 156000	25	0	0	25
	Pressure 1{2}	3219868	0	03219868	871	0	0	871
	GT3{2}	-155952	0	0 155952	486	0	0	486
	Hydrotest-NL{2}	3063916	0	03063916	1357	0	0	1357
+723 +	Gravity{1}	24	0	0 24	220	0	0	220
	Thermal 1{1}	5375233	0	05375233	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01727937	56	0	0	56
	Thermal 3{1}	-155943	0	0 155943	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	670206	0	0 670206	101	0	0	101
	Pressure 2{1}	2588120	0	02588120	-124	0	0	124
	Pressure 3{1}	2584704	0	02584704	-107	0	0	107
	GT1{1}	5375257	0	05375257	94	0	0	94
	GT2{1}	-.2E+07	0	01727913	276	0	0	276
	GT3{1}	-155919	0	0 155919	242	0	0	242
	GW1{1}	22	0	0 22	219	0	0	219
	GW2{1}	27	0	0 27	221	0	0	221
	GW3{1}	24	0	0 24	163	0	0	163
	GW4{1}	25	0	0 25	272	0	0	272
	GT1P1{1}	6045463	0	06045463	195	0	0	195
	GT2P2{1}	860208	0	0 860208	152	0	0	152
	GT3P3{1}	2428785	0	02428785	135	0	0	135
	Gravity{2}	49	0	0 49	461	0	0	461
	Thermal 3{2}	-155995	0	0 155995	25	0	0	25
	Pressure 1{2}	3219498	0	03219498	871	0	0	871
	GT3{2}	-155947	0	0 155947	486	0	0	486
	Hydrotest-NL{2}	3063552	0	03063552	1357	0	0	1357
+724 -	Gravity{1}	24	0	0 24	220	0	0	220
	Thermal 1{1}	5375233	0	05375233	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01727937	56	0	0	56
	Thermal 3{1}	-155943	0	0 155943	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	670206	0	0 670206	101	0	0	101
	Pressure 2{1}	2588120	0	02588120	-124	0	0	124
	Pressure 3{1}	2584704	0	02584704	-107	0	0	107
	GT1{1}	5375257	0	05375257	94	0	0	94

	GT2{1}	-.2E+07	0	01727913	276	0	0	276
	GT3{1}	-155919	0	0 155919	242	0	0	242
	GW1{1}	22	0	0 22	219	0	0	219
	GW2{1}	27	0	0 27	221	0	0	221
	GW3{1}	24	0	0 24	163	0	0	163
	GW4{1}	25	0	0 25	272	0	0	272
	GT1P1{1}	6045463	0	06045463	195	0	0	195
	GT2P2{1}	860208	0	0 860208	152	0	0	152
	GT3P3{1}	2428785	0	02428785	135	0	0	135
	Gravity{2}	49	0	0 49	461	0	0	461
	Thermal 3{2}	-155995	0	0 155995	25	0	0	25
	Pressure 1{2}	3219498	0	03219498	871	0	0	871
	GT3{2}	-155947	0	0 155947	486	0	0	486
	Hydrotest-NL{2}	3063552	0	03063552	1357	0	0	1357
+724 +	Gravity{1}	25	0	0 25	220	0	0	220
	Thermal 1{1}	5371533	0	05371533	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01727855	56	0	0	56
	Thermal 3{1}	-155938	0	0 155938	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	659324	0	0 659324	101	0	0	101
	Pressure 2{1}	2588003	0	02588003	-124	0	0	124
	Pressure 3{1}	2584536	0	02584536	-107	0	0	107
	GT1{1}	5371558	0	05371558	94	0	0	94
	GT2{1}	-.2E+07	0	01727830	276	0	0	276
	GT3{1}	-155913	0	0 155913	242	0	0	242
	GW1{1}	23	0	0 23	219	0	0	219
	GW2{1}	27	0	0 27	221	0	0	221
	GW3{1}	24	0	0 24	163	0	0	163
	GW4{1}	25	0	0 25	272	0	0	272
	GT1P1{1}	6030882	0	06030882	195	0	0	195
	GT2P2{1}	860173	0	0 860173	152	0	0	152
	GT3P3{1}	2428624	0	02428624	135	0	0	135
	Gravity{2}	49	0	0 49	461	0	0	461
	Thermal 3{2}	-155991	0	0 155991	25	0	0	25
	Pressure 1{2}	3219123	0	03219123	871	0	0	871
	GT3{2}	-155941	0	0 155941	486	0	0	486
	Hydrotest-NL{2}	3063182	0	03063182	1357	0	0	1357
+725 -	Gravity{1}	25	0	0 25	220	0	0	220
	Thermal 1{1}	5371533	0	05371533	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01727855	56	0	0	56
	Thermal 3{1}	-155938	0	0 155938	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	659324	0	0 659324	101	0	0	101
	Pressure 2{1}	2588003	0	02588003	-124	0	0	124
	Pressure 3{1}	2584536	0	02584536	-107	0	0	107
	GT1{1}	5371558	0	05371558	94	0	0	94
	GT2{1}	-.2E+07	0	01727830	276	0	0	276
	GT3{1}	-155913	0	0 155913	242	0	0	242
	GW1{1}	23	0	0 23	219	0	0	219
	GW2{1}	27	0	0 27	221	0	0	221
	GW3{1}	24	0	0 24	163	0	0	163
	GW4{1}	25	0	0 25	272	0	0	272
	GT1P1{1}	6030882	0	06030882	195	0	0	195
	GT2P2{1}	860173	0	0 860173	152	0	0	152
	GT3P3{1}	2428624	0	02428624	135	0	0	135
	Gravity{2}	49	0	0 49	461	0	0	461
	Thermal 3{2}	-155991	0	0 155991	25	0	0	25
	Pressure 1{2}	3219123	0	03219123	871	0	0	871
	GT3{2}	-155941	0	0 155941	486	0	0	486
	Hydrotest-NL{2}	3063182	0	03063182	1357	0	0	1357
+725 +	Gravity{1}	25	0	0 25	220	0	0	220
	Thermal 1{1}	5367779	0	05367779	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01727771	56	0	0	56
	Thermal 3{1}	-155932	0	0 155932	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	648496	0	0 648496	101	0	0	101
	Pressure 2{1}	2587885	0	02587885	-124	0	0	124
	Pressure 3{1}	2584367	0	02584367	-107	0	0	107
	GT1{1}	5367804	0	05367804	94	0	0	94
	GT2{1}	-.2E+07	0	01727746	276	0	0	276
	GT3{1}	-155907	0	0 155907	242	0	0	242
	GW1{1}	23	0	0 23	219	0	0	219
	GW2{1}	27	0	0 27	221	0	0	221
	GW3{1}	25	0	0 25	163	0	0	163
	GW4{1}	26	0	0 26	272	0	0	272
	GT1P1{1}	6016301	0	06016301	195	0	0	195
	GT2P2{1}	860139	0	0 860139	152	0	0	152
	GT3P3{1}	2428460	0	02428460	135	0	0	135
	Gravity{2}	50	0	0 50	461	0	0	461
	Thermal 3{2}	-155986	0	0 155986	25	0	0	25
	Pressure 1{2}	3218742	0	03218742	871	0	0	871
	GT3{2}	-155936	0	0 155936	486	0	0	486
	Hydrotest-NL{2}	3062806	0	03062806	1357	0	0	1357
+726 -	Gravity{1}	25	0	0 25	220	0	0	220
	Thermal 1{1}	5367779	0	05367779	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01727771	56	0	0	56
	Thermal 3{1}	-155932	0	0 155932	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	648496	0	0 648496	101	0	0	101
	Pressure 2{1}	2587885	0	02587885	-124	0	0	124
	Pressure 3{1}	2584367	0	02584367	-107	0	0	107
	GT1{1}	5367804	0	05367804	94	0	0	94

	GT2{1}	-.2E+07	0	01727746	276	0	0	276
	GT3{1}	-155907	0	0 155907	242	0	0	242
	GW1{1}	23	0	0 23	219	0	0	219
	GW2{1}	27	0	0 27	221	0	0	221
	GW3{1}	25	0	0 25	163	0	0	163
	GW4{1}	26	0	0 26	272	0	0	272
	GT1P1{1}	6016301	0	06016301	195	0	0	195
	GT2P2{1}	860139	0	0 860139	152	0	0	152
	GT3P3{1}	2428460	0	02428460	135	0	0	135
	Gravity{2}	50	0	0 50	461	0	0	461
	Thermal 3{2}	-155986	0	0 155986	25	0	0	25
	Pressure 1{2}	3218742	0	03218742	871	0	0	871
	GT3{2}	-155936	0	0 155936	486	0	0	486
	Hydrotest-NL{2}	3062806	0	03062806	1357	0	0	1357
+726 +	Gravity{1}	26	0	0 26	220	0	0	220
	Thermal 1{1}	5363970	0	05363970	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01727686	56	0	0	56
	Thermal 3{1}	-155926	0	0 155926	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	637724	0	0 637724	101	0	0	101
	Pressure 2{1}	2587764	0	02587764	-124	0	0	124
	Pressure 3{1}	2584195	0	02584195	-107	0	0	107
	GT1{1}	5363996	0	05363996	94	0	0	94
	GT2{1}	-.2E+07	0	01727660	276	0	0	276
	GT3{1}	-155901	0	0 155901	242	0	0	242
	GW1{1}	23	0	0 23	219	0	0	219
	GW2{1}	28	0	0 28	221	0	0	221
	GW3{1}	25	0	0 25	163	0	0	163
	GW4{1}	26	0	0 26	272	0	0	272
	GT1P1{1}	6001719	0	06001719	195	0	0	195
	GT2P2{1}	860104	0	0 860104	152	0	0	152
	GT3P3{1}	2428295	0	02428295	135	0	0	135
	Gravity{2}	51	0	0 51	461	0	0	461
	Thermal 3{2}	-155981	0	0 155981	25	0	0	25
	Pressure 1{2}	3218355	0	03218355	871	0	0	871
	GT3{2}	-155930	0	0 155930	486	0	0	486
	Hydrotest-NL{2}	3062425	0	03062425	1357	0	0	1357
+727 -	Gravity{1}	26	0	0 26	220	0	0	220
	Thermal 1{1}	5363970	0	05363970	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01727686	56	0	0	56
	Thermal 3{1}	-155926	0	0 155926	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	637724	0	0 637724	101	0	0	101
	Pressure 2{1}	2587764	0	02587764	-124	0	0	124
	Pressure 3{1}	2584195	0	02584195	-107	0	0	107
	GT1{1}	5363996	0	05363996	94	0	0	94
	GT2{1}	-.2E+07	0	01727660	276	0	0	276
	GT3{1}	-155901	0	0 155901	242	0	0	242
	GW1{1}	23	0	0 23	219	0	0	219
	GW2{1}	28	0	0 28	221	0	0	221
	GW3{1}	25	0	0 25	163	0	0	163
	GW4{1}	26	0	0 26	272	0	0	272
	GT1P1{1}	6001719	0	06001719	195	0	0	195
	GT2P2{1}	860104	0	0 860104	152	0	0	152
	GT3P3{1}	2428295	0	02428295	135	0	0	135
	Gravity{2}	51	0	0 51	461	0	0	461
	Thermal 3{2}	-155981	0	0 155981	25	0	0	25
	Pressure 1{2}	3218355	0	03218355	871	0	0	871
	GT3{2}	-155930	0	0 155930	486	0	0	486
	Hydrotest-NL{2}	3062425	0	03062425	1357	0	0	1357
+727 +	Gravity{1}	26	0	0 26	220	0	0	220
	Thermal 1{1}	5360105	0	05360105	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01727600	56	0	0	56
	Thermal 3{1}	-155920	0	0 155920	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	627007	0	0 627007	101	0	0	101
	Pressure 2{1}	2587642	0	02587642	-124	0	0	124
	Pressure 3{1}	2584021	0	02584021	-107	0	0	107
	GT1{1}	5360131	0	05360131	94	0	0	94
	GT2{1}	-.2E+07	0	01727574	276	0	0	276
	GT3{1}	-155895	0	0 155895	242	0	0	242
	GW1{1}	24	0	0 24	219	0	0	219
	GW2{1}	28	0	0 28	221	0	0	221
	GW3{1}	25	0	0 25	163	0	0	163
	GW4{1}	26	0	0 26	272	0	0	272
	GT1P1{1}	5987138	0	05987138	195	0	0	195
	GT2P2{1}	860068	0	0 860068	152	0	0	152
	GT3P3{1}	2428126	0	02428126	135	0	0	135
	Gravity{2}	52	0	0 52	461	0	0	461
	Thermal 3{2}	-155976	0	0 155976	25	0	0	25
	Pressure 1{2}	3217963	0	03217963	871	0	0	871
	GT3{2}	-155924	0	0 155924	486	0	0	486
	Hydrotest-NL{2}	3062038	0	03062038	1357	0	0	1357
+728 -	Gravity{1}	26	0	0 26	220	0	0	220
	Thermal 1{1}	5360105	0	05360105	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01727600	56	0	0	56
	Thermal 3{1}	-155920	0	0 155920	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	627007	0	0 627007	101	0	0	101
	Pressure 2{1}	2587642	0	02587642	-124	0	0	124
	Pressure 3{1}	2584021	0	02584021	-107	0	0	107
	GT1{1}	5360131	0	05360131	94	0	0	94

	GT2{1}	-.2E+07	0	01727574	276	0	0	276
	GT3{1}	-155895	0	0 155895	242	0	0	242
	GW1{1}	24	0	0 24	219	0	0	219
	GW2{1}	28	0	0 28	221	0	0	221
	GW3{1}	25	0	0 25	163	0	0	163
	GW4{1}	26	0	0 26	272	0	0	272
	GT1P1{1}	5987138	0	05987138	195	0	0	195
	GT2P2{1}	860068	0	0 860068	152	0	0	152
	GT3P3{1}	2428126	0	02428126	135	0	0	135
	Gravity{2}	52	0	0 52	461	0	0	461
	Thermal 3{2}	-155976	0	0 155976	25	0	0	25
	Pressure 1{2}	3217963	0	03217963	871	0	0	871
	GT3{2}	-155924	0	0 155924	486	0	0	486
	Hydrotest-NL{2}	3062038	0	03062038	1357	0	0	1357
+728 +	Gravity{1}	26	0	0 26	220	0	0	220
	Thermal 1{1}	5356183	0	05356183	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01727513	56	0	0	56
	Thermal 3{1}	-155915	0	0 155915	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	616347	0	0 616347	101	0	0	101
	Pressure 2{1}	2587518	0	02587518	-124	0	0	124
	Pressure 3{1}	2583844	0	02583844	-107	0	0	107
	GT1{1}	5356210	0	05356210	94	0	0	94
	GT2{1}	-.2E+07	0	01727486	276	0	0	276
	GT3{1}	-155888	0	0 155888	242	0	0	242
	GW1{1}	24	0	0 24	219	0	0	219
	GW2{1}	29	0	0 29	221	0	0	221
	GW3{1}	26	0	0 26	163	0	0	163
	GW4{1}	27	0	0 27	272	0	0	272
	GT1P1{1}	5972557	0	05972557	195	0	0	195
	GT2P2{1}	860032	0	0 860032	152	0	0	152
	GT3P3{1}	2427956	0	02427956	135	0	0	135
	Gravity{2}	52	0	0 52	461	0	0	461
	Thermal 3{2}	-155971	0	0 155971	25	0	0	25
	Pressure 1{2}	3217565	0	03217565	871	0	0	871
	GT3{2}	-155918	0	0 155918	486	0	0	486
	Hydrotest-NL{2}	3061646	0	03061646	1357	0	0	1357
+729 -	Gravity{1}	26	0	0 26	220	0	0	220
	Thermal 1{1}	5356183	0	05356183	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01727513	56	0	0	56
	Thermal 3{1}	-155915	0	0 155915	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	616347	0	0 616347	101	0	0	101
	Pressure 2{1}	2587518	0	02587518	-124	0	0	124
	Pressure 3{1}	2583844	0	02583844	-107	0	0	107
	GT1{1}	5356210	0	05356210	94	0	0	94
	GT2{1}	-.2E+07	0	01727486	276	0	0	276
	GT3{1}	-155888	0	0 155888	242	0	0	242
	GW1{1}	24	0	0 24	219	0	0	219
	GW2{1}	29	0	0 29	221	0	0	221
	GW3{1}	26	0	0 26	163	0	0	163
	GW4{1}	27	0	0 27	272	0	0	272
	GT1P1{1}	5972557	0	05972557	195	0	0	195
	GT2P2{1}	860032	0	0 860032	152	0	0	152
	GT3P3{1}	2427956	0	02427956	135	0	0	135
	Gravity{2}	52	0	0 52	461	0	0	461
	Thermal 3{2}	-155971	0	0 155971	25	0	0	25
	Pressure 1{2}	3217565	0	03217565	871	0	0	871
	GT3{2}	-155918	0	0 155918	486	0	0	486
	Hydrotest-NL{2}	3061646	0	03061646	1357	0	0	1357
+729 +	Gravity{1}	27	0	0 27	220	0	0	220
	Thermal 1{1}	5352204	0	05352204	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01727424	56	0	0	56
	Thermal 3{1}	-155909	0	0 155909	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	605744	0	0 605744	101	0	0	101
	Pressure 2{1}	2587393	0	02587393	-124	0	0	124
	Pressure 3{1}	2583664	0	02583664	-107	0	0	107
	GT1{1}	5352231	0	05352231	94	0	0	94
	GT2{1}	-.2E+07	0	01727397	276	0	0	276
	GT3{1}	-155882	0	0 155882	242	0	0	242
	GW1{1}	24	0	0 24	219	0	0	219
	GW2{1}	29	0	0 29	221	0	0	221
	GW3{1}	26	0	0 26	163	0	0	163
	GW4{1}	27	0	0 27	272	0	0	272
	GT1P1{1}	5957976	0	05957976	195	0	0	195
	GT2P2{1}	859996	0	0 859996	152	0	0	152
	GT3P3{1}	2427782	0	02427782	135	0	0	135
	Gravity{2}	53	0	0 53	461	0	0	461
	Thermal 3{2}	-155966	0	0 155966	25	0	0	25
	Pressure 1{2}	3217161	0	03217161	871	0	0	871
	GT3{2}	-155913	0	0 155913	486	0	0	486
	Hydrotest-NL{2}	3061248	0	03061248	1357	0	0	1357
+730 -	Gravity{1}	27	0	0 27	220	0	0	220
	Thermal 1{1}	5352204	0	05352204	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01727424	56	0	0	56
	Thermal 3{1}	-155909	0	0 155909	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	605744	0	0 605744	101	0	0	101
	Pressure 2{1}	2587393	0	02587393	-124	0	0	124
	Pressure 3{1}	2583664	0	02583664	-107	0	0	107
	GT1{1}	5352231	0	05352231	94	0	0	94

	GT2{1}	-.2E+07	0	01727397	276	0	0	276
	GT3{1}	-155882	0	0 155882	242	0	0	242
	GW1{1}	24	0	0 24	219	0	0	219
	GW2{1}	29	0	0 29	221	0	0	221
	GW3{1}	26	0	0 26	163	0	0	163
	GW4{1}	27	0	0 27	272	0	0	272
	GT1P1{1}	5957976	0	05957976	195	0	0	195
	GT2P2{1}	859996	0	0 859996	152	0	0	152
	GT3P3{1}	2427782	0	02427782	135	0	0	135
	Gravity{2}	53	0	0 53	461	0	0	461
	Thermal 3{2}	-155966	0	0 155966	25	0	0	25
	Pressure 1{2}	3217161	0	03217161	871	0	0	871
	GT3{2}	-155913	0	0 155913	486	0	0	486
	Hydrotest-NL{2}	3061248	0	03061248	1357	0	0	1357
+730 +	Gravity{1}	27	0	0 27	220	0	0	220
	Thermal 1{1}	5348167	0	05348167	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01727334	56	0	0	56
	Thermal 3{1}	-155903	0	0 155903	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	595200	0	0 595200	101	0	0	101
	Pressure 2{1}	2587265	0	02587265	-124	0	0	124
	Pressure 3{1}	2583482	0	02583482	-107	0	0	107
	GT1{1}	5348194	0	05348194	94	0	0	94
	GT2{1}	-.2E+07	0	01727307	276	0	0	276
	GT3{1}	-155876	0	0 155876	242	0	0	242
	GW1{1}	25	0	0 25	219	0	0	219
	GW2{1}	29	0	0 29	221	0	0	221
	GW3{1}	27	0	0 27	163	0	0	163
	GW4{1}	28	0	0 28	272	0	0	272
	GT1P1{1}	5943395	0	05943395	195	0	0	195
	GT2P2{1}	859958	0	0 859958	152	0	0	152
	GT3P3{1}	2427606	0	02427606	135	0	0	135
	Gravity{2}	54	0	0 54	461	0	0	461
	Thermal 3{2}	-155961	0	0 155961	25	0	0	25
	Pressure 1{2}	3216751	0	03216751	871	0	0	871
	GT3{2}	-155907	0	0 155907	486	0	0	486
	Hydrotest-NL{2}	3060844	0	03060844	1357	0	0	1357
+731 -	Gravity{1}	27	0	0 27	220	0	0	220
	Thermal 1{1}	5348167	0	05348167	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01727334	56	0	0	56
	Thermal 3{1}	-155903	0	0 155903	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	595200	0	0 595200	101	0	0	101
	Pressure 2{1}	2587265	0	02587265	-124	0	0	124
	Pressure 3{1}	2583482	0	02583482	-107	0	0	107
	GT1{1}	5348194	0	05348194	94	0	0	94
	GT2{1}	-.2E+07	0	01727307	276	0	0	276
	GT3{1}	-155876	0	0 155876	242	0	0	242
	GW1{1}	25	0	0 25	219	0	0	219
	GW2{1}	29	0	0 29	221	0	0	221
	GW3{1}	27	0	0 27	163	0	0	163
	GW4{1}	28	0	0 28	272	0	0	272
	GT1P1{1}	5943395	0	05943395	195	0	0	195
	GT2P2{1}	859958	0	0 859958	152	0	0	152
	GT3P3{1}	2427606	0	02427606	135	0	0	135
	Gravity{2}	54	0	0 54	461	0	0	461
	Thermal 3{2}	-155961	0	0 155961	25	0	0	25
	Pressure 1{2}	3216751	0	03216751	871	0	0	871
	GT3{2}	-155907	0	0 155907	486	0	0	486
	Hydrotest-NL{2}	3060844	0	03060844	1357	0	0	1357
+731 +	Gravity{1}	27	0	0 27	220	0	0	220
	Thermal 1{1}	5344070	0	05344070	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01727243	56	0	0	56
	Thermal 3{1}	-155896	0	0 155896	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	584715	0	0 584715	101	0	0	101
	Pressure 2{1}	2587136	0	02587136	-124	0	0	124
	Pressure 3{1}	2583297	0	02583297	-107	0	0	107
	GT1{1}	5344098	0	05344098	94	0	0	94
	GT2{1}	-.2E+07	0	01727215	276	0	0	276
	GT3{1}	-155869	0	0 155869	242	0	0	242
	GW1{1}	25	0	0 25	219	0	0	219
	GW2{1}	30	0	0 30	221	0	0	221
	GW3{1}	27	0	0 27	163	0	0	163
	GW4{1}	28	0	0 28	272	0	0	272
	GT1P1{1}	5928813	0	05928813	195	0	0	195
	GT2P2{1}	859921	0	0 859921	152	0	0	152
	GT3P3{1}	2427428	0	02427428	135	0	0	135
	Gravity{2}	55	0	0 55	461	0	0	461
	Thermal 3{2}	-155955	0	0 155955	25	0	0	25
	Pressure 1{2}	3216335	0	03216335	871	0	0	871
	GT3{2}	-155901	0	0 155901	486	0	0	486
	Hydrotest-NL{2}	3060434	0	03060434	1357	0	0	1357
+732 -	Gravity{1}	27	0	0 27	220	0	0	220
	Thermal 1{1}	5344070	0	05344070	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01727243	56	0	0	56
	Thermal 3{1}	-155896	0	0 155896	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	0	0	0 0	-57	0	0	57
	Wind 4{1}	0	0	0 0	52	0	0	52
	Pressure 1{1}	584715	0	0 584715	101	0	0	101
	Pressure 2{1}	2587136	0	02587136	-124	0	0	124
	Pressure 3{1}	2583297	0	02583297	-107	0	0	107
	GT1{1}	5344098	0	05344098	94	0	0	94

	GT2{1}	-.2E+07	0	01727215	276	0	0	276
	GT3{1}	-155869	0	0 155869	242	0	0	242
	GW1{1}	25	0	0 25	219	0	0	219
	GW2{1}	30	0	0 30	221	0	0	221
	GW3{1}	27	0	0 27	163	0	0	163
	GW4{1}	28	0	0 28	272	0	0	272
	GT1P1{1}	5928813	0	05928813	195	0	0	195
	GT2P2{1}	859921	0	0 859921	152	0	0	152
	GT3P3{1}	2427428	0	02427428	135	0	0	135
	Gravity{2}	55	0	0 55	461	0	0	461
	Thermal 3{2}	-155955	0	0 155955	25	0	0	25
	Pressure 1{2}	3216335	0	03216335	871	0	0	871
	GT3{2}	-155901	0	0 155901	486	0	0	486
	Hydrotest-NL{2}	3060434	0	03060434	1357	0	0	1357
+732 +	Gravity{1}	28	0	0 28	220	0	0	220
	Thermal 1{1}	5339913	0	05339913	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01727150	56	0	0	56
	Thermal 3{1}	-155890	0	0 155890	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	574290	0	0 574290	101	0	0	101
	Pressure 2{1}	2587005	0	02587005	-124	0	0	124
	Pressure 3{1}	2583110	0	02583110	-107	0	0	107
	GT1{1}	5339941	0	05339941	94	0	0	94
	GT2{1}	-.2E+07	0	01727122	276	0	0	276
	GT3{1}	-155862	0	0 155862	242	0	0	242
	GW1{1}	25	0	0 25	219	0	0	219
	GW2{1}	30	0	0 30	221	0	0	221
	GW3{1}	27	0	0 27	163	0	0	163
	GW4{1}	28	0	0 28	272	0	0	272
	GT1P1{1}	5914231	0	05914231	195	0	0	195
	GT2P2{1}	859882	0	0 859882	152	0	0	152
	GT3P3{1}	2427247	0	02427247	135	0	0	135
	Gravity{2}	56	0	0 56	461	0	0	461
	Thermal 3{2}	-155950	0	0 155950	25	0	0	25
	Pressure 1{2}	3215913	0	03215913	871	0	0	871
	GT3{2}	-155894	0	0 155894	486	0	0	486
	Hydrotest-NL{2}	3060019	0	03060019	1357	0	0	1357
+733 -	Gravity{1}	28	0	0 28	220	0	0	220
	Thermal 1{1}	5339913	0	05339913	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01727150	56	0	0	56
	Thermal 3{1}	-155890	0	0 155890	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	574290	0	0 574290	101	0	0	101
	Pressure 2{1}	2587005	0	02587005	-124	0	0	124
	Pressure 3{1}	2583110	0	02583110	-107	0	0	107
	GT1{1}	5339941	0	05339941	94	0	0	94
	GT2{1}	-.2E+07	0	01727122	276	0	0	276
	GT3{1}	-155862	0	0 155862	242	0	0	242
	GW1{1}	25	0	0 25	219	0	0	219
	GW2{1}	30	0	0 30	221	0	0	221
	GW3{1}	27	0	0 27	163	0	0	163
	GW4{1}	28	0	0 28	272	0	0	272
	GT1P1{1}	5914231	0	05914231	195	0	0	195
	GT2P2{1}	859882	0	0 859882	152	0	0	152
	GT3P3{1}	2427247	0	02427247	135	0	0	135
	Gravity{2}	56	0	0 56	461	0	0	461
	Thermal 3{2}	-155950	0	0 155950	25	0	0	25
	Pressure 1{2}	3215913	0	03215913	871	0	0	871
	GT3{2}	-155894	0	0 155894	486	0	0	486
	Hydrotest-NL{2}	3060019	0	03060019	1357	0	0	1357
+733 +	Gravity{1}	28	0	0 28	220	0	0	220
	Thermal 1{1}	5335696	0	05335696	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01727056	56	0	0	56
	Thermal 3{1}	-155884	0	0 155884	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	563926	0	0 563926	101	0	0	101
	Pressure 2{1}	2586872	0	02586872	-124	0	0	124
	Pressure 3{1}	2582919	0	02582919	-107	0	0	107
	GT1{1}	5335724	0	05335724	94	0	0	94
	GT2{1}	-.2E+07	0	01727028	276	0	0	276
	GT3{1}	-155856	0	0 155856	242	0	0	242
	GW1{1}	26	0	0 26	219	0	0	219
	GW2{1}	31	0	0 31	221	0	0	221
	GW3{1}	28	0	0 28	163	0	0	163
	GW4{1}	29	0	0 29	272	0	0	272
	GT1P1{1}	5899651	0	05899651	195	0	0	195
	GT2P2{1}	859844	0	0 859844	152	0	0	152
	GT3P3{1}	2427064	0	02427064	135	0	0	135
	Gravity{2}	56	0	0 56	461	0	0	461
	Thermal 3{2}	-155944	0	0 155944	25	0	0	25
	Pressure 1{2}	3215485	0	03215485	871	0	0	871
	GT3{2}	-155888	0	0 155888	486	0	0	486
	Hydrotest-NL{2}	3059597	0	03059597	1357	0	0	1357
+734 -	Gravity{1}	28	0	0 28	220	0	0	220
	Thermal 1{1}	5335696	0	05335696	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01727056	56	0	0	56
	Thermal 3{1}	-155884	0	0 155884	22	0	0	22
	Wind 1{1}	-2	0	0 2	-1	0	0	1
	Wind 2{1}	2	0	0 2	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	563926	0	0 563926	101	0	0	101
	Pressure 2{1}	2586872	0	02586872	-124	0	0	124
	Pressure 3{1}	2582919	0	02582919	-107	0	0	107
	GT1{1}	5335724	0	05335724	94	0	0	94

	GT2{1}	-.2E+07	0	01727028	276	0	0	276
	GT3{1}	-155856	0	0 155856	242	0	0	242
	GW1{1}	26	0	0 26	219	0	0	219
	GW2{1}	31	0	0 31	221	0	0	221
	GW3{1}	28	0	0 28	163	0	0	163
	GW4{1}	29	0	0 29	272	0	0	272
	GT1P1{1}	5899651	0	05899651	195	0	0	195
	GT2P2{1}	859844	0	0 859844	152	0	0	152
	GT3P3{1}	2427064	0	02427064	135	0	0	135
	Gravity{2}	56	0	0 56	461	0	0	461
	Thermal 3{2}	-155944	0	0 155944	25	0	0	25
	Pressure 1{2}	3215485	0	03215485	871	0	0	871
	GT3{2}	-155888	0	0 155888	486	0	0	486
	Hydrotest-NL{2}	3059597	0	03059597	1357	0	0	1357
+734 +	Gravity{1}	29	0	0 29	220	0	0	220
	Thermal 1{1}	5331417	0	05331417	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01726961	56	0	0	56
	Thermal 3{1}	-155877	0	0 155877	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	553624	0	0 553624	101	0	0	101
	Pressure 2{1}	2586736	0	02586736	-124	0	0	124
	Pressure 3{1}	2582726	0	02582726	-107	0	0	107
	GT1{1}	5331446	0	05331446	94	0	0	94
	GT2{1}	-.2E+07	0	01726932	276	0	0	276
	GT3{1}	-155849	0	0 155849	242	0	0	242
	GW1{1}	26	0	0 26	219	0	0	219
	GW2{1}	31	0	0 31	221	0	0	221
	GW3{1}	28	0	0 28	163	0	0	163
	GW4{1}	29	0	0 29	272	0	0	272
	GT1P1{1}	5885070	0	05885070	195	0	0	195
	GT2P2{1}	859804	0	0 859804	152	0	0	152
	GT3P3{1}	2426877	0	02426877	135	0	0	135
	Gravity{2}	57	0	0 57	461	0	0	461
	Thermal 3{2}	-155939	0	0 155939	25	0	0	25
	Pressure 1{2}	3215050	0	03215050	871	0	0	871
	GT3{2}	-155882	0	0 155882	486	0	0	486
	Hydrotest-NL{2}	3059169	0	03059169	1357	0	0	1357
+735 -	Gravity{1}	29	0	0 29	220	0	0	220
	Thermal 1{1}	5331417	0	05331417	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01726961	56	0	0	56
	Thermal 3{1}	-155877	0	0 155877	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	553624	0	0 553624	101	0	0	101
	Pressure 2{1}	2586736	0	02586736	-124	0	0	124
	Pressure 3{1}	2582726	0	02582726	-107	0	0	107
	GT1{1}	5331446	0	05331446	94	0	0	94
	GT2{1}	-.2E+07	0	01726932	276	0	0	276
	GT3{1}	-155849	0	0 155849	242	0	0	242
	GW1{1}	26	0	0 26	219	0	0	219
	GW2{1}	31	0	0 31	221	0	0	221
	GW3{1}	28	0	0 28	163	0	0	163
	GW4{1}	29	0	0 29	272	0	0	272
	GT1P1{1}	5885070	0	05885070	195	0	0	195
	GT2P2{1}	859804	0	0 859804	152	0	0	152
	GT3P3{1}	2426877	0	02426877	135	0	0	135
	Gravity{2}	57	0	0 57	461	0	0	461
	Thermal 3{2}	-155939	0	0 155939	25	0	0	25
	Pressure 1{2}	3215050	0	03215050	871	0	0	871
	GT3{2}	-155882	0	0 155882	486	0	0	486
	Hydrotest-NL{2}	3059169	0	03059169	1357	0	0	1357
+735 +	Gravity{1}	29	0	0 29	220	0	0	220
	Thermal 1{1}	5327074	0	05327074	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01726864	56	0	0	56
	Thermal 3{1}	-155871	0	0 155871	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	543385	0	0 543385	101	0	0	101
	Pressure 2{1}	2586599	0	02586599	-124	0	0	124
	Pressure 3{1}	2582530	0	02582530	-107	0	0	107
	GT1{1}	5327103	0	05327103	94	0	0	94
	GT2{1}	-.2E+07	0	01726835	276	0	0	276
	GT3{1}	-155842	0	0 155842	242	0	0	242
	GW1{1}	27	0	0 27	219	0	0	219
	GW2{1}	32	0	0 32	221	0	0	221
	GW3{1}	29	0	0 29	163	0	0	163
	GW4{1}	30	0	0 30	272	0	0	272
	GT1P1{1}	5870488	0	05870488	195	0	0	195
	GT2P2{1}	859764	0	0 859764	152	0	0	152
	GT3P3{1}	2426688	0	02426688	135	0	0	135
	Gravity{2}	58	0	0 58	461	0	0	461
	Thermal 3{2}	-155933	0	0 155933	25	0	0	25
	Pressure 1{2}	3214610	0	03214610	871	0	0	871
	GT3{2}	-155875	0	0 155875	486	0	0	486
	Hydrotest-NL{2}	3058734	0	03058734	1357	0	0	1357
+736 -	Gravity{1}	29	0	0 29	220	0	0	220
	Thermal 1{1}	5327074	0	05327074	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01726864	56	0	0	56
	Thermal 3{1}	-155871	0	0 155871	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	543385	0	0 543385	101	0	0	101
	Pressure 2{1}	2586599	0	02586599	-124	0	0	124
	Pressure 3{1}	2582530	0	02582530	-107	0	0	107
	GT1{1}	5327103	0	05327103	94	0	0	94

	GT2{1}	-.2E+07	0	01726835	276	0	0	276
	GT3{1}	-155842	0	0 155842	242	0	0	242
	GW1{1}	27	0	0 27	219	0	0	219
	GW2{1}	32	0	0 32	221	0	0	221
	GW3{1}	29	0	0 29	163	0	0	163
	GW4{1}	30	0	0 30	272	0	0	272
	GT1P1{1}	5870488	0	05870488	195	0	0	195
	GT2P2{1}	859764	0	0 859764	152	0	0	152
	GT3P3{1}	2426688	0	02426688	135	0	0	135
	Gravity{2}	58	0	0 58	461	0	0	461
	Thermal 3{2}	-155933	0	0 155933	25	0	0	25
	Pressure 1{2}	3214610	0	03214610	871	0	0	871
	GT3{2}	-155875	0	0 155875	486	0	0	486
	Hydrotest-NL{2}	3058734	0	03058734	1357	0	0	1357
+736 +	Gravity{1}	30	0	0 30	220	0	0	220
	Thermal 1{1}	5322668	0	05322668	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01726766	56	0	0	56
	Thermal 3{1}	-155864	0	0 155864	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	533209	0	0 533209	101	0	0	101
	Pressure 2{1}	2586460	0	02586460	-124	0	0	124
	Pressure 3{1}	2582331	0	02582331	-107	0	0	107
	GT1{1}	5322698	0	05322698	94	0	0	94
	GT2{1}	-.2E+07	0	01726736	276	0	0	276
	GT3{1}	-155835	0	0 155835	242	0	0	242
	GW1{1}	27	0	0 27	219	0	0	219
	GW2{1}	32	0	0 32	221	0	0	221
	GW3{1}	29	0	0 29	163	0	0	163
	GW4{1}	30	0	0 30	272	0	0	272
	GT1P1{1}	5855906	0	05855906	195	0	0	195
	GT2P2{1}	859723	0	0 859723	152	0	0	152
	GT3P3{1}	2426497	0	02426497	135	0	0	135
	Gravity{2}	59	0	0 59	461	0	0	461
	Thermal 3{2}	-155928	0	0 155928	25	0	0	25
	Pressure 1{2}	3214162	0	03214162	871	0	0	871
	GT3{2}	-155869	0	0 155869	486	0	0	486
	Hydrotest-NL{2}	3058294	0	03058294	1357	0	0	1357
+737 -	Gravity{1}	30	0	0 30	220	0	0	220
	Thermal 1{1}	5322668	0	05322668	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01726766	56	0	0	56
	Thermal 3{1}	-155864	0	0 155864	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	533209	0	0 533209	101	0	0	101
	Pressure 2{1}	2586460	0	02586460	-124	0	0	124
	Pressure 3{1}	2582331	0	02582331	-107	0	0	107
	GT1{1}	5322698	0	05322698	94	0	0	94
	GT2{1}	-.2E+07	0	01726736	276	0	0	276
	GT3{1}	-155835	0	0 155835	242	0	0	242
	GW1{1}	27	0	0 27	219	0	0	219
	GW2{1}	32	0	0 32	221	0	0	221
	GW3{1}	29	0	0 29	163	0	0	163
	GW4{1}	30	0	0 30	272	0	0	272
	GT1P1{1}	5855906	0	05855906	195	0	0	195
	GT2P2{1}	859723	0	0 859723	152	0	0	152
	GT3P3{1}	2426497	0	02426497	135	0	0	135
	Gravity{2}	59	0	0 59	461	0	0	461
	Thermal 3{2}	-155928	0	0 155928	25	0	0	25
	Pressure 1{2}	3214162	0	03214162	871	0	0	871
	GT3{2}	-155869	0	0 155869	486	0	0	486
	Hydrotest-NL{2}	3058294	0	03058294	1357	0	0	1357
+737 +	Gravity{1}	30	0	0 30	220	0	0	220
	Thermal 1{1}	5318198	0	05318198	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01726666	56	0	0	56
	Thermal 3{1}	-155858	0	0 155858	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	523098	0	0 523098	101	0	0	101
	Pressure 2{1}	2586319	0	02586319	-124	0	0	124
	Pressure 3{1}	2582130	0	02582130	-107	0	0	107
	GT1{1}	5318228	0	05318228	94	0	0	94
	GT2{1}	-.2E+07	0	01726636	276	0	0	276
	GT3{1}	-155828	0	0 155828	242	0	0	242
	GW1{1}	27	0	0 27	219	0	0	219
	GW2{1}	33	0	0 33	221	0	0	221
	GW3{1}	29	0	0 29	163	0	0	163
	GW4{1}	30	0	0 30	272	0	0	272
	GT1P1{1}	5841326	0	05841326	195	0	0	195
	GT2P2{1}	859682	0	0 859682	152	0	0	152
	GT3P3{1}	2426302	0	02426302	135	0	0	135
	Gravity{2}	60	0	0 60	461	0	0	461
	Thermal 3{2}	-155922	0	0 155922	25	0	0	25
	Pressure 1{2}	3213709	0	03213709	871	0	0	871
	GT3{2}	-155862	0	0 155862	486	0	0	486
	Hydrotest-NL{2}	3057847	0	03057847	1357	0	0	1357
+738 -	Gravity{1}	30	0	0 30	220	0	0	220
	Thermal 1{1}	5318198	0	05318198	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01726666	56	0	0	56
	Thermal 3{1}	-155858	0	0 155858	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	523098	0	0 523098	101	0	0	101
	Pressure 2{1}	2586319	0	02586319	-124	0	0	124
	Pressure 3{1}	2582130	0	02582130	-107	0	0	107
	GT1{1}	5318228	0	05318228	94	0	0	94

	GT2{1}	-.2E+07	0	01726636	276	0	0	276
	GT3{1}	-155828	0	0 155828	242	0	0	242
	GW1{1}	27	0	0 27	219	0	0	219
	GW2{1}	33	0	0 33	221	0	0	221
	GW3{1}	29	0	0 29	163	0	0	163
	GW4{1}	30	0	0 30	272	0	0	272
	GT1P1{1}	5841326	0	05841326	195	0	0	195
	GT2P2{1}	859682	0	0 859682	152	0	0	152
	GT3P3{1}	2426302	0	02426302	135	0	0	135
	Gravity{2}	60	0	0 60	461	0	0	461
	Thermal 3{2}	-155922	0	0 155922	25	0	0	25
	Pressure 1{2}	3213709	0	03213709	871	0	0	871
	GT3{2}	-155862	0	0 155862	486	0	0	486
	Hydrotest-NL{2}	3057847	0	03057847	1357	0	0	1357
+738 +	Gravity{1}	30	0	0 30	220	0	0	220
	Thermal 1{1}	5313662	0	05313662	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01726565	56	0	0	56
	Thermal 3{1}	-155851	0	0 155851	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	513052	0	0 513052	101	0	0	101
	Pressure 2{1}	2586175	0	02586175	-124	0	0	124
	Pressure 3{1}	2581925	0	02581925	-107	0	0	107
	GT1{1}	5313692	0	05313692	94	0	0	94
	GT2{1}	-.2E+07	0	01726535	276	0	0	276
	GT3{1}	-155821	0	0 155821	242	0	0	242
	GW1{1}	28	0	0 28	219	0	0	219
	GW2{1}	33	0	0 33	221	0	0	221
	GW3{1}	30	0	0 30	163	0	0	163
	GW4{1}	31	0	0 31	272	0	0	272
	GT1P1{1}	5826744	0	05826744	195	0	0	195
	GT2P2{1}	859641	0	0 859641	152	0	0	152
	GT3P3{1}	2426104	0	02426104	135	0	0	135
	Gravity{2}	61	0	0 61	461	0	0	461
	Thermal 3{2}	-155916	0	0 155916	25	0	0	25
	Pressure 1{2}	3213248	0	03213248	871	0	0	871
	GT3{2}	-155855	0	0 155855	486	0	0	486
	Hydrotest-NL{2}	3057393	0	03057393	1357	0	0	1357
+739 -	Gravity{1}	30	0	0 30	220	0	0	220
	Thermal 1{1}	5313662	0	05313662	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01726565	56	0	0	56
	Thermal 3{1}	-155851	0	0 155851	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	513052	0	0 513052	101	0	0	101
	Pressure 2{1}	2586175	0	02586175	-124	0	0	124
	Pressure 3{1}	2581925	0	02581925	-107	0	0	107
	GT1{1}	5313692	0	05313692	94	0	0	94
	GT2{1}	-.2E+07	0	01726535	276	0	0	276
	GT3{1}	-155821	0	0 155821	242	0	0	242
	GW1{1}	28	0	0 28	219	0	0	219
	GW2{1}	33	0	0 33	221	0	0	221
	GW3{1}	30	0	0 30	163	0	0	163
	GW4{1}	31	0	0 31	272	0	0	272
	GT1P1{1}	5826744	0	05826744	195	0	0	195
	GT2P2{1}	859641	0	0 859641	152	0	0	152
	GT3P3{1}	2426104	0	02426104	135	0	0	135
	Gravity{2}	61	0	0 61	461	0	0	461
	Thermal 3{2}	-155916	0	0 155916	25	0	0	25
	Pressure 1{2}	3213248	0	03213248	871	0	0	871
	GT3{2}	-155855	0	0 155855	486	0	0	486
	Hydrotest-NL{2}	3057393	0	03057393	1357	0	0	1357
+739 +	Gravity{1}	31	0	0 31	220	0	0	220
	Thermal 1{1}	5309060	0	05309060	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01726463	56	0	0	56
	Thermal 3{1}	-155844	0	0 155844	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	503073	0	0 503073	101	0	0	101
	Pressure 2{1}	2586030	0	02586030	-124	0	0	124
	Pressure 3{1}	2581717	0	02581717	-107	0	0	107
	GT1{1}	5309090	0	05309090	94	0	0	94
	GT2{1}	-.2E+07	0	01726432	276	0	0	276
	GT3{1}	-155813	0	0 155813	242	0	0	242
	GW1{1}	28	0	0 28	219	0	0	219
	GW2{1}	34	0	0 34	221	0	0	221
	GW3{1}	30	0	0 30	163	0	0	163
	GW4{1}	31	0	0 31	272	0	0	272
	GT1P1{1}	5812163	0	05812163	195	0	0	195
	GT2P2{1}	859598	0	0 859598	152	0	0	152
	GT3P3{1}	2425904	0	02425904	135	0	0	135
	Gravity{2}	62	0	0 62	461	0	0	461
	Thermal 3{2}	-155910	0	0 155910	25	0	0	25
	Pressure 1{2}	3212781	0	03212781	871	0	0	871
	GT3{2}	-155849	0	0 155849	486	0	0	486
	Hydrotest-NL{2}	3056932	0	03056932	1357	0	0	1357
+740 -	Gravity{1}	31	0	0 31	220	0	0	220
	Thermal 1{1}	5309060	0	05309060	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01726463	56	0	0	56
	Thermal 3{1}	-155844	0	0 155844	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	503073	0	0 503073	101	0	0	101
	Pressure 2{1}	2586030	0	02586030	-124	0	0	124
	Pressure 3{1}	2581717	0	02581717	-107	0	0	107
	GT1{1}	5309090	0	05309090	94	0	0	94

	GT2{1}	-.2E+07	0	01726432	276	0	0	276
	GT3{1}	-155813	0	0 155813	242	0	0	242
	GW1{1}	28	0	0 28	219	0	0	219
	GW2{1}	34	0	0 34	221	0	0	221
	GW3{1}	30	0	0 30	163	0	0	163
	GW4{1}	31	0	0 31	272	0	0	272
	GT1P1{1}	5812163	0	05812163	195	0	0	195
	GT2P2{1}	859598	0	0 859598	152	0	0	152
	GT3P3{1}	2425904	0	02425904	135	0	0	135
	Gravity{2}	62	0	0 62	461	0	0	461
	Thermal 3{2}	-155910	0	0 155910	25	0	0	25
	Pressure 1{2}	3212781	0	03212781	871	0	0	871
	GT3{2}	-155849	0	0 155849	486	0	0	486
	Hydrotest-NL{2}	3056932	0	03056932	1357	0	0	1357
+740 +	Gravity{1}	31	0	0 31	220	0	0	220
	Thermal 1{1}	5304389	0	05304389	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01726358	56	0	0	56
	Thermal 3{1}	-155837	0	0 155837	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	493161	0	0 493161	101	0	0	101
	Pressure 2{1}	2585882	0	02585882	-124	0	0	124
	Pressure 3{1}	2581506	0	02581506	-107	0	0	107
	GT1{1}	5304421	0	05304421	94	0	0	94
	GT2{1}	-.2E+07	0	01726327	276	0	0	276
	GT3{1}	-155806	0	0 155806	242	0	0	242
	GW1{1}	29	0	0 29	219	0	0	219
	GW2{1}	34	0	0 34	221	0	0	221
	GW3{1}	31	0	0 31	163	0	0	163
	GW4{1}	32	0	0 32	272	0	0	272
	GT1P1{1}	5797582	0	05797582	195	0	0	195
	GT2P2{1}	859555	0	0 859555	152	0	0	152
	GT3P3{1}	2425701	0	02425701	135	0	0	135
	Gravity{2}	62	0	0 62	461	0	0	461
	Thermal 3{2}	-155904	0	0 155904	25	0	0	25
	Pressure 1{2}	3212307	0	03212307	871	0	0	871
	GT3{2}	-155842	0	0 155842	486	0	0	486
	Hydrotest-NL{2}	3056465	0	03056465	1357	0	0	1357
+741 -	Gravity{1}	31	0	0 31	220	0	0	220
	Thermal 1{1}	5304389	0	05304389	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01726358	56	0	0	56
	Thermal 3{1}	-155837	0	0 155837	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	493161	0	0 493161	101	0	0	101
	Pressure 2{1}	2585882	0	02585882	-124	0	0	124
	Pressure 3{1}	2581506	0	02581506	-107	0	0	107
	GT1{1}	5304421	0	05304421	94	0	0	94
	GT2{1}	-.2E+07	0	01726327	276	0	0	276
	GT3{1}	-155806	0	0 155806	242	0	0	242
	GW1{1}	29	0	0 29	219	0	0	219
	GW2{1}	34	0	0 34	221	0	0	221
	GW3{1}	31	0	0 31	163	0	0	163
	GW4{1}	32	0	0 32	272	0	0	272
	GT1P1{1}	5797582	0	05797582	195	0	0	195
	GT2P2{1}	859555	0	0 859555	152	0	0	152
	GT3P3{1}	2425701	0	02425701	135	0	0	135
	Gravity{2}	62	0	0 62	461	0	0	461
	Thermal 3{2}	-155904	0	0 155904	25	0	0	25
	Pressure 1{2}	3212307	0	03212307	871	0	0	871
	GT3{2}	-155842	0	0 155842	486	0	0	486
	Hydrotest-NL{2}	3056465	0	03056465	1357	0	0	1357
+741 +	Gravity{1}	32	0	0 32	220	0	0	220
	Thermal 1{1}	5299651	0	05299651	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01726253	56	0	0	56
	Thermal 3{1}	-155830	0	0 155830	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	483318	0	0 483318	101	0	0	101
	Pressure 2{1}	2585733	0	02585733	-124	0	0	124
	Pressure 3{1}	2581293	0	02581293	-107	0	0	107
	GT1{1}	5299683	0	05299683	94	0	0	94
	GT2{1}	-.2E+07	0	01726221	276	0	0	276
	GT3{1}	-155798	0	0 155798	242	0	0	242
	GW1{1}	29	0	0 29	219	0	0	219
	GW2{1}	35	0	0 35	221	0	0	221
	GW3{1}	31	0	0 31	163	0	0	163
	GW4{1}	32	0	0 32	272	0	0	272
	GT1P1{1}	5783001	0	05783001	195	0	0	195
	GT2P2{1}	859512	0	0 859512	152	0	0	152
	GT3P3{1}	2425495	0	02425495	135	0	0	135
	Gravity{2}	63	0	0 63	461	0	0	461
	Thermal 3{2}	-155898	0	0 155898	25	0	0	25
	Pressure 1{2}	3211826	0	03211826	871	0	0	871
	GT3{2}	-155835	0	0 155835	486	0	0	486
	Hydrotest-NL{2}	3055991	0	03055991	1357	0	0	1357
+742 -	Gravity{1}	32	0	0 32	220	0	0	220
	Thermal 1{1}	5299651	0	05299651	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01726253	56	0	0	56
	Thermal 3{1}	-155830	0	0 155830	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	483318	0	0 483318	101	0	0	101
	Pressure 2{1}	2585733	0	02585733	-124	0	0	124
	Pressure 3{1}	2581293	0	02581293	-107	0	0	107
	GT1{1}	5299683	0	05299683	94	0	0	94

	GT2{1}	-.2E+07	0	01726221	276	0	0	276
	GT3{1}	-155798	0	0 155798	242	0	0	242
	GW1{1}	29	0	0 29	219	0	0	219
	GW2{1}	35	0	0 35	221	0	0	221
	GW3{1}	31	0	0 31	163	0	0	163
	GW4{1}	32	0	0 32	272	0	0	272
	GT1P1{1}	5783001	0	05783001	195	0	0	195
	GT2P2{1}	859512	0	0 859512	152	0	0	152
	GT3P3{1}	2425495	0	02425495	135	0	0	135
	Gravity{2}	63	0	0 63	461	0	0	461
	Thermal 3{2}	-155898	0	0 155898	25	0	0	25
	Pressure 1{2}	3211826	0	03211826	871	0	0	871
	GT3{2}	-155835	0	0 155835	486	0	0	486
	Hydrotest-NL{2}	3055991	0	03055991	1357	0	0	1357
+742 +	Gravity{1}	32	0	0 32	220	0	0	220
	Thermal 1{1}	5294843	0	05294843	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01726146	56	0	0	56
	Thermal 3{1}	-155823	0	0 155823	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	473544	0	0 473544	101	0	0	101
	Pressure 2{1}	2585581	0	02585581	-124	0	0	124
	Pressure 3{1}	2581075	0	02581075	-107	0	0	107
	GT1{1}	5294875	0	05294875	94	0	0	94
	GT2{1}	-.2E+07	0	01726114	276	0	0	276
	GT3{1}	-155791	0	0 155791	242	0	0	242
	GW1{1}	29	0	0 29	219	0	0	219
	GW2{1}	35	0	0 35	221	0	0	221
	GW3{1}	32	0	0 32	163	0	0	163
	GW4{1}	33	0	0 33	272	0	0	272
	GT1P1{1}	5768419	0	05768419	195	0	0	195
	GT2P2{1}	859467	0	0 859467	152	0	0	152
	GT3P3{1}	2425285	0	02425285	135	0	0	135
	Gravity{2}	64	0	0 64	461	0	0	461
	Thermal 3{2}	-155892	0	0 155892	25	0	0	25
	Pressure 1{2}	3211338	0	03211338	871	0	0	871
	GT3{2}	-155827	0	0 155827	486	0	0	486
	Hydrotest-NL{2}	3055510	0	03055510	1357	0	0	1357
+743 -	Gravity{1}	32	0	0 32	220	0	0	220
	Thermal 1{1}	5294843	0	05294843	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01726146	56	0	0	56
	Thermal 3{1}	-155823	0	0 155823	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	473544	0	0 473544	101	0	0	101
	Pressure 2{1}	2585581	0	02585581	-124	0	0	124
	Pressure 3{1}	2581075	0	02581075	-107	0	0	107
	GT1{1}	5294875	0	05294875	94	0	0	94
	GT2{1}	-.2E+07	0	01726114	276	0	0	276
	GT3{1}	-155791	0	0 155791	242	0	0	242
	GW1{1}	29	0	0 29	219	0	0	219
	GW2{1}	35	0	0 35	221	0	0	221
	GW3{1}	32	0	0 32	163	0	0	163
	GW4{1}	33	0	0 33	272	0	0	272
	GT1P1{1}	5768419	0	05768419	195	0	0	195
	GT2P2{1}	859467	0	0 859467	152	0	0	152
	GT3P3{1}	2425285	0	02425285	135	0	0	135
	Gravity{2}	64	0	0 64	461	0	0	461
	Thermal 3{2}	-155892	0	0 155892	25	0	0	25
	Pressure 1{2}	3211338	0	03211338	871	0	0	871
	GT3{2}	-155827	0	0 155827	486	0	0	486
	Hydrotest-NL{2}	3055510	0	03055510	1357	0	0	1357
+743 +	Gravity{1}	33	0	0 33	220	0	0	220
	Thermal 1{1}	5289964	0	05289964	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01726037	56	0	0	56
	Thermal 3{1}	-155815	0	0 155815	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	463841	0	0 463841	101	0	0	101
	Pressure 2{1}	2585427	0	02585427	-124	0	0	124
	Pressure 3{1}	2580855	0	02580855	-107	0	0	107
	GT1{1}	5289997	0	05289997	94	0	0	94
	GT2{1}	-.2E+07	0	01726004	276	0	0	276
	GT3{1}	-155783	0	0 155783	242	0	0	242
	GW1{1}	30	0	0 30	219	0	0	219
	GW2{1}	36	0	0 36	221	0	0	221
	GW3{1}	32	0	0 32	163	0	0	163
	GW4{1}	33	0	0 33	272	0	0	272
	GT1P1{1}	5753838	0	05753838	195	0	0	195
	GT2P2{1}	859422	0	0 859422	152	0	0	152
	GT3P3{1}	2425073	0	02425073	135	0	0	135
	Gravity{2}	65	0	0 65	461	0	0	461
	Thermal 3{2}	-155885	0	0 155885	25	0	0	25
	Pressure 1{2}	3210842	0	03210842	871	0	0	871
	GT3{2}	-155820	0	0 155820	486	0	0	486
	Hydrotest-NL{2}	3055022	0	03055022	1357	0	0	1357
+744 -	Gravity{1}	33	0	0 33	220	0	0	220
	Thermal 1{1}	5289964	0	05289964	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01726037	56	0	0	56
	Thermal 3{1}	-155815	0	0 155815	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	463841	0	0 463841	101	0	0	101
	Pressure 2{1}	2585427	0	02585427	-124	0	0	124
	Pressure 3{1}	2580855	0	02580855	-107	0	0	107
	GT1{1}	5289997	0	05289997	94	0	0	94

	GT2{1}	-.2E+07	0	01726004	276	0	0	276
	GT3{1}	-155783	0	0 155783	242	0	0	242
	GW1{1}	30	0	0 30	219	0	0	219
	GW2{1}	36	0	0 36	221	0	0	221
	GW3{1}	32	0	0 32	163	0	0	163
	GW4{1}	33	0	0 33	272	0	0	272
	GT1P1{1}	5753838	0	05753838	195	0	0	195
	GT2P2{1}	859422	0	0 859422	152	0	0	152
	GT3P3{1}	2425073	0	02425073	135	0	0	135
	Gravity{2}	65	0	0 65	461	0	0	461
	Thermal 3{2}	-155885	0	0 155885	25	0	0	25
	Pressure 1{2}	3210842	0	03210842	871	0	0	871
	GT3{2}	-155820	0	0 155820	486	0	0	486
	Hydrotest-NL{2}	3055022	0	03055022	1357	0	0	1357
+744 +	Gravity{1}	33	0	0 33	220	0	0	220
	Thermal 1{1}	5285015	0	05285015	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01725927	56	0	0	56
	Thermal 3{1}	-155808	0	0 155808	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	454209	0	0 454209	101	0	0	101
	Pressure 2{1}	2585270	0	02585270	-124	0	0	124
	Pressure 3{1}	2580632	0	02580632	-107	0	0	107
	GT1{1}	5285048	0	05285048	94	0	0	94
	GT2{1}	-.2E+07	0	01725893	276	0	0	276
	GT3{1}	-155775	0	0 155775	242	0	0	242
	GW1{1}	30	0	0 30	219	0	0	219
	GW2{1}	36	0	0 36	221	0	0	221
	GW3{1}	33	0	0 33	163	0	0	163
	GW4{1}	34	0	0 34	272	0	0	272
	GT1P1{1}	5739257	0	05739257	195	0	0	195
	GT2P2{1}	859377	0	0 859377	152	0	0	152
	GT3P3{1}	2424857	0	02424857	135	0	0	135
	Gravity{2}	66	0	0 66	461	0	0	461
	Thermal 3{2}	-155879	0	0 155879	25	0	0	25
	Pressure 1{2}	3210340	0	03210340	871	0	0	871
	GT3{2}	-155813	0	0 155813	486	0	0	486
	Hydrotest-NL{2}	3054527	0	03054527	1357	0	0	1357
+745 -	Gravity{1}	33	0	0 33	220	0	0	220
	Thermal 1{1}	5285015	0	05285015	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01725927	56	0	0	56
	Thermal 3{1}	-155808	0	0 155808	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	454209	0	0 454209	101	0	0	101
	Pressure 2{1}	2585270	0	02585270	-124	0	0	124
	Pressure 3{1}	2580632	0	02580632	-107	0	0	107
	GT1{1}	5285048	0	05285048	94	0	0	94
	GT2{1}	-.2E+07	0	01725893	276	0	0	276
	GT3{1}	-155775	0	0 155775	242	0	0	242
	GW1{1}	30	0	0 30	219	0	0	219
	GW2{1}	36	0	0 36	221	0	0	221
	GW3{1}	33	0	0 33	163	0	0	163
	GW4{1}	34	0	0 34	272	0	0	272
	GT1P1{1}	5739257	0	05739257	195	0	0	195
	GT2P2{1}	859377	0	0 859377	152	0	0	152
	GT3P3{1}	2424857	0	02424857	135	0	0	135
	Gravity{2}	66	0	0 66	461	0	0	461
	Thermal 3{2}	-155879	0	0 155879	25	0	0	25
	Pressure 1{2}	3210340	0	03210340	871	0	0	871
	GT3{2}	-155813	0	0 155813	486	0	0	486
	Hydrotest-NL{2}	3054527	0	03054527	1357	0	0	1357
+745 +	Gravity{1}	34	0	0 34	220	0	0	220
	Thermal 1{1}	5279992	0	05279992	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01725815	56	0	0	56
	Thermal 3{1}	-155800	0	0 155800	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	444650	0	0 444650	101	0	0	101
	Pressure 2{1}	2585112	0	02585112	-124	0	0	124
	Pressure 3{1}	2580405	0	02580405	-107	0	0	107
	GT1{1}	5280026	0	05280026	94	0	0	94
	GT2{1}	-.2E+07	0	01725781	276	0	0	276
	GT3{1}	-155767	0	0 155767	242	0	0	242
	GW1{1}	31	0	0 31	219	0	0	219
	GW2{1}	37	0	0 37	221	0	0	221
	GW3{1}	33	0	0 33	163	0	0	163
	GW4{1}	34	0	0 34	272	0	0	272
	GT1P1{1}	5724676	0	05724676	195	0	0	195
	GT2P2{1}	859330	0	0 859330	152	0	0	152
	GT3P3{1}	2424639	0	02424639	135	0	0	135
	Gravity{2}	67	0	0 67	461	0	0	461
	Thermal 3{2}	-155873	0	0 155873	25	0	0	25
	Pressure 1{2}	3209830	0	03209830	871	0	0	871
	GT3{2}	-155805	0	0 155805	486	0	0	486
	Hydrotest-NL{2}	3054025	0	03054025	1357	0	0	1357
+746 -	Gravity{1}	34	0	0 34	220	0	0	220
	Thermal 1{1}	5279992	0	05279992	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01725815	56	0	0	56
	Thermal 3{1}	-155800	0	0 155800	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	444650	0	0 444650	101	0	0	101
	Pressure 2{1}	2585112	0	02585112	-124	0	0	124
	Pressure 3{1}	2580405	0	02580405	-107	0	0	107
	GT1{1}	5280026	0	05280026	94	0	0	94

	GT2{1}	-.2E+07	0	01725781	276	0	0	276
	GT3{1}	-155767	0	0 155767	242	0	0	242
	GW1{1}	31	0	0 31	219	0	0	219
	GW2{1}	37	0	0 37	221	0	0	221
	GW3{1}	33	0	0 33	163	0	0	163
	GW4{1}	34	0	0 34	272	0	0	272
	GT1P1{1}	5724676	0	05724676	195	0	0	195
	GT2P2{1}	859330	0	0 859330	152	0	0	152
	GT3P3{1}	2424639	0	02424639	135	0	0	135
	Gravity{2}	67	0	0 67	461	0	0	461
	Thermal 3{2}	-155873	0	0 155873	25	0	0	25
	Pressure 1{2}	3209830	0	03209830	871	0	0	871
	GT3{2}	-155805	0	0 155805	486	0	0	486
	Hydrotest-NL{2}	3054025	0	03054025	1357	0	0	1357
+746 +	Gravity{1}	34	0	0 34	220	0	0	220
	Thermal 1{1}	5274896	0	05274896	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01725701	56	0	0	56
	Thermal 3{1}	-155793	0	0 155793	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	435165	0	0 435165	101	0	0	101
	Pressure 2{1}	2584951	0	02584951	-124	0	0	124
	Pressure 3{1}	2580175	0	02580175	-107	0	0	107
	GT1{1}	5274929	0	05274929	94	0	0	94
	GT2{1}	-.2E+07	0	01725667	276	0	0	276
	GT3{1}	-155759	0	0 155759	242	0	0	242
	GW1{1}	31	0	0 31	219	0	0	219
	GW2{1}	37	0	0 37	221	0	0	221
	GW3{1}	34	0	0 34	163	0	0	163
	GW4{1}	35	0	0 35	272	0	0	272
	GT1P1{1}	5710094	0	05710094	195	0	0	195
	GT2P2{1}	859284	0	0 859284	152	0	0	152
	GT3P3{1}	2424417	0	02424417	135	0	0	135
	Gravity{2}	68	0	0 68	461	0	0	461
	Thermal 3{2}	-155866	0	0 155866	25	0	0	25
	Pressure 1{2}	3209313	0	03209313	871	0	0	871
	GT3{2}	-155798	0	0 155798	486	0	0	486
	Hydrotest-NL{2}	3053515	0	03053515	1357	0	0	1357
+747 -	Gravity{1}	34	0	0 34	220	0	0	220
	Thermal 1{1}	5274896	0	05274896	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01725701	56	0	0	56
	Thermal 3{1}	-155793	0	0 155793	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	435165	0	0 435165	101	0	0	101
	Pressure 2{1}	2584951	0	02584951	-124	0	0	124
	Pressure 3{1}	2580175	0	02580175	-107	0	0	107
	GT1{1}	5274929	0	05274929	94	0	0	94
	GT2{1}	-.2E+07	0	01725667	276	0	0	276
	GT3{1}	-155759	0	0 155759	242	0	0	242
	GW1{1}	31	0	0 31	219	0	0	219
	GW2{1}	37	0	0 37	221	0	0	221
	GW3{1}	34	0	0 34	163	0	0	163
	GW4{1}	35	0	0 35	272	0	0	272
	GT1P1{1}	5710094	0	05710094	195	0	0	195
	GT2P2{1}	859284	0	0 859284	152	0	0	152
	GT3P3{1}	2424417	0	02424417	135	0	0	135
	Gravity{2}	68	0	0 68	461	0	0	461
	Thermal 3{2}	-155866	0	0 155866	25	0	0	25
	Pressure 1{2}	3209313	0	03209313	871	0	0	871
	GT3{2}	-155798	0	0 155798	486	0	0	486
	Hydrotest-NL{2}	3053515	0	03053515	1357	0	0	1357
+747 +	Gravity{1}	35	0	0 35	220	0	0	220
	Thermal 1{1}	5269725	0	05269725	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01725586	56	0	0	56
	Thermal 3{1}	-155785	0	0 155785	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	425754	0	0 425754	101	0	0	101
	Pressure 2{1}	2584788	0	02584788	-124	0	0	124
	Pressure 3{1}	2579942	0	02579942	-107	0	0	107
	GT1{1}	5269760	0	05269760	94	0	0	94
	GT2{1}	-.2E+07	0	01725552	276	0	0	276
	GT3{1}	-155750	0	0 155750	242	0	0	242
	GW1{1}	32	0	0 32	219	0	0	219
	GW2{1}	38	0	0 38	221	0	0	221
	GW3{1}	34	0	0 34	163	0	0	163
	GW4{1}	35	0	0 35	272	0	0	272
	GT1P1{1}	5695513	0	05695513	195	0	0	195
	GT2P2{1}	859236	0	0 859236	152	0	0	152
	GT3P3{1}	2424191	0	02424191	135	0	0	135
	Gravity{2}	69	0	0 69	461	0	0	461
	Thermal 3{2}	-155859	0	0 155859	25	0	0	25
	Pressure 1{2}	3208788	0	03208788	871	0	0	871
	GT3{2}	-155790	0	0 155790	486	0	0	486
	Hydrotest-NL{2}	3052998	0	03052998	1357	0	0	1357
+748 -	Gravity{1}	35	0	0 35	220	0	0	220
	Thermal 1{1}	5269725	0	05269725	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01725586	56	0	0	56
	Thermal 3{1}	-155785	0	0 155785	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	425754	0	0 425754	101	0	0	101
	Pressure 2{1}	2584788	0	02584788	-124	0	0	124
	Pressure 3{1}	2579942	0	02579942	-107	0	0	107
	GT1{1}	5269760	0	05269760	94	0	0	94

	GT2{1}	-.2E+07	0	01725552	276	0	0	276
	GT3{1}	-155750	0	0 155750	242	0	0	242
	GW1{1}	32	0	0 32	219	0	0	219
	GW2{1}	38	0	0 38	221	0	0	221
	GW3{1}	34	0	0 34	163	0	0	163
	GW4{1}	35	0	0 35	272	0	0	272
	GT1P1{1}	5695513	0	05695513	195	0	0	195
	GT2P2{1}	859236	0	0 859236	152	0	0	152
	GT3P3{1}	2424191	0	02424191	135	0	0	135
	Gravity{2}	69	0	0 69	461	0	0	461
	Thermal 3{2}	-155859	0	0 155859	25	0	0	25
	Pressure 1{2}	3208788	0	03208788	871	0	0	871
	GT3{2}	-155790	0	0 155790	486	0	0	486
	Hydrotest-NL{2}	3052998	0	03052998	1357	0	0	1357
+748 +	Gravity{1}	35	0	0 35	220	0	0	220
	Thermal 1{1}	5264478	0	05264478	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01725469	56	0	0	56
	Thermal 3{1}	-155777	0	0 155777	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	416419	0	0 416419	101	0	0	101
	Pressure 2{1}	2584622	0	02584622	-124	0	0	124
	Pressure 3{1}	2579705	0	02579705	-107	0	0	107
	GT1{1}	5264513	0	05264513	94	0	0	94
	GT2{1}	-.2E+07	0	01725434	276	0	0	276
	GT3{1}	-155742	0	0 155742	242	0	0	242
	GW1{1}	32	0	0 32	219	0	0	219
	GW2{1}	38	0	0 38	221	0	0	221
	GW3{1}	35	0	0 35	163	0	0	163
	GW4{1}	36	0	0 36	272	0	0	272
	GT1P1{1}	5680932	0	05680932	195	0	0	195
	GT2P2{1}	859187	0	0 859187	152	0	0	152
	GT3P3{1}	2423963	0	02423963	135	0	0	135
	Gravity{2}	70	0	0 70	461	0	0	461
	Thermal 3{2}	-155853	0	0 155853	25	0	0	25
	Pressure 1{2}	3208255	0	03208255	871	0	0	871
	GT3{2}	-155782	0	0 155782	486	0	0	486
	Hydrotest-NL{2}	3052473	0	03052473	1357	0	0	1357
+749 -	Gravity{1}	35	0	0 35	220	0	0	220
	Thermal 1{1}	5264478	0	05264478	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01725469	56	0	0	56
	Thermal 3{1}	-155777	0	0 155777	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	416419	0	0 416419	101	0	0	101
	Pressure 2{1}	2584622	0	02584622	-124	0	0	124
	Pressure 3{1}	2579705	0	02579705	-107	0	0	107
	GT1{1}	5264513	0	05264513	94	0	0	94
	GT2{1}	-.2E+07	0	01725434	276	0	0	276
	GT3{1}	-155742	0	0 155742	242	0	0	242
	GW1{1}	32	0	0 32	219	0	0	219
	GW2{1}	38	0	0 38	221	0	0	221
	GW3{1}	35	0	0 35	163	0	0	163
	GW4{1}	36	0	0 36	272	0	0	272
	GT1P1{1}	5680932	0	05680932	195	0	0	195
	GT2P2{1}	859187	0	0 859187	152	0	0	152
	GT3P3{1}	2423963	0	02423963	135	0	0	135
	Gravity{2}	70	0	0 70	461	0	0	461
	Thermal 3{2}	-155853	0	0 155853	25	0	0	25
	Pressure 1{2}	3208255	0	03208255	871	0	0	871
	GT3{2}	-155782	0	0 155782	486	0	0	486
	Hydrotest-NL{2}	3052473	0	03052473	1357	0	0	1357
+749 +	Gravity{1}	36	0	0 36	220	0	0	220
	Thermal 1{1}	5259154	0	05259154	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01725351	56	0	0	56
	Thermal 3{1}	-155769	0	0 155769	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	407161	0	0 407161	101	0	0	101
	Pressure 2{1}	2584454	0	02584454	-124	0	0	124
	Pressure 3{1}	2579465	0	02579465	-107	0	0	107
	GT1{1}	5259190	0	05259190	94	0	0	94
	GT2{1}	-.2E+07	0	01725315	276	0	0	276
	GT3{1}	-155734	0	0 155734	242	0	0	242
	GW1{1}	33	0	0 33	219	0	0	219
	GW2{1}	39	0	0 39	221	0	0	221
	GW3{1}	35	0	0 35	163	0	0	163
	GW4{1}	36	0	0 36	272	0	0	272
	GT1P1{1}	5666351	0	05666351	195	0	0	195
	GT2P2{1}	859139	0	0 859139	152	0	0	152
	GT3P3{1}	2423731	0	02423731	135	0	0	135
	Gravity{2}	71	0	0 71	461	0	0	461
	Thermal 3{2}	-155846	0	0 155846	25	0	0	25
	Pressure 1{2}	3207715	0	03207715	871	0	0	871
	GT3{2}	-155775	0	0 155775	486	0	0	486
	Hydrotest-NL{2}	3051940	0	03051940	1357	0	0	1357
+750 -	Gravity{1}	36	0	0 36	220	0	0	220
	Thermal 1{1}	5259154	0	05259154	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01725351	56	0	0	56
	Thermal 3{1}	-155769	0	0 155769	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	407161	0	0 407161	101	0	0	101
	Pressure 2{1}	2584454	0	02584454	-124	0	0	124
	Pressure 3{1}	2579465	0	02579465	-107	0	0	107
	GT1{1}	5259190	0	05259190	94	0	0	94

	GT2{1}	-.2E+07	0	01725315	276	0	0	276
	GT3{1}	-155734	0	0 155734	242	0	0	242
	GW1{1}	33	0	0 33	219	0	0	219
	GW2{1}	39	0	0 39	221	0	0	221
	GW3{1}	35	0	0 35	163	0	0	163
	GW4{1}	36	0	0 36	272	0	0	272
	GT1P1{1}	5666351	0	05666351	195	0	0	195
	GT2P2{1}	859139	0	0 859139	152	0	0	152
	GT3P3{1}	2423731	0	02423731	135	0	0	135
	Gravity{2}	71	0	0 71	461	0	0	461
	Thermal 3{2}	-155846	0	0 155846	25	0	0	25
	Pressure 1{2}	3207715	0	03207715	871	0	0	871
	GT3{2}	-155775	0	0 155775	486	0	0	486
	Hydrotest-NL{2}	3051940	0	03051940	1357	0	0	1357
+750 +	Gravity{1}	36	0	0 36	220	0	0	220
	Thermal 1{1}	5253753	0	05253753	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01725230	56	0	0	56
	Thermal 3{1}	-155761	0	0 155761	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	397981	0	0 397981	101	0	0	101
	Pressure 2{1}	2584283	0	02584283	-124	0	0	124
	Pressure 3{1}	2579221	0	02579221	-107	0	0	107
	GT1{1}	5253789	0	05253789	94	0	0	94
	GT2{1}	-.2E+07	0	01725194	276	0	0	276
	GT3{1}	-155725	0	0 155725	242	0	0	242
	GW1{1}	33	0	0 33	219	0	0	219
	GW2{1}	39	0	0 39	221	0	0	221
	GW3{1}	36	0	0 36	163	0	0	163
	GW4{1}	37	0	0 37	272	0	0	272
	GT1P1{1}	5651769	0	05651769	195	0	0	195
	GT2P2{1}	859089	0	0 859089	152	0	0	152
	GT3P3{1}	2423496	0	02423496	135	0	0	135
	Gravity{2}	72	0	0 72	461	0	0	461
	Thermal 3{2}	-155839	0	0 155839	25	0	0	25
	Pressure 1{2}	3207166	0	03207166	871	0	0	871
	GT3{2}	-155767	0	0 155767	486	0	0	486
	Hydrotest-NL{2}	3051400	0	03051400	1357	0	0	1357
+751 -	Gravity{1}	36	0	0 36	220	0	0	220
	Thermal 1{1}	5253753	0	05253753	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01725230	56	0	0	56
	Thermal 3{1}	-155761	0	0 155761	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	397981	0	0 397981	101	0	0	101
	Pressure 2{1}	2584283	0	02584283	-124	0	0	124
	Pressure 3{1}	2579221	0	02579221	-107	0	0	107
	GT1{1}	5253789	0	05253789	94	0	0	94
	GT2{1}	-.2E+07	0	01725194	276	0	0	276
	GT3{1}	-155725	0	0 155725	242	0	0	242
	GW1{1}	33	0	0 33	219	0	0	219
	GW2{1}	39	0	0 39	221	0	0	221
	GW3{1}	36	0	0 36	163	0	0	163
	GW4{1}	37	0	0 37	272	0	0	272
	GT1P1{1}	5651769	0	05651769	195	0	0	195
	GT2P2{1}	859089	0	0 859089	152	0	0	152
	GT3P3{1}	2423496	0	02423496	135	0	0	135
	Gravity{2}	72	0	0 72	461	0	0	461
	Thermal 3{2}	-155839	0	0 155839	25	0	0	25
	Pressure 1{2}	3207166	0	03207166	871	0	0	871
	GT3{2}	-155767	0	0 155767	486	0	0	486
	Hydrotest-NL{2}	3051400	0	03051400	1357	0	0	1357
+751 +	Gravity{1}	37	0	0 37	220	0	0	220
	Thermal 1{1}	5248272	0	05248272	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01725108	56	0	0	56
	Thermal 3{1}	-155753	0	0 155753	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	388880	0	0 388880	101	0	0	101
	Pressure 2{1}	2584110	0	02584110	-124	0	0	124
	Pressure 3{1}	2578974	0	02578974	-107	0	0	107
	GT1{1}	5248309	0	05248309	94	0	0	94
	GT2{1}	-.2E+07	0	01725071	276	0	0	276
	GT3{1}	-155716	0	0 155716	242	0	0	242
	GW1{1}	34	0	0 34	219	0	0	219
	GW2{1}	40	0	0 40	221	0	0	221
	GW3{1}	36	0	0 36	163	0	0	163
	GW4{1}	37	0	0 37	272	0	0	272
	GT1P1{1}	5637188	0	05637188	195	0	0	195
	GT2P2{1}	859038	0	0 859038	152	0	0	152
	GT3P3{1}	2423257	0	02423257	135	0	0	135
	Gravity{2}	73	0	0 73	461	0	0	461
	Thermal 3{2}	-155832	0	0 155832	25	0	0	25
	Pressure 1{2}	3206610	0	03206610	871	0	0	871
	GT3{2}	-155758	0	0 155758	486	0	0	486
	Hydrotest-NL{2}	3050852	0	03050852	1357	0	0	1357
+752 -	Gravity{1}	37	0	0 37	220	0	0	220
	Thermal 1{1}	5248272	0	05248272	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01725108	56	0	0	56
	Thermal 3{1}	-155753	0	0 155753	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	388880	0	0 388880	101	0	0	101
	Pressure 2{1}	2584110	0	02584110	-124	0	0	124
	Pressure 3{1}	2578974	0	02578974	-107	0	0	107
	GT1{1}	5248309	0	05248309	94	0	0	94

	GT2{1}	-.2E+07	0	01725071	276	0	0	276
	GT3{1}	-155716	0	0 155716	242	0	0	242
	GW1{1}	34	0	0 34	219	0	0	219
	GW2{1}	40	0	0 40	221	0	0	221
	GW3{1}	36	0	0 36	163	0	0	163
	GW4{1}	37	0	0 37	272	0	0	272
	GT1P1{1}	5637188	0	05637188	195	0	0	195
	GT2P2{1}	859038	0	0 859038	152	0	0	152
	GT3P3{1}	2423257	0	02423257	135	0	0	135
	Gravity{2}	73	0	0 73	461	0	0	461
	Thermal 3{2}	-155832	0	0 155832	25	0	0	25
	Pressure 1{2}	3206610	0	03206610	871	0	0	871
	GT3{2}	-155758	0	0 155758	486	0	0	486
	Hydrotest-NL{2}	3050852	0	03050852	1357	0	0	1357
+752 +	Gravity{1}	37	0	0 37	220	0	0	220
	Thermal 1{1}	5242710	0	05242710	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01724984	56	0	0	56
	Thermal 3{1}	-155745	0	0 155745	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	379859	0	0 379859	101	0	0	101
	Pressure 2{1}	2583934	0	02583934	-124	0	0	124
	Pressure 3{1}	2578723	0	02578723	-107	0	0	107
	GT1{1}	5242748	0	05242748	94	0	0	94
	GT2{1}	-.2E+07	0	01724947	276	0	0	276
	GT3{1}	-155707	0	0 155707	242	0	0	242
	GW1{1}	34	0	0 34	219	0	0	219
	GW2{1}	41	0	0 41	221	0	0	221
	GW3{1}	37	0	0 37	163	0	0	163
	GW4{1}	38	0	0 38	272	0	0	272
	GT1P1{1}	5622607	0	05622607	195	0	0	195
	GT2P2{1}	858987	0	0 858987	152	0	0	152
	GT3P3{1}	2423015	0	02423015	135	0	0	135
	Gravity{2}	74	0	0 74	461	0	0	461
	Thermal 3{2}	-155825	0	0 155825	25	0	0	25
	Pressure 1{2}	3206045	0	03206045	871	0	0	871
	GT3{2}	-155750	0	0 155750	486	0	0	486
	Hydrotest-NL{2}	3050295	0	03050295	1357	0	0	1357
+753 -	Gravity{1}	37	0	0 37	220	0	0	220
	Thermal 1{1}	5242710	0	05242710	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01724984	56	0	0	56
	Thermal 3{1}	-155745	0	0 155745	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	379859	0	0 379859	101	0	0	101
	Pressure 2{1}	2583934	0	02583934	-124	0	0	124
	Pressure 3{1}	2578723	0	02578723	-107	0	0	107
	GT1{1}	5242748	0	05242748	94	0	0	94
	GT2{1}	-.2E+07	0	01724947	276	0	0	276
	GT3{1}	-155707	0	0 155707	242	0	0	242
	GW1{1}	34	0	0 34	219	0	0	219
	GW2{1}	41	0	0 41	221	0	0	221
	GW3{1}	37	0	0 37	163	0	0	163
	GW4{1}	38	0	0 38	272	0	0	272
	GT1P1{1}	5622607	0	05622607	195	0	0	195
	GT2P2{1}	858987	0	0 858987	152	0	0	152
	GT3P3{1}	2423015	0	02423015	135	0	0	135
	Gravity{2}	74	0	0 74	461	0	0	461
	Thermal 3{2}	-155825	0	0 155825	25	0	0	25
	Pressure 1{2}	3206045	0	03206045	871	0	0	871
	GT3{2}	-155750	0	0 155750	486	0	0	486
	Hydrotest-NL{2}	3050295	0	03050295	1357	0	0	1357
+753 +	Gravity{1}	38	0	0 38	220	0	0	220
	Thermal 1{1}	5237067	0	05237067	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01724858	56	0	0	56
	Thermal 3{1}	-155736	0	0 155736	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	370920	0	0 370920	101	0	0	101
	Pressure 2{1}	2583756	0	02583756	-124	0	0	124
	Pressure 3{1}	2578468	0	02578468	-107	0	0	107
	GT1{1}	5237105	0	05237105	94	0	0	94
	GT2{1}	-.2E+07	0	01724821	276	0	0	276
	GT3{1}	-155698	0	0 155698	242	0	0	242
	GW1{1}	34	0	0 34	219	0	0	219
	GW2{1}	41	0	0 41	221	0	0	221
	GW3{1}	37	0	0 37	163	0	0	163
	GW4{1}	38	0	0 38	272	0	0	272
	GT1P1{1}	5608025	0	05608025	195	0	0	195
	GT2P2{1}	858935	0	0 858935	152	0	0	152
	GT3P3{1}	2422770	0	02422770	135	0	0	135
	Gravity{2}	75	0	0 75	461	0	0	461
	Thermal 3{2}	-155817	0	0 155817	25	0	0	25
	Pressure 1{2}	3205473	0	03205473	871	0	0	871
	GT3{2}	-155742	0	0 155742	486	0	0	486
	Hydrotest-NL{2}	3049731	0	03049731	1357	0	0	1357
+754 -	Gravity{1}	38	0	0 38	220	0	0	220
	Thermal 1{1}	5237067	0	05237067	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01724858	56	0	0	56
	Thermal 3{1}	-155736	0	0 155736	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	370920	0	0 370920	101	0	0	101
	Pressure 2{1}	2583756	0	02583756	-124	0	0	124
	Pressure 3{1}	2578468	0	02578468	-107	0	0	107
	GT1{1}	5237105	0	05237105	94	0	0	94

	GT2{1}	-.2E+07	0	01724821	276	0	0	276
	GT3{1}	-155698	0	0 155698	242	0	0	242
	GW1{1}	34	0	0 34	219	0	0	219
	GW2{1}	41	0	0 41	221	0	0	221
	GW3{1}	37	0	0 37	163	0	0	163
	GW4{1}	38	0	0 38	272	0	0	272
	GT1P1{1}	5608025	0	05608025	195	0	0	195
	GT2P2{1}	858935	0	0 858935	152	0	0	152
	GT3P3{1}	2422770	0	02422770	135	0	0	135
	Gravity{2}	75	0	0 75	461	0	0	461
	Thermal 3{2}	-155817	0	0 155817	25	0	0	25
	Pressure 1{2}	3205473	0	03205473	871	0	0	871
	GT3{2}	-155742	0	0 155742	486	0	0	486
	Hydrotest-NL{2}	3049731	0	03049731	1357	0	0	1357
+754 +	Gravity{1}	38	0	0 38	220	0	0	220
	Thermal 1{1}	5231342	0	05231342	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01724731	56	0	0	56
	Thermal 3{1}	-155728	0	0 155728	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	362064	0	0 362064	101	0	0	101
	Pressure 2{1}	2583575	0	02583575	-124	0	0	124
	Pressure 3{1}	2578210	0	02578210	-107	0	0	107
	GT1{1}	5231380	0	05231380	94	0	0	94
	GT2{1}	-.2E+07	0	01724692	276	0	0	276
	GT3{1}	-155689	0	0 155689	242	0	0	242
	GW1{1}	35	0	0 35	219	0	0	219
	GW2{1}	42	0	0 42	221	0	0	221
	GW3{1}	38	0	0 38	163	0	0	163
	GW4{1}	39	0	0 39	272	0	0	272
	GT1P1{1}	5593444	0	05593444	195	0	0	195
	GT2P2{1}	858882	0	0 858882	152	0	0	152
	GT3P3{1}	2422520	0	02422520	135	0	0	135
	Gravity{2}	77	0	0 77	461	0	0	461
	Thermal 3{2}	-155810	0	0 155810	25	0	0	25
	Pressure 1{2}	3204891	0	03204891	871	0	0	871
	GT3{2}	-155733	0	0 155733	486	0	0	486
	Hydrotest-NL{2}	3049158	0	03049158	1357	0	0	1357
+755 -	Gravity{1}	38	0	0 38	220	0	0	220
	Thermal 1{1}	5231342	0	05231342	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01724731	56	0	0	56
	Thermal 3{1}	-155728	0	0 155728	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	362064	0	0 362064	101	0	0	101
	Pressure 2{1}	2583575	0	02583575	-124	0	0	124
	Pressure 3{1}	2578210	0	02578210	-107	0	0	107
	GT1{1}	5231380	0	05231380	94	0	0	94
	GT2{1}	-.2E+07	0	01724692	276	0	0	276
	GT3{1}	-155689	0	0 155689	242	0	0	242
	GW1{1}	35	0	0 35	219	0	0	219
	GW2{1}	42	0	0 42	221	0	0	221
	GW3{1}	38	0	0 38	163	0	0	163
	GW4{1}	39	0	0 39	272	0	0	272
	GT1P1{1}	5593444	0	05593444	195	0	0	195
	GT2P2{1}	858882	0	0 858882	152	0	0	152
	GT3P3{1}	2422520	0	02422520	135	0	0	135
	Gravity{2}	77	0	0 77	461	0	0	461
	Thermal 3{2}	-155810	0	0 155810	25	0	0	25
	Pressure 1{2}	3204891	0	03204891	871	0	0	871
	GT3{2}	-155733	0	0 155733	486	0	0	486
	Hydrotest-NL{2}	3049158	0	03049158	1357	0	0	1357
+755 +	Gravity{1}	39	0	0 39	220	0	0	220
	Thermal 1{1}	5225533	0	05225533	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01724601	56	0	0	56
	Thermal 3{1}	-155719	0	0 155719	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	353292	0	0 353292	101	0	0	101
	Pressure 2{1}	2583391	0	02583391	-124	0	0	124
	Pressure 3{1}	2577948	0	02577948	-107	0	0	107
	GT1{1}	5225571	0	05225571	94	0	0	94
	GT2{1}	-.2E+07	0	01724562	276	0	0	276
	GT3{1}	-155680	0	0 155680	242	0	0	242
	GW1{1}	36	0	0 36	219	0	0	219
	GW2{1}	42	0	0 42	221	0	0	221
	GW3{1}	38	0	0 38	163	0	0	163
	GW4{1}	40	0	0 40	272	0	0	272
	GT1P1{1}	5578863	0	05578863	195	0	0	195
	GT2P2{1}	858829	0	0 858829	152	0	0	152
	GT3P3{1}	2422268	0	02422268	135	0	0	135
	Gravity{2}	78	0	0 78	461	0	0	461
	Thermal 3{2}	-155802	0	0 155802	25	0	0	25
	Pressure 1{2}	3204302	0	03204302	871	0	0	871
	GT3{2}	-155725	0	0 155725	486	0	0	486
	Hydrotest-NL{2}	3048577	0	03048577	1357	0	0	1357
+756 -	Gravity{1}	39	0	0 39	220	0	0	220
	Thermal 1{1}	5225533	0	05225533	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01724601	56	0	0	56
	Thermal 3{1}	-155719	0	0 155719	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	353292	0	0 353292	101	0	0	101
	Pressure 2{1}	2583391	0	02583391	-124	0	0	124
	Pressure 3{1}	2577948	0	02577948	-107	0	0	107
	GT1{1}	5225571	0	05225571	94	0	0	94

	GT2{1}	-.2E+07	0	01724562	276	0	0	276
	GT3{1}	-155680	0	0 155680	242	0	0	242
	GW1{1}	36	0	0 36	219	0	0	219
	GW2{1}	42	0	0 42	221	0	0	221
	GW3{1}	38	0	0 38	163	0	0	163
	GW4{1}	40	0	0 40	272	0	0	272
	GT1P1{1}	5578863	0	05578863	195	0	0	195
	GT2P2{1}	858829	0	0 858829	152	0	0	152
	GT3P3{1}	2422268	0	02422268	135	0	0	135
	Gravity{2}	78	0	0 78	461	0	0	461
	Thermal 3{2}	-155802	0	0 155802	25	0	0	25
	Pressure 1{2}	3204302	0	03204302	871	0	0	871
	GT3{2}	-155725	0	0 155725	486	0	0	486
	Hydrotest-NL{2}	3048577	0	03048577	1357	0	0	1357
+756 +	Gravity{1}	39	0	0 39	220	0	0	220
	Thermal 1{1}	5219638	0	05219638	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01724470	56	0	0	56
	Thermal 3{1}	-155710	0	0 155710	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	344604	0	0 344604	101	0	0	101
	Pressure 2{1}	2583205	0	02583205	-124	0	0	124
	Pressure 3{1}	2577681	0	02577681	-107	0	0	107
	GT1{1}	5219677	0	05219677	94	0	0	94
	GT2{1}	-.2E+07	0	01724431	276	0	0	276
	GT3{1}	-155671	0	0 155671	242	0	0	242
	GW1{1}	36	0	0 36	219	0	0	219
	GW2{1}	43	0	0 43	221	0	0	221
	GW3{1}	39	0	0 39	163	0	0	163
	GW4{1}	40	0	0 40	272	0	0	272
	GT1P1{1}	5564282	0	05564282	195	0	0	195
	GT2P2{1}	858775	0	0 858775	152	0	0	152
	GT3P3{1}	2422011	0	02422011	135	0	0	135
	Gravity{2}	79	0	0 79	461	0	0	461
	Thermal 3{2}	-155795	0	0 155795	25	0	0	25
	Pressure 1{2}	3203703	0	03203703	871	0	0	871
	GT3{2}	-155716	0	0 155716	486	0	0	486
	Hydrotest-NL{2}	3047987	0	03047987	1357	0	0	1357
+757 -	Gravity{1}	39	0	0 39	220	0	0	220
	Thermal 1{1}	5219638	0	05219638	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01724470	56	0	0	56
	Thermal 3{1}	-155710	0	0 155710	22	0	0	22
	Wind 1{1}	-3	0	0 3	-1	0	0	1
	Wind 2{1}	3	0	0 3	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	344604	0	0 344604	101	0	0	101
	Pressure 2{1}	2583205	0	02583205	-124	0	0	124
	Pressure 3{1}	2577681	0	02577681	-107	0	0	107
	GT1{1}	5219677	0	05219677	94	0	0	94
	GT2{1}	-.2E+07	0	01724431	276	0	0	276
	GT3{1}	-155671	0	0 155671	242	0	0	242
	GW1{1}	36	0	0 36	219	0	0	219
	GW2{1}	43	0	0 43	221	0	0	221
	GW3{1}	39	0	0 39	163	0	0	163
	GW4{1}	40	0	0 40	272	0	0	272
	GT1P1{1}	5564282	0	05564282	195	0	0	195
	GT2P2{1}	858775	0	0 858775	152	0	0	152
	GT3P3{1}	2422011	0	02422011	135	0	0	135
	Gravity{2}	79	0	0 79	461	0	0	461
	Thermal 3{2}	-155795	0	0 155795	25	0	0	25
	Pressure 1{2}	3203703	0	03203703	871	0	0	871
	GT3{2}	-155716	0	0 155716	486	0	0	486
	Hydrotest-NL{2}	3047987	0	03047987	1357	0	0	1357
+757 +	Gravity{1}	40	0	0 40	220	0	0	220
	Thermal 1{1}	5213656	0	05213656	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01724337	56	0	0	56
	Thermal 3{1}	-155701	0	0 155701	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	336004	0	0 336004	101	0	0	101
	Pressure 2{1}	2583016	0	02583016	-124	0	0	124
	Pressure 3{1}	2577412	0	02577412	-107	0	0	107
	GT1{1}	5213696	0	05213696	94	0	0	94
	GT2{1}	-.2E+07	0	01724297	276	0	0	276
	GT3{1}	-155661	0	0 155661	242	0	0	242
	GW1{1}	37	0	0 37	219	0	0	219
	GW2{1}	44	0	0 44	221	0	0	221
	GW3{1}	39	0	0 39	163	0	0	163
	GW4{1}	41	0	0 41	272	0	0	272
	GT1P1{1}	5549700	0	05549700	195	0	0	195
	GT2P2{1}	858720	0	0 858720	152	0	0	152
	GT3P3{1}	2421751	0	02421751	135	0	0	135
	Gravity{2}	80	0	0 80	461	0	0	461
	Thermal 3{2}	-155787	0	0 155787	25	0	0	25
	Pressure 1{2}	3203096	0	03203096	871	0	0	871
	GT3{2}	-155707	0	0 155707	486	0	0	486
	Hydrotest-NL{2}	3047389	0	03047389	1357	0	0	1357
+758 -	Gravity{1}	40	0	0 40	220	0	0	220
	Thermal 1{1}	5213656	0	05213656	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01724337	56	0	0	56
	Thermal 3{1}	-155701	0	0 155701	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	336004	0	0 336004	101	0	0	101
	Pressure 2{1}	2583016	0	02583016	-124	0	0	124
	Pressure 3{1}	2577412	0	02577412	-107	0	0	107
	GT1{1}	5213696	0	05213696	94	0	0	94

	GT2{1}	-.2E+07	0	01724297	276	0	0	276
	GT3{1}	-155661	0	0 155661	242	0	0	242
	GW1{1}	37	0	0 37	219	0	0	219
	GW2{1}	44	0	0 44	221	0	0	221
	GW3{1}	39	0	0 39	163	0	0	163
	GW4{1}	41	0	0 41	272	0	0	272
	GT1P1{1}	5549700	0	05549700	195	0	0	195
	GT2P2{1}	858720	0	0 858720	152	0	0	152
	GT3P3{1}	2421751	0	02421751	135	0	0	135
	Gravity{2}	80	0	0 80	461	0	0	461
	Thermal 3{2}	-155787	0	0 155787	25	0	0	25
	Pressure 1{2}	3203096	0	03203096	871	0	0	871
	GT3{2}	-155707	0	0 155707	486	0	0	486
	Hydrotest-NL{2}	3047389	0	03047389	1357	0	0	1357
+758 +	Gravity{1}	41	0	0 41	220	0	0	220
	Thermal 1{1}	5207588	0	05207588	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01724201	56	0	0	56
	Thermal 3{1}	-155692	0	0 155692	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	327491	0	0 327491	101	0	0	101
	Pressure 2{1}	2582824	0	02582824	-124	0	0	124
	Pressure 3{1}	2577138	0	02577138	-107	0	0	107
	GT1{1}	5207628	0	05207628	94	0	0	94
	GT2{1}	-.2E+07	0	01724161	276	0	0	276
	GT3{1}	-155651	0	0 155651	242	0	0	242
	GW1{1}	37	0	0 37	219	0	0	219
	GW2{1}	44	0	0 44	221	0	0	221
	GW3{1}	40	0	0 40	163	0	0	163
	GW4{1}	41	0	0 41	272	0	0	272
	GT1P1{1}	5535119	0	05535119	195	0	0	195
	GT2P2{1}	858664	0	0 858664	152	0	0	152
	GT3P3{1}	2421486	0	02421486	135	0	0	135
	Gravity{2}	81	0	0 81	461	0	0	461
	Thermal 3{2}	-155779	0	0 155779	25	0	0	25
	Pressure 1{2}	3202480	0	03202480	871	0	0	871
	GT3{2}	-155698	0	0 155698	486	0	0	486
	Hydrotest-NL{2}	3046782	0	03046782	1357	0	0	1357
+759 -	Gravity{1}	41	0	0 41	220	0	0	220
	Thermal 1{1}	5207588	0	05207588	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01724201	56	0	0	56
	Thermal 3{1}	-155692	0	0 155692	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	327491	0	0 327491	101	0	0	101
	Pressure 2{1}	2582824	0	02582824	-124	0	0	124
	Pressure 3{1}	2577138	0	02577138	-107	0	0	107
	GT1{1}	5207628	0	05207628	94	0	0	94
	GT2{1}	-.2E+07	0	01724161	276	0	0	276
	GT3{1}	-155651	0	0 155651	242	0	0	242
	GW1{1}	37	0	0 37	219	0	0	219
	GW2{1}	44	0	0 44	221	0	0	221
	GW3{1}	40	0	0 40	163	0	0	163
	GW4{1}	41	0	0 41	272	0	0	272
	GT1P1{1}	5535119	0	05535119	195	0	0	195
	GT2P2{1}	858664	0	0 858664	152	0	0	152
	GT3P3{1}	2421486	0	02421486	135	0	0	135
	Gravity{2}	81	0	0 81	461	0	0	461
	Thermal 3{2}	-155779	0	0 155779	25	0	0	25
	Pressure 1{2}	3202480	0	03202480	871	0	0	871
	GT3{2}	-155698	0	0 155698	486	0	0	486
	Hydrotest-NL{2}	3046782	0	03046782	1357	0	0	1357
+759 +	Gravity{1}	41	0	0 41	220	0	0	220
	Thermal 1{1}	5201430	0	05201430	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01724064	56	0	0	56
	Thermal 3{1}	-155683	0	0 155683	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	319067	0	0 319067	101	0	0	101
	Pressure 2{1}	2582630	0	02582630	-124	0	0	124
	Pressure 3{1}	2576860	0	02576860	-107	0	0	107
	GT1{1}	5201471	0	05201471	94	0	0	94
	GT2{1}	-.2E+07	0	01724023	276	0	0	276
	GT3{1}	-155642	0	0 155642	242	0	0	242
	GW1{1}	38	0	0 38	219	0	0	219
	GW2{1}	45	0	0 45	221	0	0	221
	GW3{1}	41	0	0 41	163	0	0	163
	GW4{1}	42	0	0 42	272	0	0	272
	GT1P1{1}	5520537	0	05520537	195	0	0	195
	GT2P2{1}	858607	0	0 858607	152	0	0	152
	GT3P3{1}	2421218	0	02421218	135	0	0	135
	Gravity{2}	82	0	0 82	461	0	0	461
	Thermal 3{2}	-155771	0	0 155771	25	0	0	25
	Pressure 1{2}	3201855	0	03201855	871	0	0	871
	GT3{2}	-155689	0	0 155689	486	0	0	486
	Hydrotest-NL{2}	3046166	0	03046166	1357	0	0	1357
+760 -	Gravity{1}	41	0	0 41	220	0	0	220
	Thermal 1{1}	5201430	0	05201430	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01724064	56	0	0	56
	Thermal 3{1}	-155683	0	0 155683	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	319067	0	0 319067	101	0	0	101
	Pressure 2{1}	2582630	0	02582630	-124	0	0	124
	Pressure 3{1}	2576860	0	02576860	-107	0	0	107
	GT1{1}	5201471	0	05201471	94	0	0	94

	GT2{1}	-.2E+07	0	01724023	276	0	0	276
	GT3{1}	-155642	0	0 155642	242	0	0	242
	GW1{1}	38	0	0 38	219	0	0	219
	GW2{1}	45	0	0 45	221	0	0	221
	GW3{1}	41	0	0 41	163	0	0	163
	GW4{1}	42	0	0 42	272	0	0	272
	GT1P1{1}	5520537	0	05520537	195	0	0	195
	GT2P2{1}	858607	0	0 858607	152	0	0	152
	GT3P3{1}	2421218	0	02421218	135	0	0	135
	Gravity{2}	82	0	0 82	461	0	0	461
	Thermal 3{2}	-155771	0	0 155771	25	0	0	25
	Pressure 1{2}	3201855	0	03201855	871	0	0	871
	GT3{2}	-155689	0	0 155689	486	0	0	486
	Hydrotest-NL{2}	3046166	0	03046166	1357	0	0	1357
+760 +	Gravity{1}	42	0	0 42	220	0	0	220
	Thermal 1{1}	5195182	0	05195182	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01723925	56	0	0	56
	Thermal 3{1}	-155673	0	0 155673	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	310733	0	0 310733	101	0	0	101
	Pressure 2{1}	2582433	0	02582433	-124	0	0	124
	Pressure 3{1}	2576578	0	02576578	-107	0	0	107
	GT1{1}	5195223	0	05195223	94	0	0	94
	GT2{1}	-.2E+07	0	01723883	276	0	0	276
	GT3{1}	-155632	0	0 155632	242	0	0	242
	GW1{1}	38	0	0 38	219	0	0	219
	GW2{1}	46	0	0 46	221	0	0	221
	GW3{1}	41	0	0 41	163	0	0	163
	GW4{1}	43	0	0 43	272	0	0	272
	GT1P1{1}	5505956	0	05505956	195	0	0	195
	GT2P2{1}	858549	0	0 858549	152	0	0	152
	GT3P3{1}	2420946	0	02420946	135	0	0	135
	Gravity{2}	84	0	0 84	461	0	0	461
	Thermal 3{2}	-155763	0	0 155763	25	0	0	25
	Pressure 1{2}	3201221	0	03201221	871	0	0	871
	GT3{2}	-155680	0	0 155680	486	0	0	486
	Hydrotest-NL{2}	3045541	0	03045541	1357	0	0	1357
+761 -	Gravity{1}	42	0	0 42	220	0	0	220
	Thermal 1{1}	5195182	0	05195182	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01723925	56	0	0	56
	Thermal 3{1}	-155673	0	0 155673	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	310733	0	0 310733	101	0	0	101
	Pressure 2{1}	2582433	0	02582433	-124	0	0	124
	Pressure 3{1}	2576578	0	02576578	-107	0	0	107
	GT1{1}	5195223	0	05195223	94	0	0	94
	GT2{1}	-.2E+07	0	01723883	276	0	0	276
	GT3{1}	-155632	0	0 155632	242	0	0	242
	GW1{1}	38	0	0 38	219	0	0	219
	GW2{1}	46	0	0 46	221	0	0	221
	GW3{1}	41	0	0 41	163	0	0	163
	GW4{1}	43	0	0 43	272	0	0	272
	GT1P1{1}	5505956	0	05505956	195	0	0	195
	GT2P2{1}	858549	0	0 858549	152	0	0	152
	GT3P3{1}	2420946	0	02420946	135	0	0	135
	Gravity{2}	84	0	0 84	461	0	0	461
	Thermal 3{2}	-155763	0	0 155763	25	0	0	25
	Pressure 1{2}	3201221	0	03201221	871	0	0	871
	GT3{2}	-155680	0	0 155680	486	0	0	486
	Hydrotest-NL{2}	3045541	0	03045541	1357	0	0	1357
+761 +	Gravity{1}	42	0	0 42	220	0	0	220
	Thermal 1{1}	5188842	0	05188842	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01723784	56	0	0	56
	Thermal 3{1}	-155664	0	0 155664	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	302491	0	0 302491	101	0	0	101
	Pressure 2{1}	2582232	0	02582232	-124	0	0	124
	Pressure 3{1}	2576292	0	02576292	-107	0	0	107
	GT1{1}	5188884	0	05188884	94	0	0	94
	GT2{1}	-.2E+07	0	01723741	276	0	0	276
	GT3{1}	-155622	0	0 155622	242	0	0	242
	GW1{1}	39	0	0 39	219	0	0	219
	GW2{1}	46	0	0 46	221	0	0	221
	GW3{1}	42	0	0 42	163	0	0	163
	GW4{1}	43	0	0 43	272	0	0	272
	GT1P1{1}	5491375	0	05491375	195	0	0	195
	GT2P2{1}	858491	0	0 858491	152	0	0	152
	GT3P3{1}	2420670	0	02420670	135	0	0	135
	Gravity{2}	85	0	0 85	461	0	0	461
	Thermal 3{2}	-155755	0	0 155755	25	0	0	25
	Pressure 1{2}	3200577	0	03200577	871	0	0	871
	GT3{2}	-155670	0	0 155670	486	0	0	486
	Hydrotest-NL{2}	3044907	0	03044907	1357	0	0	1357
+762 -	Gravity{1}	42	0	0 42	220	0	0	220
	Thermal 1{1}	5188842	0	05188842	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01723784	56	0	0	56
	Thermal 3{1}	-155664	0	0 155664	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	302491	0	0 302491	101	0	0	101
	Pressure 2{1}	2582232	0	02582232	-124	0	0	124
	Pressure 3{1}	2576292	0	02576292	-107	0	0	107
	GT1{1}	5188884	0	05188884	94	0	0	94

	GT2{1}	-.2E+07	0	01723741	276	0	0	276
	GT3{1}	-155622	0	0 155622	242	0	0	242
	GW1{1}	39	0	0 39	219	0	0	219
	GW2{1}	46	0	0 46	221	0	0	221
	GW3{1}	42	0	0 42	163	0	0	163
	GW4{1}	43	0	0 43	272	0	0	272
	GT1P1{1}	5491375	0	05491375	195	0	0	195
	GT2P2{1}	858491	0	0 858491	152	0	0	152
	GT3P3{1}	2420670	0	02420670	135	0	0	135
	Gravity{2}	85	0	0 85	461	0	0	461
	Thermal 3{2}	-155755	0	0 155755	25	0	0	25
	Pressure 1{2}	3200577	0	03200577	871	0	0	871
	GT3{2}	-155670	0	0 155670	486	0	0	486
	Hydrotest-NL{2}	3044907	0	03044907	1357	0	0	1357
+762 +	Gravity{1}	43	0	0 43	220	0	0	220
	Thermal 1{1}	5182409	0	05182409	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01723640	56	0	0	56
	Thermal 3{1}	-155654	0	0 155654	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	294341	0	0 294341	101	0	0	101
	Pressure 2{1}	2582029	0	02582029	-124	0	0	124
	Pressure 3{1}	2576001	0	02576001	-107	0	0	107
	GT1{1}	5182453	0	05182453	94	0	0	94
	GT2{1}	-.2E+07	0	01723597	276	0	0	276
	GT3{1}	-155611	0	0 155611	242	0	0	242
	GW1{1}	39	0	0 39	219	0	0	219
	GW2{1}	47	0	0 47	221	0	0	221
	GW3{1}	42	0	0 42	163	0	0	163
	GW4{1}	44	0	0 44	272	0	0	272
	GT1P1{1}	5476794	0	05476794	195	0	0	195
	GT2P2{1}	858432	0	0 858432	152	0	0	152
	GT3P3{1}	2420390	0	02420390	135	0	0	135
	Gravity{2}	86	0	0 86	461	0	0	461
	Thermal 3{2}	-155747	0	0 155747	25	0	0	25
	Pressure 1{2}	3199924	0	03199924	871	0	0	871
	GT3{2}	-155661	0	0 155661	486	0	0	486
	Hydrotest-NL{2}	3044263	0	03044263	1357	0	0	1357
+763 -	Gravity{1}	43	0	0 43	220	0	0	220
	Thermal 1{1}	5182409	0	05182409	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01723640	56	0	0	56
	Thermal 3{1}	-155654	0	0 155654	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	294341	0	0 294341	101	0	0	101
	Pressure 2{1}	2582029	0	02582029	-124	0	0	124
	Pressure 3{1}	2576001	0	02576001	-107	0	0	107
	GT1{1}	5182453	0	05182453	94	0	0	94
	GT2{1}	-.2E+07	0	01723597	276	0	0	276
	GT3{1}	-155611	0	0 155611	242	0	0	242
	GW1{1}	39	0	0 39	219	0	0	219
	GW2{1}	47	0	0 47	221	0	0	221
	GW3{1}	42	0	0 42	163	0	0	163
	GW4{1}	44	0	0 44	272	0	0	272
	GT1P1{1}	5476794	0	05476794	195	0	0	195
	GT2P2{1}	858432	0	0 858432	152	0	0	152
	GT3P3{1}	2420390	0	02420390	135	0	0	135
	Gravity{2}	86	0	0 86	461	0	0	461
	Thermal 3{2}	-155747	0	0 155747	25	0	0	25
	Pressure 1{2}	3199924	0	03199924	871	0	0	871
	GT3{2}	-155661	0	0 155661	486	0	0	486
	Hydrotest-NL{2}	3044263	0	03044263	1357	0	0	1357
+763 +	Gravity{1}	44	0	0 44	220	0	0	220
	Thermal 1{1}	5175883	0	05175883	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01723495	56	0	0	56
	Thermal 3{1}	-155645	0	0 155645	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	286286	0	0 286286	101	0	0	101
	Pressure 2{1}	2581823	0	02581823	-124	0	0	124
	Pressure 3{1}	2575707	0	02575707	-107	0	0	107
	GT1{1}	5175927	0	05175927	94	0	0	94
	GT2{1}	-.2E+07	0	01723451	276	0	0	276
	GT3{1}	-155601	0	0 155601	242	0	0	242
	GW1{1}	40	0	0 40	219	0	0	219
	GW2{1}	48	0	0 48	221	0	0	221
	GW3{1}	43	0	0 43	163	0	0	163
	GW4{1}	45	0	0 45	272	0	0	272
	GT1P1{1}	5462213	0	05462213	195	0	0	195
	GT2P2{1}	858372	0	0 858372	152	0	0	152
	GT3P3{1}	2420106	0	02420106	135	0	0	135
	Gravity{2}	87	0	0 87	461	0	0	461
	Thermal 3{2}	-155738	0	0 155738	25	0	0	25
	Pressure 1{2}	3199262	0	03199262	871	0	0	871
	GT3{2}	-155651	0	0 155651	486	0	0	486
	Hydrotest-NL{2}	3043611	0	03043611	1357	0	0	1357
+764 -	Gravity{1}	44	0	0 44	220	0	0	220
	Thermal 1{1}	5175883	0	05175883	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01723495	56	0	0	56
	Thermal 3{1}	-155645	0	0 155645	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	286286	0	0 286286	101	0	0	101
	Pressure 2{1}	2581823	0	02581823	-124	0	0	124
	Pressure 3{1}	2575707	0	02575707	-107	0	0	107
	GT1{1}	5175927	0	05175927	94	0	0	94

	GT2{1}	-.2E+07	0	01723451	276	0	0	276
	GT3{1}	-155601	0	0 155601	242	0	0	242
	GW1{1}	40	0	0 40	219	0	0	219
	GW2{1}	48	0	0 48	221	0	0	221
	GW3{1}	43	0	0 43	163	0	0	163
	GW4{1}	45	0	0 45	272	0	0	272
	GT1P1{1}	5462213	0	05462213	195	0	0	195
	GT2P2{1}	858372	0	0 858372	152	0	0	152
	GT3P3{1}	2420106	0	02420106	135	0	0	135
	Gravity{2}	87	0	0 87	461	0	0	461
	Thermal 3{2}	-155738	0	0 155738	25	0	0	25
	Pressure 1{2}	3199262	0	03199262	871	0	0	871
	GT3{2}	-155651	0	0 155651	486	0	0	486
	Hydrotest-NL{2}	3043611	0	03043611	1357	0	0	1357
+764 +	Gravity{1}	44	0	0 44	220	0	0	220
	Thermal 1{1}	5169260	0	05169260	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01723348	56	0	0	56
	Thermal 3{1}	-155635	0	0 155635	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	278327	0	0 278327	101	0	0	101
	Pressure 2{1}	2581614	0	02581614	-124	0	0	124
	Pressure 3{1}	2575408	0	02575408	-107	0	0	107
	GT1{1}	5169304	0	05169304	94	0	0	94
	GT2{1}	-.2E+07	0	01723303	276	0	0	276
	GT3{1}	-155590	0	0 155590	242	0	0	242
	GW1{1}	40	0	0 40	219	0	0	219
	GW2{1}	48	0	0 48	221	0	0	221
	GW3{1}	44	0	0 44	163	0	0	163
	GW4{1}	45	0	0 45	272	0	0	272
	GT1P1{1}	5447631	0	05447631	195	0	0	195
	GT2P2{1}	858310	0	0 858310	152	0	0	152
	GT3P3{1}	2419818	0	02419818	135	0	0	135
	Gravity{2}	89	0	0 89	461	0	0	461
	Thermal 3{2}	-155730	0	0 155730	25	0	0	25
	Pressure 1{2}	3198589	0	03198589	871	0	0	871
	GT3{2}	-155641	0	0 155641	486	0	0	486
	Hydrotest-NL{2}	3042948	0	03042948	1357	0	0	1357
+765 -	Gravity{1}	44	0	0 44	220	0	0	220
	Thermal 1{1}	5169260	0	05169260	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01723348	56	0	0	56
	Thermal 3{1}	-155635	0	0 155635	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	278327	0	0 278327	101	0	0	101
	Pressure 2{1}	2581614	0	02581614	-124	0	0	124
	Pressure 3{1}	2575408	0	02575408	-107	0	0	107
	GT1{1}	5169304	0	05169304	94	0	0	94
	GT2{1}	-.2E+07	0	01723303	276	0	0	276
	GT3{1}	-155590	0	0 155590	242	0	0	242
	GW1{1}	40	0	0 40	219	0	0	219
	GW2{1}	48	0	0 48	221	0	0	221
	GW3{1}	44	0	0 44	163	0	0	163
	GW4{1}	45	0	0 45	272	0	0	272
	GT1P1{1}	5447631	0	05447631	195	0	0	195
	GT2P2{1}	858310	0	0 858310	152	0	0	152
	GT3P3{1}	2419818	0	02419818	135	0	0	135
	Gravity{2}	89	0	0 89	461	0	0	461
	Thermal 3{2}	-155730	0	0 155730	25	0	0	25
	Pressure 1{2}	3198589	0	03198589	871	0	0	871
	GT3{2}	-155641	0	0 155641	486	0	0	486
	Hydrotest-NL{2}	3042948	0	03042948	1357	0	0	1357
+765 +	Gravity{1}	45	0	0 45	220	0	0	220
	Thermal 1{1}	5162540	0	05162540	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01723198	56	0	0	56
	Thermal 3{1}	-155625	0	0 155625	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	270465	0	0 270465	101	0	0	101
	Pressure 2{1}	2581402	0	02581402	-124	0	0	124
	Pressure 3{1}	2575105	0	02575105	-107	0	0	107
	GT1{1}	5162585	0	05162585	94	0	0	94
	GT2{1}	-.2E+07	0	01723153	276	0	0	276
	GT3{1}	-155580	0	0 155580	242	0	0	242
	GW1{1}	41	0	0 41	219	0	0	219
	GW2{1}	49	0	0 49	221	0	0	221
	GW3{1}	44	0	0 44	163	0	0	163
	GW4{1}	46	0	0 46	272	0	0	272
	GT1P1{1}	5433050	0	05433050	195	0	0	195
	GT2P2{1}	858249	0	0 858249	152	0	0	152
	GT3P3{1}	2419525	0	02419525	135	0	0	135
	Gravity{2}	90	0	0 90	461	0	0	461
	Thermal 3{2}	-155721	0	0 155721	25	0	0	25
	Pressure 1{2}	3197907	0	03197907	871	0	0	871
	GT3{2}	-155631	0	0 155631	486	0	0	486
	Hydrotest-NL{2}	3042276	0	03042276	1357	0	0	1357
+766 -	Gravity{1}	45	0	0 45	220	0	0	220
	Thermal 1{1}	5162540	0	05162540	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01723198	56	0	0	56
	Thermal 3{1}	-155625	0	0 155625	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	270465	0	0 270465	101	0	0	101
	Pressure 2{1}	2581402	0	02581402	-124	0	0	124
	Pressure 3{1}	2575105	0	02575105	-107	0	0	107
	GT1{1}	5162585	0	05162585	94	0	0	94

	GT2{1}	-.2E+07	0	01723153	276	0	0	276
	GT3{1}	-155580	0	0 155580	242	0	0	242
	GW1{1}	41	0	0 41	219	0	0	219
	GW2{1}	49	0	0 49	221	0	0	221
	GW3{1}	44	0	0 44	163	0	0	163
	GW4{1}	46	0	0 46	272	0	0	272
	GT1P1{1}	5433050	0	05433050	195	0	0	195
	GT2P2{1}	858249	0	0 858249	152	0	0	152
	GT3P3{1}	2419525	0	02419525	135	0	0	135
	Gravity{2}	90	0	0 90	461	0	0	461
	Thermal 3{2}	-155721	0	0 155721	25	0	0	25
	Pressure 1{2}	3197907	0	03197907	871	0	0	871
	GT3{2}	-155631	0	0 155631	486	0	0	486
	Hydrotest-NL{2}	3042276	0	03042276	1357	0	0	1357
+766 +	Gravity{1}	46	0	0 46	220	0	0	220
	Thermal 1{1}	5155722	0	05155722	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01723046	56	0	0	56
	Thermal 3{1}	-155614	0	0 155614	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	262701	0	0 262701	101	0	0	101
	Pressure 2{1}	2581186	0	02581186	-124	0	0	124
	Pressure 3{1}	2574797	0	02574797	-107	0	0	107
	GT1{1}	5155767	0	05155767	94	0	0	94
	GT2{1}	-.2E+07	0	01723000	276	0	0	276
	GT3{1}	-155569	0	0 155569	242	0	0	242
	GW1{1}	42	0	0 42	219	0	0	219
	GW2{1}	50	0	0 50	221	0	0	221
	GW3{1}	45	0	0 45	163	0	0	163
	GW4{1}	46	0	0 46	272	0	0	272
	GT1P1{1}	5418469	0	05418469	195	0	0	195
	GT2P2{1}	858186	0	0 858186	152	0	0	152
	GT3P3{1}	2419228	0	02419228	135	0	0	135
	Gravity{2}	91	0	0 91	461	0	0	461
	Thermal 3{2}	-155712	0	0 155712	25	0	0	25
	Pressure 1{2}	3197215	0	03197215	871	0	0	871
	GT3{2}	-155621	0	0 155621	486	0	0	486
	Hydrotest-NL{2}	3041594	0	03041594	1357	0	0	1357
+767 -	Gravity{1}	46	0	0 46	220	0	0	220
	Thermal 1{1}	5155722	0	05155722	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01723046	56	0	0	56
	Thermal 3{1}	-155614	0	0 155614	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	262701	0	0 262701	101	0	0	101
	Pressure 2{1}	2581186	0	02581186	-124	0	0	124
	Pressure 3{1}	2574797	0	02574797	-107	0	0	107
	GT1{1}	5155767	0	05155767	94	0	0	94
	GT2{1}	-.2E+07	0	01723000	276	0	0	276
	GT3{1}	-155569	0	0 155569	242	0	0	242
	GW1{1}	42	0	0 42	219	0	0	219
	GW2{1}	50	0	0 50	221	0	0	221
	GW3{1}	45	0	0 45	163	0	0	163
	GW4{1}	46	0	0 46	272	0	0	272
	GT1P1{1}	5418469	0	05418469	195	0	0	195
	GT2P2{1}	858186	0	0 858186	152	0	0	152
	GT3P3{1}	2419228	0	02419228	135	0	0	135
	Gravity{2}	91	0	0 91	461	0	0	461
	Thermal 3{2}	-155712	0	0 155712	25	0	0	25
	Pressure 1{2}	3197215	0	03197215	871	0	0	871
	GT3{2}	-155621	0	0 155621	486	0	0	486
	Hydrotest-NL{2}	3041594	0	03041594	1357	0	0	1357
+767 +	Gravity{1}	46	0	0 46	220	0	0	220
	Thermal 1{1}	5148804	0	05148804	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01722892	56	0	0	56
	Thermal 3{1}	-155604	0	0 155604	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	255037	0	0 255037	101	0	0	101
	Pressure 2{1}	2580968	0	02580968	-124	0	0	124
	Pressure 3{1}	2574485	0	02574485	-107	0	0	107
	GT1{1}	5148850	0	05148850	94	0	0	94
	GT2{1}	-.2E+07	0	01722845	276	0	0	276
	GT3{1}	-155558	0	0 155558	242	0	0	242
	GW1{1}	42	0	0 42	219	0	0	219
	GW2{1}	50	0	0 50	221	0	0	221
	GW3{1}	46	0	0 46	163	0	0	163
	GW4{1}	47	0	0 47	272	0	0	272
	GT1P1{1}	5403887	0	05403887	195	0	0	195
	GT2P2{1}	858122	0	0 858122	152	0	0	152
	GT3P3{1}	2418927	0	02418927	135	0	0	135
	Gravity{2}	92	0	0 92	461	0	0	461
	Thermal 3{2}	-155703	0	0 155703	25	0	0	25
	Pressure 1{2}	3196513	0	03196513	871	0	0	871
	GT3{2}	-155611	0	0 155611	486	0	0	486
	Hydrotest-NL{2}	3040902	0	03040902	1357	0	0	1357
+768 -	Gravity{1}	46	0	0 46	220	0	0	220
	Thermal 1{1}	5148804	0	05148804	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01722892	56	0	0	56
	Thermal 3{1}	-155604	0	0 155604	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	255037	0	0 255037	101	0	0	101
	Pressure 2{1}	2580968	0	02580968	-124	0	0	124
	Pressure 3{1}	2574485	0	02574485	-107	0	0	107
	GT1{1}	5148850	0	05148850	94	0	0	94

	GT2{1}	-.2E+07	0	01722845	276	0	0	276
	GT3{1}	-155558	0	0 155558	242	0	0	242
	GW1{1}	42	0	0 42	219	0	0	219
	GW2{1}	50	0	0 50	221	0	0	221
	GW3{1}	46	0	0 46	163	0	0	163
	GW4{1}	47	0	0 47	272	0	0	272
	GT1P1{1}	5403887	0	05403887	195	0	0	195
	GT2P2{1}	858122	0	0 858122	152	0	0	152
	GT3P3{1}	2418927	0	02418927	135	0	0	135
	Gravity{2}	92	0	0 92	461	0	0	461
	Thermal 3{2}	-155703	0	0 155703	25	0	0	25
	Pressure 1{2}	3196513	0	03196513	871	0	0	871
	GT3{2}	-155611	0	0 155611	486	0	0	486
	Hydrotest-NL{2}	3040902	0	03040902	1357	0	0	1357
+768 +	Gravity{1}	47	0	0 47	220	0	0	220
	Thermal 1{1}	5141784	0	05141784	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01722735	56	0	0	56
	Thermal 3{1}	-155594	0	0 155594	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	247475	0	0 247475	101	0	0	101
	Pressure 2{1}	2580746	0	02580746	-124	0	0	124
	Pressure 3{1}	2574168	0	02574168	-107	0	0	107
	GT1{1}	5141831	0	05141831	94	0	0	94
	GT2{1}	-.2E+07	0	01722688	276	0	0	276
	GT3{1}	-155547	0	0 155547	242	0	0	242
	GW1{1}	43	0	0 43	219	0	0	219
	GW2{1}	51	0	0 51	221	0	0	221
	GW3{1}	46	0	0 46	163	0	0	163
	GW4{1}	48	0	0 48	272	0	0	272
	GT1P1{1}	5389306	0	05389306	195	0	0	195
	GT2P2{1}	858057	0	0 858057	152	0	0	152
	GT3P3{1}	2418621	0	02418621	135	0	0	135
	Gravity{2}	94	0	0 94	461	0	0	461
	Thermal 3{2}	-155694	0	0 155694	25	0	0	25
	Pressure 1{2}	3195800	0	03195800	871	0	0	871
	GT3{2}	-155601	0	0 155601	486	0	0	486
	Hydrotest-NL{2}	3040200	0	03040200	1357	0	0	1357
+769 -	Gravity{1}	47	0	0 47	220	0	0	220
	Thermal 1{1}	5141784	0	05141784	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01722735	56	0	0	56
	Thermal 3{1}	-155594	0	0 155594	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	247475	0	0 247475	101	0	0	101
	Pressure 2{1}	2580746	0	02580746	-124	0	0	124
	Pressure 3{1}	2574168	0	02574168	-107	0	0	107
	GT1{1}	5141831	0	05141831	94	0	0	94
	GT2{1}	-.2E+07	0	01722688	276	0	0	276
	GT3{1}	-155547	0	0 155547	242	0	0	242
	GW1{1}	43	0	0 43	219	0	0	219
	GW2{1}	51	0	0 51	221	0	0	221
	GW3{1}	46	0	0 46	163	0	0	163
	GW4{1}	48	0	0 48	272	0	0	272
	GT1P1{1}	5389306	0	05389306	195	0	0	195
	GT2P2{1}	858057	0	0 858057	152	0	0	152
	GT3P3{1}	2418621	0	02418621	135	0	0	135
	Gravity{2}	94	0	0 94	461	0	0	461
	Thermal 3{2}	-155694	0	0 155694	25	0	0	25
	Pressure 1{2}	3195800	0	03195800	871	0	0	871
	GT3{2}	-155601	0	0 155601	486	0	0	486
	Hydrotest-NL{2}	3040200	0	03040200	1357	0	0	1357
+769 +	Gravity{1}	48	0	0 48	220	0	0	220
	Thermal 1{1}	5134661	0	05134661	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01722577	56	0	0	56
	Thermal 3{1}	-155583	0	0 155583	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	240016	0	0 240016	101	0	0	101
	Pressure 2{1}	2580521	0	02580521	-124	0	0	124
	Pressure 3{1}	2573847	0	02573847	-107	0	0	107
	GT1{1}	5134709	0	05134709	94	0	0	94
	GT2{1}	-.2E+07	0	01722529	276	0	0	276
	GT3{1}	-155535	0	0 155535	242	0	0	242
	GW1{1}	44	0	0 44	219	0	0	219
	GW2{1}	52	0	0 52	221	0	0	221
	GW3{1}	47	0	0 47	163	0	0	163
	GW4{1}	49	0	0 49	272	0	0	272
	GT1P1{1}	5374725	0	05374725	195	0	0	195
	GT2P2{1}	857992	0	0 857992	152	0	0	152
	GT3P3{1}	2418312	0	02418312	135	0	0	135
	Gravity{2}	95	0	0 95	461	0	0	461
	Thermal 3{2}	-155685	0	0 155685	25	0	0	25
	Pressure 1{2}	3195077	0	03195077	871	0	0	871
	GT3{2}	-155590	0	0 155590	486	0	0	486
	Hydrotest-NL{2}	3039487	0	03039487	1357	0	0	1357
+770 -	Gravity{1}	48	0	0 48	220	0	0	220
	Thermal 1{1}	5134661	0	05134661	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01722577	56	0	0	56
	Thermal 3{1}	-155583	0	0 155583	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	240016	0	0 240016	101	0	0	101
	Pressure 2{1}	2580521	0	02580521	-124	0	0	124
	Pressure 3{1}	2573847	0	02573847	-107	0	0	107
	GT1{1}	5134709	0	05134709	94	0	0	94

	GT2{1}	-.2E+07	0	01722529	276	0	0	276
	GT3{1}	-155535	0	0 155535	242	0	0	242
	GW1{1}	44	0	0 44	219	0	0	219
	GW2{1}	52	0	0 52	221	0	0	221
	GW3{1}	47	0	0 47	163	0	0	163
	GW4{1}	49	0	0 49	272	0	0	272
	GT1P1{1}	5374725	0	05374725	195	0	0	195
	GT2P2{1}	857992	0	0 857992	152	0	0	152
	GT3P3{1}	2418312	0	02418312	135	0	0	135
	Gravity{2}	95	0	0 95	461	0	0	461
	Thermal 3{2}	-155685	0	0 155685	25	0	0	25
	Pressure 1{2}	3195077	0	03195077	871	0	0	871
	GT3{2}	-155590	0	0 155590	486	0	0	486
	Hydrotest-NL{2}	3039487	0	03039487	1357	0	0	1357
+770 +	Gravity{1}	48	0	0 48	220	0	0	220
	Thermal 1{1}	5127434	0	05127434	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01722416	56	0	0	56
	Thermal 3{1}	-155572	0	0 155572	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	232661	0	0 232661	101	0	0	101
	Pressure 2{1}	2580293	0	02580293	-124	0	0	124
	Pressure 3{1}	2573520	0	02573520	-107	0	0	107
	GT1{1}	5127483	0	05127483	94	0	0	94
	GT2{1}	-.2E+07	0	01722367	276	0	0	276
	GT3{1}	-155524	0	0 155524	242	0	0	242
	GW1{1}	44	0	0 44	219	0	0	219
	GW2{1}	53	0	0 53	221	0	0	221
	GW3{1}	48	0	0 48	163	0	0	163
	GW4{1}	49	0	0 49	272	0	0	272
	GT1P1{1}	5360143	0	05360143	195	0	0	195
	GT2P2{1}	857925	0	0 857925	152	0	0	152
	GT3P3{1}	2417997	0	02417997	135	0	0	135
	Gravity{2}	97	0	0 97	461	0	0	461
	Thermal 3{2}	-155676	0	0 155676	25	0	0	25
	Pressure 1{2}	3194343	0	03194343	871	0	0	871
	GT3{2}	-155579	0	0 155579	486	0	0	486
	Hydrotest-NL{2}	3038764	0	03038764	1357	0	0	1357
+771 -	Gravity{1}	48	0	0 48	220	0	0	220
	Thermal 1{1}	5127434	0	05127434	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01722416	56	0	0	56
	Thermal 3{1}	-155572	0	0 155572	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	232661	0	0 232661	101	0	0	101
	Pressure 2{1}	2580293	0	02580293	-124	0	0	124
	Pressure 3{1}	2573520	0	02573520	-107	0	0	107
	GT1{1}	5127483	0	05127483	94	0	0	94
	GT2{1}	-.2E+07	0	01722367	276	0	0	276
	GT3{1}	-155524	0	0 155524	242	0	0	242
	GW1{1}	44	0	0 44	219	0	0	219
	GW2{1}	53	0	0 53	221	0	0	221
	GW3{1}	48	0	0 48	163	0	0	163
	GW4{1}	49	0	0 49	272	0	0	272
	GT1P1{1}	5360143	0	05360143	195	0	0	195
	GT2P2{1}	857925	0	0 857925	152	0	0	152
	GT3P3{1}	2417997	0	02417997	135	0	0	135
	Gravity{2}	97	0	0 97	461	0	0	461
	Thermal 3{2}	-155676	0	0 155676	25	0	0	25
	Pressure 1{2}	3194343	0	03194343	871	0	0	871
	GT3{2}	-155579	0	0 155579	486	0	0	486
	Hydrotest-NL{2}	3038764	0	03038764	1357	0	0	1357
+771 +	Gravity{1}	49	0	0 49	220	0	0	220
	Thermal 1{1}	5120101	0	05120101	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01722252	56	0	0	56
	Thermal 3{1}	-155561	0	0 155561	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	225412	0	0 225412	101	0	0	101
	Pressure 2{1}	2580061	0	02580061	-124	0	0	124
	Pressure 3{1}	2573190	0	02573190	-107	0	0	107
	GT1{1}	5120150	0	05120150	94	0	0	94
	GT2{1}	-.2E+07	0	01722203	276	0	0	276
	GT3{1}	-155512	0	0 155512	242	0	0	242
	GW1{1}	45	0	0 45	219	0	0	219
	GW2{1}	53	0	0 53	221	0	0	221
	GW3{1}	48	0	0 48	163	0	0	163
	GW4{1}	50	0	0 50	272	0	0	272
	GT1P1{1}	5345562	0	05345562	195	0	0	195
	GT2P2{1}	857858	0	0 857858	152	0	0	152
	GT3P3{1}	2417678	0	02417678	135	0	0	135
	Gravity{2}	98	0	0 98	461	0	0	461
	Thermal 3{2}	-155666	0	0 155666	25	0	0	25
	Pressure 1{2}	3193599	0	03193599	871	0	0	871
	GT3{2}	-155568	0	0 155568	486	0	0	486
	Hydrotest-NL{2}	3038031	0	03038031	1357	0	0	1357
+772 -	Gravity{1}	49	0	0 49	220	0	0	220
	Thermal 1{1}	5120101	0	05120101	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01722252	56	0	0	56
	Thermal 3{1}	-155561	0	0 155561	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	225412	0	0 225412	101	0	0	101
	Pressure 2{1}	2580061	0	02580061	-124	0	0	124
	Pressure 3{1}	2573190	0	02573190	-107	0	0	107
	GT1{1}	5120150	0	05120150	94	0	0	94

	GT2{1}	-.2E+07	0	01722203	276	0	0	276
	GT3{1}	-155512	0	0 155512	242	0	0	242
	GW1{1}	45	0	0 45	219	0	0	219
	GW2{1}	53	0	0 53	221	0	0	221
	GW3{1}	48	0	0 48	163	0	0	163
	GW4{1}	50	0	0 50	272	0	0	272
	GT1P1{1}	5345562	0	05345562	195	0	0	195
	GT2P2{1}	857858	0	0 857858	152	0	0	152
	GT3P3{1}	2417678	0	02417678	135	0	0	135
	Gravity{2}	98	0	0 98	461	0	0	461
	Thermal 3{2}	-155666	0	0 155666	25	0	0	25
	Pressure 1{2}	3193599	0	03193599	871	0	0	871
	GT3{2}	-155568	0	0 155568	486	0	0	486
	Hydrotest-NL{2}	3038031	0	03038031	1357	0	0	1357
+772 +	Gravity{1}	50	0	0 50	220	0	0	220
	Thermal 1{1}	5112661	0	05112661	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01722086	56	0	0	56
	Thermal 3{1}	-155550	0	0 155550	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	218270	0	0 218270	101	0	0	101
	Pressure 2{1}	2579826	0	02579826	-124	0	0	124
	Pressure 3{1}	2572854	0	02572854	-107	0	0	107
	GT1{1}	5112711	0	05112711	94	0	0	94
	GT2{1}	-.2E+07	0	01722036	276	0	0	276
	GT3{1}	-155500	0	0 155500	242	0	0	242
	GW1{1}	45	0	0 45	219	0	0	219
	GW2{1}	54	0	0 54	221	0	0	221
	GW3{1}	49	0	0 49	163	0	0	163
	GW4{1}	51	0	0 51	272	0	0	272
	GT1P1{1}	5330981	0	05330981	195	0	0	195
	GT2P2{1}	857789	0	0 857789	152	0	0	152
	GT3P3{1}	2417354	0	02417354	135	0	0	135
	Gravity{2}	99	0	0 99	461	0	0	461
	Thermal 3{2}	-155657	0	0 155657	25	0	0	25
	Pressure 1{2}	3192844	0	03192844	871	0	0	871
	GT3{2}	-155557	0	0 155557	486	0	0	486
	Hydrotest-NL{2}	3037286	0	03037286	1357	0	0	1357
+773 -	Gravity{1}	50	0	0 50	220	0	0	220
	Thermal 1{1}	5112661	0	05112661	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01722086	56	0	0	56
	Thermal 3{1}	-155550	0	0 155550	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	218270	0	0 218270	101	0	0	101
	Pressure 2{1}	2579826	0	02579826	-124	0	0	124
	Pressure 3{1}	2572854	0	02572854	-107	0	0	107
	GT1{1}	5112711	0	05112711	94	0	0	94
	GT2{1}	-.2E+07	0	01722036	276	0	0	276
	GT3{1}	-155500	0	0 155500	242	0	0	242
	GW1{1}	45	0	0 45	219	0	0	219
	GW2{1}	54	0	0 54	221	0	0	221
	GW3{1}	49	0	0 49	163	0	0	163
	GW4{1}	51	0	0 51	272	0	0	272
	GT1P1{1}	5330981	0	05330981	195	0	0	195
	GT2P2{1}	857789	0	0 857789	152	0	0	152
	GT3P3{1}	2417354	0	02417354	135	0	0	135
	Gravity{2}	99	0	0 99	461	0	0	461
	Thermal 3{2}	-155657	0	0 155657	25	0	0	25
	Pressure 1{2}	3192844	0	03192844	871	0	0	871
	GT3{2}	-155557	0	0 155557	486	0	0	486
	Hydrotest-NL{2}	3037286	0	03037286	1357	0	0	1357
+773 +	Gravity{1}	51	0	0 51	220	0	0	220
	Thermal 1{1}	5105111	0	05105111	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01721918	56	0	0	56
	Thermal 3{1}	-155539	0	0 155539	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	211238	0	0 211238	101	0	0	101
	Pressure 2{1}	2579588	0	02579588	-124	0	0	124
	Pressure 3{1}	2572513	0	02572513	-107	0	0	107
	GT1{1}	5105161	0	05105161	94	0	0	94
	GT2{1}	-.2E+07	0	01721868	276	0	0	276
	GT3{1}	-155488	0	0 155488	242	0	0	242
	GW1{1}	46	0	0 46	219	0	0	219
	GW2{1}	55	0	0 55	221	0	0	221
	GW3{1}	50	0	0 50	163	0	0	163
	GW4{1}	51	0	0 51	272	0	0	272
	GT1P1{1}	5316400	0	05316400	195	0	0	195
	GT2P2{1}	857720	0	0 857720	152	0	0	152
	GT3P3{1}	2417025	0	02417025	135	0	0	135
	Gravity{2}	101	0	0 101	461	0	0	461
	Thermal 3{2}	-155647	0	0 155647	25	0	0	25
	Pressure 1{2}	3192077	0	03192077	871	0	0	871
	GT3{2}	-155546	0	0 155546	486	0	0	486
	Hydrotest-NL{2}	3036531	0	03036531	1357	0	0	1357
+774 -	Gravity{1}	51	0	0 51	220	0	0	220
	Thermal 1{1}	5105111	0	05105111	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01721918	56	0	0	56
	Thermal 3{1}	-155539	0	0 155539	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	4	0	0 4	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	211238	0	0 211238	101	0	0	101
	Pressure 2{1}	2579588	0	02579588	-124	0	0	124
	Pressure 3{1}	2572513	0	02572513	-107	0	0	107
	GT1{1}	5105161	0	05105161	94	0	0	94

	GT2{1}	-.2E+07	0	01721868	276	0	0	276
	GT3{1}	-155488	0	0 155488	242	0	0	242
	GW1{1}	46	0	0 46	219	0	0	219
	GW2{1}	55	0	0 55	221	0	0	221
	GW3{1}	50	0	0 50	163	0	0	163
	GW4{1}	51	0	0 51	272	0	0	272
	GT1P1{1}	5316400	0	05316400	195	0	0	195
	GT2P2{1}	857720	0	0 857720	152	0	0	152
	GT3P3{1}	2417025	0	02417025	135	0	0	135
	Gravity{2}	101	0	0 101	461	0	0	461
	Thermal 3{2}	-155647	0	0 155647	25	0	0	25
	Pressure 1{2}	3192077	0	03192077	871	0	0	871
	GT3{2}	-155546	0	0 155546	486	0	0	486
	Hydrotest-NL{2}	3036531	0	03036531	1357	0	0	1357
+774 +	Gravity{1}	51	0	0 51	220	0	0	220
	Thermal 1{1}	5097450	0	05097450	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01721747	56	0	0	56
	Thermal 3{1}	-155527	0	0 155527	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	204316	0	0 204316	101	0	0	101
	Pressure 2{1}	2579345	0	02579345	-124	0	0	124
	Pressure 3{1}	2572167	0	02572167	-107	0	0	107
	GT1{1}	5097502	0	05097502	94	0	0	94
	GT2{1}	-.2E+07	0	01721696	276	0	0	276
	GT3{1}	-155476	0	0 155476	242	0	0	242
	GW1{1}	47	0	0 47	219	0	0	219
	GW2{1}	56	0	0 56	221	0	0	221
	GW3{1}	50	0	0 50	163	0	0	163
	GW4{1}	52	0	0 52	272	0	0	272
	GT1P1{1}	5301818	0	05301818	195	0	0	195
	GT2P2{1}	857649	0	0 857649	152	0	0	152
	GT3P3{1}	2416692	0	02416692	135	0	0	135
	Gravity{2}	102	0	0 102	461	0	0	461
	Thermal 3{2}	-155637	0	0 155637	25	0	0	25
	Pressure 1{2}	3191300	0	03191300	871	0	0	871
	GT3{2}	-155535	0	0 155535	486	0	0	486
	Hydrotest-NL{2}	3035765	0	03035765	1357	0	0	1357
+775 -	Gravity{1}	51	0	0 51	220	0	0	220
	Thermal 1{1}	5097450	0	05097450	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01721747	56	0	0	56
	Thermal 3{1}	-155527	0	0 155527	22	0	0	22
	Wind 1{1}	-4	0	0 4	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	204316	0	0 204316	101	0	0	101
	Pressure 2{1}	2579345	0	02579345	-124	0	0	124
	Pressure 3{1}	2572167	0	02572167	-107	0	0	107
	GT1{1}	5097502	0	05097502	94	0	0	94
	GT2{1}	-.2E+07	0	01721696	276	0	0	276
	GT3{1}	-155476	0	0 155476	242	0	0	242
	GW1{1}	47	0	0 47	219	0	0	219
	GW2{1}	56	0	0 56	221	0	0	221
	GW3{1}	50	0	0 50	163	0	0	163
	GW4{1}	52	0	0 52	272	0	0	272
	GT1P1{1}	5301818	0	05301818	195	0	0	195
	GT2P2{1}	857649	0	0 857649	152	0	0	152
	GT3P3{1}	2416692	0	02416692	135	0	0	135
	Gravity{2}	102	0	0 102	461	0	0	461
	Thermal 3{2}	-155637	0	0 155637	25	0	0	25
	Pressure 1{2}	3191300	0	03191300	871	0	0	871
	GT3{2}	-155535	0	0 155535	486	0	0	486
	Hydrotest-NL{2}	3035765	0	03035765	1357	0	0	1357
+775 +	Gravity{1}	52	0	0 52	220	0	0	220
	Thermal 1{1}	5089678	0	05089678	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01721574	56	0	0	56
	Thermal 3{1}	-155516	0	0 155516	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	197507	0	0 197507	101	0	0	101
	Pressure 2{1}	2579100	0	02579100	-124	0	0	124
	Pressure 3{1}	2571817	0	02571817	-107	0	0	107
	GT1{1}	5089730	0	05089730	94	0	0	94
	GT2{1}	-.2E+07	0	01721522	276	0	0	276
	GT3{1}	-155463	0	0 155463	242	0	0	242
	GW1{1}	48	0	0 48	219	0	0	219
	GW2{1}	57	0	0 57	221	0	0	221
	GW3{1}	51	0	0 51	163	0	0	163
	GW4{1}	53	0	0 53	272	0	0	272
	GT1P1{1}	5287237	0	05287237	195	0	0	195
	GT2P2{1}	857578	0	0 857578	152	0	0	152
	GT3P3{1}	2416353	0	02416353	135	0	0	135
	Gravity{2}	104	0	0 104	461	0	0	461
	Thermal 3{2}	-155627	0	0 155627	25	0	0	25
	Pressure 1{2}	3190511	0	03190511	871	0	0	871
	GT3{2}	-155523	0	0 155523	486	0	0	486
	Hydrotest-NL{2}	3034987	0	03034987	1357	0	0	1357
+776 -	Gravity{1}	52	0	0 52	220	0	0	220
	Thermal 1{1}	5089678	0	05089678	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01721574	56	0	0	56
	Thermal 3{1}	-155516	0	0 155516	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	197507	0	0 197507	101	0	0	101
	Pressure 2{1}	2579100	0	02579100	-124	0	0	124
	Pressure 3{1}	2571817	0	02571817	-107	0	0	107
	GT1{1}	5089730	0	05089730	94	0	0	94

	GT2{1}	-.2E+07	0	01721522	276	0	0	276
	GT3{1}	-155463	0	0 155463	242	0	0	242
	GW1{1}	48	0	0 48	219	0	0	219
	GW2{1}	57	0	0 57	221	0	0	221
	GW3{1}	51	0	0 51	163	0	0	163
	GW4{1}	53	0	0 53	272	0	0	272
	GT1P1{1}	5287237	0	05287237	195	0	0	195
	GT2P2{1}	857578	0	0 857578	152	0	0	152
	GT3P3{1}	2416353	0	02416353	135	0	0	135
	Gravity{2}	104	0	0 104	461	0	0	461
	Thermal 3{2}	-155627	0	0 155627	25	0	0	25
	Pressure 1{2}	3190511	0	03190511	871	0	0	871
	GT3{2}	-155523	0	0 155523	486	0	0	486
	Hydrotest-NL{2}	3034987	0	03034987	1357	0	0	1357
+776 +	Gravity{1}	53	0	0 53	220	0	0	220
	Thermal 1{1}	5081791	0	05081791	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01721399	56	0	0	56
	Thermal 3{1}	-155504	0	0 155504	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	190811	0	0 190811	101	0	0	101
	Pressure 2{1}	2578851	0	02578851	-124	0	0	124
	Pressure 3{1}	2571461	0	02571461	-107	0	0	107
	GT1{1}	5081844	0	05081844	94	0	0	94
	GT2{1}	-.2E+07	0	01721346	276	0	0	276
	GT3{1}	-155451	0	0 155451	242	0	0	242
	GW1{1}	48	0	0 48	219	0	0	219
	GW2{1}	57	0	0 57	221	0	0	221
	GW3{1}	52	0	0 52	163	0	0	163
	GW4{1}	54	0	0 54	272	0	0	272
	GT1P1{1}	5272655	0	05272655	195	0	0	195
	GT2P2{1}	857505	0	0 857505	152	0	0	152
	GT3P3{1}	2416010	0	02416010	135	0	0	135
	Gravity{2}	105	0	0 105	461	0	0	461
	Thermal 3{2}	-155617	0	0 155617	25	0	0	25
	Pressure 1{2}	3189710	0	03189710	871	0	0	871
	GT3{2}	-155512	0	0 155512	486	0	0	486
	Hydrotest-NL{2}	3034198	0	03034198	1357	0	0	1357
+777 -	Gravity{1}	53	0	0 53	220	0	0	220
	Thermal 1{1}	5081791	0	05081791	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01721399	56	0	0	56
	Thermal 3{1}	-155504	0	0 155504	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	190811	0	0 190811	101	0	0	101
	Pressure 2{1}	2578851	0	02578851	-124	0	0	124
	Pressure 3{1}	2571461	0	02571461	-107	0	0	107
	GT1{1}	5081844	0	05081844	94	0	0	94
	GT2{1}	-.2E+07	0	01721346	276	0	0	276
	GT3{1}	-155451	0	0 155451	242	0	0	242
	GW1{1}	48	0	0 48	219	0	0	219
	GW2{1}	57	0	0 57	221	0	0	221
	GW3{1}	52	0	0 52	163	0	0	163
	GW4{1}	54	0	0 54	272	0	0	272
	GT1P1{1}	5272655	0	05272655	195	0	0	195
	GT2P2{1}	857505	0	0 857505	152	0	0	152
	GT3P3{1}	2416010	0	02416010	135	0	0	135
	Gravity{2}	105	0	0 105	461	0	0	461
	Thermal 3{2}	-155617	0	0 155617	25	0	0	25
	Pressure 1{2}	3189710	0	03189710	871	0	0	871
	GT3{2}	-155512	0	0 155512	486	0	0	486
	Hydrotest-NL{2}	3034198	0	03034198	1357	0	0	1357
+777 +	Gravity{1}	54	0	0 54	220	0	0	220
	Thermal 1{1}	5073789	0	05073789	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01721220	56	0	0	56
	Thermal 3{1}	-155492	0	0 155492	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	184231	0	0 184231	101	0	0	101
	Pressure 2{1}	2578598	0	02578598	-124	0	0	124
	Pressure 3{1}	2571100	0	02571100	-107	0	0	107
	GT1{1}	5073842	0	05073842	94	0	0	94
	GT2{1}	-.2E+07	0	01721167	276	0	0	276
	GT3{1}	-155438	0	0 155438	242	0	0	242
	GW1{1}	49	0	0 49	219	0	0	219
	GW2{1}	58	0	0 58	221	0	0	221
	GW3{1}	53	0	0 53	163	0	0	163
	GW4{1}	55	0	0 55	272	0	0	272
	GT1P1{1}	5258073	0	05258073	195	0	0	195
	GT2P2{1}	857432	0	0 857432	152	0	0	152
	GT3P3{1}	2415661	0	02415661	135	0	0	135
	Gravity{2}	107	0	0 107	461	0	0	461
	Thermal 3{2}	-155607	0	0 155607	25	0	0	25
	Pressure 1{2}	3188897	0	03188897	871	0	0	871
	GT3{2}	-155500	0	0 155500	486	0	0	486
	Hydrotest-NL{2}	3033398	0	03033398	1357	0	0	1357
+778 -	Gravity{1}	54	0	0 54	220	0	0	220
	Thermal 1{1}	5073789	0	05073789	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01721220	56	0	0	56
	Thermal 3{1}	-155492	0	0 155492	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	184231	0	0 184231	101	0	0	101
	Pressure 2{1}	2578598	0	02578598	-124	0	0	124
	Pressure 3{1}	2571100	0	02571100	-107	0	0	107
	GT1{1}	5073842	0	05073842	94	0	0	94

	GT2{1}	-.2E+07	0	01721167	276	0	0	276
	GT3{1}	-155438	0	0 155438	242	0	0	242
	GW1{1}	49	0	0 49	219	0	0	219
	GW2{1}	58	0	0 58	221	0	0	221
	GW3{1}	53	0	0 53	163	0	0	163
	GW4{1}	55	0	0 55	272	0	0	272
	GT1P1{1}	5258073	0	05258073	195	0	0	195
	GT2P2{1}	857432	0	0 857432	152	0	0	152
	GT3P3{1}	2415661	0	02415661	135	0	0	135
	Gravity{2}	107	0	0 107	461	0	0	461
	Thermal 3{2}	-155607	0	0 155607	25	0	0	25
	Pressure 1{2}	3188897	0	03188897	871	0	0	871
	GT3{2}	-155500	0	0 155500	486	0	0	486
	Hydrotest-NL{2}	3033398	0	03033398	1357	0	0	1357
+778 +	Gravity{1}	54	0	0 54	220	0	0	220
	Thermal 1{1}	5065670	0	05065670	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01721039	56	0	0	56
	Thermal 3{1}	-155480	0	0 155480	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	177769	0	0 177769	101	0	0	101
	Pressure 2{1}	2578341	0	02578341	-124	0	0	124
	Pressure 3{1}	2570733	0	02570733	-107	0	0	107
	GT1{1}	5065724	0	05065724	94	0	0	94
	GT2{1}	-.2E+07	0	01720985	276	0	0	276
	GT3{1}	-155425	0	0 155425	242	0	0	242
	GW1{1}	50	0	0 50	219	0	0	219
	GW2{1}	59	0	0 59	221	0	0	221
	GW3{1}	53	0	0 53	163	0	0	163
	GW4{1}	55	0	0 55	272	0	0	272
	GT1P1{1}	5243493	0	05243493	195	0	0	195
	GT2P2{1}	857356	0	0 857356	152	0	0	152
	GT3P3{1}	2415308	0	02415308	135	0	0	135
	Gravity{2}	109	0	0 109	461	0	0	461
	Thermal 3{2}	-155596	0	0 155596	25	0	0	25
	Pressure 1{2}	3188073	0	03188073	871	0	0	871
	GT3{2}	-155488	0	0 155488	486	0	0	486
	Hydrotest-NL{2}	3032586	0	03032586	1357	0	0	1357
+779 -	Gravity{1}	54	0	0 54	220	0	0	220
	Thermal 1{1}	5065670	0	05065670	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01721039	56	0	0	56
	Thermal 3{1}	-155480	0	0 155480	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	177769	0	0 177769	101	0	0	101
	Pressure 2{1}	2578341	0	02578341	-124	0	0	124
	Pressure 3{1}	2570733	0	02570733	-107	0	0	107
	GT1{1}	5065724	0	05065724	94	0	0	94
	GT2{1}	-.2E+07	0	01720985	276	0	0	276
	GT3{1}	-155425	0	0 155425	242	0	0	242
	GW1{1}	50	0	0 50	219	0	0	219
	GW2{1}	59	0	0 59	221	0	0	221
	GW3{1}	53	0	0 53	163	0	0	163
	GW4{1}	55	0	0 55	272	0	0	272
	GT1P1{1}	5243493	0	05243493	195	0	0	195
	GT2P2{1}	857356	0	0 857356	152	0	0	152
	GT3P3{1}	2415308	0	02415308	135	0	0	135
	Gravity{2}	109	0	0 109	461	0	0	461
	Thermal 3{2}	-155596	0	0 155596	25	0	0	25
	Pressure 1{2}	3188073	0	03188073	871	0	0	871
	GT3{2}	-155488	0	0 155488	486	0	0	486
	Hydrotest-NL{2}	3032586	0	03032586	1357	0	0	1357
+779 +	Gravity{1}	55	0	0 55	220	0	0	220
	Thermal 1{1}	5057431	0	05057431	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01720856	56	0	0	56
	Thermal 3{1}	-155467	0	0 155467	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	171425	0	0 171425	101	0	0	101
	Pressure 2{1}	2578081	0	02578081	-124	0	0	124
	Pressure 3{1}	2570361	0	02570361	-107	0	0	107
	GT1{1}	5057486	0	05057486	94	0	0	94
	GT2{1}	-.2E+07	0	01720801	276	0	0	276
	GT3{1}	-155412	0	0 155412	242	0	0	242
	GW1{1}	50	0	0 50	219	0	0	219
	GW2{1}	60	0	0 60	221	0	0	221
	GW3{1}	54	0	0 54	163	0	0	163
	GW4{1}	56	0	0 56	272	0	0	272
	GT1P1{1}	5228912	0	05228912	195	0	0	195
	GT2P2{1}	857281	0	0 857281	152	0	0	152
	GT3P3{1}	2414949	0	02414949	135	0	0	135
	Gravity{2}	110	0	0 110	461	0	0	461
	Thermal 3{2}	-155586	0	0 155586	25	0	0	25
	Pressure 1{2}	3187237	0	03187237	871	0	0	871
	GT3{2}	-155475	0	0 155475	486	0	0	486
	Hydrotest-NL{2}	3031762	0	03031762	1357	0	0	1357
+780 -	Gravity{1}	55	0	0 55	220	0	0	220
	Thermal 1{1}	5057431	0	05057431	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01720856	56	0	0	56
	Thermal 3{1}	-155467	0	0 155467	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	171425	0	0 171425	101	0	0	101
	Pressure 2{1}	2578081	0	02578081	-124	0	0	124
	Pressure 3{1}	2570361	0	02570361	-107	0	0	107
	GT1{1}	5057486	0	05057486	94	0	0	94

	GT2{1}	-.2E+07	0	01720801	276	0	0	276
	GT3{1}	-155412	0	0 155412	242	0	0	242
	GW1{1}	50	0	0 50	219	0	0	219
	GW2{1}	60	0	0 60	221	0	0	221
	GW3{1}	54	0	0 54	163	0	0	163
	GW4{1}	56	0	0 56	272	0	0	272
	GT1P1{1}	5228912	0	05228912	195	0	0	195
	GT2P2{1}	857281	0	0 857281	152	0	0	152
	GT3P3{1}	2414949	0	02414949	135	0	0	135
	Gravity{2}	110	0	0 110	461	0	0	461
	Thermal 3{2}	-155586	0	0 155586	25	0	0	25
	Pressure 1{2}	3187237	0	03187237	871	0	0	871
	GT3{2}	-155475	0	0 155475	486	0	0	486
	Hydrotest-NL{2}	3031762	0	03031762	1357	0	0	1357
+780 +	Gravity{1}	56	0	0 56	220	0	0	220
	Thermal 1{1}	5049071	0	05049071	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01720669	56	0	0	56
	Thermal 3{1}	-155455	0	0 155455	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	165202	0	0 165202	101	0	0	101
	Pressure 2{1}	2577817	0	02577817	-124	0	0	124
	Pressure 3{1}	2569984	0	02569984	-107	0	0	107
	GT1{1}	5049127	0	05049127	94	0	0	94
	GT2{1}	-.2E+07	0	01720613	276	0	0	276
	GT3{1}	-155399	0	0 155399	242	0	0	242
	GW1{1}	51	0	0 51	219	0	0	219
	GW2{1}	61	0	0 61	221	0	0	221
	GW3{1}	55	0	0 55	163	0	0	163
	GW4{1}	57	0	0 57	272	0	0	272
	GT1P1{1}	5214330	0	05214330	195	0	0	195
	GT2P2{1}	857204	0	0 857204	152	0	0	152
	GT3P3{1}	2414586	0	02414586	135	0	0	135
	Gravity{2}	112	0	0 112	461	0	0	461
	Thermal 3{2}	-155575	0	0 155575	25	0	0	25
	Pressure 1{2}	3186388	0	03186388	871	0	0	871
	GT3{2}	-155463	0	0 155463	486	0	0	486
	Hydrotest-NL{2}	3030925	0	03030925	1357	0	0	1357
+781 -	Gravity{1}	56	0	0 56	220	0	0	220
	Thermal 1{1}	5049071	0	05049071	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01720669	56	0	0	56
	Thermal 3{1}	-155455	0	0 155455	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	165202	0	0 165202	101	0	0	101
	Pressure 2{1}	2577817	0	02577817	-124	0	0	124
	Pressure 3{1}	2569984	0	02569984	-107	0	0	107
	GT1{1}	5049127	0	05049127	94	0	0	94
	GT2{1}	-.2E+07	0	01720613	276	0	0	276
	GT3{1}	-155399	0	0 155399	242	0	0	242
	GW1{1}	51	0	0 51	219	0	0	219
	GW2{1}	61	0	0 61	221	0	0	221
	GW3{1}	55	0	0 55	163	0	0	163
	GW4{1}	57	0	0 57	272	0	0	272
	GT1P1{1}	5214330	0	05214330	195	0	0	195
	GT2P2{1}	857204	0	0 857204	152	0	0	152
	GT3P3{1}	2414586	0	02414586	135	0	0	135
	Gravity{2}	112	0	0 112	461	0	0	461
	Thermal 3{2}	-155575	0	0 155575	25	0	0	25
	Pressure 1{2}	3186388	0	03186388	871	0	0	871
	GT3{2}	-155463	0	0 155463	486	0	0	486
	Hydrotest-NL{2}	3030925	0	03030925	1357	0	0	1357
+781 +	Gravity{1}	57	0	0 57	220	0	0	220
	Thermal 1{1}	5040589	0	05040589	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01720481	56	0	0	56
	Thermal 3{1}	-155442	0	0 155442	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	159102	0	0 159102	101	0	0	101
	Pressure 2{1}	2577549	0	02577549	-124	0	0	124
	Pressure 3{1}	2569601	0	02569601	-107	0	0	107
	GT1{1}	5040646	0	05040646	94	0	0	94
	GT2{1}	-.2E+07	0	01720424	276	0	0	276
	GT3{1}	-155385	0	0 155385	242	0	0	242
	GW1{1}	52	0	0 52	219	0	0	219
	GW2{1}	62	0	0 62	221	0	0	221
	GW3{1}	56	0	0 56	163	0	0	163
	GW4{1}	58	0	0 58	272	0	0	272
	GT1P1{1}	5199748	0	05199748	195	0	0	195
	GT2P2{1}	857125	0	0 857125	152	0	0	152
	GT3P3{1}	2414216	0	02414216	135	0	0	135
	Gravity{2}	113	0	0 113	461	0	0	461
	Thermal 3{2}	-155564	0	0 155564	25	0	0	25
	Pressure 1{2}	3185527	0	03185527	871	0	0	871
	GT3{2}	-155450	0	0 155450	486	0	0	486
	Hydrotest-NL{2}	3030077	0	03030077	1357	0	0	1357
+782 -	Gravity{1}	57	0	0 57	220	0	0	220
	Thermal 1{1}	5040589	0	05040589	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01720481	56	0	0	56
	Thermal 3{1}	-155442	0	0 155442	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	159102	0	0 159102	101	0	0	101
	Pressure 2{1}	2577549	0	02577549	-124	0	0	124
	Pressure 3{1}	2569601	0	02569601	-107	0	0	107
	GT1{1}	5040646	0	05040646	94	0	0	94

	GT2{1}	-.2E+07	0	01720424	276	0	0	276
	GT3{1}	-155385	0	0 155385	242	0	0	242
	GW1{1}	52	0	0 52	219	0	0	219
	GW2{1}	62	0	0 62	221	0	0	221
	GW3{1}	56	0	0 56	163	0	0	163
	GW4{1}	58	0	0 58	272	0	0	272
	GT1P1{1}	5199748	0	05199748	195	0	0	195
	GT2P2{1}	857125	0	0 857125	152	0	0	152
	GT3P3{1}	2414216	0	02414216	135	0	0	135
	Gravity{2}	113	0	0 113	461	0	0	461
	Thermal 3{2}	-155564	0	0 155564	25	0	0	25
	Pressure 1{2}	3185527	0	03185527	871	0	0	871
	GT3{2}	-155450	0	0 155450	486	0	0	486
	Hydrotest-NL{2}	3030077	0	03030077	1357	0	0	1357
+782 +	Gravity{1}	58	0	0 58	220	0	0	220
	Thermal 1{1}	5031983	0	05031983	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01720289	56	0	0	56
	Thermal 3{1}	-155429	0	0 155429	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	153126	0	0 153126	101	0	0	101
	Pressure 2{1}	2577277	0	02577277	-124	0	0	124
	Pressure 3{1}	2569213	0	02569213	-107	0	0	107
	GT1{1}	5032041	0	05032041	94	0	0	94
	GT2{1}	-.2E+07	0	01720231	276	0	0	276
	GT3{1}	-155371	0	0 155371	242	0	0	242
	GW1{1}	53	0	0 53	219	0	0	219
	GW2{1}	63	0	0 63	221	0	0	221
	GW3{1}	57	0	0 57	163	0	0	163
	GW4{1}	59	0	0 59	272	0	0	272
	GT1P1{1}	5185167	0	05185167	195	0	0	195
	GT2P2{1}	857046	0	0 857046	152	0	0	152
	GT3P3{1}	2413842	0	02413842	135	0	0	135
	Gravity{2}	115	0	0 115	461	0	0	461
	Thermal 3{2}	-155553	0	0 155553	25	0	0	25
	Pressure 1{2}	3184654	0	03184654	871	0	0	871
	GT3{2}	-155438	0	0 155438	486	0	0	486
	Hydrotest-NL{2}	3029216	0	03029216	1357	0	0	1357
+783 -	Gravity{1}	58	0	0 58	220	0	0	220
	Thermal 1{1}	5031983	0	05031983	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01720289	56	0	0	56
	Thermal 3{1}	-155429	0	0 155429	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	153126	0	0 153126	101	0	0	101
	Pressure 2{1}	2577277	0	02577277	-124	0	0	124
	Pressure 3{1}	2569213	0	02569213	-107	0	0	107
	GT1{1}	5032041	0	05032041	94	0	0	94
	GT2{1}	-.2E+07	0	01720231	276	0	0	276
	GT3{1}	-155371	0	0 155371	242	0	0	242
	GW1{1}	53	0	0 53	219	0	0	219
	GW2{1}	63	0	0 63	221	0	0	221
	GW3{1}	57	0	0 57	163	0	0	163
	GW4{1}	59	0	0 59	272	0	0	272
	GT1P1{1}	5185167	0	05185167	195	0	0	195
	GT2P2{1}	857046	0	0 857046	152	0	0	152
	GT3P3{1}	2413842	0	02413842	135	0	0	135
	Gravity{2}	115	0	0 115	461	0	0	461
	Thermal 3{2}	-155553	0	0 155553	25	0	0	25
	Pressure 1{2}	3184654	0	03184654	871	0	0	871
	GT3{2}	-155438	0	0 155438	486	0	0	486
	Hydrotest-NL{2}	3029216	0	03029216	1357	0	0	1357
+783 +	Gravity{1}	58	0	0 58	220	0	0	220
	Thermal 1{1}	5023250	0	05023250	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01720094	56	0	0	56
	Thermal 3{1}	-155416	0	0 155416	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	147277	0	0 147277	101	0	0	101
	Pressure 2{1}	2577001	0	02577001	-124	0	0	124
	Pressure 3{1}	2568819	0	02568819	-107	0	0	107
	GT1{1}	5023309	0	05023309	94	0	0	94
	GT2{1}	-.2E+07	0	01720036	276	0	0	276
	GT3{1}	-155358	0	0 155358	242	0	0	242
	GW1{1}	53	0	0 53	219	0	0	219
	GW2{1}	64	0	0 64	221	0	0	221
	GW3{1}	57	0	0 57	163	0	0	163
	GW4{1}	60	0	0 60	272	0	0	272
	GT1P1{1}	5170585	0	05170585	195	0	0	195
	GT2P2{1}	856966	0	0 856966	152	0	0	152
	GT3P3{1}	2413461	0	02413461	135	0	0	135
	Gravity{2}	117	0	0 117	461	0	0	461
	Thermal 3{2}	-155541	0	0 155541	25	0	0	25
	Pressure 1{2}	3183767	0	03183767	871	0	0	871
	GT3{2}	-155425	0	0 155425	486	0	0	486
	Hydrotest-NL{2}	3028343	0	03028343	1357	0	0	1357
+784 -	Gravity{1}	58	0	0 58	220	0	0	220
	Thermal 1{1}	5023250	0	05023250	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01720094	56	0	0	56
	Thermal 3{1}	-155416	0	0 155416	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	147277	0	0 147277	101	0	0	101
	Pressure 2{1}	2577001	0	02577001	-124	0	0	124
	Pressure 3{1}	2568819	0	02568819	-107	0	0	107
	GT1{1}	5023309	0	05023309	94	0	0	94

	GT2{1}	-.2E+07	0	01720036	276	0	0	276
	GT3{1}	-155358	0	0 155358	242	0	0	242
	GW1{1}	53	0	0 53	219	0	0	219
	GW2{1}	64	0	0 64	221	0	0	221
	GW3{1}	57	0	0 57	163	0	0	163
	GW4{1}	60	0	0 60	272	0	0	272
	GT1P1{1}	5170585	0	05170585	195	0	0	195
	GT2P2{1}	856966	0	0 856966	152	0	0	152
	GT3P3{1}	2413461	0	02413461	135	0	0	135
	Gravity{2}	117	0	0 117	461	0	0	461
	Thermal 3{2}	-155541	0	0 155541	25	0	0	25
	Pressure 1{2}	3183767	0	03183767	871	0	0	871
	GT3{2}	-155425	0	0 155425	486	0	0	486
	Hydrotest-NL{2}	3028343	0	03028343	1357	0	0	1357
+784 +	Gravity{1}	59	0	0 59	220	0	0	220
	Thermal 1{1}	5014390	0	05014390	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01719897	56	0	0	56
	Thermal 3{1}	-155403	0	0 155403	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	141555	0	0 141555	101	0	0	101
	Pressure 2{1}	2576722	0	02576722	-124	0	0	124
	Pressure 3{1}	2568419	0	02568419	-107	0	0	107
	GT1{1}	5014449	0	05014449	94	0	0	94
	GT2{1}	-.2E+07	0	01719837	276	0	0	276
	GT3{1}	-155343	0	0 155343	242	0	0	242
	GW1{1}	54	0	0 54	219	0	0	219
	GW2{1}	65	0	0 65	221	0	0	221
	GW3{1}	58	0	0 58	163	0	0	163
	GW4{1}	60	0	0 60	272	0	0	272
	GT1P1{1}	5156005	0	05156005	195	0	0	195
	GT2P2{1}	856884	0	0 856884	152	0	0	152
	GT3P3{1}	2413075	0	02413075	135	0	0	135
	Gravity{2}	118	0	0 118	461	0	0	461
	Thermal 3{2}	-155530	0	0 155530	25	0	0	25
	Pressure 1{2}	3182868	0	03182868	871	0	0	871
	GT3{2}	-155412	0	0 155412	486	0	0	486
	Hydrotest-NL{2}	3027456	0	03027456	1357	0	0	1357
+785 -	Gravity{1}	59	0	0 59	220	0	0	220
	Thermal 1{1}	5014390	0	05014390	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01719897	56	0	0	56
	Thermal 3{1}	-155403	0	0 155403	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	141555	0	0 141555	101	0	0	101
	Pressure 2{1}	2576722	0	02576722	-124	0	0	124
	Pressure 3{1}	2568419	0	02568419	-107	0	0	107
	GT1{1}	5014449	0	05014449	94	0	0	94
	GT2{1}	-.2E+07	0	01719837	276	0	0	276
	GT3{1}	-155343	0	0 155343	242	0	0	242
	GW1{1}	54	0	0 54	219	0	0	219
	GW2{1}	65	0	0 65	221	0	0	221
	GW3{1}	58	0	0 58	163	0	0	163
	GW4{1}	60	0	0 60	272	0	0	272
	GT1P1{1}	5156005	0	05156005	195	0	0	195
	GT2P2{1}	856884	0	0 856884	152	0	0	152
	GT3P3{1}	2413075	0	02413075	135	0	0	135
	Gravity{2}	118	0	0 118	461	0	0	461
	Thermal 3{2}	-155530	0	0 155530	25	0	0	25
	Pressure 1{2}	3182868	0	03182868	871	0	0	871
	GT3{2}	-155412	0	0 155412	486	0	0	486
	Hydrotest-NL{2}	3027456	0	03027456	1357	0	0	1357
+785 +	Gravity{1}	60	0	0 60	220	0	0	220
	Thermal 1{1}	5005399	0	05005399	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01719696	56	0	0	56
	Thermal 3{1}	-155389	0	0 155389	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	135963	0	0 135963	101	0	0	101
	Pressure 2{1}	2576438	0	02576438	-124	0	0	124
	Pressure 3{1}	2568013	0	02568013	-107	0	0	107
	GT1{1}	5005459	0	05005459	94	0	0	94
	GT2{1}	-.2E+07	0	01719636	276	0	0	276
	GT3{1}	-155329	0	0 155329	242	0	0	242
	GW1{1}	55	0	0 55	219	0	0	219
	GW2{1}	66	0	0 66	221	0	0	221
	GW3{1}	59	0	0 59	163	0	0	163
	GW4{1}	61	0	0 61	272	0	0	272
	GT1P1{1}	5141422	0	05141422	195	0	0	195
	GT2P2{1}	856801	0	0 856801	152	0	0	152
	GT3P3{1}	2412684	0	02412684	135	0	0	135
	Gravity{2}	120	0	0 120	461	0	0	461
	Thermal 3{2}	-155518	0	0 155518	25	0	0	25
	Pressure 1{2}	3181955	0	03181955	871	0	0	871
	GT3{2}	-155398	0	0 155398	486	0	0	486
	Hydrotest-NL{2}	3026557	0	03026557	1357	0	0	1357
+786 -	Gravity{1}	60	0	0 60	220	0	0	220
	Thermal 1{1}	5005399	0	05005399	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01719696	56	0	0	56
	Thermal 3{1}	-155389	0	0 155389	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	135963	0	0 135963	101	0	0	101
	Pressure 2{1}	2576438	0	02576438	-124	0	0	124
	Pressure 3{1}	2568013	0	02568013	-107	0	0	107
	GT1{1}	5005459	0	05005459	94	0	0	94

	GT2{1}	-.2E+07	0	01719636	276	0	0	276
	GT3{1}	-155329	0	0 155329	242	0	0	242
	GW1{1}	55	0	0 55	219	0	0	219
	GW2{1}	66	0	0 66	221	0	0	221
	GW3{1}	59	0	0 59	163	0	0	163
	GW4{1}	61	0	0 61	272	0	0	272
	GT1P1{1}	5141422	0	05141422	195	0	0	195
	GT2P2{1}	856801	0	0 856801	152	0	0	152
	GT3P3{1}	2412684	0	02412684	135	0	0	135
	Gravity{2}	120	0	0 120	461	0	0	461
	Thermal 3{2}	-155518	0	0 155518	25	0	0	25
	Pressure 1{2}	3181955	0	03181955	871	0	0	871
	GT3{2}	-155398	0	0 155398	486	0	0	486
	Hydrotest-NL{2}	3026557	0	03026557	1357	0	0	1357
+786 +	Gravity{1}	61	0	0 61	220	0	0	220
	Thermal 1{1}	4996277	0	04996277	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01719493	56	0	0	56
	Thermal 3{1}	-155376	0	0 155376	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	130503	0	0 130503	101	0	0	101
	Pressure 2{1}	2576149	0	02576149	-124	0	0	124
	Pressure 3{1}	2567602	0	02567602	-107	0	0	107
	GT1{1}	4996338	0	04996338	94	0	0	94
	GT2{1}	-.2E+07	0	01719432	276	0	0	276
	GT3{1}	-155315	0	0 155315	242	0	0	242
	GW1{1}	56	0	0 56	219	0	0	219
	GW2{1}	66	0	0 66	221	0	0	221
	GW3{1}	60	0	0 60	163	0	0	163
	GW4{1}	62	0	0 62	272	0	0	272
	GT1P1{1}	5126842	0	05126842	195	0	0	195
	GT2P2{1}	856717	0	0 856717	152	0	0	152
	GT3P3{1}	2412287	0	02412287	135	0	0	135
	Gravity{2}	122	0	0 122	461	0	0	461
	Thermal 3{2}	-155507	0	0 155507	25	0	0	25
	Pressure 1{2}	3181029	0	03181029	871	0	0	871
	GT3{2}	-155385	0	0 155385	486	0	0	486
	Hydrotest-NL{2}	3025644	0	03025644	1357	0	0	1357
+787 -	Gravity{1}	61	0	0 61	220	0	0	220
	Thermal 1{1}	4996277	0	04996277	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01719493	56	0	0	56
	Thermal 3{1}	-155376	0	0 155376	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	130503	0	0 130503	101	0	0	101
	Pressure 2{1}	2576149	0	02576149	-124	0	0	124
	Pressure 3{1}	2567602	0	02567602	-107	0	0	107
	GT1{1}	4996338	0	04996338	94	0	0	94
	GT2{1}	-.2E+07	0	01719432	276	0	0	276
	GT3{1}	-155315	0	0 155315	242	0	0	242
	GW1{1}	56	0	0 56	219	0	0	219
	GW2{1}	66	0	0 66	221	0	0	221
	GW3{1}	60	0	0 60	163	0	0	163
	GW4{1}	62	0	0 62	272	0	0	272
	GT1P1{1}	5126842	0	05126842	195	0	0	195
	GT2P2{1}	856717	0	0 856717	152	0	0	152
	GT3P3{1}	2412287	0	02412287	135	0	0	135
	Gravity{2}	122	0	0 122	461	0	0	461
	Thermal 3{2}	-155507	0	0 155507	25	0	0	25
	Pressure 1{2}	3181029	0	03181029	871	0	0	871
	GT3{2}	-155385	0	0 155385	486	0	0	486
	Hydrotest-NL{2}	3025644	0	03025644	1357	0	0	1357
+787 +	Gravity{1}	62	0	0 62	220	0	0	220
	Thermal 1{1}	4987021	0	04987021	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01719287	56	0	0	56
	Thermal 3{1}	-155362	0	0 155362	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	125177	0	0 125177	101	0	0	101
	Pressure 2{1}	2575857	0	02575857	-124	0	0	124
	Pressure 3{1}	2567184	0	02567184	-107	0	0	107
	GT1{1}	4987083	0	04987083	94	0	0	94
	GT2{1}	-.2E+07	0	01719225	276	0	0	276
	GT3{1}	-155300	0	0 155300	242	0	0	242
	GW1{1}	57	0	0 57	219	0	0	219
	GW2{1}	67	0	0 67	221	0	0	221
	GW3{1}	61	0	0 61	163	0	0	163
	GW4{1}	63	0	0 63	272	0	0	272
	GT1P1{1}	5112260	0	05112260	195	0	0	195
	GT2P2{1}	856632	0	0 856632	152	0	0	152
	GT3P3{1}	2411884	0	02411884	135	0	0	135
	Gravity{2}	124	0	0 124	461	0	0	461
	Thermal 3{2}	-155495	0	0 155495	25	0	0	25
	Pressure 1{2}	3180089	0	03180089	871	0	0	871
	GT3{2}	-155371	0	0 155371	486	0	0	486
	Hydrotest-NL{2}	3024718	0	03024718	1357	0	0	1357
+788 -	Gravity{1}	62	0	0 62	220	0	0	220
	Thermal 1{1}	4987021	0	04987021	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01719287	56	0	0	56
	Thermal 3{1}	-155362	0	0 155362	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	5	0	0 5	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	125177	0	0 125177	101	0	0	101
	Pressure 2{1}	2575857	0	02575857	-124	0	0	124
	Pressure 3{1}	2567184	0	02567184	-107	0	0	107
	GT1{1}	4987083	0	04987083	94	0	0	94

	GT2{1}	-.2E+07	0	01719225	276	0	0	276
	GT3{1}	-155300	0	0 155300	242	0	0	242
	GW1{1}	57	0	0 57	219	0	0	219
	GW2{1}	67	0	0 67	221	0	0	221
	GW3{1}	61	0	0 61	163	0	0	163
	GW4{1}	63	0	0 63	272	0	0	272
	GT1P1{1}	5112260	0	05112260	195	0	0	195
	GT2P2{1}	856632	0	0 856632	152	0	0	152
	GT3P3{1}	2411884	0	02411884	135	0	0	135
	Gravity{2}	124	0	0 124	461	0	0	461
	Thermal 3{2}	-155495	0	0 155495	25	0	0	25
	Pressure 1{2}	3180089	0	03180089	871	0	0	871
	GT3{2}	-155371	0	0 155371	486	0	0	486
	Hydrotest-NL{2}	3024718	0	03024718	1357	0	0	1357
+788 +	Gravity{1}	63	0	0 63	220	0	0	220
	Thermal 1{1}	4977629	0	04977629	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01719078	56	0	0	56
	Thermal 3{1}	-155348	0	0 155348	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	6	0	0 6	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	119987	0	0 119987	101	0	0	101
	Pressure 2{1}	2575561	0	02575561	-124	0	0	124
	Pressure 3{1}	2566760	0	02566760	-107	0	0	107
	GT1{1}	4977692	0	04977692	94	0	0	94
	GT2{1}	-.2E+07	0	01719015	276	0	0	276
	GT3{1}	-155285	0	0 155285	242	0	0	242
	GW1{1}	57	0	0 57	219	0	0	219
	GW2{1}	68	0	0 68	221	0	0	221
	GW3{1}	62	0	0 62	163	0	0	163
	GW4{1}	64	0	0 64	272	0	0	272
	GT1P1{1}	5097679	0	05097679	195	0	0	195
	GT2P2{1}	856546	0	0 856546	152	0	0	152
	GT3P3{1}	2411475	0	02411475	135	0	0	135
	Gravity{2}	126	0	0 126	461	0	0	461
	Thermal 3{2}	-155483	0	0 155483	25	0	0	25
	Pressure 1{2}	3179136	0	03179136	871	0	0	871
	GT3{2}	-155357	0	0 155357	486	0	0	486
	Hydrotest-NL{2}	3023779	0	03023779	1357	0	0	1357
+789 -	Gravity{1}	63	0	0 63	220	0	0	220
	Thermal 1{1}	4977629	0	04977629	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01719078	56	0	0	56
	Thermal 3{1}	-155348	0	0 155348	22	0	0	22
	Wind 1{1}	-5	0	0 5	-1	0	0	1
	Wind 2{1}	6	0	0 6	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	119987	0	0 119987	101	0	0	101
	Pressure 2{1}	2575561	0	02575561	-124	0	0	124
	Pressure 3{1}	2566760	0	02566760	-107	0	0	107
	GT1{1}	4977692	0	04977692	94	0	0	94
	GT2{1}	-.2E+07	0	01719015	276	0	0	276
	GT3{1}	-155285	0	0 155285	242	0	0	242
	GW1{1}	57	0	0 57	219	0	0	219
	GW2{1}	68	0	0 68	221	0	0	221
	GW3{1}	62	0	0 62	163	0	0	163
	GW4{1}	64	0	0 64	272	0	0	272
	GT1P1{1}	5097679	0	05097679	195	0	0	195
	GT2P2{1}	856546	0	0 856546	152	0	0	152
	GT3P3{1}	2411475	0	02411475	135	0	0	135
	Gravity{2}	126	0	0 126	461	0	0	461
	Thermal 3{2}	-155483	0	0 155483	25	0	0	25
	Pressure 1{2}	3179136	0	03179136	871	0	0	871
	GT3{2}	-155357	0	0 155357	486	0	0	486
	Hydrotest-NL{2}	3023779	0	03023779	1357	0	0	1357
+789 +	Gravity{1}	64	0	0 64	220	0	0	220
	Thermal 1{1}	4968100	0	04968100	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01718865	56	0	0	56
	Thermal 3{1}	-155333	0	0 155333	22	0	0	22
	Wind 1{1}	-6	0	0 6	-1	0	0	1
	Wind 2{1}	6	0	0 6	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	114934	0	0 114934	101	0	0	101
	Pressure 2{1}	2575259	0	02575259	-124	0	0	124
	Pressure 3{1}	2566330	0	02566330	-107	0	0	107
	GT1{1}	4968164	0	04968164	94	0	0	94
	GT2{1}	-.2E+07	0	01718801	276	0	0	276
	GT3{1}	-155270	0	0 155270	242	0	0	242
	GW1{1}	58	0	0 58	219	0	0	219
	GW2{1}	69	0	0 69	221	0	0	221
	GW3{1}	63	0	0 63	163	0	0	163
	GW4{1}	65	0	0 65	272	0	0	272
	GT1P1{1}	5083097	0	05083097	195	0	0	195
	GT2P2{1}	856458	0	0 856458	152	0	0	152
	GT3P3{1}	2411060	0	02411060	135	0	0	135
	Gravity{2}	127	0	0 127	461	0	0	461
	Thermal 3{2}	-155470	0	0 155470	25	0	0	25
	Pressure 1{2}	3178169	0	03178169	871	0	0	871
	GT3{2}	-155343	0	0 155343	486	0	0	486
	Hydrotest-NL{2}	3022826	0	03022826	1357	0	0	1357
+790 -	Gravity{1}	64	0	0 64	220	0	0	220
	Thermal 1{1}	4968100	0	04968100	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01718865	56	0	0	56
	Thermal 3{1}	-155333	0	0 155333	22	0	0	22
	Wind 1{1}	-6	0	0 6	-1	0	0	1
	Wind 2{1}	6	0	0 6	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	114934	0	0 114934	101	0	0	101
	Pressure 2{1}	2575259	0	02575259	-124	0	0	124
	Pressure 3{1}	2566330	0	02566330	-107	0	0	107
	GT1{1}	4968164	0	04968164	94	0	0	94

	GT2{1}	-.2E+07	0	01718801	276	0	0	276
	GT3{1}	-155270	0	0 155270	242	0	0	242
	GW1{1}	58	0	0 58	219	0	0	219
	GW2{1}	69	0	0 69	221	0	0	221
	GW3{1}	63	0	0 63	163	0	0	163
	GW4{1}	65	0	0 65	272	0	0	272
	GT1P1{1}	5083097	0	05083097	195	0	0	195
	GT2P2{1}	856458	0	0 856458	152	0	0	152
	GT3P3{1}	2411060	0	02411060	135	0	0	135
	Gravity{2}	127	0	0 127	461	0	0	461
	Thermal 3{2}	-155470	0	0 155470	25	0	0	25
	Pressure 1{2}	3178169	0	03178169	871	0	0	871
	GT3{2}	-155343	0	0 155343	486	0	0	486
	Hydrotest-NL{2}	3022826	0	03022826	1357	0	0	1357
+790 +	Gravity{1}	65	0	0 65	220	0	0	220
	Thermal 1{1}	4958430	0	04958430	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01718650	56	0	0	56
	Thermal 3{1}	-155319	0	0 155319	22	0	0	22
	Wind 1{1}	-6	0	0 6	-1	0	0	1
	Wind 2{1}	6	0	0 6	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	110021	0	0 110021	101	0	0	101
	Pressure 2{1}	2574954	0	02574954	-124	0	0	124
	Pressure 3{1}	2565893	0	02565893	-107	0	0	107
	GT1{1}	4958495	0	04958495	94	0	0	94
	GT2{1}	-.2E+07	0	01718585	276	0	0	276
	GT3{1}	-155254	0	0 155254	242	0	0	242
	GW1{1}	59	0	0 59	219	0	0	219
	GW2{1}	70	0	0 70	221	0	0	221
	GW3{1}	64	0	0 64	163	0	0	163
	GW4{1}	66	0	0 66	272	0	0	272
	GT1P1{1}	5068515	0	05068515	195	0	0	195
	GT2P2{1}	856369	0	0 856369	152	0	0	152
	GT3P3{1}	2410639	0	02410639	135	0	0	135
	Gravity{2}	129	0	0 129	461	0	0	461
	Thermal 3{2}	-155458	0	0 155458	25	0	0	25
	Pressure 1{2}	3177187	0	03177187	871	0	0	871
	GT3{2}	-155329	0	0 155329	486	0	0	486
	Hydrotest-NL{2}	3021858	0	03021858	1357	0	0	1357
+791 -	Gravity{1}	65	0	0 65	220	0	0	220
	Thermal 1{1}	4958430	0	04958430	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01718650	56	0	0	56
	Thermal 3{1}	-155319	0	0 155319	22	0	0	22
	Wind 1{1}	-6	0	0 6	-1	0	0	1
	Wind 2{1}	6	0	0 6	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	110021	0	0 110021	101	0	0	101
	Pressure 2{1}	2574954	0	02574954	-124	0	0	124
	Pressure 3{1}	2565893	0	02565893	-107	0	0	107
	GT1{1}	4958495	0	04958495	94	0	0	94
	GT2{1}	-.2E+07	0	01718585	276	0	0	276
	GT3{1}	-155254	0	0 155254	242	0	0	242
	GW1{1}	59	0	0 59	219	0	0	219
	GW2{1}	70	0	0 70	221	0	0	221
	GW3{1}	64	0	0 64	163	0	0	163
	GW4{1}	66	0	0 66	272	0	0	272
	GT1P1{1}	5068515	0	05068515	195	0	0	195
	GT2P2{1}	856369	0	0 856369	152	0	0	152
	GT3P3{1}	2410639	0	02410639	135	0	0	135
	Gravity{2}	129	0	0 129	461	0	0	461
	Thermal 3{2}	-155458	0	0 155458	25	0	0	25
	Pressure 1{2}	3177187	0	03177187	871	0	0	871
	GT3{2}	-155329	0	0 155329	486	0	0	486
	Hydrotest-NL{2}	3021858	0	03021858	1357	0	0	1357
+791 +	Gravity{1}	66	0	0 66	220	0	0	220
	Thermal 1{1}	4948619	0	04948619	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01718431	56	0	0	56
	Thermal 3{1}	-155304	0	0 155304	22	0	0	22
	Wind 1{1}	-6	0	0 6	-1	0	0	1
	Wind 2{1}	6	0	0 6	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	105249	0	0 105249	101	0	0	101
	Pressure 2{1}	2574644	0	02574644	-124	0	0	124
	Pressure 3{1}	2565451	0	02565451	-107	0	0	107
	GT1{1}	4948685	0	04948685	94	0	0	94
	GT2{1}	-.2E+07	0	01718365	276	0	0	276
	GT3{1}	-155239	0	0 155239	242	0	0	242
	GW1{1}	60	0	0 60	219	0	0	219
	GW2{1}	71	0	0 71	221	0	0	221
	GW3{1}	65	0	0 65	163	0	0	163
	GW4{1}	67	0	0 67	272	0	0	272
	GT1P1{1}	5053934	0	05053934	195	0	0	195
	GT2P2{1}	856278	0	0 856278	152	0	0	152
	GT3P3{1}	2410212	0	02410212	135	0	0	135
	Gravity{2}	131	0	0 131	461	0	0	461
	Thermal 3{2}	-155445	0	0 155445	25	0	0	25
	Pressure 1{2}	3176191	0	03176191	871	0	0	871
	GT3{2}	-155314	0	0 155314	486	0	0	486
	Hydrotest-NL{2}	3020877	0	03020877	1357	0	0	1357
+792 -	Gravity{1}	66	0	0 66	220	0	0	220
	Thermal 1{1}	4948619	0	04948619	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01718431	56	0	0	56
	Thermal 3{1}	-155304	0	0 155304	22	0	0	22
	Wind 1{1}	-6	0	0 6	-1	0	0	1
	Wind 2{1}	6	0	0 6	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	105249	0	0 105249	101	0	0	101
	Pressure 2{1}	2574644	0	02574644	-124	0	0	124
	Pressure 3{1}	2565451	0	02565451	-107	0	0	107
	GT1{1}	4948685	0	04948685	94	0	0	94

	GT2{1}	-.2E+07	0	01718365	276	0	0	276
	GT3{1}	-155239	0	0 155239	242	0	0	242
	GW1{1}	60	0	0 60	219	0	0	219
	GW2{1}	71	0	0 71	221	0	0	221
	GW3{1}	65	0	0 65	163	0	0	163
	GW4{1}	67	0	0 67	272	0	0	272
	GT1P1{1}	5053934	0	05053934	195	0	0	195
	GT2P2{1}	856278	0	0 856278	152	0	0	152
	GT3P3{1}	2410212	0	02410212	135	0	0	135
	Gravity{2}	131	0	0 131	461	0	0	461
	Thermal 3{2}	-155445	0	0 155445	25	0	0	25
	Pressure 1{2}	3176191	0	03176191	871	0	0	871
	GT3{2}	-155314	0	0 155314	486	0	0	486
	Hydrotest-NL{2}	3020877	0	03020877	1357	0	0	1357
+792 +	Gravity{1}	67	0	0 67	220	0	0	220
	Thermal 1{1}	4938665	0	04938665	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01718209	56	0	0	56
	Thermal 3{1}	-155289	0	0 155289	22	0	0	22
	Wind 1{1}	-6	0	0 6	-1	0	0	1
	Wind 2{1}	6	0	0 6	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	100622	0	0 100622	101	0	0	101
	Pressure 2{1}	2574329	0	02574329	-124	0	0	124
	Pressure 3{1}	2565001	0	02565001	-107	0	0	107
	GT1{1}	4938731	0	04938731	94	0	0	94
	GT2{1}	-.2E+07	0	01718143	276	0	0	276
	GT3{1}	-155223	0	0 155223	242	0	0	242
	GW1{1}	61	0	0 61	219	0	0	219
	GW2{1}	73	0	0 73	221	0	0	221
	GW3{1}	65	0	0 65	163	0	0	163
	GW4{1}	68	0	0 68	272	0	0	272
	GT1P1{1}	5039353	0	05039353	195	0	0	195
	GT2P2{1}	856187	0	0 856187	152	0	0	152
	GT3P3{1}	2409779	0	02409779	135	0	0	135
	Gravity{2}	133	0	0 133	461	0	0	461
	Thermal 3{2}	-155432	0	0 155432	25	0	0	25
	Pressure 1{2}	3175181	0	03175181	871	0	0	871
	GT3{2}	-155299	0	0 155299	486	0	0	486
	Hydrotest-NL{2}	3019881	0	03019881	1357	0	0	1357
+793 -	Gravity{1}	67	0	0 67	220	0	0	220
	Thermal 1{1}	4938665	0	04938665	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01718209	56	0	0	56
	Thermal 3{1}	-155289	0	0 155289	22	0	0	22
	Wind 1{1}	-6	0	0 6	-1	0	0	1
	Wind 2{1}	6	0	0 6	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	100622	0	0 100622	101	0	0	101
	Pressure 2{1}	2574329	0	02574329	-124	0	0	124
	Pressure 3{1}	2565001	0	02565001	-107	0	0	107
	GT1{1}	4938731	0	04938731	94	0	0	94
	GT2{1}	-.2E+07	0	01718143	276	0	0	276
	GT3{1}	-155223	0	0 155223	242	0	0	242
	GW1{1}	61	0	0 61	219	0	0	219
	GW2{1}	73	0	0 73	221	0	0	221
	GW3{1}	65	0	0 65	163	0	0	163
	GW4{1}	68	0	0 68	272	0	0	272
	GT1P1{1}	5039353	0	05039353	195	0	0	195
	GT2P2{1}	856187	0	0 856187	152	0	0	152
	GT3P3{1}	2409779	0	02409779	135	0	0	135
	Gravity{2}	133	0	0 133	461	0	0	461
	Thermal 3{2}	-155432	0	0 155432	25	0	0	25
	Pressure 1{2}	3175181	0	03175181	871	0	0	871
	GT3{2}	-155299	0	0 155299	486	0	0	486
	Hydrotest-NL{2}	3019881	0	03019881	1357	0	0	1357
+793 +	Gravity{1}	68	0	0 68	220	0	0	220
	Thermal 1{1}	4928564	0	04928564	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01717984	56	0	0	56
	Thermal 3{1}	-155274	0	0 155274	22	0	0	22
	Wind 1{1}	-6	0	0 6	-1	0	0	1
	Wind 2{1}	6	0	0 6	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	96140	0	0 96140	101	0	0	101
	Pressure 2{1}	2574011	0	02574011	-124	0	0	124
	Pressure 3{1}	2564546	0	02564546	-107	0	0	107
	GT1{1}	4928632	0	04928632	94	0	0	94
	GT2{1}	-.2E+07	0	01717917	276	0	0	276
	GT3{1}	-155207	0	0 155207	242	0	0	242
	GW1{1}	62	0	0 62	219	0	0	219
	GW2{1}	74	0	0 74	221	0	0	221
	GW3{1}	66	0	0 66	163	0	0	163
	GW4{1}	69	0	0 69	272	0	0	272
	GT1P1{1}	5024772	0	05024772	195	0	0	195
	GT2P2{1}	856094	0	0 856094	152	0	0	152
	GT3P3{1}	2409339	0	02409339	135	0	0	135
	Gravity{2}	135	0	0 135	461	0	0	461
	Thermal 3{2}	-155419	0	0 155419	25	0	0	25
	Pressure 1{2}	3174155	0	03174155	871	0	0	871
	GT3{2}	-155284	0	0 155284	486	0	0	486
	Hydrotest-NL{2}	3018871	0	03018871	1357	0	0	1357
+794 -	Gravity{1}	68	0	0 68	220	0	0	220
	Thermal 1{1}	4928564	0	04928564	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01717984	56	0	0	56
	Thermal 3{1}	-155274	0	0 155274	22	0	0	22
	Wind 1{1}	-6	0	0 6	-1	0	0	1
	Wind 2{1}	6	0	0 6	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	96140	0	0 96140	101	0	0	101
	Pressure 2{1}	2574011	0	02574011	-124	0	0	124
	Pressure 3{1}	2564546	0	02564546	-107	0	0	107
	GT1{1}	4928632	0	04928632	94	0	0	94

	GT2{1}	-.2E+07	0	01717917	276	0	0	276
	GT3{1}	-155207	0	0 155207	242	0	0	242
	GW1{1}	62	0	0 62	219	0	0	219
	GW2{1}	74	0	0 74	221	0	0	221
	GW3{1}	66	0	0 66	163	0	0	163
	GW4{1}	69	0	0 69	272	0	0	272
	GT1P1{1}	5024772	0	05024772	195	0	0	195
	GT2P2{1}	856094	0	0 856094	152	0	0	152
	GT3P3{1}	2409339	0	02409339	135	0	0	135
	Gravity{2}	135	0	0 135	461	0	0	461
	Thermal 3{2}	-155419	0	0 155419	25	0	0	25
	Pressure 1{2}	3174155	0	03174155	871	0	0	871
	GT3{2}	-155284	0	0 155284	486	0	0	486
	Hydrotest-NL{2}	3018871	0	03018871	1357	0	0	1357
+794 +	Gravity{1}	69	0	0 69	220	0	0	220
	Thermal 1{1}	4918315	0	04918315	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01717756	56	0	0	56
	Thermal 3{1}	-155259	0	0 155259	22	0	0	22
	Wind 1{1}	-6	0	0 6	-1	0	0	1
	Wind 2{1}	6	0	0 6	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	91807	0	0 91807	101	0	0	101
	Pressure 2{1}	2573687	0	02573687	-124	0	0	124
	Pressure 3{1}	2564083	0	02564083	-107	0	0	107
	GT1{1}	4918384	0	04918384	94	0	0	94
	GT2{1}	-.2E+07	0	01717687	276	0	0	276
	GT3{1}	-155190	0	0 155190	242	0	0	242
	GW1{1}	63	0	0 63	219	0	0	219
	GW2{1}	75	0	0 75	221	0	0	221
	GW3{1}	67	0	0 67	163	0	0	163
	GW4{1}	70	0	0 70	272	0	0	272
	GT1P1{1}	5010190	0	05010190	195	0	0	195
	GT2P2{1}	855999	0	0 855999	152	0	0	152
	GT3P3{1}	2408893	0	02408893	135	0	0	135
	Gravity{2}	137	0	0 137	461	0	0	461
	Thermal 3{2}	-155406	0	0 155406	25	0	0	25
	Pressure 1{2}	3173115	0	03173115	871	0	0	871
	GT3{2}	-155269	0	0 155269	486	0	0	486
	Hydrotest-NL{2}	3017846	0	03017846	1357	0	0	1357
+795 -	Gravity{1}	69	0	0 69	220	0	0	220
	Thermal 1{1}	4918315	0	04918315	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01717756	56	0	0	56
	Thermal 3{1}	-155259	0	0 155259	22	0	0	22
	Wind 1{1}	-6	0	0 6	-1	0	0	1
	Wind 2{1}	6	0	0 6	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	91807	0	0 91807	101	0	0	101
	Pressure 2{1}	2573687	0	02573687	-124	0	0	124
	Pressure 3{1}	2564083	0	02564083	-107	0	0	107
	GT1{1}	4918384	0	04918384	94	0	0	94
	GT2{1}	-.2E+07	0	01717687	276	0	0	276
	GT3{1}	-155190	0	0 155190	242	0	0	242
	GW1{1}	63	0	0 63	219	0	0	219
	GW2{1}	75	0	0 75	221	0	0	221
	GW3{1}	67	0	0 67	163	0	0	163
	GW4{1}	70	0	0 70	272	0	0	272
	GT1P1{1}	5010190	0	05010190	195	0	0	195
	GT2P2{1}	855999	0	0 855999	152	0	0	152
	GT3P3{1}	2408893	0	02408893	135	0	0	135
	Gravity{2}	137	0	0 137	461	0	0	461
	Thermal 3{2}	-155406	0	0 155406	25	0	0	25
	Pressure 1{2}	3173115	0	03173115	871	0	0	871
	GT3{2}	-155269	0	0 155269	486	0	0	486
	Hydrotest-NL{2}	3017846	0	03017846	1357	0	0	1357
+795 +	Gravity{1}	70	0	0 70	220	0	0	220
	Thermal 1{1}	4907916	0	04907916	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01717524	56	0	0	56
	Thermal 3{1}	-155243	0	0 155243	22	0	0	22
	Wind 1{1}	-6	0	0 6	-1	0	0	1
	Wind 2{1}	6	0	0 6	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	87624	0	0 87624	101	0	0	101
	Pressure 2{1}	2573358	0	02573358	-124	0	0	124
	Pressure 3{1}	2563614	0	02563614	-107	0	0	107
	GT1{1}	4907985	0	04907985	94	0	0	94
	GT2{1}	-.2E+07	0	01717455	276	0	0	276
	GT3{1}	-155174	0	0 155174	242	0	0	242
	GW1{1}	64	0	0 64	219	0	0	219
	GW2{1}	76	0	0 76	221	0	0	221
	GW3{1}	68	0	0 68	163	0	0	163
	GW4{1}	71	0	0 71	272	0	0	272
	GT1P1{1}	4995608	0	04995608	195	0	0	195
	GT2P2{1}	855903	0	0 855903	152	0	0	152
	GT3P3{1}	2408440	0	02408440	135	0	0	135
	Gravity{2}	139	0	0 139	461	0	0	461
	Thermal 3{2}	-155393	0	0 155393	25	0	0	25
	Pressure 1{2}	3172059	0	03172059	871	0	0	871
	GT3{2}	-155254	0	0 155254	486	0	0	486
	Hydrotest-NL{2}	3016805	0	03016805	1357	0	0	1357
+796 -	Gravity{1}	70	0	0 70	220	0	0	220
	Thermal 1{1}	4907916	0	04907916	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01717524	56	0	0	56
	Thermal 3{1}	-155243	0	0 155243	22	0	0	22
	Wind 1{1}	-6	0	0 6	-1	0	0	1
	Wind 2{1}	6	0	0 6	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	87624	0	0 87624	101	0	0	101
	Pressure 2{1}	2573358	0	02573358	-124	0	0	124
	Pressure 3{1}	2563614	0	02563614	-107	0	0	107
	GT1{1}	4907985	0	04907985	94	0	0	94

	GT2{1}	-.2E+07	0	01717455	276	0	0	276
	GT3{1}	-155174	0	0 155174	242	0	0	242
	GW1{1}	64	0	0 64	219	0	0	219
	GW2{1}	76	0	0 76	221	0	0	221
	GW3{1}	68	0	0 68	163	0	0	163
	GW4{1}	71	0	0 71	272	0	0	272
	GT1P1{1}	4995608	0	04995608	195	0	0	195
	GT2P2{1}	855903	0	0 855903	152	0	0	152
	GT3P3{1}	2408440	0	02408440	135	0	0	135
	Gravity{2}	139	0	0 139	461	0	0	461
	Thermal 3{2}	-155393	0	0 155393	25	0	0	25
	Pressure 1{2}	3172059	0	03172059	871	0	0	871
	GT3{2}	-155254	0	0 155254	486	0	0	486
	Hydrotest-NL{2}	3016805	0	03016805	1357	0	0	1357
+796 +	Gravity{1}	71	0	0 71	220	0	0	220
	Thermal 1{1}	4897365	0	04897365	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01717289	56	0	0	56
	Thermal 3{1}	-155228	0	0 155228	22	0	0	22
	Wind 1{1}	-6	0	0 6	-1	0	0	1
	Wind 2{1}	6	0	0 6	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	83593	0	0 83593	101	0	0	101
	Pressure 2{1}	2573025	0	02573025	-124	0	0	124
	Pressure 3{1}	2563137	0	02563137	-107	0	0	107
	GT1{1}	4897435	0	04897435	94	0	0	94
	GT2{1}	-.2E+07	0	01717218	276	0	0	276
	GT3{1}	-155157	0	0 155157	242	0	0	242
	GW1{1}	65	0	0 65	219	0	0	219
	GW2{1}	77	0	0 77	221	0	0	221
	GW3{1}	69	0	0 69	163	0	0	163
	GW4{1}	72	0	0 72	272	0	0	272
	GT1P1{1}	4981028	0	04981028	195	0	0	195
	GT2P2{1}	855807	0	0 855807	152	0	0	152
	GT3P3{1}	2407981	0	02407981	135	0	0	135
	Gravity{2}	141	0	0 141	461	0	0	461
	Thermal 3{2}	-155379	0	0 155379	25	0	0	25
	Pressure 1{2}	3170988	0	03170988	871	0	0	871
	GT3{2}	-155238	0	0 155238	486	0	0	486
	Hydrotest-NL{2}	3015750	0	03015750	1357	0	0	1357
+797 -	Gravity{1}	71	0	0 71	220	0	0	220
	Thermal 1{1}	4897365	0	04897365	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01717289	56	0	0	56
	Thermal 3{1}	-155228	0	0 155228	22	0	0	22
	Wind 1{1}	-6	0	0 6	-1	0	0	1
	Wind 2{1}	6	0	0 6	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	83593	0	0 83593	101	0	0	101
	Pressure 2{1}	2573025	0	02573025	-124	0	0	124
	Pressure 3{1}	2563137	0	02563137	-107	0	0	107
	GT1{1}	4897435	0	04897435	94	0	0	94
	GT2{1}	-.2E+07	0	01717218	276	0	0	276
	GT3{1}	-155157	0	0 155157	242	0	0	242
	GW1{1}	65	0	0 65	219	0	0	219
	GW2{1}	77	0	0 77	221	0	0	221
	GW3{1}	69	0	0 69	163	0	0	163
	GW4{1}	72	0	0 72	272	0	0	272
	GT1P1{1}	4981028	0	04981028	195	0	0	195
	GT2P2{1}	855807	0	0 855807	152	0	0	152
	GT3P3{1}	2407981	0	02407981	135	0	0	135
	Gravity{2}	141	0	0 141	461	0	0	461
	Thermal 3{2}	-155379	0	0 155379	25	0	0	25
	Pressure 1{2}	3170988	0	03170988	871	0	0	871
	GT3{2}	-155238	0	0 155238	486	0	0	486
	Hydrotest-NL{2}	3015750	0	03015750	1357	0	0	1357
+797 +	Gravity{1}	72	0	0 72	220	0	0	220
	Thermal 1{1}	4886658	0	04886658	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01717051	56	0	0	56
	Thermal 3{1}	-155212	0	0 155212	22	0	0	22
	Wind 1{1}	-6	0	0 6	-1	0	0	1
	Wind 2{1}	6	0	0 6	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	79717	0	0 79717	101	0	0	101
	Pressure 2{1}	2572687	0	02572687	-124	0	0	124
	Pressure 3{1}	2562654	0	02562654	-107	0	0	107
	GT1{1}	4886729	0	04886729	94	0	0	94
	GT2{1}	-.2E+07	0	01716979	276	0	0	276
	GT3{1}	-155140	0	0 155140	242	0	0	242
	GW1{1}	65	0	0 65	219	0	0	219
	GW2{1}	78	0	0 78	221	0	0	221
	GW3{1}	70	0	0 70	163	0	0	163
	GW4{1}	73	0	0 73	272	0	0	272
	GT1P1{1}	4966446	0	04966446	195	0	0	195
	GT2P2{1}	855708	0	0 855708	152	0	0	152
	GT3P3{1}	2407515	0	02407515	135	0	0	135
	Gravity{2}	143	0	0 143	461	0	0	461
	Thermal 3{2}	-155365	0	0 155365	25	0	0	25
	Pressure 1{2}	3169901	0	03169901	871	0	0	871
	GT3{2}	-155222	0	0 155222	486	0	0	486
	Hydrotest-NL{2}	3014679	0	03014679	1357	0	0	1357
+798 -	Gravity{1}	72	0	0 72	220	0	0	220
	Thermal 1{1}	4886658	0	04886658	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01717051	56	0	0	56
	Thermal 3{1}	-155212	0	0 155212	22	0	0	22
	Wind 1{1}	-6	0	0 6	-1	0	0	1
	Wind 2{1}	6	0	0 6	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	79717	0	0 79717	101	0	0	101
	Pressure 2{1}	2572687	0	02572687	-124	0	0	124
	Pressure 3{1}	2562654	0	02562654	-107	0	0	107
	GT1{1}	4886729	0	04886729	94	0	0	94

	GT2{1}	-.2E+07	0	01716979	276	0	0	276
	GT3{1}	-155140	0	0 155140	242	0	0	242
	GW1{1}	65	0	0 65	219	0	0	219
	GW2{1}	78	0	0 78	221	0	0	221
	GW3{1}	70	0	0 70	163	0	0	163
	GW4{1}	73	0	0 73	272	0	0	272
	GT1P1{1}	4966446	0	04966446	195	0	0	195
	GT2P2{1}	855708	0	0 855708	152	0	0	152
	GT3P3{1}	2407515	0	02407515	135	0	0	135
	Gravity{2}	143	0	0 143	461	0	0	461
	Thermal 3{2}	-155365	0	0 155365	25	0	0	25
	Pressure 1{2}	3169901	0	03169901	871	0	0	871
	GT3{2}	-155222	0	0 155222	486	0	0	486
	Hydrotest-NL{2}	3014679	0	03014679	1357	0	0	1357
+798 +	Gravity{1}	73	0	0 73	220	0	0	220
	Thermal 1{1}	4875795	0	04875795	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01716809	56	0	0	56
	Thermal 3{1}	-155195	0	0 155195	22	0	0	22
	Wind 1{1}	-6	0	0 6	-1	0	0	1
	Wind 2{1}	6	0	0 6	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	75997	0	0 75997	101	0	0	101
	Pressure 2{1}	2572344	0	02572344	-124	0	0	124
	Pressure 3{1}	2562164	0	02562164	-107	0	0	107
	GT1{1}	4875867	0	04875867	94	0	0	94
	GT2{1}	-.2E+07	0	01716736	276	0	0	276
	GT3{1}	-155122	0	0 155122	242	0	0	242
	GW1{1}	66	0	0 66	219	0	0	219
	GW2{1}	79	0	0 79	221	0	0	221
	GW3{1}	71	0	0 71	163	0	0	163
	GW4{1}	74	0	0 74	272	0	0	272
	GT1P1{1}	4951865	0	04951865	195	0	0	195
	GT2P2{1}	855608	0	0 855608	152	0	0	152
	GT3P3{1}	2407042	0	02407042	135	0	0	135
	Gravity{2}	145	0	0 145	461	0	0	461
	Thermal 3{2}	-155351	0	0 155351	25	0	0	25
	Pressure 1{2}	3168798	0	03168798	871	0	0	871
	GT3{2}	-155206	0	0 155206	486	0	0	486
	Hydrotest-NL{2}	3013592	0	03013592	1357	0	0	1357
+799 -	Gravity{1}	73	0	0 73	220	0	0	220
	Thermal 1{1}	4875795	0	04875795	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01716809	56	0	0	56
	Thermal 3{1}	-155195	0	0 155195	22	0	0	22
	Wind 1{1}	-6	0	0 6	-1	0	0	1
	Wind 2{1}	6	0	0 6	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	75997	0	0 75997	101	0	0	101
	Pressure 2{1}	2572344	0	02572344	-124	0	0	124
	Pressure 3{1}	2562164	0	02562164	-107	0	0	107
	GT1{1}	4875867	0	04875867	94	0	0	94
	GT2{1}	-.2E+07	0	01716736	276	0	0	276
	GT3{1}	-155122	0	0 155122	242	0	0	242
	GW1{1}	66	0	0 66	219	0	0	219
	GW2{1}	79	0	0 79	221	0	0	221
	GW3{1}	71	0	0 71	163	0	0	163
	GW4{1}	74	0	0 74	272	0	0	272
	GT1P1{1}	4951865	0	04951865	195	0	0	195
	GT2P2{1}	855608	0	0 855608	152	0	0	152
	GT3P3{1}	2407042	0	02407042	135	0	0	135
	Gravity{2}	145	0	0 145	461	0	0	461
	Thermal 3{2}	-155351	0	0 155351	25	0	0	25
	Pressure 1{2}	3168798	0	03168798	871	0	0	871
	GT3{2}	-155206	0	0 155206	486	0	0	486
	Hydrotest-NL{2}	3013592	0	03013592	1357	0	0	1357
+799 +	Gravity{1}	74	0	0 74	220	0	0	220
	Thermal 1{1}	4864772	0	04864772	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01716563	56	0	0	56
	Thermal 3{1}	-155179	0	0 155179	22	0	0	22
	Wind 1{1}	-6	0	0 6	-1	0	0	1
	Wind 2{1}	6	0	0 6	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	72438	0	0 72438	101	0	0	101
	Pressure 2{1}	2571995	0	02571995	-124	0	0	124
	Pressure 3{1}	2561667	0	02561667	-107	0	0	107
	GT1{1}	4864846	0	04864846	94	0	0	94
	GT2{1}	-.2E+07	0	01716489	276	0	0	276
	GT3{1}	-155105	0	0 155105	242	0	0	242
	GW1{1}	67	0	0 67	219	0	0	219
	GW2{1}	80	0	0 80	221	0	0	221
	GW3{1}	73	0	0 73	163	0	0	163
	GW4{1}	75	0	0 75	272	0	0	272
	GT1P1{1}	4937283	0	04937283	195	0	0	195
	GT2P2{1}	855506	0	0 855506	152	0	0	152
	GT3P3{1}	2406562	0	02406562	135	0	0	135
	Gravity{2}	147	0	0 147	461	0	0	461
	Thermal 3{2}	-155337	0	0 155337	25	0	0	25
	Pressure 1{2}	3167679	0	03167679	871	0	0	871
	GT3{2}	-155190	0	0 155190	486	0	0	486
	Hydrotest-NL{2}	3012490	0	03012490	1357	0	0	1357
+800 -	Gravity{1}	74	0	0 74	220	0	0	220
	Thermal 1{1}	4864772	0	04864772	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01716563	56	0	0	56
	Thermal 3{1}	-155179	0	0 155179	22	0	0	22
	Wind 1{1}	-6	0	0 6	-1	0	0	1
	Wind 2{1}	6	0	0 6	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	72438	0	0 72438	101	0	0	101
	Pressure 2{1}	2571995	0	02571995	-124	0	0	124
	Pressure 3{1}	2561667	0	02561667	-107	0	0	107
	GT1{1}	4864846	0	04864846	94	0	0	94

	GT2{1}	-.2E+07	0	01716489	276	0	0	276
	GT3{1}	-155105	0	0 155105	242	0	0	242
	GW1{1}	67	0	0 67	219	0	0	219
	GW2{1}	80	0	0 80	221	0	0	221
	GW3{1}	73	0	0 73	163	0	0	163
	GW4{1}	75	0	0 75	272	0	0	272
	GT1P1{1}	4937283	0	04937283	195	0	0	195
	GT2P2{1}	855506	0	0 855506	152	0	0	152
	GT3P3{1}	2406562	0	02406562	135	0	0	135
	Gravity{2}	147	0	0 147	461	0	0	461
	Thermal 3{2}	-155337	0	0 155337	25	0	0	25
	Pressure 1{2}	3167679	0	03167679	871	0	0	871
	GT3{2}	-155190	0	0 155190	486	0	0	486
	Hydrotest-NL{2}	3012490	0	03012490	1357	0	0	1357
+800 +	Gravity{1}	75	0	0 75	220	0	0	220
	Thermal 1{1}	4853588	0	04853588	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01716314	56	0	0	56
	Thermal 3{1}	-155162	0	0 155162	22	0	0	22
	Wind 1{1}	-7	0	0 7	-1	0	0	1
	Wind 2{1}	7	0	0 7	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	69039	0	0 69039	101	0	0	101
	Pressure 2{1}	2571642	0	02571642	-124	0	0	124
	Pressure 3{1}	2561162	0	02561162	-107	0	0	107
	GT1{1}	4853663	0	04853663	94	0	0	94
	GT2{1}	-.2E+07	0	01716239	276	0	0	276
	GT3{1}	-155087	0	0 155087	242	0	0	242
	GW1{1}	68	0	0 68	219	0	0	219
	GW2{1}	82	0	0 82	221	0	0	221
	GW3{1}	74	0	0 74	163	0	0	163
	GW4{1}	76	0	0 76	272	0	0	272
	GT1P1{1}	4922702	0	04922702	195	0	0	195
	GT2P2{1}	855403	0	0 855403	152	0	0	152
	GT3P3{1}	2406075	0	02406075	135	0	0	135
	Gravity{2}	149	0	0 149	461	0	0	461
	Thermal 3{2}	-155323	0	0 155323	25	0	0	25
	Pressure 1{2}	3166544	0	03166544	871	0	0	871
	GT3{2}	-155173	0	0 155173	486	0	0	486
	Hydrotest-NL{2}	3011371	0	03011371	1357	0	0	1357
+801 -	Gravity{1}	75	0	0 75	220	0	0	220
	Thermal 1{1}	4853588	0	04853588	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01716314	56	0	0	56
	Thermal 3{1}	-155162	0	0 155162	22	0	0	22
	Wind 1{1}	-7	0	0 7	-1	0	0	1
	Wind 2{1}	7	0	0 7	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	69039	0	0 69039	101	0	0	101
	Pressure 2{1}	2571642	0	02571642	-124	0	0	124
	Pressure 3{1}	2561162	0	02561162	-107	0	0	107
	GT1{1}	4853663	0	04853663	94	0	0	94
	GT2{1}	-.2E+07	0	01716239	276	0	0	276
	GT3{1}	-155087	0	0 155087	242	0	0	242
	GW1{1}	68	0	0 68	219	0	0	219
	GW2{1}	82	0	0 82	221	0	0	221
	GW3{1}	74	0	0 74	163	0	0	163
	GW4{1}	76	0	0 76	272	0	0	272
	GT1P1{1}	4922702	0	04922702	195	0	0	195
	GT2P2{1}	855403	0	0 855403	152	0	0	152
	GT3P3{1}	2406075	0	02406075	135	0	0	135
	Gravity{2}	149	0	0 149	461	0	0	461
	Thermal 3{2}	-155323	0	0 155323	25	0	0	25
	Pressure 1{2}	3166544	0	03166544	871	0	0	871
	GT3{2}	-155173	0	0 155173	486	0	0	486
	Hydrotest-NL{2}	3011371	0	03011371	1357	0	0	1357
+801 +	Gravity{1}	76	0	0 76	220	0	0	220
	Thermal 1{1}	4842239	0	04842239	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01716061	56	0	0	56
	Thermal 3{1}	-155145	0	0 155145	22	0	0	22
	Wind 1{1}	-7	0	0 7	-1	0	0	1
	Wind 2{1}	7	0	0 7	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	65805	0	0 65805	101	0	0	101
	Pressure 2{1}	2571284	0	02571284	-124	0	0	124
	Pressure 3{1}	2560650	0	02560650	-107	0	0	107
	GT1{1}	4842316	0	04842316	94	0	0	94
	GT2{1}	-.2E+07	0	01715985	276	0	0	276
	GT3{1}	-155069	0	0 155069	242	0	0	242
	GW1{1}	69	0	0 69	219	0	0	219
	GW2{1}	83	0	0 83	221	0	0	221
	GW3{1}	75	0	0 75	163	0	0	163
	GW4{1}	77	0	0 77	272	0	0	272
	GT1P1{1}	4908120	0	04908120	195	0	0	195
	GT2P2{1}	855299	0	0 855299	152	0	0	152
	GT3P3{1}	2405581	0	02405581	135	0	0	135
	Gravity{2}	152	0	0 152	461	0	0	461
	Thermal 3{2}	-155308	0	0 155308	25	0	0	25
	Pressure 1{2}	3165392	0	03165392	871	0	0	871
	GT3{2}	-155156	0	0 155156	486	0	0	486
	Hydrotest-NL{2}	3010236	0	03010236	1357	0	0	1357
+802 -	Gravity{1}	76	0	0 76	220	0	0	220
	Thermal 1{1}	4842239	0	04842239	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01716061	56	0	0	56
	Thermal 3{1}	-155145	0	0 155145	22	0	0	22
	Wind 1{1}	-7	0	0 7	-1	0	0	1
	Wind 2{1}	7	0	0 7	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	65805	0	0 65805	101	0	0	101
	Pressure 2{1}	2571284	0	02571284	-124	0	0	124
	Pressure 3{1}	2560650	0	02560650	-107	0	0	107
	GT1{1}	4842316	0	04842316	94	0	0	94

	GT2{1}	-.2E+07	0	01715985	276	0	0	276
	GT3{1}	-155069	0	0 155069	242	0	0	242
	GW1{1}	69	0	0 69	219	0	0	219
	GW2{1}	83	0	0 83	221	0	0	221
	GW3{1}	75	0	0 75	163	0	0	163
	GW4{1}	77	0	0 77	272	0	0	272
	GT1P1{1}	4908120	0	04908120	195	0	0	195
	GT2P2{1}	855299	0	0 855299	152	0	0	152
	GT3P3{1}	2405581	0	02405581	135	0	0	135
	Gravity{2}	152	0	0 152	461	0	0	461
	Thermal 3{2}	-155308	0	0 155308	25	0	0	25
	Pressure 1{2}	3165392	0	03165392	871	0	0	871
	GT3{2}	-155156	0	0 155156	486	0	0	486
	Hydrotest-NL{2}	3010236	0	03010236	1357	0	0	1357
+802 +	Gravity{1}	77	0	0 77	220	0	0	220
	Thermal 1{1}	4830725	0	04830725	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01715804	56	0	0	56
	Thermal 3{1}	-155128	0	0 155128	22	0	0	22
	Wind 1{1}	-7	0	0 7	-1	0	0	1
	Wind 2{1}	7	0	0 7	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	62737	0	0 62737	101	0	0	101
	Pressure 2{1}	2570920	0	02570920	-124	0	0	124
	Pressure 3{1}	2560130	0	02560130	-107	0	0	107
	GT1{1}	4830803	0	04830803	94	0	0	94
	GT2{1}	-.2E+07	0	01715727	276	0	0	276
	GT3{1}	-155051	0	0 155051	242	0	0	242
	GW1{1}	70	0	0 70	219	0	0	219
	GW2{1}	84	0	0 84	221	0	0	221
	GW3{1}	76	0	0 76	163	0	0	163
	GW4{1}	79	0	0 79	272	0	0	272
	GT1P1{1}	4893540	0	04893540	195	0	0	195
	GT2P2{1}	855193	0	0 855193	152	0	0	152
	GT3P3{1}	2405080	0	02405080	135	0	0	135
	Gravity{2}	154	0	0 154	461	0	0	461
	Thermal 3{2}	-155293	0	0 155293	25	0	0	25
	Pressure 1{2}	3164223	0	03164223	871	0	0	871
	GT3{2}	-155139	0	0 155139	486	0	0	486
	Hydrotest-NL{2}	3009084	0	03009084	1357	0	0	1357
+803 -	Gravity{1}	77	0	0 77	220	0	0	220
	Thermal 1{1}	4830725	0	04830725	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01715804	56	0	0	56
	Thermal 3{1}	-155128	0	0 155128	22	0	0	22
	Wind 1{1}	-7	0	0 7	-1	0	0	1
	Wind 2{1}	7	0	0 7	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	62737	0	0 62737	101	0	0	101
	Pressure 2{1}	2570920	0	02570920	-124	0	0	124
	Pressure 3{1}	2560130	0	02560130	-107	0	0	107
	GT1{1}	4830803	0	04830803	94	0	0	94
	GT2{1}	-.2E+07	0	01715727	276	0	0	276
	GT3{1}	-155051	0	0 155051	242	0	0	242
	GW1{1}	70	0	0 70	219	0	0	219
	GW2{1}	84	0	0 84	221	0	0	221
	GW3{1}	76	0	0 76	163	0	0	163
	GW4{1}	79	0	0 79	272	0	0	272
	GT1P1{1}	4893540	0	04893540	195	0	0	195
	GT2P2{1}	855193	0	0 855193	152	0	0	152
	GT3P3{1}	2405080	0	02405080	135	0	0	135
	Gravity{2}	154	0	0 154	461	0	0	461
	Thermal 3{2}	-155293	0	0 155293	25	0	0	25
	Pressure 1{2}	3164223	0	03164223	871	0	0	871
	GT3{2}	-155139	0	0 155139	486	0	0	486
	Hydrotest-NL{2}	3009084	0	03009084	1357	0	0	1357
+803 +	Gravity{1}	78	0	0 78	220	0	0	220
	Thermal 1{1}	4819041	0	04819041	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01715544	56	0	0	56
	Thermal 3{1}	-155110	0	0 155110	22	0	0	22
	Wind 1{1}	-7	0	0 7	-1	0	0	1
	Wind 2{1}	7	0	0 7	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	59838	0	0 59838	101	0	0	101
	Pressure 2{1}	2570551	0	02570551	-124	0	0	124
	Pressure 3{1}	2559603	0	02559603	-107	0	0	107
	GT1{1}	4819120	0	04819120	94	0	0	94
	GT2{1}	-.2E+07	0	01715466	276	0	0	276
	GT3{1}	-155032	0	0 155032	242	0	0	242
	GW1{1}	71	0	0 71	219	0	0	219
	GW2{1}	85	0	0 85	221	0	0	221
	GW3{1}	77	0	0 77	163	0	0	163
	GW4{1}	80	0	0 80	272	0	0	272
	GT1P1{1}	4878958	0	04878958	195	0	0	195
	GT2P2{1}	855085	0	0 855085	152	0	0	152
	GT3P3{1}	2404571	0	02404571	135	0	0	135
	Gravity{2}	156	0	0 156	461	0	0	461
	Thermal 3{2}	-155278	0	0 155278	25	0	0	25
	Pressure 1{2}	3163037	0	03163037	871	0	0	871
	GT3{2}	-155122	0	0 155122	486	0	0	486
	Hydrotest-NL{2}	3007915	0	03007915	1357	0	0	1357
+804 -	Gravity{1}	78	0	0 78	220	0	0	220
	Thermal 1{1}	4819041	0	04819041	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01715544	56	0	0	56
	Thermal 3{1}	-155110	0	0 155110	22	0	0	22
	Wind 1{1}	-7	0	0 7	-1	0	0	1
	Wind 2{1}	7	0	0 7	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	59838	0	0 59838	101	0	0	101
	Pressure 2{1}	2570551	0	02570551	-124	0	0	124
	Pressure 3{1}	2559603	0	02559603	-107	0	0	107
	GT1{1}	4819120	0	04819120	94	0	0	94

	GT2{1}	-.2E+07	0	01715466	276	0	0	276
	GT3{1}	-155032	0	0 155032	242	0	0	242
	GW1{1}	71	0	0 71	219	0	0	219
	GW2{1}	85	0	0 85	221	0	0	221
	GW3{1}	77	0	0 77	163	0	0	163
	GW4{1}	80	0	0 80	272	0	0	272
	GT1P1{1}	4878958	0	04878958	195	0	0	195
	GT2P2{1}	855085	0	0 855085	152	0	0	152
	GT3P3{1}	2404571	0	02404571	135	0	0	135
	Gravity{2}	156	0	0 156	461	0	0	461
	Thermal 3{2}	-155278	0	0 155278	25	0	0	25
	Pressure 1{2}	3163037	0	03163037	871	0	0	871
	GT3{2}	-155122	0	0 155122	486	0	0	486
	Hydrotest-NL{2}	3007915	0	03007915	1357	0	0	1357
+804 +	Gravity{1}	79	0	0 79	220	0	0	220
	Thermal 1{1}	4807187	0	04807187	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01715280	56	0	0	56
	Thermal 3{1}	-155093	0	0 155093	22	0	0	22
	Wind 1{1}	-7	0	0 7	-1	0	0	1
	Wind 2{1}	7	0	0 7	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	57110	0	0 57110	101	0	0	101
	Pressure 2{1}	2570176	0	02570176	-124	0	0	124
	Pressure 3{1}	2559068	0	02559068	-107	0	0	107
	GT1{1}	4807266	0	04807266	94	0	0	94
	GT2{1}	-.2E+07	0	01715201	276	0	0	276
	GT3{1}	-155013	0	0 155013	242	0	0	242
	GW1{1}	72	0	0 72	219	0	0	219
	GW2{1}	86	0	0 86	221	0	0	221
	GW3{1}	78	0	0 78	163	0	0	163
	GW4{1}	81	0	0 81	272	0	0	272
	GT1P1{1}	4864377	0	04864377	195	0	0	195
	GT2P2{1}	854976	0	0 854976	152	0	0	152
	GT3P3{1}	2404055	0	02404055	135	0	0	135
	Gravity{2}	158	0	0 158	461	0	0	461
	Thermal 3{2}	-155263	0	0 155263	25	0	0	25
	Pressure 1{2}	3161834	0	03161834	871	0	0	871
	GT3{2}	-155104	0	0 155104	486	0	0	486
	Hydrotest-NL{2}	3006730	0	03006730	1357	0	0	1357
+805 -	Gravity{1}	79	0	0 79	220	0	0	220
	Thermal 1{1}	4807187	0	04807187	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01715280	56	0	0	56
	Thermal 3{1}	-155093	0	0 155093	22	0	0	22
	Wind 1{1}	-7	0	0 7	-1	0	0	1
	Wind 2{1}	7	0	0 7	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	57110	0	0 57110	101	0	0	101
	Pressure 2{1}	2570176	0	02570176	-124	0	0	124
	Pressure 3{1}	2559068	0	02559068	-107	0	0	107
	GT1{1}	4807266	0	04807266	94	0	0	94
	GT2{1}	-.2E+07	0	01715201	276	0	0	276
	GT3{1}	-155013	0	0 155013	242	0	0	242
	GW1{1}	72	0	0 72	219	0	0	219
	GW2{1}	86	0	0 86	221	0	0	221
	GW3{1}	78	0	0 78	163	0	0	163
	GW4{1}	81	0	0 81	272	0	0	272
	GT1P1{1}	4864377	0	04864377	195	0	0	195
	GT2P2{1}	854976	0	0 854976	152	0	0	152
	GT3P3{1}	2404055	0	02404055	135	0	0	135
	Gravity{2}	158	0	0 158	461	0	0	461
	Thermal 3{2}	-155263	0	0 155263	25	0	0	25
	Pressure 1{2}	3161834	0	03161834	871	0	0	871
	GT3{2}	-155104	0	0 155104	486	0	0	486
	Hydrotest-NL{2}	3006730	0	03006730	1357	0	0	1357
+805 +	Gravity{1}	81	0	0 81	220	0	0	220
	Thermal 1{1}	4795158	0	04795158	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01715012	56	0	0	56
	Thermal 3{1}	-155075	0	0 155075	22	0	0	22
	Wind 1{1}	-7	0	0 7	-1	0	0	1
	Wind 2{1}	7	0	0 7	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	54556	0	0 54556	101	0	0	101
	Pressure 2{1}	2569796	0	02569796	-124	0	0	124
	Pressure 3{1}	2558525	0	02558525	-107	0	0	107
	GT1{1}	4795239	0	04795239	94	0	0	94
	GT2{1}	-.2E+07	0	01714931	276	0	0	276
	GT3{1}	-154994	0	0 154994	242	0	0	242
	GW1{1}	74	0	0 74	219	0	0	219
	GW2{1}	88	0	0 88	221	0	0	221
	GW3{1}	79	0	0 79	163	0	0	163
	GW4{1}	82	0	0 82	272	0	0	272
	GT1P1{1}	4849795	0	04849795	195	0	0	195
	GT2P2{1}	854865	0	0 854865	152	0	0	152
	GT3P3{1}	2403531	0	02403531	135	0	0	135
	Gravity{2}	161	0	0 161	461	0	0	461
	Thermal 3{2}	-155247	0	0 155247	25	0	0	25
	Pressure 1{2}	3160613	0	03160613	871	0	0	871
	GT3{2}	-155086	0	0 155086	486	0	0	486
	Hydrotest-NL{2}	3005526	0	03005526	1357	0	0	1357
+806 -	Gravity{1}	81	0	0 81	220	0	0	220
	Thermal 1{1}	4795158	0	04795158	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01715012	56	0	0	56
	Thermal 3{1}	-155075	0	0 155075	22	0	0	22
	Wind 1{1}	-7	0	0 7	-1	0	0	1
	Wind 2{1}	7	0	0 7	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	54556	0	0 54556	101	0	0	101
	Pressure 2{1}	2569796	0	02569796	-124	0	0	124
	Pressure 3{1}	2558525	0	02558525	-107	0	0	107
	GT1{1}	4795239	0	04795239	94	0	0	94

	GT2{1}	-.2E+07	0	01714931	276	0	0	276
	GT3{1}	-154994	0	0 154994	242	0	0	242
	GW1{1}	74	0	0 74	219	0	0	219
	GW2{1}	88	0	0 88	221	0	0	221
	GW3{1}	79	0	0 79	163	0	0	163
	GW4{1}	82	0	0 82	272	0	0	272
	GT1P1{1}	4849795	0	04849795	195	0	0	195
	GT2P2{1}	854865	0	0 854865	152	0	0	152
	GT3P3{1}	2403531	0	02403531	135	0	0	135
	Gravity{2}	161	0	0 161	461	0	0	461
	Thermal 3{2}	-155247	0	0 155247	25	0	0	25
	Pressure 1{2}	3160613	0	03160613	871	0	0	871
	GT3{2}	-155086	0	0 155086	486	0	0	486
	Hydrotest-NL{2}	3005526	0	03005526	1357	0	0	1357
+806 +	Gravity{1}	82	0	0 82	220	0	0	220
	Thermal 1{1}	4782954	0	04782954	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01714740	56	0	0	56
	Thermal 3{1}	-155056	0	0 155056	22	0	0	22
	Wind 1{1}	-7	0	0 7	-1	0	0	1
	Wind 2{1}	7	0	0 7	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	52178	0	0 52178	101	0	0	101
	Pressure 2{1}	2569411	0	02569411	-124	0	0	124
	Pressure 3{1}	2557974	0	02557974	-107	0	0	107
	GT1{1}	4783035	0	04783035	94	0	0	94
	GT2{1}	-.2E+07	0	01714658	276	0	0	276
	GT3{1}	-154974	0	0 154974	242	0	0	242
	GW1{1}	75	0	0 75	219	0	0	219
	GW2{1}	89	0	0 89	221	0	0	221
	GW3{1}	80	0	0 80	163	0	0	163
	GW4{1}	83	0	0 83	272	0	0	272
	GT1P1{1}	4835213	0	04835213	195	0	0	195
	GT2P2{1}	854753	0	0 854753	152	0	0	152
	GT3P3{1}	2403000	0	02403000	135	0	0	135
	Gravity{2}	163	0	0 163	461	0	0	461
	Thermal 3{2}	-155231	0	0 155231	25	0	0	25
	Pressure 1{2}	3159374	0	03159374	871	0	0	871
	GT3{2}	-155068	0	0 155068	486	0	0	486
	Hydrotest-NL{2}	3004305	0	03004305	1357	0	0	1357
+807 -	Gravity{1}	82	0	0 82	220	0	0	220
	Thermal 1{1}	4782954	0	04782954	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01714740	56	0	0	56
	Thermal 3{1}	-155056	0	0 155056	22	0	0	22
	Wind 1{1}	-7	0	0 7	-1	0	0	1
	Wind 2{1}	7	0	0 7	1	0	0	1
	Wind 3{1}	-1	0	0 1	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	52178	0	0 52178	101	0	0	101
	Pressure 2{1}	2569411	0	02569411	-124	0	0	124
	Pressure 3{1}	2557974	0	02557974	-107	0	0	107
	GT1{1}	4783035	0	04783035	94	0	0	94
	GT2{1}	-.2E+07	0	01714658	276	0	0	276
	GT3{1}	-154974	0	0 154974	242	0	0	242
	GW1{1}	75	0	0 75	219	0	0	219
	GW2{1}	89	0	0 89	221	0	0	221
	GW3{1}	80	0	0 80	163	0	0	163
	GW4{1}	83	0	0 83	272	0	0	272
	GT1P1{1}	4835213	0	04835213	195	0	0	195
	GT2P2{1}	854753	0	0 854753	152	0	0	152
	GT3P3{1}	2403000	0	02403000	135	0	0	135
	Gravity{2}	163	0	0 163	461	0	0	461
	Thermal 3{2}	-155231	0	0 155231	25	0	0	25
	Pressure 1{2}	3159374	0	03159374	871	0	0	871
	GT3{2}	-155068	0	0 155068	486	0	0	486
	Hydrotest-NL{2}	3004305	0	03004305	1357	0	0	1357
+807 +	Gravity{1}	83	0	0 83	220	0	0	220
	Thermal 1{1}	4770570	0	04770570	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01714464	56	0	0	56
	Thermal 3{1}	-155038	0	0 155038	22	0	0	22
	Wind 1{1}	-7	0	0 7	-1	0	0	1
	Wind 2{1}	7	0	0 7	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	49979	0	0 49979	101	0	0	101
	Pressure 2{1}	2569020	0	02569020	-124	0	0	124
	Pressure 3{1}	2557415	0	02557415	-107	0	0	107
	GT1{1}	4770653	0	04770653	94	0	0	94
	GT2{1}	-.2E+07	0	01714381	276	0	0	276
	GT3{1}	-154955	0	0 154955	242	0	0	242
	GW1{1}	76	0	0 76	219	0	0	219
	GW2{1}	90	0	0 90	221	0	0	221
	GW3{1}	81	0	0 81	163	0	0	163
	GW4{1}	84	0	0 84	272	0	0	272
	GT1P1{1}	4820632	0	04820632	195	0	0	195
	GT2P2{1}	854639	0	0 854639	152	0	0	152
	GT3P3{1}	2402461	0	02402461	135	0	0	135
	Gravity{2}	166	0	0 166	461	0	0	461
	Thermal 3{2}	-155215	0	0 155215	25	0	0	25
	Pressure 1{2}	3158116	0	03158116	871	0	0	871
	GT3{2}	-155050	0	0 155050	486	0	0	486
	Hydrotest-NL{2}	3003066	0	03003066	1357	0	0	1357
+808 -	Gravity{1}	83	0	0 83	220	0	0	220
	Thermal 1{1}	4770570	0	04770570	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01714464	56	0	0	56
	Thermal 3{1}	-155038	0	0 155038	22	0	0	22
	Wind 1{1}	-7	0	0 7	-1	0	0	1
	Wind 2{1}	7	0	0 7	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	1	0	0 1	52	0	0	52
	Pressure 1{1}	49979	0	0 49979	101	0	0	101
	Pressure 2{1}	2569020	0	02569020	-124	0	0	124
	Pressure 3{1}	2557415	0	02557415	-107	0	0	107
	GT1{1}	4770653	0	04770653	94	0	0	94

	GT2{1}	-.2E+07	0	01714381	276	0	0	276
	GT3{1}	-154955	0	0 154955	242	0	0	242
	GW1{1}	76	0	0 76	219	0	0	219
	GW2{1}	90	0	0 90	221	0	0	221
	GW3{1}	81	0	0 81	163	0	0	163
	GW4{1}	84	0	0 84	272	0	0	272
	GT1P1{1}	4820632	0	04820632	195	0	0	195
	GT2P2{1}	854639	0	0 854639	152	0	0	152
	GT3P3{1}	2402461	0	02402461	135	0	0	135
	Gravity{2}	166	0	0 166	461	0	0	461
	Thermal 3{2}	-155215	0	0 155215	25	0	0	25
	Pressure 1{2}	3158116	0	03158116	871	0	0	871
	GT3{2}	-155050	0	0 155050	486	0	0	486
	Hydrotest-NL{2}	3003066	0	03003066	1357	0	0	1357
+808 +	Gravity{1}	84	0	0 84	220	0	0	220
	Thermal 1{1}	4758004	0	04758004	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01714184	56	0	0	56
	Thermal 3{1}	-155019	0	0 155019	22	0	0	22
	Wind 1{1}	-7	0	0 7	-1	0	0	1
	Wind 2{1}	7	0	0 7	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	47962	0	0 47962	101	0	0	101
	Pressure 2{1}	2568623	0	02568623	-124	0	0	124
	Pressure 3{1}	2556848	0	02556848	-107	0	0	107
	GT1{1}	4758088	0	04758088	94	0	0	94
	GT2{1}	-.2E+07	0	01714100	276	0	0	276
	GT3{1}	-154935	0	0 154935	242	0	0	242
	GW1{1}	77	0	0 77	219	0	0	219
	GW2{1}	92	0	0 92	221	0	0	221
	GW3{1}	83	0	0 83	163	0	0	163
	GW4{1}	86	0	0 86	272	0	0	272
	GT1P1{1}	4806050	0	04806050	195	0	0	195
	GT2P2{1}	854523	0	0 854523	152	0	0	152
	GT3P3{1}	2401914	0	02401914	135	0	0	135
	Gravity{2}	168	0	0 168	461	0	0	461
	Thermal 3{2}	-155199	0	0 155199	25	0	0	25
	Pressure 1{2}	3156841	0	03156841	871	0	0	871
	GT3{2}	-155031	0	0 155031	486	0	0	486
	Hydrotest-NL{2}	3001810	0	03001810	1357	0	0	1357
+809 -	Gravity{1}	84	0	0 84	220	0	0	220
	Thermal 1{1}	4758004	0	04758004	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01714184	56	0	0	56
	Thermal 3{1}	-155019	0	0 155019	22	0	0	22
	Wind 1{1}	-7	0	0 7	-1	0	0	1
	Wind 2{1}	7	0	0 7	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	47962	0	0 47962	101	0	0	101
	Pressure 2{1}	2568623	0	02568623	-124	0	0	124
	Pressure 3{1}	2556848	0	02556848	-107	0	0	107
	GT1{1}	4758088	0	04758088	94	0	0	94
	GT2{1}	-.2E+07	0	01714100	276	0	0	276
	GT3{1}	-154935	0	0 154935	242	0	0	242
	GW1{1}	77	0	0 77	219	0	0	219
	GW2{1}	92	0	0 92	221	0	0	221
	GW3{1}	83	0	0 83	163	0	0	163
	GW4{1}	86	0	0 86	272	0	0	272
	GT1P1{1}	4806050	0	04806050	195	0	0	195
	GT2P2{1}	854523	0	0 854523	152	0	0	152
	GT3P3{1}	2401914	0	02401914	135	0	0	135
	Gravity{2}	168	0	0 168	461	0	0	461
	Thermal 3{2}	-155199	0	0 155199	25	0	0	25
	Pressure 1{2}	3156841	0	03156841	871	0	0	871
	GT3{2}	-155031	0	0 155031	486	0	0	486
	Hydrotest-NL{2}	3001810	0	03001810	1357	0	0	1357
+809 +	Gravity{1}	85	0	0 85	220	0	0	220
	Thermal 1{1}	4745254	0	04745254	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01713900	56	0	0	56
	Thermal 3{1}	-155000	0	0 155000	22	0	0	22
	Wind 1{1}	-7	0	0 7	-1	0	0	1
	Wind 2{1}	7	0	0 7	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	46129	0	0 46129	101	0	0	101
	Pressure 2{1}	2568220	0	02568220	-124	0	0	124
	Pressure 3{1}	2556273	0	02556273	-107	0	0	107
	GT1{1}	4745340	0	04745340	94	0	0	94
	GT2{1}	-.2E+07	0	01713814	276	0	0	276
	GT3{1}	-154914	0	0 154914	242	0	0	242
	GW1{1}	78	0	0 78	219	0	0	219
	GW2{1}	93	0	0 93	221	0	0	221
	GW3{1}	84	0	0 84	163	0	0	163
	GW4{1}	87	0	0 87	272	0	0	272
	GT1P1{1}	4791469	0	04791469	195	0	0	195
	GT2P2{1}	854405	0	0 854405	152	0	0	152
	GT3P3{1}	2401359	0	02401359	135	0	0	135
	Gravity{2}	170	0	0 170	461	0	0	461
	Thermal 3{2}	-155183	0	0 155183	25	0	0	25
	Pressure 1{2}	3155547	0	03155547	871	0	0	871
	GT3{2}	-155012	0	0 155012	486	0	0	486
	Hydrotest-NL{2}	3000534	0	03000534	1357	0	0	1357
+810 -	Gravity{1}	85	0	0 85	220	0	0	220
	Thermal 1{1}	4745254	0	04745254	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01713900	56	0	0	56
	Thermal 3{1}	-155000	0	0 155000	22	0	0	22
	Wind 1{1}	-7	0	0 7	-1	0	0	1
	Wind 2{1}	7	0	0 7	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	46129	0	0 46129	101	0	0	101
	Pressure 2{1}	2568220	0	02568220	-124	0	0	124
	Pressure 3{1}	2556273	0	02556273	-107	0	0	107
	GT1{1}	4745340	0	04745340	94	0	0	94

	GT2{1}	-.2E+07	0	01713814	276	0	0	276
	GT3{1}	-154914	0	0 154914	242	0	0	242
	GW1{1}	78	0	0 78	219	0	0	219
	GW2{1}	93	0	0 93	221	0	0	221
	GW3{1}	84	0	0 84	163	0	0	163
	GW4{1}	87	0	0 87	272	0	0	272
	GT1P1{1}	4791469	0	04791469	195	0	0	195
	GT2P2{1}	854405	0	0 854405	152	0	0	152
	GT3P3{1}	2401359	0	02401359	135	0	0	135
	Gravity{2}	170	0	0 170	461	0	0	461
	Thermal 3{2}	-155183	0	0 155183	25	0	0	25
	Pressure 1{2}	3155547	0	03155547	871	0	0	871
	GT3{2}	-155012	0	0 155012	486	0	0	486
	Hydrotest-NL{2}	3000534	0	03000534	1357	0	0	1357
+810 +	Gravity{1}	87	0	0 87	220	0	0	220
	Thermal 1{1}	4732318	0	04732318	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01713612	56	0	0	56
	Thermal 3{1}	-154980	0	0 154980	22	0	0	22
	Wind 1{1}	-8	0	0 8	-1	0	0	1
	Wind 2{1}	8	0	0 8	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	44483	0	0 44483	101	0	0	101
	Pressure 2{1}	2567811	0	02567811	-124	0	0	124
	Pressure 3{1}	2555689	0	02555689	-107	0	0	107
	GT1{1}	4732405	0	04732405	94	0	0	94
	GT2{1}	-.2E+07	0	01713525	276	0	0	276
	GT3{1}	-154894	0	0 154894	242	0	0	242
	GW1{1}	79	0	0 79	219	0	0	219
	GW2{1}	94	0	0 94	221	0	0	221
	GW3{1}	85	0	0 85	163	0	0	163
	GW4{1}	88	0	0 88	272	0	0	272
	GT1P1{1}	4776887	0	04776887	195	0	0	195
	GT2P2{1}	854286	0	0 854286	152	0	0	152
	GT3P3{1}	2400795	0	02400795	135	0	0	135
	Gravity{2}	173	0	0 173	461	0	0	461
	Thermal 3{2}	-155166	0	0 155166	25	0	0	25
	Pressure 1{2}	3154233	0	03154233	871	0	0	871
	GT3{2}	-154993	0	0 154993	486	0	0	486
	Hydrotest-NL{2}	2999240	0	02999240	1357	0	0	1357
+811 -	Gravity{1}	87	0	0 87	220	0	0	220
	Thermal 1{1}	4732318	0	04732318	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01713612	56	0	0	56
	Thermal 3{1}	-154980	0	0 154980	22	0	0	22
	Wind 1{1}	-8	0	0 8	-1	0	0	1
	Wind 2{1}	8	0	0 8	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	44483	0	0 44483	101	0	0	101
	Pressure 2{1}	2567811	0	02567811	-124	0	0	124
	Pressure 3{1}	2555689	0	02555689	-107	0	0	107
	GT1{1}	4732405	0	04732405	94	0	0	94
	GT2{1}	-.2E+07	0	01713525	276	0	0	276
	GT3{1}	-154894	0	0 154894	242	0	0	242
	GW1{1}	79	0	0 79	219	0	0	219
	GW2{1}	94	0	0 94	221	0	0	221
	GW3{1}	85	0	0 85	163	0	0	163
	GW4{1}	88	0	0 88	272	0	0	272
	GT1P1{1}	4776887	0	04776887	195	0	0	195
	GT2P2{1}	854286	0	0 854286	152	0	0	152
	GT3P3{1}	2400795	0	02400795	135	0	0	135
	Gravity{2}	173	0	0 173	461	0	0	461
	Thermal 3{2}	-155166	0	0 155166	25	0	0	25
	Pressure 1{2}	3154233	0	03154233	871	0	0	871
	GT3{2}	-154993	0	0 154993	486	0	0	486
	Hydrotest-NL{2}	2999240	0	02999240	1357	0	0	1357
+811 +	Gravity{1}	88	0	0 88	220	0	0	220
	Thermal 1{1}	4719192	0	04719192	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01713319	56	0	0	56
	Thermal 3{1}	-154961	0	0 154961	22	0	0	22
	Wind 1{1}	-8	0	0 8	-1	0	0	1
	Wind 2{1}	8	0	0 8	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	43026	0	0 43026	101	0	0	101
	Pressure 2{1}	2567397	0	02567397	-124	0	0	124
	Pressure 3{1}	2555097	0	02555097	-107	0	0	107
	GT1{1}	4719280	0	04719280	94	0	0	94
	GT2{1}	-.2E+07	0	01713231	276	0	0	276
	GT3{1}	-154873	0	0 154873	242	0	0	242
	GW1{1}	80	0	0 80	219	0	0	219
	GW2{1}	96	0	0 96	221	0	0	221
	GW3{1}	86	0	0 86	163	0	0	163
	GW4{1}	90	0	0 90	272	0	0	272
	GT1P1{1}	4762306	0	04762306	195	0	0	195
	GT2P2{1}	854165	0	0 854165	152	0	0	152
	GT3P3{1}	2400224	0	02400224	135	0	0	135
	Gravity{2}	175	0	0 175	461	0	0	461
	Thermal 3{2}	-155149	0	0 155149	25	0	0	25
	Pressure 1{2}	3152901	0	03152901	871	0	0	871
	GT3{2}	-154974	0	0 154974	486	0	0	486
	Hydrotest-NL{2}	2997927	0	02997927	1357	0	0	1357
+812 -	Gravity{1}	88	0	0 88	220	0	0	220
	Thermal 1{1}	4719192	0	04719192	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01713319	56	0	0	56
	Thermal 3{1}	-154961	0	0 154961	22	0	0	22
	Wind 1{1}	-8	0	0 8	-1	0	0	1
	Wind 2{1}	8	0	0 8	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	43026	0	0 43026	101	0	0	101
	Pressure 2{1}	2567397	0	02567397	-124	0	0	124
	Pressure 3{1}	2555097	0	02555097	-107	0	0	107
	GT1{1}	4719280	0	04719280	94	0	0	94

	GT2{1}	-.2E+07	0	01713231	276	0	0	276
	GT3{1}	-154873	0	0 154873	242	0	0	242
	GW1{1}	80	0	0 80	219	0	0	219
	GW2{1}	96	0	0 96	221	0	0	221
	GW3{1}	86	0	0 86	163	0	0	163
	GW4{1}	90	0	0 90	272	0	0	272
	GT1P1{1}	4762306	0	04762306	195	0	0	195
	GT2P2{1}	854165	0	0 854165	152	0	0	152
	GT3P3{1}	2400224	0	02400224	135	0	0	135
	Gravity{2}	175	0	0 175	461	0	0	461
	Thermal 3{2}	-155149	0	0 155149	25	0	0	25
	Pressure 1{2}	3152901	0	03152901	871	0	0	871
	GT3{2}	-154974	0	0 154974	486	0	0	486
	Hydrotest-NL{2}	2997927	0	02997927	1357	0	0	1357
+812 +	Gravity{1}	89	0	0 89	220	0	0	220
	Thermal 1{1}	4705873	0	04705873	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01713022	56	0	0	56
	Thermal 3{1}	-154941	0	0 154941	22	0	0	22
	Wind 1{1}	-8	0	0 8	-1	0	0	1
	Wind 2{1}	8	0	0 8	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	41762	0	0 41762	101	0	0	101
	Pressure 2{1}	2566976	0	02566976	-124	0	0	124
	Pressure 3{1}	2554496	0	02554496	-107	0	0	107
	GT1{1}	4705962	0	04705962	94	0	0	94
	GT2{1}	-.2E+07	0	01712933	276	0	0	276
	GT3{1}	-154852	0	0 154852	242	0	0	242
	GW1{1}	81	0	0 81	219	0	0	219
	GW2{1}	97	0	0 97	221	0	0	221
	GW3{1}	88	0	0 88	163	0	0	163
	GW4{1}	91	0	0 91	272	0	0	272
	GT1P1{1}	4747724	0	04747724	195	0	0	195
	GT2P2{1}	854043	0	0 854043	152	0	0	152
	GT3P3{1}	2399644	0	02399644	135	0	0	135
	Gravity{2}	178	0	0 178	461	0	0	461
	Thermal 3{2}	-155132	0	0 155132	25	0	0	25
	Pressure 1{2}	3151549	0	03151549	871	0	0	871
	GT3{2}	-154954	0	0 154954	486	0	0	486
	Hydrotest-NL{2}	2996595	0	02996595	1357	0	0	1357
+813 -	Gravity{1}	89	0	0 89	220	0	0	220
	Thermal 1{1}	4705873	0	04705873	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01713022	56	0	0	56
	Thermal 3{1}	-154941	0	0 154941	22	0	0	22
	Wind 1{1}	-8	0	0 8	-1	0	0	1
	Wind 2{1}	8	0	0 8	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	41762	0	0 41762	101	0	0	101
	Pressure 2{1}	2566976	0	02566976	-124	0	0	124
	Pressure 3{1}	2554496	0	02554496	-107	0	0	107
	GT1{1}	4705962	0	04705962	94	0	0	94
	GT2{1}	-.2E+07	0	01712933	276	0	0	276
	GT3{1}	-154852	0	0 154852	242	0	0	242
	GW1{1}	81	0	0 81	219	0	0	219
	GW2{1}	97	0	0 97	221	0	0	221
	GW3{1}	88	0	0 88	163	0	0	163
	GW4{1}	91	0	0 91	272	0	0	272
	GT1P1{1}	4747724	0	04747724	195	0	0	195
	GT2P2{1}	854043	0	0 854043	152	0	0	152
	GT3P3{1}	2399644	0	02399644	135	0	0	135
	Gravity{2}	178	0	0 178	461	0	0	461
	Thermal 3{2}	-155132	0	0 155132	25	0	0	25
	Pressure 1{2}	3151549	0	03151549	871	0	0	871
	GT3{2}	-154954	0	0 154954	486	0	0	486
	Hydrotest-NL{2}	2996595	0	02996595	1357	0	0	1357
+813 +	Gravity{1}	91	0	0 91	220	0	0	220
	Thermal 1{1}	4692359	0	04692359	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01712721	56	0	0	56
	Thermal 3{1}	-154921	0	0 154921	22	0	0	22
	Wind 1{1}	-8	0	0 8	-1	0	0	1
	Wind 2{1}	8	0	0 8	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	40693	0	0 40693	101	0	0	101
	Pressure 2{1}	2566549	0	02566549	-124	0	0	124
	Pressure 3{1}	2553886	0	02553886	-107	0	0	107
	GT1{1}	4692450	0	04692450	94	0	0	94
	GT2{1}	-.2E+07	0	01712631	276	0	0	276
	GT3{1}	-154830	0	0 154830	242	0	0	242
	GW1{1}	83	0	0 83	219	0	0	219
	GW2{1}	98	0	0 98	221	0	0	221
	GW3{1}	89	0	0 89	163	0	0	163
	GW4{1}	92	0	0 92	272	0	0	272
	GT1P1{1}	4733143	0	04733143	195	0	0	195
	GT2P2{1}	853918	0	0 853918	152	0	0	152
	GT3P3{1}	2399056	0	02399056	135	0	0	135
	Gravity{2}	181	0	0 181	461	0	0	461
	Thermal 3{2}	-155115	0	0 155115	25	0	0	25
	Pressure 1{2}	3150177	0	03150177	871	0	0	871
	GT3{2}	-154934	0	0 154934	486	0	0	486
	Hydrotest-NL{2}	2995243	0	02995243	1357	0	0	1357
+814 -	Gravity{1}	91	0	0 91	220	0	0	220
	Thermal 1{1}	4692359	0	04692359	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01712721	56	0	0	56
	Thermal 3{1}	-154921	0	0 154921	22	0	0	22
	Wind 1{1}	-8	0	0 8	-1	0	0	1
	Wind 2{1}	8	0	0 8	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	40693	0	0 40693	101	0	0	101
	Pressure 2{1}	2566549	0	02566549	-124	0	0	124
	Pressure 3{1}	2553886	0	02553886	-107	0	0	107
	GT1{1}	4692450	0	04692450	94	0	0	94

	GT2{1}	-.2E+07	0	01712631	276	0	0	276
	GT3{1}	-154830	0	0 154830	242	0	0	242
	GW1{1}	83	0	0 83	219	0	0	219
	GW2{1}	98	0	0 98	221	0	0	221
	GW3{1}	89	0	0 89	163	0	0	163
	GW4{1}	92	0	0 92	272	0	0	272
	GT1P1{1}	4733143	0	04733143	195	0	0	195
	GT2P2{1}	853918	0	0 853918	152	0	0	152
	GT3P3{1}	2399056	0	02399056	135	0	0	135
	Gravity{2}	181	0	0 181	461	0	0	461
	Thermal 3{2}	-155115	0	0 155115	25	0	0	25
	Pressure 1{2}	3150177	0	03150177	871	0	0	871
	GT3{2}	-154934	0	0 154934	486	0	0	486
	Hydrotest-NL{2}	2995243	0	02995243	1357	0	0	1357
+814 +	Gravity{1}	92	0	0 92	220	0	0	220
	Thermal 1{1}	4678647	0	04678647	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01712416	56	0	0	56
	Thermal 3{1}	-154900	0	0 154900	22	0	0	22
	Wind 1{1}	-8	0	0 8	-1	0	0	1
	Wind 2{1}	8	0	0 8	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	39823	0	0 39823	101	0	0	101
	Pressure 2{1}	2566116	0	02566116	-124	0	0	124
	Pressure 3{1}	2553267	0	02553267	-107	0	0	107
	GT1{1}	4678738	0	04678738	94	0	0	94
	GT2{1}	-.2E+07	0	01712324	276	0	0	276
	GT3{1}	-154808	0	0 154808	242	0	0	242
	GW1{1}	84	0	0 84	219	0	0	219
	GW2{1}	100	0	0 100	221	0	0	221
	GW3{1}	90	0	0 90	163	0	0	163
	GW4{1}	94	0	0 94	272	0	0	272
	GT1P1{1}	4718561	0	04718561	195	0	0	195
	GT2P2{1}	853792	0	0 853792	152	0	0	152
	GT3P3{1}	2398459	0	02398459	135	0	0	135
	Gravity{2}	183	0	0 183	461	0	0	461
	Thermal 3{2}	-155097	0	0 155097	25	0	0	25
	Pressure 1{2}	3148785	0	03148785	871	0	0	871
	GT3{2}	-154914	0	0 154914	486	0	0	486
	Hydrotest-NL{2}	2993871	0	02993871	1357	0	0	1357
+815 -	Gravity{1}	92	0	0 92	220	0	0	220
	Thermal 1{1}	4678647	0	04678647	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01712416	56	0	0	56
	Thermal 3{1}	-154900	0	0 154900	22	0	0	22
	Wind 1{1}	-8	0	0 8	-1	0	0	1
	Wind 2{1}	8	0	0 8	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	39823	0	0 39823	101	0	0	101
	Pressure 2{1}	2566116	0	02566116	-124	0	0	124
	Pressure 3{1}	2553267	0	02553267	-107	0	0	107
	GT1{1}	4678738	0	04678738	94	0	0	94
	GT2{1}	-.2E+07	0	01712324	276	0	0	276
	GT3{1}	-154808	0	0 154808	242	0	0	242
	GW1{1}	84	0	0 84	219	0	0	219
	GW2{1}	100	0	0 100	221	0	0	221
	GW3{1}	90	0	0 90	163	0	0	163
	GW4{1}	94	0	0 94	272	0	0	272
	GT1P1{1}	4718561	0	04718561	195	0	0	195
	GT2P2{1}	853792	0	0 853792	152	0	0	152
	GT3P3{1}	2398459	0	02398459	135	0	0	135
	Gravity{2}	183	0	0 183	461	0	0	461
	Thermal 3{2}	-155097	0	0 155097	25	0	0	25
	Pressure 1{2}	3148785	0	03148785	871	0	0	871
	GT3{2}	-154914	0	0 154914	486	0	0	486
	Hydrotest-NL{2}	2993871	0	02993871	1357	0	0	1357
+815 +	Gravity{1}	93	0	0 93	220	0	0	220
	Thermal 1{1}	4664733	0	04664733	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01712106	56	0	0	56
	Thermal 3{1}	-154879	0	0 154879	22	0	0	22
	Wind 1{1}	-8	0	0 8	-1	0	0	1
	Wind 2{1}	8	0	0 8	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	39153	0	0 39153	101	0	0	101
	Pressure 2{1}	2565676	0	02565676	-124	0	0	124
	Pressure 3{1}	2552639	0	02552639	-107	0	0	107
	GT1{1}	4664827	0	04664827	94	0	0	94
	GT2{1}	-.2E+07	0	01712012	276	0	0	276
	GT3{1}	-154786	0	0 154786	242	0	0	242
	GW1{1}	85	0	0 85	219	0	0	219
	GW2{1}	101	0	0 101	221	0	0	221
	GW3{1}	92	0	0 92	163	0	0	163
	GW4{1}	95	0	0 95	272	0	0	272
	GT1P1{1}	4703980	0	04703980	195	0	0	195
	GT2P2{1}	853664	0	0 853664	152	0	0	152
	GT3P3{1}	2397853	0	02397853	135	0	0	135
	Gravity{2}	186	0	0 186	461	0	0	461
	Thermal 3{2}	-155079	0	0 155079	25	0	0	25
	Pressure 1{2}	3147373	0	03147373	871	0	0	871
	GT3{2}	-154893	0	0 154893	486	0	0	486
	Hydrotest-NL{2}	2992479	0	02992479	1357	0	0	1357
+816 -	Gravity{1}	93	0	0 93	220	0	0	220
	Thermal 1{1}	4664733	0	04664733	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01712106	56	0	0	56
	Thermal 3{1}	-154879	0	0 154879	22	0	0	22
	Wind 1{1}	-8	0	0 8	-1	0	0	1
	Wind 2{1}	8	0	0 8	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	39153	0	0 39153	101	0	0	101
	Pressure 2{1}	2565676	0	02565676	-124	0	0	124
	Pressure 3{1}	2552639	0	02552639	-107	0	0	107
	GT1{1}	4664827	0	04664827	94	0	0	94

	GT2{1}	-.2E+07	0	01712012	276	0	0	276
	GT3{1}	-154786	0	0 154786	242	0	0	242
	GW1{1}	85	0	0 85	219	0	0	219
	GW2{1}	101	0	0 101	221	0	0	221
	GW3{1}	92	0	0 92	163	0	0	163
	GW4{1}	95	0	0 95	272	0	0	272
	GT1P1{1}	4703980	0	04703980	195	0	0	195
	GT2P2{1}	853664	0	0 853664	152	0	0	152
	GT3P3{1}	2397853	0	02397853	135	0	0	135
	Gravity{2}	186	0	0 186	461	0	0	461
	Thermal 3{2}	-155079	0	0 155079	25	0	0	25
	Pressure 1{2}	3147373	0	03147373	871	0	0	871
	GT3{2}	-154893	0	0 154893	486	0	0	486
	Hydrotest-NL{2}	2992479	0	02992479	1357	0	0	1357
+816 +	Gravity{1}	95	0	0 95	220	0	0	220
	Thermal 1{1}	4650616	0	04650616	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01711791	56	0	0	56
	Thermal 3{1}	-154858	0	0 154858	22	0	0	22
	Wind 1{1}	-8	0	0 8	-1	0	0	1
	Wind 2{1}	8	0	0 8	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38688	0	0 38688	101	0	0	101
	Pressure 2{1}	2565230	0	02565230	-124	0	0	124
	Pressure 3{1}	2552002	0	02552002	-107	0	0	107
	GT1{1}	4650711	0	04650711	94	0	0	94
	GT2{1}	-.2E+07	0	01711697	276	0	0	276
	GT3{1}	-154763	0	0 154763	242	0	0	242
	GW1{1}	86	0	0 86	219	0	0	219
	GW2{1}	103	0	0 103	221	0	0	221
	GW3{1}	93	0	0 93	163	0	0	163
	GW4{1}	96	0	0 96	272	0	0	272
	GT1P1{1}	4689398	0	04689398	195	0	0	195
	GT2P2{1}	853534	0	0 853534	152	0	0	152
	GT3P3{1}	2397238	0	02397238	135	0	0	135
	Gravity{2}	189	0	0 189	461	0	0	461
	Thermal 3{2}	-155061	0	0 155061	25	0	0	25
	Pressure 1{2}	3145939	0	03145939	871	0	0	871
	GT3{2}	-154872	0	0 154872	486	0	0	486
	Hydrotest-NL{2}	2991067	0	02991067	1357	0	0	1357
+817 -	Gravity{1}	95	0	0 95	220	0	0	220
	Thermal 1{1}	4650616	0	04650616	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01711791	56	0	0	56
	Thermal 3{1}	-154858	0	0 154858	22	0	0	22
	Wind 1{1}	-8	0	0 8	-1	0	0	1
	Wind 2{1}	8	0	0 8	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38688	0	0 38688	101	0	0	101
	Pressure 2{1}	2565230	0	02565230	-124	0	0	124
	Pressure 3{1}	2552002	0	02552002	-107	0	0	107
	GT1{1}	4650711	0	04650711	94	0	0	94
	GT2{1}	-.2E+07	0	01711697	276	0	0	276
	GT3{1}	-154763	0	0 154763	242	0	0	242
	GW1{1}	86	0	0 86	219	0	0	219
	GW2{1}	103	0	0 103	221	0	0	221
	GW3{1}	93	0	0 93	163	0	0	163
	GW4{1}	96	0	0 96	272	0	0	272
	GT1P1{1}	4689398	0	04689398	195	0	0	195
	GT2P2{1}	853534	0	0 853534	152	0	0	152
	GT3P3{1}	2397238	0	02397238	135	0	0	135
	Gravity{2}	189	0	0 189	461	0	0	461
	Thermal 3{2}	-155061	0	0 155061	25	0	0	25
	Pressure 1{2}	3145939	0	03145939	871	0	0	871
	GT3{2}	-154872	0	0 154872	486	0	0	486
	Hydrotest-NL{2}	2991067	0	02991067	1357	0	0	1357
+817 +	Gravity{1}	96	0	0 96	220	0	0	220
	Thermal 1{1}	4636292	0	04636292	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01711472	56	0	0	56
	Thermal 3{1}	-154837	0	0 154837	22	0	0	22
	Wind 1{1}	-8	0	0 8	-1	0	0	1
	Wind 2{1}	8	0	0 8	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38429	0	0 38429	101	0	0	101
	Pressure 2{1}	2564778	0	02564778	-124	0	0	124
	Pressure 3{1}	2551356	0	02551356	-107	0	0	107
	GT1{1}	4636388	0	04636388	94	0	0	94
	GT2{1}	-.2E+07	0	01711376	276	0	0	276
	GT3{1}	-154741	0	0 154741	242	0	0	242
	GW1{1}	88	0	0 88	219	0	0	219
	GW2{1}	104	0	0 104	221	0	0	221
	GW3{1}	94	0	0 94	163	0	0	163
	GW4{1}	98	0	0 98	272	0	0	272
	GT1P1{1}	4674817	0	04674817	195	0	0	195
	GT2P2{1}	853402	0	0 853402	152	0	0	152
	GT3P3{1}	2396615	0	02396615	135	0	0	135
	Gravity{2}	191	0	0 191	461	0	0	461
	Thermal 3{2}	-155042	0	0 155042	25	0	0	25
	Pressure 1{2}	3144485	0	03144485	871	0	0	871
	GT3{2}	-154851	0	0 154851	486	0	0	486
	Hydrotest-NL{2}	2989634	0	02989634	1357	0	0	1357
+818 -	Gravity{1}	96	0	0 96	220	0	0	220
	Thermal 1{1}	4636292	0	04636292	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01711472	56	0	0	56
	Thermal 3{1}	-154837	0	0 154837	22	0	0	22
	Wind 1{1}	-8	0	0 8	-1	0	0	1
	Wind 2{1}	8	0	0 8	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38429	0	0 38429	101	0	0	101
	Pressure 2{1}	2564778	0	02564778	-124	0	0	124
	Pressure 3{1}	2551356	0	02551356	-107	0	0	107
	GT1{1}	4636388	0	04636388	94	0	0	94

	GT2{1}	-.2E+07	0	01711376	276	0	0	276
	GT3{1}	-154741	0	0 154741	242	0	0	242
	GW1{1}	88	0	0 88	219	0	0	219
	GW2{1}	104	0	0 104	221	0	0	221
	GW3{1}	94	0	0 94	163	0	0	163
	GW4{1}	98	0	0 98	272	0	0	272
	GT1P1{1}	4674817	0	04674817	195	0	0	195
	GT2P2{1}	853402	0	0 853402	152	0	0	152
	GT3P3{1}	2396615	0	02396615	135	0	0	135
	Gravity{2}	191	0	0 191	461	0	0	461
	Thermal 3{2}	-155042	0	0 155042	25	0	0	25
	Pressure 1{2}	3144485	0	03144485	871	0	0	871
	GT3{2}	-154851	0	0 154851	486	0	0	486
	Hydrotest-NL{2}	2989634	0	02989634	1357	0	0	1357
+818 +	Gravity{1}	97	0	0 97	220	0	0	220
	Thermal 1{1}	4621758	0	04621758	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01711148	56	0	0	56
	Thermal 3{1}	-154815	0	0 154815	22	0	0	22
	Wind 1{1}	-9	0	0 9	-1	0	0	1
	Wind 2{1}	9	0	0 9	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38369	0	0 38369	101	0	0	101
	Pressure 2{1}	2564319	0	02564319	-124	0	0	124
	Pressure 3{1}	2550699	0	02550699	-107	0	0	107
	GT1{1}	4621855	0	04621855	94	0	0	94
	GT2{1}	-.2E+07	0	01711051	276	0	0	276
	GT3{1}	-154718	0	0 154718	242	0	0	242
	GW1{1}	89	0	0 89	219	0	0	219
	GW2{1}	106	0	0 106	221	0	0	221
	GW3{1}	96	0	0 96	163	0	0	163
	GW4{1}	99	0	0 99	272	0	0	272
	GT1P1{1}	4660224	0	04660224	195	0	0	195
	GT2P2{1}	853268	0	0 853268	152	0	0	152
	GT3P3{1}	2395982	0	02395982	135	0	0	135
	Gravity{2}	194	0	0 194	461	0	0	461
	Thermal 3{2}	-155024	0	0 155024	25	0	0	25
	Pressure 1{2}	3143010	0	03143010	871	0	0	871
	GT3{2}	-154829	0	0 154829	486	0	0	486
	Hydrotest-NL{2}	2988181	0	02988181	1357	0	0	1357
+819 -	Gravity{1}	97	0	0 97	220	0	0	220
	Thermal 1{1}	4621758	0	04621758	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01711148	56	0	0	56
	Thermal 3{1}	-154815	0	0 154815	22	0	0	22
	Wind 1{1}	-9	0	0 9	-1	0	0	1
	Wind 2{1}	9	0	0 9	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38369	0	0 38369	101	0	0	101
	Pressure 2{1}	2564319	0	02564319	-124	0	0	124
	Pressure 3{1}	2550699	0	02550699	-107	0	0	107
	GT1{1}	4621855	0	04621855	94	0	0	94
	GT2{1}	-.2E+07	0	01711051	276	0	0	276
	GT3{1}	-154718	0	0 154718	242	0	0	242
	GW1{1}	89	0	0 89	219	0	0	219
	GW2{1}	106	0	0 106	221	0	0	221
	GW3{1}	96	0	0 96	163	0	0	163
	GW4{1}	99	0	0 99	272	0	0	272
	GT1P1{1}	4660224	0	04660224	195	0	0	195
	GT2P2{1}	853268	0	0 853268	152	0	0	152
	GT3P3{1}	2395982	0	02395982	135	0	0	135
	Gravity{2}	194	0	0 194	461	0	0	461
	Thermal 3{2}	-155024	0	0 155024	25	0	0	25
	Pressure 1{2}	3143010	0	03143010	871	0	0	871
	GT3{2}	-154829	0	0 154829	486	0	0	486
	Hydrotest-NL{2}	2988181	0	02988181	1357	0	0	1357
+819 +	Gravity{1}	99	0	0 99	220	0	0	220
	Thermal 1{1}	4607129	0	04607129	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01710820	56	0	0	56
	Thermal 3{1}	-154793	0	0 154793	22	0	0	22
	Wind 1{1}	-9	0	0 9	-1	0	0	1
	Wind 2{1}	9	0	0 9	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38369	0	0 38369	101	0	0	101
	Pressure 2{1}	2563853	0	02563853	-124	0	0	124
	Pressure 3{1}	2550034	0	02550034	-107	0	0	107
	GT1{1}	4607227	0	04607227	94	0	0	94
	GT2{1}	-.2E+07	0	01710721	276	0	0	276
	GT3{1}	-154694	0	0 154694	242	0	0	242
	GW1{1}	90	0	0 90	219	0	0	219
	GW2{1}	107	0	0 107	221	0	0	221
	GW3{1}	97	0	0 97	163	0	0	163
	GW4{1}	101	0	0 101	272	0	0	272
	GT1P1{1}	4645596	0	04645596	195	0	0	195
	GT2P2{1}	853132	0	0 853132	152	0	0	152
	GT3P3{1}	2395340	0	02395340	135	0	0	135
	Gravity{2}	197	0	0 197	461	0	0	461
	Thermal 3{2}	-155005	0	0 155005	25	0	0	25
	Pressure 1{2}	3141513	0	03141513	871	0	0	871
	GT3{2}	-154807	0	0 154807	486	0	0	486
	Hydrotest-NL{2}	2986705	0	02986705	1357	0	0	1357
+820 -	Gravity{1}	99	0	0 99	220	0	0	220
	Thermal 1{1}	4607129	0	04607129	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01710820	56	0	0	56
	Thermal 3{1}	-154793	0	0 154793	22	0	0	22
	Wind 1{1}	-9	0	0 9	-1	0	0	1
	Wind 2{1}	9	0	0 9	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38369	0	0 38369	101	0	0	101
	Pressure 2{1}	2563853	0	02563853	-124	0	0	124
	Pressure 3{1}	2550034	0	02550034	-107	0	0	107
	GT1{1}	4607227	0	04607227	94	0	0	94

	GT2{1}	-.2E+07	0	01710721	276	0	0	276
	GT3{1}	-154694	0	0 154694	242	0	0	242
	GW1{1}	90	0	0 90	219	0	0	219
	GW2{1}	107	0	0 107	221	0	0	221
	GW3{1}	97	0	0 97	163	0	0	163
	GW4{1}	101	0	0 101	272	0	0	272
	GT1P1{1}	4645596	0	04645596	195	0	0	195
	GT2P2{1}	853132	0	0 853132	152	0	0	152
	GT3P3{1}	2395340	0	02395340	135	0	0	135
	Gravity{2}	197	0	0 197	461	0	0	461
	Thermal 3{2}	-155005	0	0 155005	25	0	0	25
	Pressure 1{2}	3141513	0	03141513	871	0	0	871
	GT3{2}	-154807	0	0 154807	486	0	0	486
	Hydrotest-NL{2}	2986705	0	02986705	1357	0	0	1357
+820 +	Gravity{1}	100	0	0 100	220	0	0	220
	Thermal 1{1}	4592546	0	04592546	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01710486	56	0	0	56
	Thermal 3{1}	-154770	0	0 154770	22	0	0	22
	Wind 1{1}	-9	0	0 9	-1	0	0	1
	Wind 2{1}	9	0	0 9	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38368	0	0 38368	101	0	0	101
	Pressure 2{1}	2563380	0	02563380	-124	0	0	124
	Pressure 3{1}	2549359	0	02549359	-107	0	0	107
	GT1{1}	4592647	0	04592647	94	0	0	94
	GT2{1}	-.2E+07	0	01710386	276	0	0	276
	GT3{1}	-154670	0	0 154670	242	0	0	242
	GW1{1}	91	0	0 91	219	0	0	219
	GW2{1}	109	0	0 109	221	0	0	221
	GW3{1}	98	0	0 98	163	0	0	163
	GW4{1}	102	0	0 102	272	0	0	272
	GT1P1{1}	4631015	0	04631015	195	0	0	195
	GT2P2{1}	852994	0	0 852994	152	0	0	152
	GT3P3{1}	2394689	0	02394689	135	0	0	135
	Gravity{2}	200	0	0 200	461	0	0	461
	Thermal 3{2}	-154985	0	0 154985	25	0	0	25
	Pressure 1{2}	3139994	0	03139994	871	0	0	871
	GT3{2}	-154785	0	0 154785	486	0	0	486
	Hydrotest-NL{2}	2985209	0	02985209	1357	0	0	1357
+821 -	Gravity{1}	100	0	0 100	220	0	0	220
	Thermal 1{1}	4592546	0	04592546	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01710486	56	0	0	56
	Thermal 3{1}	-154770	0	0 154770	22	0	0	22
	Wind 1{1}	-9	0	0 9	-1	0	0	1
	Wind 2{1}	9	0	0 9	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38368	0	0 38368	101	0	0	101
	Pressure 2{1}	2563380	0	02563380	-124	0	0	124
	Pressure 3{1}	2549359	0	02549359	-107	0	0	107
	GT1{1}	4592647	0	04592647	94	0	0	94
	GT2{1}	-.2E+07	0	01710386	276	0	0	276
	GT3{1}	-154670	0	0 154670	242	0	0	242
	GW1{1}	91	0	0 91	219	0	0	219
	GW2{1}	109	0	0 109	221	0	0	221
	GW3{1}	98	0	0 98	163	0	0	163
	GW4{1}	102	0	0 102	272	0	0	272
	GT1P1{1}	4631015	0	04631015	195	0	0	195
	GT2P2{1}	852994	0	0 852994	152	0	0	152
	GT3P3{1}	2394689	0	02394689	135	0	0	135
	Gravity{2}	200	0	0 200	461	0	0	461
	Thermal 3{2}	-154985	0	0 154985	25	0	0	25
	Pressure 1{2}	3139994	0	03139994	871	0	0	871
	GT3{2}	-154785	0	0 154785	486	0	0	486
	Hydrotest-NL{2}	2985209	0	02985209	1357	0	0	1357
+821 +	Gravity{1}	102	0	0 102	220	0	0	220
	Thermal 1{1}	4577964	0	04577964	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01710148	56	0	0	56
	Thermal 3{1}	-154748	0	0 154748	22	0	0	22
	Wind 1{1}	-9	0	0 9	-1	0	0	1
	Wind 2{1}	9	0	0 9	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38368	0	0 38368	101	0	0	101
	Pressure 2{1}	2562901	0	02562901	-124	0	0	124
	Pressure 3{1}	2548674	0	02548674	-107	0	0	107
	GT1{1}	4578066	0	04578066	94	0	0	94
	GT2{1}	-.2E+07	0	01710046	276	0	0	276
	GT3{1}	-154646	0	0 154646	242	0	0	242
	GW1{1}	93	0	0 93	219	0	0	219
	GW2{1}	111	0	0 111	221	0	0	221
	GW3{1}	100	0	0 100	163	0	0	163
	GW4{1}	104	0	0 104	272	0	0	272
	GT1P1{1}	4616434	0	04616434	195	0	0	195
	GT2P2{1}	852854	0	0 852854	152	0	0	152
	GT3P3{1}	2394028	0	02394028	135	0	0	135
	Gravity{2}	203	0	0 203	461	0	0	461
	Thermal 3{2}	-154966	0	0 154966	25	0	0	25
	Pressure 1{2}	3138453	0	03138453	871	0	0	871
	GT3{2}	-154763	0	0 154763	486	0	0	486
	Hydrotest-NL{2}	2983690	0	02983690	1357	0	0	1357
+822 -	Gravity{1}	102	0	0 102	220	0	0	220
	Thermal 1{1}	4577964	0	04577964	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01710148	56	0	0	56
	Thermal 3{1}	-154748	0	0 154748	22	0	0	22
	Wind 1{1}	-9	0	0 9	-1	0	0	1
	Wind 2{1}	9	0	0 9	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38368	0	0 38368	101	0	0	101
	Pressure 2{1}	2562901	0	02562901	-124	0	0	124
	Pressure 3{1}	2548674	0	02548674	-107	0	0	107
	GT1{1}	4578066	0	04578066	94	0	0	94

	GT2{1}	-.2E+07	0	01710046	276	0	0	276
	GT3{1}	-154646	0	0 154646	242	0	0	242
	GW1{1}	93	0	0 93	219	0	0	219
	GW2{1}	111	0	0 111	221	0	0	221
	GW3{1}	100	0	0 100	163	0	0	163
	GW4{1}	104	0	0 104	272	0	0	272
	GT1P1{1}	4616434	0	04616434	195	0	0	195
	GT2P2{1}	852854	0	0 852854	152	0	0	152
	GT3P3{1}	2394028	0	02394028	135	0	0	135
	Gravity{2}	203	0	0 203	461	0	0	461
	Thermal 3{2}	-154966	0	0 154966	25	0	0	25
	Pressure 1{2}	3138453	0	03138453	871	0	0	871
	GT3{2}	-154763	0	0 154763	486	0	0	486
	Hydrotest-NL{2}	2983690	0	02983690	1357	0	0	1357
+822 +	Gravity{1}	103	0	0 103	220	0	0	220
	Thermal 1{1}	4563381	0	04563381	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01709805	56	0	0	56
	Thermal 3{1}	-154725	0	0 154725	22	0	0	22
	Wind 1{1}	-9	0	0 9	-1	0	0	1
	Wind 2{1}	9	0	0 9	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38367	0	0 38367	101	0	0	101
	Pressure 2{1}	2562414	0	02562414	-124	0	0	124
	Pressure 3{1}	2547978	0	02547978	-107	0	0	107
	GT1{1}	4563485	0	04563485	94	0	0	94
	GT2{1}	-.2E+07	0	01709701	276	0	0	276
	GT3{1}	-154621	0	0 154621	242	0	0	242
	GW1{1}	94	0	0 94	219	0	0	219
	GW2{1}	112	0	0 112	221	0	0	221
	GW3{1}	101	0	0 101	163	0	0	163
	GW4{1}	105	0	0 105	272	0	0	272
	GT1P1{1}	4601852	0	04601852	195	0	0	195
	GT2P2{1}	852713	0	0 852713	152	0	0	152
	GT3P3{1}	2393357	0	02393357	135	0	0	135
	Gravity{2}	206	0	0 206	461	0	0	461
	Thermal 3{2}	-154946	0	0 154946	25	0	0	25
	Pressure 1{2}	3136889	0	03136889	871	0	0	871
	GT3{2}	-154740	0	0 154740	486	0	0	486
	Hydrotest-NL{2}	2982149	0	02982149	1357	0	0	1357
+823 -	Gravity{1}	103	0	0 103	220	0	0	220
	Thermal 1{1}	4563381	0	04563381	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01709805	56	0	0	56
	Thermal 3{1}	-154725	0	0 154725	22	0	0	22
	Wind 1{1}	-9	0	0 9	-1	0	0	1
	Wind 2{1}	9	0	0 9	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38367	0	0 38367	101	0	0	101
	Pressure 2{1}	2562414	0	02562414	-124	0	0	124
	Pressure 3{1}	2547978	0	02547978	-107	0	0	107
	GT1{1}	4563485	0	04563485	94	0	0	94
	GT2{1}	-.2E+07	0	01709701	276	0	0	276
	GT3{1}	-154621	0	0 154621	242	0	0	242
	GW1{1}	94	0	0 94	219	0	0	219
	GW2{1}	112	0	0 112	221	0	0	221
	GW3{1}	101	0	0 101	163	0	0	163
	GW4{1}	105	0	0 105	272	0	0	272
	GT1P1{1}	4601852	0	04601852	195	0	0	195
	GT2P2{1}	852713	0	0 852713	152	0	0	152
	GT3P3{1}	2393357	0	02393357	135	0	0	135
	Gravity{2}	206	0	0 206	461	0	0	461
	Thermal 3{2}	-154946	0	0 154946	25	0	0	25
	Pressure 1{2}	3136889	0	03136889	871	0	0	871
	GT3{2}	-154740	0	0 154740	486	0	0	486
	Hydrotest-NL{2}	2982149	0	02982149	1357	0	0	1357
+823 +	Gravity{1}	105	0	0 105	220	0	0	220
	Thermal 1{1}	4548799	0	04548799	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01709456	56	0	0	56
	Thermal 3{1}	-154701	0	0 154701	22	0	0	22
	Wind 1{1}	-9	0	0 9	-1	0	0	1
	Wind 2{1}	9	0	0 9	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38367	0	0 38367	101	0	0	101
	Pressure 2{1}	2561920	0	02561920	-124	0	0	124
	Pressure 3{1}	2547273	0	02547273	-107	0	0	107
	GT1{1}	4548904	0	04548904	94	0	0	94
	GT2{1}	-.2E+07	0	01709352	276	0	0	276
	GT3{1}	-154596	0	0 154596	242	0	0	242
	GW1{1}	96	0	0 96	219	0	0	219
	GW2{1}	114	0	0 114	221	0	0	221
	GW3{1}	103	0	0 103	163	0	0	163
	GW4{1}	107	0	0 107	272	0	0	272
	GT1P1{1}	4587270	0	04587270	195	0	0	195
	GT2P2{1}	852569	0	0 852569	152	0	0	152
	GT3P3{1}	2392676	0	02392676	135	0	0	135
	Gravity{2}	209	0	0 209	461	0	0	461
	Thermal 3{2}	-154926	0	0 154926	25	0	0	25
	Pressure 1{2}	3135302	0	03135302	871	0	0	871
	GT3{2}	-154717	0	0 154717	486	0	0	486
	Hydrotest-NL{2}	2980585	0	02980585	1357	0	0	1357
+824 -	Gravity{1}	105	0	0 105	220	0	0	220
	Thermal 1{1}	4548799	0	04548799	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01709456	56	0	0	56
	Thermal 3{1}	-154701	0	0 154701	22	0	0	22
	Wind 1{1}	-9	0	0 9	-1	0	0	1
	Wind 2{1}	9	0	0 9	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38367	0	0 38367	101	0	0	101
	Pressure 2{1}	2561920	0	02561920	-124	0	0	124
	Pressure 3{1}	2547273	0	02547273	-107	0	0	107
	GT1{1}	4548904	0	04548904	94	0	0	94

	GT2{1}	-.2E+07	0	01709352	276	0	0	276
	GT3{1}	-154596	0	0 154596	242	0	0	242
	GW1{1}	96	0	0 96	219	0	0	219
	GW2{1}	114	0	0 114	221	0	0	221
	GW3{1}	103	0	0 103	163	0	0	163
	GW4{1}	107	0	0 107	272	0	0	272
	GT1P1{1}	4587270	0	04587270	195	0	0	195
	GT2P2{1}	852569	0	0 852569	152	0	0	152
	GT3P3{1}	2392676	0	02392676	135	0	0	135
	Gravity{2}	209	0	0 209	461	0	0	461
	Thermal 3{2}	-154926	0	0 154926	25	0	0	25
	Pressure 1{2}	3135302	0	03135302	871	0	0	871
	GT3{2}	-154717	0	0 154717	486	0	0	486
	Hydrotest-NL{2}	2980585	0	02980585	1357	0	0	1357
+824 +	Gravity{1}	106	0	0 106	220	0	0	220
	Thermal 1{1}	4534216	0	04534216	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01709103	56	0	0	56
	Thermal 3{1}	-154677	0	0 154677	22	0	0	22
	Wind 1{1}	-9	0	0 9	-1	0	0	1
	Wind 2{1}	9	0	0 9	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38366	0	0 38366	101	0	0	101
	Pressure 2{1}	2561419	0	02561419	-124	0	0	124
	Pressure 3{1}	2546557	0	02546557	-107	0	0	107
	GT1{1}	4534322	0	04534322	94	0	0	94
	GT2{1}	-.2E+07	0	01708997	276	0	0	276
	GT3{1}	-154571	0	0 154571	242	0	0	242
	GW1{1}	97	0	0 97	219	0	0	219
	GW2{1}	116	0	0 116	221	0	0	221
	GW3{1}	104	0	0 104	163	0	0	163
	GW4{1}	108	0	0 108	272	0	0	272
	GT1P1{1}	4572689	0	04572689	195	0	0	195
	GT2P2{1}	852422	0	0 852422	152	0	0	152
	GT3P3{1}	2391986	0	02391986	135	0	0	135
	Gravity{2}	212	0	0 212	461	0	0	461
	Thermal 3{2}	-154905	0	0 154905	25	0	0	25
	Pressure 1{2}	3133692	0	03133692	871	0	0	871
	GT3{2}	-154693	0	0 154693	486	0	0	486
	Hydrotest-NL{2}	2978998	0	02978998	1357	0	0	1357
+825 -	Gravity{1}	106	0	0 106	220	0	0	220
	Thermal 1{1}	4534216	0	04534216	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01709103	56	0	0	56
	Thermal 3{1}	-154677	0	0 154677	22	0	0	22
	Wind 1{1}	-9	0	0 9	-1	0	0	1
	Wind 2{1}	9	0	0 9	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38366	0	0 38366	101	0	0	101
	Pressure 2{1}	2561419	0	02561419	-124	0	0	124
	Pressure 3{1}	2546557	0	02546557	-107	0	0	107
	GT1{1}	4534322	0	04534322	94	0	0	94
	GT2{1}	-.2E+07	0	01708997	276	0	0	276
	GT3{1}	-154571	0	0 154571	242	0	0	242
	GW1{1}	97	0	0 97	219	0	0	219
	GW2{1}	116	0	0 116	221	0	0	221
	GW3{1}	104	0	0 104	163	0	0	163
	GW4{1}	108	0	0 108	272	0	0	272
	GT1P1{1}	4572689	0	04572689	195	0	0	195
	GT2P2{1}	852422	0	0 852422	152	0	0	152
	GT3P3{1}	2391986	0	02391986	135	0	0	135
	Gravity{2}	212	0	0 212	461	0	0	461
	Thermal 3{2}	-154905	0	0 154905	25	0	0	25
	Pressure 1{2}	3133692	0	03133692	871	0	0	871
	GT3{2}	-154693	0	0 154693	486	0	0	486
	Hydrotest-NL{2}	2978998	0	02978998	1357	0	0	1357
+825 +	Gravity{1}	108	0	0 108	220	0	0	220
	Thermal 1{1}	4519633	0	04519633	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01708744	56	0	0	56
	Thermal 3{1}	-154653	0	0 154653	22	0	0	22
	Wind 1{1}	-9	0	0 9	-1	0	0	1
	Wind 2{1}	9	0	0 9	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38366	0	0 38366	101	0	0	101
	Pressure 2{1}	2560911	0	02560911	-124	0	0	124
	Pressure 3{1}	2545831	0	02545831	-107	0	0	107
	GT1{1}	4519741	0	04519741	94	0	0	94
	GT2{1}	-.2E+07	0	01708636	276	0	0	276
	GT3{1}	-154545	0	0 154545	242	0	0	242
	GW1{1}	98	0	0 98	219	0	0	219
	GW2{1}	117	0	0 117	221	0	0	221
	GW3{1}	106	0	0 106	163	0	0	163
	GW4{1}	110	0	0 110	272	0	0	272
	GT1P1{1}	4558107	0	04558107	195	0	0	195
	GT2P2{1}	852274	0	0 852274	152	0	0	152
	GT3P3{1}	2391285	0	02391285	135	0	0	135
	Gravity{2}	215	0	0 215	461	0	0	461
	Thermal 3{2}	-154884	0	0 154884	25	0	0	25
	Pressure 1{2}	3132058	0	03132058	871	0	0	871
	GT3{2}	-154669	0	0 154669	486	0	0	486
	Hydrotest-NL{2}	2977389	0	02977389	1357	0	0	1357
+826 -	Gravity{1}	108	0	0 108	220	0	0	220
	Thermal 1{1}	4519633	0	04519633	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01708744	56	0	0	56
	Thermal 3{1}	-154653	0	0 154653	22	0	0	22
	Wind 1{1}	-9	0	0 9	-1	0	0	1
	Wind 2{1}	9	0	0 9	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38366	0	0 38366	101	0	0	101
	Pressure 2{1}	2560911	0	02560911	-124	0	0	124
	Pressure 3{1}	2545831	0	02545831	-107	0	0	107
	GT1{1}	4519741	0	04519741	94	0	0	94

	GT2{1}	-.2E+07	0	01708636	276	0	0	276
	GT3{1}	-154545	0	0 154545	242	0	0	242
	GW1{1}	98	0	0 98	219	0	0	219
	GW2{1}	117	0	0 117	221	0	0	221
	GW3{1}	106	0	0 106	163	0	0	163
	GW4{1}	110	0	0 110	272	0	0	272
	GT1P1{1}	4558107	0	04558107	195	0	0	195
	GT2P2{1}	852274	0	0 852274	152	0	0	152
	GT3P3{1}	2391285	0	02391285	135	0	0	135
	Gravity{2}	215	0	0 215	461	0	0	461
	Thermal 3{2}	-154884	0	0 154884	25	0	0	25
	Pressure 1{2}	3132058	0	03132058	871	0	0	871
	GT3{2}	-154669	0	0 154669	486	0	0	486
	Hydrotest-NL{2}	2977389	0	02977389	1357	0	0	1357
+826 +	Gravity{1}	109	0	0 109	220	0	0	220
	Thermal 1{1}	4505051	0	04505051	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01708380	56	0	0	56
	Thermal 3{1}	-154629	0	0 154629	22	0	0	22
	Wind 1{1}	-10	0	0 10	-1	0	0	1
	Wind 2{1}	10	0	0 10	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38366	0	0 38366	101	0	0	101
	Pressure 2{1}	2560395	0	02560395	-124	0	0	124
	Pressure 3{1}	2545094	0	02545094	-107	0	0	107
	GT1{1}	4505160	0	04505160	94	0	0	94
	GT2{1}	-.2E+07	0	01708271	276	0	0	276
	GT3{1}	-154519	0	0 154519	242	0	0	242
	GW1{1}	100	0	0 100	219	0	0	219
	GW2{1}	119	0	0 119	221	0	0	221
	GW3{1}	107	0	0 107	163	0	0	163
	GW4{1}	111	0	0 111	272	0	0	272
	GT1P1{1}	4543526	0	04543526	195	0	0	195
	GT2P2{1}	852124	0	0 852124	152	0	0	152
	GT3P3{1}	2390574	0	02390574	135	0	0	135
	Gravity{2}	218	0	0 218	461	0	0	461
	Thermal 3{2}	-154863	0	0 154863	25	0	0	25
	Pressure 1{2}	3130401	0	03130401	871	0	0	871
	GT3{2}	-154645	0	0 154645	486	0	0	486
	Hydrotest-NL{2}	2975755	0	02975755	1357	0	0	1357
+827 -	Gravity{1}	109	0	0 109	220	0	0	220
	Thermal 1{1}	4505051	0	04505051	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01708380	56	0	0	56
	Thermal 3{1}	-154629	0	0 154629	22	0	0	22
	Wind 1{1}	-10	0	0 10	-1	0	0	1
	Wind 2{1}	10	0	0 10	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38366	0	0 38366	101	0	0	101
	Pressure 2{1}	2560395	0	02560395	-124	0	0	124
	Pressure 3{1}	2545094	0	02545094	-107	0	0	107
	GT1{1}	4505160	0	04505160	94	0	0	94
	GT2{1}	-.2E+07	0	01708271	276	0	0	276
	GT3{1}	-154519	0	0 154519	242	0	0	242
	GW1{1}	100	0	0 100	219	0	0	219
	GW2{1}	119	0	0 119	221	0	0	221
	GW3{1}	107	0	0 107	163	0	0	163
	GW4{1}	111	0	0 111	272	0	0	272
	GT1P1{1}	4543526	0	04543526	195	0	0	195
	GT2P2{1}	852124	0	0 852124	152	0	0	152
	GT3P3{1}	2390574	0	02390574	135	0	0	135
	Gravity{2}	218	0	0 218	461	0	0	461
	Thermal 3{2}	-154863	0	0 154863	25	0	0	25
	Pressure 1{2}	3130401	0	03130401	871	0	0	871
	GT3{2}	-154645	0	0 154645	486	0	0	486
	Hydrotest-NL{2}	2975755	0	02975755	1357	0	0	1357
+827 +	Gravity{1}	111	0	0 111	220	0	0	220
	Thermal 1{1}	4490468	0	04490468	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01708011	56	0	0	56
	Thermal 3{1}	-154604	0	0 154604	22	0	0	22
	Wind 1{1}	-10	0	0 10	-1	0	0	1
	Wind 2{1}	10	0	0 10	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38365	0	0 38365	101	0	0	101
	Pressure 2{1}	2559872	0	02559872	-124	0	0	124
	Pressure 3{1}	2544346	0	02544346	-107	0	0	107
	GT1{1}	4490579	0	04490579	94	0	0	94
	GT2{1}	-.2E+07	0	01707900	276	0	0	276
	GT3{1}	-154493	0	0 154493	242	0	0	242
	GW1{1}	101	0	0 101	219	0	0	219
	GW2{1}	121	0	0 121	221	0	0	221
	GW3{1}	109	0	0 109	163	0	0	163
	GW4{1}	113	0	0 113	272	0	0	272
	GT1P1{1}	4528944	0	04528944	195	0	0	195
	GT2P2{1}	851971	0	0 851971	152	0	0	152
	GT3P3{1}	2389853	0	02389853	135	0	0	135
	Gravity{2}	221	0	0 221	461	0	0	461
	Thermal 3{2}	-154842	0	0 154842	25	0	0	25
	Pressure 1{2}	3128719	0	03128719	871	0	0	871
	GT3{2}	-154620	0	0 154620	486	0	0	486
	Hydrotest-NL{2}	2974098	0	02974098	1357	0	0	1357
+828 -	Gravity{1}	111	0	0 111	220	0	0	220
	Thermal 1{1}	4490468	0	04490468	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01708011	56	0	0	56
	Thermal 3{1}	-154604	0	0 154604	22	0	0	22
	Wind 1{1}	-10	0	0 10	-1	0	0	1
	Wind 2{1}	10	0	0 10	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38365	0	0 38365	101	0	0	101
	Pressure 2{1}	2559872	0	02559872	-124	0	0	124
	Pressure 3{1}	2544346	0	02544346	-107	0	0	107
	GT1{1}	4490579	0	04490579	94	0	0	94

	GT2{1}	-.2E+07	0	01707900	276	0	0	276
	GT3{1}	-154493	0	0 154493	242	0	0	242
	GW1{1}	101	0	0 101	219	0	0	219
	GW2{1}	121	0	0 121	221	0	0	221
	GW3{1}	109	0	0 109	163	0	0	163
	GW4{1}	113	0	0 113	272	0	0	272
	GT1P1{1}	4528944	0	04528944	195	0	0	195
	GT2P2{1}	851971	0	0 851971	152	0	0	152
	GT3P3{1}	2389853	0	02389853	135	0	0	135
	Gravity{2}	221	0	0 221	461	0	0	461
	Thermal 3{2}	-154842	0	0 154842	25	0	0	25
	Pressure 1{2}	3128719	0	03128719	871	0	0	871
	GT3{2}	-154620	0	0 154620	486	0	0	486
	Hydrotest-NL{2}	2974098	0	02974098	1357	0	0	1357
+828 +	Gravity{1}	113	0	0 113	220	0	0	220
	Thermal 1{1}	4475885	0	04475885	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01707637	56	0	0	56
	Thermal 3{1}	-154579	0	0 154579	22	0	0	22
	Wind 1{1}	-10	0	0 10	-1	0	0	1
	Wind 2{1}	10	0	0 10	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38365	0	0 38365	101	0	0	101
	Pressure 2{1}	2559341	0	02559341	-124	0	0	124
	Pressure 3{1}	2543588	0	02543588	-107	0	0	107
	GT1{1}	4475998	0	04475998	94	0	0	94
	GT2{1}	-.2E+07	0	01707524	276	0	0	276
	GT3{1}	-154466	0	0 154466	242	0	0	242
	GW1{1}	103	0	0 103	219	0	0	219
	GW2{1}	123	0	0 123	221	0	0	221
	GW3{1}	111	0	0 111	163	0	0	163
	GW4{1}	115	0	0 115	272	0	0	272
	GT1P1{1}	4514363	0	04514363	195	0	0	195
	GT2P2{1}	851816	0	0 851816	152	0	0	152
	GT3P3{1}	2389121	0	02389121	135	0	0	135
	Gravity{2}	225	0	0 225	461	0	0	461
	Thermal 3{2}	-154820	0	0 154820	25	0	0	25
	Pressure 1{2}	3127012	0	03127012	871	0	0	871
	GT3{2}	-154596	0	0 154596	486	0	0	486
	Hydrotest-NL{2}	2972416	0	02972416	1357	0	0	1357
+829 -	Gravity{1}	113	0	0 113	220	0	0	220
	Thermal 1{1}	4475885	0	04475885	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01707637	56	0	0	56
	Thermal 3{1}	-154579	0	0 154579	22	0	0	22
	Wind 1{1}	-10	0	0 10	-1	0	0	1
	Wind 2{1}	10	0	0 10	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38365	0	0 38365	101	0	0	101
	Pressure 2{1}	2559341	0	02559341	-124	0	0	124
	Pressure 3{1}	2543588	0	02543588	-107	0	0	107
	GT1{1}	4475998	0	04475998	94	0	0	94
	GT2{1}	-.2E+07	0	01707524	276	0	0	276
	GT3{1}	-154466	0	0 154466	242	0	0	242
	GW1{1}	103	0	0 103	219	0	0	219
	GW2{1}	123	0	0 123	221	0	0	221
	GW3{1}	111	0	0 111	163	0	0	163
	GW4{1}	115	0	0 115	272	0	0	272
	GT1P1{1}	4514363	0	04514363	195	0	0	195
	GT2P2{1}	851816	0	0 851816	152	0	0	152
	GT3P3{1}	2389121	0	02389121	135	0	0	135
	Gravity{2}	225	0	0 225	461	0	0	461
	Thermal 3{2}	-154820	0	0 154820	25	0	0	25
	Pressure 1{2}	3127012	0	03127012	871	0	0	871
	GT3{2}	-154596	0	0 154596	486	0	0	486
	Hydrotest-NL{2}	2972416	0	02972416	1357	0	0	1357
+829 +	Gravity{1}	114	0	0 114	220	0	0	220
	Thermal 1{1}	4461303	0	04461303	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01707257	56	0	0	56
	Thermal 3{1}	-154553	0	0 154553	22	0	0	22
	Wind 1{1}	-10	0	0 10	-1	0	0	1
	Wind 2{1}	10	0	0 10	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38364	0	0 38364	101	0	0	101
	Pressure 2{1}	2558802	0	02558802	-124	0	0	124
	Pressure 3{1}	2542818	0	02542818	-107	0	0	107
	GT1{1}	4461417	0	04461417	94	0	0	94
	GT2{1}	-.2E+07	0	01707142	276	0	0	276
	GT3{1}	-154439	0	0 154439	242	0	0	242
	GW1{1}	104	0	0 104	219	0	0	219
	GW2{1}	124	0	0 124	221	0	0	221
	GW3{1}	112	0	0 112	163	0	0	163
	GW4{1}	116	0	0 116	272	0	0	272
	GT1P1{1}	4499781	0	04499781	195	0	0	195
	GT2P2{1}	851659	0	0 851659	152	0	0	152
	GT3P3{1}	2388379	0	02388379	135	0	0	135
	Gravity{2}	228	0	0 228	461	0	0	461
	Thermal 3{2}	-154798	0	0 154798	25	0	0	25
	Pressure 1{2}	3125280	0	03125280	871	0	0	871
	GT3{2}	-154570	0	0 154570	486	0	0	486
	Hydrotest-NL{2}	2970710	0	02970710	1357	0	0	1357
+830 -	Gravity{1}	114	0	0 114	220	0	0	220
	Thermal 1{1}	4461303	0	04461303	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01707257	56	0	0	56
	Thermal 3{1}	-154553	0	0 154553	22	0	0	22
	Wind 1{1}	-10	0	0 10	-1	0	0	1
	Wind 2{1}	10	0	0 10	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38364	0	0 38364	101	0	0	101
	Pressure 2{1}	2558802	0	02558802	-124	0	0	124
	Pressure 3{1}	2542818	0	02542818	-107	0	0	107
	GT1{1}	4461417	0	04461417	94	0	0	94

	GT2{1}	-.2E+07	0	01707142	276	0	0	276
	GT3{1}	-154439	0	0 154439	242	0	0	242
	GW1{1}	104	0	0 104	219	0	0	219
	GW2{1}	124	0	0 124	221	0	0	221
	GW3{1}	112	0	0 112	163	0	0	163
	GW4{1}	116	0	0 116	272	0	0	272
	GT1P1{1}	4499781	0	04499781	195	0	0	195
	GT2P2{1}	851659	0	0 851659	152	0	0	152
	GT3P3{1}	2388379	0	02388379	135	0	0	135
	Gravity{2}	228	0	0 228	461	0	0	461
	Thermal 3{2}	-154798	0	0 154798	25	0	0	25
	Pressure 1{2}	3125280	0	03125280	871	0	0	871
	GT3{2}	-154570	0	0 154570	486	0	0	486
	Hydrotest-NL{2}	2970710	0	02970710	1357	0	0	1357
+830 +	Gravity{1}	116	0	0 116	220	0	0	220
	Thermal 1{1}	4446720	0	04446720	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01706871	56	0	0	56
	Thermal 3{1}	-154527	0	0 154527	22	0	0	22
	Wind 1{1}	-10	0	0 10	-1	0	0	1
	Wind 2{1}	10	0	0 10	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38364	0	0 38364	101	0	0	101
	Pressure 2{1}	2558255	0	02558255	-124	0	0	124
	Pressure 3{1}	2542037	0	02542037	-107	0	0	107
	GT1{1}	4446836	0	04446836	94	0	0	94
	GT2{1}	-.2E+07	0	01706755	276	0	0	276
	GT3{1}	-154411	0	0 154411	242	0	0	242
	GW1{1}	106	0	0 106	219	0	0	219
	GW2{1}	126	0	0 126	221	0	0	221
	GW3{1}	114	0	0 114	163	0	0	163
	GW4{1}	118	0	0 118	272	0	0	272
	GT1P1{1}	4485199	0	04485199	195	0	0	195
	GT2P2{1}	851500	0	0 851500	152	0	0	152
	GT3P3{1}	2387625	0	02387625	135	0	0	135
	Gravity{2}	231	0	0 231	461	0	0	461
	Thermal 3{2}	-154776	0	0 154776	25	0	0	25
	Pressure 1{2}	3123523	0	03123523	871	0	0	871
	GT3{2}	-154545	0	0 154545	486	0	0	486
	Hydrotest-NL{2}	2968979	0	02968979	1357	0	0	1357
+831 -	Gravity{1}	116	0	0 116	220	0	0	220
	Thermal 1{1}	4446720	0	04446720	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01706871	56	0	0	56
	Thermal 3{1}	-154527	0	0 154527	22	0	0	22
	Wind 1{1}	-10	0	0 10	-1	0	0	1
	Wind 2{1}	10	0	0 10	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38364	0	0 38364	101	0	0	101
	Pressure 2{1}	2558255	0	02558255	-124	0	0	124
	Pressure 3{1}	2542037	0	02542037	-107	0	0	107
	GT1{1}	4446836	0	04446836	94	0	0	94
	GT2{1}	-.2E+07	0	01706755	276	0	0	276
	GT3{1}	-154411	0	0 154411	242	0	0	242
	GW1{1}	106	0	0 106	219	0	0	219
	GW2{1}	126	0	0 126	221	0	0	221
	GW3{1}	114	0	0 114	163	0	0	163
	GW4{1}	118	0	0 118	272	0	0	272
	GT1P1{1}	4485199	0	04485199	195	0	0	195
	GT2P2{1}	851500	0	0 851500	152	0	0	152
	GT3P3{1}	2387625	0	02387625	135	0	0	135
	Gravity{2}	231	0	0 231	461	0	0	461
	Thermal 3{2}	-154776	0	0 154776	25	0	0	25
	Pressure 1{2}	3123523	0	03123523	871	0	0	871
	GT3{2}	-154545	0	0 154545	486	0	0	486
	Hydrotest-NL{2}	2968979	0	02968979	1357	0	0	1357
+831 +	Gravity{1}	118	0	0 118	220	0	0	220
	Thermal 1{1}	4432137	0	04432137	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01706480	56	0	0	56
	Thermal 3{1}	-154501	0	0 154501	22	0	0	22
	Wind 1{1}	-10	0	0 10	-1	0	0	1
	Wind 2{1}	10	0	0 10	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38363	0	0 38363	101	0	0	101
	Pressure 2{1}	2557700	0	02557700	-124	0	0	124
	Pressure 3{1}	2541244	0	02541244	-107	0	0	107
	GT1{1}	4432255	0	04432255	94	0	0	94
	GT2{1}	-.2E+07	0	01706362	276	0	0	276
	GT3{1}	-154383	0	0 154383	242	0	0	242
	GW1{1}	107	0	0 107	219	0	0	219
	GW2{1}	128	0	0 128	221	0	0	221
	GW3{1}	116	0	0 116	163	0	0	163
	GW4{1}	120	0	0 120	272	0	0	272
	GT1P1{1}	4470618	0	04470618	195	0	0	195
	GT2P2{1}	851338	0	0 851338	152	0	0	152
	GT3P3{1}	2386860	0	02386860	135	0	0	135
	Gravity{2}	235	0	0 235	461	0	0	461
	Thermal 3{2}	-154753	0	0 154753	25	0	0	25
	Pressure 1{2}	3121740	0	03121740	871	0	0	871
	GT3{2}	-154519	0	0 154519	486	0	0	486
	Hydrotest-NL{2}	2967222	0	02967222	1357	0	0	1357
+832 -	Gravity{1}	118	0	0 118	220	0	0	220
	Thermal 1{1}	4432137	0	04432137	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01706480	56	0	0	56
	Thermal 3{1}	-154501	0	0 154501	22	0	0	22
	Wind 1{1}	-10	0	0 10	-1	0	0	1
	Wind 2{1}	10	0	0 10	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38363	0	0 38363	101	0	0	101
	Pressure 2{1}	2557700	0	02557700	-124	0	0	124
	Pressure 3{1}	2541244	0	02541244	-107	0	0	107
	GT1{1}	4432255	0	04432255	94	0	0	94

	GT2{1}	-.2E+07	0	01706362	276	0	0	276
	GT3{1}	-154383	0	0 154383	242	0	0	242
	GW1{1}	107	0	0 107	219	0	0	219
	GW2{1}	128	0	0 128	221	0	0	221
	GW3{1}	116	0	0 116	163	0	0	163
	GW4{1}	120	0	0 120	272	0	0	272
	GT1P1{1}	4470618	0	04470618	195	0	0	195
	GT2P2{1}	851338	0	0 851338	152	0	0	152
	GT3P3{1}	2386860	0	02386860	135	0	0	135
	Gravity{2}	235	0	0 235	461	0	0	461
	Thermal 3{2}	-154753	0	0 154753	25	0	0	25
	Pressure 1{2}	3121740	0	03121740	871	0	0	871
	GT3{2}	-154519	0	0 154519	486	0	0	486
	Hydrotest-NL{2}	2967222	0	02967222	1357	0	0	1357
+832 +	Gravity{1}	119	0	0 119	220	0	0	220
	Thermal 1{1}	4417554	0	04417554	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01706083	56	0	0	56
	Thermal 3{1}	-154474	0	0 154474	22	0	0	22
	Wind 1{1}	-10	0	0 10	-1	0	0	1
	Wind 2{1}	10	0	0 10	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38363	0	0 38363	101	0	0	101
	Pressure 2{1}	2557137	0	02557137	-124	0	0	124
	Pressure 3{1}	2540440	0	02540440	-107	0	0	107
	GT1{1}	4417673	0	04417673	94	0	0	94
	GT2{1}	-.2E+07	0	01705963	276	0	0	276
	GT3{1}	-154355	0	0 154355	242	0	0	242
	GW1{1}	109	0	0 109	219	0	0	219
	GW2{1}	130	0	0 130	221	0	0	221
	GW3{1}	117	0	0 117	163	0	0	163
	GW4{1}	122	0	0 122	272	0	0	272
	GT1P1{1}	4456036	0	04456036	195	0	0	195
	GT2P2{1}	851174	0	0 851174	152	0	0	152
	GT3P3{1}	2386085	0	02386085	135	0	0	135
	Gravity{2}	238	0	0 238	461	0	0	461
	Thermal 3{2}	-154730	0	0 154730	25	0	0	25
	Pressure 1{2}	3119931	0	03119931	871	0	0	871
	GT3{2}	-154492	0	0 154492	486	0	0	486
	Hydrotest-NL{2}	2965439	0	02965439	1357	0	0	1357
+833 -	Gravity{1}	119	0	0 119	220	0	0	220
	Thermal 1{1}	4417554	0	04417554	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01706083	56	0	0	56
	Thermal 3{1}	-154474	0	0 154474	22	0	0	22
	Wind 1{1}	-10	0	0 10	-1	0	0	1
	Wind 2{1}	10	0	0 10	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38363	0	0 38363	101	0	0	101
	Pressure 2{1}	2557137	0	02557137	-124	0	0	124
	Pressure 3{1}	2540440	0	02540440	-107	0	0	107
	GT1{1}	4417673	0	04417673	94	0	0	94
	GT2{1}	-.2E+07	0	01705963	276	0	0	276
	GT3{1}	-154355	0	0 154355	242	0	0	242
	GW1{1}	109	0	0 109	219	0	0	219
	GW2{1}	130	0	0 130	221	0	0	221
	GW3{1}	117	0	0 117	163	0	0	163
	GW4{1}	122	0	0 122	272	0	0	272
	GT1P1{1}	4456036	0	04456036	195	0	0	195
	GT2P2{1}	851174	0	0 851174	152	0	0	152
	GT3P3{1}	2386085	0	02386085	135	0	0	135
	Gravity{2}	238	0	0 238	461	0	0	461
	Thermal 3{2}	-154730	0	0 154730	25	0	0	25
	Pressure 1{2}	3119931	0	03119931	871	0	0	871
	GT3{2}	-154492	0	0 154492	486	0	0	486
	Hydrotest-NL{2}	2965439	0	02965439	1357	0	0	1357
+833 +	Gravity{1}	121	0	0 121	220	0	0	220
	Thermal 1{1}	4402971	0	04402971	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01705680	56	0	0	56
	Thermal 3{1}	-154447	0	0 154447	22	0	0	22
	Wind 1{1}	-11	0	0 11	-1	0	0	1
	Wind 2{1}	11	0	0 11	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38362	0	0 38362	101	0	0	101
	Pressure 2{1}	2556566	0	02556566	-124	0	0	124
	Pressure 3{1}	2539624	0	02539624	-107	0	0	107
	GT1{1}	4403093	0	04403093	94	0	0	94
	GT2{1}	-.2E+07	0	01705559	276	0	0	276
	GT3{1}	-154326	0	0 154326	242	0	0	242
	GW1{1}	111	0	0 111	219	0	0	219
	GW2{1}	132	0	0 132	221	0	0	221
	GW3{1}	119	0	0 119	163	0	0	163
	GW4{1}	123	0	0 123	272	0	0	272
	GT1P1{1}	4441455	0	04441455	195	0	0	195
	GT2P2{1}	851007	0	0 851007	152	0	0	152
	GT3P3{1}	2385298	0	02385298	135	0	0	135
	Gravity{2}	242	0	0 242	461	0	0	461
	Thermal 3{2}	-154707	0	0 154707	25	0	0	25
	Pressure 1{2}	3118096	0	03118096	871	0	0	871
	GT3{2}	-154465	0	0 154465	486	0	0	486
	Hydrotest-NL{2}	2963631	0	02963631	1357	0	0	1357
+834 -	Gravity{1}	121	0	0 121	220	0	0	220
	Thermal 1{1}	4402971	0	04402971	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01705680	56	0	0	56
	Thermal 3{1}	-154447	0	0 154447	22	0	0	22
	Wind 1{1}	-11	0	0 11	-1	0	0	1
	Wind 2{1}	11	0	0 11	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38362	0	0 38362	101	0	0	101
	Pressure 2{1}	2556566	0	02556566	-124	0	0	124
	Pressure 3{1}	2539624	0	02539624	-107	0	0	107
	GT1{1}	4403093	0	04403093	94	0	0	94

	GT2{1}	-.2E+07	0	01705559	276	0	0	276
	GT3{1}	-154326	0	0 154326	242	0	0	242
	GW1{1}	111	0	0 111	219	0	0	219
	GW2{1}	132	0	0 132	221	0	0	221
	GW3{1}	119	0	0 119	163	0	0	163
	GW4{1}	123	0	0 123	272	0	0	272
	GT1P1{1}	4441455	0	04441455	195	0	0	195
	GT2P2{1}	851007	0	0 851007	152	0	0	152
	GT3P3{1}	2385298	0	02385298	135	0	0	135
	Gravity{2}	242	0	0 242	461	0	0	461
	Thermal 3{2}	-154707	0	0 154707	25	0	0	25
	Pressure 1{2}	3118096	0	03118096	871	0	0	871
	GT3{2}	-154465	0	0 154465	486	0	0	486
	Hydrotest-NL{2}	2963631	0	02963631	1357	0	0	1357
+834 +	Gravity{1}	123	0	0 123	220	0	0	220
	Thermal 1{1}	4388389	0	04388389	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01705271	56	0	0	56
	Thermal 3{1}	-154420	0	0 154420	22	0	0	22
	Wind 1{1}	-11	0	0 11	-1	0	0	1
	Wind 2{1}	11	0	0 11	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38362	0	0 38362	101	0	0	101
	Pressure 2{1}	2555987	0	02555987	-124	0	0	124
	Pressure 3{1}	2538796	0	02538796	-107	0	0	107
	GT1{1}	4388512	0	04388512	94	0	0	94
	GT2{1}	-.2E+07	0	01705148	276	0	0	276
	GT3{1}	-154297	0	0 154297	242	0	0	242
	GW1{1}	112	0	0 112	219	0	0	219
	GW2{1}	134	0	0 134	221	0	0	221
	GW3{1}	121	0	0 121	163	0	0	163
	GW4{1}	125	0	0 125	272	0	0	272
	GT1P1{1}	4426874	0	04426874	195	0	0	195
	GT2P2{1}	850839	0	0 850839	152	0	0	152
	GT3P3{1}	2384499	0	02384499	135	0	0	135
	Gravity{2}	245	0	0 245	461	0	0	461
	Thermal 3{2}	-154683	0	0 154683	25	0	0	25
	Pressure 1{2}	3116234	0	03116234	871	0	0	871
	GT3{2}	-154438	0	0 154438	486	0	0	486
	Hydrotest-NL{2}	2961796	0	02961796	1357	0	0	1357
+835 -	Gravity{1}	123	0	0 123	220	0	0	220
	Thermal 1{1}	4388389	0	04388389	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01705271	56	0	0	56
	Thermal 3{1}	-154420	0	0 154420	22	0	0	22
	Wind 1{1}	-11	0	0 11	-1	0	0	1
	Wind 2{1}	11	0	0 11	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38362	0	0 38362	101	0	0	101
	Pressure 2{1}	2555987	0	02555987	-124	0	0	124
	Pressure 3{1}	2538796	0	02538796	-107	0	0	107
	GT1{1}	4388512	0	04388512	94	0	0	94
	GT2{1}	-.2E+07	0	01705148	276	0	0	276
	GT3{1}	-154297	0	0 154297	242	0	0	242
	GW1{1}	112	0	0 112	219	0	0	219
	GW2{1}	134	0	0 134	221	0	0	221
	GW3{1}	121	0	0 121	163	0	0	163
	GW4{1}	125	0	0 125	272	0	0	272
	GT1P1{1}	4426874	0	04426874	195	0	0	195
	GT2P2{1}	850839	0	0 850839	152	0	0	152
	GT3P3{1}	2384499	0	02384499	135	0	0	135
	Gravity{2}	245	0	0 245	461	0	0	461
	Thermal 3{2}	-154683	0	0 154683	25	0	0	25
	Pressure 1{2}	3116234	0	03116234	871	0	0	871
	GT3{2}	-154438	0	0 154438	486	0	0	486
	Hydrotest-NL{2}	2961796	0	02961796	1357	0	0	1357
+835 +	Gravity{1}	125	0	0 125	220	0	0	220
	Thermal 1{1}	4373805	0	04373805	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01704856	56	0	0	56
	Thermal 3{1}	-154392	0	0 154392	22	0	0	22
	Wind 1{1}	-11	0	0 11	-1	0	0	1
	Wind 2{1}	11	0	0 11	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38361	0	0 38361	101	0	0	101
	Pressure 2{1}	2555399	0	02555399	-124	0	0	124
	Pressure 3{1}	2537956	0	02537956	-107	0	0	107
	GT1{1}	4373930	0	04373930	94	0	0	94
	GT2{1}	-.2E+07	0	01704732	276	0	0	276
	GT3{1}	-154267	0	0 154267	242	0	0	242
	GW1{1}	114	0	0 114	219	0	0	219
	GW2{1}	136	0	0 136	221	0	0	221
	GW3{1}	122	0	0 122	163	0	0	163
	GW4{1}	127	0	0 127	272	0	0	272
	GT1P1{1}	4412292	0	04412292	195	0	0	195
	GT2P2{1}	850667	0	0 850667	152	0	0	152
	GT3P3{1}	2383689	0	02383689	135	0	0	135
	Gravity{2}	249	0	0 249	461	0	0	461
	Thermal 3{2}	-154659	0	0 154659	25	0	0	25
	Pressure 1{2}	3114344	0	03114344	871	0	0	871
	GT3{2}	-154410	0	0 154410	486	0	0	486
	Hydrotest-NL{2}	2959934	0	02959934	1357	0	0	1357
+836 -	Gravity{1}	125	0	0 125	220	0	0	220
	Thermal 1{1}	4373805	0	04373805	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01704856	56	0	0	56
	Thermal 3{1}	-154392	0	0 154392	22	0	0	22
	Wind 1{1}	-11	0	0 11	-1	0	0	1
	Wind 2{1}	11	0	0 11	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38361	0	0 38361	101	0	0	101
	Pressure 2{1}	2555399	0	02555399	-124	0	0	124
	Pressure 3{1}	2537956	0	02537956	-107	0	0	107
	GT1{1}	4373930	0	04373930	94	0	0	94

	GT2{1}	-.2E+07	0	01704732	276	0	0	276
	GT3{1}	-154267	0	0 154267	242	0	0	242
	GW1{1}	114	0	0 114	219	0	0	219
	GW2{1}	136	0	0 136	221	0	0	221
	GW3{1}	122	0	0 122	163	0	0	163
	GW4{1}	127	0	0 127	272	0	0	272
	GT1P1{1}	4412292	0	04412292	195	0	0	195
	GT2P2{1}	850667	0	0 850667	152	0	0	152
	GT3P3{1}	2383689	0	02383689	135	0	0	135
	Gravity{2}	249	0	0 249	461	0	0	461
	Thermal 3{2}	-154659	0	0 154659	25	0	0	25
	Pressure 1{2}	3114344	0	03114344	871	0	0	871
	GT3{2}	-154410	0	0 154410	486	0	0	486
	Hydrotest-NL{2}	2959934	0	02959934	1357	0	0	1357
+836 +	Gravity{1}	127	0	0 127	220	0	0	220
	Thermal 1{1}	4359222	0	04359222	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01704435	56	0	0	56
	Thermal 3{1}	-154364	0	0 154364	22	0	0	22
	Wind 1{1}	-11	0	0 11	-1	0	0	1
	Wind 2{1}	11	0	0 11	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38361	0	0 38361	101	0	0	101
	Pressure 2{1}	2554802	0	02554802	-124	0	0	124
	Pressure 3{1}	2537103	0	02537103	-107	0	0	107
	GT1{1}	4359349	0	04359349	94	0	0	94
	GT2{1}	-.2E+07	0	01704309	276	0	0	276
	GT3{1}	-154237	0	0 154237	242	0	0	242
	GW1{1}	115	0	0 115	219	0	0	219
	GW2{1}	138	0	0 138	221	0	0	221
	GW3{1}	124	0	0 124	163	0	0	163
	GW4{1}	129	0	0 129	272	0	0	272
	GT1P1{1}	4397710	0	04397710	195	0	0	195
	GT2P2{1}	850493	0	0 850493	152	0	0	152
	GT3P3{1}	2382866	0	02382866	135	0	0	135
	Gravity{2}	252	0	0 252	461	0	0	461
	Thermal 3{2}	-154635	0	0 154635	25	0	0	25
	Pressure 1{2}	3112427	0	03112427	871	0	0	871
	GT3{2}	-154382	0	0 154382	486	0	0	486
	Hydrotest-NL{2}	2958044	0	02958044	1357	0	0	1357
+837 -	Gravity{1}	127	0	0 127	220	0	0	220
	Thermal 1{1}	4359222	0	04359222	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01704435	56	0	0	56
	Thermal 3{1}	-154364	0	0 154364	22	0	0	22
	Wind 1{1}	-11	0	0 11	-1	0	0	1
	Wind 2{1}	11	0	0 11	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38361	0	0 38361	101	0	0	101
	Pressure 2{1}	2554802	0	02554802	-124	0	0	124
	Pressure 3{1}	2537103	0	02537103	-107	0	0	107
	GT1{1}	4359349	0	04359349	94	0	0	94
	GT2{1}	-.2E+07	0	01704309	276	0	0	276
	GT3{1}	-154237	0	0 154237	242	0	0	242
	GW1{1}	115	0	0 115	219	0	0	219
	GW2{1}	138	0	0 138	221	0	0	221
	GW3{1}	124	0	0 124	163	0	0	163
	GW4{1}	129	0	0 129	272	0	0	272
	GT1P1{1}	4397710	0	04397710	195	0	0	195
	GT2P2{1}	850493	0	0 850493	152	0	0	152
	GT3P3{1}	2382866	0	02382866	135	0	0	135
	Gravity{2}	252	0	0 252	461	0	0	461
	Thermal 3{2}	-154635	0	0 154635	25	0	0	25
	Pressure 1{2}	3112427	0	03112427	871	0	0	871
	GT3{2}	-154382	0	0 154382	486	0	0	486
	Hydrotest-NL{2}	2958044	0	02958044	1357	0	0	1357
+837 +	Gravity{1}	128	0	0 128	220	0	0	220
	Thermal 1{1}	4344640	0	04344640	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01704008	56	0	0	56
	Thermal 3{1}	-154335	0	0 154335	22	0	0	22
	Wind 1{1}	-11	0	0 11	-1	0	0	1
	Wind 2{1}	11	0	0 11	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38360	0	0 38360	101	0	0	101
	Pressure 2{1}	2554197	0	02554197	-124	0	0	124
	Pressure 3{1}	2536239	0	02536239	-107	0	0	107
	GT1{1}	4344768	0	04344768	94	0	0	94
	GT2{1}	-.2E+07	0	01703880	276	0	0	276
	GT3{1}	-154207	0	0 154207	242	0	0	242
	GW1{1}	117	0	0 117	219	0	0	219
	GW2{1}	140	0	0 140	221	0	0	221
	GW3{1}	126	0	0 126	163	0	0	163
	GW4{1}	131	0	0 131	272	0	0	272
	GT1P1{1}	4383128	0	04383128	195	0	0	195
	GT2P2{1}	850317	0	0 850317	152	0	0	152
	GT3P3{1}	2382032	0	02382032	135	0	0	135
	Gravity{2}	256	0	0 256	461	0	0	461
	Thermal 3{2}	-154610	0	0 154610	25	0	0	25
	Pressure 1{2}	3110481	0	03110481	871	0	0	871
	GT3{2}	-154354	0	0 154354	486	0	0	486
	Hydrotest-NL{2}	2956127	0	02956127	1357	0	0	1357
+838 -	Gravity{1}	128	0	0 128	220	0	0	220
	Thermal 1{1}	4344640	0	04344640	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01704008	56	0	0	56
	Thermal 3{1}	-154335	0	0 154335	22	0	0	22
	Wind 1{1}	-11	0	0 11	-1	0	0	1
	Wind 2{1}	11	0	0 11	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38360	0	0 38360	101	0	0	101
	Pressure 2{1}	2554197	0	02554197	-124	0	0	124
	Pressure 3{1}	2536239	0	02536239	-107	0	0	107
	GT1{1}	4344768	0	04344768	94	0	0	94

	GT2{1}	-.2E+07	0	01703880	276	0	0	276
	GT3{1}	-154207	0	0 154207	242	0	0	242
	GW1{1}	117	0	0 117	219	0	0	219
	GW2{1}	140	0	0 140	221	0	0	221
	GW3{1}	126	0	0 126	163	0	0	163
	GW4{1}	131	0	0 131	272	0	0	272
	GT1P1{1}	4383128	0	04383128	195	0	0	195
	GT2P2{1}	850317	0	0 850317	152	0	0	152
	GT3P3{1}	2382032	0	02382032	135	0	0	135
	Gravity{2}	256	0	0 256	461	0	0	461
	Thermal 3{2}	-154610	0	0 154610	25	0	0	25
	Pressure 1{2}	3110481	0	03110481	871	0	0	871
	GT3{2}	-154354	0	0 154354	486	0	0	486
	Hydrotest-NL{2}	2956127	0	02956127	1357	0	0	1357
+838 +	Gravity{1}	130	0	0 130	220	0	0	220
	Thermal 1{1}	4330057	0	04330057	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01703575	56	0	0	56
	Thermal 3{1}	-154306	0	0 154306	22	0	0	22
	Wind 1{1}	-11	0	0 11	-1	0	0	1
	Wind 2{1}	11	0	0 11	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38360	0	0 38360	101	0	0	101
	Pressure 2{1}	2553582	0	02553582	-124	0	0	124
	Pressure 3{1}	2535361	0	02535361	-107	0	0	107
	GT1{1}	4330187	0	04330187	94	0	0	94
	GT2{1}	-.2E+07	0	01703445	276	0	0	276
	GT3{1}	-154176	0	0 154176	242	0	0	242
	GW1{1}	119	0	0 119	219	0	0	219
	GW2{1}	142	0	0 142	221	0	0	221
	GW3{1}	128	0	0 128	163	0	0	163
	GW4{1}	133	0	0 133	272	0	0	272
	GT1P1{1}	4368547	0	04368547	195	0	0	195
	GT2P2{1}	850138	0	0 850138	152	0	0	152
	GT3P3{1}	2381185	0	02381185	135	0	0	135
	Gravity{2}	260	0	0 260	461	0	0	461
	Thermal 3{2}	-154585	0	0 154585	25	0	0	25
	Pressure 1{2}	3108507	0	03108507	871	0	0	871
	GT3{2}	-154325	0	0 154325	486	0	0	486
	Hydrotest-NL{2}	2954182	0	02954182	1357	0	0	1357
+839 -	Gravity{1}	130	0	0 130	220	0	0	220
	Thermal 1{1}	4330057	0	04330057	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01703575	56	0	0	56
	Thermal 3{1}	-154306	0	0 154306	22	0	0	22
	Wind 1{1}	-11	0	0 11	-1	0	0	1
	Wind 2{1}	11	0	0 11	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38360	0	0 38360	101	0	0	101
	Pressure 2{1}	2553582	0	02553582	-124	0	0	124
	Pressure 3{1}	2535361	0	02535361	-107	0	0	107
	GT1{1}	4330187	0	04330187	94	0	0	94
	GT2{1}	-.2E+07	0	01703445	276	0	0	276
	GT3{1}	-154176	0	0 154176	242	0	0	242
	GW1{1}	119	0	0 119	219	0	0	219
	GW2{1}	142	0	0 142	221	0	0	221
	GW3{1}	128	0	0 128	163	0	0	163
	GW4{1}	133	0	0 133	272	0	0	272
	GT1P1{1}	4368547	0	04368547	195	0	0	195
	GT2P2{1}	850138	0	0 850138	152	0	0	152
	GT3P3{1}	2381185	0	02381185	135	0	0	135
	Gravity{2}	260	0	0 260	461	0	0	461
	Thermal 3{2}	-154585	0	0 154585	25	0	0	25
	Pressure 1{2}	3108507	0	03108507	871	0	0	871
	GT3{2}	-154325	0	0 154325	486	0	0	486
	Hydrotest-NL{2}	2954182	0	02954182	1357	0	0	1357
+839 +	Gravity{1}	132	0	0 132	220	0	0	220
	Thermal 1{1}	4315474	0	04315474	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01703135	56	0	0	56
	Thermal 3{1}	-154276	0	0 154276	22	0	0	22
	Wind 1{1}	-12	0	0 12	-1	0	0	1
	Wind 2{1}	12	0	0 12	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38360	0	0 38360	101	0	0	101
	Pressure 2{1}	2552959	0	02552959	-124	0	0	124
	Pressure 3{1}	2534470	0	02534470	-107	0	0	107
	GT1{1}	4315606	0	04315606	94	0	0	94
	GT2{1}	-.2E+07	0	01703003	276	0	0	276
	GT3{1}	-154144	0	0 154144	242	0	0	242
	GW1{1}	121	0	0 121	219	0	0	219
	GW2{1}	144	0	0 144	221	0	0	221
	GW3{1}	130	0	0 130	163	0	0	163
	GW4{1}	135	0	0 135	272	0	0	272
	GT1P1{1}	4353965	0	04353965	195	0	0	195
	GT2P2{1}	849956	0	0 849956	152	0	0	152
	GT3P3{1}	2380326	0	02380326	135	0	0	135
	Gravity{2}	264	0	0 264	461	0	0	461
	Thermal 3{2}	-154560	0	0 154560	25	0	0	25
	Pressure 1{2}	3106504	0	03106504	871	0	0	871
	GT3{2}	-154296	0	0 154296	486	0	0	486
	Hydrotest-NL{2}	2952209	0	02952209	1357	0	0	1357
+840 -	Gravity{1}	132	0	0 132	220	0	0	220
	Thermal 1{1}	4315474	0	04315474	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01703135	56	0	0	56
	Thermal 3{1}	-154276	0	0 154276	22	0	0	22
	Wind 1{1}	-12	0	0 12	-1	0	0	1
	Wind 2{1}	12	0	0 12	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38360	0	0 38360	101	0	0	101
	Pressure 2{1}	2552959	0	02552959	-124	0	0	124
	Pressure 3{1}	2534470	0	02534470	-107	0	0	107
	GT1{1}	4315606	0	04315606	94	0	0	94

	GT2{1}	-.2E+07	0	01703003	276	0	0	276
	GT3{1}	-154144	0	0 154144	242	0	0	242
	GW1{1}	121	0	0 121	219	0	0	219
	GW2{1}	144	0	0 144	221	0	0	221
	GW3{1}	130	0	0 130	163	0	0	163
	GW4{1}	135	0	0 135	272	0	0	272
	GT1P1{1}	4353965	0	04353965	195	0	0	195
	GT2P2{1}	849956	0	0 849956	152	0	0	152
	GT3P3{1}	2380326	0	02380326	135	0	0	135
	Gravity{2}	264	0	0 264	461	0	0	461
	Thermal 3{2}	-154560	0	0 154560	25	0	0	25
	Pressure 1{2}	3106504	0	03106504	871	0	0	871
	GT3{2}	-154296	0	0 154296	486	0	0	486
	Hydrotest-NL{2}	2952209	0	02952209	1357	0	0	1357
+840 +	Gravity{1}	134	0	0 134	220	0	0	220
	Thermal 1{1}	4300890	0	04300890	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01702689	56	0	0	56
	Thermal 3{1}	-154246	0	0 154246	22	0	0	22
	Wind 1{1}	-12	0	0 12	-1	0	0	1
	Wind 2{1}	12	0	0 12	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38359	0	0 38359	101	0	0	101
	Pressure 2{1}	2552327	0	02552327	-124	0	0	124
	Pressure 3{1}	2533567	0	02533567	-107	0	0	107
	GT1{1}	4301024	0	04301024	94	0	0	94
	GT2{1}	-.2E+07	0	01702555	276	0	0	276
	GT3{1}	-154112	0	0 154112	242	0	0	242
	GW1{1}	122	0	0 122	219	0	0	219
	GW2{1}	146	0	0 146	221	0	0	221
	GW3{1}	132	0	0 132	163	0	0	163
	GW4{1}	137	0	0 137	272	0	0	272
	GT1P1{1}	4339383	0	04339383	195	0	0	195
	GT2P2{1}	849772	0	0 849772	152	0	0	152
	GT3P3{1}	2379455	0	02379455	135	0	0	135
	Gravity{2}	268	0	0 268	461	0	0	461
	Thermal 3{2}	-154534	0	0 154534	25	0	0	25
	Pressure 1{2}	3104472	0	03104472	871	0	0	871
	GT3{2}	-154266	0	0 154266	486	0	0	486
	Hydrotest-NL{2}	2950206	0	02950206	1357	0	0	1357
+841 -	Gravity{1}	134	0	0 134	220	0	0	220
	Thermal 1{1}	4300890	0	04300890	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01702689	56	0	0	56
	Thermal 3{1}	-154246	0	0 154246	22	0	0	22
	Wind 1{1}	-12	0	0 12	-1	0	0	1
	Wind 2{1}	12	0	0 12	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38359	0	0 38359	101	0	0	101
	Pressure 2{1}	2552327	0	02552327	-124	0	0	124
	Pressure 3{1}	2533567	0	02533567	-107	0	0	107
	GT1{1}	4301024	0	04301024	94	0	0	94
	GT2{1}	-.2E+07	0	01702555	276	0	0	276
	GT3{1}	-154112	0	0 154112	242	0	0	242
	GW1{1}	122	0	0 122	219	0	0	219
	GW2{1}	146	0	0 146	221	0	0	221
	GW3{1}	132	0	0 132	163	0	0	163
	GW4{1}	137	0	0 137	272	0	0	272
	GT1P1{1}	4339383	0	04339383	195	0	0	195
	GT2P2{1}	849772	0	0 849772	152	0	0	152
	GT3P3{1}	2379455	0	02379455	135	0	0	135
	Gravity{2}	268	0	0 268	461	0	0	461
	Thermal 3{2}	-154534	0	0 154534	25	0	0	25
	Pressure 1{2}	3104472	0	03104472	871	0	0	871
	GT3{2}	-154266	0	0 154266	486	0	0	486
	Hydrotest-NL{2}	2950206	0	02950206	1357	0	0	1357
+841 +	Gravity{1}	136	0	0 136	220	0	0	220
	Thermal 1{1}	4286308	0	04286308	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01702237	56	0	0	56
	Thermal 3{1}	-154216	0	0 154216	22	0	0	22
	Wind 1{1}	-12	0	0 12	-1	0	0	1
	Wind 2{1}	12	0	0 12	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38359	0	0 38359	101	0	0	101
	Pressure 2{1}	2551685	0	02551685	-124	0	0	124
	Pressure 3{1}	2532650	0	02532650	-107	0	0	107
	GT1{1}	4286444	0	04286444	94	0	0	94
	GT2{1}	-.2E+07	0	01702101	276	0	0	276
	GT3{1}	-154080	0	0 154080	242	0	0	242
	GW1{1}	124	0	0 124	219	0	0	219
	GW2{1}	148	0	0 148	221	0	0	221
	GW3{1}	134	0	0 134	163	0	0	163
	GW4{1}	139	0	0 139	272	0	0	272
	GT1P1{1}	4324802	0	04324802	195	0	0	195
	GT2P2{1}	849584	0	0 849584	152	0	0	152
	GT3P3{1}	2378570	0	02378570	135	0	0	135
	Gravity{2}	272	0	0 272	461	0	0	461
	Thermal 3{2}	-154508	0	0 154508	25	0	0	25
	Pressure 1{2}	3102410	0	03102410	871	0	0	871
	GT3{2}	-154236	0	0 154236	486	0	0	486
	Hydrotest-NL{2}	2948174	0	02948174	1357	0	0	1357
+842 -	Gravity{1}	136	0	0 136	220	0	0	220
	Thermal 1{1}	4286308	0	04286308	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01702237	56	0	0	56
	Thermal 3{1}	-154216	0	0 154216	22	0	0	22
	Wind 1{1}	-12	0	0 12	-1	0	0	1
	Wind 2{1}	12	0	0 12	1	0	0	1
	Wind 3{1}	-2	0	0 2	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38359	0	0 38359	101	0	0	101
	Pressure 2{1}	2551685	0	02551685	-124	0	0	124
	Pressure 3{1}	2532650	0	02532650	-107	0	0	107
	GT1{1}	4286444	0	04286444	94	0	0	94

	GT2{1}	-.2E+07	0	01702101	276	0	0	276
	GT3{1}	-154080	0	0 154080	242	0	0	242
	GW1{1}	124	0	0 124	219	0	0	219
	GW2{1}	148	0	0 148	221	0	0	221
	GW3{1}	134	0	0 134	163	0	0	163
	GW4{1}	139	0	0 139	272	0	0	272
	GT1P1{1}	4324802	0	04324802	195	0	0	195
	GT2P2{1}	849584	0	0 849584	152	0	0	152
	GT3P3{1}	2378570	0	02378570	135	0	0	135
	Gravity{2}	272	0	0 272	461	0	0	461
	Thermal 3{2}	-154508	0	0 154508	25	0	0	25
	Pressure 1{2}	3102410	0	03102410	871	0	0	871
	GT3{2}	-154236	0	0 154236	486	0	0	486
	Hydrotest-NL{2}	2948174	0	02948174	1357	0	0	1357
+842 +	Gravity{1}	138	0	0 138	220	0	0	220
	Thermal 1{1}	4271725	0	04271725	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01701777	56	0	0	56
	Thermal 3{1}	-154185	0	0 154185	22	0	0	22
	Wind 1{1}	-12	0	0 12	-1	0	0	1
	Wind 2{1}	12	0	0 12	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38358	0	0 38358	101	0	0	101
	Pressure 2{1}	2551034	0	02551034	-124	0	0	124
	Pressure 3{1}	2531720	0	02531720	-107	0	0	107
	GT1{1}	4271863	0	04271863	94	0	0	94
	GT2{1}	-.2E+07	0	01701639	276	0	0	276
	GT3{1}	-154047	0	0 154047	242	0	0	242
	GW1{1}	126	0	0 126	219	0	0	219
	GW2{1}	150	0	0 150	221	0	0	221
	GW3{1}	136	0	0 136	163	0	0	163
	GW4{1}	141	0	0 141	272	0	0	272
	GT1P1{1}	4310221	0	04310221	195	0	0	195
	GT2P2{1}	849394	0	0 849394	152	0	0	152
	GT3P3{1}	2377673	0	02377673	135	0	0	135
	Gravity{2}	276	0	0 276	461	0	0	461
	Thermal 3{2}	-154481	0	0 154481	25	0	0	25
	Pressure 1{2}	3100318	0	03100318	871	0	0	871
	GT3{2}	-154206	0	0 154206	486	0	0	486
	Hydrotest-NL{2}	2946112	0	02946112	1357	0	0	1357
+843 -	Gravity{1}	138	0	0 138	220	0	0	220
	Thermal 1{1}	4271725	0	04271725	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01701777	56	0	0	56
	Thermal 3{1}	-154185	0	0 154185	22	0	0	22
	Wind 1{1}	-12	0	0 12	-1	0	0	1
	Wind 2{1}	12	0	0 12	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	2	0	0 2	52	0	0	52
	Pressure 1{1}	38358	0	0 38358	101	0	0	101
	Pressure 2{1}	2551034	0	02551034	-124	0	0	124
	Pressure 3{1}	2531720	0	02531720	-107	0	0	107
	GT1{1}	4271863	0	04271863	94	0	0	94
	GT2{1}	-.2E+07	0	01701639	276	0	0	276
	GT3{1}	-154047	0	0 154047	242	0	0	242
	GW1{1}	126	0	0 126	219	0	0	219
	GW2{1}	150	0	0 150	221	0	0	221
	GW3{1}	136	0	0 136	163	0	0	163
	GW4{1}	141	0	0 141	272	0	0	272
	GT1P1{1}	4310221	0	04310221	195	0	0	195
	GT2P2{1}	849394	0	0 849394	152	0	0	152
	GT3P3{1}	2377673	0	02377673	135	0	0	135
	Gravity{2}	276	0	0 276	461	0	0	461
	Thermal 3{2}	-154481	0	0 154481	25	0	0	25
	Pressure 1{2}	3100318	0	03100318	871	0	0	871
	GT3{2}	-154206	0	0 154206	486	0	0	486
	Hydrotest-NL{2}	2946112	0	02946112	1357	0	0	1357
+843 +	Gravity{1}	140	0	0 140	220	0	0	220
	Thermal 1{1}	4257141	0	04257141	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01701311	56	0	0	56
	Thermal 3{1}	-154154	0	0 154154	22	0	0	22
	Wind 1{1}	-12	0	0 12	-1	0	0	1
	Wind 2{1}	12	0	0 12	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38358	0	0 38358	101	0	0	101
	Pressure 2{1}	2550373	0	02550373	-124	0	0	124
	Pressure 3{1}	2530776	0	02530776	-107	0	0	107
	GT1{1}	4257281	0	04257281	94	0	0	94
	GT2{1}	-.2E+07	0	01701171	276	0	0	276
	GT3{1}	-154014	0	0 154014	242	0	0	242
	GW1{1}	128	0	0 128	219	0	0	219
	GW2{1}	152	0	0 152	221	0	0	221
	GW3{1}	138	0	0 138	163	0	0	163
	GW4{1}	143	0	0 143	272	0	0	272
	GT1P1{1}	4295639	0	04295639	195	0	0	195
	GT2P2{1}	849202	0	0 849202	152	0	0	152
	GT3P3{1}	2376763	0	02376763	135	0	0	135
	Gravity{2}	280	0	0 280	461	0	0	461
	Thermal 3{2}	-154454	0	0 154454	25	0	0	25
	Pressure 1{2}	3098195	0	03098195	871	0	0	871
	GT3{2}	-154175	0	0 154175	486	0	0	486
	Hydrotest-NL{2}	2944020	0	02944020	1357	0	0	1357
+844 -	Gravity{1}	140	0	0 140	220	0	0	220
	Thermal 1{1}	4257141	0	04257141	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01701311	56	0	0	56
	Thermal 3{1}	-154154	0	0 154154	22	0	0	22
	Wind 1{1}	-12	0	0 12	-1	0	0	1
	Wind 2{1}	12	0	0 12	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38358	0	0 38358	101	0	0	101
	Pressure 2{1}	2550373	0	02550373	-124	0	0	124
	Pressure 3{1}	2530776	0	02530776	-107	0	0	107
	GT1{1}	4257281	0	04257281	94	0	0	94

	GT2{1}	-.2E+07	0	01701171	276	0	0	276
	GT3{1}	-154014	0	0 154014	242	0	0	242
	GW1{1}	128	0	0 128	219	0	0	219
	GW2{1}	152	0	0 152	221	0	0	221
	GW3{1}	138	0	0 138	163	0	0	163
	GW4{1}	143	0	0 143	272	0	0	272
	GT1P1{1}	4295639	0	04295639	195	0	0	195
	GT2P2{1}	849202	0	0 849202	152	0	0	152
	GT3P3{1}	2376763	0	02376763	135	0	0	135
	Gravity{2}	280	0	0 280	461	0	0	461
	Thermal 3{2}	-154454	0	0 154454	25	0	0	25
	Pressure 1{2}	3098195	0	03098195	871	0	0	871
	GT3{2}	-154175	0	0 154175	486	0	0	486
	Hydrotest-NL{2}	2944020	0	02944020	1357	0	0	1357
+844 +	Gravity{1}	142	0	0 142	220	0	0	220
	Thermal 1{1}	4242559	0	04242559	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01700839	56	0	0	56
	Thermal 3{1}	-154122	0	0 154122	22	0	0	22
	Wind 1{1}	-12	0	0 12	-1	0	0	1
	Wind 2{1}	12	0	0 12	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38357	0	0 38357	101	0	0	101
	Pressure 2{1}	2549703	0	02549703	-124	0	0	124
	Pressure 3{1}	2529819	0	02529819	-107	0	0	107
	GT1{1}	4242701	0	04242701	94	0	0	94
	GT2{1}	-.2E+07	0	01700696	276	0	0	276
	GT3{1}	-153980	0	0 153980	242	0	0	242
	GW1{1}	130	0	0 130	219	0	0	219
	GW2{1}	155	0	0 155	221	0	0	221
	GW3{1}	140	0	0 140	163	0	0	163
	GW4{1}	145	0	0 145	272	0	0	272
	GT1P1{1}	4281058	0	04281058	195	0	0	195
	GT2P2{1}	849007	0	0 849007	152	0	0	152
	GT3P3{1}	2375839	0	02375839	135	0	0	135
	Gravity{2}	284	0	0 284	461	0	0	461
	Thermal 3{2}	-154427	0	0 154427	25	0	0	25
	Pressure 1{2}	3096041	0	03096041	871	0	0	871
	GT3{2}	-154143	0	0 154143	486	0	0	486
	Hydrotest-NL{2}	2941898	0	02941898	1357	0	0	1357
+845 -	Gravity{1}	142	0	0 142	220	0	0	220
	Thermal 1{1}	4242559	0	04242559	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01700839	56	0	0	56
	Thermal 3{1}	-154122	0	0 154122	22	0	0	22
	Wind 1{1}	-12	0	0 12	-1	0	0	1
	Wind 2{1}	12	0	0 12	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38357	0	0 38357	101	0	0	101
	Pressure 2{1}	2549703	0	02549703	-124	0	0	124
	Pressure 3{1}	2529819	0	02529819	-107	0	0	107
	GT1{1}	4242701	0	04242701	94	0	0	94
	GT2{1}	-.2E+07	0	01700696	276	0	0	276
	GT3{1}	-153980	0	0 153980	242	0	0	242
	GW1{1}	130	0	0 130	219	0	0	219
	GW2{1}	155	0	0 155	221	0	0	221
	GW3{1}	140	0	0 140	163	0	0	163
	GW4{1}	145	0	0 145	272	0	0	272
	GT1P1{1}	4281058	0	04281058	195	0	0	195
	GT2P2{1}	849007	0	0 849007	152	0	0	152
	GT3P3{1}	2375839	0	02375839	135	0	0	135
	Gravity{2}	284	0	0 284	461	0	0	461
	Thermal 3{2}	-154427	0	0 154427	25	0	0	25
	Pressure 1{2}	3096041	0	03096041	871	0	0	871
	GT3{2}	-154143	0	0 154143	486	0	0	486
	Hydrotest-NL{2}	2941898	0	02941898	1357	0	0	1357
+845 +	Gravity{1}	144	0	0 144	220	0	0	220
	Thermal 1{1}	4227976	0	04227976	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01700359	56	0	0	56
	Thermal 3{1}	-154090	0	0 154090	22	0	0	22
	Wind 1{1}	-13	0	0 13	-1	0	0	1
	Wind 2{1}	13	0	0 13	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38357	0	0 38357	101	0	0	101
	Pressure 2{1}	2549023	0	02549023	-124	0	0	124
	Pressure 3{1}	2528847	0	02528847	-107	0	0	107
	GT1{1}	4228120	0	04228120	94	0	0	94
	GT2{1}	-.2E+07	0	01700215	276	0	0	276
	GT3{1}	-153946	0	0 153946	242	0	0	242
	GW1{1}	132	0	0 132	219	0	0	219
	GW2{1}	157	0	0 157	221	0	0	221
	GW3{1}	142	0	0 142	163	0	0	163
	GW4{1}	147	0	0 147	272	0	0	272
	GT1P1{1}	4266476	0	04266476	195	0	0	195
	GT2P2{1}	848808	0	0 848808	152	0	0	152
	GT3P3{1}	2374901	0	02374901	135	0	0	135
	Gravity{2}	288	0	0 288	461	0	0	461
	Thermal 3{2}	-154399	0	0 154399	25	0	0	25
	Pressure 1{2}	3093855	0	03093855	871	0	0	871
	GT3{2}	-154111	0	0 154111	486	0	0	486
	Hydrotest-NL{2}	2939744	0	02939744	1357	0	0	1357
+846 -	Gravity{1}	144	0	0 144	220	0	0	220
	Thermal 1{1}	4227976	0	04227976	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01700359	56	0	0	56
	Thermal 3{1}	-154090	0	0 154090	22	0	0	22
	Wind 1{1}	-13	0	0 13	-1	0	0	1
	Wind 2{1}	13	0	0 13	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38357	0	0 38357	101	0	0	101
	Pressure 2{1}	2549023	0	02549023	-124	0	0	124
	Pressure 3{1}	2528847	0	02528847	-107	0	0	107
	GT1{1}	4228120	0	04228120	94	0	0	94

	GT2{1}	-.2E+07	0	01700215	276	0	0	276
	GT3{1}	-153946	0	0 153946	242	0	0	242
	GW1{1}	132	0	0 132	219	0	0	219
	GW2{1}	157	0	0 157	221	0	0	221
	GW3{1}	142	0	0 142	163	0	0	163
	GW4{1}	147	0	0 147	272	0	0	272
	GT1P1{1}	4266476	0	04266476	195	0	0	195
	GT2P2{1}	848808	0	0 848808	152	0	0	152
	GT3P3{1}	2374901	0	02374901	135	0	0	135
	Gravity{2}	288	0	0 288	461	0	0	461
	Thermal 3{2}	-154399	0	0 154399	25	0	0	25
	Pressure 1{2}	3093855	0	03093855	871	0	0	871
	GT3{2}	-154111	0	0 154111	486	0	0	486
	Hydrotest-NL{2}	2939744	0	02939744	1357	0	0	1357
+846 +	Gravity{1}	146	0	0 146	220	0	0	220
	Thermal 1{1}	4213392	0	04213392	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01699872	56	0	0	56
	Thermal 3{1}	-154057	0	0 154057	22	0	0	22
	Wind 1{1}	-13	0	0 13	-1	0	0	1
	Wind 2{1}	13	0	0 13	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38356	0	0 38356	101	0	0	101
	Pressure 2{1}	2548333	0	02548333	-124	0	0	124
	Pressure 3{1}	2527861	0	02527861	-107	0	0	107
	GT1{1}	4213538	0	04213538	94	0	0	94
	GT2{1}	-.2E+07	0	01699726	276	0	0	276
	GT3{1}	-153911	0	0 153911	242	0	0	242
	GW1{1}	134	0	0 134	219	0	0	219
	GW2{1}	159	0	0 159	221	0	0	221
	GW3{1}	144	0	0 144	163	0	0	163
	GW4{1}	149	0	0 149	272	0	0	272
	GT1P1{1}	4251895	0	04251895	195	0	0	195
	GT2P2{1}	848607	0	0 848607	152	0	0	152
	GT3P3{1}	2373950	0	02373950	135	0	0	135
	Gravity{2}	292	0	0 292	461	0	0	461
	Thermal 3{2}	-154371	0	0 154371	25	0	0	25
	Pressure 1{2}	3091637	0	03091637	871	0	0	871
	GT3{2}	-154079	0	0 154079	486	0	0	486
	Hydrotest-NL{2}	2937558	0	02937558	1357	0	0	1357
+847 -	Gravity{1}	146	0	0 146	220	0	0	220
	Thermal 1{1}	4213392	0	04213392	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01699872	56	0	0	56
	Thermal 3{1}	-154057	0	0 154057	22	0	0	22
	Wind 1{1}	-13	0	0 13	-1	0	0	1
	Wind 2{1}	13	0	0 13	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38356	0	0 38356	101	0	0	101
	Pressure 2{1}	2548333	0	02548333	-124	0	0	124
	Pressure 3{1}	2527861	0	02527861	-107	0	0	107
	GT1{1}	4213538	0	04213538	94	0	0	94
	GT2{1}	-.2E+07	0	01699726	276	0	0	276
	GT3{1}	-153911	0	0 153911	242	0	0	242
	GW1{1}	134	0	0 134	219	0	0	219
	GW2{1}	159	0	0 159	221	0	0	221
	GW3{1}	144	0	0 144	163	0	0	163
	GW4{1}	149	0	0 149	272	0	0	272
	GT1P1{1}	4251895	0	04251895	195	0	0	195
	GT2P2{1}	848607	0	0 848607	152	0	0	152
	GT3P3{1}	2373950	0	02373950	135	0	0	135
	Gravity{2}	292	0	0 292	461	0	0	461
	Thermal 3{2}	-154371	0	0 154371	25	0	0	25
	Pressure 1{2}	3091637	0	03091637	871	0	0	871
	GT3{2}	-154079	0	0 154079	486	0	0	486
	Hydrotest-NL{2}	2937558	0	02937558	1357	0	0	1357
+847 +	Gravity{1}	148	0	0 148	220	0	0	220
	Thermal 1{1}	4198808	0	04198808	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01699378	56	0	0	56
	Thermal 3{1}	-154024	0	0 154024	22	0	0	22
	Wind 1{1}	-13	0	0 13	-1	0	0	1
	Wind 2{1}	13	0	0 13	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38356	0	0 38356	101	0	0	101
	Pressure 2{1}	2547632	0	02547632	-124	0	0	124
	Pressure 3{1}	2526861	0	02526861	-107	0	0	107
	GT1{1}	4198957	0	04198957	94	0	0	94
	GT2{1}	-.2E+07	0	01699230	276	0	0	276
	GT3{1}	-153875	0	0 153875	242	0	0	242
	GW1{1}	136	0	0 136	219	0	0	219
	GW2{1}	162	0	0 162	221	0	0	221
	GW3{1}	146	0	0 146	163	0	0	163
	GW4{1}	151	0	0 151	272	0	0	272
	GT1P1{1}	4237312	0	04237312	195	0	0	195
	GT2P2{1}	848403	0	0 848403	152	0	0	152
	GT3P3{1}	2372985	0	02372985	135	0	0	135
	Gravity{2}	296	0	0 296	461	0	0	461
	Thermal 3{2}	-154342	0	0 154342	25	0	0	25
	Pressure 1{2}	3089387	0	03089387	871	0	0	871
	GT3{2}	-154046	0	0 154046	486	0	0	486
	Hydrotest-NL{2}	2935341	0	02935341	1357	0	0	1357
+848 -	Gravity{1}	148	0	0 148	220	0	0	220
	Thermal 1{1}	4198808	0	04198808	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01699378	56	0	0	56
	Thermal 3{1}	-154024	0	0 154024	22	0	0	22
	Wind 1{1}	-13	0	0 13	-1	0	0	1
	Wind 2{1}	13	0	0 13	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38356	0	0 38356	101	0	0	101
	Pressure 2{1}	2547632	0	02547632	-124	0	0	124
	Pressure 3{1}	2526861	0	02526861	-107	0	0	107
	GT1{1}	4198957	0	04198957	94	0	0	94

	GT2{1}	-.2E+07	0	01699230	276	0	0	276
	GT3{1}	-153875	0	0 153875	242	0	0	242
	GW1{1}	136	0	0 136	219	0	0	219
	GW2{1}	162	0	0 162	221	0	0	221
	GW3{1}	146	0	0 146	163	0	0	163
	GW4{1}	151	0	0 151	272	0	0	272
	GT1P1{1}	4237312	0	04237312	195	0	0	195
	GT2P2{1}	848403	0	0 848403	152	0	0	152
	GT3P3{1}	2372985	0	02372985	135	0	0	135
	Gravity{2}	296	0	0 296	461	0	0	461
	Thermal 3{2}	-154342	0	0 154342	25	0	0	25
	Pressure 1{2}	3089387	0	03089387	871	0	0	871
	GT3{2}	-154046	0	0 154046	486	0	0	486
	Hydrotest-NL{2}	2935341	0	02935341	1357	0	0	1357
+848 +	Gravity{1}	151	0	0 151	220	0	0	220
	Thermal 1{1}	4184225	0	04184225	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01698877	56	0	0	56
	Thermal 3{1}	-153990	0	0 153990	22	0	0	22
	Wind 1{1}	-13	0	0 13	-1	0	0	1
	Wind 2{1}	13	0	0 13	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38355	0	0 38355	101	0	0	101
	Pressure 2{1}	2546922	0	02546922	-124	0	0	124
	Pressure 3{1}	2525846	0	02525846	-107	0	0	107
	GT1{1}	4184376	0	04184376	94	0	0	94
	GT2{1}	-.2E+07	0	01698726	276	0	0	276
	GT3{1}	-153840	0	0 153840	242	0	0	242
	GW1{1}	138	0	0 138	219	0	0	219
	GW2{1}	164	0	0 164	221	0	0	221
	GW3{1}	148	0	0 148	163	0	0	163
	GW4{1}	153	0	0 153	272	0	0	272
	GT1P1{1}	4222731	0	04222731	195	0	0	195
	GT2P2{1}	848195	0	0 848195	152	0	0	152
	GT3P3{1}	2372006	0	02372006	135	0	0	135
	Gravity{2}	301	0	0 301	461	0	0	461
	Thermal 3{2}	-154313	0	0 154313	25	0	0	25
	Pressure 1{2}	3087103	0	03087103	871	0	0	871
	GT3{2}	-154013	0	0 154013	486	0	0	486
	Hydrotest-NL{2}	2933091	0	02933091	1357	0	0	1357
+849 -	Gravity{1}	151	0	0 151	220	0	0	220
	Thermal 1{1}	4184225	0	04184225	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01698877	56	0	0	56
	Thermal 3{1}	-153990	0	0 153990	22	0	0	22
	Wind 1{1}	-13	0	0 13	-1	0	0	1
	Wind 2{1}	13	0	0 13	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38355	0	0 38355	101	0	0	101
	Pressure 2{1}	2546922	0	02546922	-124	0	0	124
	Pressure 3{1}	2525846	0	02525846	-107	0	0	107
	GT1{1}	4184376	0	04184376	94	0	0	94
	GT2{1}	-.2E+07	0	01698726	276	0	0	276
	GT3{1}	-153840	0	0 153840	242	0	0	242
	GW1{1}	138	0	0 138	219	0	0	219
	GW2{1}	164	0	0 164	221	0	0	221
	GW3{1}	148	0	0 148	163	0	0	163
	GW4{1}	153	0	0 153	272	0	0	272
	GT1P1{1}	4222731	0	04222731	195	0	0	195
	GT2P2{1}	848195	0	0 848195	152	0	0	152
	GT3P3{1}	2372006	0	02372006	135	0	0	135
	Gravity{2}	301	0	0 301	461	0	0	461
	Thermal 3{2}	-154313	0	0 154313	25	0	0	25
	Pressure 1{2}	3087103	0	03087103	871	0	0	871
	GT3{2}	-154013	0	0 154013	486	0	0	486
	Hydrotest-NL{2}	2933091	0	02933091	1357	0	0	1357
+849 +	Gravity{1}	153	0	0 153	220	0	0	220
	Thermal 1{1}	4169642	0	04169642	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01698368	56	0	0	56
	Thermal 3{1}	-153956	0	0 153956	22	0	0	22
	Wind 1{1}	-13	0	0 13	-1	0	0	1
	Wind 2{1}	13	0	0 13	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38355	0	0 38355	101	0	0	101
	Pressure 2{1}	2546201	0	02546201	-124	0	0	124
	Pressure 3{1}	2524816	0	02524816	-107	0	0	107
	GT1{1}	4169795	0	04169795	94	0	0	94
	GT2{1}	-.2E+07	0	01698216	276	0	0	276
	GT3{1}	-153803	0	0 153803	242	0	0	242
	GW1{1}	140	0	0 140	219	0	0	219
	GW2{1}	166	0	0 166	221	0	0	221
	GW3{1}	150	0	0 150	163	0	0	163
	GW4{1}	156	0	0 156	272	0	0	272
	GT1P1{1}	4208150	0	04208150	195	0	0	195
	GT2P2{1}	847985	0	0 847985	152	0	0	152
	GT3P3{1}	2371012	0	02371012	135	0	0	135
	Gravity{2}	305	0	0 305	461	0	0	461
	Thermal 3{2}	-154284	0	0 154284	25	0	0	25
	Pressure 1{2}	3084787	0	03084787	871	0	0	871
	GT3{2}	-153979	0	0 153979	486	0	0	486
	Hydrotest-NL{2}	2930808	0	02930808	1357	0	0	1357
+850 -	Gravity{1}	153	0	0 153	220	0	0	220
	Thermal 1{1}	4169642	0	04169642	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01698368	56	0	0	56
	Thermal 3{1}	-153956	0	0 153956	22	0	0	22
	Wind 1{1}	-13	0	0 13	-1	0	0	1
	Wind 2{1}	13	0	0 13	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38355	0	0 38355	101	0	0	101
	Pressure 2{1}	2546201	0	02546201	-124	0	0	124
	Pressure 3{1}	2524816	0	02524816	-107	0	0	107
	GT1{1}	4169795	0	04169795	94	0	0	94

GT2{1}	-.2E+07	0	01698216	276	0	0	276
GT3{1}	-153803	0	0 153803	242	0	0	242
GW1{1}	140	0	0 140	219	0	0	219
GW2{1}	166	0	0 166	221	0	0	221
GW3{1}	150	0	0 150	163	0	0	163
GW4{1}	156	0	0 156	272	0	0	272
GT1P1{1}	4208150	0	04208150	195	0	0	195
GT2P2{1}	847985	0	0 847985	152	0	0	152
GT3P3{1}	2371012	0	02371012	135	0	0	135
Gravity{2}	305	0	0 305	461	0	0	461
Thermal 3{2}	-154284	0	0 154284	25	0	0	25
Pressure 1{2}	3084787	0	03084787	871	0	0	871
GT3{2}	-153979	0	0 153979	486	0	0	486
Hydrotest-NL{2}	2930808	0	02930808	1357	0	0	1357
+850 +							
Gravity{1}	155	0	0 155	220	0	0	220
Thermal 1{1}	4155059	0	04155059	-126	0	0	126
Thermal 2{1}	-.2E+07	0	01697852	56	0	0	56
Thermal 3{1}	-153921	0	0 153921	22	0	0	22
Wind 1{1}	-14	0	0 14	-1	0	0	1
Wind 2{1}	14	0	0 14	1	0	0	1
Wind 3{1}	-3	0	0 3	-57	0	0	57
Wind 4{1}	3	0	0 3	52	0	0	52
Pressure 1{1}	38354	0	0 38354	101	0	0	101
Pressure 2{1}	2545469	0	02545469	-124	0	0	124
Pressure 3{1}	2523770	0	02523770	-107	0	0	107
GT1{1}	4155214	0	04155214	94	0	0	94
GT2{1}	-.2E+07	0	01697697	276	0	0	276
GT3{1}	-153766	0	0 153766	242	0	0	242
GW1{1}	142	0	0 142	219	0	0	219
GW2{1}	169	0	0 169	221	0	0	221
GW3{1}	152	0	0 152	163	0	0	163
GW4{1}	158	0	0 158	272	0	0	272
GT1P1{1}	4193568	0	04193568	195	0	0	195
GT2P2{1}	847772	0	0 847772	152	0	0	152
GT3P3{1}	2370004	0	02370004	135	0	0	135
Gravity{2}	310	0	0 310	461	0	0	461
Thermal 3{2}	-154254	0	0 154254	25	0	0	25
Pressure 1{2}	3082436	0	03082436	871	0	0	871
GT3{2}	-153944	0	0 153944	486	0	0	486
Hydrotest-NL{2}	2928491	0	02928491	1357	0	0	1357
+851 -							
Gravity{1}	155	0	0 155	220	0	0	220
Thermal 1{1}	4155059	0	04155059	-126	0	0	126
Thermal 2{1}	-.2E+07	0	01697852	56	0	0	56
Thermal 3{1}	-153921	0	0 153921	22	0	0	22
Wind 1{1}	-14	0	0 14	-1	0	0	1
Wind 2{1}	14	0	0 14	1	0	0	1
Wind 3{1}	-3	0	0 3	-57	0	0	57
Wind 4{1}	3	0	0 3	52	0	0	52
Pressure 1{1}	38354	0	0 38354	101	0	0	101
Pressure 2{1}	2545469	0	02545469	-124	0	0	124
Pressure 3{1}	2523770	0	02523770	-107	0	0	107
GT1{1}	4155214	0	04155214	94	0	0	94
GT2{1}	-.2E+07	0	01697697	276	0	0	276
GT3{1}	-153766	0	0 153766	242	0	0	242
GW1{1}	142	0	0 142	219	0	0	219
GW2{1}	169	0	0 169	221	0	0	221
GW3{1}	152	0	0 152	163	0	0	163
GW4{1}	158	0	0 158	272	0	0	272
GT1P1{1}	4193568	0	04193568	195	0	0	195
GT2P2{1}	847772	0	0 847772	152	0	0	152
GT3P3{1}	2370004	0	02370004	135	0	0	135
Gravity{2}	310	0	0 310	461	0	0	461
Thermal 3{2}	-154254	0	0 154254	25	0	0	25
Pressure 1{2}	3082436	0	03082436	871	0	0	871
GT3{2}	-153944	0	0 153944	486	0	0	486
Hydrotest-NL{2}	2928491	0	02928491	1357	0	0	1357
+851 +							
Gravity{1}	157	0	0 157	220	0	0	220
Thermal 1{1}	4140475	0	04140475	-126	0	0	126
Thermal 2{1}	-.2E+07	0	01697329	56	0	0	56
Thermal 3{1}	-153886	0	0 153886	22	0	0	22
Wind 1{1}	-14	0	0 14	-1	0	0	1
Wind 2{1}	14	0	0 14	1	0	0	1
Wind 3{1}	-3	0	0 3	-57	0	0	57
Wind 4{1}	3	0	0 3	52	0	0	52
Pressure 1{1}	38354	0	0 38354	101	0	0	101
Pressure 2{1}	2544727	0	02544727	-124	0	0	124
Pressure 3{1}	2522710	0	02522710	-107	0	0	107
GT1{1}	4140632	0	04140632	94	0	0	94
GT2{1}	-.2E+07	0	01697171	276	0	0	276
GT3{1}	-153729	0	0 153729	242	0	0	242
GW1{1}	144	0	0 144	219	0	0	219
GW2{1}	171	0	0 171	221	0	0	221
GW3{1}	155	0	0 155	163	0	0	163
GW4{1}	160	0	0 160	272	0	0	272
GT1P1{1}	4178986	0	04178986	195	0	0	195
GT2P2{1}	847556	0	0 847556	152	0	0	152
GT3P3{1}	2368981	0	02368981	135	0	0	135
Gravity{2}	314	0	0 314	461	0	0	461
Thermal 3{2}	-154224	0	0 154224	25	0	0	25
Pressure 1{2}	3080051	0	03080051	871	0	0	871
GT3{2}	-153909	0	0 153909	486	0	0	486
Hydrotest-NL{2}	2926141	0	02926141	1357	0	0	1357
+852 -							
Gravity{1}	157	0	0 157	220	0	0	220
Thermal 1{1}	4140475	0	04140475	-126	0	0	126
Thermal 2{1}	-.2E+07	0	01697329	56	0	0	56
Thermal 3{1}	-153886	0	0 153886	22	0	0	22
Wind 1{1}	-14	0	0 14	-1	0	0	1
Wind 2{1}	14	0	0 14	1	0	0	1
Wind 3{1}	-3	0	0 3	-57	0	0	57
Wind 4{1}	3	0	0 3	52	0	0	52
Pressure 1{1}	38354	0	0 38354	101	0	0	101
Pressure 2{1}	2544727	0	02544727	-124	0	0	124
Pressure 3{1}	2522710	0	02522710	-107	0	0	107
GT1{1}	4140632	0	04140632	94	0	0	94

	GT2{1}	-.2E+07	0	01697171	276	0	0	276
	GT3{1}	-153729	0	0 153729	242	0	0	242
	GW1{1}	144	0	0 144	219	0	0	219
	GW2{1}	171	0	0 171	221	0	0	221
	GW3{1}	155	0	0 155	163	0	0	163
	GW4{1}	160	0	0 160	272	0	0	272
	GT1P1{1}	4178986	0	04178986	195	0	0	195
	GT2P2{1}	847556	0	0 847556	152	0	0	152
	GT3P3{1}	2368981	0	02368981	135	0	0	135
	Gravity{2}	314	0	0 314	461	0	0	461
	Thermal 3{2}	-154224	0	0 154224	25	0	0	25
	Pressure 1{2}	3080051	0	03080051	871	0	0	871
	GT3{2}	-153909	0	0 153909	486	0	0	486
	Hydrotest-NL{2}	2926141	0	02926141	1357	0	0	1357
+852 +	Gravity{1}	160	0	0 160	220	0	0	220
	Thermal 1{1}	4125892	0	04125892	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01696798	56	0	0	56
	Thermal 3{1}	-153850	0	0 153850	22	0	0	22
	Wind 1{1}	-14	0	0 14	-1	0	0	1
	Wind 2{1}	14	0	0 14	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38353	0	0 38353	101	0	0	101
	Pressure 2{1}	2543974	0	02543974	-124	0	0	124
	Pressure 3{1}	2521634	0	02521634	-107	0	0	107
	GT1{1}	4126051	0	04126051	94	0	0	94
	GT2{1}	-.2E+07	0	01696638	276	0	0	276
	GT3{1}	-153691	0	0 153691	242	0	0	242
	GW1{1}	146	0	0 146	219	0	0	219
	GW2{1}	174	0	0 174	221	0	0	221
	GW3{1}	157	0	0 157	163	0	0	163
	GW4{1}	163	0	0 163	272	0	0	272
	GT1P1{1}	4164405	0	04164405	195	0	0	195
	GT2P2{1}	847336	0	0 847336	152	0	0	152
	GT3P3{1}	2367943	0	02367943	135	0	0	135
	Gravity{2}	319	0	0 319	461	0	0	461
	Thermal 3{2}	-154193	0	0 154193	25	0	0	25
	Pressure 1{2}	3077631	0	03077631	871	0	0	871
	GT3{2}	-153874	0	0 153874	486	0	0	486
	Hydrotest-NL{2}	2923756	0	02923756	1357	0	0	1357
+853 -	Gravity{1}	160	0	0 160	220	0	0	220
	Thermal 1{1}	4125892	0	04125892	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01696798	56	0	0	56
	Thermal 3{1}	-153850	0	0 153850	22	0	0	22
	Wind 1{1}	-14	0	0 14	-1	0	0	1
	Wind 2{1}	14	0	0 14	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38353	0	0 38353	101	0	0	101
	Pressure 2{1}	2543974	0	02543974	-124	0	0	124
	Pressure 3{1}	2521634	0	02521634	-107	0	0	107
	GT1{1}	4126051	0	04126051	94	0	0	94
	GT2{1}	-.2E+07	0	01696638	276	0	0	276
	GT3{1}	-153691	0	0 153691	242	0	0	242
	GW1{1}	146	0	0 146	219	0	0	219
	GW2{1}	174	0	0 174	221	0	0	221
	GW3{1}	157	0	0 157	163	0	0	163
	GW4{1}	163	0	0 163	272	0	0	272
	GT1P1{1}	4164405	0	04164405	195	0	0	195
	GT2P2{1}	847336	0	0 847336	152	0	0	152
	GT3P3{1}	2367943	0	02367943	135	0	0	135
	Gravity{2}	319	0	0 319	461	0	0	461
	Thermal 3{2}	-154193	0	0 154193	25	0	0	25
	Pressure 1{2}	3077631	0	03077631	871	0	0	871
	GT3{2}	-153874	0	0 153874	486	0	0	486
	Hydrotest-NL{2}	2923756	0	02923756	1357	0	0	1357
+853 +	Gravity{1}	162	0	0 162	220	0	0	220
	Thermal 1{1}	4111309	0	04111309	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01696259	56	0	0	56
	Thermal 3{1}	-153814	0	0 153814	22	0	0	22
	Wind 1{1}	-14	0	0 14	-1	0	0	1
	Wind 2{1}	14	0	0 14	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38352	0	0 38352	101	0	0	101
	Pressure 2{1}	2543210	0	02543210	-124	0	0	124
	Pressure 3{1}	2520542	0	02520542	-107	0	0	107
	GT1{1}	4111471	0	04111471	94	0	0	94
	GT2{1}	-.2E+07	0	01696097	276	0	0	276
	GT3{1}	-153652	0	0 153652	242	0	0	242
	GW1{1}	148	0	0 148	219	0	0	219
	GW2{1}	176	0	0 176	221	0	0	221
	GW3{1}	159	0	0 159	163	0	0	163
	GW4{1}	165	0	0 165	272	0	0	272
	GT1P1{1}	4149823	0	04149823	195	0	0	195
	GT2P2{1}	847113	0	0 847113	152	0	0	152
	GT3P3{1}	2366890	0	02366890	135	0	0	135
	Gravity{2}	323	0	0 323	461	0	0	461
	Thermal 3{2}	-154162	0	0 154162	25	0	0	25
	Pressure 1{2}	3075175	0	03075175	871	0	0	871
	GT3{2}	-153838	0	0 153838	486	0	0	486
	Hydrotest-NL{2}	2921336	0	02921336	1357	0	0	1357
+854 -	Gravity{1}	162	0	0 162	220	0	0	220
	Thermal 1{1}	4111309	0	04111309	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01696259	56	0	0	56
	Thermal 3{1}	-153814	0	0 153814	22	0	0	22
	Wind 1{1}	-14	0	0 14	-1	0	0	1
	Wind 2{1}	14	0	0 14	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38352	0	0 38352	101	0	0	101
	Pressure 2{1}	2543210	0	02543210	-124	0	0	124
	Pressure 3{1}	2520542	0	02520542	-107	0	0	107
	GT1{1}	4111471	0	04111471	94	0	0	94

	GT2{1}	-.2E+07	0	01696097	276	0	0	276
	GT3{1}	-153652	0	0 153652	242	0	0	242
	GW1{1}	148	0	0 148	219	0	0	219
	GW2{1}	176	0	0 176	221	0	0	221
	GW3{1}	159	0	0 159	163	0	0	163
	GW4{1}	165	0	0 165	272	0	0	272
	GT1P1{1}	4149823	0	04149823	195	0	0	195
	GT2P2{1}	847113	0	0 847113	152	0	0	152
	GT3P3{1}	2366890	0	02366890	135	0	0	135
	Gravity{2}	323	0	0 323	461	0	0	461
	Thermal 3{2}	-154162	0	0 154162	25	0	0	25
	Pressure 1{2}	3075175	0	03075175	871	0	0	871
	GT3{2}	-153838	0	0 153838	486	0	0	486
	Hydrotest-NL{2}	2921336	0	02921336	1357	0	0	1357
+854 +	Gravity{1}	164	0	0 164	220	0	0	220
	Thermal 1{1}	4096725	0	04096725	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01695712	56	0	0	56
	Thermal 3{1}	-153777	0	0 153777	22	0	0	22
	Wind 1{1}	-14	0	0 14	-1	0	0	1
	Wind 2{1}	14	0	0 14	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38352	0	0 38352	101	0	0	101
	Pressure 2{1}	2542435	0	02542435	-124	0	0	124
	Pressure 3{1}	2519435	0	02519435	-107	0	0	107
	GT1{1}	4096889	0	04096889	94	0	0	94
	GT2{1}	-.2E+07	0	01695547	276	0	0	276
	GT3{1}	-153613	0	0 153613	242	0	0	242
	GW1{1}	150	0	0 150	219	0	0	219
	GW2{1}	179	0	0 179	221	0	0	221
	GW3{1}	161	0	0 161	163	0	0	163
	GW4{1}	167	0	0 167	272	0	0	272
	GT1P1{1}	4135241	0	04135241	195	0	0	195
	GT2P2{1}	846887	0	0 846887	152	0	0	152
	GT3P3{1}	2365822	0	02365822	135	0	0	135
	Gravity{2}	328	0	0 328	461	0	0	461
	Thermal 3{2}	-154130	0	0 154130	25	0	0	25
	Pressure 1{2}	3072683	0	03072683	871	0	0	871
	GT3{2}	-153802	0	0 153802	486	0	0	486
	Hydrotest-NL{2}	2918881	0	02918881	1357	0	0	1357
+855 -	Gravity{1}	164	0	0 164	220	0	0	220
	Thermal 1{1}	4096725	0	04096725	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01695712	56	0	0	56
	Thermal 3{1}	-153777	0	0 153777	22	0	0	22
	Wind 1{1}	-14	0	0 14	-1	0	0	1
	Wind 2{1}	14	0	0 14	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38352	0	0 38352	101	0	0	101
	Pressure 2{1}	2542435	0	02542435	-124	0	0	124
	Pressure 3{1}	2519435	0	02519435	-107	0	0	107
	GT1{1}	4096889	0	04096889	94	0	0	94
	GT2{1}	-.2E+07	0	01695547	276	0	0	276
	GT3{1}	-153613	0	0 153613	242	0	0	242
	GW1{1}	150	0	0 150	219	0	0	219
	GW2{1}	179	0	0 179	221	0	0	221
	GW3{1}	161	0	0 161	163	0	0	163
	GW4{1}	167	0	0 167	272	0	0	272
	GT1P1{1}	4135241	0	04135241	195	0	0	195
	GT2P2{1}	846887	0	0 846887	152	0	0	152
	GT3P3{1}	2365822	0	02365822	135	0	0	135
	Gravity{2}	328	0	0 328	461	0	0	461
	Thermal 3{2}	-154130	0	0 154130	25	0	0	25
	Pressure 1{2}	3072683	0	03072683	871	0	0	871
	GT3{2}	-153802	0	0 153802	486	0	0	486
	Hydrotest-NL{2}	2918881	0	02918881	1357	0	0	1357
+855 +	Gravity{1}	167	0	0 167	220	0	0	220
	Thermal 1{1}	4082141	0	04082141	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01695157	56	0	0	56
	Thermal 3{1}	-153740	0	0 153740	22	0	0	22
	Wind 1{1}	-15	0	0 15	-1	0	0	1
	Wind 2{1}	15	0	0 15	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38351	0	0 38351	101	0	0	101
	Pressure 2{1}	2541648	0	02541648	-124	0	0	124
	Pressure 3{1}	2518311	0	02518311	-107	0	0	107
	GT1{1}	4082308	0	04082308	94	0	0	94
	GT2{1}	-.2E+07	0	01694990	276	0	0	276
	GT3{1}	-153573	0	0 153573	242	0	0	242
	GW1{1}	152	0	0 152	219	0	0	219
	GW2{1}	181	0	0 181	221	0	0	221
	GW3{1}	164	0	0 164	163	0	0	163
	GW4{1}	170	0	0 170	272	0	0	272
	GT1P1{1}	4120659	0	04120659	195	0	0	195
	GT2P2{1}	846658	0	0 846658	152	0	0	152
	GT3P3{1}	2364737	0	02364737	135	0	0	135
	Gravity{2}	333	0	0 333	461	0	0	461
	Thermal 3{2}	-154098	0	0 154098	25	0	0	25
	Pressure 1{2}	3070155	0	03070155	871	0	0	871
	GT3{2}	-153765	0	0 153765	486	0	0	486
	Hydrotest-NL{2}	2916390	0	02916390	1357	0	0	1357
+856 -	Gravity{1}	167	0	0 167	220	0	0	220
	Thermal 1{1}	4082141	0	04082141	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01695157	56	0	0	56
	Thermal 3{1}	-153740	0	0 153740	22	0	0	22
	Wind 1{1}	-15	0	0 15	-1	0	0	1
	Wind 2{1}	15	0	0 15	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38351	0	0 38351	101	0	0	101
	Pressure 2{1}	2541648	0	02541648	-124	0	0	124
	Pressure 3{1}	2518311	0	02518311	-107	0	0	107
	GT1{1}	4082308	0	04082308	94	0	0	94

	GT2{1}	-.2E+07	0	01694990	276	0	0	276
	GT3{1}	-153573	0	0 153573	242	0	0	242
	GW1{1}	152	0	0 152	219	0	0	219
	GW2{1}	181	0	0 181	221	0	0	221
	GW3{1}	164	0	0 164	163	0	0	163
	GW4{1}	170	0	0 170	272	0	0	272
	GT1P1{1}	4120659	0	04120659	195	0	0	195
	GT2P2{1}	846658	0	0 846658	152	0	0	152
	GT3P3{1}	2364737	0	02364737	135	0	0	135
	Gravity{2}	333	0	0 333	461	0	0	461
	Thermal 3{2}	-154098	0	0 154098	25	0	0	25
	Pressure 1{2}	3070155	0	03070155	871	0	0	871
	GT3{2}	-153765	0	0 153765	486	0	0	486
	Hydrotest-NL{2}	2916390	0	02916390	1357	0	0	1357
+856 +	Gravity{1}	169	0	0 169	220	0	0	220
	Thermal 1{1}	4067558	0	04067558	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01694594	56	0	0	56
	Thermal 3{1}	-153702	0	0 153702	22	0	0	22
	Wind 1{1}	-15	0	0 15	-1	0	0	1
	Wind 2{1}	15	0	0 15	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38351	0	0 38351	101	0	0	101
	Pressure 2{1}	2540850	0	02540850	-124	0	0	124
	Pressure 3{1}	2517170	0	02517170	-107	0	0	107
	GT1{1}	4067727	0	04067727	94	0	0	94
	GT2{1}	-.2E+07	0	01694424	276	0	0	276
	GT3{1}	-153533	0	0 153533	242	0	0	242
	GW1{1}	154	0	0 154	219	0	0	219
	GW2{1}	184	0	0 184	221	0	0	221
	GW3{1}	166	0	0 166	163	0	0	163
	GW4{1}	172	0	0 172	272	0	0	272
	GT1P1{1}	4106078	0	04106078	195	0	0	195
	GT2P2{1}	846425	0	0 846425	152	0	0	152
	GT3P3{1}	2363637	0	02363637	135	0	0	135
	Gravity{2}	338	0	0 338	461	0	0	461
	Thermal 3{2}	-154065	0	0 154065	25	0	0	25
	Pressure 1{2}	3067590	0	03067590	871	0	0	871
	GT3{2}	-153727	0	0 153727	486	0	0	486
	Hydrotest-NL{2}	2913862	0	02913862	1357	0	0	1357
+857 -	Gravity{1}	169	0	0 169	220	0	0	220
	Thermal 1{1}	4067558	0	04067558	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01694594	56	0	0	56
	Thermal 3{1}	-153702	0	0 153702	22	0	0	22
	Wind 1{1}	-15	0	0 15	-1	0	0	1
	Wind 2{1}	15	0	0 15	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38351	0	0 38351	101	0	0	101
	Pressure 2{1}	2540850	0	02540850	-124	0	0	124
	Pressure 3{1}	2517170	0	02517170	-107	0	0	107
	GT1{1}	4067727	0	04067727	94	0	0	94
	GT2{1}	-.2E+07	0	01694424	276	0	0	276
	GT3{1}	-153533	0	0 153533	242	0	0	242
	GW1{1}	154	0	0 154	219	0	0	219
	GW2{1}	184	0	0 184	221	0	0	221
	GW3{1}	166	0	0 166	163	0	0	163
	GW4{1}	172	0	0 172	272	0	0	272
	GT1P1{1}	4106078	0	04106078	195	0	0	195
	GT2P2{1}	846425	0	0 846425	152	0	0	152
	GT3P3{1}	2363637	0	02363637	135	0	0	135
	Gravity{2}	338	0	0 338	461	0	0	461
	Thermal 3{2}	-154065	0	0 154065	25	0	0	25
	Pressure 1{2}	3067590	0	03067590	871	0	0	871
	GT3{2}	-153727	0	0 153727	486	0	0	486
	Hydrotest-NL{2}	2913862	0	02913862	1357	0	0	1357
+857 +	Gravity{1}	172	0	0 172	220	0	0	220
	Thermal 1{1}	4052974	0	04052974	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01694022	56	0	0	56
	Thermal 3{1}	-153664	0	0 153664	22	0	0	22
	Wind 1{1}	-15	0	0 15	-1	0	0	1
	Wind 2{1}	15	0	0 15	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38350	0	0 38350	101	0	0	101
	Pressure 2{1}	2540040	0	02540040	-124	0	0	124
	Pressure 3{1}	2516013	0	02516013	-107	0	0	107
	GT1{1}	4053146	0	04053146	94	0	0	94
	GT2{1}	-.2E+07	0	01693851	276	0	0	276
	GT3{1}	-153492	0	0 153492	242	0	0	242
	GW1{1}	157	0	0 157	219	0	0	219
	GW2{1}	187	0	0 187	221	0	0	221
	GW3{1}	169	0	0 169	163	0	0	163
	GW4{1}	175	0	0 175	272	0	0	272
	GT1P1{1}	4091497	0	04091497	195	0	0	195
	GT2P2{1}	846189	0	0 846189	152	0	0	152
	GT3P3{1}	2362521	0	02362521	135	0	0	135
	Gravity{2}	343	0	0 343	461	0	0	461
	Thermal 3{2}	-154032	0	0 154032	25	0	0	25
	Pressure 1{2}	3064987	0	03064987	871	0	0	871
	GT3{2}	-153689	0	0 153689	486	0	0	486
	Hydrotest-NL{2}	2911297	0	02911297	1357	0	0	1357
+858 -	Gravity{1}	172	0	0 172	220	0	0	220
	Thermal 1{1}	4052974	0	04052974	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01694022	56	0	0	56
	Thermal 3{1}	-153664	0	0 153664	22	0	0	22
	Wind 1{1}	-15	0	0 15	-1	0	0	1
	Wind 2{1}	15	0	0 15	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38350	0	0 38350	101	0	0	101
	Pressure 2{1}	2540040	0	02540040	-124	0	0	124
	Pressure 3{1}	2516013	0	02516013	-107	0	0	107
	GT1{1}	4053146	0	04053146	94	0	0	94

	GT2{1}	-.2E+07	0	01693851	276	0	0	276
	GT3{1}	-153492	0	0 153492	242	0	0	242
	GW1{1}	157	0	0 157	219	0	0	219
	GW2{1}	187	0	0 187	221	0	0	221
	GW3{1}	169	0	0 169	163	0	0	163
	GW4{1}	175	0	0 175	272	0	0	272
	GT1P1{1}	4091497	0	04091497	195	0	0	195
	GT2P2{1}	846189	0	0 846189	152	0	0	152
	GT3P3{1}	2362521	0	02362521	135	0	0	135
	Gravity{2}	343	0	0 343	461	0	0	461
	Thermal 3{2}	-154032	0	0 154032	25	0	0	25
	Pressure 1{2}	3064987	0	03064987	871	0	0	871
	GT3{2}	-153689	0	0 153689	486	0	0	486
	Hydrotest-NL{2}	2911297	0	02911297	1357	0	0	1357
+858 +	Gravity{1}	174	0	0 174	220	0	0	220
	Thermal 1{1}	4038390	0	04038390	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01693443	56	0	0	56
	Thermal 3{1}	-153625	0	0 153625	22	0	0	22
	Wind 1{1}	-15	0	0 15	-1	0	0	1
	Wind 2{1}	15	0	0 15	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38350	0	0 38350	101	0	0	101
	Pressure 2{1}	2539218	0	02539218	-124	0	0	124
	Pressure 3{1}	2514839	0	02514839	-107	0	0	107
	GT1{1}	4038565	0	04038565	94	0	0	94
	GT2{1}	-.2E+07	0	01693268	276	0	0	276
	GT3{1}	-153451	0	0 153451	242	0	0	242
	GW1{1}	159	0	0 159	219	0	0	219
	GW2{1}	190	0	0 190	221	0	0	221
	GW3{1}	171	0	0 171	163	0	0	163
	GW4{1}	177	0	0 177	272	0	0	272
	GT1P1{1}	4076914	0	04076914	195	0	0	195
	GT2P2{1}	845949	0	0 845949	152	0	0	152
	GT3P3{1}	2361388	0	02361388	135	0	0	135
	Gravity{2}	348	0	0 348	461	0	0	461
	Thermal 3{2}	-153999	0	0 153999	25	0	0	25
	Pressure 1{2}	3062346	0	03062346	871	0	0	871
	GT3{2}	-153651	0	0 153651	486	0	0	486
	Hydrotest-NL{2}	2908695	0	02908695	1357	0	0	1357
+859 -	Gravity{1}	174	0	0 174	220	0	0	220
	Thermal 1{1}	4038390	0	04038390	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01693443	56	0	0	56
	Thermal 3{1}	-153625	0	0 153625	22	0	0	22
	Wind 1{1}	-15	0	0 15	-1	0	0	1
	Wind 2{1}	15	0	0 15	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38350	0	0 38350	101	0	0	101
	Pressure 2{1}	2539218	0	02539218	-124	0	0	124
	Pressure 3{1}	2514839	0	02514839	-107	0	0	107
	GT1{1}	4038565	0	04038565	94	0	0	94
	GT2{1}	-.2E+07	0	01693268	276	0	0	276
	GT3{1}	-153451	0	0 153451	242	0	0	242
	GW1{1}	159	0	0 159	219	0	0	219
	GW2{1}	190	0	0 190	221	0	0	221
	GW3{1}	171	0	0 171	163	0	0	163
	GW4{1}	177	0	0 177	272	0	0	272
	GT1P1{1}	4076914	0	04076914	195	0	0	195
	GT2P2{1}	845949	0	0 845949	152	0	0	152
	GT3P3{1}	2361388	0	02361388	135	0	0	135
	Gravity{2}	348	0	0 348	461	0	0	461
	Thermal 3{2}	-153999	0	0 153999	25	0	0	25
	Pressure 1{2}	3062346	0	03062346	871	0	0	871
	GT3{2}	-153651	0	0 153651	486	0	0	486
	Hydrotest-NL{2}	2908695	0	02908695	1357	0	0	1357
+859 +	Gravity{1}	177	0	0 177	220	0	0	220
	Thermal 1{1}	4023806	0	04023806	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01692855	56	0	0	56
	Thermal 3{1}	-153585	0	0 153585	22	0	0	22
	Wind 1{1}	-15	0	0 15	-1	0	0	1
	Wind 2{1}	16	0	0 16	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38349	0	0 38349	101	0	0	101
	Pressure 2{1}	2538384	0	02538384	-124	0	0	124
	Pressure 3{1}	2513648	0	02513648	-107	0	0	107
	GT1{1}	4023983	0	04023983	94	0	0	94
	GT2{1}	-.2E+07	0	01692678	276	0	0	276
	GT3{1}	-153409	0	0 153409	242	0	0	242
	GW1{1}	161	0	0 161	219	0	0	219
	GW2{1}	192	0	0 192	221	0	0	221
	GW3{1}	174	0	0 174	163	0	0	163
	GW4{1}	180	0	0 180	272	0	0	272
	GT1P1{1}	4062332	0	04062332	195	0	0	195
	GT2P2{1}	845706	0	0 845706	152	0	0	152
	GT3P3{1}	2360239	0	02360239	135	0	0	135
	Gravity{2}	353	0	0 353	461	0	0	461
	Thermal 3{2}	-153965	0	0 153965	25	0	0	25
	Pressure 1{2}	3059666	0	03059666	871	0	0	871
	GT3{2}	-153612	0	0 153612	486	0	0	486
	Hydrotest-NL{2}	2906054	0	02906054	1357	0	0	1357
+860 -	Gravity{1}	177	0	0 177	220	0	0	220
	Thermal 1{1}	4023806	0	04023806	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01692855	56	0	0	56
	Thermal 3{1}	-153585	0	0 153585	22	0	0	22
	Wind 1{1}	-15	0	0 15	-1	0	0	1
	Wind 2{1}	16	0	0 16	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38349	0	0 38349	101	0	0	101
	Pressure 2{1}	2538384	0	02538384	-124	0	0	124
	Pressure 3{1}	2513648	0	02513648	-107	0	0	107
	GT1{1}	4023983	0	04023983	94	0	0	94

	GT2{1}	-.2E+07	0	01692678	276	0	0	276
	GT3{1}	-153409	0	0 153409	242	0	0	242
	GW1{1}	161	0	0 161	219	0	0	219
	GW2{1}	192	0	0 192	221	0	0	221
	GW3{1}	174	0	0 174	163	0	0	163
	GW4{1}	180	0	0 180	272	0	0	272
	GT1P1{1}	4062332	0	04062332	195	0	0	195
	GT2P2{1}	845706	0	0 845706	152	0	0	152
	GT3P3{1}	2360239	0	02360239	135	0	0	135
	Gravity{2}	353	0	0 353	461	0	0	461
	Thermal 3{2}	-153965	0	0 153965	25	0	0	25
	Pressure 1{2}	3059666	0	03059666	871	0	0	871
	GT3{2}	-153612	0	0 153612	486	0	0	486
	Hydrotest-NL{2}	2906054	0	02906054	1357	0	0	1357
+860 +	Gravity{1}	179	0	0 179	220	0	0	220
	Thermal 1{1}	4009223	0	04009223	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01692258	56	0	0	56
	Thermal 3{1}	-153545	0	0 153545	22	0	0	22
	Wind 1{1}	-16	0	0 16	-1	0	0	1
	Wind 2{1}	16	0	0 16	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38349	0	0 38349	101	0	0	101
	Pressure 2{1}	2537538	0	02537538	-124	0	0	124
	Pressure 3{1}	2512439	0	02512439	-107	0	0	107
	GT1{1}	4009402	0	04009402	94	0	0	94
	GT2{1}	-.2E+07	0	01692078	276	0	0	276
	GT3{1}	-153366	0	0 153366	242	0	0	242
	GW1{1}	164	0	0 164	219	0	0	219
	GW2{1}	195	0	0 195	221	0	0	221
	GW3{1}	176	0	0 176	163	0	0	163
	GW4{1}	183	0	0 183	272	0	0	272
	GT1P1{1}	4047751	0	04047751	195	0	0	195
	GT2P2{1}	845459	0	0 845459	152	0	0	152
	GT3P3{1}	2359073	0	02359073	135	0	0	135
	Gravity{2}	358	0	0 358	461	0	0	461
	Thermal 3{2}	-153930	0	0 153930	25	0	0	25
	Pressure 1{2}	3056947	0	03056947	871	0	0	871
	GT3{2}	-153572	0	0 153572	486	0	0	486
	Hydrotest-NL{2}	2903375	0	02903375	1357	0	0	1357
+861 -	Gravity{1}	179	0	0 179	220	0	0	220
	Thermal 1{1}	4009223	0	04009223	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01692258	56	0	0	56
	Thermal 3{1}	-153545	0	0 153545	22	0	0	22
	Wind 1{1}	-16	0	0 16	-1	0	0	1
	Wind 2{1}	16	0	0 16	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38349	0	0 38349	101	0	0	101
	Pressure 2{1}	2537538	0	02537538	-124	0	0	124
	Pressure 3{1}	2512439	0	02512439	-107	0	0	107
	GT1{1}	4009402	0	04009402	94	0	0	94
	GT2{1}	-.2E+07	0	01692078	276	0	0	276
	GT3{1}	-153366	0	0 153366	242	0	0	242
	GW1{1}	164	0	0 164	219	0	0	219
	GW2{1}	195	0	0 195	221	0	0	221
	GW3{1}	176	0	0 176	163	0	0	163
	GW4{1}	183	0	0 183	272	0	0	272
	GT1P1{1}	4047751	0	04047751	195	0	0	195
	GT2P2{1}	845459	0	0 845459	152	0	0	152
	GT3P3{1}	2359073	0	02359073	135	0	0	135
	Gravity{2}	358	0	0 358	461	0	0	461
	Thermal 3{2}	-153930	0	0 153930	25	0	0	25
	Pressure 1{2}	3056947	0	03056947	871	0	0	871
	GT3{2}	-153572	0	0 153572	486	0	0	486
	Hydrotest-NL{2}	2903375	0	02903375	1357	0	0	1357
+861 +	Gravity{1}	182	0	0 182	220	0	0	220
	Thermal 1{1}	3994639	0	03994639	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01691652	56	0	0	56
	Thermal 3{1}	-153505	0	0 153505	22	0	0	22
	Wind 1{1}	-16	0	0 16	-1	0	0	1
	Wind 2{1}	16	0	0 16	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38348	0	0 38348	101	0	0	101
	Pressure 2{1}	2536679	0	02536679	-124	0	0	124
	Pressure 3{1}	2511213	0	02511213	-107	0	0	107
	GT1{1}	3994821	0	03994821	94	0	0	94
	GT2{1}	-.2E+07	0	01691470	276	0	0	276
	GT3{1}	-153323	0	0 153323	242	0	0	242
	GW1{1}	166	0	0 166	219	0	0	219
	GW2{1}	198	0	0 198	221	0	0	221
	GW3{1}	179	0	0 179	163	0	0	163
	GW4{1}	185	0	0 185	272	0	0	272
	GT1P1{1}	4033170	0	04033170	195	0	0	195
	GT2P2{1}	845209	0	0 845209	152	0	0	152
	GT3P3{1}	2357890	0	02357890	135	0	0	135
	Gravity{2}	363	0	0 363	461	0	0	461
	Thermal 3{2}	-153895	0	0 153895	25	0	0	25
	Pressure 1{2}	3054188	0	03054188	871	0	0	871
	GT3{2}	-153532	0	0 153532	486	0	0	486
	Hydrotest-NL{2}	2900656	0	02900656	1357	0	0	1357
+862 -	Gravity{1}	182	0	0 182	220	0	0	220
	Thermal 1{1}	3994639	0	03994639	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01691652	56	0	0	56
	Thermal 3{1}	-153505	0	0 153505	22	0	0	22
	Wind 1{1}	-16	0	0 16	-1	0	0	1
	Wind 2{1}	16	0	0 16	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38348	0	0 38348	101	0	0	101
	Pressure 2{1}	2536679	0	02536679	-124	0	0	124
	Pressure 3{1}	2511213	0	02511213	-107	0	0	107
	GT1{1}	3994821	0	03994821	94	0	0	94

	GT2{1}	-.2E+07	0	01691470	276	0	0	276
	GT3{1}	-153323	0	0 153323	242	0	0	242
	GW1{1}	166	0	0 166	219	0	0	219
	GW2{1}	198	0	0 198	221	0	0	221
	GW3{1}	179	0	0 179	163	0	0	163
	GW4{1}	185	0	0 185	272	0	0	272
	GT1P1{1}	4033170	0	04033170	195	0	0	195
	GT2P2{1}	845209	0	0 845209	152	0	0	152
	GT3P3{1}	2357890	0	02357890	135	0	0	135
	Gravity{2}	363	0	0 363	461	0	0	461
	Thermal 3{2}	-153895	0	0 153895	25	0	0	25
	Pressure 1{2}	3054188	0	03054188	871	0	0	871
	GT3{2}	-153532	0	0 153532	486	0	0	486
	Hydrotest-NL{2}	2900656	0	02900656	1357	0	0	1357
+862 +	Gravity{1}	185	0	0 185	220	0	0	220
	Thermal 1{1}	3980055	0	03980055	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01691038	56	0	0	56
	Thermal 3{1}	-153463	0	0 153463	22	0	0	22
	Wind 1{1}	-16	0	0 16	-1	0	0	1
	Wind 2{1}	16	0	0 16	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38348	0	0 38348	101	0	0	101
	Pressure 2{1}	2535808	0	02535808	-124	0	0	124
	Pressure 3{1}	2509968	0	02509968	-107	0	0	107
	GT1{1}	3980240	0	03980240	94	0	0	94
	GT2{1}	-.2E+07	0	01690853	276	0	0	276
	GT3{1}	-153279	0	0 153279	242	0	0	242
	GW1{1}	169	0	0 169	219	0	0	219
	GW2{1}	201	0	0 201	221	0	0	221
	GW3{1}	181	0	0 181	163	0	0	163
	GW4{1}	188	0	0 188	272	0	0	272
	GT1P1{1}	4018588	0	04018588	195	0	0	195
	GT2P2{1}	844955	0	0 844955	152	0	0	152
	GT3P3{1}	2356689	0	02356689	135	0	0	135
	Gravity{2}	369	0	0 369	461	0	0	461
	Thermal 3{2}	-153859	0	0 153859	25	0	0	25
	Pressure 1{2}	3051389	0	03051389	871	0	0	871
	GT3{2}	-153491	0	0 153491	486	0	0	486
	Hydrotest-NL{2}	2897898	0	02897898	1357	0	0	1357
+863 -	Gravity{1}	185	0	0 185	220	0	0	220
	Thermal 1{1}	3980055	0	03980055	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01691038	56	0	0	56
	Thermal 3{1}	-153463	0	0 153463	22	0	0	22
	Wind 1{1}	-16	0	0 16	-1	0	0	1
	Wind 2{1}	16	0	0 16	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38348	0	0 38348	101	0	0	101
	Pressure 2{1}	2535808	0	02535808	-124	0	0	124
	Pressure 3{1}	2509968	0	02509968	-107	0	0	107
	GT1{1}	3980240	0	03980240	94	0	0	94
	GT2{1}	-.2E+07	0	01690853	276	0	0	276
	GT3{1}	-153279	0	0 153279	242	0	0	242
	GW1{1}	169	0	0 169	219	0	0	219
	GW2{1}	201	0	0 201	221	0	0	221
	GW3{1}	181	0	0 181	163	0	0	163
	GW4{1}	188	0	0 188	272	0	0	272
	GT1P1{1}	4018588	0	04018588	195	0	0	195
	GT2P2{1}	844955	0	0 844955	152	0	0	152
	GT3P3{1}	2356689	0	02356689	135	0	0	135
	Gravity{2}	369	0	0 369	461	0	0	461
	Thermal 3{2}	-153859	0	0 153859	25	0	0	25
	Pressure 1{2}	3051389	0	03051389	871	0	0	871
	GT3{2}	-153491	0	0 153491	486	0	0	486
	Hydrotest-NL{2}	2897898	0	02897898	1357	0	0	1357
+863 +	Gravity{1}	187	0	0 187	220	0	0	220
	Thermal 1{1}	3965471	0	03965471	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01690414	56	0	0	56
	Thermal 3{1}	-153421	0	0 153421	22	0	0	22
	Wind 1{1}	-16	0	0 16	-1	0	0	1
	Wind 2{1}	16	0	0 16	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38347	0	0 38347	101	0	0	101
	Pressure 2{1}	2534924	0	02534924	-124	0	0	124
	Pressure 3{1}	2508705	0	02508705	-107	0	0	107
	GT1{1}	3965658	0	03965658	94	0	0	94
	GT2{1}	-.2E+07	0	01690227	276	0	0	276
	GT3{1}	-153234	0	0 153234	242	0	0	242
	GW1{1}	171	0	0 171	219	0	0	219
	GW2{1}	204	0	0 204	221	0	0	221
	GW3{1}	184	0	0 184	163	0	0	163
	GW4{1}	191	0	0 191	272	0	0	272
	GT1P1{1}	4004006	0	04004006	195	0	0	195
	GT2P2{1}	844698	0	0 844698	152	0	0	152
	GT3P3{1}	2355471	0	02355471	135	0	0	135
	Gravity{2}	374	0	0 374	461	0	0	461
	Thermal 3{2}	-153823	0	0 153823	25	0	0	25
	Pressure 1{2}	3048548	0	03048548	871	0	0	871
	GT3{2}	-153449	0	0 153449	486	0	0	486
	Hydrotest-NL{2}	2895099	0	02895099	1357	0	0	1357
+864 -	Gravity{1}	187	0	0 187	220	0	0	220
	Thermal 1{1}	3965471	0	03965471	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01690414	56	0	0	56
	Thermal 3{1}	-153421	0	0 153421	22	0	0	22
	Wind 1{1}	-16	0	0 16	-1	0	0	1
	Wind 2{1}	16	0	0 16	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38347	0	0 38347	101	0	0	101
	Pressure 2{1}	2534924	0	02534924	-124	0	0	124
	Pressure 3{1}	2508705	0	02508705	-107	0	0	107
	GT1{1}	3965658	0	03965658	94	0	0	94

	GT2{1}	-.2E+07	0	01690227	276	0	0	276
	GT3{1}	-153234	0	0 153234	242	0	0	242
	GW1{1}	171	0	0 171	219	0	0	219
	GW2{1}	204	0	0 204	221	0	0	221
	GW3{1}	184	0	0 184	163	0	0	163
	GW4{1}	191	0	0 191	272	0	0	272
	GT1P1{1}	4004006	0	04004006	195	0	0	195
	GT2P2{1}	844698	0	0 844698	152	0	0	152
	GT3P3{1}	2355471	0	02355471	135	0	0	135
	Gravity{2}	374	0	0 374	461	0	0	461
	Thermal 3{2}	-153823	0	0 153823	25	0	0	25
	Pressure 1{2}	3048548	0	03048548	871	0	0	871
	GT3{2}	-153449	0	0 153449	486	0	0	486
	Hydrotest-NL{2}	2895099	0	02895099	1357	0	0	1357
+864 +	Gravity{1}	190	0	0 190	220	0	0	220
	Thermal 1{1}	3950888	0	03950888	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01689782	56	0	0	56
	Thermal 3{1}	-153379	0	0 153379	22	0	0	22
	Wind 1{1}	-17	0	0 17	-1	0	0	1
	Wind 2{1}	17	0	0 17	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38347	0	0 38347	101	0	0	101
	Pressure 2{1}	2534027	0	02534027	-124	0	0	124
	Pressure 3{1}	2507424	0	02507424	-107	0	0	107
	GT1{1}	3951078	0	03951078	94	0	0	94
	GT2{1}	-.2E+07	0	01689591	276	0	0	276
	GT3{1}	-153189	0	0 153189	242	0	0	242
	GW1{1}	174	0	0 174	219	0	0	219
	GW2{1}	207	0	0 207	221	0	0	221
	GW3{1}	187	0	0 187	163	0	0	163
	GW4{1}	194	0	0 194	272	0	0	272
	GT1P1{1}	3989424	0	03989424	195	0	0	195
	GT2P2{1}	844436	0	0 844436	152	0	0	152
	GT3P3{1}	2354235	0	02354235	135	0	0	135
	Gravity{2}	379	0	0 379	461	0	0	461
	Thermal 3{2}	-153787	0	0 153787	25	0	0	25
	Pressure 1{2}	3045666	0	03045666	871	0	0	871
	GT3{2}	-153407	0	0 153407	486	0	0	486
	Hydrotest-NL{2}	2892259	0	02892259	1357	0	0	1357
+865 -	Gravity{1}	190	0	0 190	220	0	0	220
	Thermal 1{1}	3950888	0	03950888	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01689782	56	0	0	56
	Thermal 3{1}	-153379	0	0 153379	22	0	0	22
	Wind 1{1}	-17	0	0 17	-1	0	0	1
	Wind 2{1}	17	0	0 17	1	0	0	1
	Wind 3{1}	-3	0	0 3	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38347	0	0 38347	101	0	0	101
	Pressure 2{1}	2534027	0	02534027	-124	0	0	124
	Pressure 3{1}	2507424	0	02507424	-107	0	0	107
	GT1{1}	3951078	0	03951078	94	0	0	94
	GT2{1}	-.2E+07	0	01689591	276	0	0	276
	GT3{1}	-153189	0	0 153189	242	0	0	242
	GW1{1}	174	0	0 174	219	0	0	219
	GW2{1}	207	0	0 207	221	0	0	221
	GW3{1}	187	0	0 187	163	0	0	163
	GW4{1}	194	0	0 194	272	0	0	272
	GT1P1{1}	3989424	0	03989424	195	0	0	195
	GT2P2{1}	844436	0	0 844436	152	0	0	152
	GT3P3{1}	2354235	0	02354235	135	0	0	135
	Gravity{2}	379	0	0 379	461	0	0	461
	Thermal 3{2}	-153787	0	0 153787	25	0	0	25
	Pressure 1{2}	3045666	0	03045666	871	0	0	871
	GT3{2}	-153407	0	0 153407	486	0	0	486
	Hydrotest-NL{2}	2892259	0	02892259	1357	0	0	1357
+865 +	Gravity{1}	193	0	0 193	220	0	0	220
	Thermal 1{1}	3936304	0	03936304	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01689140	56	0	0	56
	Thermal 3{1}	-153336	0	0 153336	22	0	0	22
	Wind 1{1}	-17	0	0 17	-1	0	0	1
	Wind 2{1}	17	0	0 17	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38346	0	0 38346	101	0	0	101
	Pressure 2{1}	2533118	0	02533118	-124	0	0	124
	Pressure 3{1}	2506124	0	02506124	-107	0	0	107
	GT1{1}	3936497	0	03936497	94	0	0	94
	GT2{1}	-.2E+07	0	01688947	276	0	0	276
	GT3{1}	-153143	0	0 153143	242	0	0	242
	GW1{1}	176	0	0 176	219	0	0	219
	GW2{1}	210	0	0 210	221	0	0	221
	GW3{1}	189	0	0 189	163	0	0	163
	GW4{1}	196	0	0 196	272	0	0	272
	GT1P1{1}	3974843	0	03974843	195	0	0	195
	GT2P2{1}	844171	0	0 844171	152	0	0	152
	GT3P3{1}	2352981	0	02352981	135	0	0	135
	Gravity{2}	385	0	0 385	461	0	0	461
	Thermal 3{2}	-153749	0	0 153749	25	0	0	25
	Pressure 1{2}	3042742	0	03042742	871	0	0	871
	GT3{2}	-153364	0	0 153364	486	0	0	486
	Hydrotest-NL{2}	2889377	0	02889377	1357	0	0	1357
+866 -	Gravity{1}	193	0	0 193	220	0	0	220
	Thermal 1{1}	3936304	0	03936304	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01689140	56	0	0	56
	Thermal 3{1}	-153336	0	0 153336	22	0	0	22
	Wind 1{1}	-17	0	0 17	-1	0	0	1
	Wind 2{1}	17	0	0 17	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	3	0	0 3	52	0	0	52
	Pressure 1{1}	38346	0	0 38346	101	0	0	101
	Pressure 2{1}	2533118	0	02533118	-124	0	0	124
	Pressure 3{1}	2506124	0	02506124	-107	0	0	107
	GT1{1}	3936497	0	03936497	94	0	0	94

	GT2{1}	-.2E+07	0	01688947	276	0	0	276
	GT3{1}	-153143	0	0 153143	242	0	0	242
	GW1{1}	176	0	0 176	219	0	0	219
	GW2{1}	210	0	0 210	221	0	0	221
	GW3{1}	189	0	0 189	163	0	0	163
	GW4{1}	196	0	0 196	272	0	0	272
	GT1P1{1}	3974843	0	03974843	195	0	0	195
	GT2P2{1}	844171	0	0 844171	152	0	0	152
	GT3P3{1}	2352981	0	02352981	135	0	0	135
	Gravity{2}	385	0	0 385	461	0	0	461
	Thermal 3{2}	-153749	0	0 153749	25	0	0	25
	Pressure 1{2}	3042742	0	03042742	871	0	0	871
	GT3{2}	-153364	0	0 153364	486	0	0	486
	Hydrotest-NL{2}	2889377	0	02889377	1357	0	0	1357
+866 +	Gravity{1}	196	0	0 196	220	0	0	220
	Thermal 1{1}	3921720	0	03921720	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01688489	56	0	0	56
	Thermal 3{1}	-153292	0	0 153292	22	0	0	22
	Wind 1{1}	-17	0	0 17	-1	0	0	1
	Wind 2{1}	17	0	0 17	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38346	0	0 38346	101	0	0	101
	Pressure 2{1}	2532194	0	02532194	-124	0	0	124
	Pressure 3{1}	2504805	0	02504805	-107	0	0	107
	GT1{1}	3921915	0	03921915	94	0	0	94
	GT2{1}	-.2E+07	0	01688293	276	0	0	276
	GT3{1}	-153096	0	0 153096	242	0	0	242
	GW1{1}	179	0	0 179	219	0	0	219
	GW2{1}	213	0	0 213	221	0	0	221
	GW3{1}	192	0	0 192	163	0	0	163
	GW4{1}	199	0	0 199	272	0	0	272
	GT1P1{1}	3960261	0	03960261	195	0	0	195
	GT2P2{1}	843902	0	0 843902	152	0	0	152
	GT3P3{1}	2351709	0	02351709	135	0	0	135
	Gravity{2}	391	0	0 391	461	0	0	461
	Thermal 3{2}	-153712	0	0 153712	25	0	0	25
	Pressure 1{2}	3039775	0	03039775	871	0	0	871
	GT3{2}	-153321	0	0 153321	486	0	0	486
	Hydrotest-NL{2}	2886454	0	02886454	1357	0	0	1357
+867 -	Gravity{1}	196	0	0 196	220	0	0	220
	Thermal 1{1}	3921720	0	03921720	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01688489	56	0	0	56
	Thermal 3{1}	-153292	0	0 153292	22	0	0	22
	Wind 1{1}	-17	0	0 17	-1	0	0	1
	Wind 2{1}	17	0	0 17	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38346	0	0 38346	101	0	0	101
	Pressure 2{1}	2532194	0	02532194	-124	0	0	124
	Pressure 3{1}	2504805	0	02504805	-107	0	0	107
	GT1{1}	3921915	0	03921915	94	0	0	94
	GT2{1}	-.2E+07	0	01688293	276	0	0	276
	GT3{1}	-153096	0	0 153096	242	0	0	242
	GW1{1}	179	0	0 179	219	0	0	219
	GW2{1}	213	0	0 213	221	0	0	221
	GW3{1}	192	0	0 192	163	0	0	163
	GW4{1}	199	0	0 199	272	0	0	272
	GT1P1{1}	3960261	0	03960261	195	0	0	195
	GT2P2{1}	843902	0	0 843902	152	0	0	152
	GT3P3{1}	2351709	0	02351709	135	0	0	135
	Gravity{2}	391	0	0 391	461	0	0	461
	Thermal 3{2}	-153712	0	0 153712	25	0	0	25
	Pressure 1{2}	3039775	0	03039775	871	0	0	871
	GT3{2}	-153321	0	0 153321	486	0	0	486
	Hydrotest-NL{2}	2886454	0	02886454	1357	0	0	1357
+867 +	Gravity{1}	199	0	0 199	220	0	0	220
	Thermal 1{1}	3907135	0	03907135	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01687828	56	0	0	56
	Thermal 3{1}	-153248	0	0 153248	22	0	0	22
	Wind 1{1}	-17	0	0 17	-1	0	0	1
	Wind 2{1}	17	0	0 17	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38345	0	0 38345	101	0	0	101
	Pressure 2{1}	2531257	0	02531257	-124	0	0	124
	Pressure 3{1}	2503466	0	02503466	-107	0	0	107
	GT1{1}	3907334	0	03907334	94	0	0	94
	GT2{1}	-.2E+07	0	01687629	276	0	0	276
	GT3{1}	-153049	0	0 153049	242	0	0	242
	GW1{1}	181	0	0 181	219	0	0	219
	GW2{1}	216	0	0 216	221	0	0	221
	GW3{1}	195	0	0 195	163	0	0	163
	GW4{1}	202	0	0 202	272	0	0	272
	GT1P1{1}	3945679	0	03945679	195	0	0	195
	GT2P2{1}	843628	0	0 843628	152	0	0	152
	GT3P3{1}	2350417	0	02350417	135	0	0	135
	Gravity{2}	396	0	0 396	461	0	0	461
	Thermal 3{2}	-153674	0	0 153674	25	0	0	25
	Pressure 1{2}	3036764	0	03036764	871	0	0	871
	GT3{2}	-153277	0	0 153277	486	0	0	486
	Hydrotest-NL{2}	2883487	0	02883487	1357	0	0	1357
+868 -	Gravity{1}	199	0	0 199	220	0	0	220
	Thermal 1{1}	3907135	0	03907135	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01687828	56	0	0	56
	Thermal 3{1}	-153248	0	0 153248	22	0	0	22
	Wind 1{1}	-17	0	0 17	-1	0	0	1
	Wind 2{1}	17	0	0 17	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38345	0	0 38345	101	0	0	101
	Pressure 2{1}	2531257	0	02531257	-124	0	0	124
	Pressure 3{1}	2503466	0	02503466	-107	0	0	107
	GT1{1}	3907334	0	03907334	94	0	0	94

	GT2{1}	-.2E+07	0	01687629	276	0	0	276
	GT3{1}	-153049	0	0 153049	242	0	0	242
	GW1{1}	181	0	0 181	219	0	0	219
	GW2{1}	216	0	0 216	221	0	0	221
	GW3{1}	195	0	0 195	163	0	0	163
	GW4{1}	202	0	0 202	272	0	0	272
	GT1P1{1}	3945679	0	03945679	195	0	0	195
	GT2P2{1}	843628	0	0 843628	152	0	0	152
	GT3P3{1}	2350417	0	02350417	135	0	0	135
	Gravity{2}	396	0	0 396	461	0	0	461
	Thermal 3{2}	-153674	0	0 153674	25	0	0	25
	Pressure 1{2}	3036764	0	03036764	871	0	0	871
	GT3{2}	-153277	0	0 153277	486	0	0	486
	Hydrotest-NL{2}	2883487	0	02883487	1357	0	0	1357
+868 +	Gravity{1}	202	0	0 202	220	0	0	220
	Thermal 1{1}	3892552	0	03892552	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01687157	56	0	0	56
	Thermal 3{1}	-153203	0	0 153203	22	0	0	22
	Wind 1{1}	-18	0	0 18	-1	0	0	1
	Wind 2{1}	18	0	0 18	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38344	0	0 38344	101	0	0	101
	Pressure 2{1}	2530307	0	02530307	-124	0	0	124
	Pressure 3{1}	2502108	0	02502108	-107	0	0	107
	GT1{1}	3892753	0	03892753	94	0	0	94
	GT2{1}	-.2E+07	0	01686956	276	0	0	276
	GT3{1}	-153001	0	0 153001	242	0	0	242
	GW1{1}	184	0	0 184	219	0	0	219
	GW2{1}	219	0	0 219	221	0	0	221
	GW3{1}	198	0	0 198	163	0	0	163
	GW4{1}	205	0	0 205	272	0	0	272
	GT1P1{1}	3931098	0	03931098	195	0	0	195
	GT2P2{1}	843351	0	0 843351	152	0	0	152
	GT3P3{1}	2349107	0	02349107	135	0	0	135
	Gravity{2}	402	0	0 402	461	0	0	461
	Thermal 3{2}	-153635	0	0 153635	25	0	0	25
	Pressure 1{2}	3033709	0	03033709	871	0	0	871
	GT3{2}	-153232	0	0 153232	486	0	0	486
	Hydrotest-NL{2}	2880477	0	02880477	1357	0	0	1357
+869 -	Gravity{1}	202	0	0 202	220	0	0	220
	Thermal 1{1}	3892552	0	03892552	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01687157	56	0	0	56
	Thermal 3{1}	-153203	0	0 153203	22	0	0	22
	Wind 1{1}	-18	0	0 18	-1	0	0	1
	Wind 2{1}	18	0	0 18	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38344	0	0 38344	101	0	0	101
	Pressure 2{1}	2530307	0	02530307	-124	0	0	124
	Pressure 3{1}	2502108	0	02502108	-107	0	0	107
	GT1{1}	3892753	0	03892753	94	0	0	94
	GT2{1}	-.2E+07	0	01686956	276	0	0	276
	GT3{1}	-153001	0	0 153001	242	0	0	242
	GW1{1}	184	0	0 184	219	0	0	219
	GW2{1}	219	0	0 219	221	0	0	221
	GW3{1}	198	0	0 198	163	0	0	163
	GW4{1}	205	0	0 205	272	0	0	272
	GT1P1{1}	3931098	0	03931098	195	0	0	195
	GT2P2{1}	843351	0	0 843351	152	0	0	152
	GT3P3{1}	2349107	0	02349107	135	0	0	135
	Gravity{2}	402	0	0 402	461	0	0	461
	Thermal 3{2}	-153635	0	0 153635	25	0	0	25
	Pressure 1{2}	3033709	0	03033709	871	0	0	871
	GT3{2}	-153232	0	0 153232	486	0	0	486
	Hydrotest-NL{2}	2880477	0	02880477	1357	0	0	1357
+869 +	Gravity{1}	205	0	0 205	220	0	0	220
	Thermal 1{1}	3877968	0	03877968	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01686477	56	0	0	56
	Thermal 3{1}	-153157	0	0 153157	22	0	0	22
	Wind 1{1}	-18	0	0 18	-1	0	0	1
	Wind 2{1}	18	0	0 18	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38344	0	0 38344	101	0	0	101
	Pressure 2{1}	2529342	0	02529342	-124	0	0	124
	Pressure 3{1}	2500730	0	02500730	-107	0	0	107
	GT1{1}	3878172	0	03878172	94	0	0	94
	GT2{1}	-.2E+07	0	01686272	276	0	0	276
	GT3{1}	-152952	0	0 152952	242	0	0	242
	GW1{1}	187	0	0 187	219	0	0	219
	GW2{1}	223	0	0 223	221	0	0	221
	GW3{1}	201	0	0 201	163	0	0	163
	GW4{1}	208	0	0 208	272	0	0	272
	GT1P1{1}	3916516	0	03916516	195	0	0	195
	GT2P2{1}	843070	0	0 843070	152	0	0	152
	GT3P3{1}	2347778	0	02347778	135	0	0	135
	Gravity{2}	408	0	0 408	461	0	0	461
	Thermal 3{2}	-153595	0	0 153595	25	0	0	25
	Pressure 1{2}	3030610	0	03030610	871	0	0	871
	GT3{2}	-153187	0	0 153187	486	0	0	486
	Hydrotest-NL{2}	2877422	0	02877422	1357	0	0	1357
+870 -	Gravity{1}	205	0	0 205	220	0	0	220
	Thermal 1{1}	3877968	0	03877968	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01686477	56	0	0	56
	Thermal 3{1}	-153157	0	0 153157	22	0	0	22
	Wind 1{1}	-18	0	0 18	-1	0	0	1
	Wind 2{1}	18	0	0 18	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38344	0	0 38344	101	0	0	101
	Pressure 2{1}	2529342	0	02529342	-124	0	0	124
	Pressure 3{1}	2500730	0	02500730	-107	0	0	107
	GT1{1}	3878172	0	03878172	94	0	0	94

	GT2{1}	-.2E+07	0	01686272	276	0	0	276
	GT3{1}	-152952	0	0 152952	242	0	0	242
	GW1{1}	187	0	0 187	219	0	0	219
	GW2{1}	223	0	0 223	221	0	0	221
	GW3{1}	201	0	0 201	163	0	0	163
	GW4{1}	208	0	0 208	272	0	0	272
	GT1P1{1}	3916516	0	03916516	195	0	0	195
	GT2P2{1}	843070	0	0 843070	152	0	0	152
	GT3P3{1}	2347778	0	02347778	135	0	0	135
	Gravity{2}	408	0	0 408	461	0	0	461
	Thermal 3{2}	-153595	0	0 153595	25	0	0	25
	Pressure 1{2}	3030610	0	03030610	871	0	0	871
	GT3{2}	-153187	0	0 153187	486	0	0	486
	Hydrotest-NL{2}	2877422	0	02877422	1357	0	0	1357
+870 +	Gravity{1}	208	0	0 208	220	0	0	220
	Thermal 1{1}	3863383	0	03863383	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01685786	56	0	0	56
	Thermal 3{1}	-153110	0	0 153110	22	0	0	22
	Wind 1{1}	-18	0	0 18	-1	0	0	1
	Wind 2{1}	18	0	0 18	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38343	0	0 38343	101	0	0	101
	Pressure 2{1}	2528364	0	02528364	-124	0	0	124
	Pressure 3{1}	2499332	0	02499332	-107	0	0	107
	GT1{1}	3863591	0	03863591	94	0	0	94
	GT2{1}	-.2E+07	0	01685579	276	0	0	276
	GT3{1}	-152903	0	0 152903	242	0	0	242
	GW1{1}	189	0	0 189	219	0	0	219
	GW2{1}	226	0	0 226	221	0	0	221
	GW3{1}	204	0	0 204	163	0	0	163
	GW4{1}	211	0	0 211	272	0	0	272
	GT1P1{1}	3901934	0	03901934	195	0	0	195
	GT2P2{1}	842785	0	0 842785	152	0	0	152
	GT3P3{1}	2346429	0	02346429	135	0	0	135
	Gravity{2}	414	0	0 414	461	0	0	461
	Thermal 3{2}	-153555	0	0 153555	25	0	0	25
	Pressure 1{2}	3027464	0	03027464	871	0	0	871
	GT3{2}	-153141	0	0 153141	486	0	0	486
	Hydrotest-NL{2}	2874323	0	02874323	1357	0	0	1357
+871 -	Gravity{1}	208	0	0 208	220	0	0	220
	Thermal 1{1}	3863383	0	03863383	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01685786	56	0	0	56
	Thermal 3{1}	-153110	0	0 153110	22	0	0	22
	Wind 1{1}	-18	0	0 18	-1	0	0	1
	Wind 2{1}	18	0	0 18	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38343	0	0 38343	101	0	0	101
	Pressure 2{1}	2528364	0	02528364	-124	0	0	124
	Pressure 3{1}	2499332	0	02499332	-107	0	0	107
	GT1{1}	3863591	0	03863591	94	0	0	94
	GT2{1}	-.2E+07	0	01685579	276	0	0	276
	GT3{1}	-152903	0	0 152903	242	0	0	242
	GW1{1}	189	0	0 189	219	0	0	219
	GW2{1}	226	0	0 226	221	0	0	221
	GW3{1}	204	0	0 204	163	0	0	163
	GW4{1}	211	0	0 211	272	0	0	272
	GT1P1{1}	3901934	0	03901934	195	0	0	195
	GT2P2{1}	842785	0	0 842785	152	0	0	152
	GT3P3{1}	2346429	0	02346429	135	0	0	135
	Gravity{2}	414	0	0 414	461	0	0	461
	Thermal 3{2}	-153555	0	0 153555	25	0	0	25
	Pressure 1{2}	3027464	0	03027464	871	0	0	871
	GT3{2}	-153141	0	0 153141	486	0	0	486
	Hydrotest-NL{2}	2874323	0	02874323	1357	0	0	1357
+871 +	Gravity{1}	211	0	0 211	220	0	0	220
	Thermal 1{1}	3848799	0	03848799	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01685086	56	0	0	56
	Thermal 3{1}	-153063	0	0 153063	22	0	0	22
	Wind 1{1}	-18	0	0 18	-1	0	0	1
	Wind 2{1}	18	0	0 18	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38343	0	0 38343	101	0	0	101
	Pressure 2{1}	2527370	0	02527370	-124	0	0	124
	Pressure 3{1}	2497914	0	02497914	-107	0	0	107
	GT1{1}	3849010	0	03849010	94	0	0	94
	GT2{1}	-.2E+07	0	01684875	276	0	0	276
	GT3{1}	-152853	0	0 152853	242	0	0	242
	GW1{1}	192	0	0 192	219	0	0	219
	GW2{1}	229	0	0 229	221	0	0	221
	GW3{1}	207	0	0 207	163	0	0	163
	GW4{1}	214	0	0 214	272	0	0	272
	GT1P1{1}	3887353	0	03887353	195	0	0	195
	GT2P2{1}	842495	0	0 842495	152	0	0	152
	GT3P3{1}	2345061	0	02345061	135	0	0	135
	Gravity{2}	420	0	0 420	461	0	0	461
	Thermal 3{2}	-153515	0	0 153515	25	0	0	25
	Pressure 1{2}	3024273	0	03024273	871	0	0	871
	GT3{2}	-153095	0	0 153095	486	0	0	486
	Hydrotest-NL{2}	2871178	0	02871178	1357	0	0	1357
+872 -	Gravity{1}	211	0	0 211	220	0	0	220
	Thermal 1{1}	3848799	0	03848799	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01685086	56	0	0	56
	Thermal 3{1}	-153063	0	0 153063	22	0	0	22
	Wind 1{1}	-18	0	0 18	-1	0	0	1
	Wind 2{1}	18	0	0 18	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38343	0	0 38343	101	0	0	101
	Pressure 2{1}	2527370	0	02527370	-124	0	0	124
	Pressure 3{1}	2497914	0	02497914	-107	0	0	107
	GT1{1}	3849010	0	03849010	94	0	0	94

GT2{1}	-.2E+07	0	01684875	276	0	0	276
GT3{1}	-152853	0	0 152853	242	0	0	242
GW1{1}	192	0	0 192	219	0	0	219
GW2{1}	229	0	0 229	221	0	0	221
GW3{1}	207	0	0 207	163	0	0	163
GW4{1}	214	0	0 214	272	0	0	272
GT1P1{1}	3887353	0	03887353	195	0	0	195
GT2P2{1}	842495	0	0 842495	152	0	0	152
GT3P3{1}	2345061	0	02345061	135	0	0	135
Gravity{2}	420	0	0 420	461	0	0	461
Thermal 3{2}	-153515	0	0 153515	25	0	0	25
Pressure 1{2}	3024273	0	03024273	871	0	0	871
GT3{2}	-153095	0	0 153095	486	0	0	486
Hydrotest-NL{2}	2871178	0	02871178	1357	0	0	1357
+872 + Gravity{1}	214	0	0 214	220	0	0	220
Thermal 1{1}	3834215	0	03834215	-126	0	0	126
Thermal 2{1}	-.2E+07	0	01684375	56	0	0	56
Thermal 3{1}	-153016	0	0 153016	22	0	0	22
Wind 1{1}	-19	0	0 19	-1	0	0	1
Wind 2{1}	19	0	0 19	1	0	0	1
Wind 3{1}	-4	0	0 4	-57	0	0	57
Wind 4{1}	4	0	0 4	52	0	0	52
Pressure 1{1}	38342	0	0 38342	101	0	0	101
Pressure 2{1}	2526363	0	02526363	-124	0	0	124
Pressure 3{1}	2496474	0	02496474	-107	0	0	107
GT1{1}	3834429	0	03834429	94	0	0	94
GT2{1}	-.2E+07	0	01684162	276	0	0	276
GT3{1}	-152802	0	0 152802	242	0	0	242
GW1{1}	195	0	0 195	219	0	0	219
GW2{1}	232	0	0 232	221	0	0	221
GW3{1}	210	0	0 210	163	0	0	163
GW4{1}	218	0	0 218	272	0	0	272
GT1P1{1}	3872771	0	03872771	195	0	0	195
GT2P2{1}	842201	0	0 842201	152	0	0	152
GT3P3{1}	2343672	0	02343672	135	0	0	135
Gravity{2}	426	0	0 426	461	0	0	461
Thermal 3{2}	-153474	0	0 153474	25	0	0	25
Pressure 1{2}	3021035	0	03021035	871	0	0	871
GT3{2}	-153047	0	0 153047	486	0	0	486
Hydrotest-NL{2}	2867988	0	02867988	1357	0	0	1357
+873 - Gravity{1}	214	0	0 214	220	0	0	220
Thermal 1{1}	3834215	0	03834215	-126	0	0	126
Thermal 2{1}	-.2E+07	0	01684375	56	0	0	56
Thermal 3{1}	-153016	0	0 153016	22	0	0	22
Wind 1{1}	-19	0	0 19	-1	0	0	1
Wind 2{1}	19	0	0 19	1	0	0	1
Wind 3{1}	-4	0	0 4	-57	0	0	57
Wind 4{1}	4	0	0 4	52	0	0	52
Pressure 1{1}	38342	0	0 38342	101	0	0	101
Pressure 2{1}	2526363	0	02526363	-124	0	0	124
Pressure 3{1}	2496474	0	02496474	-107	0	0	107
GT1{1}	3834429	0	03834429	94	0	0	94
GT2{1}	-.2E+07	0	01684162	276	0	0	276
GT3{1}	-152802	0	0 152802	242	0	0	242
GW1{1}	195	0	0 195	219	0	0	219
GW2{1}	232	0	0 232	221	0	0	221
GW3{1}	210	0	0 210	163	0	0	163
GW4{1}	218	0	0 218	272	0	0	272
GT1P1{1}	3872771	0	03872771	195	0	0	195
GT2P2{1}	842201	0	0 842201	152	0	0	152
GT3P3{1}	2343672	0	02343672	135	0	0	135
Gravity{2}	426	0	0 426	461	0	0	461
Thermal 3{2}	-153474	0	0 153474	25	0	0	25
Pressure 1{2}	3021035	0	03021035	871	0	0	871
GT3{2}	-153047	0	0 153047	486	0	0	486
Hydrotest-NL{2}	2867988	0	02867988	1357	0	0	1357
+873 + Gravity{1}	217	0	0 217	220	0	0	220
Thermal 1{1}	3819631	0	03819631	-126	0	0	126
Thermal 2{1}	-.2E+07	0	01683654	56	0	0	56
Thermal 3{1}	-152967	0	0 152967	22	0	0	22
Wind 1{1}	-19	0	0 19	-1	0	0	1
Wind 2{1}	19	0	0 19	1	0	0	1
Wind 3{1}	-4	0	0 4	-57	0	0	57
Wind 4{1}	4	0	0 4	52	0	0	52
Pressure 1{1}	38342	0	0 38342	101	0	0	101
Pressure 2{1}	2525340	0	02525340	-124	0	0	124
Pressure 3{1}	2495013	0	02495013	-107	0	0	107
GT1{1}	3819848	0	03819848	94	0	0	94
GT2{1}	-.2E+07	0	01683437	276	0	0	276
GT3{1}	-152750	0	0 152750	242	0	0	242
GW1{1}	198	0	0 198	219	0	0	219
GW2{1}	236	0	0 236	221	0	0	221
GW3{1}	213	0	0 213	163	0	0	163
GW4{1}	221	0	0 221	272	0	0	272
GT1P1{1}	3858189	0	03858189	195	0	0	195
GT2P2{1}	841903	0	0 841903	152	0	0	152
GT3P3{1}	2342263	0	02342263	135	0	0	135
Gravity{2}	433	0	0 433	461	0	0	461
Thermal 3{2}	-153432	0	0 153432	25	0	0	25
Pressure 1{2}	3017750	0	03017750	871	0	0	871
GT3{2}	-152999	0	0 152999	486	0	0	486
Hydrotest-NL{2}	2864750	0	02864750	1357	0	0	1357
+874 - Gravity{1}	217	0	0 217	220	0	0	220
Thermal 1{1}	3819631	0	03819631	-126	0	0	126
Thermal 2{1}	-.2E+07	0	01683654	56	0	0	56
Thermal 3{1}	-152967	0	0 152967	22	0	0	22
Wind 1{1}	-19	0	0 19	-1	0	0	1
Wind 2{1}	19	0	0 19	1	0	0	1
Wind 3{1}	-4	0	0 4	-57	0	0	57
Wind 4{1}	4	0	0 4	52	0	0	52
Pressure 1{1}	38342	0	0 38342	101	0	0	101
Pressure 2{1}	2525340	0	02525340	-124	0	0	124
Pressure 3{1}	2495013	0	02495013	-107	0	0	107
GT1{1}	3819848	0	03819848	94	0	0	94

	GT2{1}	-.2E+07	0	01683437	276	0	0	276
	GT3{1}	-152750	0	0 152750	242	0	0	242
	GW1{1}	198	0	0 198	219	0	0	219
	GW2{1}	236	0	0 236	221	0	0	221
	GW3{1}	213	0	0 213	163	0	0	163
	GW4{1}	221	0	0 221	272	0	0	272
	GT1P1{1}	3858189	0	03858189	195	0	0	195
	GT2P2{1}	841903	0	0 841903	152	0	0	152
	GT3P3{1}	2342263	0	02342263	135	0	0	135
	Gravity{2}	433	0	0 433	461	0	0	461
	Thermal 3{2}	-153432	0	0 153432	25	0	0	25
	Pressure 1{2}	3017750	0	03017750	871	0	0	871
	GT3{2}	-152999	0	0 152999	486	0	0	486
	Hydrotest-NL{2}	2864750	0	02864750	1357	0	0	1357
+874 +	Gravity{1}	220	0	0 220	220	0	0	220
	Thermal 1{1}	3805046	0	03805046	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01682922	56	0	0	56
	Thermal 3{1}	-152918	0	0 152918	22	0	0	22
	Wind 1{1}	-19	0	0 19	-1	0	0	1
	Wind 2{1}	19	0	0 19	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38341	0	0 38341	101	0	0	101
	Pressure 2{1}	2524303	0	02524303	-124	0	0	124
	Pressure 3{1}	2493531	0	02493531	-107	0	0	107
	GT1{1}	3805266	0	03805266	94	0	0	94
	GT2{1}	-.2E+07	0	01682702	276	0	0	276
	GT3{1}	-152698	0	0 152698	242	0	0	242
	GW1{1}	201	0	0 201	219	0	0	219
	GW2{1}	239	0	0 239	221	0	0	221
	GW3{1}	216	0	0 216	163	0	0	163
	GW4{1}	224	0	0 224	272	0	0	272
	GT1P1{1}	3843607	0	03843607	195	0	0	195
	GT2P2{1}	841601	0	0 841601	152	0	0	152
	GT3P3{1}	2340834	0	02340834	135	0	0	135
	Gravity{2}	439	0	0 439	461	0	0	461
	Thermal 3{2}	-153390	0	0 153390	25	0	0	25
	Pressure 1{2}	3014416	0	03014416	871	0	0	871
	GT3{2}	-152951	0	0 152951	486	0	0	486
	Hydrotest-NL{2}	2861465	0	02861465	1357	0	0	1357
+875 -	Gravity{1}	220	0	0 220	220	0	0	220
	Thermal 1{1}	3805046	0	03805046	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01682922	56	0	0	56
	Thermal 3{1}	-152918	0	0 152918	22	0	0	22
	Wind 1{1}	-19	0	0 19	-1	0	0	1
	Wind 2{1}	19	0	0 19	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38341	0	0 38341	101	0	0	101
	Pressure 2{1}	2524303	0	02524303	-124	0	0	124
	Pressure 3{1}	2493531	0	02493531	-107	0	0	107
	GT1{1}	3805266	0	03805266	94	0	0	94
	GT2{1}	-.2E+07	0	01682702	276	0	0	276
	GT3{1}	-152698	0	0 152698	242	0	0	242
	GW1{1}	201	0	0 201	219	0	0	219
	GW2{1}	239	0	0 239	221	0	0	221
	GW3{1}	216	0	0 216	163	0	0	163
	GW4{1}	224	0	0 224	272	0	0	272
	GT1P1{1}	3843607	0	03843607	195	0	0	195
	GT2P2{1}	841601	0	0 841601	152	0	0	152
	GT3P3{1}	2340834	0	02340834	135	0	0	135
	Gravity{2}	439	0	0 439	461	0	0	461
	Thermal 3{2}	-153390	0	0 153390	25	0	0	25
	Pressure 1{2}	3014416	0	03014416	871	0	0	871
	GT3{2}	-152951	0	0 152951	486	0	0	486
	Hydrotest-NL{2}	2861465	0	02861465	1357	0	0	1357
+875 +	Gravity{1}	223	0	0 223	220	0	0	220
	Thermal 1{1}	3790462	0	03790462	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01682180	56	0	0	56
	Thermal 3{1}	-152868	0	0 152868	22	0	0	22
	Wind 1{1}	-19	0	0 19	-1	0	0	1
	Wind 2{1}	20	0	0 20	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38340	0	0 38340	101	0	0	101
	Pressure 2{1}	2523251	0	02523251	-124	0	0	124
	Pressure 3{1}	2492028	0	02492028	-107	0	0	107
	GT1{1}	3790685	0	03790685	94	0	0	94
	GT2{1}	-.2E+07	0	01681957	276	0	0	276
	GT3{1}	-152645	0	0 152645	242	0	0	242
	GW1{1}	204	0	0 204	219	0	0	219
	GW2{1}	243	0	0 243	221	0	0	221
	GW3{1}	219	0	0 219	163	0	0	163
	GW4{1}	227	0	0 227	272	0	0	272
	GT1P1{1}	3829026	0	03829026	195	0	0	195
	GT2P2{1}	841294	0	0 841294	152	0	0	152
	GT3P3{1}	2339383	0	02339383	135	0	0	135
	Gravity{2}	445	0	0 445	461	0	0	461
	Thermal 3{2}	-153347	0	0 153347	25	0	0	25
	Pressure 1{2}	3011033	0	03011033	871	0	0	871
	GT3{2}	-152901	0	0 152901	486	0	0	486
	Hydrotest-NL{2}	2858132	0	02858132	1357	0	0	1357
+876 -	Gravity{1}	223	0	0 223	220	0	0	220
	Thermal 1{1}	3790462	0	03790462	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01682180	56	0	0	56
	Thermal 3{1}	-152868	0	0 152868	22	0	0	22
	Wind 1{1}	-19	0	0 19	-1	0	0	1
	Wind 2{1}	20	0	0 20	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38340	0	0 38340	101	0	0	101
	Pressure 2{1}	2523251	0	02523251	-124	0	0	124
	Pressure 3{1}	2492028	0	02492028	-107	0	0	107
	GT1{1}	3790685	0	03790685	94	0	0	94

	GT2{1}	-.2E+07	0	01681957	276	0	0	276
	GT3{1}	-152645	0	0 152645	242	0	0	242
	GW1{1}	204	0	0 204	219	0	0	219
	GW2{1}	243	0	0 243	221	0	0	221
	GW3{1}	219	0	0 219	163	0	0	163
	GW4{1}	227	0	0 227	272	0	0	272
	GT1P1{1}	3829026	0	03829026	195	0	0	195
	GT2P2{1}	841294	0	0 841294	152	0	0	152
	GT3P3{1}	2339383	0	02339383	135	0	0	135
	Gravity{2}	445	0	0 445	461	0	0	461
	Thermal 3{2}	-153347	0	0 153347	25	0	0	25
	Pressure 1{2}	3011033	0	03011033	871	0	0	871
	GT3{2}	-152901	0	0 152901	486	0	0	486
	Hydrotest-NL{2}	2858132	0	02858132	1357	0	0	1357
+876 +	Gravity{1}	226	0	0 226	220	0	0	220
	Thermal 1{1}	3775878	0	03775878	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01681427	56	0	0	56
	Thermal 3{1}	-152817	0	0 152817	22	0	0	22
	Wind 1{1}	-20	0	0 20	-1	0	0	1
	Wind 2{1}	20	0	0 20	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38340	0	0 38340	101	0	0	101
	Pressure 2{1}	2522183	0	02522183	-124	0	0	124
	Pressure 3{1}	2490502	0	02490502	-107	0	0	107
	GT1{1}	3776105	0	03776105	94	0	0	94
	GT2{1}	-.2E+07	0	01681200	276	0	0	276
	GT3{1}	-152591	0	0 152591	242	0	0	242
	GW1{1}	207	0	0 207	219	0	0	219
	GW2{1}	246	0	0 246	221	0	0	221
	GW3{1}	222	0	0 222	163	0	0	163
	GW4{1}	231	0	0 231	272	0	0	272
	GT1P1{1}	3814444	0	03814444	195	0	0	195
	GT2P2{1}	840982	0	0 840982	152	0	0	152
	GT3P3{1}	2337911	0	02337911	135	0	0	135
	Gravity{2}	452	0	0 452	461	0	0	461
	Thermal 3{2}	-153303	0	0 153303	25	0	0	25
	Pressure 1{2}	3007601	0	03007601	871	0	0	871
	GT3{2}	-152851	0	0 152851	486	0	0	486
	Hydrotest-NL{2}	2854750	0	02854750	1357	0	0	1357
+877 -	Gravity{1}	226	0	0 226	220	0	0	220
	Thermal 1{1}	3775878	0	03775878	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01681427	56	0	0	56
	Thermal 3{1}	-152817	0	0 152817	22	0	0	22
	Wind 1{1}	-20	0	0 20	-1	0	0	1
	Wind 2{1}	20	0	0 20	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38340	0	0 38340	101	0	0	101
	Pressure 2{1}	2522183	0	02522183	-124	0	0	124
	Pressure 3{1}	2490502	0	02490502	-107	0	0	107
	GT1{1}	3776105	0	03776105	94	0	0	94
	GT2{1}	-.2E+07	0	01681200	276	0	0	276
	GT3{1}	-152591	0	0 152591	242	0	0	242
	GW1{1}	207	0	0 207	219	0	0	219
	GW2{1}	246	0	0 246	221	0	0	221
	GW3{1}	222	0	0 222	163	0	0	163
	GW4{1}	231	0	0 231	272	0	0	272
	GT1P1{1}	3814444	0	03814444	195	0	0	195
	GT2P2{1}	840982	0	0 840982	152	0	0	152
	GT3P3{1}	2337911	0	02337911	135	0	0	135
	Gravity{2}	452	0	0 452	461	0	0	461
	Thermal 3{2}	-153303	0	0 153303	25	0	0	25
	Pressure 1{2}	3007601	0	03007601	871	0	0	871
	GT3{2}	-152851	0	0 152851	486	0	0	486
	Hydrotest-NL{2}	2854750	0	02854750	1357	0	0	1357
+877 +	Gravity{1}	230	0	0 230	220	0	0	220
	Thermal 1{1}	3761293	0	03761293	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01680662	56	0	0	56
	Thermal 3{1}	-152766	0	0 152766	22	0	0	22
	Wind 1{1}	-20	0	0 20	-1	0	0	1
	Wind 2{1}	20	0	0 20	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38339	0	0 38339	101	0	0	101
	Pressure 2{1}	2521099	0	02521099	-124	0	0	124
	Pressure 3{1}	2488954	0	02488954	-107	0	0	107
	GT1{1}	3761523	0	03761523	94	0	0	94
	GT2{1}	-.2E+07	0	01680433	276	0	0	276
	GT3{1}	-152536	0	0 152536	242	0	0	242
	GW1{1}	210	0	0 210	219	0	0	219
	GW2{1}	250	0	0 250	221	0	0	221
	GW3{1}	226	0	0 226	163	0	0	163
	GW4{1}	234	0	0 234	272	0	0	272
	GT1P1{1}	3799862	0	03799862	195	0	0	195
	GT2P2{1}	840666	0	0 840666	152	0	0	152
	GT3P3{1}	2336417	0	02336417	135	0	0	135
	Gravity{2}	459	0	0 459	461	0	0	461
	Thermal 3{2}	-153259	0	0 153259	25	0	0	25
	Pressure 1{2}	3004119	0	03004119	871	0	0	871
	GT3{2}	-152800	0	0 152800	486	0	0	486
	Hydrotest-NL{2}	2851319	0	02851319	1357	0	0	1357
+878 -	Gravity{1}	230	0	0 230	220	0	0	220
	Thermal 1{1}	3761293	0	03761293	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01680662	56	0	0	56
	Thermal 3{1}	-152766	0	0 152766	22	0	0	22
	Wind 1{1}	-20	0	0 20	-1	0	0	1
	Wind 2{1}	20	0	0 20	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38339	0	0 38339	101	0	0	101
	Pressure 2{1}	2521099	0	02521099	-124	0	0	124
	Pressure 3{1}	2488954	0	02488954	-107	0	0	107
	GT1{1}	3761523	0	03761523	94	0	0	94

	GT2{1}	-.2E+07	0	01680433	276	0	0	276
	GT3{1}	-152536	0	0 152536	242	0	0	242
	GW1{1}	210	0	0 210	219	0	0	219
	GW2{1}	250	0	0 250	221	0	0	221
	GW3{1}	226	0	0 226	163	0	0	163
	GW4{1}	234	0	0 234	272	0	0	272
	GT1P1{1}	3799862	0	03799862	195	0	0	195
	GT2P2{1}	840666	0	0 840666	152	0	0	152
	GT3P3{1}	2336417	0	02336417	135	0	0	135
	Gravity{2}	459	0	0 459	461	0	0	461
	Thermal 3{2}	-153259	0	0 153259	25	0	0	25
	Pressure 1{2}	3004119	0	03004119	871	0	0	871
	GT3{2}	-152800	0	0 152800	486	0	0	486
	Hydrotest-NL{2}	2851319	0	02851319	1357	0	0	1357
+878 +	Gravity{1}	233	0	0 233	220	0	0	220
	Thermal 1{1}	3746708	0	03746708	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01679887	56	0	0	56
	Thermal 3{1}	-152714	0	0 152714	22	0	0	22
	Wind 1{1}	-20	0	0 20	-1	0	0	1
	Wind 2{1}	20	0	0 20	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38339	0	0 38339	101	0	0	101
	Pressure 2{1}	2519999	0	02519999	-124	0	0	124
	Pressure 3{1}	2487383	0	02487383	-107	0	0	107
	GT1{1}	3746942	0	03746942	94	0	0	94
	GT2{1}	-.2E+07	0	01679654	276	0	0	276
	GT3{1}	-152481	0	0 152481	242	0	0	242
	GW1{1}	213	0	0 213	219	0	0	219
	GW2{1}	254	0	0 254	221	0	0	221
	GW3{1}	229	0	0 229	163	0	0	163
	GW4{1}	237	0	0 237	272	0	0	272
	GT1P1{1}	3785280	0	03785280	195	0	0	195
	GT2P2{1}	840346	0	0 840346	152	0	0	152
	GT3P3{1}	2334902	0	02334902	135	0	0	135
	Gravity{2}	465	0	0 465	461	0	0	461
	Thermal 3{2}	-153214	0	0 153214	25	0	0	25
	Pressure 1{2}	3000585	0	03000585	871	0	0	871
	GT3{2}	-152749	0	0 152749	486	0	0	486
	Hydrotest-NL{2}	2847837	0	02847837	1357	0	0	1357
+879 -	Gravity{1}	233	0	0 233	220	0	0	220
	Thermal 1{1}	3746708	0	03746708	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01679887	56	0	0	56
	Thermal 3{1}	-152714	0	0 152714	22	0	0	22
	Wind 1{1}	-20	0	0 20	-1	0	0	1
	Wind 2{1}	20	0	0 20	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38339	0	0 38339	101	0	0	101
	Pressure 2{1}	2519999	0	02519999	-124	0	0	124
	Pressure 3{1}	2487383	0	02487383	-107	0	0	107
	GT1{1}	3746942	0	03746942	94	0	0	94
	GT2{1}	-.2E+07	0	01679654	276	0	0	276
	GT3{1}	-152481	0	0 152481	242	0	0	242
	GW1{1}	213	0	0 213	219	0	0	219
	GW2{1}	254	0	0 254	221	0	0	221
	GW3{1}	229	0	0 229	163	0	0	163
	GW4{1}	237	0	0 237	272	0	0	272
	GT1P1{1}	3785280	0	03785280	195	0	0	195
	GT2P2{1}	840346	0	0 840346	152	0	0	152
	GT3P3{1}	2334902	0	02334902	135	0	0	135
	Gravity{2}	465	0	0 465	461	0	0	461
	Thermal 3{2}	-153214	0	0 153214	25	0	0	25
	Pressure 1{2}	3000585	0	03000585	871	0	0	871
	GT3{2}	-152749	0	0 152749	486	0	0	486
	Hydrotest-NL{2}	2847837	0	02847837	1357	0	0	1357
+879 +	Gravity{1}	237	0	0 237	220	0	0	220
	Thermal 1{1}	3732124	0	03732124	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01679100	56	0	0	56
	Thermal 3{1}	-152661	0	0 152661	22	0	0	22
	Wind 1{1}	-21	0	0 21	-1	0	0	1
	Wind 2{1}	21	0	0 21	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38338	0	0 38338	101	0	0	101
	Pressure 2{1}	2518884	0	02518884	-124	0	0	124
	Pressure 3{1}	2485789	0	02485789	-107	0	0	107
	GT1{1}	3732361	0	03732361	94	0	0	94
	GT2{1}	-.2E+07	0	01678863	276	0	0	276
	GT3{1}	-152425	0	0 152425	242	0	0	242
	GW1{1}	216	0	0 216	219	0	0	219
	GW2{1}	257	0	0 257	221	0	0	221
	GW3{1}	232	0	0 232	163	0	0	163
	GW4{1}	241	0	0 241	272	0	0	272
	GT1P1{1}	3770699	0	03770699	195	0	0	195
	GT2P2{1}	840021	0	0 840021	152	0	0	152
	GT3P3{1}	2333364	0	02333364	135	0	0	135
	Gravity{2}	472	0	0 472	461	0	0	461
	Thermal 3{2}	-153168	0	0 153168	25	0	0	25
	Pressure 1{2}	2997000	0	02997000	871	0	0	871
	GT3{2}	-152696	0	0 152696	486	0	0	486
	Hydrotest-NL{2}	2844304	0	02844304	1357	0	0	1357
+880 -	Gravity{1}	237	0	0 237	220	0	0	220
	Thermal 1{1}	3732124	0	03732124	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01679100	56	0	0	56
	Thermal 3{1}	-152661	0	0 152661	22	0	0	22
	Wind 1{1}	-21	0	0 21	-1	0	0	1
	Wind 2{1}	21	0	0 21	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38338	0	0 38338	101	0	0	101
	Pressure 2{1}	2518884	0	02518884	-124	0	0	124
	Pressure 3{1}	2485789	0	02485789	-107	0	0	107
	GT1{1}	3732361	0	03732361	94	0	0	94

	GT2{1}	-.2E+07	0	01678863	276	0	0	276
	GT3{1}	-152425	0	0 152425	242	0	0	242
	GW1{1}	216	0	0 216	219	0	0	219
	GW2{1}	257	0	0 257	221	0	0	221
	GW3{1}	232	0	0 232	163	0	0	163
	GW4{1}	241	0	0 241	272	0	0	272
	GT1P1{1}	3770699	0	03770699	195	0	0	195
	GT2P2{1}	840021	0	0 840021	152	0	0	152
	GT3P3{1}	2333364	0	02333364	135	0	0	135
	Gravity{2}	472	0	0 472	461	0	0	461
	Thermal 3{2}	-153168	0	0 153168	25	0	0	25
	Pressure 1{2}	2997000	0	02997000	871	0	0	871
	GT3{2}	-152696	0	0 152696	486	0	0	486
	Hydrotest-NL{2}	2844304	0	02844304	1357	0	0	1357
+880 +	Gravity{1}	240	0	0 240	220	0	0	220
	Thermal 1{1}	3717540	0	03717540	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01678301	56	0	0	56
	Thermal 3{1}	-152607	0	0 152607	22	0	0	22
	Wind 1{1}	-21	0	0 21	-1	0	0	1
	Wind 2{1}	21	0	0 21	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38337	0	0 38337	101	0	0	101
	Pressure 2{1}	2517752	0	02517752	-124	0	0	124
	Pressure 3{1}	2484172	0	02484172	-107	0	0	107
	GT1{1}	3717780	0	03717780	94	0	0	94
	GT2{1}	-.2E+07	0	01678061	276	0	0	276
	GT3{1}	-152367	0	0 152367	242	0	0	242
	GW1{1}	219	0	0 219	219	0	0	219
	GW2{1}	261	0	0 261	221	0	0	221
	GW3{1}	236	0	0 236	163	0	0	163
	GW4{1}	244	0	0 244	272	0	0	272
	GT1P1{1}	3756117	0	03756117	195	0	0	195
	GT2P2{1}	839690	0	0 839690	152	0	0	152
	GT3P3{1}	2331804	0	02331804	135	0	0	135
	Gravity{2}	479	0	0 479	461	0	0	461
	Thermal 3{2}	-153122	0	0 153122	25	0	0	25
	Pressure 1{2}	2993362	0	02993362	871	0	0	871
	GT3{2}	-152643	0	0 152643	486	0	0	486
	Hydrotest-NL{2}	2840719	0	02840719	1357	0	0	1357
+881 -	Gravity{1}	240	0	0 240	220	0	0	220
	Thermal 1{1}	3717540	0	03717540	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01678301	56	0	0	56
	Thermal 3{1}	-152607	0	0 152607	22	0	0	22
	Wind 1{1}	-21	0	0 21	-1	0	0	1
	Wind 2{1}	21	0	0 21	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38337	0	0 38337	101	0	0	101
	Pressure 2{1}	2517752	0	02517752	-124	0	0	124
	Pressure 3{1}	2484172	0	02484172	-107	0	0	107
	GT1{1}	3717780	0	03717780	94	0	0	94
	GT2{1}	-.2E+07	0	01678061	276	0	0	276
	GT3{1}	-152367	0	0 152367	242	0	0	242
	GW1{1}	219	0	0 219	219	0	0	219
	GW2{1}	261	0	0 261	221	0	0	221
	GW3{1}	236	0	0 236	163	0	0	163
	GW4{1}	244	0	0 244	272	0	0	272
	GT1P1{1}	3756117	0	03756117	195	0	0	195
	GT2P2{1}	839690	0	0 839690	152	0	0	152
	GT3P3{1}	2331804	0	02331804	135	0	0	135
	Gravity{2}	479	0	0 479	461	0	0	461
	Thermal 3{2}	-153122	0	0 153122	25	0	0	25
	Pressure 1{2}	2993362	0	02993362	871	0	0	871
	GT3{2}	-152643	0	0 152643	486	0	0	486
	Hydrotest-NL{2}	2840719	0	02840719	1357	0	0	1357
+881 +	Gravity{1}	244	0	0 244	220	0	0	220
	Thermal 1{1}	3702955	0	03702955	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01677491	56	0	0	56
	Thermal 3{1}	-152553	0	0 152553	22	0	0	22
	Wind 1{1}	-21	0	0 21	-1	0	0	1
	Wind 2{1}	21	0	0 21	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38337	0	0 38337	101	0	0	101
	Pressure 2{1}	2516603	0	02516603	-124	0	0	124
	Pressure 3{1}	2482531	0	02482531	-107	0	0	107
	GT1{1}	3703198	0	03703198	94	0	0	94
	GT2{1}	-.2E+07	0	01677247	276	0	0	276
	GT3{1}	-152309	0	0 152309	242	0	0	242
	GW1{1}	222	0	0 222	219	0	0	219
	GW2{1}	265	0	0 265	221	0	0	221
	GW3{1}	239	0	0 239	163	0	0	163
	GW4{1}	248	0	0 248	272	0	0	272
	GT1P1{1}	3741535	0	03741535	195	0	0	195
	GT2P2{1}	839355	0	0 839355	152	0	0	152
	GT3P3{1}	2330221	0	02330221	135	0	0	135
	Gravity{2}	486	0	0 486	461	0	0	461
	Thermal 3{2}	-153075	0	0 153075	25	0	0	25
	Pressure 1{2}	2989671	0	02989671	871	0	0	871
	GT3{2}	-152589	0	0 152589	486	0	0	486
	Hydrotest-NL{2}	2837082	0	02837082	1357	0	0	1357
+882 -	Gravity{1}	244	0	0 244	220	0	0	220
	Thermal 1{1}	3702955	0	03702955	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01677491	56	0	0	56
	Thermal 3{1}	-152553	0	0 152553	22	0	0	22
	Wind 1{1}	-21	0	0 21	-1	0	0	1
	Wind 2{1}	21	0	0 21	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38337	0	0 38337	101	0	0	101
	Pressure 2{1}	2516603	0	02516603	-124	0	0	124
	Pressure 3{1}	2482531	0	02482531	-107	0	0	107
	GT1{1}	3703198	0	03703198	94	0	0	94

	GT2{1}	-.2E+07	0	01677247	276	0	0	276
	GT3{1}	-152309	0	0 152309	242	0	0	242
	GW1{1}	222	0	0 222	219	0	0	219
	GW2{1}	265	0	0 265	221	0	0	221
	GW3{1}	239	0	0 239	163	0	0	163
	GW4{1}	248	0	0 248	272	0	0	272
	GT1P1{1}	3741535	0	03741535	195	0	0	195
	GT2P2{1}	839355	0	0 839355	152	0	0	152
	GT3P3{1}	2330221	0	02330221	135	0	0	135
	Gravity{2}	486	0	0 486	461	0	0	461
	Thermal 3{2}	-153075	0	0 153075	25	0	0	25
	Pressure 1{2}	2989671	0	02989671	871	0	0	871
	GT3{2}	-152589	0	0 152589	486	0	0	486
	Hydrotest-NL{2}	2837082	0	02837082	1357	0	0	1357
+882 +	Gravity{1}	247	0	0 247	220	0	0	220
	Thermal 1{1}	3688369	0	03688369	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01676669	56	0	0	56
	Thermal 3{1}	-152498	0	0 152498	22	0	0	22
	Wind 1{1}	-22	0	0 22	-1	0	0	1
	Wind 2{1}	22	0	0 22	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38336	0	0 38336	101	0	0	101
	Pressure 2{1}	2515438	0	02515438	-124	0	0	124
	Pressure 3{1}	2480866	0	02480866	-107	0	0	107
	GT1{1}	3688617	0	03688617	94	0	0	94
	GT2{1}	-.2E+07	0	01676422	276	0	0	276
	GT3{1}	-152251	0	0 152251	242	0	0	242
	GW1{1}	226	0	0 226	219	0	0	219
	GW2{1}	269	0	0 269	221	0	0	221
	GW3{1}	243	0	0 243	163	0	0	163
	GW4{1}	252	0	0 252	272	0	0	272
	GT1P1{1}	3726953	0	03726953	195	0	0	195
	GT2P2{1}	839016	0	0 839016	152	0	0	152
	GT3P3{1}	2328615	0	02328615	135	0	0	135
	Gravity{2}	493	0	0 493	461	0	0	461
	Thermal 3{2}	-153028	0	0 153028	25	0	0	25
	Pressure 1{2}	2985925	0	02985925	871	0	0	871
	GT3{2}	-152534	0	0 152534	486	0	0	486
	Hydrotest-NL{2}	2833391	0	02833391	1357	0	0	1357
+883 -	Gravity{1}	247	0	0 247	220	0	0	220
	Thermal 1{1}	3688369	0	03688369	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01676669	56	0	0	56
	Thermal 3{1}	-152498	0	0 152498	22	0	0	22
	Wind 1{1}	-22	0	0 22	-1	0	0	1
	Wind 2{1}	22	0	0 22	1	0	0	1
	Wind 3{1}	-4	0	0 4	-57	0	0	57
	Wind 4{1}	4	0	0 4	52	0	0	52
	Pressure 1{1}	38336	0	0 38336	101	0	0	101
	Pressure 2{1}	2515438	0	02515438	-124	0	0	124
	Pressure 3{1}	2480866	0	02480866	-107	0	0	107
	GT1{1}	3688617	0	03688617	94	0	0	94
	GT2{1}	-.2E+07	0	01676422	276	0	0	276
	GT3{1}	-152251	0	0 152251	242	0	0	242
	GW1{1}	226	0	0 226	219	0	0	219
	GW2{1}	269	0	0 269	221	0	0	221
	GW3{1}	243	0	0 243	163	0	0	163
	GW4{1}	252	0	0 252	272	0	0	272
	GT1P1{1}	3726953	0	03726953	195	0	0	195
	GT2P2{1}	839016	0	0 839016	152	0	0	152
	GT3P3{1}	2328615	0	02328615	135	0	0	135
	Gravity{2}	493	0	0 493	461	0	0	461
	Thermal 3{2}	-153028	0	0 153028	25	0	0	25
	Pressure 1{2}	2985925	0	02985925	871	0	0	871
	GT3{2}	-152534	0	0 152534	486	0	0	486
	Hydrotest-NL{2}	2833391	0	02833391	1357	0	0	1357
+883 +	Gravity{1}	251	0	0 251	220	0	0	220
	Thermal 1{1}	3673785	0	03673785	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01675835	56	0	0	56
	Thermal 3{1}	-152442	0	0 152442	22	0	0	22
	Wind 1{1}	-22	0	0 22	-1	0	0	1
	Wind 2{1}	22	0	0 22	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38336	0	0 38336	101	0	0	101
	Pressure 2{1}	2514255	0	02514255	-124	0	0	124
	Pressure 3{1}	2479176	0	02479176	-107	0	0	107
	GT1{1}	3674036	0	03674036	94	0	0	94
	GT2{1}	-.2E+07	0	01675584	276	0	0	276
	GT3{1}	-152191	0	0 152191	242	0	0	242
	GW1{1}	229	0	0 229	219	0	0	219
	GW2{1}	273	0	0 273	221	0	0	221
	GW3{1}	246	0	0 246	163	0	0	163
	GW4{1}	255	0	0 255	272	0	0	272
	GT1P1{1}	3712371	0	03712371	195	0	0	195
	GT2P2{1}	838671	0	0 838671	152	0	0	152
	GT3P3{1}	2326985	0	02326985	135	0	0	135
	Gravity{2}	500	0	0 500	461	0	0	461
	Thermal 3{2}	-152979	0	0 152979	25	0	0	25
	Pressure 1{2}	2982125	0	02982125	871	0	0	871
	GT3{2}	-152479	0	0 152479	486	0	0	486
	Hydrotest-NL{2}	2829646	0	02829646	1357	0	0	1357
+884 -	Gravity{1}	251	0	0 251	220	0	0	220
	Thermal 1{1}	3673785	0	03673785	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01675835	56	0	0	56
	Thermal 3{1}	-152442	0	0 152442	22	0	0	22
	Wind 1{1}	-22	0	0 22	-1	0	0	1
	Wind 2{1}	22	0	0 22	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38336	0	0 38336	101	0	0	101
	Pressure 2{1}	2514255	0	02514255	-124	0	0	124
	Pressure 3{1}	2479176	0	02479176	-107	0	0	107
	GT1{1}	3674036	0	03674036	94	0	0	94

	GT2{1}	-.2E+07	0	01675584	276	0	0	276
	GT3{1}	-152191	0	0 152191	242	0	0	242
	GW1{1}	229	0	0 229	219	0	0	219
	GW2{1}	273	0	0 273	221	0	0	221
	GW3{1}	246	0	0 246	163	0	0	163
	GW4{1}	255	0	0 255	272	0	0	272
	GT1P1{1}	3712371	0	03712371	195	0	0	195
	GT2P2{1}	838671	0	0 838671	152	0	0	152
	GT3P3{1}	2326985	0	02326985	135	0	0	135
	Gravity{2}	500	0	0 500	461	0	0	461
	Thermal 3{2}	-152979	0	0 152979	25	0	0	25
	Pressure 1{2}	2982125	0	02982125	871	0	0	871
	GT3{2}	-152479	0	0 152479	486	0	0	486
	Hydrotest-NL{2}	2829646	0	02829646	1357	0	0	1357
+884 +	Gravity{1}	254	0	0 254	220	0	0	220
	Thermal 1{1}	3659201	0	03659201	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01674988	56	0	0	56
	Thermal 3{1}	-152385	0	0 152385	22	0	0	22
	Wind 1{1}	-22	0	0 22	-1	0	0	1
	Wind 2{1}	22	0	0 22	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38335	0	0 38335	101	0	0	101
	Pressure 2{1}	2513055	0	02513055	-124	0	0	124
	Pressure 3{1}	2477462	0	02477462	-107	0	0	107
	GT1{1}	3659455	0	03659455	94	0	0	94
	GT2{1}	-.2E+07	0	01674734	276	0	0	276
	GT3{1}	-152130	0	0 152130	242	0	0	242
	GW1{1}	232	0	0 232	219	0	0	219
	GW2{1}	277	0	0 277	221	0	0	221
	GW3{1}	250	0	0 250	163	0	0	163
	GW4{1}	259	0	0 259	272	0	0	272
	GT1P1{1}	3697790	0	03697790	195	0	0	195
	GT2P2{1}	838321	0	0 838321	152	0	0	152
	GT3P3{1}	2325332	0	02325332	135	0	0	135
	Gravity{2}	508	0	0 508	461	0	0	461
	Thermal 3{2}	-152930	0	0 152930	25	0	0	25
	Pressure 1{2}	2978270	0	02978270	871	0	0	871
	GT3{2}	-152422	0	0 152422	486	0	0	486
	Hydrotest-NL{2}	2825847	0	02825847	1357	0	0	1357
+885 -	Gravity{1}	254	0	0 254	220	0	0	220
	Thermal 1{1}	3659201	0	03659201	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01674988	56	0	0	56
	Thermal 3{1}	-152385	0	0 152385	22	0	0	22
	Wind 1{1}	-22	0	0 22	-1	0	0	1
	Wind 2{1}	22	0	0 22	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38335	0	0 38335	101	0	0	101
	Pressure 2{1}	2513055	0	02513055	-124	0	0	124
	Pressure 3{1}	2477462	0	02477462	-107	0	0	107
	GT1{1}	3659455	0	03659455	94	0	0	94
	GT2{1}	-.2E+07	0	01674734	276	0	0	276
	GT3{1}	-152130	0	0 152130	242	0	0	242
	GW1{1}	232	0	0 232	219	0	0	219
	GW2{1}	277	0	0 277	221	0	0	221
	GW3{1}	250	0	0 250	163	0	0	163
	GW4{1}	259	0	0 259	272	0	0	272
	GT1P1{1}	3697790	0	03697790	195	0	0	195
	GT2P2{1}	838321	0	0 838321	152	0	0	152
	GT3P3{1}	2325332	0	02325332	135	0	0	135
	Gravity{2}	508	0	0 508	461	0	0	461
	Thermal 3{2}	-152930	0	0 152930	25	0	0	25
	Pressure 1{2}	2978270	0	02978270	871	0	0	871
	GT3{2}	-152422	0	0 152422	486	0	0	486
	Hydrotest-NL{2}	2825847	0	02825847	1357	0	0	1357
+885 +	Gravity{1}	258	0	0 258	220	0	0	220
	Thermal 1{1}	3644615	0	03644615	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01674130	56	0	0	56
	Thermal 3{1}	-152327	0	0 152327	22	0	0	22
	Wind 1{1}	-23	0	0 23	-1	0	0	1
	Wind 2{1}	23	0	0 23	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38334	0	0 38334	101	0	0	101
	Pressure 2{1}	2511838	0	02511838	-124	0	0	124
	Pressure 3{1}	2475722	0	02475722	-107	0	0	107
	GT1{1}	3644874	0	03644874	94	0	0	94
	GT2{1}	-.2E+07	0	01673872	276	0	0	276
	GT3{1}	-152069	0	0 152069	242	0	0	242
	GW1{1}	236	0	0 236	219	0	0	219
	GW2{1}	281	0	0 281	221	0	0	221
	GW3{1}	254	0	0 254	163	0	0	163
	GW4{1}	263	0	0 263	272	0	0	272
	GT1P1{1}	3683208	0	03683208	195	0	0	195
	GT2P2{1}	837966	0	0 837966	152	0	0	152
	GT3P3{1}	2323654	0	02323654	135	0	0	135
	Gravity{2}	515	0	0 515	461	0	0	461
	Thermal 3{2}	-152881	0	0 152881	25	0	0	25
	Pressure 1{2}	2974357	0	02974357	871	0	0	871
	GT3{2}	-152365	0	0 152365	486	0	0	486
	Hydrotest-NL{2}	2821992	0	02821992	1357	0	0	1357
+886 -	Gravity{1}	258	0	0 258	220	0	0	220
	Thermal 1{1}	3644615	0	03644615	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01674130	56	0	0	56
	Thermal 3{1}	-152327	0	0 152327	22	0	0	22
	Wind 1{1}	-23	0	0 23	-1	0	0	1
	Wind 2{1}	23	0	0 23	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38334	0	0 38334	101	0	0	101
	Pressure 2{1}	2511838	0	02511838	-124	0	0	124
	Pressure 3{1}	2475722	0	02475722	-107	0	0	107
	GT1{1}	3644874	0	03644874	94	0	0	94

	GT2{1}	-.2E+07	0	01673872	276	0	0	276
	GT3{1}	-152069	0	0 152069	242	0	0	242
	GW1{1}	236	0	0 236	219	0	0	219
	GW2{1}	281	0	0 281	221	0	0	221
	GW3{1}	254	0	0 254	163	0	0	163
	GW4{1}	263	0	0 263	272	0	0	272
	GT1P1{1}	3683208	0	03683208	195	0	0	195
	GT2P2{1}	837966	0	0 837966	152	0	0	152
	GT3P3{1}	2323654	0	02323654	135	0	0	135
	Gravity{2}	515	0	0 515	461	0	0	461
	Thermal 3{2}	-152881	0	0 152881	25	0	0	25
	Pressure 1{2}	2974357	0	02974357	871	0	0	871
	GT3{2}	-152365	0	0 152365	486	0	0	486
	Hydrotest-NL{2}	2821992	0	02821992	1357	0	0	1357
+886 +	Gravity{1}	262	0	0 262	220	0	0	220
	Thermal 1{1}	3630030	0	03630030	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01673258	56	0	0	56
	Thermal 3{1}	-152269	0	0 152269	22	0	0	22
	Wind 1{1}	-23	0	0 23	-1	0	0	1
	Wind 2{1}	23	0	0 23	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38334	0	0 38334	101	0	0	101
	Pressure 2{1}	2510602	0	02510602	-124	0	0	124
	Pressure 3{1}	2473958	0	02473958	-107	0	0	107
	GT1{1}	3630292	0	03630292	94	0	0	94
	GT2{1}	-.2E+07	0	01672996	276	0	0	276
	GT3{1}	-152007	0	0 152007	242	0	0	242
	GW1{1}	239	0	0 239	219	0	0	219
	GW2{1}	285	0	0 285	221	0	0	221
	GW3{1}	257	0	0 257	163	0	0	163
	GW4{1}	267	0	0 267	272	0	0	272
	GT1P1{1}	3668626	0	03668626	195	0	0	195
	GT2P2{1}	837606	0	0 837606	152	0	0	152
	GT3P3{1}	2321951	0	02321951	135	0	0	135
	Gravity{2}	523	0	0 523	461	0	0	461
	Thermal 3{2}	-152830	0	0 152830	25	0	0	25
	Pressure 1{2}	2970387	0	02970387	871	0	0	871
	GT3{2}	-152307	0	0 152307	486	0	0	486
	Hydrotest-NL{2}	2818080	0	02818080	1357	0	0	1357
+887 -	Gravity{1}	262	0	0 262	220	0	0	220
	Thermal 1{1}	3630030	0	03630030	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01673258	56	0	0	56
	Thermal 3{1}	-152269	0	0 152269	22	0	0	22
	Wind 1{1}	-23	0	0 23	-1	0	0	1
	Wind 2{1}	23	0	0 23	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38334	0	0 38334	101	0	0	101
	Pressure 2{1}	2510602	0	02510602	-124	0	0	124
	Pressure 3{1}	2473958	0	02473958	-107	0	0	107
	GT1{1}	3630292	0	03630292	94	0	0	94
	GT2{1}	-.2E+07	0	01672996	276	0	0	276
	GT3{1}	-152007	0	0 152007	242	0	0	242
	GW1{1}	239	0	0 239	219	0	0	219
	GW2{1}	285	0	0 285	221	0	0	221
	GW3{1}	257	0	0 257	163	0	0	163
	GW4{1}	267	0	0 267	272	0	0	272
	GT1P1{1}	3668626	0	03668626	195	0	0	195
	GT2P2{1}	837606	0	0 837606	152	0	0	152
	GT3P3{1}	2321951	0	02321951	135	0	0	135
	Gravity{2}	523	0	0 523	461	0	0	461
	Thermal 3{2}	-152830	0	0 152830	25	0	0	25
	Pressure 1{2}	2970387	0	02970387	871	0	0	871
	GT3{2}	-152307	0	0 152307	486	0	0	486
	Hydrotest-NL{2}	2818080	0	02818080	1357	0	0	1357
+887 +	Gravity{1}	266	0	0 266	220	0	0	220
	Thermal 1{1}	3615445	0	03615445	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01672374	56	0	0	56
	Thermal 3{1}	-152209	0	0 152209	22	0	0	22
	Wind 1{1}	-23	0	0 23	-1	0	0	1
	Wind 2{1}	23	0	0 23	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38333	0	0 38333	101	0	0	101
	Pressure 2{1}	2509349	0	02509349	-124	0	0	124
	Pressure 3{1}	2472167	0	02472167	-107	0	0	107
	GT1{1}	3615711	0	03615711	94	0	0	94
	GT2{1}	-.2E+07	0	01672108	276	0	0	276
	GT3{1}	-151943	0	0 151943	242	0	0	242
	GW1{1}	243	0	0 243	219	0	0	219
	GW2{1}	289	0	0 289	221	0	0	221
	GW3{1}	261	0	0 261	163	0	0	163
	GW4{1}	271	0	0 271	272	0	0	272
	GT1P1{1}	3654044	0	03654044	195	0	0	195
	GT2P2{1}	837240	0	0 837240	152	0	0	152
	GT3P3{1}	2320224	0	02320224	135	0	0	135
	Gravity{2}	530	0	0 530	461	0	0	461
	Thermal 3{2}	-152779	0	0 152779	25	0	0	25
	Pressure 1{2}	2966359	0	02966359	871	0	0	871
	GT3{2}	-152248	0	0 152248	486	0	0	486
	Hydrotest-NL{2}	2814110	0	02814110	1357	0	0	1357
+888 -	Gravity{1}	266	0	0 266	220	0	0	220
	Thermal 1{1}	3615445	0	03615445	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01672374	56	0	0	56
	Thermal 3{1}	-152209	0	0 152209	22	0	0	22
	Wind 1{1}	-23	0	0 23	-1	0	0	1
	Wind 2{1}	23	0	0 23	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38333	0	0 38333	101	0	0	101
	Pressure 2{1}	2509349	0	02509349	-124	0	0	124
	Pressure 3{1}	2472167	0	02472167	-107	0	0	107
	GT1{1}	3615711	0	03615711	94	0	0	94

	GT2{1}	-.2E+07	0	01672108	276	0	0	276
	GT3{1}	-151943	0	0 151943	242	0	0	242
	GW1{1}	243	0	0 243	219	0	0	219
	GW2{1}	289	0	0 289	221	0	0	221
	GW3{1}	261	0	0 261	163	0	0	163
	GW4{1}	271	0	0 271	272	0	0	272
	GT1P1{1}	3654044	0	03654044	195	0	0	195
	GT2P2{1}	837240	0	0 837240	152	0	0	152
	GT3P3{1}	2320224	0	02320224	135	0	0	135
	Gravity{2}	530	0	0 530	461	0	0	461
	Thermal 3{2}	-152779	0	0 152779	25	0	0	25
	Pressure 1{2}	2966359	0	02966359	871	0	0	871
	GT3{2}	-152248	0	0 152248	486	0	0	486
	Hydrotest-NL{2}	2814110	0	02814110	1357	0	0	1357
+888 +	Gravity{1}	270	0	0 270	220	0	0	220
	Thermal 1{1}	3600860	0	03600860	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01671477	56	0	0	56
	Thermal 3{1}	-152149	0	0 152149	22	0	0	22
	Wind 1{1}	-24	0	0 24	-1	0	0	1
	Wind 2{1}	24	0	0 24	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38333	0	0 38333	101	0	0	101
	Pressure 2{1}	2508077	0	02508077	-124	0	0	124
	Pressure 3{1}	2470350	0	02470350	-107	0	0	107
	GT1{1}	3601130	0	03601130	94	0	0	94
	GT2{1}	-.2E+07	0	01671207	276	0	0	276
	GT3{1}	-151879	0	0 151879	242	0	0	242
	GW1{1}	246	0	0 246	219	0	0	219
	GW2{1}	293	0	0 293	221	0	0	221
	GW3{1}	265	0	0 265	163	0	0	163
	GW4{1}	275	0	0 275	272	0	0	272
	GT1P1{1}	3639463	0	03639463	195	0	0	195
	GT2P2{1}	836870	0	0 836870	152	0	0	152
	GT3P3{1}	2318471	0	02318471	135	0	0	135
	Gravity{2}	538	0	0 538	461	0	0	461
	Thermal 3{2}	-152727	0	0 152727	25	0	0	25
	Pressure 1{2}	2962272	0	02962272	871	0	0	871
	GT3{2}	-152189	0	0 152189	486	0	0	486
	Hydrotest-NL{2}	2810083	0	02810083	1357	0	0	1357
+889 -	Gravity{1}	270	0	0 270	220	0	0	220
	Thermal 1{1}	3600860	0	03600860	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01671477	56	0	0	56
	Thermal 3{1}	-152149	0	0 152149	22	0	0	22
	Wind 1{1}	-24	0	0 24	-1	0	0	1
	Wind 2{1}	24	0	0 24	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38333	0	0 38333	101	0	0	101
	Pressure 2{1}	2508077	0	02508077	-124	0	0	124
	Pressure 3{1}	2470350	0	02470350	-107	0	0	107
	GT1{1}	3601130	0	03601130	94	0	0	94
	GT2{1}	-.2E+07	0	01671207	276	0	0	276
	GT3{1}	-151879	0	0 151879	242	0	0	242
	GW1{1}	246	0	0 246	219	0	0	219
	GW2{1}	293	0	0 293	221	0	0	221
	GW3{1}	265	0	0 265	163	0	0	163
	GW4{1}	275	0	0 275	272	0	0	272
	GT1P1{1}	3639463	0	03639463	195	0	0	195
	GT2P2{1}	836870	0	0 836870	152	0	0	152
	GT3P3{1}	2318471	0	02318471	135	0	0	135
	Gravity{2}	538	0	0 538	461	0	0	461
	Thermal 3{2}	-152727	0	0 152727	25	0	0	25
	Pressure 1{2}	2962272	0	02962272	871	0	0	871
	GT3{2}	-152189	0	0 152189	486	0	0	486
	Hydrotest-NL{2}	2810083	0	02810083	1357	0	0	1357
+889 +	Gravity{1}	274	0	0 274	220	0	0	220
	Thermal 1{1}	3586275	0	03586275	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01670567	56	0	0	56
	Thermal 3{1}	-152088	0	0 152088	22	0	0	22
	Wind 1{1}	-24	0	0 24	-1	0	0	1
	Wind 2{1}	24	0	0 24	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38332	0	0 38332	101	0	0	101
	Pressure 2{1}	2506787	0	02506787	-124	0	0	124
	Pressure 3{1}	2468506	0	02468506	-107	0	0	107
	GT1{1}	3586549	0	03586549	94	0	0	94
	GT2{1}	-.2E+07	0	01670293	276	0	0	276
	GT3{1}	-151814	0	0 151814	242	0	0	242
	GW1{1}	250	0	0 250	219	0	0	219
	GW2{1}	298	0	0 298	221	0	0	221
	GW3{1}	269	0	0 269	163	0	0	163
	GW4{1}	279	0	0 279	272	0	0	272
	GT1P1{1}	3624881	0	03624881	195	0	0	195
	GT2P2{1}	836493	0	0 836493	152	0	0	152
	GT3P3{1}	2316692	0	02316692	135	0	0	135
	Gravity{2}	546	0	0 546	461	0	0	461
	Thermal 3{2}	-152674	0	0 152674	25	0	0	25
	Pressure 1{2}	2958125	0	02958125	871	0	0	871
	GT3{2}	-152128	0	0 152128	486	0	0	486
	Hydrotest-NL{2}	2805996	0	02805996	1357	0	0	1357
+890 -	Gravity{1}	274	0	0 274	220	0	0	220
	Thermal 1{1}	3586275	0	03586275	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01670567	56	0	0	56
	Thermal 3{1}	-152088	0	0 152088	22	0	0	22
	Wind 1{1}	-24	0	0 24	-1	0	0	1
	Wind 2{1}	24	0	0 24	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38332	0	0 38332	101	0	0	101
	Pressure 2{1}	2506787	0	02506787	-124	0	0	124
	Pressure 3{1}	2468506	0	02468506	-107	0	0	107
	GT1{1}	3586549	0	03586549	94	0	0	94

	GT2{1}	-.2E+07	0	01670293	276	0	0	276
	GT3{1}	-151814	0	0 151814	242	0	0	242
	GW1{1}	250	0	0 250	219	0	0	219
	GW2{1}	298	0	0 298	221	0	0	221
	GW3{1}	269	0	0 269	163	0	0	163
	GW4{1}	279	0	0 279	272	0	0	272
	GT1P1{1}	3624881	0	03624881	195	0	0	195
	GT2P2{1}	836493	0	0 836493	152	0	0	152
	GT3P3{1}	2316692	0	02316692	135	0	0	135
	Gravity{2}	546	0	0 546	461	0	0	461
	Thermal 3{2}	-152674	0	0 152674	25	0	0	25
	Pressure 1{2}	2958125	0	02958125	871	0	0	871
	GT3{2}	-152128	0	0 152128	486	0	0	486
	Hydrotest-NL{2}	2805996	0	02805996	1357	0	0	1357
+890 +	Gravity{1}	278	0	0 278	220	0	0	220
	Thermal 1{1}	3571690	0	03571690	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01669643	56	0	0	56
	Thermal 3{1}	-152026	0	0 152026	22	0	0	22
	Wind 1{1}	-24	0	0 24	-1	0	0	1
	Wind 2{1}	24	0	0 24	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38331	0	0 38331	101	0	0	101
	Pressure 2{1}	2505477	0	02505477	-124	0	0	124
	Pressure 3{1}	2466636	0	02466636	-107	0	0	107
	GT1{1}	3571967	0	03571967	94	0	0	94
	GT2{1}	-.2E+07	0	01669365	276	0	0	276
	GT3{1}	-151748	0	0 151748	242	0	0	242
	GW1{1}	253	0	0 253	219	0	0	219
	GW2{1}	302	0	0 302	221	0	0	221
	GW3{1}	273	0	0 273	163	0	0	163
	GW4{1}	283	0	0 283	272	0	0	272
	GT1P1{1}	3610299	0	03610299	195	0	0	195
	GT2P2{1}	836112	0	0 836112	152	0	0	152
	GT3P3{1}	2314888	0	02314888	135	0	0	135
	Gravity{2}	554	0	0 554	461	0	0	461
	Thermal 3{2}	-152621	0	0 152621	25	0	0	25
	Pressure 1{2}	2953917	0	02953917	871	0	0	871
	GT3{2}	-152067	0	0 152067	486	0	0	486
	Hydrotest-NL{2}	2801850	0	02801850	1357	0	0	1357
+891 -	Gravity{1}	278	0	0 278	220	0	0	220
	Thermal 1{1}	3571690	0	03571690	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01669643	56	0	0	56
	Thermal 3{1}	-152026	0	0 152026	22	0	0	22
	Wind 1{1}	-24	0	0 24	-1	0	0	1
	Wind 2{1}	24	0	0 24	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38331	0	0 38331	101	0	0	101
	Pressure 2{1}	2505477	0	02505477	-124	0	0	124
	Pressure 3{1}	2466636	0	02466636	-107	0	0	107
	GT1{1}	3571967	0	03571967	94	0	0	94
	GT2{1}	-.2E+07	0	01669365	276	0	0	276
	GT3{1}	-151748	0	0 151748	242	0	0	242
	GW1{1}	253	0	0 253	219	0	0	219
	GW2{1}	302	0	0 302	221	0	0	221
	GW3{1}	273	0	0 273	163	0	0	163
	GW4{1}	283	0	0 283	272	0	0	272
	GT1P1{1}	3610299	0	03610299	195	0	0	195
	GT2P2{1}	836112	0	0 836112	152	0	0	152
	GT3P3{1}	2314888	0	02314888	135	0	0	135
	Gravity{2}	554	0	0 554	461	0	0	461
	Thermal 3{2}	-152621	0	0 152621	25	0	0	25
	Pressure 1{2}	2953917	0	02953917	871	0	0	871
	GT3{2}	-152067	0	0 152067	486	0	0	486
	Hydrotest-NL{2}	2801850	0	02801850	1357	0	0	1357
+891 +	Gravity{1}	282	0	0 282	220	0	0	220
	Thermal 1{1}	3557105	0	03557105	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01668706	56	0	0	56
	Thermal 3{1}	-151963	0	0 151963	22	0	0	22
	Wind 1{1}	-25	0	0 25	-1	0	0	1
	Wind 2{1}	25	0	0 25	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38331	0	0 38331	101	0	0	101
	Pressure 2{1}	2504149	0	02504149	-124	0	0	124
	Pressure 3{1}	2464738	0	02464738	-107	0	0	107
	GT1{1}	3557386	0	03557386	94	0	0	94
	GT2{1}	-.2E+07	0	01668424	276	0	0	276
	GT3{1}	-151681	0	0 151681	242	0	0	242
	GW1{1}	257	0	0 257	219	0	0	219
	GW2{1}	306	0	0 306	221	0	0	221
	GW3{1}	277	0	0 277	163	0	0	163
	GW4{1}	287	0	0 287	272	0	0	272
	GT1P1{1}	3595717	0	03595717	195	0	0	195
	GT2P2{1}	835724	0	0 835724	152	0	0	152
	GT3P3{1}	2313057	0	02313057	135	0	0	135
	Gravity{2}	562	0	0 562	461	0	0	461
	Thermal 3{2}	-152567	0	0 152567	25	0	0	25
	Pressure 1{2}	2949647	0	02949647	871	0	0	871
	GT3{2}	-152004	0	0 152004	486	0	0	486
	Hydrotest-NL{2}	2797643	0	02797643	1357	0	0	1357
+892 -	Gravity{1}	282	0	0 282	220	0	0	220
	Thermal 1{1}	3557105	0	03557105	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01668706	56	0	0	56
	Thermal 3{1}	-151963	0	0 151963	22	0	0	22
	Wind 1{1}	-25	0	0 25	-1	0	0	1
	Wind 2{1}	25	0	0 25	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38331	0	0 38331	101	0	0	101
	Pressure 2{1}	2504149	0	02504149	-124	0	0	124
	Pressure 3{1}	2464738	0	02464738	-107	0	0	107
	GT1{1}	3557386	0	03557386	94	0	0	94

	GT2{1}	-.2E+07	0	01668424	276	0	0	276
	GT3{1}	-151681	0	0 151681	242	0	0	242
	GW1{1}	257	0	0 257	219	0	0	219
	GW2{1}	306	0	0 306	221	0	0	221
	GW3{1}	277	0	0 277	163	0	0	163
	GW4{1}	287	0	0 287	272	0	0	272
	GT1P1{1}	3595717	0	03595717	195	0	0	195
	GT2P2{1}	835724	0	0 835724	152	0	0	152
	GT3P3{1}	2313057	0	02313057	135	0	0	135
	Gravity{2}	562	0	0 562	461	0	0	461
	Thermal 3{2}	-152567	0	0 152567	25	0	0	25
	Pressure 1{2}	2949647	0	02949647	871	0	0	871
	GT3{2}	-152004	0	0 152004	486	0	0	486
	Hydrotest-NL{2}	2797643	0	02797643	1357	0	0	1357
+892 +	Gravity{1}	286	0	0 286	220	0	0	220
	Thermal 1{1}	3542520	0	03542520	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01667755	56	0	0	56
	Thermal 3{1}	-151899	0	0 151899	22	0	0	22
	Wind 1{1}	-25	0	0 25	-1	0	0	1
	Wind 2{1}	25	0	0 25	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38330	0	0 38330	101	0	0	101
	Pressure 2{1}	2502800	0	02502800	-124	0	0	124
	Pressure 3{1}	2462812	0	02462812	-107	0	0	107
	GT1{1}	3542805	0	03542805	94	0	0	94
	GT2{1}	-.2E+07	0	01667469	276	0	0	276
	GT3{1}	-151613	0	0 151613	242	0	0	242
	GW1{1}	261	0	0 261	219	0	0	219
	GW2{1}	311	0	0 311	221	0	0	221
	GW3{1}	281	0	0 281	163	0	0	163
	GW4{1}	291	0	0 291	272	0	0	272
	GT1P1{1}	3581135	0	03581135	195	0	0	195
	GT2P2{1}	835331	0	0 835331	152	0	0	152
	GT3P3{1}	2311199	0	02311199	135	0	0	135
	Gravity{2}	570	0	0 570	461	0	0	461
	Thermal 3{2}	-152511	0	0 152511	25	0	0	25
	Pressure 1{2}	2945315	0	02945315	871	0	0	871
	GT3{2}	-151941	0	0 151941	486	0	0	486
	Hydrotest-NL{2}	2793374	0	02793374	1357	0	0	1357
+893 -	Gravity{1}	286	0	0 286	220	0	0	220
	Thermal 1{1}	3542520	0	03542520	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01667755	56	0	0	56
	Thermal 3{1}	-151899	0	0 151899	22	0	0	22
	Wind 1{1}	-25	0	0 25	-1	0	0	1
	Wind 2{1}	25	0	0 25	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38330	0	0 38330	101	0	0	101
	Pressure 2{1}	2502800	0	02502800	-124	0	0	124
	Pressure 3{1}	2462812	0	02462812	-107	0	0	107
	GT1{1}	3542805	0	03542805	94	0	0	94
	GT2{1}	-.2E+07	0	01667469	276	0	0	276
	GT3{1}	-151613	0	0 151613	242	0	0	242
	GW1{1}	261	0	0 261	219	0	0	219
	GW2{1}	311	0	0 311	221	0	0	221
	GW3{1}	281	0	0 281	163	0	0	163
	GW4{1}	291	0	0 291	272	0	0	272
	GT1P1{1}	3581135	0	03581135	195	0	0	195
	GT2P2{1}	835331	0	0 835331	152	0	0	152
	GT3P3{1}	2311199	0	02311199	135	0	0	135
	Gravity{2}	570	0	0 570	461	0	0	461
	Thermal 3{2}	-152511	0	0 152511	25	0	0	25
	Pressure 1{2}	2945315	0	02945315	871	0	0	871
	GT3{2}	-151941	0	0 151941	486	0	0	486
	Hydrotest-NL{2}	2793374	0	02793374	1357	0	0	1357
+893 +	Gravity{1}	290	0	0 290	220	0	0	220
	Thermal 1{1}	3527934	0	03527934	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01666790	56	0	0	56
	Thermal 3{1}	-151834	0	0 151834	22	0	0	22
	Wind 1{1}	-25	0	0 25	-1	0	0	1
	Wind 2{1}	25	0	0 25	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38330	0	0 38330	101	0	0	101
	Pressure 2{1}	2501433	0	02501433	-124	0	0	124
	Pressure 3{1}	2460858	0	02460858	-107	0	0	107
	GT1{1}	3528224	0	03528224	94	0	0	94
	GT2{1}	-.2E+07	0	01666500	276	0	0	276
	GT3{1}	-151544	0	0 151544	242	0	0	242
	GW1{1}	265	0	0 265	219	0	0	219
	GW2{1}	316	0	0 316	221	0	0	221
	GW3{1}	285	0	0 285	163	0	0	163
	GW4{1}	295	0	0 295	272	0	0	272
	GT1P1{1}	3566553	0	03566553	195	0	0	195
	GT2P2{1}	834932	0	0 834932	152	0	0	152
	GT3P3{1}	2309314	0	02309314	135	0	0	135
	Gravity{2}	579	0	0 579	461	0	0	461
	Thermal 3{2}	-152456	0	0 152456	25	0	0	25
	Pressure 1{2}	2940920	0	02940920	871	0	0	871
	GT3{2}	-151877	0	0 151877	486	0	0	486
	Hydrotest-NL{2}	2789043	0	02789043	1357	0	0	1357
+894 -	Gravity{1}	290	0	0 290	220	0	0	220
	Thermal 1{1}	3527934	0	03527934	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01666790	56	0	0	56
	Thermal 3{1}	-151834	0	0 151834	22	0	0	22
	Wind 1{1}	-25	0	0 25	-1	0	0	1
	Wind 2{1}	25	0	0 25	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38330	0	0 38330	101	0	0	101
	Pressure 2{1}	2501433	0	02501433	-124	0	0	124
	Pressure 3{1}	2460858	0	02460858	-107	0	0	107
	GT1{1}	3528224	0	03528224	94	0	0	94

	GT2{1}	-.2E+07	0	01666500	276	0	0	276
	GT3{1}	-151544	0	0 151544	242	0	0	242
	GW1{1}	265	0	0 265	219	0	0	219
	GW2{1}	316	0	0 316	221	0	0	221
	GW3{1}	285	0	0 285	163	0	0	163
	GW4{1}	295	0	0 295	272	0	0	272
	GT1P1{1}	3566553	0	03566553	195	0	0	195
	GT2P2{1}	834932	0	0 834932	152	0	0	152
	GT3P3{1}	2309314	0	02309314	135	0	0	135
	Gravity{2}	579	0	0 579	461	0	0	461
	Thermal 3{2}	-152456	0	0 152456	25	0	0	25
	Pressure 1{2}	2940920	0	02940920	871	0	0	871
	GT3{2}	-151877	0	0 151877	486	0	0	486
	Hydrotest-NL{2}	2789043	0	02789043	1357	0	0	1357
+894 +	Gravity{1}	294	0	0 294	220	0	0	220
	Thermal 1{1}	3513348	0	03513348	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01665811	56	0	0	56
	Thermal 3{1}	-151768	0	0 151768	22	0	0	22
	Wind 1{1}	-26	0	0 26	-1	0	0	1
	Wind 2{1}	26	0	0 26	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38329	0	0 38329	101	0	0	101
	Pressure 2{1}	2500045	0	02500045	-124	0	0	124
	Pressure 3{1}	2458875	0	02458875	-107	0	0	107
	GT1{1}	3513643	0	03513643	94	0	0	94
	GT2{1}	-.2E+07	0	01665517	276	0	0	276
	GT3{1}	-151474	0	0 151474	242	0	0	242
	GW1{1}	269	0	0 269	219	0	0	219
	GW2{1}	320	0	0 320	221	0	0	221
	GW3{1}	289	0	0 289	163	0	0	163
	GW4{1}	300	0	0 300	272	0	0	272
	GT1P1{1}	3551971	0	03551971	195	0	0	195
	GT2P2{1}	834528	0	0 834528	152	0	0	152
	GT3P3{1}	2307401	0	02307401	135	0	0	135
	Gravity{2}	587	0	0 587	461	0	0	461
	Thermal 3{2}	-152399	0	0 152399	25	0	0	25
	Pressure 1{2}	2936459	0	02936459	871	0	0	871
	GT3{2}	-151812	0	0 151812	486	0	0	486
	Hydrotest-NL{2}	2784648	0	02784648	1357	0	0	1357
+895 -	Gravity{1}	294	0	0 294	220	0	0	220
	Thermal 1{1}	3513348	0	03513348	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01665811	56	0	0	56
	Thermal 3{1}	-151768	0	0 151768	22	0	0	22
	Wind 1{1}	-26	0	0 26	-1	0	0	1
	Wind 2{1}	26	0	0 26	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38329	0	0 38329	101	0	0	101
	Pressure 2{1}	2500045	0	02500045	-124	0	0	124
	Pressure 3{1}	2458875	0	02458875	-107	0	0	107
	GT1{1}	3513643	0	03513643	94	0	0	94
	GT2{1}	-.2E+07	0	01665517	276	0	0	276
	GT3{1}	-151474	0	0 151474	242	0	0	242
	GW1{1}	269	0	0 269	219	0	0	219
	GW2{1}	320	0	0 320	221	0	0	221
	GW3{1}	289	0	0 289	163	0	0	163
	GW4{1}	300	0	0 300	272	0	0	272
	GT1P1{1}	3551971	0	03551971	195	0	0	195
	GT2P2{1}	834528	0	0 834528	152	0	0	152
	GT3P3{1}	2307401	0	02307401	135	0	0	135
	Gravity{2}	587	0	0 587	461	0	0	461
	Thermal 3{2}	-152399	0	0 152399	25	0	0	25
	Pressure 1{2}	2936459	0	02936459	871	0	0	871
	GT3{2}	-151812	0	0 151812	486	0	0	486
	Hydrotest-NL{2}	2784648	0	02784648	1357	0	0	1357
+895 +	Gravity{1}	299	0	0 299	220	0	0	220
	Thermal 1{1}	3498763	0	03498763	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01664818	56	0	0	56
	Thermal 3{1}	-151701	0	0 151701	22	0	0	22
	Wind 1{1}	-26	0	0 26	-1	0	0	1
	Wind 2{1}	26	0	0 26	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38328	0	0 38328	101	0	0	101
	Pressure 2{1}	2498637	0	02498637	-124	0	0	124
	Pressure 3{1}	2456863	0	02456863	-107	0	0	107
	GT1{1}	3499062	0	03499062	94	0	0	94
	GT2{1}	-.2E+07	0	01664519	276	0	0	276
	GT3{1}	-151403	0	0 151403	242	0	0	242
	GW1{1}	273	0	0 273	219	0	0	219
	GW2{1}	325	0	0 325	221	0	0	221
	GW3{1}	293	0	0 293	163	0	0	163
	GW4{1}	304	0	0 304	272	0	0	272
	GT1P1{1}	3537390	0	03537390	195	0	0	195
	GT2P2{1}	834117	0	0 834117	152	0	0	152
	GT3P3{1}	2305460	0	02305460	135	0	0	135
	Gravity{2}	596	0	0 596	461	0	0	461
	Thermal 3{2}	-152341	0	0 152341	25	0	0	25
	Pressure 1{2}	2931934	0	02931934	871	0	0	871
	GT3{2}	-151746	0	0 151746	486	0	0	486
	Hydrotest-NL{2}	2780188	0	02780188	1357	0	0	1357
+896 -	Gravity{1}	299	0	0 299	220	0	0	220
	Thermal 1{1}	3498763	0	03498763	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01664818	56	0	0	56
	Thermal 3{1}	-151701	0	0 151701	22	0	0	22
	Wind 1{1}	-26	0	0 26	-1	0	0	1
	Wind 2{1}	26	0	0 26	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38328	0	0 38328	101	0	0	101
	Pressure 2{1}	2498637	0	02498637	-124	0	0	124
	Pressure 3{1}	2456863	0	02456863	-107	0	0	107
	GT1{1}	3499062	0	03499062	94	0	0	94

	GT2{1}	-.2E+07	0	01664519	276	0	0	276
	GT3{1}	-151403	0	0 151403	242	0	0	242
	GW1{1}	273	0	0 273	219	0	0	219
	GW2{1}	325	0	0 325	221	0	0	221
	GW3{1}	293	0	0 293	163	0	0	163
	GW4{1}	304	0	0 304	272	0	0	272
	GT1P1{1}	3537390	0	03537390	195	0	0	195
	GT2P2{1}	834117	0	0 834117	152	0	0	152
	GT3P3{1}	2305460	0	02305460	135	0	0	135
	Gravity{2}	596	0	0 596	461	0	0	461
	Thermal 3{2}	-152341	0	0 152341	25	0	0	25
	Pressure 1{2}	2931934	0	02931934	871	0	0	871
	GT3{2}	-151746	0	0 151746	486	0	0	486
	Hydrotest-NL{2}	2780188	0	02780188	1357	0	0	1357
+896 +	Gravity{1}	303	0	0 303	220	0	0	220
	Thermal 1{1}	3484178	0	03484178	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01663810	56	0	0	56
	Thermal 3{1}	-151634	0	0 151634	22	0	0	22
	Wind 1{1}	-26	0	0 26	-1	0	0	1
	Wind 2{1}	27	0	0 27	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38328	0	0 38328	101	0	0	101
	Pressure 2{1}	2497208	0	02497208	-124	0	0	124
	Pressure 3{1}	2454821	0	02454821	-107	0	0	107
	GT1{1}	3484481	0	03484481	94	0	0	94
	GT2{1}	-.2E+07	0	01663507	276	0	0	276
	GT3{1}	-151331	0	0 151331	242	0	0	242
	GW1{1}	277	0	0 277	219	0	0	219
	GW2{1}	330	0	0 330	221	0	0	221
	GW3{1}	298	0	0 298	163	0	0	163
	GW4{1}	308	0	0 308	272	0	0	272
	GT1P1{1}	3522808	0	03522808	195	0	0	195
	GT2P2{1}	833701	0	0 833701	152	0	0	152
	GT3P3{1}	2303491	0	02303491	135	0	0	135
	Gravity{2}	605	0	0 605	461	0	0	461
	Thermal 3{2}	-152283	0	0 152283	25	0	0	25
	Pressure 1{2}	2927342	0	02927342	871	0	0	871
	GT3{2}	-151678	0	0 151678	486	0	0	486
	Hydrotest-NL{2}	2775664	0	02775664	1357	0	0	1357
+897 -	Gravity{1}	303	0	0 303	220	0	0	220
	Thermal 1{1}	3484178	0	03484178	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01663810	56	0	0	56
	Thermal 3{1}	-151634	0	0 151634	22	0	0	22
	Wind 1{1}	-26	0	0 26	-1	0	0	1
	Wind 2{1}	27	0	0 27	1	0	0	1
	Wind 3{1}	-5	0	0 5	-57	0	0	57
	Wind 4{1}	5	0	0 5	52	0	0	52
	Pressure 1{1}	38328	0	0 38328	101	0	0	101
	Pressure 2{1}	2497208	0	02497208	-124	0	0	124
	Pressure 3{1}	2454821	0	02454821	-107	0	0	107
	GT1{1}	3484481	0	03484481	94	0	0	94
	GT2{1}	-.2E+07	0	01663507	276	0	0	276
	GT3{1}	-151331	0	0 151331	242	0	0	242
	GW1{1}	277	0	0 277	219	0	0	219
	GW2{1}	330	0	0 330	221	0	0	221
	GW3{1}	298	0	0 298	163	0	0	163
	GW4{1}	308	0	0 308	272	0	0	272
	GT1P1{1}	3522808	0	03522808	195	0	0	195
	GT2P2{1}	833701	0	0 833701	152	0	0	152
	GT3P3{1}	2303491	0	02303491	135	0	0	135
	Gravity{2}	605	0	0 605	461	0	0	461
	Thermal 3{2}	-152283	0	0 152283	25	0	0	25
	Pressure 1{2}	2927342	0	02927342	871	0	0	871
	GT3{2}	-151678	0	0 151678	486	0	0	486
	Hydrotest-NL{2}	2775664	0	02775664	1357	0	0	1357
+897 +	Gravity{1}	307	0	0 307	220	0	0	220
	Thermal 1{1}	3469592	0	03469592	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01662787	56	0	0	56
	Thermal 3{1}	-151565	0	0 151565	22	0	0	22
	Wind 1{1}	-27	0	0 27	-1	0	0	1
	Wind 2{1}	27	0	0 27	1	0	0	1
	Wind 3{1}	-6	0	0 6	-57	0	0	57
	Wind 4{1}	6	0	0 6	52	0	0	52
	Pressure 1{1}	38327	0	0 38327	101	0	0	101
	Pressure 2{1}	2495758	0	02495758	-124	0	0	124
	Pressure 3{1}	2452750	0	02452750	-107	0	0	107
	GT1{1}	3469899	0	03469899	94	0	0	94
	GT2{1}	-.2E+07	0	01662480	276	0	0	276
	GT3{1}	-151257	0	0 151257	242	0	0	242
	GW1{1}	281	0	0 281	219	0	0	219
	GW2{1}	334	0	0 334	221	0	0	221
	GW3{1}	302	0	0 302	163	0	0	163
	GW4{1}	313	0	0 313	272	0	0	272
	GT1P1{1}	3508226	0	03508226	195	0	0	195
	GT2P2{1}	833278	0	0 833278	152	0	0	152
	GT3P3{1}	2301493	0	02301493	135	0	0	135
	Gravity{2}	614	0	0 614	461	0	0	461
	Thermal 3{2}	-152224	0	0 152224	25	0	0	25
	Pressure 1{2}	2922683	0	02922683	871	0	0	871
	GT3{2}	-151610	0	0 151610	486	0	0	486
	Hydrotest-NL{2}	2771072	0	02771072	1357	0	0	1357
+898 -	Gravity{1}	307	0	0 307	220	0	0	220
	Thermal 1{1}	3469592	0	03469592	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01662787	56	0	0	56
	Thermal 3{1}	-151565	0	0 151565	22	0	0	22
	Wind 1{1}	-27	0	0 27	-1	0	0	1
	Wind 2{1}	27	0	0 27	1	0	0	1
	Wind 3{1}	-6	0	0 6	-57	0	0	57
	Wind 4{1}	6	0	0 6	52	0	0	52
	Pressure 1{1}	38327	0	0 38327	101	0	0	101
	Pressure 2{1}	2495758	0	02495758	-124	0	0	124
	Pressure 3{1}	2452750	0	02452750	-107	0	0	107
	GT1{1}	3469899	0	03469899	94	0	0	94

	GT2{1}	-.2E+07	0	01662480	276	0	0	276
	GT3{1}	-151257	0	0 151257	242	0	0	242
	GW1{1}	281	0	0 281	219	0	0	219
	GW2{1}	334	0	0 334	221	0	0	221
	GW3{1}	302	0	0 302	163	0	0	163
	GW4{1}	313	0	0 313	272	0	0	272
	GT1P1{1}	3508226	0	03508226	195	0	0	195
	GT2P2{1}	833278	0	0 833278	152	0	0	152
	GT3P3{1}	2301493	0	02301493	135	0	0	135
	Gravity{2}	614	0	0 614	461	0	0	461
	Thermal 3{2}	-152224	0	0 152224	25	0	0	25
	Pressure 1{2}	2922683	0	02922683	871	0	0	871
	GT3{2}	-151610	0	0 151610	486	0	0	486
	Hydrotest-NL{2}	2771072	0	02771072	1357	0	0	1357
+898 +	Gravity{1}	312	0	0 312	220	0	0	220
	Thermal 1{1}	3455006	0	03455006	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01661750	56	0	0	56
	Thermal 3{1}	-151495	0	0 151495	22	0	0	22
	Wind 1{1}	-27	0	0 27	-1	0	0	1
	Wind 2{1}	27	0	0 27	1	0	0	1
	Wind 3{1}	-6	0	0 6	-57	0	0	57
	Wind 4{1}	6	0	0 6	52	0	0	52
	Pressure 1{1}	38326	0	0 38326	101	0	0	101
	Pressure 2{1}	2494287	0	02494287	-124	0	0	124
	Pressure 3{1}	2450648	0	02450648	-107	0	0	107
	GT1{1}	3455318	0	03455318	94	0	0	94
	GT2{1}	-.2E+07	0	01661438	276	0	0	276
	GT3{1}	-151183	0	0 151183	242	0	0	242
	GW1{1}	285	0	0 285	219	0	0	219
	GW2{1}	339	0	0 339	221	0	0	221
	GW3{1}	306	0	0 306	163	0	0	163
	GW4{1}	318	0	0 318	272	0	0	272
	GT1P1{1}	3493644	0	03493644	195	0	0	195
	GT2P2{1}	832849	0	0 832849	152	0	0	152
	GT3P3{1}	2299465	0	02299465	135	0	0	135
	Gravity{2}	623	0	0 623	461	0	0	461
	Thermal 3{2}	-152164	0	0 152164	25	0	0	25
	Pressure 1{2}	2917955	0	02917955	871	0	0	871
	GT3{2}	-151541	0	0 151541	486	0	0	486
	Hydrotest-NL{2}	2766414	0	02766414	1357	0	0	1357
+899 -	Gravity{1}	312	0	0 312	220	0	0	220
	Thermal 1{1}	3455006	0	03455006	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01661750	56	0	0	56
	Thermal 3{1}	-151495	0	0 151495	22	0	0	22
	Wind 1{1}	-27	0	0 27	-1	0	0	1
	Wind 2{1}	27	0	0 27	1	0	0	1
	Wind 3{1}	-6	0	0 6	-57	0	0	57
	Wind 4{1}	6	0	0 6	52	0	0	52
	Pressure 1{1}	38326	0	0 38326	101	0	0	101
	Pressure 2{1}	2494287	0	02494287	-124	0	0	124
	Pressure 3{1}	2450648	0	02450648	-107	0	0	107
	GT1{1}	3455318	0	03455318	94	0	0	94
	GT2{1}	-.2E+07	0	01661438	276	0	0	276
	GT3{1}	-151183	0	0 151183	242	0	0	242
	GW1{1}	285	0	0 285	219	0	0	219
	GW2{1}	339	0	0 339	221	0	0	221
	GW3{1}	306	0	0 306	163	0	0	163
	GW4{1}	318	0	0 318	272	0	0	272
	GT1P1{1}	3493644	0	03493644	195	0	0	195
	GT2P2{1}	832849	0	0 832849	152	0	0	152
	GT3P3{1}	2299465	0	02299465	135	0	0	135
	Gravity{2}	623	0	0 623	461	0	0	461
	Thermal 3{2}	-152164	0	0 152164	25	0	0	25
	Pressure 1{2}	2917955	0	02917955	871	0	0	871
	GT3{2}	-151541	0	0 151541	486	0	0	486
	Hydrotest-NL{2}	2766414	0	02766414	1357	0	0	1357
+899 +	Gravity{1}	317	0	0 317	220	0	0	220
	Thermal 1{1}	3440421	0	03440421	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01660697	56	0	0	56
	Thermal 3{1}	-151424	0	0 151424	22	0	0	22
	Wind 1{1}	-28	0	0 28	-1	0	0	1
	Wind 2{1}	28	0	0 28	1	0	0	1
	Wind 3{1}	-6	0	0 6	-57	0	0	57
	Wind 4{1}	6	0	0 6	52	0	0	52
	Pressure 1{1}	38326	0	0 38326	101	0	0	101
	Pressure 2{1}	2492794	0	02492794	-124	0	0	124
	Pressure 3{1}	2448516	0	02448516	-107	0	0	107
	GT1{1}	3440737	0	03440737	94	0	0	94
	GT2{1}	-.2E+07	0	01660380	276	0	0	276
	GT3{1}	-151108	0	0 151108	242	0	0	242
	GW1{1}	289	0	0 289	219	0	0	219
	GW2{1}	344	0	0 344	221	0	0	221
	GW3{1}	311	0	0 311	163	0	0	163
	GW4{1}	322	0	0 322	272	0	0	272
	GT1P1{1}	3479063	0	03479063	195	0	0	195
	GT2P2{1}	832414	0	0 832414	152	0	0	152
	GT3P3{1}	2297408	0	02297408	135	0	0	135
	Gravity{2}	632	0	0 632	461	0	0	461
	Thermal 3{2}	-152103	0	0 152103	25	0	0	25
	Pressure 1{2}	2913158	0	02913158	871	0	0	871
	GT3{2}	-151471	0	0 151471	486	0	0	486
	Hydrotest-NL{2}	2761687	0	02761687	1357	0	0	1357
+900 -	Gravity{1}	317	0	0 317	220	0	0	220
	Thermal 1{1}	3440421	0	03440421	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01660697	56	0	0	56
	Thermal 3{1}	-151424	0	0 151424	22	0	0	22
	Wind 1{1}	-28	0	0 28	-1	0	0	1
	Wind 2{1}	28	0	0 28	1	0	0	1
	Wind 3{1}	-6	0	0 6	-57	0	0	57
	Wind 4{1}	6	0	0 6	52	0	0	52
	Pressure 1{1}	38326	0	0 38326	101	0	0	101
	Pressure 2{1}	2492794	0	02492794	-124	0	0	124
	Pressure 3{1}	2448516	0	02448516	-107	0	0	107
	GT1{1}	3440737	0	03440737	94	0	0	94

	GT2{1}	-.2E+07	0	01660380	276	0	0	276
	GT3{1}	-151108	0	0 151108	242	0	0	242
	GW1{1}	289	0	0 289	219	0	0	219
	GW2{1}	344	0	0 344	221	0	0	221
	GW3{1}	311	0	0 311	163	0	0	163
	GW4{1}	322	0	0 322	272	0	0	272
	GT1P1{1}	3479063	0	03479063	195	0	0	195
	GT2P2{1}	832414	0	0 832414	152	0	0	152
	GT3P3{1}	2297408	0	02297408	135	0	0	135
	Gravity{2}	632	0	0 632	461	0	0	461
	Thermal 3{2}	-152103	0	0 152103	25	0	0	25
	Pressure 1{2}	2913158	0	02913158	871	0	0	871
	GT3{2}	-151471	0	0 151471	486	0	0	486
	Hydrotest-NL{2}	2761687	0	02761687	1357	0	0	1357
+900 +	Gravity{1}	321	0	0 321	220	0	0	220
	Thermal 1{1}	3425835	0	03425835	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01659629	56	0	0	56
	Thermal 3{1}	-151353	0	0 151353	22	0	0	22
	Wind 1{1}	-28	0	0 28	-1	0	0	1
	Wind 2{1}	28	0	0 28	1	0	0	1
	Wind 3{1}	-6	0	0 6	-57	0	0	57
	Wind 4{1}	6	0	0 6	52	0	0	52
	Pressure 1{1}	38325	0	0 38325	101	0	0	101
	Pressure 2{1}	2491280	0	02491280	-124	0	0	124
	Pressure 3{1}	2446352	0	02446352	-107	0	0	107
	GT1{1}	3426156	0	03426156	94	0	0	94
	GT2{1}	-.2E+07	0	01659307	276	0	0	276
	GT3{1}	-151031	0	0 151031	242	0	0	242
	GW1{1}	293	0	0 293	219	0	0	219
	GW2{1}	349	0	0 349	221	0	0	221
	GW3{1}	315	0	0 315	163	0	0	163
	GW4{1}	327	0	0 327	272	0	0	272
	GT1P1{1}	3464481	0	03464481	195	0	0	195
	GT2P2{1}	831972	0	0 831972	152	0	0	152
	GT3P3{1}	2295321	0	02295321	135	0	0	135
	Gravity{2}	641	0	0 641	461	0	0	461
	Thermal 3{2}	-152041	0	0 152041	25	0	0	25
	Pressure 1{2}	2908291	0	02908291	871	0	0	871
	GT3{2}	-151400	0	0 151400	486	0	0	486
	Hydrotest-NL{2}	2756891	0	02756891	1357	0	0	1357
+901 -	Gravity{1}	321	0	0 321	220	0	0	220
	Thermal 1{1}	3425835	0	03425835	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01659629	56	0	0	56
	Thermal 3{1}	-151353	0	0 151353	22	0	0	22
	Wind 1{1}	-28	0	0 28	-1	0	0	1
	Wind 2{1}	28	0	0 28	1	0	0	1
	Wind 3{1}	-6	0	0 6	-57	0	0	57
	Wind 4{1}	6	0	0 6	52	0	0	52
	Pressure 1{1}	38325	0	0 38325	101	0	0	101
	Pressure 2{1}	2491280	0	02491280	-124	0	0	124
	Pressure 3{1}	2446352	0	02446352	-107	0	0	107
	GT1{1}	3426156	0	03426156	94	0	0	94
	GT2{1}	-.2E+07	0	01659307	276	0	0	276
	GT3{1}	-151031	0	0 151031	242	0	0	242
	GW1{1}	293	0	0 293	219	0	0	219
	GW2{1}	349	0	0 349	221	0	0	221
	GW3{1}	315	0	0 315	163	0	0	163
	GW4{1}	327	0	0 327	272	0	0	272
	GT1P1{1}	3464481	0	03464481	195	0	0	195
	GT2P2{1}	831972	0	0 831972	152	0	0	152
	GT3P3{1}	2295321	0	02295321	135	0	0	135
	Gravity{2}	641	0	0 641	461	0	0	461
	Thermal 3{2}	-152041	0	0 152041	25	0	0	25
	Pressure 1{2}	2908291	0	02908291	871	0	0	871
	GT3{2}	-151400	0	0 151400	486	0	0	486
	Hydrotest-NL{2}	2756891	0	02756891	1357	0	0	1357
+901 +	Gravity{1}	326	0	0 326	220	0	0	220
	Thermal 1{1}	3411248	0	03411248	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01658545	56	0	0	56
	Thermal 3{1}	-151280	0	0 151280	22	0	0	22
	Wind 1{1}	-28	0	0 28	-1	0	0	1
	Wind 2{1}	29	0	0 29	1	0	0	1
	Wind 3{1}	-6	0	0 6	-57	0	0	57
	Wind 4{1}	6	0	0 6	52	0	0	52
	Pressure 1{1}	38324	0	0 38324	101	0	0	101
	Pressure 2{1}	2489743	0	02489743	-124	0	0	124
	Pressure 3{1}	2444157	0	02444157	-107	0	0	107
	GT1{1}	3411574	0	03411574	94	0	0	94
	GT2{1}	-.2E+07	0	01658219	276	0	0	276
	GT3{1}	-150954	0	0 150954	242	0	0	242
	GW1{1}	297	0	0 297	219	0	0	219
	GW2{1}	355	0	0 355	221	0	0	221
	GW3{1}	320	0	0 320	163	0	0	163
	GW4{1}	332	0	0 332	272	0	0	272
	GT1P1{1}	3449898	0	03449898	195	0	0	195
	GT2P2{1}	831524	0	0 831524	152	0	0	152
	GT3P3{1}	2293203	0	02293203	135	0	0	135
	Gravity{2}	650	0	0 650	461	0	0	461
	Thermal 3{2}	-151978	0	0 151978	25	0	0	25
	Pressure 1{2}	2903353	0	02903353	871	0	0	871
	GT3{2}	-151328	0	0 151328	486	0	0	486
	Hydrotest-NL{2}	2752025	0	02752025	1357	0	0	1357
+902 -	Gravity{1}	326	0	0 326	220	0	0	220
	Thermal 1{1}	3411248	0	03411248	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01658545	56	0	0	56
	Thermal 3{1}	-151280	0	0 151280	22	0	0	22
	Wind 1{1}	-28	0	0 28	-1	0	0	1
	Wind 2{1}	29	0	0 29	1	0	0	1
	Wind 3{1}	-6	0	0 6	-57	0	0	57
	Wind 4{1}	6	0	0 6	52	0	0	52
	Pressure 1{1}	38324	0	0 38324	101	0	0	101
	Pressure 2{1}	2489743	0	02489743	-124	0	0	124
	Pressure 3{1}	2444157	0	02444157	-107	0	0	107
	GT1{1}	3411574	0	03411574	94	0	0	94

	GT2{1}	-.2E+07	0	01658219	276	0	0	276
	GT3{1}	-150954	0	0 150954	242	0	0	242
	GW1{1}	297	0	0 297	219	0	0	219
	GW2{1}	355	0	0 355	221	0	0	221
	GW3{1}	320	0	0 320	163	0	0	163
	GW4{1}	332	0	0 332	272	0	0	272
	GT1P1{1}	3449898	0	03449898	195	0	0	195
	GT2P2{1}	831524	0	0 831524	152	0	0	152
	GT3P3{1}	2293203	0	02293203	135	0	0	135
	Gravity{2}	650	0	0 650	461	0	0	461
	Thermal 3{2}	-151978	0	0 151978	25	0	0	25
	Pressure 1{2}	2903353	0	02903353	871	0	0	871
	GT3{2}	-151328	0	0 151328	486	0	0	486
	Hydrotest-NL{2}	2752025	0	02752025	1357	0	0	1357
+902 +	Gravity{1}	331	0	0 331	220	0	0	220
	Thermal 1{1}	3396663	0	03396663	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01657445	56	0	0	56
	Thermal 3{1}	-151206	0	0 151206	22	0	0	22
	Wind 1{1}	-29	0	0 29	-1	0	0	1
	Wind 2{1}	29	0	0 29	1	0	0	1
	Wind 3{1}	-6	0	0 6	-57	0	0	57
	Wind 4{1}	6	0	0 6	52	0	0	52
	Pressure 1{1}	38324	0	0 38324	101	0	0	101
	Pressure 2{1}	2488183	0	02488183	-124	0	0	124
	Pressure 3{1}	2441929	0	02441929	-107	0	0	107
	GT1{1}	3396993	0	03396993	94	0	0	94
	GT2{1}	-.2E+07	0	01657114	276	0	0	276
	GT3{1}	-150875	0	0 150875	242	0	0	242
	GW1{1}	302	0	0 302	219	0	0	219
	GW2{1}	360	0	0 360	221	0	0	221
	GW3{1}	325	0	0 325	163	0	0	163
	GW4{1}	337	0	0 337	272	0	0	272
	GT1P1{1}	3435317	0	03435317	195	0	0	195
	GT2P2{1}	831069	0	0 831069	152	0	0	152
	GT3P3{1}	2291054	0	02291054	135	0	0	135
	Gravity{2}	660	0	0 660	461	0	0	461
	Thermal 3{2}	-151915	0	0 151915	25	0	0	25
	Pressure 1{2}	2898342	0	02898342	871	0	0	871
	GT3{2}	-151255	0	0 151255	486	0	0	486
	Hydrotest-NL{2}	2747087	0	02747087	1357	0	0	1357
+903 -	Gravity{1}	331	0	0 331	220	0	0	220
	Thermal 1{1}	3396663	0	03396663	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01657445	56	0	0	56
	Thermal 3{1}	-151206	0	0 151206	22	0	0	22
	Wind 1{1}	-29	0	0 29	-1	0	0	1
	Wind 2{1}	29	0	0 29	1	0	0	1
	Wind 3{1}	-6	0	0 6	-57	0	0	57
	Wind 4{1}	6	0	0 6	52	0	0	52
	Pressure 1{1}	38324	0	0 38324	101	0	0	101
	Pressure 2{1}	2488183	0	02488183	-124	0	0	124
	Pressure 3{1}	2441929	0	02441929	-107	0	0	107
	GT1{1}	3396993	0	03396993	94	0	0	94
	GT2{1}	-.2E+07	0	01657114	276	0	0	276
	GT3{1}	-150875	0	0 150875	242	0	0	242
	GW1{1}	302	0	0 302	219	0	0	219
	GW2{1}	360	0	0 360	221	0	0	221
	GW3{1}	325	0	0 325	163	0	0	163
	GW4{1}	337	0	0 337	272	0	0	272
	GT1P1{1}	3435317	0	03435317	195	0	0	195
	GT2P2{1}	831069	0	0 831069	152	0	0	152
	GT3P3{1}	2291054	0	02291054	135	0	0	135
	Gravity{2}	660	0	0 660	461	0	0	461
	Thermal 3{2}	-151915	0	0 151915	25	0	0	25
	Pressure 1{2}	2898342	0	02898342	871	0	0	871
	GT3{2}	-151255	0	0 151255	486	0	0	486
	Hydrotest-NL{2}	2747087	0	02747087	1357	0	0	1357
+903 +	Gravity{1}	336	0	0 336	220	0	0	220
	Thermal 1{1}	3382077	0	03382077	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01656329	56	0	0	56
	Thermal 3{1}	-151131	0	0 151131	22	0	0	22
	Wind 1{1}	-29	0	0 29	-1	0	0	1
	Wind 2{1}	29	0	0 29	1	0	0	1
	Wind 3{1}	-6	0	0 6	-57	0	0	57
	Wind 4{1}	6	0	0 6	52	0	0	52
	Pressure 1{1}	38323	0	0 38323	101	0	0	101
	Pressure 2{1}	2486601	0	02486601	-124	0	0	124
	Pressure 3{1}	2439669	0	02439669	-107	0	0	107
	GT1{1}	3382413	0	03382413	94	0	0	94
	GT2{1}	-.2E+07	0	01655993	276	0	0	276
	GT3{1}	-150795	0	0 150795	242	0	0	242
	GW1{1}	306	0	0 306	219	0	0	219
	GW2{1}	365	0	0 365	221	0	0	221
	GW3{1}	329	0	0 329	163	0	0	163
	GW4{1}	342	0	0 342	272	0	0	272
	GT1P1{1}	3420736	0	03420736	195	0	0	195
	GT2P2{1}	830608	0	0 830608	152	0	0	152
	GT3P3{1}	2288873	0	02288873	135	0	0	135
	Gravity{2}	669	0	0 669	461	0	0	461
	Thermal 3{2}	-151850	0	0 151850	25	0	0	25
	Pressure 1{2}	2893257	0	02893257	871	0	0	871
	GT3{2}	-151181	0	0 151181	486	0	0	486
	Hydrotest-NL{2}	2742077	0	02742077	1357	0	0	1357
+904 -	Gravity{1}	336	0	0 336	220	0	0	220
	Thermal 1{1}	3382077	0	03382077	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01656329	56	0	0	56
	Thermal 3{1}	-151131	0	0 151131	22	0	0	22
	Wind 1{1}	-29	0	0 29	-1	0	0	1
	Wind 2{1}	29	0	0 29	1	0	0	1
	Wind 3{1}	-6	0	0 6	-57	0	0	57
	Wind 4{1}	6	0	0 6	52	0	0	52
	Pressure 1{1}	38323	0	0 38323	101	0	0	101
	Pressure 2{1}	2486601	0	02486601	-124	0	0	124
	Pressure 3{1}	2439669	0	02439669	-107	0	0	107
	GT1{1}	3382413	0	03382413	94	0	0	94

	GT2{1}	-.2E+07	0	01655993	276	0	0	276
	GT3{1}	-150795	0	0 150795	242	0	0	242
	GW1{1}	306	0	0 306	219	0	0	219
	GW2{1}	365	0	0 365	221	0	0	221
	GW3{1}	329	0	0 329	163	0	0	163
	GW4{1}	342	0	0 342	272	0	0	272
	GT1P1{1}	3420736	0	03420736	195	0	0	195
	GT2P2{1}	830608	0	0 830608	152	0	0	152
	GT3P3{1}	2288873	0	02288873	135	0	0	135
	Gravity{2}	669	0	0 669	461	0	0	461
	Thermal 3{2}	-151850	0	0 151850	25	0	0	25
	Pressure 1{2}	2893257	0	02893257	871	0	0	871
	GT3{2}	-151181	0	0 151181	486	0	0	486
	Hydrotest-NL{2}	2742077	0	02742077	1357	0	0	1357
+904 +	Gravity{1}	340	0	0 340	220	0	0	220
	Thermal 1{1}	3367490	0	03367490	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01655196	56	0	0	56
	Thermal 3{1}	-151055	0	0 151055	22	0	0	22
	Wind 1{1}	-30	0	0 30	-1	0	0	1
	Wind 2{1}	30	0	0 30	1	0	0	1
	Wind 3{1}	-6	0	0 6	-57	0	0	57
	Wind 4{1}	6	0	0 6	52	0	0	52
	Pressure 1{1}	38322	0	0 38322	101	0	0	101
	Pressure 2{1}	2484996	0	02484996	-124	0	0	124
	Pressure 3{1}	2437375	0	02437375	-107	0	0	107
	GT1{1}	3367831	0	03367831	94	0	0	94
	GT2{1}	-.2E+07	0	01654856	276	0	0	276
	GT3{1}	-150714	0	0 150714	242	0	0	242
	GW1{1}	311	0	0 311	219	0	0	219
	GW2{1}	370	0	0 370	221	0	0	221
	GW3{1}	334	0	0 334	163	0	0	163
	GW4{1}	347	0	0 347	272	0	0	272
	GT1P1{1}	3406154	0	03406154	195	0	0	195
	GT2P2{1}	830140	0	0 830140	152	0	0	152
	GT3P3{1}	2286661	0	02286661	135	0	0	135
	Gravity{2}	679	0	0 679	461	0	0	461
	Thermal 3{2}	-151784	0	0 151784	25	0	0	25
	Pressure 1{2}	2888099	0	02888099	871	0	0	871
	GT3{2}	-151105	0	0 151105	486	0	0	486
	Hydrotest-NL{2}	2736993	0	02736993	1357	0	0	1357
+905 -	Gravity{1}	340	0	0 340	220	0	0	220
	Thermal 1{1}	3367490	0	03367490	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01655196	56	0	0	56
	Thermal 3{1}	-151055	0	0 151055	22	0	0	22
	Wind 1{1}	-30	0	0 30	-1	0	0	1
	Wind 2{1}	30	0	0 30	1	0	0	1
	Wind 3{1}	-6	0	0 6	-57	0	0	57
	Wind 4{1}	6	0	0 6	52	0	0	52
	Pressure 1{1}	38322	0	0 38322	101	0	0	101
	Pressure 2{1}	2484996	0	02484996	-124	0	0	124
	Pressure 3{1}	2437375	0	02437375	-107	0	0	107
	GT1{1}	3367831	0	03367831	94	0	0	94
	GT2{1}	-.2E+07	0	01654856	276	0	0	276
	GT3{1}	-150714	0	0 150714	242	0	0	242
	GW1{1}	311	0	0 311	219	0	0	219
	GW2{1}	370	0	0 370	221	0	0	221
	GW3{1}	334	0	0 334	163	0	0	163
	GW4{1}	347	0	0 347	272	0	0	272
	GT1P1{1}	3406154	0	03406154	195	0	0	195
	GT2P2{1}	830140	0	0 830140	152	0	0	152
	GT3P3{1}	2286661	0	02286661	135	0	0	135
	Gravity{2}	679	0	0 679	461	0	0	461
	Thermal 3{2}	-151784	0	0 151784	25	0	0	25
	Pressure 1{2}	2888099	0	02888099	871	0	0	871
	GT3{2}	-151105	0	0 151105	486	0	0	486
	Hydrotest-NL{2}	2736993	0	02736993	1357	0	0	1357
+905 +	Gravity{1}	345	0	0 345	220	0	0	220
	Thermal 1{1}	3352904	0	03352904	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01654047	56	0	0	56
	Thermal 3{1}	-150978	0	0 150978	22	0	0	22
	Wind 1{1}	-30	0	0 30	-1	0	0	1
	Wind 2{1}	30	0	0 30	1	0	0	1
	Wind 3{1}	-6	0	0 6	-57	0	0	57
	Wind 4{1}	6	0	0 6	52	0	0	52
	Pressure 1{1}	38322	0	0 38322	101	0	0	101
	Pressure 2{1}	2483367	0	02483367	-124	0	0	124
	Pressure 3{1}	2435048	0	02435048	-107	0	0	107
	GT1{1}	3353249	0	03353249	94	0	0	94
	GT2{1}	-.2E+07	0	01653702	276	0	0	276
	GT3{1}	-150632	0	0 150632	242	0	0	242
	GW1{1}	315	0	0 315	219	0	0	219
	GW2{1}	376	0	0 376	221	0	0	221
	GW3{1}	339	0	0 339	163	0	0	163
	GW4{1}	352	0	0 352	272	0	0	272
	GT1P1{1}	3391571	0	03391571	195	0	0	195
	GT2P2{1}	829665	0	0 829665	152	0	0	152
	GT3P3{1}	2284416	0	02284416	135	0	0	135
	Gravity{2}	689	0	0 689	461	0	0	461
	Thermal 3{2}	-151718	0	0 151718	25	0	0	25
	Pressure 1{2}	2882864	0	02882864	871	0	0	871
	GT3{2}	-151029	0	0 151029	486	0	0	486
	Hydrotest-NL{2}	2731835	0	02731835	1357	0	0	1357
+906 -	Gravity{1}	345	0	0 345	220	0	0	220
	Thermal 1{1}	3352904	0	03352904	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01654047	56	0	0	56
	Thermal 3{1}	-150978	0	0 150978	22	0	0	22
	Wind 1{1}	-30	0	0 30	-1	0	0	1
	Wind 2{1}	30	0	0 30	1	0	0	1
	Wind 3{1}	-6	0	0 6	-57	0	0	57
	Wind 4{1}	6	0	0 6	52	0	0	52
	Pressure 1{1}	38322	0	0 38322	101	0	0	101
	Pressure 2{1}	2483367	0	02483367	-124	0	0	124
	Pressure 3{1}	2435048	0	02435048	-107	0	0	107
	GT1{1}	3353249	0	03353249	94	0	0	94

	GT2{1}	-.2E+07	0	01653702	276	0	0	276
	GT3{1}	-150632	0	0 150632	242	0	0	242
	GW1{1}	315	0	0 315	219	0	0	219
	GW2{1}	376	0	0 376	221	0	0	221
	GW3{1}	339	0	0 339	163	0	0	163
	GW4{1}	352	0	0 352	272	0	0	272
	GT1P1{1}	3391571	0	03391571	195	0	0	195
	GT2P2{1}	829665	0	0 829665	152	0	0	152
	GT3P3{1}	2284416	0	02284416	135	0	0	135
	Gravity{2}	689	0	0 689	461	0	0	461
	Thermal 3{2}	-151718	0	0 151718	25	0	0	25
	Pressure 1{2}	2882864	0	02882864	871	0	0	871
	GT3{2}	-151029	0	0 151029	486	0	0	486
	Hydrotest-NL{2}	2731835	0	02731835	1357	0	0	1357
+906 +	Gravity{1}	350	0	0 350	220	0	0	220
	Thermal 1{1}	3338318	0	03338318	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01652882	56	0	0	56
	Thermal 3{1}	-150899	0	0 150899	22	0	0	22
	Wind 1{1}	-31	0	0 31	-1	0	0	1
	Wind 2{1}	31	0	0 31	1	0	0	1
	Wind 3{1}	-6	0	0 6	-57	0	0	57
	Wind 4{1}	6	0	0 6	52	0	0	52
	Pressure 1{1}	38321	0	0 38321	101	0	0	101
	Pressure 2{1}	2481714	0	02481714	-124	0	0	124
	Pressure 3{1}	2432687	0	02432687	-107	0	0	107
	GT1{1}	3338668	0	03338668	94	0	0	94
	GT2{1}	-.2E+07	0	01652531	276	0	0	276
	GT3{1}	-150549	0	0 150549	242	0	0	242
	GW1{1}	320	0	0 320	219	0	0	219
	GW2{1}	381	0	0 381	221	0	0	221
	GW3{1}	344	0	0 344	163	0	0	163
	GW4{1}	357	0	0 357	272	0	0	272
	GT1P1{1}	3376990	0	03376990	195	0	0	195
	GT2P2{1}	829183	0	0 829183	152	0	0	152
	GT3P3{1}	2282138	0	02282138	135	0	0	135
	Gravity{2}	699	0	0 699	461	0	0	461
	Thermal 3{2}	-151650	0	0 151650	25	0	0	25
	Pressure 1{2}	2877552	0	02877552	871	0	0	871
	GT3{2}	-150951	0	0 150951	486	0	0	486
	Hydrotest-NL{2}	2726601	0	02726601	1357	0	0	1357
+907 -	Gravity{1}	350	0	0 350	220	0	0	220
	Thermal 1{1}	3338318	0	03338318	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01652882	56	0	0	56
	Thermal 3{1}	-150899	0	0 150899	22	0	0	22
	Wind 1{1}	-31	0	0 31	-1	0	0	1
	Wind 2{1}	31	0	0 31	1	0	0	1
	Wind 3{1}	-6	0	0 6	-57	0	0	57
	Wind 4{1}	6	0	0 6	52	0	0	52
	Pressure 1{1}	38321	0	0 38321	101	0	0	101
	Pressure 2{1}	2481714	0	02481714	-124	0	0	124
	Pressure 3{1}	2432687	0	02432687	-107	0	0	107
	GT1{1}	3338668	0	03338668	94	0	0	94
	GT2{1}	-.2E+07	0	01652531	276	0	0	276
	GT3{1}	-150549	0	0 150549	242	0	0	242
	GW1{1}	320	0	0 320	219	0	0	219
	GW2{1}	381	0	0 381	221	0	0	221
	GW3{1}	344	0	0 344	163	0	0	163
	GW4{1}	357	0	0 357	272	0	0	272
	GT1P1{1}	3376990	0	03376990	195	0	0	195
	GT2P2{1}	829183	0	0 829183	152	0	0	152
	GT3P3{1}	2282138	0	02282138	135	0	0	135
	Gravity{2}	699	0	0 699	461	0	0	461
	Thermal 3{2}	-151650	0	0 151650	25	0	0	25
	Pressure 1{2}	2877552	0	02877552	871	0	0	871
	GT3{2}	-150951	0	0 150951	486	0	0	486
	Hydrotest-NL{2}	2726601	0	02726601	1357	0	0	1357
+907 +	Gravity{1}	356	0	0 356	220	0	0	220
	Thermal 1{1}	3323732	0	03323732	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01651699	56	0	0	56
	Thermal 3{1}	-150820	0	0 150820	22	0	0	22
	Wind 1{1}	-31	0	0 31	-1	0	0	1
	Wind 2{1}	31	0	0 31	1	0	0	1
	Wind 3{1}	-6	0	0 6	-57	0	0	57
	Wind 4{1}	6	0	0 6	52	0	0	52
	Pressure 1{1}	38320	0	0 38320	101	0	0	101
	Pressure 2{1}	2480037	0	02480037	-124	0	0	124
	Pressure 3{1}	2430291	0	02430291	-107	0	0	107
	GT1{1}	3324087	0	03324087	94	0	0	94
	GT2{1}	-.2E+07	0	01651343	276	0	0	276
	GT3{1}	-150464	0	0 150464	242	0	0	242
	GW1{1}	325	0	0 325	219	0	0	219
	GW2{1}	387	0	0 387	221	0	0	221
	GW3{1}	349	0	0 349	163	0	0	163
	GW4{1}	362	0	0 362	272	0	0	272
	GT1P1{1}	3362408	0	03362408	195	0	0	195
	GT2P2{1}	828694	0	0 828694	152	0	0	152
	GT3P3{1}	2279827	0	02279827	135	0	0	135
	Gravity{2}	710	0	0 710	461	0	0	461
	Thermal 3{2}	-151582	0	0 151582	25	0	0	25
	Pressure 1{2}	2872163	0	02872163	871	0	0	871
	GT3{2}	-150872	0	0 150872	486	0	0	486
	Hydrotest-NL{2}	2721291	0	02721291	1357	0	0	1357
+908 -	Gravity{1}	356	0	0 356	220	0	0	220
	Thermal 1{1}	3323732	0	03323732	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01651699	56	0	0	56
	Thermal 3{1}	-150820	0	0 150820	22	0	0	22
	Wind 1{1}	-31	0	0 31	-1	0	0	1
	Wind 2{1}	31	0	0 31	1	0	0	1
	Wind 3{1}	-6	0	0 6	-57	0	0	57
	Wind 4{1}	6	0	0 6	52	0	0	52
	Pressure 1{1}	38320	0	0 38320	101	0	0	101
	Pressure 2{1}	2480037	0	02480037	-124	0	0	124
	Pressure 3{1}	2430291	0	02430291	-107	0	0	107
	GT1{1}	3324087	0	03324087	94	0	0	94

	GT2{1}	-.2E+07	0	01651343	276	0	0	276
	GT3{1}	-150464	0	0 150464	242	0	0	242
	GW1{1}	325	0	0 325	219	0	0	219
	GW2{1}	387	0	0 387	221	0	0	221
	GW3{1}	349	0	0 349	163	0	0	163
	GW4{1}	362	0	0 362	272	0	0	272
	GT1P1{1}	3362408	0	03362408	195	0	0	195
	GT2P2{1}	828694	0	0 828694	152	0	0	152
	GT3P3{1}	2279827	0	02279827	135	0	0	135
	Gravity{2}	710	0	0 710	461	0	0	461
	Thermal 3{2}	-151582	0	0 151582	25	0	0	25
	Pressure 1{2}	2872163	0	02872163	871	0	0	871
	GT3{2}	-150872	0	0 150872	486	0	0	486
	Hydrotest-NL{2}	2721291	0	02721291	1357	0	0	1357
+908 +	Gravity{1}	361	0	0 361	220	0	0	220
	Thermal 1{1}	3309145	0	03309145	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01650498	56	0	0	56
	Thermal 3{1}	-150739	0	0 150739	22	0	0	22
	Wind 1{1}	-32	0	0 32	-1	0	0	1
	Wind 2{1}	32	0	0 32	1	0	0	1
	Wind 3{1}	-7	0	0 7	-57	0	0	57
	Wind 4{1}	7	0	0 7	52	0	0	52
	Pressure 1{1}	38320	0	0 38320	101	0	0	101
	Pressure 2{1}	2478336	0	02478336	-124	0	0	124
	Pressure 3{1}	2427860	0	02427860	-107	0	0	107
	GT1{1}	3309506	0	03309506	94	0	0	94
	GT2{1}	-.2E+07	0	01650138	276	0	0	276
	GT3{1}	-150378	0	0 150378	242	0	0	242
	GW1{1}	329	0	0 329	219	0	0	219
	GW2{1}	393	0	0 393	221	0	0	221
	GW3{1}	354	0	0 354	163	0	0	163
	GW4{1}	367	0	0 367	272	0	0	272
	GT1P1{1}	3347826	0	03347826	195	0	0	195
	GT2P2{1}	828198	0	0 828198	152	0	0	152
	GT3P3{1}	2277482	0	02277482	135	0	0	135
	Gravity{2}	720	0	0 720	461	0	0	461
	Thermal 3{2}	-151513	0	0 151513	25	0	0	25
	Pressure 1{2}	2866695	0	02866695	871	0	0	871
	GT3{2}	-150792	0	0 150792	486	0	0	486
	Hydrotest-NL{2}	2715903	0	02715903	1357	0	0	1357
+909 -	Gravity{1}	361	0	0 361	220	0	0	220
	Thermal 1{1}	3309145	0	03309145	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01650498	56	0	0	56
	Thermal 3{1}	-150739	0	0 150739	22	0	0	22
	Wind 1{1}	-32	0	0 32	-1	0	0	1
	Wind 2{1}	32	0	0 32	1	0	0	1
	Wind 3{1}	-7	0	0 7	-57	0	0	57
	Wind 4{1}	7	0	0 7	52	0	0	52
	Pressure 1{1}	38320	0	0 38320	101	0	0	101
	Pressure 2{1}	2478336	0	02478336	-124	0	0	124
	Pressure 3{1}	2427860	0	02427860	-107	0	0	107
	GT1{1}	3309506	0	03309506	94	0	0	94
	GT2{1}	-.2E+07	0	01650138	276	0	0	276
	GT3{1}	-150378	0	0 150378	242	0	0	242
	GW1{1}	329	0	0 329	219	0	0	219
	GW2{1}	393	0	0 393	221	0	0	221
	GW3{1}	354	0	0 354	163	0	0	163
	GW4{1}	367	0	0 367	272	0	0	272
	GT1P1{1}	3347826	0	03347826	195	0	0	195
	GT2P2{1}	828198	0	0 828198	152	0	0	152
	GT3P3{1}	2277482	0	02277482	135	0	0	135
	Gravity{2}	720	0	0 720	461	0	0	461
	Thermal 3{2}	-151513	0	0 151513	25	0	0	25
	Pressure 1{2}	2866695	0	02866695	871	0	0	871
	GT3{2}	-150792	0	0 150792	486	0	0	486
	Hydrotest-NL{2}	2715903	0	02715903	1357	0	0	1357
+909 +	Gravity{1}	366	0	0 366	220	0	0	220
	Thermal 1{1}	3294558	0	03294558	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01649281	56	0	0	56
	Thermal 3{1}	-150657	0	0 150657	22	0	0	22
	Wind 1{1}	-32	0	0 32	-1	0	0	1
	Wind 2{1}	32	0	0 32	1	0	0	1
	Wind 3{1}	-7	0	0 7	-57	0	0	57
	Wind 4{1}	7	0	0 7	52	0	0	52
	Pressure 1{1}	38319	0	0 38319	101	0	0	101
	Pressure 2{1}	2476609	0	02476609	-124	0	0	124
	Pressure 3{1}	2425393	0	02425393	-107	0	0	107
	GT1{1}	3294924	0	03294924	94	0	0	94
	GT2{1}	-.2E+07	0	01648914	276	0	0	276
	GT3{1}	-150291	0	0 150291	242	0	0	242
	GW1{1}	334	0	0 334	219	0	0	219
	GW2{1}	398	0	0 398	221	0	0	221
	GW3{1}	359	0	0 359	163	0	0	163
	GW4{1}	373	0	0 373	272	0	0	272
	GT1P1{1}	3333243	0	03333243	195	0	0	195
	GT2P2{1}	827695	0	0 827695	152	0	0	152
	GT3P3{1}	2275102	0	02275102	135	0	0	135
	Gravity{2}	731	0	0 731	461	0	0	461
	Thermal 3{2}	-151442	0	0 151442	25	0	0	25
	Pressure 1{2}	2861147	0	02861147	871	0	0	871
	GT3{2}	-150711	0	0 150711	486	0	0	486
	Hydrotest-NL{2}	2710435	0	02710435	1357	0	0	1357
+910 -	Gravity{1}	366	0	0 366	220	0	0	220
	Thermal 1{1}	3294558	0	03294558	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01649281	56	0	0	56
	Thermal 3{1}	-150657	0	0 150657	22	0	0	22
	Wind 1{1}	-32	0	0 32	-1	0	0	1
	Wind 2{1}	32	0	0 32	1	0	0	1
	Wind 3{1}	-7	0	0 7	-57	0	0	57
	Wind 4{1}	7	0	0 7	52	0	0	52
	Pressure 1{1}	38319	0	0 38319	101	0	0	101
	Pressure 2{1}	2476609	0	02476609	-124	0	0	124
	Pressure 3{1}	2425393	0	02425393	-107	0	0	107
	GT1{1}	3294924	0	03294924	94	0	0	94

	GT2{1}	-.2E+07	0	01648914	276	0	0	276
	GT3{1}	-150291	0	0 150291	242	0	0	242
	GW1{1}	334	0	0 334	219	0	0	219
	GW2{1}	398	0	0 398	221	0	0	221
	GW3{1}	359	0	0 359	163	0	0	163
	GW4{1}	373	0	0 373	272	0	0	272
	GT1P1{1}	3333243	0	03333243	195	0	0	195
	GT2P2{1}	827695	0	0 827695	152	0	0	152
	GT3P3{1}	2275102	0	02275102	135	0	0	135
	Gravity{2}	731	0	0 731	461	0	0	461
	Thermal 3{2}	-151442	0	0 151442	25	0	0	25
	Pressure 1{2}	2861147	0	02861147	871	0	0	871
	GT3{2}	-150711	0	0 150711	486	0	0	486
	Hydrotest-NL{2}	2710435	0	02710435	1357	0	0	1357
+910 +	Gravity{1}	372	0	0 372	220	0	0	220
	Thermal 1{1}	3279972	0	03279972	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01648045	56	0	0	56
	Thermal 3{1}	-150574	0	0 150574	22	0	0	22
	Wind 1{1}	-32	0	0 32	-1	0	0	1
	Wind 2{1}	33	0	0 33	1	0	0	1
	Wind 3{1}	-7	0	0 7	-57	0	0	57
	Wind 4{1}	7	0	0 7	52	0	0	52
	Pressure 1{1}	38318	0	0 38318	101	0	0	101
	Pressure 2{1}	2474857	0	02474857	-124	0	0	124
	Pressure 3{1}	2422891	0	02422891	-107	0	0	107
	GT1{1}	3280343	0	03280343	94	0	0	94
	GT2{1}	-.2E+07	0	01647673	276	0	0	276
	GT3{1}	-150203	0	0 150203	242	0	0	242
	GW1{1}	339	0	0 339	219	0	0	219
	GW2{1}	404	0	0 404	221	0	0	221
	GW3{1}	365	0	0 365	163	0	0	163
	GW4{1}	378	0	0 378	272	0	0	272
	GT1P1{1}	3318661	0	03318661	195	0	0	195
	GT2P2{1}	827184	0	0 827184	152	0	0	152
	GT3P3{1}	2272688	0	02272688	135	0	0	135
	Gravity{2}	741	0	0 741	461	0	0	461
	Thermal 3{2}	-151370	0	0 151370	25	0	0	25
	Pressure 1{2}	2855517	0	02855517	871	0	0	871
	GT3{2}	-150629	0	0 150629	486	0	0	486
	Hydrotest-NL{2}	2704888	0	02704888	1357	0	0	1357
+911 -	Gravity{1}	372	0	0 372	220	0	0	220
	Thermal 1{1}	3279972	0	03279972	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01648045	56	0	0	56
	Thermal 3{1}	-150574	0	0 150574	22	0	0	22
	Wind 1{1}	-32	0	0 32	-1	0	0	1
	Wind 2{1}	33	0	0 33	1	0	0	1
	Wind 3{1}	-7	0	0 7	-57	0	0	57
	Wind 4{1}	7	0	0 7	52	0	0	52
	Pressure 1{1}	38318	0	0 38318	101	0	0	101
	Pressure 2{1}	2474857	0	02474857	-124	0	0	124
	Pressure 3{1}	2422891	0	02422891	-107	0	0	107
	GT1{1}	3280343	0	03280343	94	0	0	94
	GT2{1}	-.2E+07	0	01647673	276	0	0	276
	GT3{1}	-150203	0	0 150203	242	0	0	242
	GW1{1}	339	0	0 339	219	0	0	219
	GW2{1}	404	0	0 404	221	0	0	221
	GW3{1}	365	0	0 365	163	0	0	163
	GW4{1}	378	0	0 378	272	0	0	272
	GT1P1{1}	3318661	0	03318661	195	0	0	195
	GT2P2{1}	827184	0	0 827184	152	0	0	152
	GT3P3{1}	2272688	0	02272688	135	0	0	135
	Gravity{2}	741	0	0 741	461	0	0	461
	Thermal 3{2}	-151370	0	0 151370	25	0	0	25
	Pressure 1{2}	2855517	0	02855517	871	0	0	871
	GT3{2}	-150629	0	0 150629	486	0	0	486
	Hydrotest-NL{2}	2704888	0	02704888	1357	0	0	1357
+911 +	Gravity{1}	377	0	0 377	220	0	0	220
	Thermal 1{1}	3265385	0	03265385	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01646791	56	0	0	56
	Thermal 3{1}	-150490	0	0 150490	22	0	0	22
	Wind 1{1}	-33	0	0 33	-1	0	0	1
	Wind 2{1}	33	0	0 33	1	0	0	1
	Wind 3{1}	-7	0	0 7	-57	0	0	57
	Wind 4{1}	7	0	0 7	52	0	0	52
	Pressure 1{1}	38318	0	0 38318	101	0	0	101
	Pressure 2{1}	2473080	0	02473080	-124	0	0	124
	Pressure 3{1}	2420351	0	02420351	-107	0	0	107
	GT1{1}	3265762	0	03265762	94	0	0	94
	GT2{1}	-.2E+07	0	01646414	276	0	0	276
	GT3{1}	-150113	0	0 150113	242	0	0	242
	GW1{1}	344	0	0 344	219	0	0	219
	GW2{1}	410	0	0 410	221	0	0	221
	GW3{1}	370	0	0 370	163	0	0	163
	GW4{1}	384	0	0 384	272	0	0	272
	GT1P1{1}	3304080	0	03304080	195	0	0	195
	GT2P2{1}	826666	0	0 826666	152	0	0	152
	GT3P3{1}	2270238	0	02270238	135	0	0	135
	Gravity{2}	752	0	0 752	461	0	0	461
	Thermal 3{2}	-151298	0	0 151298	25	0	0	25
	Pressure 1{2}	2849805	0	02849805	871	0	0	871
	GT3{2}	-150546	0	0 150546	486	0	0	486
	Hydrotest-NL{2}	2699259	0	02699259	1357	0	0	1357
+912 -	Gravity{1}	377	0	0 377	220	0	0	220
	Thermal 1{1}	3265385	0	03265385	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01646791	56	0	0	56
	Thermal 3{1}	-150490	0	0 150490	22	0	0	22
	Wind 1{1}	-33	0	0 33	-1	0	0	1
	Wind 2{1}	33	0	0 33	1	0	0	1
	Wind 3{1}	-7	0	0 7	-57	0	0	57
	Wind 4{1}	7	0	0 7	52	0	0	52
	Pressure 1{1}	38318	0	0 38318	101	0	0	101
	Pressure 2{1}	2473080	0	02473080	-124	0	0	124
	Pressure 3{1}	2420351	0	02420351	-107	0	0	107
	GT1{1}	3265762	0	03265762	94	0	0	94

	GT2{1}	-.2E+07	0	01646414	276	0	0	276
	GT3{1}	-150113	0	0 150113	242	0	0	242
	GW1{1}	344	0	0 344	219	0	0	219
	GW2{1}	410	0	0 410	221	0	0	221
	GW3{1}	370	0	0 370	163	0	0	163
	GW4{1}	384	0	0 384	272	0	0	272
	GT1P1{1}	3304080	0	03304080	195	0	0	195
	GT2P2{1}	826666	0	0 826666	152	0	0	152
	GT3P3{1}	2270238	0	02270238	135	0	0	135
	Gravity{2}	752	0	0 752	461	0	0	461
	Thermal 3{2}	-151298	0	0 151298	25	0	0	25
	Pressure 1{2}	2849805	0	02849805	871	0	0	871
	GT3{2}	-150546	0	0 150546	486	0	0	486
	Hydrotest-NL{2}	2699259	0	02699259	1357	0	0	1357
+912 +	Gravity{1}	382	0	0 382	220	0	0	220
	Thermal 1{1}	3250798	0	03250798	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01645519	56	0	0	56
	Thermal 3{1}	-150404	0	0 150404	22	0	0	22
	Wind 1{1}	-33	0	0 33	-1	0	0	1
	Wind 2{1}	34	0	0 34	1	0	0	1
	Wind 3{1}	-7	0	0 7	-57	0	0	57
	Wind 4{1}	7	0	0 7	52	0	0	52
	Pressure 1{1}	38317	0	0 38317	101	0	0	101
	Pressure 2{1}	2471276	0	02471276	-124	0	0	124
	Pressure 3{1}	2417774	0	02417774	-107	0	0	107
	GT1{1}	3251181	0	03251181	94	0	0	94
	GT2{1}	-.2E+07	0	01645136	276	0	0	276
	GT3{1}	-150022	0	0 150022	242	0	0	242
	GW1{1}	349	0	0 349	219	0	0	219
	GW2{1}	416	0	0 416	221	0	0	221
	GW3{1}	376	0	0 376	163	0	0	163
	GW4{1}	389	0	0 389	272	0	0	272
	GT1P1{1}	3289498	0	03289498	195	0	0	195
	GT2P2{1}	826140	0	0 826140	152	0	0	152
	GT3P3{1}	2267752	0	02267752	135	0	0	135
	Gravity{2}	763	0	0 763	461	0	0	461
	Thermal 3{2}	-151224	0	0 151224	25	0	0	25
	Pressure 1{2}	2844008	0	02844008	871	0	0	871
	GT3{2}	-150461	0	0 150461	486	0	0	486
	Hydrotest-NL{2}	2693547	0	02693547	1357	0	0	1357
+913 -	Gravity{1}	382	0	0 382	220	0	0	220
	Thermal 1{1}	3250798	0	03250798	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01645519	56	0	0	56
	Thermal 3{1}	-150404	0	0 150404	22	0	0	22
	Wind 1{1}	-33	0	0 33	-1	0	0	1
	Wind 2{1}	34	0	0 34	1	0	0	1
	Wind 3{1}	-7	0	0 7	-57	0	0	57
	Wind 4{1}	7	0	0 7	52	0	0	52
	Pressure 1{1}	38317	0	0 38317	101	0	0	101
	Pressure 2{1}	2471276	0	02471276	-124	0	0	124
	Pressure 3{1}	2417774	0	02417774	-107	0	0	107
	GT1{1}	3251181	0	03251181	94	0	0	94
	GT2{1}	-.2E+07	0	01645136	276	0	0	276
	GT3{1}	-150022	0	0 150022	242	0	0	242
	GW1{1}	349	0	0 349	219	0	0	219
	GW2{1}	416	0	0 416	221	0	0	221
	GW3{1}	376	0	0 376	163	0	0	163
	GW4{1}	389	0	0 389	272	0	0	272
	GT1P1{1}	3289498	0	03289498	195	0	0	195
	GT2P2{1}	826140	0	0 826140	152	0	0	152
	GT3P3{1}	2267752	0	02267752	135	0	0	135
	Gravity{2}	763	0	0 763	461	0	0	461
	Thermal 3{2}	-151224	0	0 151224	25	0	0	25
	Pressure 1{2}	2844008	0	02844008	871	0	0	871
	GT3{2}	-150461	0	0 150461	486	0	0	486
	Hydrotest-NL{2}	2693547	0	02693547	1357	0	0	1357
+913 +	Gravity{1}	388	0	0 388	220	0	0	220
	Thermal 1{1}	3236211	0	03236211	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01644228	56	0	0	56
	Thermal 3{1}	-150318	0	0 150318	22	0	0	22
	Wind 1{1}	-34	0	0 34	-1	0	0	1
	Wind 2{1}	34	0	0 34	1	0	0	1
	Wind 3{1}	-7	0	0 7	-57	0	0	57
	Wind 4{1}	7	0	0 7	52	0	0	52
	Pressure 1{1}	38316	0	0 38316	101	0	0	101
	Pressure 2{1}	2469446	0	02469446	-124	0	0	124
	Pressure 3{1}	2415160	0	02415160	-107	0	0	107
	GT1{1}	3236599	0	03236599	94	0	0	94
	GT2{1}	-.2E+07	0	01643840	276	0	0	276
	GT3{1}	-149930	0	0 149930	242	0	0	242
	GW1{1}	354	0	0 354	219	0	0	219
	GW2{1}	422	0	0 422	221	0	0	221
	GW3{1}	381	0	0 381	163	0	0	163
	GW4{1}	395	0	0 395	272	0	0	272
	GT1P1{1}	3274916	0	03274916	195	0	0	195
	GT2P2{1}	825606	0	0 825606	152	0	0	152
	GT3P3{1}	2265230	0	02265230	135	0	0	135
	Gravity{2}	774	0	0 774	461	0	0	461
	Thermal 3{2}	-151150	0	0 151150	25	0	0	25
	Pressure 1{2}	2838127	0	02838127	871	0	0	871
	GT3{2}	-150375	0	0 150375	486	0	0	486
	Hydrotest-NL{2}	2687752	0	02687752	1357	0	0	1357
+914 -	Gravity{1}	388	0	0 388	220	0	0	220
	Thermal 1{1}	3236211	0	03236211	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01644228	56	0	0	56
	Thermal 3{1}	-150318	0	0 150318	22	0	0	22
	Wind 1{1}	-34	0	0 34	-1	0	0	1
	Wind 2{1}	34	0	0 34	1	0	0	1
	Wind 3{1}	-7	0	0 7	-57	0	0	57
	Wind 4{1}	7	0	0 7	52	0	0	52
	Pressure 1{1}	38316	0	0 38316	101	0	0	101
	Pressure 2{1}	2469446	0	02469446	-124	0	0	124
	Pressure 3{1}	2415160	0	02415160	-107	0	0	107
	GT1{1}	3236599	0	03236599	94	0	0	94

	GT2{1}	-.2E+07	0	01643840	276	0	0	276
	GT3{1}	-149930	0	0 149930	242	0	0	242
	GW1{1}	354	0	0 354	219	0	0	219
	GW2{1}	422	0	0 422	221	0	0	221
	GW3{1}	381	0	0 381	163	0	0	163
	GW4{1}	395	0	0 395	272	0	0	272
	GT1P1{1}	3274916	0	03274916	195	0	0	195
	GT2P2{1}	825606	0	0 825606	152	0	0	152
	GT3P3{1}	2265230	0	02265230	135	0	0	135
	Gravity{2}	774	0	0 774	461	0	0	461
	Thermal 3{2}	-151150	0	0 151150	25	0	0	25
	Pressure 1{2}	2838127	0	02838127	871	0	0	871
	GT3{2}	-150375	0	0 150375	486	0	0	486
	Hydrotest-NL{2}	2687752	0	02687752	1357	0	0	1357
+914 +	Gravity{1}	394	0	0 394	220	0	0	220
	Thermal 1{1}	3221624	0	03221624	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01642918	56	0	0	56
	Thermal 3{1}	-150230	0	0 150230	22	0	0	22
	Wind 1{1}	-34	0	0 34	-1	0	0	1
	Wind 2{1}	35	0	0 35	1	0	0	1
	Wind 3{1}	-7	0	0 7	-57	0	0	57
	Wind 4{1}	7	0	0 7	52	0	0	52
	Pressure 1{1}	38316	0	0 38316	101	0	0	101
	Pressure 2{1}	2467589	0	02467589	-124	0	0	124
	Pressure 3{1}	2412507	0	02412507	-107	0	0	107
	GT1{1}	3222018	0	03222018	94	0	0	94
	GT2{1}	-.2E+07	0	01642524	276	0	0	276
	GT3{1}	-149836	0	0 149836	242	0	0	242
	GW1{1}	359	0	0 359	219	0	0	219
	GW2{1}	428	0	0 428	221	0	0	221
	GW3{1}	387	0	0 387	163	0	0	163
	GW4{1}	401	0	0 401	272	0	0	272
	GT1P1{1}	3260334	0	03260334	195	0	0	195
	GT2P2{1}	825065	0	0 825065	152	0	0	152
	GT3P3{1}	2262671	0	02262671	135	0	0	135
	Gravity{2}	786	0	0 786	461	0	0	461
	Thermal 3{2}	-151074	0	0 151074	25	0	0	25
	Pressure 1{2}	2832160	0	02832160	871	0	0	871
	GT3{2}	-150288	0	0 150288	486	0	0	486
	Hydrotest-NL{2}	2681872	0	02681872	1357	0	0	1357
+915 -	Gravity{1}	394	0	0 394	220	0	0	220
	Thermal 1{1}	3221624	0	03221624	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01642918	56	0	0	56
	Thermal 3{1}	-150230	0	0 150230	22	0	0	22
	Wind 1{1}	-34	0	0 34	-1	0	0	1
	Wind 2{1}	35	0	0 35	1	0	0	1
	Wind 3{1}	-7	0	0 7	-57	0	0	57
	Wind 4{1}	7	0	0 7	52	0	0	52
	Pressure 1{1}	38316	0	0 38316	101	0	0	101
	Pressure 2{1}	2467589	0	02467589	-124	0	0	124
	Pressure 3{1}	2412507	0	02412507	-107	0	0	107
	GT1{1}	3222018	0	03222018	94	0	0	94
	GT2{1}	-.2E+07	0	01642524	276	0	0	276
	GT3{1}	-149836	0	0 149836	242	0	0	242
	GW1{1}	359	0	0 359	219	0	0	219
	GW2{1}	428	0	0 428	221	0	0	221
	GW3{1}	387	0	0 387	163	0	0	163
	GW4{1}	401	0	0 401	272	0	0	272
	GT1P1{1}	3260334	0	03260334	195	0	0	195
	GT2P2{1}	825065	0	0 825065	152	0	0	152
	GT3P3{1}	2262671	0	02262671	135	0	0	135
	Gravity{2}	786	0	0 786	461	0	0	461
	Thermal 3{2}	-151074	0	0 151074	25	0	0	25
	Pressure 1{2}	2832160	0	02832160	871	0	0	871
	GT3{2}	-150288	0	0 150288	486	0	0	486
	Hydrotest-NL{2}	2681872	0	02681872	1357	0	0	1357
+915 +	Gravity{1}	400	0	0 400	220	0	0	220
	Thermal 1{1}	3207038	0	03207038	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01641589	56	0	0	56
	Thermal 3{1}	-150140	0	0 150140	22	0	0	22
	Wind 1{1}	-35	0	0 35	-1	0	0	1
	Wind 2{1}	35	0	0 35	1	0	0	1
	Wind 3{1}	-7	0	0 7	-57	0	0	57
	Wind 4{1}	7	0	0 7	52	0	0	52
	Pressure 1{1}	38315	0	0 38315	101	0	0	101
	Pressure 2{1}	2465705	0	02465705	-124	0	0	124
	Pressure 3{1}	2409815	0	02409815	-107	0	0	107
	GT1{1}	3207437	0	03207437	94	0	0	94
	GT2{1}	-.2E+07	0	01641190	276	0	0	276
	GT3{1}	-149741	0	0 149741	242	0	0	242
	GW1{1}	365	0	0 365	219	0	0	219
	GW2{1}	435	0	0 435	221	0	0	221
	GW3{1}	392	0	0 392	163	0	0	163
	GW4{1}	407	0	0 407	272	0	0	272
	GT1P1{1}	3245752	0	03245752	195	0	0	195
	GT2P2{1}	824515	0	0 824515	152	0	0	152
	GT3P3{1}	2260075	0	02260075	135	0	0	135
	Gravity{2}	797	0	0 797	461	0	0	461
	Thermal 3{2}	-150997	0	0 150997	25	0	0	25
	Pressure 1{2}	2826105	0	02826105	871	0	0	871
	GT3{2}	-150199	0	0 150199	486	0	0	486
	Hydrotest-NL{2}	2675906	0	02675906	1357	0	0	1357
+916 -	Gravity{1}	400	0	0 400	220	0	0	220
	Thermal 1{1}	3207038	0	03207038	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01641589	56	0	0	56
	Thermal 3{1}	-150140	0	0 150140	22	0	0	22
	Wind 1{1}	-35	0	0 35	-1	0	0	1
	Wind 2{1}	35	0	0 35	1	0	0	1
	Wind 3{1}	-7	0	0 7	-57	0	0	57
	Wind 4{1}	7	0	0 7	52	0	0	52
	Pressure 1{1}	38315	0	0 38315	101	0	0	101
	Pressure 2{1}	2465705	0	02465705	-124	0	0	124
	Pressure 3{1}	2409815	0	02409815	-107	0	0	107
	GT1{1}	3207437	0	03207437	94	0	0	94

	GT2{1}	-.2E+07	0	01641190	276	0	0	276
	GT3{1}	-149741	0	0 149741	242	0	0	242
	GW1{1}	365	0	0 365	219	0	0	219
	GW2{1}	435	0	0 435	221	0	0	221
	GW3{1}	392	0	0 392	163	0	0	163
	GW4{1}	407	0	0 407	272	0	0	272
	GT1P1{1}	3245752	0	03245752	195	0	0	195
	GT2P2{1}	824515	0	0 824515	152	0	0	152
	GT3P3{1}	2260075	0	02260075	135	0	0	135
	Gravity{2}	797	0	0 797	461	0	0	461
	Thermal 3{2}	-150997	0	0 150997	25	0	0	25
	Pressure 1{2}	2826105	0	02826105	871	0	0	871
	GT3{2}	-150199	0	0 150199	486	0	0	486
	Hydrotest-NL{2}	2675906	0	02675906	1357	0	0	1357
+916 +	Gravity{1}	405	0	0 405	220	0	0	220
	Thermal 1{1}	3192450	0	03192450	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01640241	56	0	0	56
	Thermal 3{1}	-150050	0	0 150050	22	0	0	22
	Wind 1{1}	-35	0	0 35	-1	0	0	1
	Wind 2{1}	36	0	0 36	1	0	0	1
	Wind 3{1}	-7	0	0 7	-57	0	0	57
	Wind 4{1}	7	0	0 7	52	0	0	52
	Pressure 1{1}	38314	0	0 38314	101	0	0	101
	Pressure 2{1}	2463793	0	02463793	-124	0	0	124
	Pressure 3{1}	2407084	0	02407084	-107	0	0	107
	GT1{1}	3192856	0	03192856	94	0	0	94
	GT2{1}	-.2E+07	0	01639835	276	0	0	276
	GT3{1}	-149644	0	0 149644	242	0	0	242
	GW1{1}	370	0	0 370	219	0	0	219
	GW2{1}	441	0	0 441	221	0	0	221
	GW3{1}	398	0	0 398	163	0	0	163
	GW4{1}	413	0	0 413	272	0	0	272
	GT1P1{1}	3231170	0	03231170	195	0	0	195
	GT2P2{1}	823958	0	0 823958	152	0	0	152
	GT3P3{1}	2257440	0	02257440	135	0	0	135
	Gravity{2}	809	0	0 809	461	0	0	461
	Thermal 3{2}	-150919	0	0 150919	25	0	0	25
	Pressure 1{2}	2819962	0	02819962	871	0	0	871
	GT3{2}	-150110	0	0 150110	486	0	0	486
	Hydrotest-NL{2}	2669852	0	02669852	1357	0	0	1357
+917 -	Gravity{1}	405	0	0 405	220	0	0	220
	Thermal 1{1}	3192450	0	03192450	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01640241	56	0	0	56
	Thermal 3{1}	-150050	0	0 150050	22	0	0	22
	Wind 1{1}	-35	0	0 35	-1	0	0	1
	Wind 2{1}	36	0	0 36	1	0	0	1
	Wind 3{1}	-7	0	0 7	-57	0	0	57
	Wind 4{1}	7	0	0 7	52	0	0	52
	Pressure 1{1}	38314	0	0 38314	101	0	0	101
	Pressure 2{1}	2463793	0	02463793	-124	0	0	124
	Pressure 3{1}	2407084	0	02407084	-107	0	0	107
	GT1{1}	3192856	0	03192856	94	0	0	94
	GT2{1}	-.2E+07	0	01639835	276	0	0	276
	GT3{1}	-149644	0	0 149644	242	0	0	242
	GW1{1}	370	0	0 370	219	0	0	219
	GW2{1}	441	0	0 441	221	0	0	221
	GW3{1}	398	0	0 398	163	0	0	163
	GW4{1}	413	0	0 413	272	0	0	272
	GT1P1{1}	3231170	0	03231170	195	0	0	195
	GT2P2{1}	823958	0	0 823958	152	0	0	152
	GT3P3{1}	2257440	0	02257440	135	0	0	135
	Gravity{2}	809	0	0 809	461	0	0	461
	Thermal 3{2}	-150919	0	0 150919	25	0	0	25
	Pressure 1{2}	2819962	0	02819962	871	0	0	871
	GT3{2}	-150110	0	0 150110	486	0	0	486
	Hydrotest-NL{2}	2669852	0	02669852	1357	0	0	1357
+917 +	Gravity{1}	411	0	0 411	220	0	0	220
	Thermal 1{1}	3177863	0	03177863	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01638872	56	0	0	56
	Thermal 3{1}	-149958	0	0 149958	22	0	0	22
	Wind 1{1}	-36	0	0 36	-1	0	0	1
	Wind 2{1}	36	0	0 36	1	0	0	1
	Wind 3{1}	-7	0	0 7	-57	0	0	57
	Wind 4{1}	7	0	0 7	52	0	0	52
	Pressure 1{1}	38314	0	0 38314	101	0	0	101
	Pressure 2{1}	2461853	0	02461853	-124	0	0	124
	Pressure 3{1}	2404313	0	02404313	-107	0	0	107
	GT1{1}	3178274	0	03178274	94	0	0	94
	GT2{1}	-.2E+07	0	01638461	276	0	0	276
	GT3{1}	-149546	0	0 149546	242	0	0	242
	GW1{1}	375	0	0 375	219	0	0	219
	GW2{1}	447	0	0 447	221	0	0	221
	GW3{1}	404	0	0 404	163	0	0	163
	GW4{1}	419	0	0 419	272	0	0	272
	GT1P1{1}	3216588	0	03216588	195	0	0	195
	GT2P2{1}	823392	0	0 823392	152	0	0	152
	GT3P3{1}	2254766	0	02254766	135	0	0	135
	Gravity{2}	821	0	0 821	461	0	0	461
	Thermal 3{2}	-150839	0	0 150839	25	0	0	25
	Pressure 1{2}	2813728	0	02813728	871	0	0	871
	GT3{2}	-150019	0	0 150019	486	0	0	486
	Hydrotest-NL{2}	2663709	0	02663709	1357	0	0	1357
+918 -	Gravity{1}	411	0	0 411	220	0	0	220
	Thermal 1{1}	3177863	0	03177863	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01638872	56	0	0	56
	Thermal 3{1}	-149958	0	0 149958	22	0	0	22
	Wind 1{1}	-36	0	0 36	-1	0	0	1
	Wind 2{1}	36	0	0 36	1	0	0	1
	Wind 3{1}	-7	0	0 7	-57	0	0	57
	Wind 4{1}	7	0	0 7	52	0	0	52
	Pressure 1{1}	38314	0	0 38314	101	0	0	101
	Pressure 2{1}	2461853	0	02461853	-124	0	0	124
	Pressure 3{1}	2404313	0	02404313	-107	0	0	107
	GT1{1}	3178274	0	03178274	94	0	0	94

	GT2{1}	-.2E+07	0	01638461	276	0	0	276
	GT3{1}	-149546	0	0 149546	242	0	0	242
	GW1{1}	375	0	0 375	219	0	0	219
	GW2{1}	447	0	0 447	221	0	0	221
	GW3{1}	404	0	0 404	163	0	0	163
	GW4{1}	419	0	0 419	272	0	0	272
	GT1P1{1}	3216588	0	03216588	195	0	0	195
	GT2P2{1}	823392	0	0 823392	152	0	0	152
	GT3P3{1}	2254766	0	02254766	135	0	0	135
	Gravity{2}	821	0	0 821	461	0	0	461
	Thermal 3{2}	-150839	0	0 150839	25	0	0	25
	Pressure 1{2}	2813728	0	02813728	871	0	0	871
	GT3{2}	-150019	0	0 150019	486	0	0	486
	Hydrotest-NL{2}	2663709	0	02663709	1357	0	0	1357
+918 +	Gravity{1}	417	0	0 417	220	0	0	220
	Thermal 1{1}	3163276	0	03163276	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01637484	56	0	0	56
	Thermal 3{1}	-149864	0	0 149864	22	0	0	22
	Wind 1{1}	-36	0	0 36	-1	0	0	1
	Wind 2{1}	37	0	0 37	1	0	0	1
	Wind 3{1}	-8	0	0 8	-57	0	0	57
	Wind 4{1}	8	0	0 8	52	0	0	52
	Pressure 1{1}	38313	0	0 38313	101	0	0	101
	Pressure 2{1}	2459885	0	02459885	-124	0	0	124
	Pressure 3{1}	2401501	0	02401501	-107	0	0	107
	GT1{1}	3163693	0	03163693	94	0	0	94
	GT2{1}	-.2E+07	0	01637067	276	0	0	276
	GT3{1}	-149447	0	0 149447	242	0	0	242
	GW1{1}	381	0	0 381	219	0	0	219
	GW2{1}	454	0	0 454	221	0	0	221
	GW3{1}	410	0	0 410	163	0	0	163
	GW4{1}	425	0	0 425	272	0	0	272
	GT1P1{1}	3202006	0	03202006	195	0	0	195
	GT2P2{1}	822819	0	0 822819	152	0	0	152
	GT3P3{1}	2252054	0	02252054	135	0	0	135
	Gravity{2}	833	0	0 833	461	0	0	461
	Thermal 3{2}	-150759	0	0 150759	25	0	0	25
	Pressure 1{2}	2807403	0	02807403	871	0	0	871
	GT3{2}	-149926	0	0 149926	486	0	0	486
	Hydrotest-NL{2}	2657477	0	02657477	1357	0	0	1357
+919 -	Gravity{1}	417	0	0 417	220	0	0	220
	Thermal 1{1}	3163276	0	03163276	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01637484	56	0	0	56
	Thermal 3{1}	-149864	0	0 149864	22	0	0	22
	Wind 1{1}	-36	0	0 36	-1	0	0	1
	Wind 2{1}	37	0	0 37	1	0	0	1
	Wind 3{1}	-8	0	0 8	-57	0	0	57
	Wind 4{1}	8	0	0 8	52	0	0	52
	Pressure 1{1}	38313	0	0 38313	101	0	0	101
	Pressure 2{1}	2459885	0	02459885	-124	0	0	124
	Pressure 3{1}	2401501	0	02401501	-107	0	0	107
	GT1{1}	3163693	0	03163693	94	0	0	94
	GT2{1}	-.2E+07	0	01637067	276	0	0	276
	GT3{1}	-149447	0	0 149447	242	0	0	242
	GW1{1}	381	0	0 381	219	0	0	219
	GW2{1}	454	0	0 454	221	0	0	221
	GW3{1}	410	0	0 410	163	0	0	163
	GW4{1}	425	0	0 425	272	0	0	272
	GT1P1{1}	3202006	0	03202006	195	0	0	195
	GT2P2{1}	822819	0	0 822819	152	0	0	152
	GT3P3{1}	2252054	0	02252054	135	0	0	135
	Gravity{2}	833	0	0 833	461	0	0	461
	Thermal 3{2}	-150759	0	0 150759	25	0	0	25
	Pressure 1{2}	2807403	0	02807403	871	0	0	871
	GT3{2}	-149926	0	0 149926	486	0	0	486
	Hydrotest-NL{2}	2657477	0	02657477	1357	0	0	1357
+919 +	Gravity{1}	424	0	0 424	220	0	0	220
	Thermal 1{1}	3148689	0	03148689	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01636075	56	0	0	56
	Thermal 3{1}	-149770	0	0 149770	22	0	0	22
	Wind 1{1}	-37	0	0 37	-1	0	0	1
	Wind 2{1}	37	0	0 37	1	0	0	1
	Wind 3{1}	-8	0	0 8	-57	0	0	57
	Wind 4{1}	8	0	0 8	52	0	0	52
	Pressure 1{1}	38312	0	0 38312	101	0	0	101
	Pressure 2{1}	2457888	0	02457888	-124	0	0	124
	Pressure 3{1}	2398648	0	02398648	-107	0	0	107
	GT1{1}	3149112	0	03149112	94	0	0	94
	GT2{1}	-.2E+07	0	01635652	276	0	0	276
	GT3{1}	-149346	0	0 149346	242	0	0	242
	GW1{1}	387	0	0 387	219	0	0	219
	GW2{1}	461	0	0 461	221	0	0	221
	GW3{1}	416	0	0 416	163	0	0	163
	GW4{1}	431	0	0 431	272	0	0	272
	GT1P1{1}	3187425	0	03187425	195	0	0	195
	GT2P2{1}	822236	0	0 822236	152	0	0	152
	GT3P3{1}	2249302	0	02249302	135	0	0	135
	Gravity{2}	845	0	0 845	461	0	0	461
	Thermal 3{2}	-150678	0	0 150678	25	0	0	25
	Pressure 1{2}	2800985	0	02800985	871	0	0	871
	GT3{2}	-149832	0	0 149832	486	0	0	486
	Hydrotest-NL{2}	2651153	0	02651153	1357	0	0	1357
+920 -	Gravity{1}	424	0	0 424	220	0	0	220
	Thermal 1{1}	3148689	0	03148689	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01636075	56	0	0	56
	Thermal 3{1}	-149770	0	0 149770	22	0	0	22
	Wind 1{1}	-37	0	0 37	-1	0	0	1
	Wind 2{1}	37	0	0 37	1	0	0	1
	Wind 3{1}	-8	0	0 8	-57	0	0	57
	Wind 4{1}	8	0	0 8	52	0	0	52
	Pressure 1{1}	38312	0	0 38312	101	0	0	101
	Pressure 2{1}	2457888	0	02457888	-124	0	0	124
	Pressure 3{1}	2398648	0	02398648	-107	0	0	107
	GT1{1}	3149112	0	03149112	94	0	0	94

	GT2{1}	-.2E+07	0	01635652	276	0	0	276
	GT3{1}	-149346	0	0 149346	242	0	0	242
	GW1{1}	387	0	0 387	219	0	0	219
	GW2{1}	461	0	0 461	221	0	0	221
	GW3{1}	416	0	0 416	163	0	0	163
	GW4{1}	431	0	0 431	272	0	0	272
	GT1P1{1}	3187425	0	03187425	195	0	0	195
	GT2P2{1}	822236	0	0 822236	152	0	0	152
	GT3P3{1}	2249302	0	02249302	135	0	0	135
	Gravity{2}	845	0	0 845	461	0	0	461
	Thermal 3{2}	-150678	0	0 150678	25	0	0	25
	Pressure 1{2}	2800985	0	02800985	871	0	0	871
	GT3{2}	-149832	0	0 149832	486	0	0	486
	Hydrotest-NL{2}	2651153	0	02651153	1357	0	0	1357
+920 +	Gravity{1}	430	0	0 430	220	0	0	220
	Thermal 1{1}	3134101	0	03134101	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01634646	56	0	0	56
	Thermal 3{1}	-149674	0	0 149674	22	0	0	22
	Wind 1{1}	-38	0	0 38	-1	0	0	1
	Wind 2{1}	38	0	0 38	1	0	0	1
	Wind 3{1}	-8	0	0 8	-57	0	0	57
	Wind 4{1}	8	0	0 8	52	0	0	52
	Pressure 1{1}	38312	0	0 38312	101	0	0	101
	Pressure 2{1}	2455862	0	02455862	-124	0	0	124
	Pressure 3{1}	2395753	0	02395753	-107	0	0	107
	GT1{1}	3134531	0	03134531	94	0	0	94
	GT2{1}	-.2E+07	0	01634217	276	0	0	276
	GT3{1}	-149244	0	0 149244	242	0	0	242
	GW1{1}	392	0	0 392	219	0	0	219
	GW2{1}	467	0	0 467	221	0	0	221
	GW3{1}	422	0	0 422	163	0	0	163
	GW4{1}	437	0	0 437	272	0	0	272
	GT1P1{1}	3172842	0	03172842	195	0	0	195
	GT2P2{1}	821645	0	0 821645	152	0	0	152
	GT3P3{1}	2246509	0	02246509	135	0	0	135
	Gravity{2}	857	0	0 857	461	0	0	461
	Thermal 3{2}	-150595	0	0 150595	25	0	0	25
	Pressure 1{2}	2794474	0	02794474	871	0	0	871
	GT3{2}	-149737	0	0 149737	486	0	0	486
	Hydrotest-NL{2}	2644736	0	02644736	1357	0	0	1357
+921 -	Gravity{1}	430	0	0 430	220	0	0	220
	Thermal 1{1}	3134101	0	03134101	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01634646	56	0	0	56
	Thermal 3{1}	-149674	0	0 149674	22	0	0	22
	Wind 1{1}	-38	0	0 38	-1	0	0	1
	Wind 2{1}	38	0	0 38	1	0	0	1
	Wind 3{1}	-8	0	0 8	-57	0	0	57
	Wind 4{1}	8	0	0 8	52	0	0	52
	Pressure 1{1}	38312	0	0 38312	101	0	0	101
	Pressure 2{1}	2455862	0	02455862	-124	0	0	124
	Pressure 3{1}	2395753	0	02395753	-107	0	0	107
	GT1{1}	3134531	0	03134531	94	0	0	94
	GT2{1}	-.2E+07	0	01634217	276	0	0	276
	GT3{1}	-149244	0	0 149244	242	0	0	242
	GW1{1}	392	0	0 392	219	0	0	219
	GW2{1}	467	0	0 467	221	0	0	221
	GW3{1}	422	0	0 422	163	0	0	163
	GW4{1}	437	0	0 437	272	0	0	272
	GT1P1{1}	3172842	0	03172842	195	0	0	195
	GT2P2{1}	821645	0	0 821645	152	0	0	152
	GT3P3{1}	2246509	0	02246509	135	0	0	135
	Gravity{2}	857	0	0 857	461	0	0	461
	Thermal 3{2}	-150595	0	0 150595	25	0	0	25
	Pressure 1{2}	2794474	0	02794474	871	0	0	871
	GT3{2}	-149737	0	0 149737	486	0	0	486
	Hydrotest-NL{2}	2644736	0	02644736	1357	0	0	1357
+921 +	Gravity{1}	436	0	0 436	220	0	0	220
	Thermal 1{1}	3119514	0	03119514	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01633196	56	0	0	56
	Thermal 3{1}	-149576	0	0 149576	22	0	0	22
	Wind 1{1}	-38	0	0 38	-1	0	0	1
	Wind 2{1}	38	0	0 38	1	0	0	1
	Wind 3{1}	-8	0	0 8	-57	0	0	57
	Wind 4{1}	8	0	0 8	52	0	0	52
	Pressure 1{1}	38311	0	0 38311	101	0	0	101
	Pressure 2{1}	2453806	0	02453806	-124	0	0	124
	Pressure 3{1}	2392816	0	02392816	-107	0	0	107
	GT1{1}	3119950	0	03119950	94	0	0	94
	GT2{1}	-.2E+07	0	01632760	276	0	0	276
	GT3{1}	-149140	0	0 149140	242	0	0	242
	GW1{1}	398	0	0 398	219	0	0	219
	GW2{1}	474	0	0 474	221	0	0	221
	GW3{1}	428	0	0 428	163	0	0	163
	GW4{1}	444	0	0 444	272	0	0	272
	GT1P1{1}	3158261	0	03158261	195	0	0	195
	GT2P2{1}	821046	0	0 821046	152	0	0	152
	GT3P3{1}	2243676	0	02243676	135	0	0	135
	Gravity{2}	870	0	0 870	461	0	0	461
	Thermal 3{2}	-150511	0	0 150511	25	0	0	25
	Pressure 1{2}	2787866	0	02787866	871	0	0	871
	GT3{2}	-149641	0	0 149641	486	0	0	486
	Hydrotest-NL{2}	2638225	0	02638225	1357	0	0	1357
+922 -	Gravity{1}	436	0	0 436	220	0	0	220
	Thermal 1{1}	3119514	0	03119514	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01633196	56	0	0	56
	Thermal 3{1}	-149576	0	0 149576	22	0	0	22
	Wind 1{1}	-38	0	0 38	-1	0	0	1
	Wind 2{1}	38	0	0 38	1	0	0	1
	Wind 3{1}	-8	0	0 8	-57	0	0	57
	Wind 4{1}	8	0	0 8	52	0	0	52
	Pressure 1{1}	38311	0	0 38311	101	0	0	101
	Pressure 2{1}	2453806	0	02453806	-124	0	0	124
	Pressure 3{1}	2392816	0	02392816	-107	0	0	107
	GT1{1}	3119950	0	03119950	94	0	0	94

	GT2{1}	-.2E+07	0	01632760	276	0	0	276
	GT3{1}	-149140	0	0 149140	242	0	0	242
	GW1{1}	398	0	0 398	219	0	0	219
	GW2{1}	474	0	0 474	221	0	0	221
	GW3{1}	428	0	0 428	163	0	0	163
	GW4{1}	444	0	0 444	272	0	0	272
	GT1P1{1}	3158261	0	03158261	195	0	0	195
	GT2P2{1}	821046	0	0 821046	152	0	0	152
	GT3P3{1}	2243676	0	02243676	135	0	0	135
	Gravity{2}	870	0	0 870	461	0	0	461
	Thermal 3{2}	-150511	0	0 150511	25	0	0	25
	Pressure 1{2}	2787866	0	02787866	871	0	0	871
	GT3{2}	-149641	0	0 149641	486	0	0	486
	Hydrotest-NL{2}	2638225	0	02638225	1357	0	0	1357
+922 +	Gravity{1}	442	0	0 442	220	0	0	220
	Thermal 1{1}	3104926	0	03104926	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01631724	56	0	0	56
	Thermal 3{1}	-149477	0	0 149477	22	0	0	22
	Wind 1{1}	-39	0	0 39	-1	0	0	1
	Wind 2{1}	39	0	0 39	1	0	0	1
	Wind 3{1}	-8	0	0 8	-57	0	0	57
	Wind 4{1}	8	0	0 8	52	0	0	52
	Pressure 1{1}	38310	0	0 38310	101	0	0	101
	Pressure 2{1}	2451720	0	02451720	-124	0	0	124
	Pressure 3{1}	2389835	0	02389835	-107	0	0	107
	GT1{1}	3105369	0	03105369	94	0	0	94
	GT2{1}	-.2E+07	0	01631282	276	0	0	276
	GT3{1}	-149035	0	0 149035	242	0	0	242
	GW1{1}	404	0	0 404	219	0	0	219
	GW2{1}	481	0	0 481	221	0	0	221
	GW3{1}	434	0	0 434	163	0	0	163
	GW4{1}	450	0	0 450	272	0	0	272
	GT1P1{1}	3143679	0	03143679	195	0	0	195
	GT2P2{1}	820438	0	0 820438	152	0	0	152
	GT3P3{1}	2240800	0	02240800	135	0	0	135
	Gravity{2}	883	0	0 883	461	0	0	461
	Thermal 3{2}	-150426	0	0 150426	25	0	0	25
	Pressure 1{2}	2781162	0	02781162	871	0	0	871
	GT3{2}	-149543	0	0 149543	486	0	0	486
	Hydrotest-NL{2}	2631619	0	02631619	1357	0	0	1357
+923 -	Gravity{1}	442	0	0 442	220	0	0	220
	Thermal 1{1}	3104926	0	03104926	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01631724	56	0	0	56
	Thermal 3{1}	-149477	0	0 149477	22	0	0	22
	Wind 1{1}	-39	0	0 39	-1	0	0	1
	Wind 2{1}	39	0	0 39	1	0	0	1
	Wind 3{1}	-8	0	0 8	-57	0	0	57
	Wind 4{1}	8	0	0 8	52	0	0	52
	Pressure 1{1}	38310	0	0 38310	101	0	0	101
	Pressure 2{1}	2451720	0	02451720	-124	0	0	124
	Pressure 3{1}	2389835	0	02389835	-107	0	0	107
	GT1{1}	3105369	0	03105369	94	0	0	94
	GT2{1}	-.2E+07	0	01631282	276	0	0	276
	GT3{1}	-149035	0	0 149035	242	0	0	242
	GW1{1}	404	0	0 404	219	0	0	219
	GW2{1}	481	0	0 481	221	0	0	221
	GW3{1}	434	0	0 434	163	0	0	163
	GW4{1}	450	0	0 450	272	0	0	272
	GT1P1{1}	3143679	0	03143679	195	0	0	195
	GT2P2{1}	820438	0	0 820438	152	0	0	152
	GT3P3{1}	2240800	0	02240800	135	0	0	135
	Gravity{2}	883	0	0 883	461	0	0	461
	Thermal 3{2}	-150426	0	0 150426	25	0	0	25
	Pressure 1{2}	2781162	0	02781162	871	0	0	871
	GT3{2}	-149543	0	0 149543	486	0	0	486
	Hydrotest-NL{2}	2631619	0	02631619	1357	0	0	1357
+923 +	Gravity{1}	449	0	0 449	220	0	0	220
	Thermal 1{1}	3090338	0	03090338	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01630231	56	0	0	56
	Thermal 3{1}	-149377	0	0 149377	22	0	0	22
	Wind 1{1}	-39	0	0 39	-1	0	0	1
	Wind 2{1}	39	0	0 39	1	0	0	1
	Wind 3{1}	-8	0	0 8	-57	0	0	57
	Wind 4{1}	8	0	0 8	52	0	0	52
	Pressure 1{1}	38309	0	0 38309	101	0	0	101
	Pressure 2{1}	2449603	0	02449603	-124	0	0	124
	Pressure 3{1}	2386811	0	02386811	-107	0	0	107
	GT1{1}	3090787	0	03090787	94	0	0	94
	GT2{1}	-.2E+07	0	01629782	276	0	0	276
	GT3{1}	-148928	0	0 148928	242	0	0	242
	GW1{1}	410	0	0 410	219	0	0	219
	GW2{1}	488	0	0 488	221	0	0	221
	GW3{1}	441	0	0 441	163	0	0	163
	GW4{1}	457	0	0 457	272	0	0	272
	GT1P1{1}	3129097	0	03129097	195	0	0	195
	GT2P2{1}	819820	0	0 819820	152	0	0	152
	GT3P3{1}	2237883	0	02237883	135	0	0	135
	Gravity{2}	896	0	0 896	461	0	0	461
	Thermal 3{2}	-150339	0	0 150339	25	0	0	25
	Pressure 1{2}	2774360	0	02774360	871	0	0	871
	GT3{2}	-149443	0	0 149443	486	0	0	486
	Hydrotest-NL{2}	2624916	0	02624916	1357	0	0	1357
+924 -	Gravity{1}	449	0	0 449	220	0	0	220
	Thermal 1{1}	3090338	0	03090338	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01630231	56	0	0	56
	Thermal 3{1}	-149377	0	0 149377	22	0	0	22
	Wind 1{1}	-39	0	0 39	-1	0	0	1
	Wind 2{1}	39	0	0 39	1	0	0	1
	Wind 3{1}	-8	0	0 8	-57	0	0	57
	Wind 4{1}	8	0	0 8	52	0	0	52
	Pressure 1{1}	38309	0	0 38309	101	0	0	101
	Pressure 2{1}	2449603	0	02449603	-124	0	0	124
	Pressure 3{1}	2386811	0	02386811	-107	0	0	107
	GT1{1}	3090787	0	03090787	94	0	0	94

	GT2{1}	-.2E+07	0	01629782	276	0	0	276
	GT3{1}	-148928	0	0 148928	242	0	0	242
	GW1{1}	410	0	0 410	219	0	0	219
	GW2{1}	488	0	0 488	221	0	0	221
	GW3{1}	441	0	0 441	163	0	0	163
	GW4{1}	457	0	0 457	272	0	0	272
	GT1P1{1}	3129097	0	03129097	195	0	0	195
	GT2P2{1}	819820	0	0 819820	152	0	0	152
	GT3P3{1}	2237883	0	02237883	135	0	0	135
	Gravity{2}	896	0	0 896	461	0	0	461
	Thermal 3{2}	-150339	0	0 150339	25	0	0	25
	Pressure 1{2}	2774360	0	02774360	871	0	0	871
	GT3{2}	-149443	0	0 149443	486	0	0	486
	Hydrotest-NL{2}	2624916	0	02624916	1357	0	0	1357
+924 +	Gravity{1}	455	0	0 455	220	0	0	220
	Thermal 1{1}	3075750	0	03075750	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01628716	56	0	0	56
	Thermal 3{1}	-149275	0	0 149275	22	0	0	22
	Wind 1{1}	-40	0	0 40	-1	0	0	1
	Wind 2{1}	40	0	0 40	1	0	0	1
	Wind 3{1}	-8	0	0 8	-57	0	0	57
	Wind 4{1}	8	0	0 8	52	0	0	52
	Pressure 1{1}	38309	0	0 38309	101	0	0	101
	Pressure 2{1}	2447455	0	02447455	-124	0	0	124
	Pressure 3{1}	2383742	0	02383742	-107	0	0	107
	GT1{1}	3076205	0	03076205	94	0	0	94
	GT2{1}	-.2E+07	0	01628261	276	0	0	276
	GT3{1}	-148820	0	0 148820	242	0	0	242
	GW1{1}	416	0	0 416	219	0	0	219
	GW2{1}	495	0	0 495	221	0	0	221
	GW3{1}	447	0	0 447	163	0	0	163
	GW4{1}	464	0	0 464	272	0	0	272
	GT1P1{1}	3114514	0	03114514	195	0	0	195
	GT2P2{1}	819194	0	0 819194	152	0	0	152
	GT3P3{1}	2234923	0	02234923	135	0	0	135
	Gravity{2}	909	0	0 909	461	0	0	461
	Thermal 3{2}	-150252	0	0 150252	25	0	0	25
	Pressure 1{2}	2767457	0	02767457	871	0	0	871
	GT3{2}	-149343	0	0 149343	486	0	0	486
	Hydrotest-NL{2}	2618114	0	02618114	1357	0	0	1357
+925 -	Gravity{1}	455	0	0 455	220	0	0	220
	Thermal 1{1}	3075750	0	03075750	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01628716	56	0	0	56
	Thermal 3{1}	-149275	0	0 149275	22	0	0	22
	Wind 1{1}	-40	0	0 40	-1	0	0	1
	Wind 2{1}	40	0	0 40	1	0	0	1
	Wind 3{1}	-8	0	0 8	-57	0	0	57
	Wind 4{1}	8	0	0 8	52	0	0	52
	Pressure 1{1}	38309	0	0 38309	101	0	0	101
	Pressure 2{1}	2447455	0	02447455	-124	0	0	124
	Pressure 3{1}	2383742	0	02383742	-107	0	0	107
	GT1{1}	3076205	0	03076205	94	0	0	94
	GT2{1}	-.2E+07	0	01628261	276	0	0	276
	GT3{1}	-148820	0	0 148820	242	0	0	242
	GW1{1}	416	0	0 416	219	0	0	219
	GW2{1}	495	0	0 495	221	0	0	221
	GW3{1}	447	0	0 447	163	0	0	163
	GW4{1}	464	0	0 464	272	0	0	272
	GT1P1{1}	3114514	0	03114514	195	0	0	195
	GT2P2{1}	819194	0	0 819194	152	0	0	152
	GT3P3{1}	2234923	0	02234923	135	0	0	135
	Gravity{2}	909	0	0 909	461	0	0	461
	Thermal 3{2}	-150252	0	0 150252	25	0	0	25
	Pressure 1{2}	2767457	0	02767457	871	0	0	871
	GT3{2}	-149343	0	0 149343	486	0	0	486
	Hydrotest-NL{2}	2618114	0	02618114	1357	0	0	1357
+925 +	Gravity{1}	462	0	0 462	220	0	0	220
	Thermal 1{1}	3061162	0	03061162	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01627179	56	0	0	56
	Thermal 3{1}	-149172	0	0 149172	22	0	0	22
	Wind 1{1}	-40	0	0 40	-1	0	0	1
	Wind 2{1}	41	0	0 41	1	0	0	1
	Wind 3{1}	-8	0	0 8	-57	0	0	57
	Wind 4{1}	8	0	0 8	52	0	0	52
	Pressure 1{1}	38308	0	0 38308	101	0	0	101
	Pressure 2{1}	2445276	0	02445276	-124	0	0	124
	Pressure 3{1}	2380629	0	02380629	-107	0	0	107
	GT1{1}	3061624	0	03061624	94	0	0	94
	GT2{1}	-.2E+07	0	01626717	276	0	0	276
	GT3{1}	-148710	0	0 148710	242	0	0	242
	GW1{1}	422	0	0 422	219	0	0	219
	GW2{1}	503	0	0 503	221	0	0	221
	GW3{1}	454	0	0 454	163	0	0	163
	GW4{1}	470	0	0 470	272	0	0	272
	GT1P1{1}	3099933	0	03099933	195	0	0	195
	GT2P2{1}	818559	0	0 818559	152	0	0	152
	GT3P3{1}	2231919	0	02231919	135	0	0	135
	Gravity{2}	922	0	0 922	461	0	0	461
	Thermal 3{2}	-150163	0	0 150163	25	0	0	25
	Pressure 1{2}	2760454	0	02760454	871	0	0	871
	GT3{2}	-149240	0	0 149240	486	0	0	486
	Hydrotest-NL{2}	2611214	0	02611214	1357	0	0	1357
+926 -	Gravity{1}	462	0	0 462	220	0	0	220
	Thermal 1{1}	3061162	0	03061162	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01627179	56	0	0	56
	Thermal 3{1}	-149172	0	0 149172	22	0	0	22
	Wind 1{1}	-40	0	0 40	-1	0	0	1
	Wind 2{1}	41	0	0 41	1	0	0	1
	Wind 3{1}	-8	0	0 8	-57	0	0	57
	Wind 4{1}	8	0	0 8	52	0	0	52
	Pressure 1{1}	38308	0	0 38308	101	0	0	101
	Pressure 2{1}	2445276	0	02445276	-124	0	0	124
	Pressure 3{1}	2380629	0	02380629	-107	0	0	107
	GT1{1}	3061624	0	03061624	94	0	0	94

GT2{1}	-.2E+07	0	01626717	276	0	0	276
GT3{1}	-148710	0	0 148710	242	0	0	242
GW1{1}	422	0	0 422	219	0	0	219
GW2{1}	503	0	0 503	221	0	0	221
GW3{1}	454	0	0 454	163	0	0	163
GW4{1}	470	0	0 470	272	0	0	272
GT1P1{1}	3099933	0	03099933	195	0	0	195
GT2P2{1}	818559	0	0 818559	152	0	0	152
GT3P3{1}	2231919	0	02231919	135	0	0	135
Gravity{2}	922	0	0 922	461	0	0	461
Thermal 3{2}	-150163	0	0 150163	25	0	0	25
Pressure 1{2}	2760454	0	02760454	871	0	0	871
GT3{2}	-149240	0	0 149240	486	0	0	486
Hydrotest-NL{2}	2611214	0	02611214	1357	0	0	1357
+926 +							
Gravity{1}	469	0	0 469	220	0	0	220
Thermal 1{1}	3046575	0	03046575	-126	0	0	126
Thermal 2{1}	-.2E+07	0	01625619	56	0	0	56
Thermal 3{1}	-149067	0	0 149067	22	0	0	22
Wind 1{1}	-41	0	0 41	-1	0	0	1
Wind 2{1}	41	0	0 41	1	0	0	1
Wind 3{1}	-9	0	0 9	-57	0	0	57
Wind 4{1}	8	0	0 8	52	0	0	52
Pressure 1{1}	38307	0	0 38307	101	0	0	101
Pressure 2{1}	2443064	0	02443064	-124	0	0	124
Pressure 3{1}	2377470	0	02377470	-107	0	0	107
GT1{1}	3047044	0	03047044	94	0	0	94
GT2{1}	-.2E+07	0	01625150	276	0	0	276
GT3{1}	-148598	0	0 148598	242	0	0	242
GW1{1}	428	0	0 428	219	0	0	219
GW2{1}	510	0	0 510	221	0	0	221
GW3{1}	460	0	0 460	163	0	0	163
GW4{1}	477	0	0 477	272	0	0	272
GT1P1{1}	3085351	0	03085351	195	0	0	195
GT2P2{1}	817914	0	0 817914	152	0	0	152
GT3P3{1}	2228872	0	02228872	135	0	0	135
Gravity{2}	936	0	0 936	461	0	0	461
Thermal 3{2}	-150072	0	0 150072	25	0	0	25
Pressure 1{2}	2753348	0	02753348	871	0	0	871
GT3{2}	-149137	0	0 149137	486	0	0	486
Hydrotest-NL{2}	2604211	0	02604211	1357	0	0	1357
+927 -							
Gravity{1}	469	0	0 469	220	0	0	220
Thermal 1{1}	3046575	0	03046575	-126	0	0	126
Thermal 2{1}	-.2E+07	0	01625619	56	0	0	56
Thermal 3{1}	-149067	0	0 149067	22	0	0	22
Wind 1{1}	-41	0	0 41	-1	0	0	1
Wind 2{1}	41	0	0 41	1	0	0	1
Wind 3{1}	-9	0	0 9	-57	0	0	57
Wind 4{1}	8	0	0 8	52	0	0	52
Pressure 1{1}	38307	0	0 38307	101	0	0	101
Pressure 2{1}	2443064	0	02443064	-124	0	0	124
Pressure 3{1}	2377470	0	02377470	-107	0	0	107
GT1{1}	3047044	0	03047044	94	0	0	94
GT2{1}	-.2E+07	0	01625150	276	0	0	276
GT3{1}	-148598	0	0 148598	242	0	0	242
GW1{1}	428	0	0 428	219	0	0	219
GW2{1}	510	0	0 510	221	0	0	221
GW3{1}	460	0	0 460	163	0	0	163
GW4{1}	477	0	0 477	272	0	0	272
GT1P1{1}	3085351	0	03085351	195	0	0	195
GT2P2{1}	817914	0	0 817914	152	0	0	152
GT3P3{1}	2228872	0	02228872	135	0	0	135
Gravity{2}	936	0	0 936	461	0	0	461
Thermal 3{2}	-150072	0	0 150072	25	0	0	25
Pressure 1{2}	2753348	0	02753348	871	0	0	871
GT3{2}	-149137	0	0 149137	486	0	0	486
Hydrotest-NL{2}	2604211	0	02604211	1357	0	0	1357
+927 +							
Gravity{1}	476	0	0 476	220	0	0	220
Thermal 1{1}	3031986	0	03031986	-126	0	0	126
Thermal 2{1}	-.2E+07	0	01624037	56	0	0	56
Thermal 3{1}	-148961	0	0 148961	22	0	0	22
Wind 1{1}	-42	0	0 42	-1	0	0	1
Wind 2{1}	42	0	0 42	1	0	0	1
Wind 3{1}	-9	0	0 9	-57	0	0	57
Wind 4{1}	9	0	0 9	52	0	0	52
Pressure 1{1}	38307	0	0 38307	101	0	0	101
Pressure 2{1}	2440821	0	02440821	-124	0	0	124
Pressure 3{1}	2374264	0	02374264	-107	0	0	107
GT1{1}	3032462	0	03032462	94	0	0	94
GT2{1}	-.2E+07	0	01623561	276	0	0	276
GT3{1}	-148485	0	0 148485	242	0	0	242
GW1{1}	434	0	0 434	219	0	0	219
GW2{1}	518	0	0 518	221	0	0	221
GW3{1}	467	0	0 467	163	0	0	163
GW4{1}	484	0	0 484	272	0	0	272
GT1P1{1}	3070769	0	03070769	195	0	0	195
GT2P2{1}	817260	0	0 817260	152	0	0	152
GT3P3{1}	2225779	0	02225779	135	0	0	135
Gravity{2}	949	0	0 949	461	0	0	461
Thermal 3{2}	-149981	0	0 149981	25	0	0	25
Pressure 1{2}	2746137	0	02746137	871	0	0	871
GT3{2}	-149031	0	0 149031	486	0	0	486
Hydrotest-NL{2}	2597106	0	02597106	1357	0	0	1357
+928 -							
Gravity{1}	476	0	0 476	220	0	0	220
Thermal 1{1}	3031986	0	03031986	-126	0	0	126
Thermal 2{1}	-.2E+07	0	01624037	56	0	0	56
Thermal 3{1}	-148961	0	0 148961	22	0	0	22
Wind 1{1}	-42	0	0 42	-1	0	0	1
Wind 2{1}	42	0	0 42	1	0	0	1
Wind 3{1}	-9	0	0 9	-57	0	0	57
Wind 4{1}	9	0	0 9	52	0	0	52
Pressure 1{1}	38307	0	0 38307	101	0	0	101
Pressure 2{1}	2440821	0	02440821	-124	0	0	124
Pressure 3{1}	2374264	0	02374264	-107	0	0	107
GT1{1}	3032462	0	03032462	94	0	0	94

	GT2{1}	-.2E+07	0	01623561	276	0	0	276
	GT3{1}	-148485	0	0 148485	242	0	0	242
	GW1{1}	434	0	0 434	219	0	0	219
	GW2{1}	518	0	0 518	221	0	0	221
	GW3{1}	467	0	0 467	163	0	0	163
	GW4{1}	484	0	0 484	272	0	0	272
	GT1P1{1}	3070769	0	03070769	195	0	0	195
	GT2P2{1}	817260	0	0 817260	152	0	0	152
	GT3P3{1}	2225779	0	02225779	135	0	0	135
	Gravity{2}	949	0	0 949	461	0	0	461
	Thermal 3{2}	-149981	0	0 149981	25	0	0	25
	Pressure 1{2}	2746137	0	02746137	871	0	0	871
	GT3{2}	-149031	0	0 149031	486	0	0	486
	Hydrotest-NL{2}	2597106	0	02597106	1357	0	0	1357
+928 +	Gravity{1}	483	0	0 483	220	0	0	220
	Thermal 1{1}	3017398	0	03017398	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01622431	56	0	0	56
	Thermal 3{1}	-148853	0	0 148853	22	0	0	22
	Wind 1{1}	-42	0	0 42	-1	0	0	1
	Wind 2{1}	42	0	0 42	1	0	0	1
	Wind 3{1}	-9	0	0 9	-57	0	0	57
	Wind 4{1}	9	0	0 9	52	0	0	52
	Pressure 1{1}	38306	0	0 38306	101	0	0	101
	Pressure 2{1}	2438544	0	02438544	-124	0	0	124
	Pressure 3{1}	2371012	0	02371012	-107	0	0	107
	GT1{1}	3017881	0	03017881	94	0	0	94
	GT2{1}	-.2E+07	0	01621948	276	0	0	276
	GT3{1}	-148370	0	0 148370	242	0	0	242
	GW1{1}	441	0	0 441	219	0	0	219
	GW2{1}	525	0	0 525	221	0	0	221
	GW3{1}	474	0	0 474	163	0	0	163
	GW4{1}	491	0	0 491	272	0	0	272
	GT1P1{1}	3056186	0	03056186	195	0	0	195
	GT2P2{1}	816596	0	0 816596	152	0	0	152
	GT3P3{1}	2222642	0	02222642	135	0	0	135
	Gravity{2}	963	0	0 963	461	0	0	461
	Thermal 3{2}	-149888	0	0 149888	25	0	0	25
	Pressure 1{2}	2738821	0	02738821	871	0	0	871
	GT3{2}	-148924	0	0 148924	486	0	0	486
	Hydrotest-NL{2}	2589897	0	02589897	1357	0	0	1357
+929 -	Gravity{1}	483	0	0 483	220	0	0	220
	Thermal 1{1}	3017398	0	03017398	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01622431	56	0	0	56
	Thermal 3{1}	-148853	0	0 148853	22	0	0	22
	Wind 1{1}	-42	0	0 42	-1	0	0	1
	Wind 2{1}	42	0	0 42	1	0	0	1
	Wind 3{1}	-9	0	0 9	-57	0	0	57
	Wind 4{1}	9	0	0 9	52	0	0	52
	Pressure 1{1}	38306	0	0 38306	101	0	0	101
	Pressure 2{1}	2438544	0	02438544	-124	0	0	124
	Pressure 3{1}	2371012	0	02371012	-107	0	0	107
	GT1{1}	3017881	0	03017881	94	0	0	94
	GT2{1}	-.2E+07	0	01621948	276	0	0	276
	GT3{1}	-148370	0	0 148370	242	0	0	242
	GW1{1}	441	0	0 441	219	0	0	219
	GW2{1}	525	0	0 525	221	0	0	221
	GW3{1}	474	0	0 474	163	0	0	163
	GW4{1}	491	0	0 491	272	0	0	272
	GT1P1{1}	3056186	0	03056186	195	0	0	195
	GT2P2{1}	816596	0	0 816596	152	0	0	152
	GT3P3{1}	2222642	0	02222642	135	0	0	135
	Gravity{2}	963	0	0 963	461	0	0	461
	Thermal 3{2}	-149888	0	0 149888	25	0	0	25
	Pressure 1{2}	2738821	0	02738821	871	0	0	871
	GT3{2}	-148924	0	0 148924	486	0	0	486
	Hydrotest-NL{2}	2589897	0	02589897	1357	0	0	1357
+929 +	Gravity{1}	490	0	0 490	220	0	0	220
	Thermal 1{1}	3002810	0	03002810	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01620801	56	0	0	56
	Thermal 3{1}	-148743	0	0 148743	22	0	0	22
	Wind 1{1}	-43	0	0 43	-1	0	0	1
	Wind 2{1}	43	0	0 43	1	0	0	1
	Wind 3{1}	-9	0	0 9	-57	0	0	57
	Wind 4{1}	9	0	0 9	52	0	0	52
	Pressure 1{1}	38305	0	0 38305	101	0	0	101
	Pressure 2{1}	2436234	0	02436234	-124	0	0	124
	Pressure 3{1}	2367712	0	02367712	-107	0	0	107
	GT1{1}	3003299	0	03003299	94	0	0	94
	GT2{1}	-.2E+07	0	01620312	276	0	0	276
	GT3{1}	-148253	0	0 148253	242	0	0	242
	GW1{1}	447	0	0 447	219	0	0	219
	GW2{1}	533	0	0 533	221	0	0	221
	GW3{1}	481	0	0 481	163	0	0	163
	GW4{1}	499	0	0 499	272	0	0	272
	GT1P1{1}	3041605	0	03041605	195	0	0	195
	GT2P2{1}	815923	0	0 815923	152	0	0	152
	GT3P3{1}	2219458	0	02219458	135	0	0	135
	Gravity{2}	977	0	0 977	461	0	0	461
	Thermal 3{2}	-149793	0	0 149793	25	0	0	25
	Pressure 1{2}	2731398	0	02731398	871	0	0	871
	GT3{2}	-148816	0	0 148816	486	0	0	486
	Hydrotest-NL{2}	2582582	0	02582582	1357	0	0	1357
+930 -	Gravity{1}	490	0	0 490	220	0	0	220
	Thermal 1{1}	3002810	0	03002810	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01620801	56	0	0	56
	Thermal 3{1}	-148743	0	0 148743	22	0	0	22
	Wind 1{1}	-43	0	0 43	-1	0	0	1
	Wind 2{1}	43	0	0 43	1	0	0	1
	Wind 3{1}	-9	0	0 9	-57	0	0	57
	Wind 4{1}	9	0	0 9	52	0	0	52
	Pressure 1{1}	38305	0	0 38305	101	0	0	101
	Pressure 2{1}	2436234	0	02436234	-124	0	0	124
	Pressure 3{1}	2367712	0	02367712	-107	0	0	107
	GT1{1}	3003299	0	03003299	94	0	0	94

	GT2{1}	-.2E+07	0	01620312	276	0	0	276
	GT3{1}	-148253	0	0 148253	242	0	0	242
	GW1{1}	447	0	0 447	219	0	0	219
	GW2{1}	533	0	0 533	221	0	0	221
	GW3{1}	481	0	0 481	163	0	0	163
	GW4{1}	499	0	0 499	272	0	0	272
	GT1P1{1}	3041605	0	03041605	195	0	0	195
	GT2P2{1}	815923	0	0 815923	152	0	0	152
	GT3P3{1}	2219458	0	02219458	135	0	0	135
	Gravity{2}	977	0	0 977	461	0	0	461
	Thermal 3{2}	-149793	0	0 149793	25	0	0	25
	Pressure 1{2}	2731398	0	02731398	871	0	0	871
	GT3{2}	-148816	0	0 148816	486	0	0	486
	Hydrotest-NL{2}	2582582	0	02582582	1357	0	0	1357
+930 +	Gravity{1}	497	0	0 497	220	0	0	220
	Thermal 1{1}	2988222	0	02988222	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01619148	56	0	0	56
	Thermal 3{1}	-148632	0	0 148632	22	0	0	22
	Wind 1{1}	-43	0	0 43	-1	0	0	1
	Wind 2{1}	44	0	0 44	1	0	0	1
	Wind 3{1}	-9	0	0 9	-57	0	0	57
	Wind 4{1}	9	0	0 9	52	0	0	52
	Pressure 1{1}	38304	0	0 38304	101	0	0	101
	Pressure 2{1}	2433890	0	02433890	-124	0	0	124
	Pressure 3{1}	2364363	0	02364363	-107	0	0	107
	GT1{1}	2988719	0	02988719	94	0	0	94
	GT2{1}	-.2E+07	0	01618651	276	0	0	276
	GT3{1}	-148135	0	0 148135	242	0	0	242
	GW1{1}	454	0	0 454	219	0	0	219
	GW2{1}	541	0	0 541	221	0	0	221
	GW3{1}	488	0	0 488	163	0	0	163
	GW4{1}	506	0	0 506	272	0	0	272
	GT1P1{1}	3027023	0	03027023	195	0	0	195
	GT2P2{1}	815239	0	0 815239	152	0	0	152
	GT3P3{1}	2216228	0	02216228	135	0	0	135
	Gravity{2}	992	0	0 992	461	0	0	461
	Thermal 3{2}	-149698	0	0 149698	25	0	0	25
	Pressure 1{2}	2723866	0	02723866	871	0	0	871
	GT3{2}	-148706	0	0 148706	486	0	0	486
	Hydrotest-NL{2}	2575160	0	02575160	1357	0	0	1357
+931 -	Gravity{1}	497	0	0 497	220	0	0	220
	Thermal 1{1}	2988222	0	02988222	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01619148	56	0	0	56
	Thermal 3{1}	-148632	0	0 148632	22	0	0	22
	Wind 1{1}	-43	0	0 43	-1	0	0	1
	Wind 2{1}	44	0	0 44	1	0	0	1
	Wind 3{1}	-9	0	0 9	-57	0	0	57
	Wind 4{1}	9	0	0 9	52	0	0	52
	Pressure 1{1}	38304	0	0 38304	101	0	0	101
	Pressure 2{1}	2433890	0	02433890	-124	0	0	124
	Pressure 3{1}	2364363	0	02364363	-107	0	0	107
	GT1{1}	2988719	0	02988719	94	0	0	94
	GT2{1}	-.2E+07	0	01618651	276	0	0	276
	GT3{1}	-148135	0	0 148135	242	0	0	242
	GW1{1}	454	0	0 454	219	0	0	219
	GW2{1}	541	0	0 541	221	0	0	221
	GW3{1}	488	0	0 488	163	0	0	163
	GW4{1}	506	0	0 506	272	0	0	272
	GT1P1{1}	3027023	0	03027023	195	0	0	195
	GT2P2{1}	815239	0	0 815239	152	0	0	152
	GT3P3{1}	2216228	0	02216228	135	0	0	135
	Gravity{2}	992	0	0 992	461	0	0	461
	Thermal 3{2}	-149698	0	0 149698	25	0	0	25
	Pressure 1{2}	2723866	0	02723866	871	0	0	871
	GT3{2}	-148706	0	0 148706	486	0	0	486
	Hydrotest-NL{2}	2575160	0	02575160	1357	0	0	1357
+931 +	Gravity{1}	504	0	0 504	220	0	0	220
	Thermal 1{1}	2973633	0	02973633	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01617471	56	0	0	56
	Thermal 3{1}	-148519	0	0 148519	22	0	0	22
	Wind 1{1}	-44	0	0 44	-1	0	0	1
	Wind 2{1}	44	0	0 44	1	0	0	1
	Wind 3{1}	-9	0	0 9	-57	0	0	57
	Wind 4{1}	9	0	0 9	52	0	0	52
	Pressure 1{1}	38304	0	0 38304	101	0	0	101
	Pressure 2{1}	2431512	0	02431512	-124	0	0	124
	Pressure 3{1}	2360966	0	02360966	-107	0	0	107
	GT1{1}	2974137	0	02974137	94	0	0	94
	GT2{1}	-.2E+07	0	01616966	276	0	0	276
	GT3{1}	-148015	0	0 148015	242	0	0	242
	GW1{1}	460	0	0 460	219	0	0	219
	GW2{1}	549	0	0 549	221	0	0	221
	GW3{1}	495	0	0 495	163	0	0	163
	GW4{1}	513	0	0 513	272	0	0	272
	GT1P1{1}	3012440	0	03012440	195	0	0	195
	GT2P2{1}	814546	0	0 814546	152	0	0	152
	GT3P3{1}	2212951	0	02212951	135	0	0	135
	Gravity{2}	1006	0	0 1006	461	0	0	461
	Thermal 3{2}	-149601	0	0 149601	25	0	0	25
	Pressure 1{2}	2716223	0	02716223	871	0	0	871
	GT3{2}	-148594	0	0 148594	486	0	0	486
	Hydrotest-NL{2}	2567629	0	02567629	1357	0	0	1357
+932 -	Gravity{1}	504	0	0 504	220	0	0	220
	Thermal 1{1}	2973633	0	02973633	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01617471	56	0	0	56
	Thermal 3{1}	-148519	0	0 148519	22	0	0	22
	Wind 1{1}	-44	0	0 44	-1	0	0	1
	Wind 2{1}	44	0	0 44	1	0	0	1
	Wind 3{1}	-9	0	0 9	-57	0	0	57
	Wind 4{1}	9	0	0 9	52	0	0	52
	Pressure 1{1}	38304	0	0 38304	101	0	0	101
	Pressure 2{1}	2431512	0	02431512	-124	0	0	124
	Pressure 3{1}	2360966	0	02360966	-107	0	0	107
	GT1{1}	2974137	0	02974137	94	0	0	94

	GT2{1}	-.2E+07	0	01616966	276	0	0	276
	GT3{1}	-148015	0	0 148015	242	0	0	242
	GW1{1}	460	0	0 460	219	0	0	219
	GW2{1}	549	0	0 549	221	0	0	221
	GW3{1}	495	0	0 495	163	0	0	163
	GW4{1}	513	0	0 513	272	0	0	272
	GT1P1{1}	3012440	0	03012440	195	0	0	195
	GT2P2{1}	814546	0	0 814546	152	0	0	152
	GT3P3{1}	2212951	0	02212951	135	0	0	135
	Gravity{2}	1006	0	0 1006	461	0	0	461
	Thermal 3{2}	-149601	0	0 149601	25	0	0	25
	Pressure 1{2}	2716223	0	02716223	871	0	0	871
	GT3{2}	-148594	0	0 148594	486	0	0	486
	Hydrotest-NL{2}	2567629	0	02567629	1357	0	0	1357
+932 +	Gravity{1}	512	0	0 512	220	0	0	220
	Thermal 1{1}	2959043	0	02959043	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01615768	56	0	0	56
	Thermal 3{1}	-148405	0	0 148405	22	0	0	22
	Wind 1{1}	-45	0	0 45	-1	0	0	1
	Wind 2{1}	45	0	0 45	1	0	0	1
	Wind 3{1}	-9	0	0 9	-57	0	0	57
	Wind 4{1}	9	0	0 9	52	0	0	52
	Pressure 1{1}	38303	0	0 38303	101	0	0	101
	Pressure 2{1}	2429099	0	02429099	-124	0	0	124
	Pressure 3{1}	2357518	0	02357518	-107	0	0	107
	GT1{1}	2959555	0	02959555	94	0	0	94
	GT2{1}	-.2E+07	0	01615257	276	0	0	276
	GT3{1}	-147893	0	0 147893	242	0	0	242
	GW1{1}	467	0	0 467	219	0	0	219
	GW2{1}	557	0	0 557	221	0	0	221
	GW3{1}	502	0	0 502	163	0	0	163
	GW4{1}	521	0	0 521	272	0	0	272
	GT1P1{1}	2997858	0	02997858	195	0	0	195
	GT2P2{1}	813842	0	0 813842	152	0	0	152
	GT3P3{1}	2209625	0	02209625	135	0	0	135
	Gravity{2}	1021	0	0 1021	461	0	0	461
	Thermal 3{2}	-149502	0	0 149502	25	0	0	25
	Pressure 1{2}	2708468	0	02708468	871	0	0	871
	GT3{2}	-148481	0	0 148481	486	0	0	486
	Hydrotest-NL{2}	2559988	0	02559988	1357	0	0	1357
+933 -	Gravity{1}	512	0	0 512	220	0	0	220
	Thermal 1{1}	2959043	0	02959043	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01615768	56	0	0	56
	Thermal 3{1}	-148405	0	0 148405	22	0	0	22
	Wind 1{1}	-45	0	0 45	-1	0	0	1
	Wind 2{1}	45	0	0 45	1	0	0	1
	Wind 3{1}	-9	0	0 9	-57	0	0	57
	Wind 4{1}	9	0	0 9	52	0	0	52
	Pressure 1{1}	38303	0	0 38303	101	0	0	101
	Pressure 2{1}	2429099	0	02429099	-124	0	0	124
	Pressure 3{1}	2357518	0	02357518	-107	0	0	107
	GT1{1}	2959555	0	02959555	94	0	0	94
	GT2{1}	-.2E+07	0	01615257	276	0	0	276
	GT3{1}	-147893	0	0 147893	242	0	0	242
	GW1{1}	467	0	0 467	219	0	0	219
	GW2{1}	557	0	0 557	221	0	0	221
	GW3{1}	502	0	0 502	163	0	0	163
	GW4{1}	521	0	0 521	272	0	0	272
	GT1P1{1}	2997858	0	02997858	195	0	0	195
	GT2P2{1}	813842	0	0 813842	152	0	0	152
	GT3P3{1}	2209625	0	02209625	135	0	0	135
	Gravity{2}	1021	0	0 1021	461	0	0	461
	Thermal 3{2}	-149502	0	0 149502	25	0	0	25
	Pressure 1{2}	2708468	0	02708468	871	0	0	871
	GT3{2}	-148481	0	0 148481	486	0	0	486
	Hydrotest-NL{2}	2559988	0	02559988	1357	0	0	1357
+933 +	Gravity{1}	519	0	0 519	220	0	0	220
	Thermal 1{1}	2944455	0	02944455	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01614041	56	0	0	56
	Thermal 3{1}	-148289	0	0 148289	22	0	0	22
	Wind 1{1}	-45	0	0 45	-1	0	0	1
	Wind 2{1}	46	0	0 46	1	0	0	1
	Wind 3{1}	-9	0	0 9	-57	0	0	57
	Wind 4{1}	9	0	0 9	52	0	0	52
	Pressure 1{1}	38302	0	0 38302	101	0	0	101
	Pressure 2{1}	2426651	0	02426651	-124	0	0	124
	Pressure 3{1}	2354020	0	02354020	-107	0	0	107
	GT1{1}	2944974	0	02944974	94	0	0	94
	GT2{1}	-.2E+07	0	01613522	276	0	0	276
	GT3{1}	-147770	0	0 147770	242	0	0	242
	GW1{1}	474	0	0 474	219	0	0	219
	GW2{1}	565	0	0 565	221	0	0	221
	GW3{1}	510	0	0 510	163	0	0	163
	GW4{1}	529	0	0 529	272	0	0	272
	GT1P1{1}	2983277	0	02983277	195	0	0	195
	GT2P2{1}	813128	0	0 813128	152	0	0	152
	GT3P3{1}	2206250	0	02206250	135	0	0	135
	Gravity{2}	1036	0	0 1036	461	0	0	461
	Thermal 3{2}	-149402	0	0 149402	25	0	0	25
	Pressure 1{2}	2700600	0	02700600	871	0	0	871
	GT3{2}	-148366	0	0 148366	486	0	0	486
	Hydrotest-NL{2}	2552234	0	02552234	1357	0	0	1357
+934 -	Gravity{1}	519	0	0 519	220	0	0	220
	Thermal 1{1}	2944455	0	02944455	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01614041	56	0	0	56
	Thermal 3{1}	-148289	0	0 148289	22	0	0	22
	Wind 1{1}	-45	0	0 45	-1	0	0	1
	Wind 2{1}	46	0	0 46	1	0	0	1
	Wind 3{1}	-9	0	0 9	-57	0	0	57
	Wind 4{1}	9	0	0 9	52	0	0	52
	Pressure 1{1}	38302	0	0 38302	101	0	0	101
	Pressure 2{1}	2426651	0	02426651	-124	0	0	124
	Pressure 3{1}	2354020	0	02354020	-107	0	0	107
	GT1{1}	2944974	0	02944974	94	0	0	94

	GT2{1}	-.2E+07	0	01613522	276	0	0	276
	GT3{1}	-147770	0	0 147770	242	0	0	242
	GW1{1}	474	0	0 474	219	0	0	219
	GW2{1}	565	0	0 565	221	0	0	221
	GW3{1}	510	0	0 510	163	0	0	163
	GW4{1}	529	0	0 529	272	0	0	272
	GT1P1{1}	2983277	0	02983277	195	0	0	195
	GT2P2{1}	813128	0	0 813128	152	0	0	152
	GT3P3{1}	2206250	0	02206250	135	0	0	135
	Gravity{2}	1036	0	0 1036	461	0	0	461
	Thermal 3{2}	-149402	0	0 149402	25	0	0	25
	Pressure 1{2}	2700600	0	02700600	871	0	0	871
	GT3{2}	-148366	0	0 148366	486	0	0	486
	Hydrotest-NL{2}	2552234	0	02552234	1357	0	0	1357
+934 +	Gravity{1}	527	0	0 527	220	0	0	220
	Thermal 1{1}	2929867	0	02929867	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01612289	56	0	0	56
	Thermal 3{1}	-148171	0	0 148171	22	0	0	22
	Wind 1{1}	-46	0	0 46	-1	0	0	1
	Wind 2{1}	46	0	0 46	1	0	0	1
	Wind 3{1}	-10	0	0 10	-57	0	0	57
	Wind 4{1}	10	0	0 10	52	0	0	52
	Pressure 1{1}	38301	0	0 38301	101	0	0	101
	Pressure 2{1}	2424166	0	02424166	-124	0	0	124
	Pressure 3{1}	2350471	0	02350471	-107	0	0	107
	GT1{1}	2930393	0	02930393	94	0	0	94
	GT2{1}	-.2E+07	0	01611762	276	0	0	276
	GT3{1}	-147644	0	0 147644	242	0	0	242
	GW1{1}	481	0	0 481	219	0	0	219
	GW2{1}	573	0	0 573	221	0	0	221
	GW3{1}	517	0	0 517	163	0	0	163
	GW4{1}	536	0	0 536	272	0	0	272
	GT1P1{1}	2968695	0	02968695	195	0	0	195
	GT2P2{1}	812404	0	0 812404	152	0	0	152
	GT3P3{1}	2202827	0	02202827	135	0	0	135
	Gravity{2}	1051	0	0 1051	461	0	0	461
	Thermal 3{2}	-149301	0	0 149301	25	0	0	25
	Pressure 1{2}	2692617	0	02692617	871	0	0	871
	GT3{2}	-148249	0	0 148249	486	0	0	486
	Hydrotest-NL{2}	2544367	0	02544367	1357	0	0	1357
+935 -	Gravity{1}	527	0	0 527	220	0	0	220
	Thermal 1{1}	2929867	0	02929867	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01612289	56	0	0	56
	Thermal 3{1}	-148171	0	0 148171	22	0	0	22
	Wind 1{1}	-46	0	0 46	-1	0	0	1
	Wind 2{1}	46	0	0 46	1	0	0	1
	Wind 3{1}	-10	0	0 10	-57	0	0	57
	Wind 4{1}	10	0	0 10	52	0	0	52
	Pressure 1{1}	38301	0	0 38301	101	0	0	101
	Pressure 2{1}	2424166	0	02424166	-124	0	0	124
	Pressure 3{1}	2350471	0	02350471	-107	0	0	107
	GT1{1}	2930393	0	02930393	94	0	0	94
	GT2{1}	-.2E+07	0	01611762	276	0	0	276
	GT3{1}	-147644	0	0 147644	242	0	0	242
	GW1{1}	481	0	0 481	219	0	0	219
	GW2{1}	573	0	0 573	221	0	0	221
	GW3{1}	517	0	0 517	163	0	0	163
	GW4{1}	536	0	0 536	272	0	0	272
	GT1P1{1}	2968695	0	02968695	195	0	0	195
	GT2P2{1}	812404	0	0 812404	152	0	0	152
	GT3P3{1}	2202827	0	02202827	135	0	0	135
	Gravity{2}	1051	0	0 1051	461	0	0	461
	Thermal 3{2}	-149301	0	0 149301	25	0	0	25
	Pressure 1{2}	2692617	0	02692617	871	0	0	871
	GT3{2}	-148249	0	0 148249	486	0	0	486
	Hydrotest-NL{2}	2544367	0	02544367	1357	0	0	1357
+935 +	Gravity{1}	535	0	0 535	220	0	0	220
	Thermal 1{1}	2915277	0	02915277	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01610511	56	0	0	56
	Thermal 3{1}	-148052	0	0 148052	22	0	0	22
	Wind 1{1}	-47	0	0 47	-1	0	0	1
	Wind 2{1}	47	0	0 47	1	0	0	1
	Wind 3{1}	-10	0	0 10	-57	0	0	57
	Wind 4{1}	10	0	0 10	52	0	0	52
	Pressure 1{1}	38301	0	0 38301	101	0	0	101
	Pressure 2{1}	2421645	0	02421645	-124	0	0	124
	Pressure 3{1}	2346870	0	02346870	-107	0	0	107
	GT1{1}	2915812	0	02915812	94	0	0	94
	GT2{1}	-.2E+07	0	01609976	276	0	0	276
	GT3{1}	-147517	0	0 147517	242	0	0	242
	GW1{1}	488	0	0 488	219	0	0	219
	GW2{1}	582	0	0 582	221	0	0	221
	GW3{1}	525	0	0 525	163	0	0	163
	GW4{1}	544	0	0 544	272	0	0	272
	GT1P1{1}	2954113	0	02954113	195	0	0	195
	GT2P2{1}	811669	0	0 811669	152	0	0	152
	GT3P3{1}	2199353	0	02199353	135	0	0	135
	Gravity{2}	1067	0	0 1067	461	0	0	461
	Thermal 3{2}	-149198	0	0 149198	25	0	0	25
	Pressure 1{2}	2684515	0	02684515	871	0	0	871
	GT3{2}	-148131	0	0 148131	486	0	0	486
	Hydrotest-NL{2}	2536384	0	02536384	1357	0	0	1357
+936 -	Gravity{1}	535	0	0 535	220	0	0	220
	Thermal 1{1}	2915277	0	02915277	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01610511	56	0	0	56
	Thermal 3{1}	-148052	0	0 148052	22	0	0	22
	Wind 1{1}	-47	0	0 47	-1	0	0	1
	Wind 2{1}	47	0	0 47	1	0	0	1
	Wind 3{1}	-10	0	0 10	-57	0	0	57
	Wind 4{1}	10	0	0 10	52	0	0	52
	Pressure 1{1}	38301	0	0 38301	101	0	0	101
	Pressure 2{1}	2421645	0	02421645	-124	0	0	124
	Pressure 3{1}	2346870	0	02346870	-107	0	0	107
	GT1{1}	2915812	0	02915812	94	0	0	94

	GT2{1}	-.2E+07	0	01609976	276	0	0	276
	GT3{1}	-147517	0	0 147517	242	0	0	242
	GW1{1}	488	0	0 488	219	0	0	219
	GW2{1}	582	0	0 582	221	0	0	221
	GW3{1}	525	0	0 525	163	0	0	163
	GW4{1}	544	0	0 544	272	0	0	272
	GT1P1{1}	2954113	0	02954113	195	0	0	195
	GT2P2{1}	811669	0	0 811669	152	0	0	152
	GT3P3{1}	2199353	0	02199353	135	0	0	135
	Gravity{2}	1067	0	0 1067	461	0	0	461
	Thermal 3{2}	-149198	0	0 149198	25	0	0	25
	Pressure 1{2}	2684515	0	02684515	871	0	0	871
	GT3{2}	-148131	0	0 148131	486	0	0	486
	Hydrotest-NL{2}	2536384	0	02536384	1357	0	0	1357
+936 +	Gravity{1}	542	0	0 542	220	0	0	220
	Thermal 1{1}	2900688	0	02900688	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01608707	56	0	0	56
	Thermal 3{1}	-147931	0	0 147931	22	0	0	22
	Wind 1{1}	-47	0	0 47	-1	0	0	1
	Wind 2{1}	48	0	0 48	1	0	0	1
	Wind 3{1}	-10	0	0 10	-57	0	0	57
	Wind 4{1}	10	0	0 10	52	0	0	52
	Pressure 1{1}	38300	0	0 38300	101	0	0	101
	Pressure 2{1}	2419087	0	02419087	-124	0	0	124
	Pressure 3{1}	2343216	0	02343216	-107	0	0	107
	GT1{1}	2901230	0	02901230	94	0	0	94
	GT2{1}	-.2E+07	0	01608164	276	0	0	276
	GT3{1}	-147388	0	0 147388	242	0	0	242
	GW1{1}	495	0	0 495	219	0	0	219
	GW2{1}	590	0	0 590	221	0	0	221
	GW3{1}	533	0	0 533	163	0	0	163
	GW4{1}	552	0	0 552	272	0	0	272
	GT1P1{1}	2939530	0	02939530	195	0	0	195
	GT2P2{1}	810923	0	0 810923	152	0	0	152
	GT3P3{1}	2195827	0	02195827	135	0	0	135
	Gravity{2}	1082	0	0 1082	461	0	0	461
	Thermal 3{2}	-149093	0	0 149093	25	0	0	25
	Pressure 1{2}	2676296	0	02676296	871	0	0	871
	GT3{2}	-148011	0	0 148011	486	0	0	486
	Hydrotest-NL{2}	2528285	0	02528285	1357	0	0	1357
+937 -	Gravity{1}	542	0	0 542	220	0	0	220
	Thermal 1{1}	2900688	0	02900688	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01608707	56	0	0	56
	Thermal 3{1}	-147931	0	0 147931	22	0	0	22
	Wind 1{1}	-47	0	0 47	-1	0	0	1
	Wind 2{1}	48	0	0 48	1	0	0	1
	Wind 3{1}	-10	0	0 10	-57	0	0	57
	Wind 4{1}	10	0	0 10	52	0	0	52
	Pressure 1{1}	38300	0	0 38300	101	0	0	101
	Pressure 2{1}	2419087	0	02419087	-124	0	0	124
	Pressure 3{1}	2343216	0	02343216	-107	0	0	107
	GT1{1}	2901230	0	02901230	94	0	0	94
	GT2{1}	-.2E+07	0	01608164	276	0	0	276
	GT3{1}	-147388	0	0 147388	242	0	0	242
	GW1{1}	495	0	0 495	219	0	0	219
	GW2{1}	590	0	0 590	221	0	0	221
	GW3{1}	533	0	0 533	163	0	0	163
	GW4{1}	552	0	0 552	272	0	0	272
	GT1P1{1}	2939530	0	02939530	195	0	0	195
	GT2P2{1}	810923	0	0 810923	152	0	0	152
	GT3P3{1}	2195827	0	02195827	135	0	0	135
	Gravity{2}	1082	0	0 1082	461	0	0	461
	Thermal 3{2}	-149093	0	0 149093	25	0	0	25
	Pressure 1{2}	2676296	0	02676296	871	0	0	871
	GT3{2}	-148011	0	0 148011	486	0	0	486
	Hydrotest-NL{2}	2528285	0	02528285	1357	0	0	1357
+937 +	Gravity{1}	550	0	0 550	220	0	0	220
	Thermal 1{1}	2886099	0	02886099	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01606876	56	0	0	56
	Thermal 3{1}	-147808	0	0 147808	22	0	0	22
	Wind 1{1}	-48	0	0 48	-1	0	0	1
	Wind 2{1}	48	0	0 48	1	0	0	1
	Wind 3{1}	-10	0	0 10	-57	0	0	57
	Wind 4{1}	10	0	0 10	52	0	0	52
	Pressure 1{1}	38299	0	0 38299	101	0	0	101
	Pressure 2{1}	2416492	0	02416492	-124	0	0	124
	Pressure 3{1}	2339508	0	02339508	-107	0	0	107
	GT1{1}	2886649	0	02886649	94	0	0	94
	GT2{1}	-.2E+07	0	01606326	276	0	0	276
	GT3{1}	-147257	0	0 147257	242	0	0	242
	GW1{1}	502	0	0 502	219	0	0	219
	GW2{1}	599	0	0 599	221	0	0	221
	GW3{1}	540	0	0 540	163	0	0	163
	GW4{1}	560	0	0 560	272	0	0	272
	GT1P1{1}	2924948	0	02924948	195	0	0	195
	GT2P2{1}	810167	0	0 810167	152	0	0	152
	GT3P3{1}	2192251	0	02192251	135	0	0	135
	Gravity{2}	1098	0	0 1098	461	0	0	461
	Thermal 3{2}	-148987	0	0 148987	25	0	0	25
	Pressure 1{2}	2667956	0	02667956	871	0	0	871
	GT3{2}	-147889	0	0 147889	486	0	0	486
	Hydrotest-NL{2}	2520067	0	02520067	1357	0	0	1357
+938 -	Gravity{1}	550	0	0 550	220	0	0	220
	Thermal 1{1}	2886099	0	02886099	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01606876	56	0	0	56
	Thermal 3{1}	-147808	0	0 147808	22	0	0	22
	Wind 1{1}	-48	0	0 48	-1	0	0	1
	Wind 2{1}	48	0	0 48	1	0	0	1
	Wind 3{1}	-10	0	0 10	-57	0	0	57
	Wind 4{1}	10	0	0 10	52	0	0	52
	Pressure 1{1}	38299	0	0 38299	101	0	0	101
	Pressure 2{1}	2416492	0	02416492	-124	0	0	124
	Pressure 3{1}	2339508	0	02339508	-107	0	0	107
	GT1{1}	2886649	0	02886649	94	0	0	94

	GT2{1}	-.2E+07	0	01606326	276	0	0	276
	GT3{1}	-147257	0	0 147257	242	0	0	242
	GW1{1}	502	0	0 502	219	0	0	219
	GW2{1}	599	0	0 599	221	0	0	221
	GW3{1}	540	0	0 540	163	0	0	163
	GW4{1}	560	0	0 560	272	0	0	272
	GT1P1{1}	2924948	0	02924948	195	0	0	195
	GT2P2{1}	810167	0	0 810167	152	0	0	152
	GT3P3{1}	2192251	0	02192251	135	0	0	135
	Gravity{2}	1098	0	0 1098	461	0	0	461
	Thermal 3{2}	-148987	0	0 148987	25	0	0	25
	Pressure 1{2}	2667956	0	02667956	871	0	0	871
	GT3{2}	-147889	0	0 147889	486	0	0	486
	Hydrotest-NL{2}	2520067	0	02520067	1357	0	0	1357
+938 +	Gravity{1}	558	0	0 558	220	0	0	220
	Thermal 1{1}	2871509	0	02871509	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01605019	56	0	0	56
	Thermal 3{1}	-147683	0	0 147683	22	0	0	22
	Wind 1{1}	-49	0	0 49	-1	0	0	1
	Wind 2{1}	49	0	0 49	1	0	0	1
	Wind 3{1}	-10	0	0 10	-57	0	0	57
	Wind 4{1}	10	0	0 10	52	0	0	52
	Pressure 1{1}	38299	0	0 38299	101	0	0	101
	Pressure 2{1}	2413859	0	02413859	-124	0	0	124
	Pressure 3{1}	2335746	0	02335746	-107	0	0	107
	GT1{1}	2872068	0	02872068	94	0	0	94
	GT2{1}	-.2E+07	0	01604460	276	0	0	276
	GT3{1}	-147124	0	0 147124	242	0	0	242
	GW1{1}	510	0	0 510	219	0	0	219
	GW2{1}	607	0	0 607	221	0	0	221
	GW3{1}	548	0	0 548	163	0	0	163
	GW4{1}	569	0	0 569	272	0	0	272
	GT1P1{1}	2910367	0	02910367	195	0	0	195
	GT2P2{1}	809399	0	0 809399	152	0	0	152
	GT3P3{1}	2188622	0	02188622	135	0	0	135
	Gravity{2}	1114	0	0 1114	461	0	0	461
	Thermal 3{2}	-148880	0	0 148880	25	0	0	25
	Pressure 1{2}	2659494	0	02659494	871	0	0	871
	GT3{2}	-147765	0	0 147765	486	0	0	486
	Hydrotest-NL{2}	2511729	0	02511729	1357	0	0	1357
+939 -	Gravity{1}	558	0	0 558	220	0	0	220
	Thermal 1{1}	2871509	0	02871509	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01605019	56	0	0	56
	Thermal 3{1}	-147683	0	0 147683	22	0	0	22
	Wind 1{1}	-49	0	0 49	-1	0	0	1
	Wind 2{1}	49	0	0 49	1	0	0	1
	Wind 3{1}	-10	0	0 10	-57	0	0	57
	Wind 4{1}	10	0	0 10	52	0	0	52
	Pressure 1{1}	38299	0	0 38299	101	0	0	101
	Pressure 2{1}	2413859	0	02413859	-124	0	0	124
	Pressure 3{1}	2335746	0	02335746	-107	0	0	107
	GT1{1}	2872068	0	02872068	94	0	0	94
	GT2{1}	-.2E+07	0	01604460	276	0	0	276
	GT3{1}	-147124	0	0 147124	242	0	0	242
	GW1{1}	510	0	0 510	219	0	0	219
	GW2{1}	607	0	0 607	221	0	0	221
	GW3{1}	548	0	0 548	163	0	0	163
	GW4{1}	569	0	0 569	272	0	0	272
	GT1P1{1}	2910367	0	02910367	195	0	0	195
	GT2P2{1}	809399	0	0 809399	152	0	0	152
	GT3P3{1}	2188622	0	02188622	135	0	0	135
	Gravity{2}	1114	0	0 1114	461	0	0	461
	Thermal 3{2}	-148880	0	0 148880	25	0	0	25
	Pressure 1{2}	2659494	0	02659494	871	0	0	871
	GT3{2}	-147765	0	0 147765	486	0	0	486
	Hydrotest-NL{2}	2511729	0	02511729	1357	0	0	1357
+939 +	Gravity{1}	567	0	0 567	220	0	0	220
	Thermal 1{1}	2856920	0	02856920	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01603134	56	0	0	56
	Thermal 3{1}	-147556	0	0 147556	22	0	0	22
	Wind 1{1}	-49	0	0 49	-1	0	0	1
	Wind 2{1}	50	0	0 50	1	0	0	1
	Wind 3{1}	-10	0	0 10	-57	0	0	57
	Wind 4{1}	10	0	0 10	52	0	0	52
	Pressure 1{1}	38298	0	0 38298	101	0	0	101
	Pressure 2{1}	2411187	0	02411187	-124	0	0	124
	Pressure 3{1}	2331929	0	02331929	-107	0	0	107
	GT1{1}	2857486	0	02857486	94	0	0	94
	GT2{1}	-.2E+07	0	01602567	276	0	0	276
	GT3{1}	-146989	0	0 146989	242	0	0	242
	GW1{1}	517	0	0 517	219	0	0	219
	GW2{1}	616	0	0 616	221	0	0	221
	GW3{1}	556	0	0 556	163	0	0	163
	GW4{1}	577	0	0 577	272	0	0	272
	GT1P1{1}	2895784	0	02895784	195	0	0	195
	GT2P2{1}	808620	0	0 808620	152	0	0	152
	GT3P3{1}	2184939	0	02184939	135	0	0	135
	Gravity{2}	1131	0	0 1131	461	0	0	461
	Thermal 3{2}	-148771	0	0 148771	25	0	0	25
	Pressure 1{2}	2650907	0	02650907	871	0	0	871
	GT3{2}	-147640	0	0 147640	486	0	0	486
	Hydrotest-NL{2}	2503267	0	02503267	1357	0	0	1357
+940 -	Gravity{1}	567	0	0 567	220	0	0	220
	Thermal 1{1}	2856920	0	02856920	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01603134	56	0	0	56
	Thermal 3{1}	-147556	0	0 147556	22	0	0	22
	Wind 1{1}	-49	0	0 49	-1	0	0	1
	Wind 2{1}	50	0	0 50	1	0	0	1
	Wind 3{1}	-10	0	0 10	-57	0	0	57
	Wind 4{1}	10	0	0 10	52	0	0	52
	Pressure 1{1}	38298	0	0 38298	101	0	0	101
	Pressure 2{1}	2411187	0	02411187	-124	0	0	124
	Pressure 3{1}	2331929	0	02331929	-107	0	0	107
	GT1{1}	2857486	0	02857486	94	0	0	94

	GT2{1}	-.2E+07	0	01602567	276	0	0	276
	GT3{1}	-146989	0	0 146989	242	0	0	242
	GW1{1}	517	0	0 517	219	0	0	219
	GW2{1}	616	0	0 616	221	0	0	221
	GW3{1}	556	0	0 556	163	0	0	163
	GW4{1}	577	0	0 577	272	0	0	272
	GT1P1{1}	2895784	0	02895784	195	0	0	195
	GT2P2{1}	808620	0	0 808620	152	0	0	152
	GT3P3{1}	2184939	0	02184939	135	0	0	135
	Gravity{2}	1131	0	0 1131	461	0	0	461
	Thermal 3{2}	-148771	0	0 148771	25	0	0	25
	Pressure 1{2}	2650907	0	02650907	871	0	0	871
	GT3{2}	-147640	0	0 147640	486	0	0	486
	Hydrotest-NL{2}	2503267	0	02503267	1357	0	0	1357
+940 +	Gravity{1}	575	0	0 575	220	0	0	220
	Thermal 1{1}	2842330	0	02842330	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01601222	56	0	0	56
	Thermal 3{1}	-147428	0	0 147428	22	0	0	22
	Wind 1{1}	-50	0	0 50	-1	0	0	1
	Wind 2{1}	50	0	0 50	1	0	0	1
	Wind 3{1}	-10	0	0 10	-57	0	0	57
	Wind 4{1}	10	0	0 10	52	0	0	52
	Pressure 1{1}	38297	0	0 38297	101	0	0	101
	Pressure 2{1}	2408476	0	02408476	-124	0	0	124
	Pressure 3{1}	2328055	0	02328055	-107	0	0	107
	GT1{1}	2842905	0	02842905	94	0	0	94
	GT2{1}	-.2E+07	0	01600647	276	0	0	276
	GT3{1}	-146853	0	0 146853	242	0	0	242
	GW1{1}	525	0	0 525	219	0	0	219
	GW2{1}	625	0	0 625	221	0	0	221
	GW3{1}	564	0	0 564	163	0	0	163
	GW4{1}	585	0	0 585	272	0	0	272
	GT1P1{1}	2881202	0	02881202	195	0	0	195
	GT2P2{1}	807829	0	0 807829	152	0	0	152
	GT3P3{1}	2181203	0	02181203	135	0	0	135
	Gravity{2}	1147	0	0 1147	461	0	0	461
	Thermal 3{2}	-148660	0	0 148660	25	0	0	25
	Pressure 1{2}	2642195	0	02642195	871	0	0	871
	GT3{2}	-147513	0	0 147513	486	0	0	486
	Hydrotest-NL{2}	2494682	0	02494682	1357	0	0	1357
+941 -	Gravity{1}	575	0	0 575	220	0	0	220
	Thermal 1{1}	2842330	0	02842330	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01601222	56	0	0	56
	Thermal 3{1}	-147428	0	0 147428	22	0	0	22
	Wind 1{1}	-50	0	0 50	-1	0	0	1
	Wind 2{1}	50	0	0 50	1	0	0	1
	Wind 3{1}	-10	0	0 10	-57	0	0	57
	Wind 4{1}	10	0	0 10	52	0	0	52
	Pressure 1{1}	38297	0	0 38297	101	0	0	101
	Pressure 2{1}	2408476	0	02408476	-124	0	0	124
	Pressure 3{1}	2328055	0	02328055	-107	0	0	107
	GT1{1}	2842905	0	02842905	94	0	0	94
	GT2{1}	-.2E+07	0	01600647	276	0	0	276
	GT3{1}	-146853	0	0 146853	242	0	0	242
	GW1{1}	525	0	0 525	219	0	0	219
	GW2{1}	625	0	0 625	221	0	0	221
	GW3{1}	564	0	0 564	163	0	0	163
	GW4{1}	585	0	0 585	272	0	0	272
	GT1P1{1}	2881202	0	02881202	195	0	0	195
	GT2P2{1}	807829	0	0 807829	152	0	0	152
	GT3P3{1}	2181203	0	02181203	135	0	0	135
	Gravity{2}	1147	0	0 1147	461	0	0	461
	Thermal 3{2}	-148660	0	0 148660	25	0	0	25
	Pressure 1{2}	2642195	0	02642195	871	0	0	871
	GT3{2}	-147513	0	0 147513	486	0	0	486
	Hydrotest-NL{2}	2494682	0	02494682	1357	0	0	1357
+941 +	Gravity{1}	583	0	0 583	220	0	0	220
	Thermal 1{1}	2827740	0	02827740	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01599281	56	0	0	56
	Thermal 3{1}	-147297	0	0 147297	22	0	0	22
	Wind 1{1}	-51	0	0 51	-1	0	0	1
	Wind 2{1}	51	0	0 51	1	0	0	1
	Wind 3{1}	-11	0	0 11	-57	0	0	57
	Wind 4{1}	11	0	0 11	52	0	0	52
	Pressure 1{1}	38296	0	0 38296	101	0	0	101
	Pressure 2{1}	2405725	0	02405725	-124	0	0	124
	Pressure 3{1}	2324125	0	02324125	-107	0	0	107
	GT1{1}	2828324	0	02828324	94	0	0	94
	GT2{1}	-.2E+07	0	01598698	276	0	0	276
	GT3{1}	-146714	0	0 146714	242	0	0	242
	GW1{1}	532	0	0 532	219	0	0	219
	GW2{1}	635	0	0 635	221	0	0	221
	GW3{1}	573	0	0 573	163	0	0	163
	GW4{1}	594	0	0 594	272	0	0	272
	GT1P1{1}	2866620	0	02866620	195	0	0	195
	GT2P2{1}	807027	0	0 807027	152	0	0	152
	GT3P3{1}	2177412	0	02177412	135	0	0	135
	Gravity{2}	1164	0	0 1164	461	0	0	461
	Thermal 3{2}	-148548	0	0 148548	25	0	0	25
	Pressure 1{2}	2633355	0	02633355	871	0	0	871
	GT3{2}	-147383	0	0 147383	486	0	0	486
	Hydrotest-NL{2}	2485971	0	02485971	1357	0	0	1357
+942 -	Gravity{1}	583	0	0 583	220	0	0	220
	Thermal 1{1}	2827740	0	02827740	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01599281	56	0	0	56
	Thermal 3{1}	-147297	0	0 147297	22	0	0	22
	Wind 1{1}	-51	0	0 51	-1	0	0	1
	Wind 2{1}	51	0	0 51	1	0	0	1
	Wind 3{1}	-11	0	0 11	-57	0	0	57
	Wind 4{1}	11	0	0 11	52	0	0	52
	Pressure 1{1}	38296	0	0 38296	101	0	0	101
	Pressure 2{1}	2405725	0	02405725	-124	0	0	124
	Pressure 3{1}	2324125	0	02324125	-107	0	0	107
	GT1{1}	2828324	0	02828324	94	0	0	94

	GT2{1}	-.2E+07	0	01598698	276	0	0	276
	GT3{1}	-146714	0	0 146714	242	0	0	242
	GW1{1}	532	0	0 532	219	0	0	219
	GW2{1}	635	0	0 635	221	0	0	221
	GW3{1}	573	0	0 573	163	0	0	163
	GW4{1}	594	0	0 594	272	0	0	272
	GT1P1{1}	2866620	0	02866620	195	0	0	195
	GT2P2{1}	807027	0	0 807027	152	0	0	152
	GT3P3{1}	2177412	0	02177412	135	0	0	135
	Gravity{2}	1164	0	0 1164	461	0	0	461
	Thermal 3{2}	-148548	0	0 148548	25	0	0	25
	Pressure 1{2}	2633355	0	02633355	871	0	0	871
	GT3{2}	-147383	0	0 147383	486	0	0	486
	Hydrotest-NL{2}	2485971	0	02485971	1357	0	0	1357
+942 +	Gravity{1}	592	0	0 592	220	0	0	220
	Thermal 1{1}	2813151	0	02813151	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01597313	56	0	0	56
	Thermal 3{1}	-147165	0	0 147165	22	0	0	22
	Wind 1{1}	-52	0	0 52	-1	0	0	1
	Wind 2{1}	52	0	0 52	1	0	0	1
	Wind 3{1}	-11	0	0 11	-57	0	0	57
	Wind 4{1}	11	0	0 11	52	0	0	52
	Pressure 1{1}	38295	0	0 38295	101	0	0	101
	Pressure 2{1}	2402934	0	02402934	-124	0	0	124
	Pressure 3{1}	2320138	0	02320138	-107	0	0	107
	GT1{1}	2813743	0	02813743	94	0	0	94
	GT2{1}	-.2E+07	0	01596721	276	0	0	276
	GT3{1}	-146573	0	0 146573	242	0	0	242
	GW1{1}	540	0	0 540	219	0	0	219
	GW2{1}	644	0	0 644	221	0	0	221
	GW3{1}	581	0	0 581	163	0	0	163
	GW4{1}	603	0	0 603	272	0	0	272
	GT1P1{1}	2852038	0	02852038	195	0	0	195
	GT2P2{1}	806213	0	0 806213	152	0	0	152
	GT3P3{1}	2173565	0	02173565	135	0	0	135
	Gravity{2}	1181	0	0 1181	461	0	0	461
	Thermal 3{2}	-148434	0	0 148434	25	0	0	25
	Pressure 1{2}	2624385	0	02624385	871	0	0	871
	GT3{2}	-147252	0	0 147252	486	0	0	486
	Hydrotest-NL{2}	2477133	0	02477133	1357	0	0	1357
+943 -	Gravity{1}	592	0	0 592	220	0	0	220
	Thermal 1{1}	2813151	0	02813151	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01597313	56	0	0	56
	Thermal 3{1}	-147165	0	0 147165	22	0	0	22
	Wind 1{1}	-52	0	0 52	-1	0	0	1
	Wind 2{1}	52	0	0 52	1	0	0	1
	Wind 3{1}	-11	0	0 11	-57	0	0	57
	Wind 4{1}	11	0	0 11	52	0	0	52
	Pressure 1{1}	38295	0	0 38295	101	0	0	101
	Pressure 2{1}	2402934	0	02402934	-124	0	0	124
	Pressure 3{1}	2320138	0	02320138	-107	0	0	107
	GT1{1}	2813743	0	02813743	94	0	0	94
	GT2{1}	-.2E+07	0	01596721	276	0	0	276
	GT3{1}	-146573	0	0 146573	242	0	0	242
	GW1{1}	540	0	0 540	219	0	0	219
	GW2{1}	644	0	0 644	221	0	0	221
	GW3{1}	581	0	0 581	163	0	0	163
	GW4{1}	603	0	0 603	272	0	0	272
	GT1P1{1}	2852038	0	02852038	195	0	0	195
	GT2P2{1}	806213	0	0 806213	152	0	0	152
	GT3P3{1}	2173565	0	02173565	135	0	0	135
	Gravity{2}	1181	0	0 1181	461	0	0	461
	Thermal 3{2}	-148434	0	0 148434	25	0	0	25
	Pressure 1{2}	2624385	0	02624385	871	0	0	871
	GT3{2}	-147252	0	0 147252	486	0	0	486
	Hydrotest-NL{2}	2477133	0	02477133	1357	0	0	1357
+943 +	Gravity{1}	601	0	0 601	220	0	0	220
	Thermal 1{1}	2798560	0	02798560	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01595315	56	0	0	56
	Thermal 3{1}	-147031	0	0 147031	22	0	0	22
	Wind 1{1}	-52	0	0 52	-1	0	0	1
	Wind 2{1}	53	0	0 53	1	0	0	1
	Wind 3{1}	-11	0	0 11	-57	0	0	57
	Wind 4{1}	11	0	0 11	52	0	0	52
	Pressure 1{1}	38295	0	0 38295	101	0	0	101
	Pressure 2{1}	2400102	0	02400102	-124	0	0	124
	Pressure 3{1}	2316092	0	02316092	-107	0	0	107
	GT1{1}	2799161	0	02799161	94	0	0	94
	GT2{1}	-.2E+07	0	01594714	276	0	0	276
	GT3{1}	-146430	0	0 146430	242	0	0	242
	GW1{1}	548	0	0 548	219	0	0	219
	GW2{1}	653	0	0 653	221	0	0	221
	GW3{1}	590	0	0 590	163	0	0	163
	GW4{1}	611	0	0 611	272	0	0	272
	GT1P1{1}	2837456	0	02837456	195	0	0	195
	GT2P2{1}	805388	0	0 805388	152	0	0	152
	GT3P3{1}	2169662	0	02169662	135	0	0	135
	Gravity{2}	1198	0	0 1198	461	0	0	461
	Thermal 3{2}	-148318	0	0 148318	25	0	0	25
	Pressure 1{2}	2615284	0	02615284	871	0	0	871
	GT3{2}	-147119	0	0 147119	486	0	0	486
	Hydrotest-NL{2}	2468164	0	02468164	1357	0	0	1357
+944 -	Gravity{1}	601	0	0 601	220	0	0	220
	Thermal 1{1}	2798560	0	02798560	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01595315	56	0	0	56
	Thermal 3{1}	-147031	0	0 147031	22	0	0	22
	Wind 1{1}	-52	0	0 52	-1	0	0	1
	Wind 2{1}	53	0	0 53	1	0	0	1
	Wind 3{1}	-11	0	0 11	-57	0	0	57
	Wind 4{1}	11	0	0 11	52	0	0	52
	Pressure 1{1}	38295	0	0 38295	101	0	0	101
	Pressure 2{1}	2400102	0	02400102	-124	0	0	124
	Pressure 3{1}	2316092	0	02316092	-107	0	0	107
	GT1{1}	2799161	0	02799161	94	0	0	94

	GT2{1}	-.2E+07	0	01594714	276	0	0	276
	GT3{1}	-146430	0	0 146430	242	0	0	242
	GW1{1}	548	0	0 548	219	0	0	219
	GW2{1}	653	0	0 653	221	0	0	221
	GW3{1}	590	0	0 590	163	0	0	163
	GW4{1}	611	0	0 611	272	0	0	272
	GT1P1{1}	2837456	0	02837456	195	0	0	195
	GT2P2{1}	805388	0	0 805388	152	0	0	152
	GT3P3{1}	2169662	0	02169662	135	0	0	135
	Gravity{2}	1198	0	0 1198	461	0	0	461
	Thermal 3{2}	-148318	0	0 148318	25	0	0	25
	Pressure 1{2}	2615284	0	02615284	871	0	0	871
	GT3{2}	-147119	0	0 147119	486	0	0	486
	Hydrotest-NL{2}	2468164	0	02468164	1357	0	0	1357
+944 +	Gravity{1}	609	0	0 609	220	0	0	220
	Thermal 1{1}	2783970	0	02783970	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01593288	56	0	0	56
	Thermal 3{1}	-146894	0	0 146894	22	0	0	22
	Wind 1{1}	-53	0	0 53	-1	0	0	1
	Wind 2{1}	54	0	0 54	1	0	0	1
	Wind 3{1}	-11	0	0 11	-57	0	0	57
	Wind 4{1}	11	0	0 11	52	0	0	52
	Pressure 1{1}	38294	0	0 38294	101	0	0	101
	Pressure 2{1}	2397228	0	02397228	-124	0	0	124
	Pressure 3{1}	2311986	0	02311986	-107	0	0	107
	GT1{1}	2784579	0	02784579	94	0	0	94
	GT2{1}	-.2E+07	0	01592678	276	0	0	276
	GT3{1}	-146285	0	0 146285	242	0	0	242
	GW1{1}	556	0	0 556	219	0	0	219
	GW2{1}	663	0	0 663	221	0	0	221
	GW3{1}	598	0	0 598	163	0	0	163
	GW4{1}	620	0	0 620	272	0	0	272
	GT1P1{1}	2822873	0	02822873	195	0	0	195
	GT2P2{1}	804550	0	0 804550	152	0	0	152
	GT3P3{1}	2165701	0	02165701	135	0	0	135
	Gravity{2}	1216	0	0 1216	461	0	0	461
	Thermal 3{2}	-148201	0	0 148201	25	0	0	25
	Pressure 1{2}	2606049	0	02606049	871	0	0	871
	GT3{2}	-146985	0	0 146985	486	0	0	486
	Hydrotest-NL{2}	2459065	0	02459065	1357	0	0	1357
+945 -	Gravity{1}	609	0	0 609	220	0	0	220
	Thermal 1{1}	2783970	0	02783970	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01593288	56	0	0	56
	Thermal 3{1}	-146894	0	0 146894	22	0	0	22
	Wind 1{1}	-53	0	0 53	-1	0	0	1
	Wind 2{1}	54	0	0 54	1	0	0	1
	Wind 3{1}	-11	0	0 11	-57	0	0	57
	Wind 4{1}	11	0	0 11	52	0	0	52
	Pressure 1{1}	38294	0	0 38294	101	0	0	101
	Pressure 2{1}	2397228	0	02397228	-124	0	0	124
	Pressure 3{1}	2311986	0	02311986	-107	0	0	107
	GT1{1}	2784579	0	02784579	94	0	0	94
	GT2{1}	-.2E+07	0	01592678	276	0	0	276
	GT3{1}	-146285	0	0 146285	242	0	0	242
	GW1{1}	556	0	0 556	219	0	0	219
	GW2{1}	663	0	0 663	221	0	0	221
	GW3{1}	598	0	0 598	163	0	0	163
	GW4{1}	620	0	0 620	272	0	0	272
	GT1P1{1}	2822873	0	02822873	195	0	0	195
	GT2P2{1}	804550	0	0 804550	152	0	0	152
	GT3P3{1}	2165701	0	02165701	135	0	0	135
	Gravity{2}	1216	0	0 1216	461	0	0	461
	Thermal 3{2}	-148201	0	0 148201	25	0	0	25
	Pressure 1{2}	2606049	0	02606049	871	0	0	871
	GT3{2}	-146985	0	0 146985	486	0	0	486
	Hydrotest-NL{2}	2459065	0	02459065	1357	0	0	1357
+945 +	Gravity{1}	618	0	0 618	220	0	0	220
	Thermal 1{1}	2769380	0	02769380	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01591231	56	0	0	56
	Thermal 3{1}	-146756	0	0 146756	22	0	0	22
	Wind 1{1}	-54	0	0 54	-1	0	0	1
	Wind 2{1}	54	0	0 54	1	0	0	1
	Wind 3{1}	-11	0	0 11	-57	0	0	57
	Wind 4{1}	11	0	0 11	52	0	0	52
	Pressure 1{1}	38293	0	0 38293	101	0	0	101
	Pressure 2{1}	2394313	0	02394313	-124	0	0	124
	Pressure 3{1}	2307821	0	02307821	-107	0	0	107
	GT1{1}	2769998	0	02769998	94	0	0	94
	GT2{1}	-.2E+07	0	01590613	276	0	0	276
	GT3{1}	-146138	0	0 146138	242	0	0	242
	GW1{1}	564	0	0 564	219	0	0	219
	GW2{1}	673	0	0 673	221	0	0	221
	GW3{1}	607	0	0 607	163	0	0	163
	GW4{1}	629	0	0 629	272	0	0	272
	GT1P1{1}	2808291	0	02808291	195	0	0	195
	GT2P2{1}	803700	0	0 803700	152	0	0	152
	GT3P3{1}	2161683	0	02161683	135	0	0	135
	Gravity{2}	1234	0	0 1234	461	0	0	461
	Thermal 3{2}	-148082	0	0 148082	25	0	0	25
	Pressure 1{2}	2596679	0	02596679	871	0	0	871
	GT3{2}	-146848	0	0 146848	486	0	0	486
	Hydrotest-NL{2}	2449832	0	02449832	1357	0	0	1357
+946 -	Gravity{1}	618	0	0 618	220	0	0	220
	Thermal 1{1}	2769380	0	02769380	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01591231	56	0	0	56
	Thermal 3{1}	-146756	0	0 146756	22	0	0	22
	Wind 1{1}	-54	0	0 54	-1	0	0	1
	Wind 2{1}	54	0	0 54	1	0	0	1
	Wind 3{1}	-11	0	0 11	-57	0	0	57
	Wind 4{1}	11	0	0 11	52	0	0	52
	Pressure 1{1}	38293	0	0 38293	101	0	0	101
	Pressure 2{1}	2394313	0	02394313	-124	0	0	124
	Pressure 3{1}	2307821	0	02307821	-107	0	0	107
	GT1{1}	2769998	0	02769998	94	0	0	94

	GT2{1}	-.2E+07	0	01590613	276	0	0	276
	GT3{1}	-146138	0	0 146138	242	0	0	242
	GW1{1}	564	0	0 564	219	0	0	219
	GW2{1}	673	0	0 673	221	0	0	221
	GW3{1}	607	0	0 607	163	0	0	163
	GW4{1}	629	0	0 629	272	0	0	272
	GT1P1{1}	2808291	0	02808291	195	0	0	195
	GT2P2{1}	803700	0	0 803700	152	0	0	152
	GT3P3{1}	2161683	0	02161683	135	0	0	135
	Gravity{2}	1234	0	0 1234	461	0	0	461
	Thermal 3{2}	-148082	0	0 148082	25	0	0	25
	Pressure 1{2}	2596679	0	02596679	871	0	0	871
	GT3{2}	-146848	0	0 146848	486	0	0	486
	Hydrotest-NL{2}	2449832	0	02449832	1357	0	0	1357
+946 +	Gravity{1}	627	0	0 627	220	0	0	220
	Thermal 1{1}	2754790	0	02754790	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01589145	56	0	0	56
	Thermal 3{1}	-146616	0	0 146616	22	0	0	22
	Wind 1{1}	-55	0	0 55	-1	0	0	1
	Wind 2{1}	55	0	0 55	1	0	0	1
	Wind 3{1}	-11	0	0 11	-57	0	0	57
	Wind 4{1}	11	0	0 11	52	0	0	52
	Pressure 1{1}	38292	0	0 38292	101	0	0	101
	Pressure 2{1}	2391354	0	02391354	-124	0	0	124
	Pressure 3{1}	2303594	0	02303594	-107	0	0	107
	GT1{1}	2755417	0	02755417	94	0	0	94
	GT2{1}	-.2E+07	0	01588517	276	0	0	276
	GT3{1}	-145989	0	0 145989	242	0	0	242
	GW1{1}	573	0	0 573	219	0	0	219
	GW2{1}	682	0	0 682	221	0	0	221
	GW3{1}	616	0	0 616	163	0	0	163
	GW4{1}	639	0	0 639	272	0	0	272
	GT1P1{1}	2793710	0	02793710	195	0	0	195
	GT2P2{1}	802837	0	0 802837	152	0	0	152
	GT3P3{1}	2157606	0	02157606	135	0	0	135
	Gravity{2}	1252	0	0 1252	461	0	0	461
	Thermal 3{2}	-147961	0	0 147961	25	0	0	25
	Pressure 1{2}	2587172	0	02587172	871	0	0	871
	GT3{2}	-146709	0	0 146709	486	0	0	486
	Hydrotest-NL{2}	2440463	0	02440463	1357	0	0	1357
+947 -	Gravity{1}	627	0	0 627	220	0	0	220
	Thermal 1{1}	2754790	0	02754790	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01589145	56	0	0	56
	Thermal 3{1}	-146616	0	0 146616	22	0	0	22
	Wind 1{1}	-55	0	0 55	-1	0	0	1
	Wind 2{1}	55	0	0 55	1	0	0	1
	Wind 3{1}	-11	0	0 11	-57	0	0	57
	Wind 4{1}	11	0	0 11	52	0	0	52
	Pressure 1{1}	38292	0	0 38292	101	0	0	101
	Pressure 2{1}	2391354	0	02391354	-124	0	0	124
	Pressure 3{1}	2303594	0	02303594	-107	0	0	107
	GT1{1}	2755417	0	02755417	94	0	0	94
	GT2{1}	-.2E+07	0	01588517	276	0	0	276
	GT3{1}	-145989	0	0 145989	242	0	0	242
	GW1{1}	573	0	0 573	219	0	0	219
	GW2{1}	682	0	0 682	221	0	0	221
	GW3{1}	616	0	0 616	163	0	0	163
	GW4{1}	639	0	0 639	272	0	0	272
	GT1P1{1}	2793710	0	02793710	195	0	0	195
	GT2P2{1}	802837	0	0 802837	152	0	0	152
	GT3P3{1}	2157606	0	02157606	135	0	0	135
	Gravity{2}	1252	0	0 1252	461	0	0	461
	Thermal 3{2}	-147961	0	0 147961	25	0	0	25
	Pressure 1{2}	2587172	0	02587172	871	0	0	871
	GT3{2}	-146709	0	0 146709	486	0	0	486
	Hydrotest-NL{2}	2440463	0	02440463	1357	0	0	1357
+947 +	Gravity{1}	637	0	0 637	220	0	0	220
	Thermal 1{1}	2740199	0	02740199	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01587027	56	0	0	56
	Thermal 3{1}	-146474	0	0 146474	22	0	0	22
	Wind 1{1}	-56	0	0 56	-1	0	0	1
	Wind 2{1}	56	0	0 56	1	0	0	1
	Wind 3{1}	-12	0	0 12	-57	0	0	57
	Wind 4{1}	11	0	0 11	52	0	0	52
	Pressure 1{1}	38292	0	0 38292	101	0	0	101
	Pressure 2{1}	2388352	0	02388352	-124	0	0	124
	Pressure 3{1}	2299306	0	02299306	-107	0	0	107
	GT1{1}	2740836	0	02740836	94	0	0	94
	GT2{1}	-.2E+07	0	01586390	276	0	0	276
	GT3{1}	-145837	0	0 145837	242	0	0	242
	GW1{1}	581	0	0 581	219	0	0	219
	GW2{1}	692	0	0 692	221	0	0	221
	GW3{1}	625	0	0 625	163	0	0	163
	GW4{1}	648	0	0 648	272	0	0	272
	GT1P1{1}	2779127	0	02779127	195	0	0	195
	GT2P2{1}	801962	0	0 801962	152	0	0	152
	GT3P3{1}	2153469	0	02153469	135	0	0	135
	Gravity{2}	1270	0	0 1270	461	0	0	461
	Thermal 3{2}	-147838	0	0 147838	25	0	0	25
	Pressure 1{2}	2577525	0	02577525	871	0	0	871
	GT3{2}	-146568	0	0 146568	486	0	0	486
	Hydrotest-NL{2}	2430957	0	02430957	1357	0	0	1357
+948 -	Gravity{1}	637	0	0 637	220	0	0	220
	Thermal 1{1}	2740199	0	02740199	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01587027	56	0	0	56
	Thermal 3{1}	-146474	0	0 146474	22	0	0	22
	Wind 1{1}	-56	0	0 56	-1	0	0	1
	Wind 2{1}	56	0	0 56	1	0	0	1
	Wind 3{1}	-12	0	0 12	-57	0	0	57
	Wind 4{1}	11	0	0 11	52	0	0	52
	Pressure 1{1}	38292	0	0 38292	101	0	0	101
	Pressure 2{1}	2388352	0	02388352	-124	0	0	124
	Pressure 3{1}	2299306	0	02299306	-107	0	0	107
	GT1{1}	2740836	0	02740836	94	0	0	94

	GT2{1}	-.2E+07	0	01586390	276	0	0	276
	GT3{1}	-145837	0	0 145837	242	0	0	242
	GW1{1}	581	0	0 581	219	0	0	219
	GW2{1}	692	0	0 692	221	0	0	221
	GW3{1}	625	0	0 625	163	0	0	163
	GW4{1}	648	0	0 648	272	0	0	272
	GT1P1{1}	2779127	0	02779127	195	0	0	195
	GT2P2{1}	801962	0	0 801962	152	0	0	152
	GT3P3{1}	2153469	0	02153469	135	0	0	135
	Gravity{2}	1270	0	0 1270	461	0	0	461
	Thermal 3{2}	-147838	0	0 147838	25	0	0	25
	Pressure 1{2}	2577525	0	02577525	871	0	0	871
	GT3{2}	-146568	0	0 146568	486	0	0	486
	Hydrotest-NL{2}	2430957	0	02430957	1357	0	0	1357
+948 +	Gravity{1}	646	0	0 646	220	0	0	220
	Thermal 1{1}	2725609	0	02725609	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01584879	56	0	0	56
	Thermal 3{1}	-146329	0	0 146329	22	0	0	22
	Wind 1{1}	-56	0	0 56	-1	0	0	1
	Wind 2{1}	57	0	0 57	1	0	0	1
	Wind 3{1}	-12	0	0 12	-57	0	0	57
	Wind 4{1}	12	0	0 12	52	0	0	52
	Pressure 1{1}	38291	0	0 38291	101	0	0	101
	Pressure 2{1}	2385307	0	02385307	-124	0	0	124
	Pressure 3{1}	2294954	0	02294954	-107	0	0	107
	GT1{1}	2726255	0	02726255	94	0	0	94
	GT2{1}	-.2E+07	0	01584233	276	0	0	276
	GT3{1}	-145683	0	0 145683	242	0	0	242
	GW1{1}	590	0	0 590	219	0	0	219
	GW2{1}	703	0	0 703	221	0	0	221
	GW3{1}	634	0	0 634	163	0	0	163
	GW4{1}	658	0	0 658	272	0	0	272
	GT1P1{1}	2764545	0	02764545	195	0	0	195
	GT2P2{1}	801074	0	0 801074	152	0	0	152
	GT3P3{1}	2149271	0	02149271	135	0	0	135
	Gravity{2}	1289	0	0 1289	461	0	0	461
	Thermal 3{2}	-147714	0	0 147714	25	0	0	25
	Pressure 1{2}	2567737	0	02567737	871	0	0	871
	GT3{2}	-146425	0	0 146425	486	0	0	486
	Hydrotest-NL{2}	2421312	0	02421312	1357	0	0	1357
+949 -	Gravity{1}	646	0	0 646	220	0	0	220
	Thermal 1{1}	2725609	0	02725609	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01584879	56	0	0	56
	Thermal 3{1}	-146329	0	0 146329	22	0	0	22
	Wind 1{1}	-56	0	0 56	-1	0	0	1
	Wind 2{1}	57	0	0 57	1	0	0	1
	Wind 3{1}	-12	0	0 12	-57	0	0	57
	Wind 4{1}	12	0	0 12	52	0	0	52
	Pressure 1{1}	38291	0	0 38291	101	0	0	101
	Pressure 2{1}	2385307	0	02385307	-124	0	0	124
	Pressure 3{1}	2294954	0	02294954	-107	0	0	107
	GT1{1}	2726255	0	02726255	94	0	0	94
	GT2{1}	-.2E+07	0	01584233	276	0	0	276
	GT3{1}	-145683	0	0 145683	242	0	0	242
	GW1{1}	590	0	0 590	219	0	0	219
	GW2{1}	703	0	0 703	221	0	0	221
	GW3{1}	634	0	0 634	163	0	0	163
	GW4{1}	658	0	0 658	272	0	0	272
	GT1P1{1}	2764545	0	02764545	195	0	0	195
	GT2P2{1}	801074	0	0 801074	152	0	0	152
	GT3P3{1}	2149271	0	02149271	135	0	0	135
	Gravity{2}	1289	0	0 1289	461	0	0	461
	Thermal 3{2}	-147714	0	0 147714	25	0	0	25
	Pressure 1{2}	2567737	0	02567737	871	0	0	871
	GT3{2}	-146425	0	0 146425	486	0	0	486
	Hydrotest-NL{2}	2421312	0	02421312	1357	0	0	1357
+949 +	Gravity{1}	655	0	0 655	220	0	0	220
	Thermal 1{1}	2711018	0	02711018	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01582699	56	0	0	56
	Thermal 3{1}	-146183	0	0 146183	22	0	0	22
	Wind 1{1}	-57	0	0 57	-1	0	0	1
	Wind 2{1}	58	0	0 58	1	0	0	1
	Wind 3{1}	-12	0	0 12	-57	0	0	57
	Wind 4{1}	12	0	0 12	52	0	0	52
	Pressure 1{1}	38290	0	0 38290	101	0	0	101
	Pressure 2{1}	2382216	0	02382216	-124	0	0	124
	Pressure 3{1}	2290539	0	02290539	-107	0	0	107
	GT1{1}	2711674	0	02711674	94	0	0	94
	GT2{1}	-.2E+07	0	01582043	276	0	0	276
	GT3{1}	-145527	0	0 145527	242	0	0	242
	GW1{1}	598	0	0 598	219	0	0	219
	GW2{1}	713	0	0 713	221	0	0	221
	GW3{1}	644	0	0 644	163	0	0	163
	GW4{1}	667	0	0 667	272	0	0	272
	GT1P1{1}	2749964	0	02749964	195	0	0	195
	GT2P2{1}	800173	0	0 800173	152	0	0	152
	GT3P3{1}	2145012	0	02145012	135	0	0	135
	Gravity{2}	1308	0	0 1308	461	0	0	461
	Thermal 3{2}	-147588	0	0 147588	25	0	0	25
	Pressure 1{2}	2557805	0	02557805	871	0	0	871
	GT3{2}	-146280	0	0 146280	486	0	0	486
	Hydrotest-NL{2}	2411526	0	02411526	1357	0	0	1357
+950 -	Gravity{1}	655	0	0 655	220	0	0	220
	Thermal 1{1}	2711018	0	02711018	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01582699	56	0	0	56
	Thermal 3{1}	-146183	0	0 146183	22	0	0	22
	Wind 1{1}	-57	0	0 57	-1	0	0	1
	Wind 2{1}	58	0	0 58	1	0	0	1
	Wind 3{1}	-12	0	0 12	-57	0	0	57
	Wind 4{1}	12	0	0 12	52	0	0	52
	Pressure 1{1}	38290	0	0 38290	101	0	0	101
	Pressure 2{1}	2382216	0	02382216	-124	0	0	124
	Pressure 3{1}	2290539	0	02290539	-107	0	0	107
	GT1{1}	2711674	0	02711674	94	0	0	94

	GT2{1}	-.2E+07	0	01582043	276	0	0	276
	GT3{1}	-145527	0	0 145527	242	0	0	242
	GW1{1}	598	0	0 598	219	0	0	219
	GW2{1}	713	0	0 713	221	0	0	221
	GW3{1}	644	0	0 644	163	0	0	163
	GW4{1}	667	0	0 667	272	0	0	272
	GT1P1{1}	2749964	0	02749964	195	0	0	195
	GT2P2{1}	800173	0	0 800173	152	0	0	152
	GT3P3{1}	2145012	0	02145012	135	0	0	135
	Gravity{2}	1308	0	0 1308	461	0	0	461
	Thermal 3{2}	-147588	0	0 147588	25	0	0	25
	Pressure 1{2}	2557805	0	02557805	871	0	0	871
	GT3{2}	-146280	0	0 146280	486	0	0	486
	Hydrotest-NL{2}	2411526	0	02411526	1357	0	0	1357
+950 +	Gravity{1}	665	0	0 665	220	0	0	220
	Thermal 1{1}	2696427	0	02696427	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01580487	56	0	0	56
	Thermal 3{1}	-146034	0	0 146034	22	0	0	22
	Wind 1{1}	-58	0	0 58	-1	0	0	1
	Wind 2{1}	58	0	0 58	1	0	0	1
	Wind 3{1}	-12	0	0 12	-57	0	0	57
	Wind 4{1}	12	0	0 12	52	0	0	52
	Pressure 1{1}	38289	0	0 38289	101	0	0	101
	Pressure 2{1}	2379080	0	02379080	-124	0	0	124
	Pressure 3{1}	2286059	0	02286059	-107	0	0	107
	GT1{1}	2697092	0	02697092	94	0	0	94
	GT2{1}	-.2E+07	0	01579822	276	0	0	276
	GT3{1}	-145369	0	0 145369	242	0	0	242
	GW1{1}	607	0	0 607	219	0	0	219
	GW2{1}	723	0	0 723	221	0	0	221
	GW3{1}	653	0	0 653	163	0	0	163
	GW4{1}	677	0	0 677	272	0	0	272
	GT1P1{1}	2735381	0	02735381	195	0	0	195
	GT2P2{1}	799258	0	0 799258	152	0	0	152
	GT3P3{1}	2140690	0	02140690	135	0	0	135
	Gravity{2}	1327	0	0 1327	461	0	0	461
	Thermal 3{2}	-147459	0	0 147459	25	0	0	25
	Pressure 1{2}	2547728	0	02547728	871	0	0	871
	GT3{2}	-146133	0	0 146133	486	0	0	486
	Hydrotest-NL{2}	2401595	0	02401595	1357	0	0	1357
+951 -	Gravity{1}	665	0	0 665	220	0	0	220
	Thermal 1{1}	2696427	0	02696427	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01580487	56	0	0	56
	Thermal 3{1}	-146034	0	0 146034	22	0	0	22
	Wind 1{1}	-58	0	0 58	-1	0	0	1
	Wind 2{1}	58	0	0 58	1	0	0	1
	Wind 3{1}	-12	0	0 12	-57	0	0	57
	Wind 4{1}	12	0	0 12	52	0	0	52
	Pressure 1{1}	38289	0	0 38289	101	0	0	101
	Pressure 2{1}	2379080	0	02379080	-124	0	0	124
	Pressure 3{1}	2286059	0	02286059	-107	0	0	107
	GT1{1}	2697092	0	02697092	94	0	0	94
	GT2{1}	-.2E+07	0	01579822	276	0	0	276
	GT3{1}	-145369	0	0 145369	242	0	0	242
	GW1{1}	607	0	0 607	219	0	0	219
	GW2{1}	723	0	0 723	221	0	0	221
	GW3{1}	653	0	0 653	163	0	0	163
	GW4{1}	677	0	0 677	272	0	0	272
	GT1P1{1}	2735381	0	02735381	195	0	0	195
	GT2P2{1}	799258	0	0 799258	152	0	0	152
	GT3P3{1}	2140690	0	02140690	135	0	0	135
	Gravity{2}	1327	0	0 1327	461	0	0	461
	Thermal 3{2}	-147459	0	0 147459	25	0	0	25
	Pressure 1{2}	2547728	0	02547728	871	0	0	871
	GT3{2}	-146133	0	0 146133	486	0	0	486
	Hydrotest-NL{2}	2401595	0	02401595	1357	0	0	1357
+951 +	Gravity{1}	675	0	0 675	220	0	0	220
	Thermal 1{1}	2681835	0	02681835	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01578242	56	0	0	56
	Thermal 3{1}	-145883	0	0 145883	22	0	0	22
	Wind 1{1}	-59	0	0 59	-1	0	0	1
	Wind 2{1}	59	0	0 59	1	0	0	1
	Wind 3{1}	-12	0	0 12	-57	0	0	57
	Wind 4{1}	12	0	0 12	52	0	0	52
	Pressure 1{1}	38289	0	0 38289	101	0	0	101
	Pressure 2{1}	2375898	0	02375898	-124	0	0	124
	Pressure 3{1}	2281513	0	02281513	-107	0	0	107
	GT1{1}	2682510	0	02682510	94	0	0	94
	GT2{1}	-.2E+07	0	01577567	276	0	0	276
	GT3{1}	-145208	0	0 145208	242	0	0	242
	GW1{1}	616	0	0 616	219	0	0	219
	GW2{1}	734	0	0 734	221	0	0	221
	GW3{1}	663	0	0 663	163	0	0	163
	GW4{1}	687	0	0 687	272	0	0	272
	GT1P1{1}	2720799	0	02720799	195	0	0	195
	GT2P2{1}	798331	0	0 798331	152	0	0	152
	GT3P3{1}	2136305	0	02136305	135	0	0	135
	Gravity{2}	1346	0	0 1346	461	0	0	461
	Thermal 3{2}	-147330	0	0 147330	25	0	0	25
	Pressure 1{2}	2537502	0	02537502	871	0	0	871
	GT3{2}	-145983	0	0 145983	486	0	0	486
	Hydrotest-NL{2}	2391519	0	02391519	1357	0	0	1357
+952 -	Gravity{1}	675	0	0 675	220	0	0	220
	Thermal 1{1}	2681835	0	02681835	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01578242	56	0	0	56
	Thermal 3{1}	-145883	0	0 145883	22	0	0	22
	Wind 1{1}	-59	0	0 59	-1	0	0	1
	Wind 2{1}	59	0	0 59	1	0	0	1
	Wind 3{1}	-12	0	0 12	-57	0	0	57
	Wind 4{1}	12	0	0 12	52	0	0	52
	Pressure 1{1}	38289	0	0 38289	101	0	0	101
	Pressure 2{1}	2375898	0	02375898	-124	0	0	124
	Pressure 3{1}	2281513	0	02281513	-107	0	0	107
	GT1{1}	2682510	0	02682510	94	0	0	94

	GT2{1}	-.2E+07	0	01577567	276	0	0	276
	GT3{1}	-145208	0	0 145208	242	0	0	242
	GW1{1}	616	0	0 616	219	0	0	219
	GW2{1}	734	0	0 734	221	0	0	221
	GW3{1}	663	0	0 663	163	0	0	163
	GW4{1}	687	0	0 687	272	0	0	272
	GT1P1{1}	2720799	0	02720799	195	0	0	195
	GT2P2{1}	798331	0	0 798331	152	0	0	152
	GT3P3{1}	2136305	0	02136305	135	0	0	135
	Gravity{2}	1346	0	0 1346	461	0	0	461
	Thermal 3{2}	-147330	0	0 147330	25	0	0	25
	Pressure 1{2}	2537502	0	02537502	871	0	0	871
	GT3{2}	-145983	0	0 145983	486	0	0	486
	Hydrotest-NL{2}	2391519	0	02391519	1357	0	0	1357
+952 +	Gravity{1}	685	0	0 685	220	0	0	220
	Thermal 1{1}	2667244	0	02667244	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01575965	56	0	0	56
	Thermal 3{1}	-145730	0	0 145730	22	0	0	22
	Wind 1{1}	-60	0	0 60	-1	0	0	1
	Wind 2{1}	60	0	0 60	1	0	0	1
	Wind 3{1}	-12	0	0 12	-57	0	0	57
	Wind 4{1}	12	0	0 12	52	0	0	52
	Pressure 1{1}	38288	0	0 38288	101	0	0	101
	Pressure 2{1}	2372670	0	02372670	-124	0	0	124
	Pressure 3{1}	2276901	0	02276901	-107	0	0	107
	GT1{1}	2667929	0	02667929	94	0	0	94
	GT2{1}	-.2E+07	0	01575280	276	0	0	276
	GT3{1}	-145046	0	0 145046	242	0	0	242
	GW1{1}	625	0	0 625	219	0	0	219
	GW2{1}	745	0	0 745	221	0	0	221
	GW3{1}	672	0	0 672	163	0	0	163
	GW4{1}	697	0	0 697	272	0	0	272
	GT1P1{1}	2706217	0	02706217	195	0	0	195
	GT2P2{1}	797389	0	0 797389	152	0	0	152
	GT3P3{1}	2131855	0	02131855	135	0	0	135
	Gravity{2}	1366	0	0 1366	461	0	0	461
	Thermal 3{2}	-147198	0	0 147198	25	0	0	25
	Pressure 1{2}	2527127	0	02527127	871	0	0	871
	GT3{2}	-145832	0	0 145832	486	0	0	486
	Hydrotest-NL{2}	2381296	0	02381296	1357	0	0	1357
+953 -	Gravity{1}	685	0	0 685	220	0	0	220
	Thermal 1{1}	2667244	0	02667244	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01575965	56	0	0	56
	Thermal 3{1}	-145730	0	0 145730	22	0	0	22
	Wind 1{1}	-60	0	0 60	-1	0	0	1
	Wind 2{1}	60	0	0 60	1	0	0	1
	Wind 3{1}	-12	0	0 12	-57	0	0	57
	Wind 4{1}	12	0	0 12	52	0	0	52
	Pressure 1{1}	38288	0	0 38288	101	0	0	101
	Pressure 2{1}	2372670	0	02372670	-124	0	0	124
	Pressure 3{1}	2276901	0	02276901	-107	0	0	107
	GT1{1}	2667929	0	02667929	94	0	0	94
	GT2{1}	-.2E+07	0	01575280	276	0	0	276
	GT3{1}	-145046	0	0 145046	242	0	0	242
	GW1{1}	625	0	0 625	219	0	0	219
	GW2{1}	745	0	0 745	221	0	0	221
	GW3{1}	672	0	0 672	163	0	0	163
	GW4{1}	697	0	0 697	272	0	0	272
	GT1P1{1}	2706217	0	02706217	195	0	0	195
	GT2P2{1}	797389	0	0 797389	152	0	0	152
	GT3P3{1}	2131855	0	02131855	135	0	0	135
	Gravity{2}	1366	0	0 1366	461	0	0	461
	Thermal 3{2}	-147198	0	0 147198	25	0	0	25
	Pressure 1{2}	2527127	0	02527127	871	0	0	871
	GT3{2}	-145832	0	0 145832	486	0	0	486
	Hydrotest-NL{2}	2381296	0	02381296	1357	0	0	1357
+953 +	Gravity{1}	695	0	0 695	220	0	0	220
	Thermal 1{1}	2652653	0	02652653	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01573654	56	0	0	56
	Thermal 3{1}	-145575	0	0 145575	22	0	0	22
	Wind 1{1}	-61	0	0 61	-1	0	0	1
	Wind 2{1}	61	0	0 61	1	0	0	1
	Wind 3{1}	-13	0	0 13	-57	0	0	57
	Wind 4{1}	13	0	0 13	52	0	0	52
	Pressure 1{1}	38287	0	0 38287	101	0	0	101
	Pressure 2{1}	2369394	0	02369394	-124	0	0	124
	Pressure 3{1}	2272221	0	02272221	-107	0	0	107
	GT1{1}	2653348	0	02653348	94	0	0	94
	GT2{1}	-.2E+07	0	01572960	276	0	0	276
	GT3{1}	-144880	0	0 144880	242	0	0	242
	GW1{1}	634	0	0 634	219	0	0	219
	GW2{1}	756	0	0 756	221	0	0	221
	GW3{1}	682	0	0 682	163	0	0	163
	GW4{1}	707	0	0 707	272	0	0	272
	GT1P1{1}	2691635	0	02691635	195	0	0	195
	GT2P2{1}	796434	0	0 796434	152	0	0	152
	GT3P3{1}	2127341	0	02127341	135	0	0	135
	Gravity{2}	1386	0	0 1386	461	0	0	461
	Thermal 3{2}	-147064	0	0 147064	25	0	0	25
	Pressure 1{2}	2516601	0	02516601	871	0	0	871
	GT3{2}	-145678	0	0 145678	486	0	0	486
	Hydrotest-NL{2}	2370923	0	02370923	1357	0	0	1357
+954 -	Gravity{1}	695	0	0 695	220	0	0	220
	Thermal 1{1}	2652653	0	02652653	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01573654	56	0	0	56
	Thermal 3{1}	-145575	0	0 145575	22	0	0	22
	Wind 1{1}	-61	0	0 61	-1	0	0	1
	Wind 2{1}	61	0	0 61	1	0	0	1
	Wind 3{1}	-13	0	0 13	-57	0	0	57
	Wind 4{1}	13	0	0 13	52	0	0	52
	Pressure 1{1}	38287	0	0 38287	101	0	0	101
	Pressure 2{1}	2369394	0	02369394	-124	0	0	124
	Pressure 3{1}	2272221	0	02272221	-107	0	0	107
	GT1{1}	2653348	0	02653348	94	0	0	94

	GT2{1}	-.2E+07	0	01572960	276	0	0	276
	GT3{1}	-144880	0	0 144880	242	0	0	242
	GW1{1}	634	0	0 634	219	0	0	219
	GW2{1}	756	0	0 756	221	0	0	221
	GW3{1}	682	0	0 682	163	0	0	163
	GW4{1}	707	0	0 707	272	0	0	272
	GT1P1{1}	2691635	0	02691635	195	0	0	195
	GT2P2{1}	796434	0	0 796434	152	0	0	152
	GT3P3{1}	2127341	0	02127341	135	0	0	135
	Gravity{2}	1386	0	0 1386	461	0	0	461
	Thermal 3{2}	-147064	0	0 147064	25	0	0	25
	Pressure 1{2}	2516601	0	02516601	871	0	0	871
	GT3{2}	-145678	0	0 145678	486	0	0	486
	Hydrotest-NL{2}	2370923	0	02370923	1357	0	0	1357
+954 +	Gravity{1}	705	0	0 705	220	0	0	220
	Thermal 1{1}	2638062	0	02638062	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01571310	56	0	0	56
	Thermal 3{1}	-145417	0	0 145417	22	0	0	22
	Wind 1{1}	-62	0	0 62	-1	0	0	1
	Wind 2{1}	62	0	0 62	1	0	0	1
	Wind 3{1}	-13	0	0 13	-57	0	0	57
	Wind 4{1}	13	0	0 13	52	0	0	52
	Pressure 1{1}	38286	0	0 38286	101	0	0	101
	Pressure 2{1}	2366070	0	02366070	-124	0	0	124
	Pressure 3{1}	2267472	0	02267472	-107	0	0	107
	GT1{1}	2638766	0	02638766	94	0	0	94
	GT2{1}	-.2E+07	0	01570605	276	0	0	276
	GT3{1}	-144712	0	0 144712	242	0	0	242
	GW1{1}	643	0	0 643	219	0	0	219
	GW2{1}	767	0	0 767	221	0	0	221
	GW3{1}	692	0	0 692	163	0	0	163
	GW4{1}	718	0	0 718	272	0	0	272
	GT1P1{1}	2677052	0	02677052	195	0	0	195
	GT2P2{1}	795465	0	0 795465	152	0	0	152
	GT3P3{1}	2122760	0	02122760	135	0	0	135
	Gravity{2}	1407	0	0 1407	461	0	0	461
	Thermal 3{2}	-146928	0	0 146928	25	0	0	25
	Pressure 1{2}	2505919	0	02505919	871	0	0	871
	GT3{2}	-145522	0	0 145522	486	0	0	486
	Hydrotest-NL{2}	2360397	0	02360397	1357	0	0	1357
+955 -	Gravity{1}	705	0	0 705	220	0	0	220
	Thermal 1{1}	2638062	0	02638062	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01571310	56	0	0	56
	Thermal 3{1}	-145417	0	0 145417	22	0	0	22
	Wind 1{1}	-62	0	0 62	-1	0	0	1
	Wind 2{1}	62	0	0 62	1	0	0	1
	Wind 3{1}	-13	0	0 13	-57	0	0	57
	Wind 4{1}	13	0	0 13	52	0	0	52
	Pressure 1{1}	38286	0	0 38286	101	0	0	101
	Pressure 2{1}	2366070	0	02366070	-124	0	0	124
	Pressure 3{1}	2267472	0	02267472	-107	0	0	107
	GT1{1}	2638766	0	02638766	94	0	0	94
	GT2{1}	-.2E+07	0	01570605	276	0	0	276
	GT3{1}	-144712	0	0 144712	242	0	0	242
	GW1{1}	643	0	0 643	219	0	0	219
	GW2{1}	767	0	0 767	221	0	0	221
	GW3{1}	692	0	0 692	163	0	0	163
	GW4{1}	718	0	0 718	272	0	0	272
	GT1P1{1}	2677052	0	02677052	195	0	0	195
	GT2P2{1}	795465	0	0 795465	152	0	0	152
	GT3P3{1}	2122760	0	02122760	135	0	0	135
	Gravity{2}	1407	0	0 1407	461	0	0	461
	Thermal 3{2}	-146928	0	0 146928	25	0	0	25
	Pressure 1{2}	2505919	0	02505919	871	0	0	871
	GT3{2}	-145522	0	0 145522	486	0	0	486
	Hydrotest-NL{2}	2360397	0	02360397	1357	0	0	1357
+955 +	Gravity{1}	715	0	0 715	220	0	0	220
	Thermal 1{1}	2623470	0	02623470	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01568931	56	0	0	56
	Thermal 3{1}	-145257	0	0 145257	22	0	0	22
	Wind 1{1}	-62	0	0 62	-1	0	0	1
	Wind 2{1}	63	0	0 63	1	0	0	1
	Wind 3{1}	-13	0	0 13	-57	0	0	57
	Wind 4{1}	13	0	0 13	52	0	0	52
	Pressure 1{1}	38285	0	0 38285	101	0	0	101
	Pressure 2{1}	2362697	0	02362697	-124	0	0	124
	Pressure 3{1}	2262654	0	02262654	-107	0	0	107
	GT1{1}	2624185	0	02624185	94	0	0	94
	GT2{1}	-.2E+07	0	01568216	276	0	0	276
	GT3{1}	-144542	0	0 144542	242	0	0	242
	GW1{1}	653	0	0 653	219	0	0	219
	GW2{1}	778	0	0 778	221	0	0	221
	GW3{1}	702	0	0 702	163	0	0	163
	GW4{1}	728	0	0 728	272	0	0	272
	GT1P1{1}	2662470	0	02662470	195	0	0	195
	GT2P2{1}	794482	0	0 794482	152	0	0	152
	GT3P3{1}	2118111	0	02118111	135	0	0	135
	Gravity{2}	1427	0	0 1427	461	0	0	461
	Thermal 3{2}	-146791	0	0 146791	25	0	0	25
	Pressure 1{2}	2495080	0	02495080	871	0	0	871
	GT3{2}	-145363	0	0 145363	486	0	0	486
	Hydrotest-NL{2}	2349717	0	02349717	1357	0	0	1357
+956 -	Gravity{1}	715	0	0 715	220	0	0	220
	Thermal 1{1}	2623470	0	02623470	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01568931	56	0	0	56
	Thermal 3{1}	-145257	0	0 145257	22	0	0	22
	Wind 1{1}	-62	0	0 62	-1	0	0	1
	Wind 2{1}	63	0	0 63	1	0	0	1
	Wind 3{1}	-13	0	0 13	-57	0	0	57
	Wind 4{1}	13	0	0 13	52	0	0	52
	Pressure 1{1}	38285	0	0 38285	101	0	0	101
	Pressure 2{1}	2362697	0	02362697	-124	0	0	124
	Pressure 3{1}	2262654	0	02262654	-107	0	0	107
	GT1{1}	2624185	0	02624185	94	0	0	94

	GT2{1}	-.2E+07	0	01568216	276	0	0	276
	GT3{1}	-144542	0	0 144542	242	0	0	242
	GW1{1}	653	0	0 653	219	0	0	219
	GW2{1}	778	0	0 778	221	0	0	221
	GW3{1}	702	0	0 702	163	0	0	163
	GW4{1}	728	0	0 728	272	0	0	272
	GT1P1{1}	2662470	0	02662470	195	0	0	195
	GT2P2{1}	794482	0	0 794482	152	0	0	152
	GT3P3{1}	2118111	0	02118111	135	0	0	135
	Gravity{2}	1427	0	0 1427	461	0	0	461
	Thermal 3{2}	-146791	0	0 146791	25	0	0	25
	Pressure 1{2}	2495080	0	02495080	871	0	0	871
	GT3{2}	-145363	0	0 145363	486	0	0	486
	Hydrotest-NL{2}	2349717	0	02349717	1357	0	0	1357
+956 +	Gravity{1}	726	0	0 726	220	0	0	220
	Thermal 1{1}	2608878	0	02608878	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01566517	56	0	0	56
	Thermal 3{1}	-145095	0	0 145095	22	0	0	22
	Wind 1{1}	-63	0	0 63	-1	0	0	1
	Wind 2{1}	64	0	0 64	1	0	0	1
	Wind 3{1}	-13	0	0 13	-57	0	0	57
	Wind 4{1}	13	0	0 13	52	0	0	52
	Pressure 1{1}	38285	0	0 38285	101	0	0	101
	Pressure 2{1}	2359275	0	02359275	-124	0	0	124
	Pressure 3{1}	2257765	0	02257765	-107	0	0	107
	GT1{1}	2609604	0	02609604	94	0	0	94
	GT2{1}	-.2E+07	0	01565791	276	0	0	276
	GT3{1}	-144370	0	0 144370	242	0	0	242
	GW1{1}	662	0	0 662	219	0	0	219
	GW2{1}	789	0	0 789	221	0	0	221
	GW3{1}	713	0	0 713	163	0	0	163
	GW4{1}	739	0	0 739	272	0	0	272
	GT1P1{1}	2647888	0	02647888	195	0	0	195
	GT2P2{1}	793484	0	0 793484	152	0	0	152
	GT3P3{1}	2113395	0	02113395	135	0	0	135
	Gravity{2}	1448	0	0 1448	461	0	0	461
	Thermal 3{2}	-146651	0	0 146651	25	0	0	25
	Pressure 1{2}	2484083	0	02484083	871	0	0	871
	GT3{2}	-145203	0	0 145203	486	0	0	486
	Hydrotest-NL{2}	2338881	0	02338881	1357	0	0	1357
+957 -	Gravity{1}	726	0	0 726	220	0	0	220
	Thermal 1{1}	2608878	0	02608878	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01566517	56	0	0	56
	Thermal 3{1}	-145095	0	0 145095	22	0	0	22
	Wind 1{1}	-63	0	0 63	-1	0	0	1
	Wind 2{1}	64	0	0 64	1	0	0	1
	Wind 3{1}	-13	0	0 13	-57	0	0	57
	Wind 4{1}	13	0	0 13	52	0	0	52
	Pressure 1{1}	38285	0	0 38285	101	0	0	101
	Pressure 2{1}	2359275	0	02359275	-124	0	0	124
	Pressure 3{1}	2257765	0	02257765	-107	0	0	107
	GT1{1}	2609604	0	02609604	94	0	0	94
	GT2{1}	-.2E+07	0	01565791	276	0	0	276
	GT3{1}	-144370	0	0 144370	242	0	0	242
	GW1{1}	662	0	0 662	219	0	0	219
	GW2{1}	789	0	0 789	221	0	0	221
	GW3{1}	713	0	0 713	163	0	0	163
	GW4{1}	739	0	0 739	272	0	0	272
	GT1P1{1}	2647888	0	02647888	195	0	0	195
	GT2P2{1}	793484	0	0 793484	152	0	0	152
	GT3P3{1}	2113395	0	02113395	135	0	0	135
	Gravity{2}	1448	0	0 1448	461	0	0	461
	Thermal 3{2}	-146651	0	0 146651	25	0	0	25
	Pressure 1{2}	2484083	0	02484083	871	0	0	871
	GT3{2}	-145203	0	0 145203	486	0	0	486
	Hydrotest-NL{2}	2338881	0	02338881	1357	0	0	1357
+957 +	Gravity{1}	736	0	0 736	220	0	0	220
	Thermal 1{1}	2594286	0	02594286	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01564068	56	0	0	56
	Thermal 3{1}	-144931	0	0 144931	22	0	0	22
	Wind 1{1}	-64	0	0 64	-1	0	0	1
	Wind 2{1}	65	0	0 65	1	0	0	1
	Wind 3{1}	-13	0	0 13	-57	0	0	57
	Wind 4{1}	13	0	0 13	52	0	0	52
	Pressure 1{1}	38284	0	0 38284	101	0	0	101
	Pressure 2{1}	2355803	0	02355803	-124	0	0	124
	Pressure 3{1}	2252805	0	02252805	-107	0	0	107
	GT1{1}	2595023	0	02595023	94	0	0	94
	GT2{1}	-.2E+07	0	01563332	276	0	0	276
	GT3{1}	-144194	0	0 144194	242	0	0	242
	GW1{1}	672	0	0 672	219	0	0	219
	GW2{1}	801	0	0 801	221	0	0	221
	GW3{1}	723	0	0 723	163	0	0	163
	GW4{1}	750	0	0 750	272	0	0	272
	GT1P1{1}	2633307	0	02633307	195	0	0	195
	GT2P2{1}	792472	0	0 792472	152	0	0	152
	GT3P3{1}	2108610	0	02108610	135	0	0	135
	Gravity{2}	1469	0	0 1469	461	0	0	461
	Thermal 3{2}	-146509	0	0 146509	25	0	0	25
	Pressure 1{2}	2472926	0	02472926	871	0	0	871
	GT3{2}	-145040	0	0 145040	486	0	0	486
	Hydrotest-NL{2}	2327886	0	02327886	1357	0	0	1357
+958 -	Gravity{1}	736	0	0 736	220	0	0	220
	Thermal 1{1}	2594286	0	02594286	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01564068	56	0	0	56
	Thermal 3{1}	-144931	0	0 144931	22	0	0	22
	Wind 1{1}	-64	0	0 64	-1	0	0	1
	Wind 2{1}	65	0	0 65	1	0	0	1
	Wind 3{1}	-13	0	0 13	-57	0	0	57
	Wind 4{1}	13	0	0 13	52	0	0	52
	Pressure 1{1}	38284	0	0 38284	101	0	0	101
	Pressure 2{1}	2355803	0	02355803	-124	0	0	124
	Pressure 3{1}	2252805	0	02252805	-107	0	0	107
	GT1{1}	2595023	0	02595023	94	0	0	94

	GT2{1}	-.2E+07	0	01563332	276	0	0	276
	GT3{1}	-144194	0	0 144194	242	0	0	242
	GW1{1}	672	0	0 672	219	0	0	219
	GW2{1}	801	0	0 801	221	0	0	221
	GW3{1}	723	0	0 723	163	0	0	163
	GW4{1}	750	0	0 750	272	0	0	272
	GT1P1{1}	2633307	0	02633307	195	0	0	195
	GT2P2{1}	792472	0	0 792472	152	0	0	152
	GT3P3{1}	2108610	0	02108610	135	0	0	135
	Gravity{2}	1469	0	0 1469	461	0	0	461
	Thermal 3{2}	-146509	0	0 146509	25	0	0	25
	Pressure 1{2}	2472926	0	02472926	871	0	0	871
	GT3{2}	-145040	0	0 145040	486	0	0	486
	Hydrotest-NL{2}	2327886	0	02327886	1357	0	0	1357
+958 +	Gravity{1}	747	0	0 747	220	0	0	220
	Thermal 1{1}	2579694	0	02579694	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01561583	56	0	0	56
	Thermal 3{1}	-144764	0	0 144764	22	0	0	22
	Wind 1{1}	-65	0	0 65	-1	0	0	1
	Wind 2{1}	66	0	0 66	1	0	0	1
	Wind 3{1}	-14	0	0 14	-57	0	0	57
	Wind 4{1}	13	0	0 13	52	0	0	52
	Pressure 1{1}	38283	0	0 38283	101	0	0	101
	Pressure 2{1}	2352280	0	02352280	-124	0	0	124
	Pressure 3{1}	2247771	0	02247771	-107	0	0	107
	GT1{1}	2580441	0	02580441	94	0	0	94
	GT2{1}	-.2E+07	0	01560836	276	0	0	276
	GT3{1}	-144017	0	0 144017	242	0	0	242
	GW1{1}	682	0	0 682	219	0	0	219
	GW2{1}	813	0	0 813	221	0	0	221
	GW3{1}	734	0	0 734	163	0	0	163
	GW4{1}	761	0	0 761	272	0	0	272
	GT1P1{1}	2618724	0	02618724	195	0	0	195
	GT2P2{1}	791444	0	0 791444	152	0	0	152
	GT3P3{1}	2103755	0	02103755	135	0	0	135
	Gravity{2}	1491	0	0 1491	461	0	0	461
	Thermal 3{2}	-146365	0	0 146365	25	0	0	25
	Pressure 1{2}	2461603	0	02461603	871	0	0	871
	GT3{2}	-144874	0	0 144874	486	0	0	486
	Hydrotest-NL{2}	2316729	0	02316729	1357	0	0	1357
+959 -	Gravity{1}	747	0	0 747	220	0	0	220
	Thermal 1{1}	2579694	0	02579694	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01561583	56	0	0	56
	Thermal 3{1}	-144764	0	0 144764	22	0	0	22
	Wind 1{1}	-65	0	0 65	-1	0	0	1
	Wind 2{1}	66	0	0 66	1	0	0	1
	Wind 3{1}	-14	0	0 14	-57	0	0	57
	Wind 4{1}	13	0	0 13	52	0	0	52
	Pressure 1{1}	38283	0	0 38283	101	0	0	101
	Pressure 2{1}	2352280	0	02352280	-124	0	0	124
	Pressure 3{1}	2247771	0	02247771	-107	0	0	107
	GT1{1}	2580441	0	02580441	94	0	0	94
	GT2{1}	-.2E+07	0	01560836	276	0	0	276
	GT3{1}	-144017	0	0 144017	242	0	0	242
	GW1{1}	682	0	0 682	219	0	0	219
	GW2{1}	813	0	0 813	221	0	0	221
	GW3{1}	734	0	0 734	163	0	0	163
	GW4{1}	761	0	0 761	272	0	0	272
	GT1P1{1}	2618724	0	02618724	195	0	0	195
	GT2P2{1}	791444	0	0 791444	152	0	0	152
	GT3P3{1}	2103755	0	02103755	135	0	0	135
	Gravity{2}	1491	0	0 1491	461	0	0	461
	Thermal 3{2}	-146365	0	0 146365	25	0	0	25
	Pressure 1{2}	2461603	0	02461603	871	0	0	871
	GT3{2}	-144874	0	0 144874	486	0	0	486
	Hydrotest-NL{2}	2316729	0	02316729	1357	0	0	1357
+959 +	Gravity{1}	758	0	0 758	220	0	0	220
	Thermal 1{1}	2565101	0	02565101	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01559061	56	0	0	56
	Thermal 3{1}	-144594	0	0 144594	22	0	0	22
	Wind 1{1}	-66	0	0 66	-1	0	0	1
	Wind 2{1}	67	0	0 67	1	0	0	1
	Wind 3{1}	-14	0	0 14	-57	0	0	57
	Wind 4{1}	14	0	0 14	52	0	0	52
	Pressure 1{1}	38282	0	0 38282	101	0	0	101
	Pressure 2{1}	2348705	0	02348705	-124	0	0	124
	Pressure 3{1}	2242664	0	02242664	-107	0	0	107
	GT1{1}	2565859	0	02565859	94	0	0	94
	GT2{1}	-.2E+07	0	01558303	276	0	0	276
	GT3{1}	-143836	0	0 143836	242	0	0	242
	GW1{1}	692	0	0 692	219	0	0	219
	GW2{1}	825	0	0 825	221	0	0	221
	GW3{1}	744	0	0 744	163	0	0	163
	GW4{1}	772	0	0 772	272	0	0	272
	GT1P1{1}	2604141	0	02604141	195	0	0	195
	GT2P2{1}	790402	0	0 790402	152	0	0	152
	GT3P3{1}	2098828	0	02098828	135	0	0	135
	Gravity{2}	1513	0	0 1513	461	0	0	461
	Thermal 3{2}	-146219	0	0 146219	25	0	0	25
	Pressure 1{2}	2450115	0	02450115	871	0	0	871
	GT3{2}	-144706	0	0 144706	486	0	0	486
	Hydrotest-NL{2}	2305409	0	02305409	1357	0	0	1357
+960 -	Gravity{1}	758	0	0 758	220	0	0	220
	Thermal 1{1}	2565101	0	02565101	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01559061	56	0	0	56
	Thermal 3{1}	-144594	0	0 144594	22	0	0	22
	Wind 1{1}	-66	0	0 66	-1	0	0	1
	Wind 2{1}	67	0	0 67	1	0	0	1
	Wind 3{1}	-14	0	0 14	-57	0	0	57
	Wind 4{1}	14	0	0 14	52	0	0	52
	Pressure 1{1}	38282	0	0 38282	101	0	0	101
	Pressure 2{1}	2348705	0	02348705	-124	0	0	124
	Pressure 3{1}	2242664	0	02242664	-107	0	0	107
	GT1{1}	2565859	0	02565859	94	0	0	94

	GT2{1}	-.2E+07	0	01558303	276	0	0	276
	GT3{1}	-143836	0	0 143836	242	0	0	242
	GW1{1}	692	0	0 692	219	0	0	219
	GW2{1}	825	0	0 825	221	0	0	221
	GW3{1}	744	0	0 744	163	0	0	163
	GW4{1}	772	0	0 772	272	0	0	272
	GT1P1{1}	2604141	0	02604141	195	0	0	195
	GT2P2{1}	790402	0	0 790402	152	0	0	152
	GT3P3{1}	2098828	0	02098828	135	0	0	135
	Gravity{2}	1513	0	0 1513	461	0	0	461
	Thermal 3{2}	-146219	0	0 146219	25	0	0	25
	Pressure 1{2}	2450115	0	02450115	871	0	0	871
	GT3{2}	-144706	0	0 144706	486	0	0	486
	Hydrotest-NL{2}	2305409	0	02305409	1357	0	0	1357
+960 +	Gravity{1}	769	0	0 769	220	0	0	220
	Thermal 1{1}	2550509	0	02550509	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01556503	56	0	0	56
	Thermal 3{1}	-144422	0	0 144422	22	0	0	22
	Wind 1{1}	-67	0	0 67	-1	0	0	1
	Wind 2{1}	68	0	0 68	1	0	0	1
	Wind 3{1}	-14	0	0 14	-57	0	0	57
	Wind 4{1}	14	0	0 14	52	0	0	52
	Pressure 1{1}	38281	0	0 38281	101	0	0	101
	Pressure 2{1}	2345078	0	02345078	-124	0	0	124
	Pressure 3{1}	2237482	0	02237482	-107	0	0	107
	GT1{1}	2551278	0	02551278	94	0	0	94
	GT2{1}	-.2E+07	0	01555734	276	0	0	276
	GT3{1}	-143653	0	0 143653	242	0	0	242
	GW1{1}	702	0	0 702	219	0	0	219
	GW2{1}	837	0	0 837	221	0	0	221
	GW3{1}	755	0	0 755	163	0	0	163
	GW4{1}	783	0	0 783	272	0	0	272
	GT1P1{1}	2589560	0	02589560	195	0	0	195
	GT2P2{1}	789344	0	0 789344	152	0	0	152
	GT3P3{1}	2093829	0	02093829	135	0	0	135
	Gravity{2}	1535	0	0 1535	461	0	0	461
	Thermal 3{2}	-146071	0	0 146071	25	0	0	25
	Pressure 1{2}	2438459	0	02438459	871	0	0	871
	GT3{2}	-144536	0	0 144536	486	0	0	486
	Hydrotest-NL{2}	2293923	0	02293923	1357	0	0	1357
+961 -	Gravity{1}	769	0	0 769	220	0	0	220
	Thermal 1{1}	2550509	0	02550509	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01556503	56	0	0	56
	Thermal 3{1}	-144422	0	0 144422	22	0	0	22
	Wind 1{1}	-67	0	0 67	-1	0	0	1
	Wind 2{1}	68	0	0 68	1	0	0	1
	Wind 3{1}	-14	0	0 14	-57	0	0	57
	Wind 4{1}	14	0	0 14	52	0	0	52
	Pressure 1{1}	38281	0	0 38281	101	0	0	101
	Pressure 2{1}	2345078	0	02345078	-124	0	0	124
	Pressure 3{1}	2237482	0	02237482	-107	0	0	107
	GT1{1}	2551278	0	02551278	94	0	0	94
	GT2{1}	-.2E+07	0	01555734	276	0	0	276
	GT3{1}	-143653	0	0 143653	242	0	0	242
	GW1{1}	702	0	0 702	219	0	0	219
	GW2{1}	837	0	0 837	221	0	0	221
	GW3{1}	755	0	0 755	163	0	0	163
	GW4{1}	783	0	0 783	272	0	0	272
	GT1P1{1}	2589560	0	02589560	195	0	0	195
	GT2P2{1}	789344	0	0 789344	152	0	0	152
	GT3P3{1}	2093829	0	02093829	135	0	0	135
	Gravity{2}	1535	0	0 1535	461	0	0	461
	Thermal 3{2}	-146071	0	0 146071	25	0	0	25
	Pressure 1{2}	2438459	0	02438459	871	0	0	871
	GT3{2}	-144536	0	0 144536	486	0	0	486
	Hydrotest-NL{2}	2293923	0	02293923	1357	0	0	1357
+961 +	Gravity{1}	780	0	0 780	220	0	0	220
	Thermal 1{1}	2535917	0	02535917	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01553907	56	0	0	56
	Thermal 3{1}	-144248	0	0 144248	22	0	0	22
	Wind 1{1}	-68	0	0 68	-1	0	0	1
	Wind 2{1}	69	0	0 69	1	0	0	1
	Wind 3{1}	-14	0	0 14	-57	0	0	57
	Wind 4{1}	14	0	0 14	52	0	0	52
	Pressure 1{1}	38281	0	0 38281	101	0	0	101
	Pressure 2{1}	2341398	0	02341398	-124	0	0	124
	Pressure 3{1}	2232224	0	02232224	-107	0	0	107
	GT1{1}	2536697	0	02536697	94	0	0	94
	GT2{1}	-.2E+07	0	01553126	276	0	0	276
	GT3{1}	-143467	0	0 143467	242	0	0	242
	GW1{1}	712	0	0 712	219	0	0	219
	GW2{1}	849	0	0 849	221	0	0	221
	GW3{1}	766	0	0 766	163	0	0	163
	GW4{1}	795	0	0 795	272	0	0	272
	GT1P1{1}	2574978	0	02574978	195	0	0	195
	GT2P2{1}	788271	0	0 788271	152	0	0	152
	GT3P3{1}	2088757	0	02088757	135	0	0	135
	Gravity{2}	1557	0	0 1557	461	0	0	461
	Thermal 3{2}	-145921	0	0 145921	25	0	0	25
	Pressure 1{2}	2426632	0	02426632	871	0	0	871
	GT3{2}	-144363	0	0 144363	486	0	0	486
	Hydrotest-NL{2}	2282269	0	02282269	1357	0	0	1357
+962 -	Gravity{1}	780	0	0 780	220	0	0	220
	Thermal 1{1}	2535917	0	02535917	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01553907	56	0	0	56
	Thermal 3{1}	-144248	0	0 144248	22	0	0	22
	Wind 1{1}	-68	0	0 68	-1	0	0	1
	Wind 2{1}	69	0	0 69	1	0	0	1
	Wind 3{1}	-14	0	0 14	-57	0	0	57
	Wind 4{1}	14	0	0 14	52	0	0	52
	Pressure 1{1}	38281	0	0 38281	101	0	0	101
	Pressure 2{1}	2341398	0	02341398	-124	0	0	124
	Pressure 3{1}	2232224	0	02232224	-107	0	0	107
	GT1{1}	2536697	0	02536697	94	0	0	94

	GT2{1}	-.2E+07	0	01553126	276	0	0	276
	GT3{1}	-143467	0	0 143467	242	0	0	242
	GW1{1}	712	0	0 712	219	0	0	219
	GW2{1}	849	0	0 849	221	0	0	221
	GW3{1}	766	0	0 766	163	0	0	163
	GW4{1}	795	0	0 795	272	0	0	272
	GT1P1{1}	2574978	0	02574978	195	0	0	195
	GT2P2{1}	788271	0	0 788271	152	0	0	152
	GT3P3{1}	2088757	0	02088757	135	0	0	135
	Gravity{2}	1557	0	0 1557	461	0	0	461
	Thermal 3{2}	-145921	0	0 145921	25	0	0	25
	Pressure 1{2}	2426632	0	02426632	871	0	0	871
	GT3{2}	-144363	0	0 144363	486	0	0	486
	Hydrotest-NL{2}	2282269	0	02282269	1357	0	0	1357
+962 +	Gravity{1}	792	0	0 792	220	0	0	220
	Thermal 1{1}	2521323	0	02521323	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01551273	56	0	0	56
	Thermal 3{1}	-144071	0	0 144071	22	0	0	22
	Wind 1{1}	-69	0	0 69	-1	0	0	1
	Wind 2{1}	70	0	0 70	1	0	0	1
	Wind 3{1}	-14	0	0 14	-57	0	0	57
	Wind 4{1}	14	0	0 14	52	0	0	52
	Pressure 1{1}	38280	0	0 38280	101	0	0	101
	Pressure 2{1}	2337663	0	02337663	-124	0	0	124
	Pressure 3{1}	2226889	0	02226889	-107	0	0	107
	GT1{1}	2522115	0	02522115	94	0	0	94
	GT2{1}	-.2E+07	0	01550481	276	0	0	276
	GT3{1}	-143279	0	0 143279	242	0	0	242
	GW1{1}	723	0	0 723	219	0	0	219
	GW2{1}	861	0	0 861	221	0	0	221
	GW3{1}	778	0	0 778	163	0	0	163
	GW4{1}	806	0	0 806	272	0	0	272
	GT1P1{1}	2560395	0	02560395	195	0	0	195
	GT2P2{1}	787183	0	0 787183	152	0	0	152
	GT3P3{1}	2083610	0	02083610	135	0	0	135
	Gravity{2}	1580	0	0 1580	461	0	0	461
	Thermal 3{2}	-145768	0	0 145768	25	0	0	25
	Pressure 1{2}	2414631	0	02414631	871	0	0	871
	GT3{2}	-144188	0	0 144188	486	0	0	486
	Hydrotest-NL{2}	2270443	0	02270443	1357	0	0	1357
+963 -	Gravity{1}	792	0	0 792	220	0	0	220
	Thermal 1{1}	2521323	0	02521323	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01551273	56	0	0	56
	Thermal 3{1}	-144071	0	0 144071	22	0	0	22
	Wind 1{1}	-69	0	0 69	-1	0	0	1
	Wind 2{1}	70	0	0 70	1	0	0	1
	Wind 3{1}	-14	0	0 14	-57	0	0	57
	Wind 4{1}	14	0	0 14	52	0	0	52
	Pressure 1{1}	38280	0	0 38280	101	0	0	101
	Pressure 2{1}	2337663	0	02337663	-124	0	0	124
	Pressure 3{1}	2226889	0	02226889	-107	0	0	107
	GT1{1}	2522115	0	02522115	94	0	0	94
	GT2{1}	-.2E+07	0	01550481	276	0	0	276
	GT3{1}	-143279	0	0 143279	242	0	0	242
	GW1{1}	723	0	0 723	219	0	0	219
	GW2{1}	861	0	0 861	221	0	0	221
	GW3{1}	778	0	0 778	163	0	0	163
	GW4{1}	806	0	0 806	272	0	0	272
	GT1P1{1}	2560395	0	02560395	195	0	0	195
	GT2P2{1}	787183	0	0 787183	152	0	0	152
	GT3P3{1}	2083610	0	02083610	135	0	0	135
	Gravity{2}	1580	0	0 1580	461	0	0	461
	Thermal 3{2}	-145768	0	0 145768	25	0	0	25
	Pressure 1{2}	2414631	0	02414631	871	0	0	871
	GT3{2}	-144188	0	0 144188	486	0	0	486
	Hydrotest-NL{2}	2270443	0	02270443	1357	0	0	1357
+963 +	Gravity{1}	804	0	0 804	220	0	0	220
	Thermal 1{1}	2506730	0	02506730	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01548600	56	0	0	56
	Thermal 3{1}	-143891	0	0 143891	22	0	0	22
	Wind 1{1}	-70	0	0 70	-1	0	0	1
	Wind 2{1}	71	0	0 71	1	0	0	1
	Wind 3{1}	-15	0	0 15	-57	0	0	57
	Wind 4{1}	14	0	0 14	52	0	0	52
	Pressure 1{1}	38279	0	0 38279	101	0	0	101
	Pressure 2{1}	2333874	0	02333874	-124	0	0	124
	Pressure 3{1}	2221476	0	02221476	-107	0	0	107
	GT1{1}	2507533	0	02507533	94	0	0	94
	GT2{1}	-.2E+07	0	01547796	276	0	0	276
	GT3{1}	-143088	0	0 143088	242	0	0	242
	GW1{1}	733	0	0 733	219	0	0	219
	GW2{1}	874	0	0 874	221	0	0	221
	GW3{1}	789	0	0 789	163	0	0	163
	GW4{1}	818	0	0 818	272	0	0	272
	GT1P1{1}	2545812	0	02545812	195	0	0	195
	GT2P2{1}	786078	0	0 786078	152	0	0	152
	GT3P3{1}	2078388	0	02078388	135	0	0	135
	Gravity{2}	1603	0	0 1603	461	0	0	461
	Thermal 3{2}	-145614	0	0 145614	25	0	0	25
	Pressure 1{2}	2402454	0	02402454	871	0	0	871
	GT3{2}	-144010	0	0 144010	486	0	0	486
	Hydrotest-NL{2}	2258444	0	02258444	1357	0	0	1357
+964 -	Gravity{1}	804	0	0 804	220	0	0	220
	Thermal 1{1}	2506730	0	02506730	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01548600	56	0	0	56
	Thermal 3{1}	-143891	0	0 143891	22	0	0	22
	Wind 1{1}	-70	0	0 70	-1	0	0	1
	Wind 2{1}	71	0	0 71	1	0	0	1
	Wind 3{1}	-15	0	0 15	-57	0	0	57
	Wind 4{1}	14	0	0 14	52	0	0	52
	Pressure 1{1}	38279	0	0 38279	101	0	0	101
	Pressure 2{1}	2333874	0	02333874	-124	0	0	124
	Pressure 3{1}	2221476	0	02221476	-107	0	0	107
	GT1{1}	2507533	0	02507533	94	0	0	94

	GT2{1}	-.2E+07	0	01547796	276	0	0	276
	GT3{1}	-143088	0	0 143088	242	0	0	242
	GW1{1}	733	0	0 733	219	0	0	219
	GW2{1}	874	0	0 874	221	0	0	221
	GW3{1}	789	0	0 789	163	0	0	163
	GW4{1}	818	0	0 818	272	0	0	272
	GT1P1{1}	2545812	0	02545812	195	0	0	195
	GT2P2{1}	786078	0	0 786078	152	0	0	152
	GT3P3{1}	2078388	0	02078388	135	0	0	135
	Gravity{2}	1603	0	0 1603	461	0	0	461
	Thermal 3{2}	-145614	0	0 145614	25	0	0	25
	Pressure 1{2}	2402454	0	02402454	871	0	0	871
	GT3{2}	-144010	0	0 144010	486	0	0	486
	Hydrotest-NL{2}	2258444	0	02258444	1357	0	0	1357
+964 +	Gravity{1}	815	0	0 815	220	0	0	220
	Thermal 1{1}	2492137	0	02492137	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01545888	56	0	0	56
	Thermal 3{1}	-143709	0	0 143709	22	0	0	22
	Wind 1{1}	-71	0	0 71	-1	0	0	1
	Wind 2{1}	72	0	0 72	1	0	0	1
	Wind 3{1}	-15	0	0 15	-57	0	0	57
	Wind 4{1}	15	0	0 15	52	0	0	52
	Pressure 1{1}	38278	0	0 38278	101	0	0	101
	Pressure 2{1}	2330029	0	02330029	-124	0	0	124
	Pressure 3{1}	2215983	0	02215983	-107	0	0	107
	GT1{1}	2492953	0	02492953	94	0	0	94
	GT2{1}	-.2E+07	0	01545073	276	0	0	276
	GT3{1}	-142894	0	0 142894	242	0	0	242
	GW1{1}	744	0	0 744	219	0	0	219
	GW2{1}	887	0	0 887	221	0	0	221
	GW3{1}	801	0	0 801	163	0	0	163
	GW4{1}	830	0	0 830	272	0	0	272
	GT1P1{1}	2531231	0	02531231	195	0	0	195
	GT2P2{1}	784957	0	0 784957	152	0	0	152
	GT3P3{1}	2073089	0	02073089	135	0	0	135
	Gravity{2}	1627	0	0 1627	461	0	0	461
	Thermal 3{2}	-145457	0	0 145457	25	0	0	25
	Pressure 1{2}	2390099	0	02390099	871	0	0	871
	GT3{2}	-143830	0	0 143830	486	0	0	486
	Hydrotest-NL{2}	2246270	0	02246270	1357	0	0	1357
+965 -	Gravity{1}	815	0	0 815	220	0	0	220
	Thermal 1{1}	2492137	0	02492137	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01545888	56	0	0	56
	Thermal 3{1}	-143709	0	0 143709	22	0	0	22
	Wind 1{1}	-71	0	0 71	-1	0	0	1
	Wind 2{1}	72	0	0 72	1	0	0	1
	Wind 3{1}	-15	0	0 15	-57	0	0	57
	Wind 4{1}	15	0	0 15	52	0	0	52
	Pressure 1{1}	38278	0	0 38278	101	0	0	101
	Pressure 2{1}	2330029	0	02330029	-124	0	0	124
	Pressure 3{1}	2215983	0	02215983	-107	0	0	107
	GT1{1}	2492953	0	02492953	94	0	0	94
	GT2{1}	-.2E+07	0	01545073	276	0	0	276
	GT3{1}	-142894	0	0 142894	242	0	0	242
	GW1{1}	744	0	0 744	219	0	0	219
	GW2{1}	887	0	0 887	221	0	0	221
	GW3{1}	801	0	0 801	163	0	0	163
	GW4{1}	830	0	0 830	272	0	0	272
	GT1P1{1}	2531231	0	02531231	195	0	0	195
	GT2P2{1}	784957	0	0 784957	152	0	0	152
	GT3P3{1}	2073089	0	02073089	135	0	0	135
	Gravity{2}	1627	0	0 1627	461	0	0	461
	Thermal 3{2}	-145457	0	0 145457	25	0	0	25
	Pressure 1{2}	2390099	0	02390099	871	0	0	871
	GT3{2}	-143830	0	0 143830	486	0	0	486
	Hydrotest-NL{2}	2246270	0	02246270	1357	0	0	1357
+965 +	Gravity{1}	827	0	0 827	220	0	0	220
	Thermal 1{1}	2477544	0	02477544	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01543136	56	0	0	56
	Thermal 3{1}	-143524	0	0 143524	22	0	0	22
	Wind 1{1}	-72	0	0 72	-1	0	0	1
	Wind 2{1}	73	0	0 73	1	0	0	1
	Wind 3{1}	-15	0	0 15	-57	0	0	57
	Wind 4{1}	15	0	0 15	52	0	0	52
	Pressure 1{1}	38277	0	0 38277	101	0	0	101
	Pressure 2{1}	2326129	0	02326129	-124	0	0	124
	Pressure 3{1}	2210410	0	02210410	-107	0	0	107
	GT1{1}	2478372	0	02478372	94	0	0	94
	GT2{1}	-.2E+07	0	01542309	276	0	0	276
	GT3{1}	-142697	0	0 142697	242	0	0	242
	GW1{1}	755	0	0 755	219	0	0	219
	GW2{1}	900	0	0 900	221	0	0	221
	GW3{1}	812	0	0 812	163	0	0	163
	GW4{1}	842	0	0 842	272	0	0	272
	GT1P1{1}	2516649	0	02516649	195	0	0	195
	GT2P2{1}	783819	0	0 783819	152	0	0	152
	GT3P3{1}	2067713	0	02067713	135	0	0	135
	Gravity{2}	1651	0	0 1651	461	0	0	461
	Thermal 3{2}	-145297	0	0 145297	25	0	0	25
	Pressure 1{2}	2377563	0	02377563	871	0	0	871
	GT3{2}	-143647	0	0 143647	486	0	0	486
	Hydrotest-NL{2}	2233917	0	02233917	1357	0	0	1357
+966 -	Gravity{1}	827	0	0 827	220	0	0	220
	Thermal 1{1}	2477544	0	02477544	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01543136	56	0	0	56
	Thermal 3{1}	-143524	0	0 143524	22	0	0	22
	Wind 1{1}	-72	0	0 72	-1	0	0	1
	Wind 2{1}	73	0	0 73	1	0	0	1
	Wind 3{1}	-15	0	0 15	-57	0	0	57
	Wind 4{1}	15	0	0 15	52	0	0	52
	Pressure 1{1}	38277	0	0 38277	101	0	0	101
	Pressure 2{1}	2326129	0	02326129	-124	0	0	124
	Pressure 3{1}	2210410	0	02210410	-107	0	0	107
	GT1{1}	2478372	0	02478372	94	0	0	94

	GT2{1}	-.2E+07	0	01542309	276	0	0	276
	GT3{1}	-142697	0	0 142697	242	0	0	242
	GW1{1}	755	0	0 755	219	0	0	219
	GW2{1}	900	0	0 900	221	0	0	221
	GW3{1}	812	0	0 812	163	0	0	163
	GW4{1}	842	0	0 842	272	0	0	272
	GT1P1{1}	2516649	0	02516649	195	0	0	195
	GT2P2{1}	783819	0	0 783819	152	0	0	152
	GT3P3{1}	2067713	0	02067713	135	0	0	135
	Gravity{2}	1651	0	0 1651	461	0	0	461
	Thermal 3{2}	-145297	0	0 145297	25	0	0	25
	Pressure 1{2}	2377563	0	02377563	871	0	0	871
	GT3{2}	-143647	0	0 143647	486	0	0	486
	Hydrotest-NL{2}	2233917	0	02233917	1357	0	0	1357
+966 +	Gravity{1}	839	0	0 839	220	0	0	220
	Thermal 1{1}	2462950	0	02462950	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01540344	56	0	0	56
	Thermal 3{1}	-143336	0	0 143336	22	0	0	22
	Wind 1{1}	-73	0	0 73	-1	0	0	1
	Wind 2{1}	74	0	0 74	1	0	0	1
	Wind 3{1}	-15	0	0 15	-57	0	0	57
	Wind 4{1}	15	0	0 15	52	0	0	52
	Pressure 1{1}	38276	0	0 38276	101	0	0	101
	Pressure 2{1}	2322170	0	02322170	-124	0	0	124
	Pressure 3{1}	2204755	0	02204755	-107	0	0	107
	GT1{1}	2463790	0	02463790	94	0	0	94
	GT2{1}	-.2E+07	0	01539505	276	0	0	276
	GT3{1}	-142497	0	0 142497	242	0	0	242
	GW1{1}	766	0	0 766	219	0	0	219
	GW2{1}	913	0	0 913	221	0	0	221
	GW3{1}	824	0	0 824	163	0	0	163
	GW4{1}	855	0	0 855	272	0	0	272
	GT1P1{1}	2502066	0	02502066	195	0	0	195
	GT2P2{1}	782665	0	0 782665	152	0	0	152
	GT3P3{1}	2062258	0	02062258	135	0	0	135
	Gravity{2}	1675	0	0 1675	461	0	0	461
	Thermal 3{2}	-145136	0	0 145136	25	0	0	25
	Pressure 1{2}	2364843	0	02364843	871	0	0	871
	GT3{2}	-143461	0	0 143461	486	0	0	486
	Hydrotest-NL{2}	2221382	0	02221382	1357	0	0	1357
+967 -	Gravity{1}	839	0	0 839	220	0	0	220
	Thermal 1{1}	2462950	0	02462950	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01540344	56	0	0	56
	Thermal 3{1}	-143336	0	0 143336	22	0	0	22
	Wind 1{1}	-73	0	0 73	-1	0	0	1
	Wind 2{1}	74	0	0 74	1	0	0	1
	Wind 3{1}	-15	0	0 15	-57	0	0	57
	Wind 4{1}	15	0	0 15	52	0	0	52
	Pressure 1{1}	38276	0	0 38276	101	0	0	101
	Pressure 2{1}	2322170	0	02322170	-124	0	0	124
	Pressure 3{1}	2204755	0	02204755	-107	0	0	107
	GT1{1}	2463790	0	02463790	94	0	0	94
	GT2{1}	-.2E+07	0	01539505	276	0	0	276
	GT3{1}	-142497	0	0 142497	242	0	0	242
	GW1{1}	766	0	0 766	219	0	0	219
	GW2{1}	913	0	0 913	221	0	0	221
	GW3{1}	824	0	0 824	163	0	0	163
	GW4{1}	855	0	0 855	272	0	0	272
	GT1P1{1}	2502066	0	02502066	195	0	0	195
	GT2P2{1}	782665	0	0 782665	152	0	0	152
	GT3P3{1}	2062258	0	02062258	135	0	0	135
	Gravity{2}	1675	0	0 1675	461	0	0	461
	Thermal 3{2}	-145136	0	0 145136	25	0	0	25
	Pressure 1{2}	2364843	0	02364843	871	0	0	871
	GT3{2}	-143461	0	0 143461	486	0	0	486
	Hydrotest-NL{2}	2221382	0	02221382	1357	0	0	1357
+967 +	Gravity{1}	852	0	0 852	220	0	0	220
	Thermal 1{1}	2448356	0	02448356	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01537511	56	0	0	56
	Thermal 3{1}	-143146	0	0 143146	22	0	0	22
	Wind 1{1}	-74	0	0 74	-1	0	0	1
	Wind 2{1}	75	0	0 75	1	0	0	1
	Wind 3{1}	-15	0	0 15	-57	0	0	57
	Wind 4{1}	15	0	0 15	52	0	0	52
	Pressure 1{1}	38276	0	0 38276	101	0	0	101
	Pressure 2{1}	2318154	0	02318154	-124	0	0	124
	Pressure 3{1}	2199017	0	02199017	-107	0	0	107
	GT1{1}	2449208	0	02449208	94	0	0	94
	GT2{1}	-.2E+07	0	01536660	276	0	0	276
	GT3{1}	-142294	0	0 142294	242	0	0	242
	GW1{1}	777	0	0 777	219	0	0	219
	GW2{1}	926	0	0 926	221	0	0	221
	GW3{1}	836	0	0 836	163	0	0	163
	GW4{1}	867	0	0 867	272	0	0	272
	GT1P1{1}	2487484	0	02487484	195	0	0	195
	GT2P2{1}	781494	0	0 781494	152	0	0	152
	GT3P3{1}	2056723	0	02056723	135	0	0	135
	Gravity{2}	1699	0	0 1699	461	0	0	461
	Thermal 3{2}	-144972	0	0 144972	25	0	0	25
	Pressure 1{2}	2351936	0	02351936	871	0	0	871
	GT3{2}	-143272	0	0 143272	486	0	0	486
	Hydrotest-NL{2}	2208664	0	02208664	1357	0	0	1357
+968 -	Gravity{1}	852	0	0 852	220	0	0	220
	Thermal 1{1}	2448356	0	02448356	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01537511	56	0	0	56
	Thermal 3{1}	-143146	0	0 143146	22	0	0	22
	Wind 1{1}	-74	0	0 74	-1	0	0	1
	Wind 2{1}	75	0	0 75	1	0	0	1
	Wind 3{1}	-15	0	0 15	-57	0	0	57
	Wind 4{1}	15	0	0 15	52	0	0	52
	Pressure 1{1}	38276	0	0 38276	101	0	0	101
	Pressure 2{1}	2318154	0	02318154	-124	0	0	124
	Pressure 3{1}	2199017	0	02199017	-107	0	0	107
	GT1{1}	2449208	0	02449208	94	0	0	94

	GT2{1}	-.2E+07	0	01536660	276	0	0	276
	GT3{1}	-142294	0	0 142294	242	0	0	242
	GW1{1}	777	0	0 777	219	0	0	219
	GW2{1}	926	0	0 926	221	0	0	221
	GW3{1}	836	0	0 836	163	0	0	163
	GW4{1}	867	0	0 867	272	0	0	272
	GT1P1{1}	2487484	0	02487484	195	0	0	195
	GT2P2{1}	781494	0	0 781494	152	0	0	152
	GT3P3{1}	2056723	0	02056723	135	0	0	135
	Gravity{2}	1699	0	0 1699	461	0	0	461
	Thermal 3{2}	-144972	0	0 144972	25	0	0	25
	Pressure 1{2}	2351936	0	02351936	871	0	0	871
	GT3{2}	-143272	0	0 143272	486	0	0	486
	Hydrotest-NL{2}	2208664	0	02208664	1357	0	0	1357
+968 +	Gravity{1}	864	0	0 864	220	0	0	220
	Thermal 1{1}	2433763	0	02433763	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01534637	56	0	0	56
	Thermal 3{1}	-142953	0	0 142953	22	0	0	22
	Wind 1{1}	-75	0	0 75	-1	0	0	1
	Wind 2{1}	76	0	0 76	1	0	0	1
	Wind 3{1}	-16	0	0 16	-57	0	0	57
	Wind 4{1}	16	0	0 16	52	0	0	52
	Pressure 1{1}	38275	0	0 38275	101	0	0	101
	Pressure 2{1}	2314079	0	02314079	-124	0	0	124
	Pressure 3{1}	2193195	0	02193195	-107	0	0	107
	GT1{1}	2434627	0	02434627	94	0	0	94
	GT2{1}	-.2E+07	0	01533773	276	0	0	276
	GT3{1}	-142089	0	0 142089	242	0	0	242
	GW1{1}	789	0	0 789	219	0	0	219
	GW2{1}	940	0	0 940	221	0	0	221
	GW3{1}	849	0	0 849	163	0	0	163
	GW4{1}	880	0	0 880	272	0	0	272
	GT1P1{1}	2472901	0	02472901	195	0	0	195
	GT2P2{1}	780306	0	0 780306	152	0	0	152
	GT3P3{1}	2051106	0	02051106	135	0	0	135
	Gravity{2}	1724	0	0 1724	461	0	0	461
	Thermal 3{2}	-144805	0	0 144805	25	0	0	25
	Pressure 1{2}	2338840	0	02338840	871	0	0	871
	GT3{2}	-143081	0	0 143081	486	0	0	486
	Hydrotest-NL{2}	2195760	0	02195760	1357	0	0	1357
+969 -	Gravity{1}	864	0	0 864	220	0	0	220
	Thermal 1{1}	2433763	0	02433763	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01534637	56	0	0	56
	Thermal 3{1}	-142953	0	0 142953	22	0	0	22
	Wind 1{1}	-75	0	0 75	-1	0	0	1
	Wind 2{1}	76	0	0 76	1	0	0	1
	Wind 3{1}	-16	0	0 16	-57	0	0	57
	Wind 4{1}	16	0	0 16	52	0	0	52
	Pressure 1{1}	38275	0	0 38275	101	0	0	101
	Pressure 2{1}	2314079	0	02314079	-124	0	0	124
	Pressure 3{1}	2193195	0	02193195	-107	0	0	107
	GT1{1}	2434627	0	02434627	94	0	0	94
	GT2{1}	-.2E+07	0	01533773	276	0	0	276
	GT3{1}	-142089	0	0 142089	242	0	0	242
	GW1{1}	789	0	0 789	219	0	0	219
	GW2{1}	940	0	0 940	221	0	0	221
	GW3{1}	849	0	0 849	163	0	0	163
	GW4{1}	880	0	0 880	272	0	0	272
	GT1P1{1}	2472901	0	02472901	195	0	0	195
	GT2P2{1}	780306	0	0 780306	152	0	0	152
	GT3P3{1}	2051106	0	02051106	135	0	0	135
	Gravity{2}	1724	0	0 1724	461	0	0	461
	Thermal 3{2}	-144805	0	0 144805	25	0	0	25
	Pressure 1{2}	2338840	0	02338840	871	0	0	871
	GT3{2}	-143081	0	0 143081	486	0	0	486
	Hydrotest-NL{2}	2195760	0	02195760	1357	0	0	1357
+969 +	Gravity{1}	877	0	0 877	220	0	0	220
	Thermal 1{1}	2419169	0	02419169	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01531720	56	0	0	56
	Thermal 3{1}	-142757	0	0 142757	22	0	0	22
	Wind 1{1}	-77	0	0 77	-1	0	0	1
	Wind 2{1}	77	0	0 77	1	0	0	1
	Wind 3{1}	-16	0	0 16	-57	0	0	57
	Wind 4{1}	16	0	0 16	52	0	0	52
	Pressure 1{1}	38274	0	0 38274	101	0	0	101
	Pressure 2{1}	2309944	0	02309944	-124	0	0	124
	Pressure 3{1}	2187288	0	02187288	-107	0	0	107
	GT1{1}	2420046	0	02420046	94	0	0	94
	GT2{1}	-.2E+07	0	01530843	276	0	0	276
	GT3{1}	-141880	0	0 141880	242	0	0	242
	GW1{1}	800	0	0 800	219	0	0	219
	GW2{1}	954	0	0 954	221	0	0	221
	GW3{1}	861	0	0 861	163	0	0	163
	GW4{1}	893	0	0 893	272	0	0	272
	GT1P1{1}	2458320	0	02458320	195	0	0	195
	GT2P2{1}	779100	0	0 779100	152	0	0	152
	GT3P3{1}	2045408	0	02045408	135	0	0	135
	Gravity{2}	1750	0	0 1750	461	0	0	461
	Thermal 3{2}	-144636	0	0 144636	25	0	0	25
	Pressure 1{2}	2325553	0	02325553	871	0	0	871
	GT3{2}	-142887	0	0 142887	486	0	0	486
	Hydrotest-NL{2}	2182666	0	02182666	1357	0	0	1357
+970 -	Gravity{1}	877	0	0 877	220	0	0	220
	Thermal 1{1}	2419169	0	02419169	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01531720	56	0	0	56
	Thermal 3{1}	-142757	0	0 142757	22	0	0	22
	Wind 1{1}	-77	0	0 77	-1	0	0	1
	Wind 2{1}	77	0	0 77	1	0	0	1
	Wind 3{1}	-16	0	0 16	-57	0	0	57
	Wind 4{1}	16	0	0 16	52	0	0	52
	Pressure 1{1}	38274	0	0 38274	101	0	0	101
	Pressure 2{1}	2309944	0	02309944	-124	0	0	124
	Pressure 3{1}	2187288	0	02187288	-107	0	0	107
	GT1{1}	2420046	0	02420046	94	0	0	94

	GT2{1}	-.2E+07	0	01530843	276	0	0	276
	GT3{1}	-141880	0	0 141880	242	0	0	242
	GW1{1}	800	0	0 800	219	0	0	219
	GW2{1}	954	0	0 954	221	0	0	221
	GW3{1}	861	0	0 861	163	0	0	163
	GW4{1}	893	0	0 893	272	0	0	272
	GT1P1{1}	2458320	0	02458320	195	0	0	195
	GT2P2{1}	779100	0	0 779100	152	0	0	152
	GT3P3{1}	2045408	0	02045408	135	0	0	135
	Gravity{2}	1750	0	0 1750	461	0	0	461
	Thermal 3{2}	-144636	0	0 144636	25	0	0	25
	Pressure 1{2}	2325553	0	02325553	871	0	0	871
	GT3{2}	-142887	0	0 142887	486	0	0	486
	Hydrotest-NL{2}	2182666	0	02182666	1357	0	0	1357
+970 +	Gravity{1}	890	0	0 890	220	0	0	220
	Thermal 1{1}	2404574	0	02404574	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01528761	56	0	0	56
	Thermal 3{1}	-142558	0	0 142558	22	0	0	22
	Wind 1{1}	-78	0	0 78	-1	0	0	1
	Wind 2{1}	78	0	0 78	1	0	0	1
	Wind 3{1}	-16	0	0 16	-57	0	0	57
	Wind 4{1}	16	0	0 16	52	0	0	52
	Pressure 1{1}	38273	0	0 38273	101	0	0	101
	Pressure 2{1}	2305748	0	02305748	-124	0	0	124
	Pressure 3{1}	2181294	0	02181294	-107	0	0	107
	GT1{1}	2405464	0	02405464	94	0	0	94
	GT2{1}	-.2E+07	0	01527871	276	0	0	276
	GT3{1}	-141668	0	0 141668	242	0	0	242
	GW1{1}	812	0	0 812	219	0	0	219
	GW2{1}	968	0	0 968	221	0	0	221
	GW3{1}	874	0	0 874	163	0	0	163
	GW4{1}	906	0	0 906	272	0	0	272
	GT1P1{1}	2443737	0	02443737	195	0	0	195
	GT2P2{1}	777877	0	0 777877	152	0	0	152
	GT3P3{1}	2039626	0	02039626	135	0	0	135
	Gravity{2}	1775	0	0 1775	461	0	0	461
	Thermal 3{2}	-144465	0	0 144465	25	0	0	25
	Pressure 1{2}	2312070	0	02312070	871	0	0	871
	GT3{2}	-142690	0	0 142690	486	0	0	486
	Hydrotest-NL{2}	2169380	0	02169380	1357	0	0	1357
+971 -	Gravity{1}	890	0	0 890	220	0	0	220
	Thermal 1{1}	2404574	0	02404574	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01528761	56	0	0	56
	Thermal 3{1}	-142558	0	0 142558	22	0	0	22
	Wind 1{1}	-78	0	0 78	-1	0	0	1
	Wind 2{1}	78	0	0 78	1	0	0	1
	Wind 3{1}	-16	0	0 16	-57	0	0	57
	Wind 4{1}	16	0	0 16	52	0	0	52
	Pressure 1{1}	38273	0	0 38273	101	0	0	101
	Pressure 2{1}	2305748	0	02305748	-124	0	0	124
	Pressure 3{1}	2181294	0	02181294	-107	0	0	107
	GT1{1}	2405464	0	02405464	94	0	0	94
	GT2{1}	-.2E+07	0	01527871	276	0	0	276
	GT3{1}	-141668	0	0 141668	242	0	0	242
	GW1{1}	812	0	0 812	219	0	0	219
	GW2{1}	968	0	0 968	221	0	0	221
	GW3{1}	874	0	0 874	163	0	0	163
	GW4{1}	906	0	0 906	272	0	0	272
	GT1P1{1}	2443737	0	02443737	195	0	0	195
	GT2P2{1}	777877	0	0 777877	152	0	0	152
	GT3P3{1}	2039626	0	02039626	135	0	0	135
	Gravity{2}	1775	0	0 1775	461	0	0	461
	Thermal 3{2}	-144465	0	0 144465	25	0	0	25
	Pressure 1{2}	2312070	0	02312070	871	0	0	871
	GT3{2}	-142690	0	0 142690	486	0	0	486
	Hydrotest-NL{2}	2169380	0	02169380	1357	0	0	1357
+971 +	Gravity{1}	903	0	0 903	220	0	0	220
	Thermal 1{1}	2389979	0	02389979	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01525758	56	0	0	56
	Thermal 3{1}	-142356	0	0 142356	22	0	0	22
	Wind 1{1}	-79	0	0 79	-1	0	0	1
	Wind 2{1}	79	0	0 79	1	0	0	1
	Wind 3{1}	-16	0	0 16	-57	0	0	57
	Wind 4{1}	16	0	0 16	52	0	0	52
	Pressure 1{1}	38272	0	0 38272	101	0	0	101
	Pressure 2{1}	2301491	0	02301491	-124	0	0	124
	Pressure 3{1}	2175212	0	02175212	-107	0	0	107
	GT1{1}	2390882	0	02390882	94	0	0	94
	GT2{1}	-.2E+07	0	01524855	276	0	0	276
	GT3{1}	-141453	0	0 141453	242	0	0	242
	GW1{1}	824	0	0 824	219	0	0	219
	GW2{1}	982	0	0 982	221	0	0	221
	GW3{1}	886	0	0 886	163	0	0	163
	GW4{1}	919	0	0 919	272	0	0	272
	GT1P1{1}	2429154	0	02429154	195	0	0	195
	GT2P2{1}	776636	0	0 776636	152	0	0	152
	GT3P3{1}	2033759	0	02033759	135	0	0	135
	Gravity{2}	1801	0	0 1801	461	0	0	461
	Thermal 3{2}	-144291	0	0 144291	25	0	0	25
	Pressure 1{2}	2298389	0	02298389	871	0	0	871
	GT3{2}	-142490	0	0 142490	486	0	0	486
	Hydrotest-NL{2}	2155899	0	02155899	1357	0	0	1357
+972 -	Gravity{1}	903	0	0 903	220	0	0	220
	Thermal 1{1}	2389979	0	02389979	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01525758	56	0	0	56
	Thermal 3{1}	-142356	0	0 142356	22	0	0	22
	Wind 1{1}	-79	0	0 79	-1	0	0	1
	Wind 2{1}	79	0	0 79	1	0	0	1
	Wind 3{1}	-16	0	0 16	-57	0	0	57
	Wind 4{1}	16	0	0 16	52	0	0	52
	Pressure 1{1}	38272	0	0 38272	101	0	0	101
	Pressure 2{1}	2301491	0	02301491	-124	0	0	124
	Pressure 3{1}	2175212	0	02175212	-107	0	0	107
	GT1{1}	2390882	0	02390882	94	0	0	94

	GT2{1}	-.2E+07	0	01524855	276	0	0	276
	GT3{1}	-141453	0	0 141453	242	0	0	242
	GW1{1}	824	0	0 824	219	0	0	219
	GW2{1}	982	0	0 982	221	0	0	221
	GW3{1}	886	0	0 886	163	0	0	163
	GW4{1}	919	0	0 919	272	0	0	272
	GT1P1{1}	2429154	0	02429154	195	0	0	195
	GT2P2{1}	776636	0	0 776636	152	0	0	152
	GT3P3{1}	2033759	0	02033759	135	0	0	135
	Gravity{2}	1801	0	0 1801	461	0	0	461
	Thermal 3{2}	-144291	0	0 144291	25	0	0	25
	Pressure 1{2}	2298389	0	02298389	871	0	0	871
	GT3{2}	-142490	0	0 142490	486	0	0	486
	Hydrotest-NL{2}	2155899	0	02155899	1357	0	0	1357
+972 +	Gravity{1}	916	0	0 916	220	0	0	220
	Thermal 1{1}	2375385	0	02375385	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01522711	56	0	0	56
	Thermal 3{1}	-142151	0	0 142151	22	0	0	22
	Wind 1{1}	-80	0	0 80	-1	0	0	1
	Wind 2{1}	80	0	0 80	1	0	0	1
	Wind 3{1}	-17	0	0 17	-57	0	0	57
	Wind 4{1}	17	0	0 17	52	0	0	52
	Pressure 1{1}	38271	0	0 38271	101	0	0	101
	Pressure 2{1}	2297172	0	02297172	-124	0	0	124
	Pressure 3{1}	2169041	0	02169041	-107	0	0	107
	GT1{1}	2376301	0	02376301	94	0	0	94
	GT2{1}	-.2E+07	0	01521795	276	0	0	276
	GT3{1}	-141235	0	0 141235	242	0	0	242
	GW1{1}	836	0	0 836	219	0	0	219
	GW2{1}	996	0	0 996	221	0	0	221
	GW3{1}	899	0	0 899	163	0	0	163
	GW4{1}	933	0	0 933	272	0	0	272
	GT1P1{1}	2414572	0	02414572	195	0	0	195
	GT2P2{1}	775377	0	0 775377	152	0	0	152
	GT3P3{1}	2027806	0	02027806	135	0	0	135
	Gravity{2}	1828	0	0 1828	461	0	0	461
	Thermal 3{2}	-144115	0	0 144115	25	0	0	25
	Pressure 1{2}	2284508	0	02284508	871	0	0	871
	GT3{2}	-142287	0	0 142287	486	0	0	486
	Hydrotest-NL{2}	2142221	0	02142221	1357	0	0	1357
+973 -	Gravity{1}	916	0	0 916	220	0	0	220
	Thermal 1{1}	2375385	0	02375385	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01522711	56	0	0	56
	Thermal 3{1}	-142151	0	0 142151	22	0	0	22
	Wind 1{1}	-80	0	0 80	-1	0	0	1
	Wind 2{1}	80	0	0 80	1	0	0	1
	Wind 3{1}	-17	0	0 17	-57	0	0	57
	Wind 4{1}	17	0	0 17	52	0	0	52
	Pressure 1{1}	38271	0	0 38271	101	0	0	101
	Pressure 2{1}	2297172	0	02297172	-124	0	0	124
	Pressure 3{1}	2169041	0	02169041	-107	0	0	107
	GT1{1}	2376301	0	02376301	94	0	0	94
	GT2{1}	-.2E+07	0	01521795	276	0	0	276
	GT3{1}	-141235	0	0 141235	242	0	0	242
	GW1{1}	836	0	0 836	219	0	0	219
	GW2{1}	996	0	0 996	221	0	0	221
	GW3{1}	899	0	0 899	163	0	0	163
	GW4{1}	933	0	0 933	272	0	0	272
	GT1P1{1}	2414572	0	02414572	195	0	0	195
	GT2P2{1}	775377	0	0 775377	152	0	0	152
	GT3P3{1}	2027806	0	02027806	135	0	0	135
	Gravity{2}	1828	0	0 1828	461	0	0	461
	Thermal 3{2}	-144115	0	0 144115	25	0	0	25
	Pressure 1{2}	2284508	0	02284508	871	0	0	871
	GT3{2}	-142287	0	0 142287	486	0	0	486
	Hydrotest-NL{2}	2142221	0	02142221	1357	0	0	1357
+973 +	Gravity{1}	929	0	0 929	220	0	0	220
	Thermal 1{1}	2360791	0	02360791	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01519620	56	0	0	56
	Thermal 3{1}	-141944	0	0 141944	22	0	0	22
	Wind 1{1}	-81	0	0 81	-1	0	0	1
	Wind 2{1}	82	0	0 82	1	0	0	1
	Wind 3{1}	-17	0	0 17	-57	0	0	57
	Wind 4{1}	17	0	0 17	52	0	0	52
	Pressure 1{1}	38271	0	0 38271	101	0	0	101
	Pressure 2{1}	2292789	0	02292789	-124	0	0	124
	Pressure 3{1}	2162780	0	02162780	-107	0	0	107
	GT1{1}	2361720	0	02361720	94	0	0	94
	GT2{1}	-.2E+07	0	01518691	276	0	0	276
	GT3{1}	-141014	0	0 141014	242	0	0	242
	GW1{1}	848	0	0 848	219	0	0	219
	GW2{1}	1011	0	0 1011	221	0	0	221
	GW3{1}	913	0	0 913	163	0	0	163
	GW4{1}	946	0	0 946	272	0	0	272
	GT1P1{1}	2399991	0	02399991	195	0	0	195
	GT2P2{1}	774099	0	0 774099	152	0	0	152
	GT3P3{1}	2021765	0	02021765	135	0	0	135
	Gravity{2}	1855	0	0 1855	461	0	0	461
	Thermal 3{2}	-143936	0	0 143936	25	0	0	25
	Pressure 1{2}	2270424	0	02270424	871	0	0	871
	GT3{2}	-142081	0	0 142081	486	0	0	486
	Hydrotest-NL{2}	2128343	0	02128343	1357	0	0	1357
+974 -	Gravity{1}	929	0	0 929	220	0	0	220
	Thermal 1{1}	2360791	0	02360791	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01519620	56	0	0	56
	Thermal 3{1}	-141944	0	0 141944	22	0	0	22
	Wind 1{1}	-81	0	0 81	-1	0	0	1
	Wind 2{1}	82	0	0 82	1	0	0	1
	Wind 3{1}	-17	0	0 17	-57	0	0	57
	Wind 4{1}	17	0	0 17	52	0	0	52
	Pressure 1{1}	38271	0	0 38271	101	0	0	101
	Pressure 2{1}	2292789	0	02292789	-124	0	0	124
	Pressure 3{1}	2162780	0	02162780	-107	0	0	107
	GT1{1}	2361720	0	02361720	94	0	0	94

	GT2{1}	-.2E+07	0	01518691	276	0	0	276
	GT3{1}	-141014	0	0 141014	242	0	0	242
	GW1{1}	848	0	0 848	219	0	0	219
	GW2{1}	1011	0	0 1011	221	0	0	221
	GW3{1}	913	0	0 913	163	0	0	163
	GW4{1}	946	0	0 946	272	0	0	272
	GT1P1{1}	2399991	0	02399991	195	0	0	195
	GT2P2{1}	774099	0	0 774099	152	0	0	152
	GT3P3{1}	2021765	0	02021765	135	0	0	135
	Gravity{2}	1855	0	0 1855	461	0	0	461
	Thermal 3{2}	-143936	0	0 143936	25	0	0	25
	Pressure 1{2}	2270424	0	02270424	871	0	0	871
	GT3{2}	-142081	0	0 142081	486	0	0	486
	Hydrotest-NL{2}	2128343	0	02128343	1357	0	0	1357
+974 +	Gravity{1}	943	0	0 943	220	0	0	220
	Thermal 1{1}	2346195	0	02346195	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01516483	56	0	0	56
	Thermal 3{1}	-141733	0	0 141733	22	0	0	22
	Wind 1{1}	-82	0	0 82	-1	0	0	1
	Wind 2{1}	83	0	0 83	1	0	0	1
	Wind 3{1}	-17	0	0 17	-57	0	0	57
	Wind 4{1}	17	0	0 17	52	0	0	52
	Pressure 1{1}	38270	0	0 38270	101	0	0	101
	Pressure 2{1}	2288342	0	02288342	-124	0	0	124
	Pressure 3{1}	2156426	0	02156426	-107	0	0	107
	GT1{1}	2347138	0	02347138	94	0	0	94
	GT2{1}	-.2E+07	0	01515540	276	0	0	276
	GT3{1}	-140790	0	0 140790	242	0	0	242
	GW1{1}	861	0	0 861	219	0	0	219
	GW2{1}	1026	0	0 1026	221	0	0	221
	GW3{1}	926	0	0 926	163	0	0	163
	GW4{1}	960	0	0 960	272	0	0	272
	GT1P1{1}	2385408	0	02385408	195	0	0	195
	GT2P2{1}	772802	0	0 772802	152	0	0	152
	GT3P3{1}	2015636	0	02015636	135	0	0	135
	Gravity{2}	1882	0	0 1882	461	0	0	461
	Thermal 3{2}	-143754	0	0 143754	25	0	0	25
	Pressure 1{2}	2256133	0	02256133	871	0	0	871
	GT3{2}	-141873	0	0 141873	486	0	0	486
	Hydrotest-NL{2}	2114260	0	02114260	1357	0	0	1357
+975 -	Gravity{1}	943	0	0 943	220	0	0	220
	Thermal 1{1}	2346195	0	02346195	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01516483	56	0	0	56
	Thermal 3{1}	-141733	0	0 141733	22	0	0	22
	Wind 1{1}	-82	0	0 82	-1	0	0	1
	Wind 2{1}	83	0	0 83	1	0	0	1
	Wind 3{1}	-17	0	0 17	-57	0	0	57
	Wind 4{1}	17	0	0 17	52	0	0	52
	Pressure 1{1}	38270	0	0 38270	101	0	0	101
	Pressure 2{1}	2288342	0	02288342	-124	0	0	124
	Pressure 3{1}	2156426	0	02156426	-107	0	0	107
	GT1{1}	2347138	0	02347138	94	0	0	94
	GT2{1}	-.2E+07	0	01515540	276	0	0	276
	GT3{1}	-140790	0	0 140790	242	0	0	242
	GW1{1}	861	0	0 861	219	0	0	219
	GW2{1}	1026	0	0 1026	221	0	0	221
	GW3{1}	926	0	0 926	163	0	0	163
	GW4{1}	960	0	0 960	272	0	0	272
	GT1P1{1}	2385408	0	02385408	195	0	0	195
	GT2P2{1}	772802	0	0 772802	152	0	0	152
	GT3P3{1}	2015636	0	02015636	135	0	0	135
	Gravity{2}	1882	0	0 1882	461	0	0	461
	Thermal 3{2}	-143754	0	0 143754	25	0	0	25
	Pressure 1{2}	2256133	0	02256133	871	0	0	871
	GT3{2}	-141873	0	0 141873	486	0	0	486
	Hydrotest-NL{2}	2114260	0	02114260	1357	0	0	1357
+975 +	Gravity{1}	957	0	0 957	220	0	0	220
	Thermal 1{1}	2331600	0	02331600	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01513300	56	0	0	56
	Thermal 3{1}	-141519	0	0 141519	22	0	0	22
	Wind 1{1}	-84	0	0 84	-1	0	0	1
	Wind 2{1}	84	0	0 84	1	0	0	1
	Wind 3{1}	-17	0	0 17	-57	0	0	57
	Wind 4{1}	17	0	0 17	52	0	0	52
	Pressure 1{1}	38269	0	0 38269	101	0	0	101
	Pressure 2{1}	2283830	0	02283830	-124	0	0	124
	Pressure 3{1}	2149980	0	02149980	-107	0	0	107
	GT1{1}	2332557	0	02332557	94	0	0	94
	GT2{1}	-.2E+07	0	01512343	276	0	0	276
	GT3{1}	-140562	0	0 140562	242	0	0	242
	GW1{1}	873	0	0 873	219	0	0	219
	GW2{1}	1041	0	0 1041	221	0	0	221
	GW3{1}	940	0	0 940	163	0	0	163
	GW4{1}	974	0	0 974	272	0	0	272
	GT1P1{1}	2370826	0	02370826	195	0	0	195
	GT2P2{1}	771486	0	0 771486	152	0	0	152
	GT3P3{1}	2009418	0	02009418	135	0	0	135
	Gravity{2}	1909	0	0 1909	461	0	0	461
	Thermal 3{2}	-143570	0	0 143570	25	0	0	25
	Pressure 1{2}	2241628	0	02241628	871	0	0	871
	GT3{2}	-141661	0	0 141661	486	0	0	486
	Hydrotest-NL{2}	2099967	0	02099967	1357	0	0	1357
+976 -	Gravity{1}	957	0	0 957	220	0	0	220
	Thermal 1{1}	2331600	0	02331600	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01513300	56	0	0	56
	Thermal 3{1}	-141519	0	0 141519	22	0	0	22
	Wind 1{1}	-84	0	0 84	-1	0	0	1
	Wind 2{1}	84	0	0 84	1	0	0	1
	Wind 3{1}	-17	0	0 17	-57	0	0	57
	Wind 4{1}	17	0	0 17	52	0	0	52
	Pressure 1{1}	38269	0	0 38269	101	0	0	101
	Pressure 2{1}	2283830	0	02283830	-124	0	0	124
	Pressure 3{1}	2149980	0	02149980	-107	0	0	107
	GT1{1}	2332557	0	02332557	94	0	0	94

GT2{1}	-.2E+07	0	01512343	276	0	0	276
GT3{1}	-140562	0	0 140562	242	0	0	242
GW1{1}	873	0	0 873	219	0	0	219
GW2{1}	1041	0	0 1041	221	0	0	221
GW3{1}	940	0	0 940	163	0	0	163
GW4{1}	974	0	0 974	272	0	0	272
GT1P1{1}	2370826	0	02370826	195	0	0	195
GT2P2{1}	771486	0	0 771486	152	0	0	152
GT3P3{1}	2009418	0	02009418	135	0	0	135
Gravity{2}	1909	0	0 1909	461	0	0	461
Thermal 3{2}	-143570	0	0 143570	25	0	0	25
Pressure 1{2}	2241628	0	02241628	871	0	0	871
GT3{2}	-141661	0	0 141661	486	0	0	486
Hydrotest-NL{2}	2099967	0	02099967	1357	0	0	1357
+976 +							
Gravity{1}	971	0	0 971	220	0	0	220
Thermal 1{1}	2317005	0	02317005	-126	0	0	126
Thermal 2{1}	-.2E+07	0	01510071	56	0	0	56
Thermal 3{1}	-141302	0	0 141302	22	0	0	22
Wind 1{1}	-85	0	0 85	-1	0	0	1
Wind 2{1}	85	0	0 85	1	0	0	1
Wind 3{1}	-18	0	0 18	-57	0	0	57
Wind 4{1}	18	0	0 18	52	0	0	52
Pressure 1{1}	38268	0	0 38268	101	0	0	101
Pressure 2{1}	2279252	0	02279252	-124	0	0	124
Pressure 3{1}	2143439	0	02143439	-107	0	0	107
GT1{1}	2317976	0	02317976	94	0	0	94
GT2{1}	-.2E+07	0	01509100	276	0	0	276
GT3{1}	-140331	0	0 140331	242	0	0	242
GW1{1}	886	0	0 886	219	0	0	219
GW2{1}	1056	0	0 1056	221	0	0	221
GW3{1}	953	0	0 953	163	0	0	163
GW4{1}	988	0	0 988	272	0	0	272
GT1P1{1}	2356244	0	02356244	195	0	0	195
GT2P2{1}	770152	0	0 770152	152	0	0	152
GT3P3{1}	2003108	0	02003108	135	0	0	135
Gravity{2}	1937	0	0 1937	461	0	0	461
Thermal 3{2}	-143383	0	0 143383	25	0	0	25
Pressure 1{2}	2227047	0	02227047	871	0	0	871
GT3{2}	-141446	0	0 141446	486	0	0	486
Hydrotest-NL{2}	2085601	0	02085601	1357	0	0	1357
+977 -							
Gravity{1}	971	0	0 971	220	0	0	220
Thermal 1{1}	2317005	0	02317005	-126	0	0	126
Thermal 2{1}	-.2E+07	0	01510071	56	0	0	56
Thermal 3{1}	-141302	0	0 141302	22	0	0	22
Wind 1{1}	-85	0	0 85	-1	0	0	1
Wind 2{1}	85	0	0 85	1	0	0	1
Wind 3{1}	-18	0	0 18	-57	0	0	57
Wind 4{1}	18	0	0 18	52	0	0	52
Pressure 1{1}	38268	0	0 38268	101	0	0	101
Pressure 2{1}	2279252	0	02279252	-124	0	0	124
Pressure 3{1}	2143439	0	02143439	-107	0	0	107
GT1{1}	2317976	0	02317976	94	0	0	94
GT2{1}	-.2E+07	0	01509100	276	0	0	276
GT3{1}	-140331	0	0 140331	242	0	0	242
GW1{1}	886	0	0 886	219	0	0	219
GW2{1}	1056	0	0 1056	221	0	0	221
GW3{1}	953	0	0 953	163	0	0	163
GW4{1}	988	0	0 988	272	0	0	272
GT1P1{1}	2356244	0	02356244	195	0	0	195
GT2P2{1}	770152	0	0 770152	152	0	0	152
GT3P3{1}	2003108	0	02003108	135	0	0	135
Gravity{2}	1937	0	0 1937	461	0	0	461
Thermal 3{2}	-143383	0	0 143383	25	0	0	25
Pressure 1{2}	2227047	0	02227047	871	0	0	871
GT3{2}	-141446	0	0 141446	486	0	0	486
Hydrotest-NL{2}	2085601	0	02085601	1357	0	0	1357
+977 +							
Gravity{1}	985	0	0 985	220	0	0	220
Thermal 1{1}	2302409	0	02302409	-126	0	0	126
Thermal 2{1}	-.2E+07	0	01506794	56	0	0	56
Thermal 3{1}	-141082	0	0 141082	22	0	0	22
Wind 1{1}	-86	0	0 86	-1	0	0	1
Wind 2{1}	86	0	0 86	1	0	0	1
Wind 3{1}	-18	0	0 18	-57	0	0	57
Wind 4{1}	18	0	0 18	52	0	0	52
Pressure 1{1}	38267	0	0 38267	101	0	0	101
Pressure 2{1}	2274606	0	02274606	-124	0	0	124
Pressure 3{1}	2136802	0	02136802	-107	0	0	107
GT1{1}	2303394	0	02303394	94	0	0	94
GT2{1}	-.2E+07	0	01505809	276	0	0	276
GT3{1}	-140097	0	0 140097	242	0	0	242
GW1{1}	899	0	0 899	219	0	0	219
GW2{1}	1072	0	0 1072	221	0	0	221
GW3{1}	967	0	0 967	163	0	0	163
GW4{1}	1003	0	0 1003	272	0	0	272
GT1P1{1}	2341661	0	02341661	195	0	0	195
GT2P2{1}	768797	0	0 768797	152	0	0	152
GT3P3{1}	1996706	0	01996706	135	0	0	135
Gravity{2}	1966	0	0 1966	461	0	0	461
Thermal 3{2}	-143193	0	0 143193	25	0	0	25
Pressure 1{2}	2212465	0	02212465	871	0	0	871
GT3{2}	-141228	0	0 141228	486	0	0	486
Hydrotest-NL{2}	2071238	0	02071238	1357	0	0	1357
+978 -							
Gravity{1}	985	0	0 985	220	0	0	220
Thermal 1{1}	2302409	0	02302409	-126	0	0	126
Thermal 2{1}	-.2E+07	0	01506794	56	0	0	56
Thermal 3{1}	-141082	0	0 141082	22	0	0	22
Wind 1{1}	-86	0	0 86	-1	0	0	1
Wind 2{1}	86	0	0 86	1	0	0	1
Wind 3{1}	-18	0	0 18	-57	0	0	57
Wind 4{1}	18	0	0 18	52	0	0	52
Pressure 1{1}	38267	0	0 38267	101	0	0	101
Pressure 2{1}	2274606	0	02274606	-124	0	0	124
Pressure 3{1}	2136802	0	02136802	-107	0	0	107
GT1{1}	2303394	0	02303394	94	0	0	94

	GT2{1}	-.2E+07	0	01505809	276	0	0	276
	GT3{1}	-140097	0	0 140097	242	0	0	242
	GW1{1}	899	0	0 899	219	0	0	219
	GW2{1}	1072	0	0 1072	221	0	0	221
	GW3{1}	967	0	0 967	163	0	0	163
	GW4{1}	1003	0	0 1003	272	0	0	272
	GT1P1{1}	2341661	0	02341661	195	0	0	195
	GT2P2{1}	768797	0	0 768797	152	0	0	152
	GT3P3{1}	1996706	0	01996706	135	0	0	135
	Gravity{2}	1966	0	0 1966	461	0	0	461
	Thermal 3{2}	-143193	0	0 143193	25	0	0	25
	Pressure 1{2}	2212465	0	02212465	871	0	0	871
	GT3{2}	-141228	0	0 141228	486	0	0	486
	Hydrotest-NL{2}	2071238	0	02071238	1357	0	0	1357
+978 +	Gravity{1}	1000	0	0 1000	220	0	0	220
	Thermal 1{1}	2287813	0	02287813	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01503469	56	0	0	56
	Thermal 3{1}	-140858	0	0 140858	22	0	0	22
	Wind 1{1}	-87	0	0 87	-1	0	0	1
	Wind 2{1}	88	0	0 88	1	0	0	1
	Wind 3{1}	-18	0	0 18	-57	0	0	57
	Wind 4{1}	18	0	0 18	52	0	0	52
	Pressure 1{1}	38266	0	0 38266	101	0	0	101
	Pressure 2{1}	2269892	0	02269892	-124	0	0	124
	Pressure 3{1}	2130068	0	02130068	-107	0	0	107
	GT1{1}	2288812	0	02288812	94	0	0	94
	GT2{1}	-.2E+07	0	01502469	276	0	0	276
	GT3{1}	-139859	0	0 139859	242	0	0	242
	GW1{1}	912	0	0 912	219	0	0	219
	GW2{1}	1087	0	0 1087	221	0	0	221
	GW3{1}	981	0	0 981	163	0	0	163
	GW4{1}	1018	0	0 1018	272	0	0	272
	GT1P1{1}	2327079	0	02327079	195	0	0	195
	GT2P2{1}	767423	0	0 767423	152	0	0	152
	GT3P3{1}	1990209	0	01990209	135	0	0	135
	Gravity{2}	1995	0	0 1995	461	0	0	461
	Thermal 3{2}	-143001	0	0 143001	25	0	0	25
	Pressure 1{2}	2197884	0	02197884	871	0	0	871
	GT3{2}	-141006	0	0 141006	486	0	0	486
	Hydrotest-NL{2}	2056877	0	02056877	1357	0	0	1357
+979 -	Gravity{1}	1000	0	0 1000	220	0	0	220
	Thermal 1{1}	2287813	0	02287813	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01503469	56	0	0	56
	Thermal 3{1}	-140858	0	0 140858	22	0	0	22
	Wind 1{1}	-87	0	0 87	-1	0	0	1
	Wind 2{1}	88	0	0 88	1	0	0	1
	Wind 3{1}	-18	0	0 18	-57	0	0	57
	Wind 4{1}	18	0	0 18	52	0	0	52
	Pressure 1{1}	38266	0	0 38266	101	0	0	101
	Pressure 2{1}	2269892	0	02269892	-124	0	0	124
	Pressure 3{1}	2130068	0	02130068	-107	0	0	107
	GT1{1}	2288812	0	02288812	94	0	0	94
	GT2{1}	-.2E+07	0	01502469	276	0	0	276
	GT3{1}	-139859	0	0 139859	242	0	0	242
	GW1{1}	912	0	0 912	219	0	0	219
	GW2{1}	1087	0	0 1087	221	0	0	221
	GW3{1}	981	0	0 981	163	0	0	163
	GW4{1}	1018	0	0 1018	272	0	0	272
	GT1P1{1}	2327079	0	02327079	195	0	0	195
	GT2P2{1}	767423	0	0 767423	152	0	0	152
	GT3P3{1}	1990209	0	01990209	135	0	0	135
	Gravity{2}	1995	0	0 1995	461	0	0	461
	Thermal 3{2}	-143001	0	0 143001	25	0	0	25
	Pressure 1{2}	2197884	0	02197884	871	0	0	871
	GT3{2}	-141006	0	0 141006	486	0	0	486
	Hydrotest-NL{2}	2056877	0	02056877	1357	0	0	1357
+979 +	Gravity{1}	1014	0	0 1014	220	0	0	220
	Thermal 1{1}	2273217	0	02273217	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01500096	56	0	0	56
	Thermal 3{1}	-140632	0	0 140632	22	0	0	22
	Wind 1{1}	-89	0	0 89	-1	0	0	1
	Wind 2{1}	89	0	0 89	1	0	0	1
	Wind 3{1}	-18	0	0 18	-57	0	0	57
	Wind 4{1}	18	0	0 18	52	0	0	52
	Pressure 1{1}	38265	0	0 38265	101	0	0	101
	Pressure 2{1}	2265110	0	02265110	-124	0	0	124
	Pressure 3{1}	2123235	0	02123235	-107	0	0	107
	GT1{1}	2274231	0	02274231	94	0	0	94
	GT2{1}	-.1E+07	0	01499081	276	0	0	276
	GT3{1}	-139617	0	0 139617	242	0	0	242
	GW1{1}	926	0	0 926	219	0	0	219
	GW2{1}	1103	0	0 1103	221	0	0	221
	GW3{1}	996	0	0 996	163	0	0	163
	GW4{1}	1033	0	0 1033	272	0	0	272
	GT1P1{1}	2312497	0	02312497	195	0	0	195
	GT2P2{1}	766028	0	0 766028	152	0	0	152
	GT3P3{1}	1983618	0	01983618	135	0	0	135
	Gravity{2}	2024	0	0 2024	461	0	0	461
	Thermal 3{2}	-142806	0	0 142806	25	0	0	25
	Pressure 1{2}	2183303	0	02183303	871	0	0	871
	GT3{2}	-140782	0	0 140782	486	0	0	486
	Hydrotest-NL{2}	2042521	0	02042521	1357	0	0	1357
+980 -	Gravity{1}	1014	0	0 1014	220	0	0	220
	Thermal 1{1}	2273217	0	02273217	-126	0	0	126
	Thermal 2{1}	-.2E+07	0	01500096	56	0	0	56
	Thermal 3{1}	-140632	0	0 140632	22	0	0	22
	Wind 1{1}	-89	0	0 89	-1	0	0	1
	Wind 2{1}	89	0	0 89	1	0	0	1
	Wind 3{1}	-18	0	0 18	-57	0	0	57
	Wind 4{1}	18	0	0 18	52	0	0	52
	Pressure 1{1}	38265	0	0 38265	101	0	0	101
	Pressure 2{1}	2265110	0	02265110	-124	0	0	124
	Pressure 3{1}	2123235	0	02123235	-107	0	0	107
	GT1{1}	2274231	0	02274231	94	0	0	94

	GT2{1}	-.1E+07	0	01499081	276	0	0	276
	GT3{1}	-139617	0	0 139617	242	0	0	242
	GW1{1}	926	0	0 926	219	0	0	219
	GW2{1}	1103	0	0 1103	221	0	0	221
	GW3{1}	996	0	0 996	163	0	0	163
	GW4{1}	1033	0	0 1033	272	0	0	272
	GT1P1{1}	2312497	0	02312497	195	0	0	195
	GT2P2{1}	766028	0	0 766028	152	0	0	152
	GT3P3{1}	1983618	0	01983618	135	0	0	135
	Gravity{2}	2024	0	0 2024	461	0	0	461
	Thermal 3{2}	-142806	0	0 142806	25	0	0	25
	Pressure 1{2}	2183303	0	02183303	871	0	0	871
	GT3{2}	-140782	0	0 140782	486	0	0	486
	Hydrotest-NL{2}	2042521	0	02042521	1357	0	0	1357
+980 +	Gravity{1}	1029	0	0 1029	220	0	0	220
	Thermal 1{1}	2258621	0	02258621	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01496673	56	0	0	56
	Thermal 3{1}	-140402	0	0 140402	22	0	0	22
	Wind 1{1}	-90	0	0 90	-1	0	0	1
	Wind 2{1}	90	0	0 90	1	0	0	1
	Wind 3{1}	-19	0	0 19	-57	0	0	57
	Wind 4{1}	19	0	0 19	52	0	0	52
	Pressure 1{1}	38265	0	0 38265	101	0	0	101
	Pressure 2{1}	2260257	0	02260257	-124	0	0	124
	Pressure 3{1}	2116302	0	02116302	-107	0	0	107
	GT1{1}	2259650	0	02259650	94	0	0	94
	GT2{1}	-.1E+07	0	01495643	276	0	0	276
	GT3{1}	-139372	0	0 139372	242	0	0	242
	GW1{1}	939	0	0 939	219	0	0	219
	GW2{1}	1119	0	0 1119	221	0	0	221
	GW3{1}	1010	0	0 1010	163	0	0	163
	GW4{1}	1048	0	0 1048	272	0	0	272
	GT1P1{1}	2297915	0	02297915	195	0	0	195
	GT2P2{1}	764613	0	0 764613	152	0	0	152
	GT3P3{1}	1976930	0	01976930	135	0	0	135
	Gravity{2}	2054	0	0 2054	461	0	0	461
	Thermal 3{2}	-142607	0	0 142607	25	0	0	25
	Pressure 1{2}	2168722	0	02168722	871	0	0	871
	GT3{2}	-140554	0	0 140554	486	0	0	486
	Hydrotest-NL{2}	2028169	0	02028169	1357	0	0	1357
+981 -	Gravity{1}	1029	0	0 1029	220	0	0	220
	Thermal 1{1}	2258621	0	02258621	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01496673	56	0	0	56
	Thermal 3{1}	-140402	0	0 140402	22	0	0	22
	Wind 1{1}	-90	0	0 90	-1	0	0	1
	Wind 2{1}	90	0	0 90	1	0	0	1
	Wind 3{1}	-19	0	0 19	-57	0	0	57
	Wind 4{1}	19	0	0 19	52	0	0	52
	Pressure 1{1}	38265	0	0 38265	101	0	0	101
	Pressure 2{1}	2260257	0	02260257	-124	0	0	124
	Pressure 3{1}	2116302	0	02116302	-107	0	0	107
	GT1{1}	2259650	0	02259650	94	0	0	94
	GT2{1}	-.1E+07	0	01495643	276	0	0	276
	GT3{1}	-139372	0	0 139372	242	0	0	242
	GW1{1}	939	0	0 939	219	0	0	219
	GW2{1}	1119	0	0 1119	221	0	0	221
	GW3{1}	1010	0	0 1010	163	0	0	163
	GW4{1}	1048	0	0 1048	272	0	0	272
	GT1P1{1}	2297915	0	02297915	195	0	0	195
	GT2P2{1}	764613	0	0 764613	152	0	0	152
	GT3P3{1}	1976930	0	01976930	135	0	0	135
	Gravity{2}	2054	0	0 2054	461	0	0	461
	Thermal 3{2}	-142607	0	0 142607	25	0	0	25
	Pressure 1{2}	2168722	0	02168722	871	0	0	871
	GT3{2}	-140554	0	0 140554	486	0	0	486
	Hydrotest-NL{2}	2028169	0	02028169	1357	0	0	1357
+981 +	Gravity{1}	1044	0	0 1044	220	0	0	220
	Thermal 1{1}	2244024	0	02244024	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01493199	56	0	0	56
	Thermal 3{1}	-140168	0	0 140168	22	0	0	22
	Wind 1{1}	-91	0	0 91	-1	0	0	1
	Wind 2{1}	92	0	0 92	1	0	0	1
	Wind 3{1}	-19	0	0 19	-57	0	0	57
	Wind 4{1}	19	0	0 19	52	0	0	52
	Pressure 1{1}	38264	0	0 38264	101	0	0	101
	Pressure 2{1}	2255333	0	02255333	-124	0	0	124
	Pressure 3{1}	2109268	0	02109268	-107	0	0	107
	GT1{1}	2245068	0	02245068	94	0	0	94
	GT2{1}	-.1E+07	0	01492155	276	0	0	276
	GT3{1}	-139124	0	0 139124	242	0	0	242
	GW1{1}	953	0	0 953	219	0	0	219
	GW2{1}	1136	0	0 1136	221	0	0	221
	GW3{1}	1025	0	0 1025	163	0	0	163
	GW4{1}	1063	0	0 1063	272	0	0	272
	GT1P1{1}	2283332	0	02283332	195	0	0	195
	GT2P2{1}	763178	0	0 763178	152	0	0	152
	GT3P3{1}	1970144	0	01970144	135	0	0	135
	Gravity{2}	2084	0	0 2084	461	0	0	461
	Thermal 3{2}	-142406	0	0 142406	25	0	0	25
	Pressure 1{2}	2154141	0	02154141	871	0	0	871
	GT3{2}	-140323	0	0 140323	486	0	0	486
	Hydrotest-NL{2}	2013818	0	02013818	1357	0	0	1357
+982 -	Gravity{1}	1044	0	0 1044	220	0	0	220
	Thermal 1{1}	2244024	0	02244024	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01493199	56	0	0	56
	Thermal 3{1}	-140168	0	0 140168	22	0	0	22
	Wind 1{1}	-91	0	0 91	-1	0	0	1
	Wind 2{1}	92	0	0 92	1	0	0	1
	Wind 3{1}	-19	0	0 19	-57	0	0	57
	Wind 4{1}	19	0	0 19	52	0	0	52
	Pressure 1{1}	38264	0	0 38264	101	0	0	101
	Pressure 2{1}	2255333	0	02255333	-124	0	0	124
	Pressure 3{1}	2109268	0	02109268	-107	0	0	107
	GT1{1}	2245068	0	02245068	94	0	0	94

	GT2{1}	-.1E+07	0	01492155	276	0	0	276
	GT3{1}	-139124	0	0 139124	242	0	0	242
	GW1{1}	953	0	0 953	219	0	0	219
	GW2{1}	1136	0	0 1136	221	0	0	221
	GW3{1}	1025	0	0 1025	163	0	0	163
	GW4{1}	1063	0	0 1063	272	0	0	272
	GT1P1{1}	2283332	0	02283332	195	0	0	195
	GT2P2{1}	763178	0	0 763178	152	0	0	152
	GT3P3{1}	1970144	0	01970144	135	0	0	135
	Gravity{2}	2084	0	0 2084	461	0	0	461
	Thermal 3{2}	-142406	0	0 142406	25	0	0	25
	Pressure 1{2}	2154141	0	02154141	871	0	0	871
	GT3{2}	-140323	0	0 140323	486	0	0	486
	Hydrotest-NL{2}	2013818	0	02013818	1357	0	0	1357
+982 +	Gravity{1}	1060	0	0 1060	220	0	0	220
	Thermal 1{1}	2229427	0	02229427	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01489675	56	0	0	56
	Thermal 3{1}	-139931	0	0 139931	22	0	0	22
	Wind 1{1}	-93	0	0 93	-1	0	0	1
	Wind 2{1}	93	0	0 93	1	0	0	1
	Wind 3{1}	-19	0	0 19	-57	0	0	57
	Wind 4{1}	19	0	0 19	52	0	0	52
	Pressure 1{1}	38263	0	0 38263	101	0	0	101
	Pressure 2{1}	2250336	0	02250336	-124	0	0	124
	Pressure 3{1}	2102130	0	02102130	-107	0	0	107
	GT1{1}	2230487	0	02230487	94	0	0	94
	GT2{1}	-.1E+07	0	01488615	276	0	0	276
	GT3{1}	-138872	0	0 138872	242	0	0	242
	GW1{1}	967	0	0 967	219	0	0	219
	GW2{1}	1153	0	0 1153	221	0	0	221
	GW3{1}	1040	0	0 1040	163	0	0	163
	GW4{1}	1079	0	0 1079	272	0	0	272
	GT1P1{1}	2268749	0	02268749	195	0	0	195
	GT2P2{1}	761721	0	0 761721	152	0	0	152
	GT3P3{1}	1963258	0	01963258	135	0	0	135
	Gravity{2}	2114	0	0 2114	461	0	0	461
	Thermal 3{2}	-142202	0	0 142202	25	0	0	25
	Pressure 1{2}	2139560	0	02139560	871	0	0	871
	GT3{2}	-140088	0	0 140088	486	0	0	486
	Hydrotest-NL{2}	1999471	0	01999471	1357	0	0	1357
+983 -	Gravity{1}	1060	0	0 1060	220	0	0	220
	Thermal 1{1}	2229427	0	02229427	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01489675	56	0	0	56
	Thermal 3{1}	-139931	0	0 139931	22	0	0	22
	Wind 1{1}	-93	0	0 93	-1	0	0	1
	Wind 2{1}	93	0	0 93	1	0	0	1
	Wind 3{1}	-19	0	0 19	-57	0	0	57
	Wind 4{1}	19	0	0 19	52	0	0	52
	Pressure 1{1}	38263	0	0 38263	101	0	0	101
	Pressure 2{1}	2250336	0	02250336	-124	0	0	124
	Pressure 3{1}	2102130	0	02102130	-107	0	0	107
	GT1{1}	2230487	0	02230487	94	0	0	94
	GT2{1}	-.1E+07	0	01488615	276	0	0	276
	GT3{1}	-138872	0	0 138872	242	0	0	242
	GW1{1}	967	0	0 967	219	0	0	219
	GW2{1}	1153	0	0 1153	221	0	0	221
	GW3{1}	1040	0	0 1040	163	0	0	163
	GW4{1}	1079	0	0 1079	272	0	0	272
	GT1P1{1}	2268749	0	02268749	195	0	0	195
	GT2P2{1}	761721	0	0 761721	152	0	0	152
	GT3P3{1}	1963258	0	01963258	135	0	0	135
	Gravity{2}	2114	0	0 2114	461	0	0	461
	Thermal 3{2}	-142202	0	0 142202	25	0	0	25
	Pressure 1{2}	2139560	0	02139560	871	0	0	871
	GT3{2}	-140088	0	0 140088	486	0	0	486
	Hydrotest-NL{2}	1999471	0	01999471	1357	0	0	1357
+983 +	Gravity{1}	1075	0	0 1075	220	0	0	220
	Thermal 1{1}	2214830	0	02214830	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01486099	56	0	0	56
	Thermal 3{1}	-139691	0	0 139691	22	0	0	22
	Wind 1{1}	-94	0	0 94	-1	0	0	1
	Wind 2{1}	94	0	0 94	1	0	0	1
	Wind 3{1}	-20	0	0 20	-57	0	0	57
	Wind 4{1}	19	0	0 19	52	0	0	52
	Pressure 1{1}	38262	0	0 38262	101	0	0	101
	Pressure 2{1}	2245267	0	02245267	-124	0	0	124
	Pressure 3{1}	2094887	0	02094887	-107	0	0	107
	GT1{1}	2215906	0	02215906	94	0	0	94
	GT2{1}	-.1E+07	0	01485024	276	0	0	276
	GT3{1}	-138616	0	0 138616	242	0	0	242
	GW1{1}	981	0	0 981	219	0	0	219
	GW2{1}	1169	0	0 1169	221	0	0	221
	GW3{1}	1056	0	0 1056	163	0	0	163
	GW4{1}	1094	0	0 1094	272	0	0	272
	GT1P1{1}	2254168	0	02254168	195	0	0	195
	GT2P2{1}	760243	0	0 760243	152	0	0	152
	GT3P3{1}	1956271	0	01956271	135	0	0	135
	Gravity{2}	2145	0	0 2145	461	0	0	461
	Thermal 3{2}	-141995	0	0 141995	25	0	0	25
	Pressure 1{2}	2124979	0	02124979	871	0	0	871
	GT3{2}	-139850	0	0 139850	486	0	0	486
	Hydrotest-NL{2}	1985129	0	01985129	1357	0	0	1357
+984 -	Gravity{1}	1075	0	0 1075	220	0	0	220
	Thermal 1{1}	2214830	0	02214830	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01486099	56	0	0	56
	Thermal 3{1}	-139691	0	0 139691	22	0	0	22
	Wind 1{1}	-94	0	0 94	-1	0	0	1
	Wind 2{1}	94	0	0 94	1	0	0	1
	Wind 3{1}	-20	0	0 20	-57	0	0	57
	Wind 4{1}	19	0	0 19	52	0	0	52
	Pressure 1{1}	38262	0	0 38262	101	0	0	101
	Pressure 2{1}	2245267	0	02245267	-124	0	0	124
	Pressure 3{1}	2094887	0	02094887	-107	0	0	107
	GT1{1}	2215906	0	02215906	94	0	0	94

	GT2{1}	-.1E+07	0	01485024	276	0	0	276
	GT3{1}	-138616	0	0 138616	242	0	0	242
	GW1{1}	981	0	0 981	219	0	0	219
	GW2{1}	1169	0	0 1169	221	0	0	221
	GW3{1}	1056	0	0 1056	163	0	0	163
	GW4{1}	1094	0	0 1094	272	0	0	272
	GT1P1{1}	2254168	0	02254168	195	0	0	195
	GT2P2{1}	760243	0	0 760243	152	0	0	152
	GT3P3{1}	1956271	0	01956271	135	0	0	135
	Gravity{2}	2145	0	0 2145	461	0	0	461
	Thermal 3{2}	-141995	0	0 141995	25	0	0	25
	Pressure 1{2}	2124979	0	02124979	871	0	0	871
	GT3{2}	-139850	0	0 139850	486	0	0	486
	Hydrotest-NL{2}	1985129	0	01985129	1357	0	0	1357
+984 +	Gravity{1}	1091	0	0 1091	220	0	0	220
	Thermal 1{1}	2200234	0	02200234	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01482471	56	0	0	56
	Thermal 3{1}	-139447	0	0 139447	22	0	0	22
	Wind 1{1}	-95	0	0 95	-1	0	0	1
	Wind 2{1}	96	0	0 96	1	0	0	1
	Wind 3{1}	-20	0	0 20	-57	0	0	57
	Wind 4{1}	20	0	0 20	52	0	0	52
	Pressure 1{1}	38261	0	0 38261	101	0	0	101
	Pressure 2{1}	2240123	0	02240123	-124	0	0	124
	Pressure 3{1}	2087539	0	02087539	-107	0	0	107
	GT1{1}	2201324	0	02201324	94	0	0	94
	GT2{1}	-.1E+07	0	01481380	276	0	0	276
	GT3{1}	-138356	0	0 138356	242	0	0	242
	GW1{1}	996	0	0 996	219	0	0	219
	GW2{1}	1187	0	0 1187	221	0	0	221
	GW3{1}	1071	0	0 1071	163	0	0	163
	GW4{1}	1111	0	0 1111	272	0	0	272
	GT1P1{1}	2239586	0	02239586	195	0	0	195
	GT2P2{1}	758743	0	0 758743	152	0	0	152
	GT3P3{1}	1949182	0	01949182	135	0	0	135
	Gravity{2}	2177	0	0 2177	461	0	0	461
	Thermal 3{2}	-141785	0	0 141785	25	0	0	25
	Pressure 1{2}	2110398	0	02110398	871	0	0	871
	GT3{2}	-139609	0	0 139609	486	0	0	486
	Hydrotest-NL{2}	1970789	0	01970789	1357	0	0	1357
+985 -	Gravity{1}	1091	0	0 1091	220	0	0	220
	Thermal 1{1}	2200234	0	02200234	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01482471	56	0	0	56
	Thermal 3{1}	-139447	0	0 139447	22	0	0	22
	Wind 1{1}	-95	0	0 95	-1	0	0	1
	Wind 2{1}	96	0	0 96	1	0	0	1
	Wind 3{1}	-20	0	0 20	-57	0	0	57
	Wind 4{1}	20	0	0 20	52	0	0	52
	Pressure 1{1}	38261	0	0 38261	101	0	0	101
	Pressure 2{1}	2240123	0	02240123	-124	0	0	124
	Pressure 3{1}	2087539	0	02087539	-107	0	0	107
	GT1{1}	2201324	0	02201324	94	0	0	94
	GT2{1}	-.1E+07	0	01481380	276	0	0	276
	GT3{1}	-138356	0	0 138356	242	0	0	242
	GW1{1}	996	0	0 996	219	0	0	219
	GW2{1}	1187	0	0 1187	221	0	0	221
	GW3{1}	1071	0	0 1071	163	0	0	163
	GW4{1}	1111	0	0 1111	272	0	0	272
	GT1P1{1}	2239586	0	02239586	195	0	0	195
	GT2P2{1}	758743	0	0 758743	152	0	0	152
	GT3P3{1}	1949182	0	01949182	135	0	0	135
	Gravity{2}	2177	0	0 2177	461	0	0	461
	Thermal 3{2}	-141785	0	0 141785	25	0	0	25
	Pressure 1{2}	2110398	0	02110398	871	0	0	871
	GT3{2}	-139609	0	0 139609	486	0	0	486
	Hydrotest-NL{2}	1970789	0	01970789	1357	0	0	1357
+985 +	Gravity{1}	1107	0	0 1107	220	0	0	220
	Thermal 1{1}	2185636	0	02185636	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01478789	56	0	0	56
	Thermal 3{1}	-139200	0	0 139200	22	0	0	22
	Wind 1{1}	-97	0	0 97	-1	0	0	1
	Wind 2{1}	97	0	0 97	1	0	0	1
	Wind 3{1}	-20	0	0 20	-57	0	0	57
	Wind 4{1}	20	0	0 20	52	0	0	52
	Pressure 1{1}	38260	0	0 38260	101	0	0	101
	Pressure 2{1}	2234904	0	02234904	-124	0	0	124
	Pressure 3{1}	2080082	0	02080082	-107	0	0	107
	GT1{1}	2186742	0	02186742	94	0	0	94
	GT2{1}	-.1E+07	0	01477683	276	0	0	276
	GT3{1}	-138093	0	0 138093	242	0	0	242
	GW1{1}	1010	0	0 1010	219	0	0	219
	GW2{1}	1204	0	0 1204	221	0	0	221
	GW3{1}	1087	0	0 1087	163	0	0	163
	GW4{1}	1127	0	0 1127	272	0	0	272
	GT1P1{1}	2225003	0	02225003	195	0	0	195
	GT2P2{1}	757221	0	0 757221	152	0	0	152
	GT3P3{1}	1941989	0	01941989	135	0	0	135
	Gravity{2}	2209	0	0 2209	461	0	0	461
	Thermal 3{2}	-141572	0	0 141572	25	0	0	25
	Pressure 1{2}	2095817	0	02095817	871	0	0	871
	GT3{2}	-139364	0	0 139364	486	0	0	486
	Hydrotest-NL{2}	1956453	0	01956453	1357	0	0	1357
+986 -	Gravity{1}	1107	0	0 1107	220	0	0	220
	Thermal 1{1}	2185636	0	02185636	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01478789	56	0	0	56
	Thermal 3{1}	-139200	0	0 139200	22	0	0	22
	Wind 1{1}	-97	0	0 97	-1	0	0	1
	Wind 2{1}	97	0	0 97	1	0	0	1
	Wind 3{1}	-20	0	0 20	-57	0	0	57
	Wind 4{1}	20	0	0 20	52	0	0	52
	Pressure 1{1}	38260	0	0 38260	101	0	0	101
	Pressure 2{1}	2234904	0	02234904	-124	0	0	124
	Pressure 3{1}	2080082	0	02080082	-107	0	0	107
	GT1{1}	2186742	0	02186742	94	0	0	94

	GT2{1}	-.1E+07	0	01477683	276	0	0	276
	GT3{1}	-138093	0	0 138093	242	0	0	242
	GW1{1}	1010	0	0 1010	219	0	0	219
	GW2{1}	1204	0	0 1204	221	0	0	221
	GW3{1}	1087	0	0 1087	163	0	0	163
	GW4{1}	1127	0	0 1127	272	0	0	272
	GT1P1{1}	2225003	0	02225003	195	0	0	195
	GT2P2{1}	757221	0	0 757221	152	0	0	152
	GT3P3{1}	1941989	0	01941989	135	0	0	135
	Gravity{2}	2209	0	0 2209	461	0	0	461
	Thermal 3{2}	-141572	0	0 141572	25	0	0	25
	Pressure 1{2}	2095817	0	02095817	871	0	0	871
	GT3{2}	-139364	0	0 139364	486	0	0	486
	Hydrotest-NL{2}	1956453	0	01956453	1357	0	0	1357
+986 +	Gravity{1}	1123	0	0 1123	220	0	0	220
	Thermal 1{1}	2171038	0	02171038	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01475054	56	0	0	56
	Thermal 3{1}	-138949	0	0 138949	22	0	0	22
	Wind 1{1}	-98	0	0 98	-1	0	0	1
	Wind 2{1}	99	0	0 99	1	0	0	1
	Wind 3{1}	-20	0	0 20	-57	0	0	57
	Wind 4{1}	20	0	0 20	52	0	0	52
	Pressure 1{1}	38259	0	0 38259	101	0	0	101
	Pressure 2{1}	2229608	0	02229608	-124	0	0	124
	Pressure 3{1}	2072516	0	02072516	-107	0	0	107
	GT1{1}	2172161	0	02172161	94	0	0	94
	GT2{1}	-.1E+07	0	01473931	276	0	0	276
	GT3{1}	-137826	0	0 137826	242	0	0	242
	GW1{1}	1025	0	0 1025	219	0	0	219
	GW2{1}	1222	0	0 1222	221	0	0	221
	GW3{1}	1103	0	0 1103	163	0	0	163
	GW4{1}	1143	0	0 1143	272	0	0	272
	GT1P1{1}	2210420	0	02210420	195	0	0	195
	GT2P2{1}	755677	0	0 755677	152	0	0	152
	GT3P3{1}	1934690	0	01934690	135	0	0	135
	Gravity{2}	2241	0	0 2241	461	0	0	461
	Thermal 3{2}	-141356	0	0 141356	25	0	0	25
	Pressure 1{2}	2081235	0	02081235	871	0	0	871
	GT3{2}	-139115	0	0 139115	486	0	0	486
	Hydrotest-NL{2}	1942120	0	01942120	1357	0	0	1357
+987 -	Gravity{1}	1123	0	0 1123	220	0	0	220
	Thermal 1{1}	2171038	0	02171038	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01475054	56	0	0	56
	Thermal 3{1}	-138949	0	0 138949	22	0	0	22
	Wind 1{1}	-98	0	0 98	-1	0	0	1
	Wind 2{1}	99	0	0 99	1	0	0	1
	Wind 3{1}	-20	0	0 20	-57	0	0	57
	Wind 4{1}	20	0	0 20	52	0	0	52
	Pressure 1{1}	38259	0	0 38259	101	0	0	101
	Pressure 2{1}	2229608	0	02229608	-124	0	0	124
	Pressure 3{1}	2072516	0	02072516	-107	0	0	107
	GT1{1}	2172161	0	02172161	94	0	0	94
	GT2{1}	-.1E+07	0	01473931	276	0	0	276
	GT3{1}	-137826	0	0 137826	242	0	0	242
	GW1{1}	1025	0	0 1025	219	0	0	219
	GW2{1}	1222	0	0 1222	221	0	0	221
	GW3{1}	1103	0	0 1103	163	0	0	163
	GW4{1}	1143	0	0 1143	272	0	0	272
	GT1P1{1}	2210420	0	02210420	195	0	0	195
	GT2P2{1}	755677	0	0 755677	152	0	0	152
	GT3P3{1}	1934690	0	01934690	135	0	0	135
	Gravity{2}	2241	0	0 2241	461	0	0	461
	Thermal 3{2}	-141356	0	0 141356	25	0	0	25
	Pressure 1{2}	2081235	0	02081235	871	0	0	871
	GT3{2}	-139115	0	0 139115	486	0	0	486
	Hydrotest-NL{2}	1942120	0	01942120	1357	0	0	1357
+987 +	Gravity{1}	1140	0	0 1140	220	0	0	220
	Thermal 1{1}	2156440	0	02156440	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01471264	56	0	0	56
	Thermal 3{1}	-138694	0	0 138694	22	0	0	22
	Wind 1{1}	-100	0	0 100	-1	0	0	1
	Wind 2{1}	100	0	0 100	1	0	0	1
	Wind 3{1}	-21	0	0 21	-57	0	0	57
	Wind 4{1}	21	0	0 21	52	0	0	52
	Pressure 1{1}	38258	0	0 38258	101	0	0	101
	Pressure 2{1}	2224235	0	02224235	-124	0	0	124
	Pressure 3{1}	2064839	0	02064839	-107	0	0	107
	GT1{1}	2157580	0	02157580	94	0	0	94
	GT2{1}	-.1E+07	0	01470124	276	0	0	276
	GT3{1}	-137554	0	0 137554	242	0	0	242
	GW1{1}	1040	0	0 1040	219	0	0	219
	GW2{1}	1240	0	0 1240	221	0	0	221
	GW3{1}	1119	0	0 1119	163	0	0	163
	GW4{1}	1160	0	0 1160	272	0	0	272
	GT1P1{1}	2195838	0	02195838	195	0	0	195
	GT2P2{1}	754110	0	0 754110	152	0	0	152
	GT3P3{1}	1927285	0	01927285	135	0	0	135
	Gravity{2}	2274	0	0 2274	461	0	0	461
	Thermal 3{2}	-141137	0	0 141137	25	0	0	25
	Pressure 1{2}	2066654	0	02066654	871	0	0	871
	GT3{2}	-138863	0	0 138863	486	0	0	486
	Hydrotest-NL{2}	1927792	0	01927792	1357	0	0	1357
+988 -	Gravity{1}	1140	0	0 1140	220	0	0	220
	Thermal 1{1}	2156440	0	02156440	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01471264	56	0	0	56
	Thermal 3{1}	-138694	0	0 138694	22	0	0	22
	Wind 1{1}	-100	0	0 100	-1	0	0	1
	Wind 2{1}	100	0	0 100	1	0	0	1
	Wind 3{1}	-21	0	0 21	-57	0	0	57
	Wind 4{1}	21	0	0 21	52	0	0	52
	Pressure 1{1}	38258	0	0 38258	101	0	0	101
	Pressure 2{1}	2224235	0	02224235	-124	0	0	124
	Pressure 3{1}	2064839	0	02064839	-107	0	0	107
	GT1{1}	2157580	0	02157580	94	0	0	94

	GT2{1}	-.1E+07	0	01470124	276	0	0	276
	GT3{1}	-137554	0	0 137554	242	0	0	242
	GW1{1}	1040	0	0 1040	219	0	0	219
	GW2{1}	1240	0	0 1240	221	0	0	221
	GW3{1}	1119	0	0 1119	163	0	0	163
	GW4{1}	1160	0	0 1160	272	0	0	272
	GT1P1{1}	2195838	0	02195838	195	0	0	195
	GT2P2{1}	754110	0	0 754110	152	0	0	152
	GT3P3{1}	1927285	0	01927285	135	0	0	135
	Gravity{2}	2274	0	0 2274	461	0	0	461
	Thermal 3{2}	-141137	0	0 141137	25	0	0	25
	Pressure 1{2}	2066654	0	02066654	871	0	0	871
	GT3{2}	-138863	0	0 138863	486	0	0	486
	Hydrotest-NL{2}	1927792	0	01927792	1357	0	0	1357
+988 +	Gravity{1}	1156	0	0 1156	220	0	0	220
	Thermal 1{1}	2141842	0	02141842	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01467418	56	0	0	56
	Thermal 3{1}	-138436	0	0 138436	22	0	0	22
	Wind 1{1}	-101	0	0 101	-1	0	0	1
	Wind 2{1}	102	0	0 102	1	0	0	1
	Wind 3{1}	-21	0	0 21	-57	0	0	57
	Wind 4{1}	21	0	0 21	52	0	0	52
	Pressure 1{1}	38258	0	0 38258	101	0	0	101
	Pressure 2{1}	2218782	0	02218782	-124	0	0	124
	Pressure 3{1}	2057050	0	02057050	-107	0	0	107
	GT1{1}	2142999	0	02142999	94	0	0	94
	GT2{1}	-.1E+07	0	01466262	276	0	0	276
	GT3{1}	-137279	0	0 137279	242	0	0	242
	GW1{1}	1055	0	0 1055	219	0	0	219
	GW2{1}	1258	0	0 1258	221	0	0	221
	GW3{1}	1135	0	0 1135	163	0	0	163
	GW4{1}	1177	0	0 1177	272	0	0	272
	GT1P1{1}	2181256	0	02181256	195	0	0	195
	GT2P2{1}	752521	0	0 752521	152	0	0	152
	GT3P3{1}	1919771	0	01919771	135	0	0	135
	Gravity{2}	2307	0	0 2307	461	0	0	461
	Thermal 3{2}	-140914	0	0 140914	25	0	0	25
	Pressure 1{2}	2052074	0	02052074	871	0	0	871
	GT3{2}	-138607	0	0 138607	486	0	0	486
	Hydrotest-NL{2}	1913467	0	01913467	1357	0	0	1357
+989 -	Gravity{1}	1156	0	0 1156	220	0	0	220
	Thermal 1{1}	2141842	0	02141842	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01467418	56	0	0	56
	Thermal 3{1}	-138436	0	0 138436	22	0	0	22
	Wind 1{1}	-101	0	0 101	-1	0	0	1
	Wind 2{1}	102	0	0 102	1	0	0	1
	Wind 3{1}	-21	0	0 21	-57	0	0	57
	Wind 4{1}	21	0	0 21	52	0	0	52
	Pressure 1{1}	38258	0	0 38258	101	0	0	101
	Pressure 2{1}	2218782	0	02218782	-124	0	0	124
	Pressure 3{1}	2057050	0	02057050	-107	0	0	107
	GT1{1}	2142999	0	02142999	94	0	0	94
	GT2{1}	-.1E+07	0	01466262	276	0	0	276
	GT3{1}	-137279	0	0 137279	242	0	0	242
	GW1{1}	1055	0	0 1055	219	0	0	219
	GW2{1}	1258	0	0 1258	221	0	0	221
	GW3{1}	1135	0	0 1135	163	0	0	163
	GW4{1}	1177	0	0 1177	272	0	0	272
	GT1P1{1}	2181256	0	02181256	195	0	0	195
	GT2P2{1}	752521	0	0 752521	152	0	0	152
	GT3P3{1}	1919771	0	01919771	135	0	0	135
	Gravity{2}	2307	0	0 2307	461	0	0	461
	Thermal 3{2}	-140914	0	0 140914	25	0	0	25
	Pressure 1{2}	2052074	0	02052074	871	0	0	871
	GT3{2}	-138607	0	0 138607	486	0	0	486
	Hydrotest-NL{2}	1913467	0	01913467	1357	0	0	1357
+989 +	Gravity{1}	1173	0	0 1173	220	0	0	220
	Thermal 1{1}	2127243	0	02127243	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01463516	56	0	0	56
	Thermal 3{1}	-138173	0	0 138173	22	0	0	22
	Wind 1{1}	-102	0	0 102	-1	0	0	1
	Wind 2{1}	103	0	0 103	1	0	0	1
	Wind 3{1}	-21	0	0 21	-57	0	0	57
	Wind 4{1}	21	0	0 21	52	0	0	52
	Pressure 1{1}	38257	0	0 38257	101	0	0	101
	Pressure 2{1}	2213250	0	02213250	-124	0	0	124
	Pressure 3{1}	2049147	0	02049147	-107	0	0	107
	GT1{1}	2128417	0	02128417	94	0	0	94
	GT2{1}	-.1E+07	0	01462342	276	0	0	276
	GT3{1}	-137000	0	0 137000	242	0	0	242
	GW1{1}	1071	0	0 1071	219	0	0	219
	GW2{1}	1276	0	0 1276	221	0	0	221
	GW3{1}	1152	0	0 1152	163	0	0	163
	GW4{1}	1194	0	0 1194	272	0	0	272
	GT1P1{1}	2166673	0	02166673	195	0	0	195
	GT2P2{1}	750908	0	0 750908	152	0	0	152
	GT3P3{1}	1912146	0	01912146	135	0	0	135
	Gravity{2}	2341	0	0 2341	461	0	0	461
	Thermal 3{2}	-140688	0	0 140688	25	0	0	25
	Pressure 1{2}	2037492	0	02037492	871	0	0	871
	GT3{2}	-138347	0	0 138347	486	0	0	486
	Hydrotest-NL{2}	1899145	0	01899145	1357	0	0	1357
+990 -	Gravity{1}	1173	0	0 1173	220	0	0	220
	Thermal 1{1}	2127243	0	02127243	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01463516	56	0	0	56
	Thermal 3{1}	-138173	0	0 138173	22	0	0	22
	Wind 1{1}	-102	0	0 102	-1	0	0	1
	Wind 2{1}	103	0	0 103	1	0	0	1
	Wind 3{1}	-21	0	0 21	-57	0	0	57
	Wind 4{1}	21	0	0 21	52	0	0	52
	Pressure 1{1}	38257	0	0 38257	101	0	0	101
	Pressure 2{1}	2213250	0	02213250	-124	0	0	124
	Pressure 3{1}	2049147	0	02049147	-107	0	0	107
	GT1{1}	2128417	0	02128417	94	0	0	94

	GT2{1}	-.1E+07	0	01462342	276	0	0	276
	GT3{1}	-137000	0	0 137000	242	0	0	242
	GW1{1}	1071	0	0 1071	219	0	0	219
	GW2{1}	1276	0	0 1276	221	0	0	221
	GW3{1}	1152	0	0 1152	163	0	0	163
	GW4{1}	1194	0	0 1194	272	0	0	272
	GT1P1{1}	2166673	0	02166673	195	0	0	195
	GT2P2{1}	750908	0	0 750908	152	0	0	152
	GT3P3{1}	1912146	0	01912146	135	0	0	135
	Gravity{2}	2341	0	0 2341	461	0	0	461
	Thermal 3{2}	-140688	0	0 140688	25	0	0	25
	Pressure 1{2}	2037492	0	02037492	871	0	0	871
	GT3{2}	-138347	0	0 138347	486	0	0	486
	Hydrotest-NL{2}	1899145	0	01899145	1357	0	0	1357
+990 +	Gravity{1}	1190	0	0 1190	220	0	0	220
	Thermal 1{1}	2112644	0	02112644	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01459556	56	0	0	56
	Thermal 3{1}	-137907	0	0 137907	22	0	0	22
	Wind 1{1}	-104	0	0 104	-1	0	0	1
	Wind 2{1}	105	0	0 105	1	0	0	1
	Wind 3{1}	-22	0	0 22	-57	0	0	57
	Wind 4{1}	21	0	0 21	52	0	0	52
	Pressure 1{1}	38256	0	0 38256	101	0	0	101
	Pressure 2{1}	2207637	0	02207637	-124	0	0	124
	Pressure 3{1}	2041127	0	02041127	-107	0	0	107
	GT1{1}	2113835	0	02113835	94	0	0	94
	GT2{1}	-.1E+07	0	01458366	276	0	0	276
	GT3{1}	-136717	0	0 136717	242	0	0	242
	GW1{1}	1086	0	0 1086	219	0	0	219
	GW2{1}	1295	0	0 1295	221	0	0	221
	GW3{1}	1169	0	0 1169	163	0	0	163
	GW4{1}	1212	0	0 1212	272	0	0	272
	GT1P1{1}	2152090	0	02152090	195	0	0	195
	GT2P2{1}	749271	0	0 749271	152	0	0	152
	GT3P3{1}	1904410	0	01904410	135	0	0	135
	Gravity{2}	2375	0	0 2375	461	0	0	461
	Thermal 3{2}	-140459	0	0 140459	25	0	0	25
	Pressure 1{2}	2022911	0	02022911	871	0	0	871
	GT3{2}	-138084	0	0 138084	486	0	0	486
	Hydrotest-NL{2}	1884827	0	01884827	1357	0	0	1357
+991 -	Gravity{1}	1190	0	0 1190	220	0	0	220
	Thermal 1{1}	2112644	0	02112644	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01459556	56	0	0	56
	Thermal 3{1}	-137907	0	0 137907	22	0	0	22
	Wind 1{1}	-104	0	0 104	-1	0	0	1
	Wind 2{1}	105	0	0 105	1	0	0	1
	Wind 3{1}	-22	0	0 22	-57	0	0	57
	Wind 4{1}	21	0	0 21	52	0	0	52
	Pressure 1{1}	38256	0	0 38256	101	0	0	101
	Pressure 2{1}	2207637	0	02207637	-124	0	0	124
	Pressure 3{1}	2041127	0	02041127	-107	0	0	107
	GT1{1}	2113835	0	02113835	94	0	0	94
	GT2{1}	-.1E+07	0	01458366	276	0	0	276
	GT3{1}	-136717	0	0 136717	242	0	0	242
	GW1{1}	1086	0	0 1086	219	0	0	219
	GW2{1}	1295	0	0 1295	221	0	0	221
	GW3{1}	1169	0	0 1169	163	0	0	163
	GW4{1}	1212	0	0 1212	272	0	0	272
	GT1P1{1}	2152090	0	02152090	195	0	0	195
	GT2P2{1}	749271	0	0 749271	152	0	0	152
	GT3P3{1}	1904410	0	01904410	135	0	0	135
	Gravity{2}	2375	0	0 2375	461	0	0	461
	Thermal 3{2}	-140459	0	0 140459	25	0	0	25
	Pressure 1{2}	2022911	0	02022911	871	0	0	871
	GT3{2}	-138084	0	0 138084	486	0	0	486
	Hydrotest-NL{2}	1884827	0	01884827	1357	0	0	1357
+991 +	Gravity{1}	1208	0	0 1208	220	0	0	220
	Thermal 1{1}	2098046	0	02098046	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01455539	56	0	0	56
	Thermal 3{1}	-137637	0	0 137637	22	0	0	22
	Wind 1{1}	-106	0	0 106	-1	0	0	1
	Wind 2{1}	106	0	0 106	1	0	0	1
	Wind 3{1}	-22	0	0 22	-57	0	0	57
	Wind 4{1}	22	0	0 22	52	0	0	52
	Pressure 1{1}	38255	0	0 38255	101	0	0	101
	Pressure 2{1}	2201941	0	02201941	-124	0	0	124
	Pressure 3{1}	2032990	0	02032990	-107	0	0	107
	GT1{1}	2099254	0	02099254	94	0	0	94
	GT2{1}	-.1E+07	0	01454331	276	0	0	276
	GT3{1}	-136429	0	0 136429	242	0	0	242
	GW1{1}	1102	0	0 1102	219	0	0	219
	GW2{1}	1314	0	0 1314	221	0	0	221
	GW3{1}	1186	0	0 1186	163	0	0	163
	GW4{1}	1230	0	0 1230	272	0	0	272
	GT1P1{1}	2137509	0	02137509	195	0	0	195
	GT2P2{1}	747610	0	0 747610	152	0	0	152
	GT3P3{1}	1896561	0	01896561	135	0	0	135
	Gravity{2}	2410	0	0 2410	461	0	0	461
	Thermal 3{2}	-140226	0	0 140226	25	0	0	25
	Pressure 1{2}	2008330	0	02008330	871	0	0	871
	GT3{2}	-137816	0	0 137816	486	0	0	486
	Hydrotest-NL{2}	1870514	0	01870514	1357	0	0	1357
+992 -	Gravity{1}	1208	0	0 1208	220	0	0	220
	Thermal 1{1}	2098046	0	02098046	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01455539	56	0	0	56
	Thermal 3{1}	-137637	0	0 137637	22	0	0	22
	Wind 1{1}	-106	0	0 106	-1	0	0	1
	Wind 2{1}	106	0	0 106	1	0	0	1
	Wind 3{1}	-22	0	0 22	-57	0	0	57
	Wind 4{1}	22	0	0 22	52	0	0	52
	Pressure 1{1}	38255	0	0 38255	101	0	0	101
	Pressure 2{1}	2201941	0	02201941	-124	0	0	124
	Pressure 3{1}	2032990	0	02032990	-107	0	0	107
	GT1{1}	2099254	0	02099254	94	0	0	94

	GT2{1}	-.1E+07	0	01454331	276	0	0	276
	GT3{1}	-136429	0	0 136429	242	0	0	242
	GW1{1}	1102	0	0 1102	219	0	0	219
	GW2{1}	1314	0	0 1314	221	0	0	221
	GW3{1}	1186	0	0 1186	163	0	0	163
	GW4{1}	1230	0	0 1230	272	0	0	272
	GT1P1{1}	2137509	0	02137509	195	0	0	195
	GT2P2{1}	747610	0	0 747610	152	0	0	152
	GT3P3{1}	1896561	0	01896561	135	0	0	135
	Gravity{2}	2410	0	0 2410	461	0	0	461
	Thermal 3{2}	-140226	0	0 140226	25	0	0	25
	Pressure 1{2}	2008330	0	02008330	871	0	1	871
	GT3{2}	-137816	0	0 137816	486	0	0	486
	Hydrotest-NL{2}	1870514	0	01870514	1357	0	1	1357
+992 +	Gravity{1}	1226	0	0 1226	220	0	0	220
	Thermal 1{1}	2083447	0	02083447	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01451463	56	0	0	56
	Thermal 3{1}	-137363	0	0 137363	22	0	0	22
	Wind 1{1}	-107	0	0 107	-1	0	0	1
	Wind 2{1}	108	0	0 108	1	0	0	1
	Wind 3{1}	-22	0	0 22	-57	0	0	57
	Wind 4{1}	22	0	0 22	52	0	0	52
	Pressure 1{1}	38254	0	0 38254	101	0	0	101
	Pressure 2{1}	2196163	0	02196163	-124	0	0	124
	Pressure 3{1}	2024734	0	02024734	-107	0	0	107
	GT1{1}	2084672	0	02084672	94	0	0	94
	GT2{1}	-.1E+07	0	01450237	276	0	0	276
	GT3{1}	-136138	0	0 136138	242	0	0	242
	GW1{1}	1118	0	0 1118	219	0	0	219
	GW2{1}	1333	0	0 1333	221	0	0	221
	GW3{1}	1203	0	0 1203	163	0	0	163
	GW4{1}	1248	0	0 1248	272	0	0	272
	GT1P1{1}	2122926	0	02122926	195	0	0	195
	GT2P2{1}	745925	0	0 745925	152	0	0	152
	GT3P3{1}	1888597	0	01888597	135	0	0	135
	Gravity{2}	2445	0	0 2445	461	0	0	461
	Thermal 3{2}	-139990	0	0 139990	25	0	0	25
	Pressure 1{2}	1993749	0	01993749	871	0	1	871
	GT3{2}	-137545	0	0 137545	486	0	0	486
	Hydrotest-NL{2}	1856204	0	01856204	1357	0	1	1357
+993 -	Gravity{1}	1226	0	0 1226	220	0	0	220
	Thermal 1{1}	2083447	0	02083447	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01451463	56	0	0	56
	Thermal 3{1}	-137363	0	0 137363	22	0	0	22
	Wind 1{1}	-107	0	0 107	-1	0	0	1
	Wind 2{1}	108	0	0 108	1	0	0	1
	Wind 3{1}	-22	0	0 22	-57	0	0	57
	Wind 4{1}	22	0	0 22	52	0	0	52
	Pressure 1{1}	38254	0	0 38254	101	0	0	101
	Pressure 2{1}	2196163	0	02196163	-124	0	0	124
	Pressure 3{1}	2024734	0	02024734	-107	0	0	107
	GT1{1}	2084672	0	02084672	94	0	0	94
	GT2{1}	-.1E+07	0	01450237	276	0	0	276
	GT3{1}	-136138	0	0 136138	242	0	0	242
	GW1{1}	1118	0	0 1118	219	0	0	219
	GW2{1}	1333	0	0 1333	221	0	0	221
	GW3{1}	1203	0	0 1203	163	0	0	163
	GW4{1}	1248	0	0 1248	272	0	0	272
	GT1P1{1}	2122926	0	02122926	195	0	0	195
	GT2P2{1}	745925	0	0 745925	152	0	0	152
	GT3P3{1}	1888597	0	01888597	135	0	0	135
	Gravity{2}	2445	0	0 2445	461	0	0	461
	Thermal 3{2}	-139990	0	0 139990	25	0	0	25
	Pressure 1{2}	1993749	0	01993749	871	0	1	871
	GT3{2}	-137545	0	0 137545	486	0	0	486
	Hydrotest-NL{2}	1856204	0	01856204	1357	0	1	1357
+993 +	Gravity{1}	1244	0	0 1244	220	0	0	220
	Thermal 1{1}	2068847	0	02068847	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01447326	56	0	0	56
	Thermal 3{1}	-137085	0	0 137085	22	0	0	22
	Wind 1{1}	-109	0	0 109	-1	0	0	1
	Wind 2{1}	109	0	0 109	1	0	0	1
	Wind 3{1}	-23	0	0 23	-57	0	0	57
	Wind 4{1}	22	0	0 22	52	0	0	52
	Pressure 1{1}	38253	0	0 38253	101	0	0	101
	Pressure 2{1}	2190299	0	02190299	-124	0	0	124
	Pressure 3{1}	2016357	0	02016357	-107	0	0	107
	GT1{1}	2070091	0	02070091	94	0	0	94
	GT2{1}	-.1E+07	0	01446083	276	0	0	276
	GT3{1}	-135842	0	0 135842	242	0	0	242
	GW1{1}	1135	0	0 1135	219	0	0	219
	GW2{1}	1353	0	0 1353	221	0	0	221
	GW3{1}	1221	0	0 1221	163	0	0	163
	GW4{1}	1266	0	0 1266	272	0	0	272
	GT1P1{1}	2108344	0	02108344	195	0	0	195
	GT2P2{1}	744216	0	0 744216	152	0	0	152
	GT3P3{1}	1880515	0	01880515	135	0	0	135
	Gravity{2}	2481	0	0 2481	461	0	0	461
	Thermal 3{2}	-139751	0	0 139751	25	0	0	25
	Pressure 1{2}	1979168	0	01979168	871	0	1	871
	GT3{2}	-137269	0	0 137269	486	0	0	486
	Hydrotest-NL{2}	1841898	0	01841898	1357	0	1	1357
+994 -	Gravity{1}	1244	0	0 1244	220	0	0	220
	Thermal 1{1}	2068847	0	02068847	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01447326	56	0	0	56
	Thermal 3{1}	-137085	0	0 137085	22	0	0	22
	Wind 1{1}	-109	0	0 109	-1	0	0	1
	Wind 2{1}	109	0	0 109	1	0	0	1
	Wind 3{1}	-23	0	0 23	-57	0	0	57
	Wind 4{1}	22	0	0 22	52	0	0	52
	Pressure 1{1}	38253	0	0 38253	101	0	0	101
	Pressure 2{1}	2190299	0	02190299	-124	0	0	124
	Pressure 3{1}	2016357	0	02016357	-107	0	0	107
	GT1{1}	2070091	0	02070091	94	0	0	94

	GT2{1}	-.1E+07	0	01446083	276	0	0	276
	GT3{1}	-135842	0	0 135842	242	0	0	242
	GW1{1}	1135	0	0 1135	219	0	0	219
	GW2{1}	1353	0	0 1353	221	0	0	221
	GW3{1}	1221	0	0 1221	163	0	0	163
	GW4{1}	1266	0	0 1266	272	0	0	272
	GT1P1{1}	2108344	0	02108344	195	0	0	195
	GT2P2{1}	744216	0	0 744216	152	0	0	152
	GT3P3{1}	1880515	0	01880515	135	0	0	135
	Gravity{2}	2481	0	0 2481	461	0	0	461
	Thermal 3{2}	-139751	0	0 139751	25	0	0	25
	Pressure 1{2}	1979168	0	01979168	871	0	1	871
	GT3{2}	-137269	0	0 137269	486	0	0	486
	Hydrotest-NL{2}	1841898	0	01841898	1357	0	1	1357
+994 +	Gravity{1}	1262	0	0 1262	220	0	0	220
	Thermal 1{1}	2054247	0	02054247	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01443129	56	0	0	56
	Thermal 3{1}	-136803	0	0 136803	22	0	0	22
	Wind 1{1}	-110	0	0 110	-1	0	0	1
	Wind 2{1}	111	0	0 111	1	0	0	1
	Wind 3{1}	-23	0	0 23	-57	0	0	57
	Wind 4{1}	23	0	0 23	52	0	0	52
	Pressure 1{1}	38252	0	0 38252	101	0	0	101
	Pressure 2{1}	2184349	0	02184349	-124	0	0	124
	Pressure 3{1}	2007856	0	02007856	-107	0	0	107
	GT1{1}	2055509	0	02055509	94	0	0	94
	GT2{1}	-.1E+07	0	01441868	276	0	0	276
	GT3{1}	-135542	0	0 135542	242	0	0	242
	GW1{1}	1152	0	0 1152	219	0	0	219
	GW2{1}	1373	0	0 1373	221	0	0	221
	GW3{1}	1239	0	0 1239	163	0	0	163
	GW4{1}	1285	0	0 1285	272	0	0	272
	GT1P1{1}	2093761	0	02093761	195	0	0	195
	GT2P2{1}	742481	0	0 742481	152	0	0	152
	GT3P3{1}	1872315	0	01872315	135	0	0	135
	Gravity{2}	2518	0	0 2518	461	0	0	461
	Thermal 3{2}	-139508	0	0 139508	25	0	0	25
	Pressure 1{2}	1964586	0	01964586	871	0	1	871
	GT3{2}	-136990	0	0 136990	486	0	0	486
	Hydrotest-NL{2}	1827596	0	01827596	1357	0	1	1357
+995 -	Gravity{1}	1262	0	0 1262	220	0	0	220
	Thermal 1{1}	2054247	0	02054247	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01443129	56	0	0	56
	Thermal 3{1}	-136803	0	0 136803	22	0	0	22
	Wind 1{1}	-110	0	0 110	-1	0	0	1
	Wind 2{1}	111	0	0 111	1	0	0	1
	Wind 3{1}	-23	0	0 23	-57	0	0	57
	Wind 4{1}	23	0	0 23	52	0	0	52
	Pressure 1{1}	38252	0	0 38252	101	0	0	101
	Pressure 2{1}	2184349	0	02184349	-124	0	0	124
	Pressure 3{1}	2007856	0	02007856	-107	0	0	107
	GT1{1}	2055509	0	02055509	94	0	0	94
	GT2{1}	-.1E+07	0	01441868	276	0	0	276
	GT3{1}	-135542	0	0 135542	242	0	0	242
	GW1{1}	1152	0	0 1152	219	0	0	219
	GW2{1}	1373	0	0 1373	221	0	0	221
	GW3{1}	1239	0	0 1239	163	0	0	163
	GW4{1}	1285	0	0 1285	272	0	0	272
	GT1P1{1}	2093761	0	02093761	195	0	0	195
	GT2P2{1}	742481	0	0 742481	152	0	0	152
	GT3P3{1}	1872315	0	01872315	135	0	0	135
	Gravity{2}	2518	0	0 2518	461	0	0	461
	Thermal 3{2}	-139508	0	0 139508	25	0	0	25
	Pressure 1{2}	1964586	0	01964586	871	0	1	871
	GT3{2}	-136990	0	0 136990	486	0	0	486
	Hydrotest-NL{2}	1827596	0	01827596	1357	0	1	1357
+995 +	Gravity{1}	1280	0	0 1280	220	0	0	220
	Thermal 1{1}	2039647	0	02039647	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01438871	56	0	0	56
	Thermal 3{1}	-136517	0	0 136517	22	0	0	22
	Wind 1{1}	-112	0	0 112	-1	0	0	1
	Wind 2{1}	112	0	0 112	1	0	0	1
	Wind 3{1}	-23	0	0 23	-57	0	0	57
	Wind 4{1}	23	0	0 23	52	0	0	52
	Pressure 1{1}	38251	0	0 38251	101	0	0	101
	Pressure 2{1}	2178312	0	02178312	-124	0	0	124
	Pressure 3{1}	1999232	0	01999232	-107	0	0	107
	GT1{1}	2040928	0	02040928	94	0	0	94
	GT2{1}	-.1E+07	0	01437591	276	0	0	276
	GT3{1}	-135237	0	0 135237	242	0	0	242
	GW1{1}	1168	0	0 1168	219	0	0	219
	GW2{1}	1393	0	0 1393	221	0	0	221
	GW3{1}	1257	0	0 1257	163	0	0	163
	GW4{1}	1303	0	0 1303	272	0	0	272
	GT1P1{1}	2079179	0	02079179	195	0	0	195
	GT2P2{1}	740721	0	0 740721	152	0	0	152
	GT3P3{1}	1863995	0	01863995	135	0	0	135
	Gravity{2}	2555	0	0 2555	461	0	0	461
	Thermal 3{2}	-139261	0	0 139261	25	0	0	25
	Pressure 1{2}	1950006	0	01950006	871	0	1	871
	GT3{2}	-136707	0	0 136707	486	0	0	486
	Hydrotest-NL{2}	1813299	0	01813299	1357	0	1	1357
+996 -	Gravity{1}	1280	0	0 1280	220	0	0	220
	Thermal 1{1}	2039647	0	02039647	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01438871	56	0	0	56
	Thermal 3{1}	-136517	0	0 136517	22	0	0	22
	Wind 1{1}	-112	0	0 112	-1	0	0	1
	Wind 2{1}	112	0	0 112	1	0	0	1
	Wind 3{1}	-23	0	0 23	-57	0	0	57
	Wind 4{1}	23	0	0 23	52	0	0	52
	Pressure 1{1}	38251	0	0 38251	101	0	0	101
	Pressure 2{1}	2178312	0	02178312	-124	0	0	124
	Pressure 3{1}	1999232	0	01999232	-107	0	0	107
	GT1{1}	2040928	0	02040928	94	0	0	94

	GT2{1}	-.1E+07	0	01437591	276	0	0	276
	GT3{1}	-135237	0	0 135237	242	0	0	242
	GW1{1}	1168	0	0 1168	219	0	0	219
	GW2{1}	1393	0	0 1393	221	0	0	221
	GW3{1}	1257	0	0 1257	163	0	0	163
	GW4{1}	1303	0	0 1303	272	0	0	272
	GT1P1{1}	2079179	0	02079179	195	0	0	195
	GT2P2{1}	740721	0	0 740721	152	0	0	152
	GT3P3{1}	1863995	0	01863995	135	0	0	135
	Gravity{2}	2555	0	0 2555	461	0	0	461
	Thermal 3{2}	-139261	0	0 139261	25	0	0	25
	Pressure 1{2}	1950006	0	01950006	871	0	1	871
	GT3{2}	-136707	0	0 136707	486	0	0	486
	Hydrotest-NL{2}	1813299	0	01813299	1357	0	1	1357
+996 +	Gravity{1}	1299	0	0 1299	220	0	0	220
	Thermal 1{1}	2025047	0	02025047	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01434551	56	0	0	56
	Thermal 3{1}	-136227	0	0 136227	22	0	0	22
	Wind 1{1}	-113	0	0 113	-1	0	0	1
	Wind 2{1}	114	0	0 114	1	0	0	1
	Wind 3{1}	-24	0	0 24	-57	0	0	57
	Wind 4{1}	23	0	0 23	52	0	0	52
	Pressure 1{1}	38250	0	0 38250	101	0	0	101
	Pressure 2{1}	2172186	0	02172186	-124	0	0	124
	Pressure 3{1}	1990481	0	01990481	-107	0	0	107
	GT1{1}	2026346	0	02026346	94	0	0	94
	GT2{1}	-.1E+07	0	01433252	276	0	0	276
	GT3{1}	-134928	0	0 134928	242	0	0	242
	GW1{1}	1186	0	0 1186	219	0	0	219
	GW2{1}	1413	0	0 1413	221	0	0	221
	GW3{1}	1275	0	0 1275	163	0	0	163
	GW4{1}	1322	0	0 1322	272	0	0	272
	GT1P1{1}	2064597	0	02064597	195	0	0	195
	GT2P2{1}	738935	0	0 738935	152	0	0	152
	GT3P3{1}	1855553	0	01855553	135	0	0	135
	Gravity{2}	2592	0	0 2592	461	0	0	461
	Thermal 3{2}	-139011	0	0 139011	25	0	0	25
	Pressure 1{2}	1935425	0	01935425	871	0	1	871
	GT3{2}	-136419	0	0 136419	486	0	0	486
	Hydrotest-NL{2}	1799006	0	01799006	1357	0	1	1357
+997 -	Gravity{1}	1299	0	0 1299	220	0	0	220
	Thermal 1{1}	2025047	0	02025047	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01434551	56	0	0	56
	Thermal 3{1}	-136227	0	0 136227	22	0	0	22
	Wind 1{1}	-113	0	0 113	-1	0	0	1
	Wind 2{1}	114	0	0 114	1	0	0	1
	Wind 3{1}	-24	0	0 24	-57	0	0	57
	Wind 4{1}	23	0	0 23	52	0	0	52
	Pressure 1{1}	38250	0	0 38250	101	0	0	101
	Pressure 2{1}	2172186	0	02172186	-124	0	0	124
	Pressure 3{1}	1990481	0	01990481	-107	0	0	107
	GT1{1}	2026346	0	02026346	94	0	0	94
	GT2{1}	-.1E+07	0	01433252	276	0	0	276
	GT3{1}	-134928	0	0 134928	242	0	0	242
	GW1{1}	1186	0	0 1186	219	0	0	219
	GW2{1}	1413	0	0 1413	221	0	0	221
	GW3{1}	1275	0	0 1275	163	0	0	163
	GW4{1}	1322	0	0 1322	272	0	0	272
	GT1P1{1}	2064597	0	02064597	195	0	-1	195
	GT2P2{1}	738935	0	0 738935	152	0	0	152
	GT3P3{1}	1855553	0	01855553	135	0	0	135
	Gravity{2}	2592	0	0 2592	461	0	0	461
	Thermal 3{2}	-139011	0	0 139011	25	0	0	25
	Pressure 1{2}	1935425	0	01935425	871	0	1	871
	GT3{2}	-136419	0	0 136419	486	0	0	486
	Hydrotest-NL{2}	1799006	0	01799006	1357	0	1	1357
+997 +	Gravity{1}	1318	0	0 1318	220	0	0	220
	Thermal 1{1}	2010446	0	02010446	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01430166	56	0	0	56
	Thermal 3{1}	-135932	0	0 135932	22	0	0	22
	Wind 1{1}	-115	0	0 115	-1	0	0	1
	Wind 2{1}	116	0	0 116	1	0	0	1
	Wind 3{1}	-24	0	0 24	-57	0	0	57
	Wind 4{1}	24	0	0 24	52	0	0	52
	Pressure 1{1}	38250	0	0 38250	101	0	0	101
	Pressure 2{1}	2165971	0	02165971	-124	0	0	124
	Pressure 3{1}	1981601	0	01981601	-107	0	0	107
	GT1{1}	2011764	0	02011764	94	0	0	94
	GT2{1}	-.1E+07	0	01428848	276	0	0	276
	GT3{1}	-134614	0	0 134614	242	0	0	242
	GW1{1}	1203	0	0 1203	219	0	0	219
	GW2{1}	1434	0	0 1434	221	0	0	221
	GW3{1}	1294	0	0 1294	163	0	0	163
	GW4{1}	1342	0	0 1342	272	0	0	272
	GT1P1{1}	2050014	0	02050014	195	0	-1	195
	GT2P2{1}	737123	0	0 737123	152	0	0	152
	GT3P3{1}	1846987	0	01846987	135	0	0	135
	Gravity{2}	2630	0	0 2630	461	0	0	461
	Thermal 3{2}	-138757	0	0 138757	25	0	0	25
	Pressure 1{2}	1920843	0	01920843	871	0	1	871
	GT3{2}	-136127	0	0 136127	486	0	0	486
	Hydrotest-NL{2}	1784716	0	01784716	1357	0	1	1357
+998 -	Gravity{1}	1318	0	0 1318	220	0	0	220
	Thermal 1{1}	2010446	0	02010446	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01430166	56	0	0	56
	Thermal 3{1}	-135932	0	0 135932	22	0	0	22
	Wind 1{1}	-115	0	0 115	-1	0	0	1
	Wind 2{1}	116	0	0 116	1	0	0	1
	Wind 3{1}	-24	0	0 24	-57	0	0	57
	Wind 4{1}	24	0	0 24	52	0	0	52
	Pressure 1{1}	38250	0	0 38250	101	0	0	101
	Pressure 2{1}	2165971	0	02165971	-124	0	0	124
	Pressure 3{1}	1981601	0	01981601	-107	0	0	107
	GT1{1}	2011764	0	02011764	94	0	0	94

	GT2{1}	-.1E+07	0	01428848	276	0	0	276
	GT3{1}	-134614	0	0 134614	242	0	0	242
	GW1{1}	1203	0	0 1203	219	0	0	219
	GW2{1}	1434	0	0 1434	221	0	0	221
	GW3{1}	1294	0	0 1294	163	0	0	163
	GW4{1}	1342	0	0 1342	272	0	0	272
	GT1P1{1}	2050014	0	02050014	195	0	-1	195
	GT2P2{1}	737123	0	0 737123	152	0	0	152
	GT3P3{1}	1846987	0	01846987	135	0	0	135
	Gravity{2}	2630	0	0 2630	461	0	0	461
	Thermal 3{2}	-138757	0	0 138757	25	0	0	25
	Pressure 1{2}	1920843	0	01920843	871	0	1	871
	GT3{2}	-136127	0	0 136127	486	0	0	486
	Hydrotest-NL{2}	1784716	0	01784716	1357	0	1	1357
+998 +	Gravity{1}	1337	0	0 1337	220	0	0	220
	Thermal 1{1}	1995846	0	01995846	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01425718	56	0	0	56
	Thermal 3{1}	-135633	0	0 135633	22	0	0	22
	Wind 1{1}	-117	0	0 117	-1	0	0	1
	Wind 2{1}	117	0	0 117	1	0	0	1
	Wind 3{1}	-24	0	0 24	-57	0	0	57
	Wind 4{1}	24	0	0 24	52	0	0	52
	Pressure 1{1}	38249	0	0 38249	101	0	0	101
	Pressure 2{1}	2159664	0	02159664	-124	0	0	124
	Pressure 3{1}	1972592	0	01972592	-107	0	0	107
	GT1{1}	1997183	0	01997183	94	0	0	94
	GT2{1}	-.1E+07	0	01424381	276	0	0	276
	GT3{1}	-134296	0	0 134296	242	0	0	242
	GW1{1}	1221	0	0 1221	219	0	0	219
	GW2{1}	1455	0	0 1455	221	0	0	221
	GW3{1}	1313	0	0 1313	163	0	0	163
	GW4{1}	1362	0	0 1362	272	0	0	272
	GT1P1{1}	2035432	0	02035432	195	0	-1	195
	GT2P2{1}	735284	0	0 735284	152	0	0	152
	GT3P3{1}	1838296	0	01838296	135	0	0	135
	Gravity{2}	2669	0	0 2669	461	0	0	461
	Thermal 3{2}	-138500	0	0 138500	25	0	0	25
	Pressure 1{2}	1906263	0	01906263	871	0	1	871
	GT3{2}	-135831	0	0 135831	486	0	0	486
	Hydrotest-NL{2}	1770431	0	01770431	1357	0	1	1357
+999 -	Gravity{1}	1337	0	0 1337	220	0	0	220
	Thermal 1{1}	1995846	0	01995846	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01425718	56	0	0	56
	Thermal 3{1}	-135633	0	0 135633	22	0	0	22
	Wind 1{1}	-117	0	0 117	-1	0	0	1
	Wind 2{1}	117	0	0 117	1	0	0	1
	Wind 3{1}	-24	0	0 24	-57	0	0	57
	Wind 4{1}	24	0	0 24	52	0	0	52
	Pressure 1{1}	38249	0	0 38249	101	0	0	101
	Pressure 2{1}	2159664	0	02159664	-124	0	0	124
	Pressure 3{1}	1972592	0	01972592	-107	0	0	107
	GT1{1}	1997183	0	01997183	94	0	0	94
	GT2{1}	-.1E+07	0	01424381	276	0	0	276
	GT3{1}	-134296	0	0 134296	242	0	0	242
	GW1{1}	1221	0	0 1221	219	0	0	219
	GW2{1}	1455	0	0 1455	221	0	0	221
	GW3{1}	1313	0	0 1313	163	0	0	163
	GW4{1}	1362	0	0 1362	272	0	0	272
	GT1P1{1}	2035432	0	02035432	195	0	-1	195
	GT2P2{1}	735284	0	0 735284	152	0	0	152
	GT3P3{1}	1838296	0	01838296	135	0	0	135
	Gravity{2}	2669	0	0 2669	461	0	0	461
	Thermal 3{2}	-138500	0	0 138500	25	0	0	25
	Pressure 1{2}	1906263	0	01906263	871	0	1	871
	GT3{2}	-135831	0	0 135831	486	0	0	486
	Hydrotest-NL{2}	1770431	0	01770431	1357	0	1	1357
+999 +	Gravity{1}	1357	0	0 1357	220	0	0	220
	Thermal 1{1}	1981245	0	01981245	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01421204	56	0	0	56
	Thermal 3{1}	-135330	0	0 135330	22	0	0	22
	Wind 1{1}	-119	0	0 119	-1	0	0	1
	Wind 2{1}	119	0	0 119	1	0	0	1
	Wind 3{1}	-25	0	0 25	-57	0	0	57
	Wind 4{1}	24	0	0 24	52	0	0	52
	Pressure 1{1}	38248	0	0 38248	101	0	0	101
	Pressure 2{1}	2153266	0	02153266	-124	0	0	124
	Pressure 3{1}	1963450	0	01963450	-107	0	0	107
	GT1{1}	1982602	0	01982602	94	0	0	94
	GT2{1}	-.1E+07	0	01419847	276	0	0	276
	GT3{1}	-133973	0	0 133973	242	0	0	242
	GW1{1}	1238	0	0 1238	219	0	0	219
	GW2{1}	1476	0	0 1476	221	0	0	221
	GW3{1}	1332	0	0 1332	163	0	0	163
	GW4{1}	1381	0	0 1381	272	0	0	272
	GT1P1{1}	2020850	0	02020850	195	0	-1	195
	GT2P2{1}	733418	0	0 733418	152	0	0	152
	GT3P3{1}	1829477	0	01829477	135	0	0	135
	Gravity{2}	2708	0	0 2708	461	0	0	461
	Thermal 3{2}	-138239	0	0 138239	25	0	0	25
	Pressure 1{2}	1891682	0	01891682	871	0	1	871
	GT3{2}	-135531	0	0 135531	486	0	0	486
	Hydrotest-NL{2}	1756151	0	01756151	1357	0	1	1357
+1000-	Gravity{1}	1357	0	0 1357	220	0	0	220
	Thermal 1{1}	1981245	0	01981245	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01421204	56	0	0	56
	Thermal 3{1}	-135330	0	0 135330	22	0	0	22
	Wind 1{1}	-119	0	0 119	-1	0	0	1
	Wind 2{1}	119	0	0 119	1	0	0	1
	Wind 3{1}	-25	0	0 25	-57	0	0	57
	Wind 4{1}	24	0	0 24	52	0	0	52
	Pressure 1{1}	38248	0	0 38248	101	0	0	101
	Pressure 2{1}	2153266	0	02153266	-124	0	0	124
	Pressure 3{1}	1963450	0	01963450	-107	0	0	107
	GT1{1}	1982602	0	01982602	94	0	0	94

	GT2{1}	-.1E+07	0	01419847	276	0	0	276
	GT3{1}	-133973	0	0 133973	242	0	0	242
	GW1{1}	1238	0	0 1238	219	0	0	219
	GW2{1}	1476	0	0 1476	221	0	0	221
	GW3{1}	1332	0	0 1332	163	0	0	163
	GW4{1}	1381	0	0 1381	272	0	0	272
	GT1P1{1}	2020850	0	02020850	195	0	-1	195
	GT2P2{1}	733418	0	0 733418	152	0	0	152
	GT3P3{1}	1829477	0	01829477	135	0	0	135
	Gravity{2}	2708	0	0 2708	461	0	0	461
	Thermal 3{2}	-138239	0	0 138239	25	0	0	25
	Pressure 1{2}	1891682	0	01891682	871	0	1	871
	GT3{2}	-135531	0	0 135531	486	0	0	486
	Hydrotest-NL{2}	1756151	0	01756151	1357	0	1	1357
+1000+	Gravity{1}	1377	0	0 1377	220	0	0	220
	Thermal 1{1}	1966643	0	01966643	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01416625	56	0	0	56
	Thermal 3{1}	-135022	0	0 135022	22	0	0	22
	Wind 1{1}	-120	0	0 120	-1	0	0	1
	Wind 2{1}	121	0	0 121	1	0	0	1
	Wind 3{1}	-25	0	0 25	-57	0	0	57
	Wind 4{1}	25	0	0 25	52	0	0	52
	Pressure 1{1}	38247	0	0 38247	101	0	0	101
	Pressure 2{1}	2146773	0	02146773	-124	0	0	124
	Pressure 3{1}	1954174	0	01954174	-107	0	0	107
	GT1{1}	1968020	0	01968020	94	0	0	94
	GT2{1}	-.1E+07	0	01415248	276	0	0	276
	GT3{1}	-133645	0	0 133645	242	0	0	242
	GW1{1}	1257	0	0 1257	219	0	0	219
	GW2{1}	1498	0	0 1498	221	0	0	221
	GW3{1}	1352	0	0 1352	163	0	0	163
	GW4{1}	1402	0	0 1402	272	0	0	272
	GT1P1{1}	2006267	0	02006267	195	0	-1	195
	GT2P2{1}	731525	0	0 731525	152	0	0	152
	GT3P3{1}	1820529	0	01820529	135	0	0	135
	Gravity{2}	2747	0	0 2747	461	0	0	461
	Thermal 3{2}	-137973	0	0 137973	25	0	0	25
	Pressure 1{2}	1877100	0	01877100	871	0	1	871
	GT3{2}	-135226	0	0 135226	486	0	0	486
	Hydrotest-NL{2}	1741874	0	01741874	1357	0	1	1357
+1001-	Gravity{1}	1377	0	0 1377	220	0	0	220
	Thermal 1{1}	1966643	0	01966643	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01416625	56	0	0	56
	Thermal 3{1}	-135022	0	0 135022	22	0	0	22
	Wind 1{1}	-120	0	0 120	-1	0	0	1
	Wind 2{1}	121	0	0 121	1	0	0	1
	Wind 3{1}	-25	0	0 25	-57	0	0	57
	Wind 4{1}	25	0	0 25	52	0	0	52
	Pressure 1{1}	38247	0	0 38247	101	0	0	101
	Pressure 2{1}	2146773	0	02146773	-124	0	0	124
	Pressure 3{1}	1954174	0	01954174	-107	0	0	107
	GT1{1}	1968020	0	01968020	94	0	0	94
	GT2{1}	-.1E+07	0	01415248	276	0	0	276
	GT3{1}	-133645	0	0 133645	242	0	0	242
	GW1{1}	1257	0	0 1257	219	0	0	219
	GW2{1}	1498	0	0 1498	221	0	0	221
	GW3{1}	1352	0	0 1352	163	0	0	163
	GW4{1}	1402	0	0 1402	272	0	0	272
	GT1P1{1}	2006267	0	02006267	195	0	-1	195
	GT2P2{1}	731525	0	0 731525	152	0	0	152
	GT3P3{1}	1820529	0	01820529	135	0	0	135
	Gravity{2}	2747	0	0 2747	461	0	0	461
	Thermal 3{2}	-137973	0	0 137973	25	0	0	25
	Pressure 1{2}	1877100	0	01877100	871	0	1	871
	GT3{2}	-135226	0	0 135226	486	0	0	486
	Hydrotest-NL{2}	1741874	0	01741874	1357	0	1	1357
+1001+	Gravity{1}	1397	0	0 1397	220	0	0	220
	Thermal 1{1}	1952041	0	01952041	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01411978	56	0	0	56
	Thermal 3{1}	-134710	0	0 134710	22	0	0	22
	Wind 1{1}	-122	0	0 122	-1	0	0	1
	Wind 2{1}	123	0	0 123	1	0	0	1
	Wind 3{1}	-25	0	0 25	-57	0	0	57
	Wind 4{1}	25	0	0 25	52	0	0	52
	Pressure 1{1}	38246	0	0 38246	101	0	0	101
	Pressure 2{1}	2140185	0	02140185	-124	0	0	124
	Pressure 3{1}	1944762	0	01944762	-107	0	0	107
	GT1{1}	1953438	0	01953438	94	0	0	94
	GT2{1}	-.1E+07	0	01410581	276	0	0	276
	GT3{1}	-133313	0	0 133313	242	0	0	242
	GW1{1}	1275	0	0 1275	219	0	0	219
	GW2{1}	1520	0	0 1520	221	0	0	221
	GW3{1}	1372	0	0 1372	163	0	0	163
	GW4{1}	1422	0	0 1422	272	0	0	272
	GT1P1{1}	1991684	0	01991684	195	0	-1	195
	GT2P2{1}	729604	0	0 729604	152	0	0	152
	GT3P3{1}	1811449	0	01811449	135	0	0	135
	Gravity{2}	2788	0	0 2788	461	0	0	461
	Thermal 3{2}	-137704	0	0 137704	25	0	0	25
	Pressure 1{2}	1862519	0	01862519	871	0	1	871
	GT3{2}	-134917	0	0 134917	486	0	0	486
	Hydrotest-NL{2}	1727602	0	01727602	1357	0	1	1357
+1002-	Gravity{1}	1397	0	0 1397	220	0	0	220
	Thermal 1{1}	1952041	0	01952041	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01411978	56	0	0	56
	Thermal 3{1}	-134710	0	0 134710	22	0	0	22
	Wind 1{1}	-122	0	0 122	-1	0	0	1
	Wind 2{1}	123	0	0 123	1	0	0	1
	Wind 3{1}	-25	0	0 25	-57	0	0	57
	Wind 4{1}	25	0	0 25	52	0	0	52
	Pressure 1{1}	38246	0	0 38246	101	0	0	101
	Pressure 2{1}	2140185	0	02140185	-124	0	0	124
	Pressure 3{1}	1944762	0	01944762	-107	0	0	107
	GT1{1}	1953438	0	01953438	94	0	0	94

	GT2{1}	-.1E+07	0	01410581	276	0	0	276
	GT3{1}	-133313	0	0 133313	242	0	0	242
	GW1{1}	1275	0	0 1275	219	0	0	219
	GW2{1}	1520	0	0 1520	221	0	0	221
	GW3{1}	1372	0	0 1372	163	0	0	163
	GW4{1}	1422	0	0 1422	272	0	0	272
	GT1P1{1}	1991684	0	01991684	195	0	-1	195
	GT2P2{1}	729604	0	0 729604	152	0	0	152
	GT3P3{1}	1811449	0	01811449	135	0	0	135
	Gravity{2}	2788	0	0 2788	461	0	0	461
	Thermal 3{2}	-137704	0	0 137704	25	0	0	25
	Pressure 1{2}	1862519	0	01862519	871	0	1	871
	GT3{2}	-134917	0	0 134917	486	0	0	486
	Hydrotest-NL{2}	1727602	0	01727602	1357	0	1	1357
+1002+	Gravity{1}	1418	0	0 1418	220	0	0	220
	Thermal 1{1}	1937440	0	01937440	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01407263	56	0	0	56
	Thermal 3{1}	-134393	0	0 134393	22	0	0	22
	Wind 1{1}	-124	0	0 124	-1	0	0	1
	Wind 2{1}	124	0	0 124	1	0	0	1
	Wind 3{1}	-26	0	0 26	-57	0	0	57
	Wind 4{1}	26	0	0 26	52	0	0	52
	Pressure 1{1}	38245	0	0 38245	101	0	0	101
	Pressure 2{1}	2133500	0	02133500	-124	0	0	124
	Pressure 3{1}	1935212	0	01935212	-107	0	0	107
	GT1{1}	1938857	0	01938857	94	0	0	94
	GT2{1}	-.1E+07	0	01405845	276	0	0	276
	GT3{1}	-132975	0	0 132975	242	0	0	242
	GW1{1}	1294	0	0 1294	219	0	0	219
	GW2{1}	1542	0	0 1542	221	0	0	221
	GW3{1}	1392	0	0 1392	163	0	0	163
	GW4{1}	1443	0	0 1443	272	0	0	272
	GT1P1{1}	1977102	0	01977102	195	0	-1	195
	GT2P2{1}	727655	0	0 727655	152	0	0	152
	GT3P3{1}	1802237	0	01802237	135	0	0	135
	Gravity{2}	2829	0	0 2829	461	0	0	461
	Thermal 3{2}	-137431	0	0 137431	25	0	0	25
	Pressure 1{2}	1847938	0	01847938	871	0	1	871
	GT3{2}	-134603	0	0 134603	486	0	0	486
	Hydrotest-NL{2}	1713335	0	01713335	1357	0	1	1357
+1003-	Gravity{1}	1418	0	0 1418	220	0	0	220
	Thermal 1{1}	1937440	0	01937440	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01407263	56	0	0	56
	Thermal 3{1}	-134393	0	0 134393	22	0	0	22
	Wind 1{1}	-124	0	0 124	-1	0	0	1
	Wind 2{1}	124	0	0 124	1	0	0	1
	Wind 3{1}	-26	0	0 26	-57	0	0	57
	Wind 4{1}	26	0	0 26	52	0	0	52
	Pressure 1{1}	38245	0	0 38245	101	0	0	101
	Pressure 2{1}	2133500	0	02133500	-124	0	0	124
	Pressure 3{1}	1935212	0	01935212	-107	0	0	107
	GT1{1}	1938857	0	01938857	94	0	0	94
	GT2{1}	-.1E+07	0	01405845	276	0	0	276
	GT3{1}	-132975	0	0 132975	242	0	0	242
	GW1{1}	1294	0	0 1294	219	0	0	219
	GW2{1}	1542	0	0 1542	221	0	0	221
	GW3{1}	1392	0	0 1392	163	0	0	163
	GW4{1}	1443	0	0 1443	272	0	0	272
	GT1P1{1}	1977102	0	01977102	195	0	-1	195
	GT2P2{1}	727655	0	0 727655	152	0	0	152
	GT3P3{1}	1802237	0	01802237	135	0	0	135
	Gravity{2}	2829	0	0 2829	461	0	0	461
	Thermal 3{2}	-137431	0	0 137431	25	0	0	25
	Pressure 1{2}	1847938	0	01847938	871	0	1	871
	GT3{2}	-134603	0	0 134603	486	0	0	486
	Hydrotest-NL{2}	1713335	0	01713335	1357	0	1	1357
+1003+	Gravity{1}	1438	0	0 1438	220	0	0	220
	Thermal 1{1}	1922838	0	01922838	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01402479	56	0	0	56
	Thermal 3{1}	-134071	0	0 134071	22	0	0	22
	Wind 1{1}	-126	0	0 126	-1	0	0	1
	Wind 2{1}	126	0	0 126	1	0	0	1
	Wind 3{1}	-26	0	0 26	-57	0	0	57
	Wind 4{1}	26	0	0 26	52	0	0	52
	Pressure 1{1}	38244	0	0 38244	101	0	0	101
	Pressure 2{1}	2126718	0	02126718	-124	0	0	124
	Pressure 3{1}	1925523	0	01925523	-107	0	0	107
	GT1{1}	1924276	0	01924276	94	0	0	94
	GT2{1}	-.1E+07	0	01401040	276	0	0	276
	GT3{1}	-132633	0	0 132633	242	0	0	242
	GW1{1}	1313	0	0 1313	219	0	0	219
	GW2{1}	1565	0	0 1565	221	0	0	221
	GW3{1}	1412	0	0 1412	163	0	0	163
	GW4{1}	1464	0	0 1464	272	0	0	272
	GT1P1{1}	1962520	0	01962520	195	0	-1	195
	GT2P2{1}	725678	0	0 725678	152	0	0	152
	GT3P3{1}	1792890	0	01792890	135	0	0	135
	Gravity{2}	2870	0	0 2870	461	0	0	461
	Thermal 3{2}	-137155	0	0 137155	25	0	0	25
	Pressure 1{2}	1833357	0	01833357	871	0	1	871
	GT3{2}	-134284	0	0 134284	486	0	0	486
	Hydrotest-NL{2}	1699073	0	01699073	1357	0	1	1357
+1004-	Gravity{1}	1438	0	0 1438	220	0	0	220
	Thermal 1{1}	1922838	0	01922838	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01402479	56	0	0	56
	Thermal 3{1}	-134071	0	0 134071	22	0	0	22
	Wind 1{1}	-126	0	0 126	-1	0	0	1
	Wind 2{1}	126	0	0 126	1	0	0	1
	Wind 3{1}	-26	0	0 26	-57	0	0	57
	Wind 4{1}	26	0	0 26	52	0	0	52
	Pressure 1{1}	38244	0	0 38244	101	0	0	101
	Pressure 2{1}	2126718	0	02126718	-124	0	0	124
	Pressure 3{1}	1925523	0	01925523	-107	0	0	107
	GT1{1}	1924276	0	01924276	94	0	0	94

	GT2{1}	-.1E+07	0	01401040	276	0	0	276
	GT3{1}	-132633	0	0 132633	242	0	0	242
	GW1{1}	1313	0	0 1313	219	0	0	219
	GW2{1}	1565	0	0 1565	221	0	0	221
	GW3{1}	1412	0	0 1412	163	0	0	163
	GW4{1}	1464	0	0 1464	272	0	0	272
	GT1P1{1}	1962520	0	01962520	195	0	0	195
	GT2P2{1}	725678	0	0 725678	152	0	0	152
	GT3P3{1}	1792890	0	01792890	135	0	0	135
	Gravity{2}	2870	0	0 2870	461	0	0	461
	Thermal 3{2}	-137155	0	0 137155	25	0	0	25
	Pressure 1{2}	1833357	0	01833357	871	0	2	871
	GT3{2}	-134284	0	0 134284	486	0	0	486
	Hydrotest-NL{2}	1699073	0	01699073	1357	0	2	1357
+1004+	Gravity{1}	1459	0	0 1459	220	0	0	220
	Thermal 1{1}	1908235	0	01908235	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01397624	56	0	0	56
	Thermal 3{1}	-133745	0	0 133745	22	0	0	22
	Wind 1{1}	-127	0	0 127	-1	0	0	1
	Wind 2{1}	128	0	0 128	1	0	0	1
	Wind 3{1}	-26	0	0 26	-57	0	0	57
	Wind 4{1}	26	0	0 26	52	0	0	52
	Pressure 1{1}	38243	0	0 38243	101	0	0	101
	Pressure 2{1}	2119836	0	02119836	-124	0	0	124
	Pressure 3{1}	1915690	0	01915690	-107	0	0	107
	GT1{1}	1909694	0	01909694	94	0	0	94
	GT2{1}	-.1E+07	0	01396165	276	0	0	276
	GT3{1}	-132286	0	0 132286	242	0	0	242
	GW1{1}	1332	0	0 1332	219	0	0	219
	GW2{1}	1588	0	0 1588	221	0	0	221
	GW3{1}	1433	0	0 1433	163	0	0	163
	GW4{1}	1486	0	0 1486	272	0	0	272
	GT1P1{1}	1947937	0	01947937	195	0	0	195
	GT2P2{1}	723671	0	0 723671	152	0	0	152
	GT3P3{1}	1783405	0	01783405	135	0	0	135
	Gravity{2}	2912	0	0 2912	461	0	0	461
	Thermal 3{2}	-136873	0	0 136873	25	0	0	25
	Pressure 1{2}	1818776	0	01818776	871	0	2	871
	GT3{2}	-133961	0	0 133961	486	0	0	486
	Hydrotest-NL{2}	1684814	0	01684814	1357	0	2	1357
+1005-	Gravity{1}	1459	0	0 1459	220	0	0	220
	Thermal 1{1}	1908235	0	01908235	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01397624	56	0	0	56
	Thermal 3{1}	-133745	0	0 133745	22	0	0	22
	Wind 1{1}	-127	0	0 127	-1	0	0	1
	Wind 2{1}	128	0	0 128	1	0	0	1
	Wind 3{1}	-26	0	0 26	-57	0	0	57
	Wind 4{1}	26	0	0 26	52	0	0	52
	Pressure 1{1}	38243	0	0 38243	101	0	0	101
	Pressure 2{1}	2119836	0	02119836	-124	0	0	124
	Pressure 3{1}	1915690	0	01915690	-107	0	0	107
	GT1{1}	1909694	0	01909694	94	0	0	94
	GT2{1}	-.1E+07	0	01396165	276	0	0	276
	GT3{1}	-132286	0	0 132286	242	0	0	242
	GW1{1}	1332	0	0 1332	219	0	0	219
	GW2{1}	1588	0	0 1588	221	0	0	221
	GW3{1}	1433	0	0 1433	163	0	0	163
	GW4{1}	1486	0	0 1486	272	0	0	272
	GT1P1{1}	1947937	0	01947937	195	0	0	195
	GT2P2{1}	723671	0	0 723671	152	0	0	152
	GT3P3{1}	1783405	0	01783405	135	0	0	135
	Gravity{2}	2912	0	0 2912	461	0	0	461
	Thermal 3{2}	-136873	0	0 136873	25	0	0	25
	Pressure 1{2}	1818776	0	01818776	871	0	2	871
	GT3{2}	-133961	0	0 133961	486	0	0	486
	Hydrotest-NL{2}	1684814	0	01684814	1357	0	2	1357
+1005+	Gravity{1}	1481	0	0 1481	220	0	0	220
	Thermal 1{1}	1893631	0	01893631	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01392698	56	0	0	56
	Thermal 3{1}	-133414	0	0 133414	22	0	0	22
	Wind 1{1}	-129	0	0 129	-1	0	0	1
	Wind 2{1}	130	0	0 130	1	0	0	1
	Wind 3{1}	-27	0	0 27	-57	0	0	57
	Wind 4{1}	27	0	0 27	52	0	0	52
	Pressure 1{1}	38242	0	0 38242	101	0	0	101
	Pressure 2{1}	2112853	0	02112853	-124	0	0	124
	Pressure 3{1}	1905714	0	01905714	-107	0	0	107
	GT1{1}	1895112	0	01895112	94	0	0	94
	GT2{1}	-.1E+07	0	01391218	276	0	0	276
	GT3{1}	-131933	0	0 131933	242	0	0	242
	GW1{1}	1351	0	0 1351	219	0	0	219
	GW2{1}	1611	0	0 1611	221	0	0	221
	GW3{1}	1454	0	0 1454	163	0	0	163
	GW4{1}	1508	0	0 1508	272	0	0	272
	GT1P1{1}	1933354	0	01933354	195	0	0	195
	GT2P2{1}	721635	0	0 721635	152	0	0	152
	GT3P3{1}	1773781	0	01773781	135	0	0	135
	Gravity{2}	2955	0	0 2955	461	0	0	461
	Thermal 3{2}	-136588	0	0 136588	25	0	0	25
	Pressure 1{2}	1804194	0	01804194	871	0	2	871
	GT3{2}	-133634	0	0 133634	486	0	0	486
	Hydrotest-NL{2}	1670561	0	01670561	1357	0	2	1357
+1006-	Gravity{1}	1481	0	0 1481	220	0	0	220
	Thermal 1{1}	1893631	0	01893631	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01392698	56	0	0	56
	Thermal 3{1}	-133414	0	0 133414	22	0	0	22
	Wind 1{1}	-129	0	0 129	-1	0	0	1
	Wind 2{1}	130	0	0 130	1	0	0	1
	Wind 3{1}	-27	0	0 27	-57	0	0	57
	Wind 4{1}	27	0	0 27	52	0	0	52
	Pressure 1{1}	38242	0	0 38242	101	0	0	101
	Pressure 2{1}	2112853	0	02112853	-124	0	0	124
	Pressure 3{1}	1905714	0	01905714	-107	0	0	107
	GT1{1}	1895112	0	01895112	94	0	0	94

	GT2{1}	-.1E+07	0	01391218	276	0	0	276
	GT3{1}	-131933	0	0 131933	242	0	0	242
	GW1{1}	1351	0	0 1351	219	0	0	219
	GW2{1}	1611	0	0 1611	221	0	0	221
	GW3{1}	1454	0	0 1454	163	0	0	163
	GW4{1}	1508	0	0 1508	272	0	0	272
	GT1P1{1}	1933354	0	01933354	195	0	0	195
	GT2P2{1}	721635	0	0 721635	152	0	0	152
	GT3P3{1}	1773781	0	01773781	135	0	0	135
	Gravity{2}	2955	0	0 2955	461	0	0	461
	Thermal 3{2}	-136588	0	0 136588	25	0	0	25
	Pressure 1{2}	1804194	0	01804194	871	0	2	871
	GT3{2}	-133634	0	0 133634	486	0	0	486
	Hydrotest-NL{2}	1670561	0	01670561	1357	0	2	1357
+1006+	Gravity{1}	1503	0	0 1503	220	0	0	220
	Thermal 1{1}	1879028	0	01879028	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01387701	56	0	0	56
	Thermal 3{1}	-133078	0	0 133078	22	0	0	22
	Wind 1{1}	-131	0	0 131	-1	0	0	1
	Wind 2{1}	132	0	0 132	1	0	0	1
	Wind 3{1}	-27	0	0 27	-57	0	0	57
	Wind 4{1}	27	0	0 27	52	0	0	52
	Pressure 1{1}	38241	0	0 38241	101	0	0	101
	Pressure 2{1}	2105767	0	02105767	-124	0	0	124
	Pressure 3{1}	1895592	0	01895592	-107	0	0	107
	GT1{1}	1880531	0	01880531	94	0	0	94
	GT2{1}	-.1E+07	0	01386198	276	0	0	276
	GT3{1}	-131576	0	0 131576	242	0	0	242
	GW1{1}	1371	0	0 1371	219	0	0	219
	GW2{1}	1634	0	0 1634	221	0	0	221
	GW3{1}	1475	0	0 1475	163	0	0	163
	GW4{1}	1530	0	0 1530	272	0	0	272
	GT1P1{1}	1918772	0	01918772	195	0	0	195
	GT2P2{1}	719569	0	0 719569	152	0	0	152
	GT3P3{1}	1764016	0	01764016	135	0	0	135
	Gravity{2}	2998	0	0 2998	461	0	0	461
	Thermal 3{2}	-136299	0	0 136299	25	0	0	25
	Pressure 1{2}	1789614	0	01789614	871	0	2	871
	GT3{2}	-133301	0	0 133301	486	0	0	486
	Hydrotest-NL{2}	1656313	0	01656313	1357	0	2	1357
+1007-	Gravity{1}	1503	0	0 1503	220	0	0	220
	Thermal 1{1}	1879028	0	01879028	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01387701	56	0	0	56
	Thermal 3{1}	-133078	0	0 133078	22	0	0	22
	Wind 1{1}	-131	0	0 131	-1	0	0	1
	Wind 2{1}	132	0	0 132	1	0	0	1
	Wind 3{1}	-27	0	0 27	-57	0	0	57
	Wind 4{1}	27	0	0 27	52	0	0	52
	Pressure 1{1}	38241	0	0 38241	101	0	0	101
	Pressure 2{1}	2105767	0	02105767	-124	0	0	124
	Pressure 3{1}	1895592	0	01895592	-107	0	0	107
	GT1{1}	1880531	0	01880531	94	0	0	94
	GT2{1}	-.1E+07	0	01386198	276	0	0	276
	GT3{1}	-131576	0	0 131576	242	0	0	242
	GW1{1}	1371	0	0 1371	219	0	0	219
	GW2{1}	1634	0	0 1634	221	0	0	221
	GW3{1}	1475	0	0 1475	163	0	0	163
	GW4{1}	1530	0	0 1530	272	0	0	272
	GT1P1{1}	1918772	0	01918772	195	0	0	195
	GT2P2{1}	719569	0	0 719569	152	0	0	152
	GT3P3{1}	1764016	0	01764016	135	0	0	135
	Gravity{2}	2998	0	0 2998	461	0	0	461
	Thermal 3{2}	-136299	0	0 136299	25	0	0	25
	Pressure 1{2}	1789614	0	01789614	871	0	2	871
	GT3{2}	-133301	0	0 133301	486	0	0	486
	Hydrotest-NL{2}	1656313	0	01656313	1357	0	2	1357
+1007+	Gravity{1}	1525	0	0 1525	220	0	0	220
	Thermal 1{1}	1864425	0	01864425	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01382630	56	0	0	56
	Thermal 3{1}	-132738	0	0 132738	22	0	0	22
	Wind 1{1}	-133	0	0 133	-1	0	0	1
	Wind 2{1}	134	0	0 134	1	0	0	1
	Wind 3{1}	-28	0	0 28	-57	0	0	57
	Wind 4{1}	28	0	0 28	52	0	0	52
	Pressure 1{1}	38240	0	0 38240	101	0	0	101
	Pressure 2{1}	2098579	0	02098579	-124	0	0	124
	Pressure 3{1}	1885321	0	01885321	-107	0	0	107
	GT1{1}	1865950	0	01865950	94	0	0	94
	GT2{1}	-.1E+07	0	01381105	276	0	0	276
	GT3{1}	-131213	0	0 131213	242	0	0	242
	GW1{1}	1391	0	0 1391	219	0	0	219
	GW2{1}	1658	0	0 1658	221	0	0	221
	GW3{1}	1497	0	0 1497	163	0	0	163
	GW4{1}	1552	0	0 1552	272	0	0	272
	GT1P1{1}	1904190	-1	01904190	195	0	0	195
	GT2P2{1}	717473	0	0 717473	152	0	0	152
	GT3P3{1}	1754108	0	01754108	135	0	0	135
	Gravity{2}	3042	0	0 3042	461	0	0	461
	Thermal 3{2}	-136005	0	0 136005	25	0	0	25
	Pressure 1{2}	1775033	0	01775033	871	0	2	871
	GT3{2}	-132963	0	0 132963	486	0	0	486
	Hydrotest-NL{2}	1642069	0	01642069	1357	0	2	1357
+1008-	Gravity{1}	1525	0	0 1525	220	0	0	220
	Thermal 1{1}	1864425	0	01864425	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01382630	56	0	0	56
	Thermal 3{1}	-132738	0	0 132738	22	0	0	22
	Wind 1{1}	-133	0	0 133	-1	0	0	1
	Wind 2{1}	134	0	0 134	1	0	0	1
	Wind 3{1}	-28	0	0 28	-57	0	0	57
	Wind 4{1}	28	0	0 28	52	0	0	52
	Pressure 1{1}	38240	0	0 38240	101	0	1	101
	Pressure 2{1}	2098579	0	02098579	-124	0	0	124
	Pressure 3{1}	1885321	0	01885321	-107	0	0	107
	GT1{1}	1865950	0	01865950	94	0	0	94

	GT2{1}	-.1E+07	0	01381105	276	0	0	276
	GT3{1}	-131213	0	0 131213	242	0	0	242
	GW1{1}	1391	0	0 1391	219	0	0	219
	GW2{1}	1658	0	0 1658	221	0	0	221
	GW3{1}	1497	0	0 1497	163	0	0	163
	GW4{1}	1552	0	0 1552	272	0	0	272
	GT1P1{1}	1904190	-1	01904190	195	0	0	195
	GT2P2{1}	717473	0	0 717473	152	0	0	152
	GT3P3{1}	1754108	0	01754108	135	0	0	135
	Gravity{2}	3042	0	0 3042	461	0	0	461
	Thermal 3{2}	-136005	0	0 136005	25	0	0	25
	Pressure 1{2}	1775033	0	01775033	871	0	1	871
	GT3{2}	-132963	0	0 132963	486	0	0	486
	Hydrotest-NL{2}	1642069	0	01642069	1357	0	1	1357
+1008+	Gravity{1}	1547	0	0 1547	220	0	0	220
	Thermal 1{1}	1849821	0	01849821	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01377484	56	0	0	56
	Thermal 3{1}	-132392	0	0 132392	22	0	0	22
	Wind 1{1}	-135	0	0 135	-1	0	0	1
	Wind 2{1}	136	0	0 136	1	0	0	1
	Wind 3{1}	-28	0	0 28	-57	0	0	57
	Wind 4{1}	28	0	0 28	52	0	0	52
	Pressure 1{1}	38239	-1	0 38239	101	0	1	101
	Pressure 2{1}	2091284	0	02091284	-124	0	0	124
	Pressure 3{1}	1874900	0	01874900	-107	0	0	107
	GT1{1}	1851368	0	01851368	94	0	0	94
	GT2{1}	-.1E+07	0	01375938	276	0	0	276
	GT3{1}	-130845	0	0 130845	242	0	0	242
	GW1{1}	1412	0	0 1412	219	0	0	219
	GW2{1}	1683	0	0 1683	221	0	0	221
	GW3{1}	1519	0	0 1519	163	0	0	163
	GW4{1}	1575	0	0 1575	272	0	0	272
	GT1P1{1}	1889607	-1	01889607	195	0	0	195
	GT2P2{1}	715346	0	0 715346	152	0	0	152
	GT3P3{1}	1744055	0	01744055	135	0	0	135
	Gravity{2}	3087	0	0 3087	461	0	0	461
	Thermal 3{2}	-135708	0	0 135708	25	0	0	25
	Pressure 1{2}	1760451	0	01760451	871	0	1	871
	GT3{2}	-132621	0	0 132621	486	0	0	486
	Hydrotest-NL{2}	1627830	0	01627830	1357	0	1	1357
+1009-	Gravity{1}	1547	0	0 1547	220	0	0	220
	Thermal 1{1}	1849821	0	01849821	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01377484	56	0	0	56
	Thermal 3{1}	-132392	0	0 132392	22	0	0	22
	Wind 1{1}	-135	0	0 135	-1	0	0	1
	Wind 2{1}	136	0	0 136	1	0	0	1
	Wind 3{1}	-28	0	0 28	-57	0	0	57
	Wind 4{1}	28	0	0 28	52	0	0	52
	Pressure 1{1}	38239	-1	0 38239	101	0	1	101
	Pressure 2{1}	2091284	0	02091284	-124	0	0	124
	Pressure 3{1}	1874900	0	01874900	-107	0	0	107
	GT1{1}	1851368	0	01851368	94	0	0	94
	GT2{1}	-.1E+07	0	01375938	276	0	0	276
	GT3{1}	-130845	0	0 130845	242	0	0	242
	GW1{1}	1412	0	0 1412	219	0	0	219
	GW2{1}	1683	0	0 1683	221	0	0	221
	GW3{1}	1519	0	0 1519	163	0	0	163
	GW4{1}	1575	0	0 1575	272	0	0	272
	GT1P1{1}	1889607	-1	01889607	195	0	1	195
	GT2P2{1}	715346	0	0 715346	152	0	0	152
	GT3P3{1}	1744055	0	01744055	135	0	0	135
	Gravity{2}	3087	0	0 3087	461	0	0	461
	Thermal 3{2}	-135708	0	0 135708	25	0	0	25
	Pressure 1{2}	1760451	0	01760451	871	0	1	871
	GT3{2}	-132621	0	0 132621	486	0	0	486
	Hydrotest-NL{2}	1627830	0	01627830	1357	0	1	1357
+1009+	Gravity{1}	1570	0	0 1570	220	0	0	220
	Thermal 1{1}	1835216	0	01835216	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01372263	56	0	0	56
	Thermal 3{1}	-132041	0	0 132041	22	0	0	22
	Wind 1{1}	-137	0	0 137	-1	0	0	1
	Wind 2{1}	138	0	0 138	1	0	0	1
	Wind 3{1}	-28	0	0 28	-57	0	0	57
	Wind 4{1}	28	0	0 28	52	0	0	52
	Pressure 1{1}	38238	-1	0 38238	101	0	1	101
	Pressure 2{1}	2083882	0	02083882	-124	0	0	124
	Pressure 3{1}	1864325	0	01864325	-107	0	0	107
	GT1{1}	1836786	0	01836786	94	0	0	94
	GT2{1}	-.1E+07	0	01370694	276	0	0	276
	GT3{1}	-130471	0	0 130471	242	0	0	242
	GW1{1}	1433	0	0 1433	219	0	0	219
	GW2{1}	1707	0	0 1707	221	0	0	221
	GW3{1}	1541	0	0 1541	163	0	0	163
	GW4{1}	1598	0	0 1598	272	0	0	272
	GT1P1{1}	1875024	-1	01875024	195	0	1	195
	GT2P2{1}	713188	0	0 713188	152	0	0	152
	GT3P3{1}	1733854	0	01733854	135	0	0	135
	Gravity{2}	3132	0	0 3132	461	0	0	461
	Thermal 3{2}	-135405	0	0 135405	25	0	0	25
	Pressure 1{2}	1745870	1	01745870	871	0	1	871
	GT3{2}	-132273	0	0 132273	486	0	0	486
	Hydrotest-NL{2}	1613596	1	01613596	1357	0	1	1357
+1010-	Gravity{1}	1570	0	0 1570	220	0	0	220
	Thermal 1{1}	1835216	0	01835216	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01372263	56	0	0	56
	Thermal 3{1}	-132041	0	0 132041	22	0	0	22
	Wind 1{1}	-137	0	0 137	-1	0	0	1
	Wind 2{1}	138	0	0 138	1	0	0	1
	Wind 3{1}	-28	0	0 28	-57	0	0	57
	Wind 4{1}	28	0	0 28	52	0	0	52
	Pressure 1{1}	38238	-1	0 38238	101	0	1	101
	Pressure 2{1}	2083882	0	02083882	-124	0	0	124
	Pressure 3{1}	1864325	0	01864325	-107	0	0	107
	GT1{1}	1836786	0	01836786	94	0	0	94

	GT2{1}	-.1E+07	0	01370694	276	0	0	276
	GT3{1}	-130471	0	0 130471	242	0	0	242
	GW1{1}	1433	0	0 1433	219	0	0	219
	GW2{1}	1707	0	0 1707	221	0	0	221
	GW3{1}	1541	0	0 1541	163	0	0	163
	GW4{1}	1598	0	0 1598	272	0	0	272
	GT1P1{1}	1875024	-1	01875024	195	0	1	195
	GT2P2{1}	713188	0	0 713188	152	0	0	152
	GT3P3{1}	1733854	0	01733854	135	0	0	135
	Gravity{2}	3132	0	0 3132	461	0	0	461
	Thermal 3{2}	-135405	0	0 135405	25	0	0	25
	Pressure 1{2}	1745870	1	01745870	871	0	1	871
	GT3{2}	-132273	0	0 132273	486	0	0	486
	Hydrotest-NL{2}	1613596	1	01613596	1357	0	1	1357
+1010+	Gravity{1}	1593	0	0 1593	220	0	0	220
	Thermal 1{1}	1820612	0	01820612	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01366966	56	0	0	56
	Thermal 3{1}	-131685	0	0 131685	22	0	0	22
	Wind 1{1}	-139	0	0 139	-1	0	0	1
	Wind 2{1}	140	0	0 140	1	0	0	1
	Wind 3{1}	-29	0	0 29	-57	0	0	57
	Wind 4{1}	29	0	0 29	52	0	0	52
	Pressure 1{1}	38237	-1	0 38237	101	0	1	101
	Pressure 2{1}	2076372	0	02076372	-124	0	0	124
	Pressure 3{1}	1853596	0	01853596	-107	0	0	107
	GT1{1}	1822205	0	01822205	94	0	0	94
	GT2{1}	-.1E+07	0	01365374	276	0	0	276
	GT3{1}	-130092	0	0 130092	242	0	0	242
	GW1{1}	1454	0	0 1454	219	0	0	219
	GW2{1}	1732	0	0 1732	221	0	0	221
	GW3{1}	1564	0	0 1564	163	0	0	163
	GW4{1}	1621	0	0 1621	272	0	0	272
	GT1P1{1}	1860442	-1	01860442	195	0	1	195
	GT2P2{1}	710998	0	0 710998	152	0	0	152
	GT3P3{1}	1723504	0	01723504	135	0	0	135
	Gravity{2}	3178	0	0 3178	461	0	0	461
	Thermal 3{2}	-135099	0	0 135099	25	0	0	25
	Pressure 1{2}	1731289	1	01731289	871	0	1	871
	GT3{2}	-131921	0	0 131921	486	0	0	486
	Hydrotest-NL{2}	1599368	1	01599368	1357	0	1	1357
+1011-	Gravity{1}	1593	0	0 1593	220	0	0	220
	Thermal 1{1}	1820612	0	01820612	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01366966	56	0	0	56
	Thermal 3{1}	-131685	0	0 131685	22	0	0	22
	Wind 1{1}	-139	0	0 139	-1	0	0	1
	Wind 2{1}	140	0	0 140	1	0	0	1
	Wind 3{1}	-29	0	0 29	-57	0	0	57
	Wind 4{1}	29	0	0 29	52	0	0	52
	Pressure 1{1}	38237	-1	0 38237	101	0	1	101
	Pressure 2{1}	2076372	0	02076372	-124	0	0	124
	Pressure 3{1}	1853596	0	01853596	-107	0	0	107
	GT1{1}	1822205	0	01822205	94	0	0	94
	GT2{1}	-.1E+07	0	01365374	276	0	0	276
	GT3{1}	-130092	0	0 130092	242	0	0	242
	GW1{1}	1454	0	0 1454	219	0	0	219
	GW2{1}	1732	0	0 1732	221	0	0	221
	GW3{1}	1564	0	0 1564	163	0	0	163
	GW4{1}	1621	0	0 1621	272	0	0	272
	GT1P1{1}	1860442	-1	01860442	195	0	2	195
	GT2P2{1}	710998	0	0 710998	152	0	0	152
	GT3P3{1}	1723504	0	01723504	135	0	0	135
	Gravity{2}	3178	0	0 3178	461	0	0	461
	Thermal 3{2}	-135099	0	0 135099	25	0	0	25
	Pressure 1{2}	1731289	1	01731289	871	0	0	871
	GT3{2}	-131921	0	0 131921	486	0	0	486
	Hydrotest-NL{2}	1599368	1	01599368	1357	0	0	1357
+1011+	Gravity{1}	1616	0	0 1616	220	0	0	220
	Thermal 1{1}	1806007	0	01806007	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01361591	56	0	0	56
	Thermal 3{1}	-131324	0	0 131324	22	0	0	22
	Wind 1{1}	-141	0	0 141	-1	0	0	1
	Wind 2{1}	142	0	0 142	1	0	0	1
	Wind 3{1}	-29	0	0 29	-57	0	0	57
	Wind 4{1}	29	0	0 29	52	0	0	52
	Pressure 1{1}	38237	-1	0 38237	101	0	1	101
	Pressure 2{1}	2068752	0	02068752	-124	0	0	124
	Pressure 3{1}	1842710	0	01842710	-107	0	0	107
	GT1{1}	1807623	0	01807623	94	0	0	94
	GT2{1}	-.1E+07	0	01359975	276	0	0	276
	GT3{1}	-129708	0	0 129708	242	0	0	242
	GW1{1}	1475	0	0 1475	219	0	0	219
	GW2{1}	1758	0	0 1758	221	0	0	221
	GW3{1}	1587	0	0 1587	163	0	0	163
	GW4{1}	1645	0	0 1645	272	0	0	272
	GT1P1{1}	1845860	-1	01845860	195	0	2	195
	GT2P2{1}	708777	0	0 708777	152	0	0	152
	GT3P3{1}	1713002	0	01713002	135	0	0	135
	Gravity{2}	3224	0	0 3224	461	0	0	461
	Thermal 3{2}	-134788	0	0 134788	25	0	0	25
	Pressure 1{2}	1716708	1	01716708	871	0	0	871
	GT3{2}	-131563	0	0 131563	486	0	0	486
	Hydrotest-NL{2}	1585145	1	01585145	1357	0	0	1357
+1012-	Gravity{1}	1616	0	0 1616	220	0	0	220
	Thermal 1{1}	1806007	0	01806007	-126	0	1	126
	Thermal 2{1}	-.1E+07	0	01361591	56	0	0	56
	Thermal 3{1}	-131324	0	0 131324	22	0	0	22
	Wind 1{1}	-141	0	0 141	-1	0	0	1
	Wind 2{1}	142	0	0 142	1	0	0	1
	Wind 3{1}	-29	0	0 29	-57	0	0	57
	Wind 4{1}	29	0	0 29	52	0	0	52
	Pressure 1{1}	38237	-1	0 38237	101	0	2	101
	Pressure 2{1}	2068752	0	02068752	-124	0	0	124
	Pressure 3{1}	1842710	0	01842710	-107	0	0	107
	GT1{1}	1807623	0	01807623	94	0	1	94

	GT2{1}	-.1E+07	0	01359975	276	0	0	276
	GT3{1}	-129708	0	0 129708	242	0	0	242
	GW1{1}	1475	0	0 1475	219	0	0	219
	GW2{1}	1758	0	0 1758	221	0	0	221
	GW3{1}	1587	0	0 1587	163	0	0	163
	GW4{1}	1645	0	0 1645	272	0	0	272
	GT1P1{1}	1845860	-1	01845860	195	0	2	195
	GT2P2{1}	708777	0	0 708777	152	0	0	152
	GT3P3{1}	1713002	0	01713002	135	0	0	135
	Gravity{2}	3224	0	0 3224	461	0	0	461
	Thermal 3{2}	-134788	0	0 134788	25	0	0	25
	Pressure 1{2}	1716708	1	01716708	871	0	0	871
	GT3{2}	-131563	0	0 131563	486	0	0	486
	Hydrotest-NL{2}	1585145	1	01585145	1357	1	0	1357
+1012+	Gravity{1}	1640	0	0 1640	220	0	0	220
	Thermal 1{1}	1791402	-1	01791402	-126	0	1	126
	Thermal 2{1}	-.1E+07	0	01356137	56	0	0	56
	Thermal 3{1}	-130957	0	0 130957	22	0	0	22
	Wind 1{1}	-143	0	0 143	-1	0	0	1
	Wind 2{1}	144	0	0 144	1	0	0	1
	Wind 3{1}	-30	0	0 30	-57	0	0	57
	Wind 4{1}	30	0	0 30	52	0	0	52
	Pressure 1{1}	38236	-1	0 38236	101	0	2	101
	Pressure 2{1}	2061020	0	02061020	-124	0	0	124
	Pressure 3{1}	1831664	0	01831664	-107	0	0	107
	GT1{1}	1793042	-1	01793042	94	0	1	94
	GT2{1}	-.1E+07	0	01354498	276	0	0	276
	GT3{1}	-129318	0	0 129318	242	0	0	242
	GW1{1}	1496	0	0 1496	219	0	0	219
	GW2{1}	1784	0	0 1784	221	0	0	221
	GW3{1}	1610	0	0 1610	163	0	0	163
	GW4{1}	1669	0	0 1669	272	0	0	272
	GT1P1{1}	1831277	-2	01831277	195	0	2	195
	GT2P2{1}	706522	0	0 706522	152	0	0	152
	GT3P3{1}	1702346	0	01702346	135	0	0	135
	Gravity{2}	3272	0	0 3272	461	0	0	461
	Thermal 3{2}	-134472	0	0 134472	25	0	0	25
	Pressure 1{2}	1702127	2	01702127	871	0	0	871
	GT3{2}	-131200	0	0 131200	486	0	0	486
	Hydrotest-NL{2}	1570927	2	11570927	1357	1	0	1357
+1013-	Gravity{1}	1640	0	0 1640	220	0	0	220
	Thermal 1{1}	1791402	-1	01791402	-126	0	1	126
	Thermal 2{1}	-.1E+07	0	01356137	56	0	0	56
	Thermal 3{1}	-130957	0	0 130957	22	0	0	22
	Wind 1{1}	-143	0	0 143	-1	0	0	1
	Wind 2{1}	144	0	0 144	1	0	0	1
	Wind 3{1}	-30	0	0 30	-57	0	0	57
	Wind 4{1}	30	0	0 30	52	0	0	52
	Pressure 1{1}	38236	-1	0 38236	101	0	2	101
	Pressure 2{1}	2061020	0	02061020	-124	0	0	124
	Pressure 3{1}	1831664	0	01831664	-107	0	0	107
	GT1{1}	1793042	-1	01793042	94	0	1	94
	GT2{1}	-.1E+07	0	01354498	276	0	0	276
	GT3{1}	-129318	0	0 129318	242	0	0	242
	GW1{1}	1496	0	0 1496	219	0	0	219
	GW2{1}	1784	0	0 1784	221	0	0	221
	GW3{1}	1610	0	0 1610	163	0	0	163
	GW4{1}	1669	0	0 1669	272	0	0	272
	GT1P1{1}	1831277	-2	01831277	195	0	3	195
	GT2P2{1}	706522	0	0 706522	152	0	0	152
	GT3P3{1}	1702346	0	01702346	135	0	0	135
	Gravity{2}	3272	0	0 3272	461	0	0	461
	Thermal 3{2}	-134472	0	0 134472	25	0	0	25
	Pressure 1{2}	1702127	2	01702127	871	1	-1	871
	GT3{2}	-131200	0	0 131200	486	0	0	486
	Hydrotest-NL{2}	1570927	2	11570927	1357	1	-1	1357
+1013+	Gravity{1}	1664	0	0 1664	220	0	0	220
	Thermal 1{1}	1776796	-1	01776796	-126	0	1	126
	Thermal 2{1}	-.1E+07	0	01350603	56	0	0	56
	Thermal 3{1}	-130585	0	0 130585	22	0	0	22
	Wind 1{1}	-145	0	0 145	-1	0	0	1
	Wind 2{1}	146	0	0 146	1	0	0	1
	Wind 3{1}	-30	0	0 30	-57	0	0	57
	Wind 4{1}	30	0	0 30	52	0	0	52
	Pressure 1{1}	38235	-1	0 38235	101	0	2	101
	Pressure 2{1}	2053175	0	02053175	-124	0	0	124
	Pressure 3{1}	1820455	0	01820455	-107	0	0	107
	GT1{1}	1778460	-1	01778460	94	0	1	94
	GT2{1}	-.1E+07	0	01348940	276	0	0	276
	GT3{1}	-128922	0	0 128922	242	0	0	242
	GW1{1}	1518	0	0 1518	219	0	0	219
	GW2{1}	1810	0	0 1810	221	0	0	221
	GW3{1}	1634	0	0 1634	163	0	0	163
	GW4{1}	1694	0	0 1694	272	0	0	272
	GT1P1{1}	1816694	-2	01816694	195	0	3	195
	GT2P2{1}	704235	0	0 704235	152	0	0	152
	GT3P3{1}	1691533	0	01691533	135	0	0	135
	Gravity{2}	3320	0	0 3320	461	0	0	461
	Thermal 3{2}	-134151	0	0 134151	25	0	0	25
	Pressure 1{2}	1687545	2	01687545	871	1	-1	871
	GT3{2}	-130832	0	0 130832	486	0	0	486
	Hydrotest-NL{2}	1556714	2	11556714	1357	1	-1	1357
+1014-	Gravity{1}	1664	0	0 1664	220	0	0	220
	Thermal 1{1}	1776796	-1	01776796	-126	0	1	126
	Thermal 2{1}	-.1E+07	0	01350603	56	0	0	56
	Thermal 3{1}	-130585	0	0 130585	22	0	0	22
	Wind 1{1}	-145	0	0 145	-1	0	0	1
	Wind 2{1}	146	0	0 146	1	0	0	1
	Wind 3{1}	-30	0	0 30	-57	0	0	57
	Wind 4{1}	30	0	0 30	52	0	0	52
	Pressure 1{1}	38235	-1	0 38235	101	0	3	101
	Pressure 2{1}	2053175	0	02053175	-124	0	0	124
	Pressure 3{1}	1820455	0	01820455	-107	0	0	107
	GT1{1}	1778460	-1	01778460	94	0	1	94

	GT2{1}	-.1E+07	0	01348940	276	0	0	276
	GT3{1}	-128922	0	0 128922	242	0	0	242
	GW1{1}	1518	0	0 1518	219	0	0	219
	GW2{1}	1810	0	0 1810	221	0	0	221
	GW3{1}	1634	0	0 1634	163	0	0	163
	GW4{1}	1694	0	0 1694	272	0	0	272
	GT1P1{1}	1816694	-2	01816694	195	0	4	195
	GT2P2{1}	704235	0	0 704235	152	0	0	152
	GT3P3{1}	1691533	0	01691533	135	0	0	135
	Gravity{2}	3320	0	0 3320	461	0	0	461
	Thermal 3{2}	-134151	0	0 134151	25	0	0	25
	Pressure 1{2}	1687545	2	01687545	871	1	-2	871
	GT3{2}	-130832	0	0 130832	486	0	0	486
	Hydrotest-NL{2}	1556714	2	11556714	1357	1	-2	1357
+1014+	Gravity{1}	1688	0	0 1688	220	0	0	220
	Thermal 1{1}	1762190	-1	01762190	-126	0	1	126
	Thermal 2{1}	-.1E+07	0	01344989	56	0	0	56
	Thermal 3{1}	-130208	0	0 130208	22	0	0	22
	Wind 1{1}	-147	0	0 147	-1	0	0	1
	Wind 2{1}	148	0	0 148	1	0	0	1
	Wind 3{1}	-31	0	0 31	-57	0	0	57
	Wind 4{1}	30	0	0 30	52	0	0	52
	Pressure 1{1}	38234	-1	0 38234	101	0	3	101
	Pressure 2{1}	2045214	0	02045214	-124	0	0	124
	Pressure 3{1}	1809083	0	01809083	-107	0	0	107
	GT1{1}	1763878	-1	01763878	94	0	1	94
	GT2{1}	-.1E+07	0	01343301	276	0	0	276
	GT3{1}	-128520	0	0 128520	242	0	0	242
	GW1{1}	1541	0	0 1541	219	0	0	219
	GW2{1}	1836	0	0 1836	221	0	0	221
	GW3{1}	1657	0	0 1657	163	0	0	163
	GW4{1}	1719	0	0 1719	272	0	0	272
	GT1P1{1}	1802112	-2	01802112	195	0	4	195
	GT2P2{1}	701914	0	0 701914	152	0	0	152
	GT3P3{1}	1680563	0	01680563	135	0	0	135
	Gravity{2}	3368	0	0 3368	461	0	0	461
	Thermal 3{2}	-133826	0	0 133826	25	0	0	25
	Pressure 1{2}	1672965	3	01672965	871	1	-2	871
	GT3{2}	-130458	0	0 130458	486	0	0	486
	Hydrotest-NL{2}	1542507	3	11542507	1357	1	-2	1357
+1015-	Gravity{1}	1688	0	0 1688	220	0	0	220
	Thermal 1{1}	1762190	-1	01762190	-126	0	2	126
	Thermal 2{1}	-.1E+07	0	01344989	56	0	0	56
	Thermal 3{1}	-130208	0	0 130208	22	0	0	22
	Wind 1{1}	-147	0	0 147	-1	0	0	1
	Wind 2{1}	148	0	0 148	1	0	0	1
	Wind 3{1}	-31	0	0 31	-57	0	0	57
	Wind 4{1}	30	0	0 30	52	0	0	52
	Pressure 1{1}	38234	-1	0 38234	101	0	3	101
	Pressure 2{1}	2045214	0	02045214	-124	0	0	124
	Pressure 3{1}	1809083	0	01809083	-107	0	0	107
	GT1{1}	1763878	-1	01763878	94	0	2	94
	GT2{1}	-.1E+07	0	01343301	276	0	0	276
	GT3{1}	-128520	0	0 128520	242	0	0	242
	GW1{1}	1541	0	0 1541	219	0	0	219
	GW2{1}	1836	0	0 1836	221	0	0	221
	GW3{1}	1657	0	0 1657	163	0	0	163
	GW4{1}	1719	0	0 1719	272	0	0	272
	GT1P1{1}	1802112	-2	01802112	195	0	5	195
	GT2P2{1}	701914	0	0 701914	152	0	0	152
	GT3P3{1}	1680563	0	01680563	135	0	0	135
	Gravity{2}	3368	0	0 3368	461	0	0	461
	Thermal 3{2}	-133826	0	0 133826	25	0	0	25
	Pressure 1{2}	1672965	3	01672965	871	1	-3	871
	GT3{2}	-130458	0	0 130458	486	1	0	486
	Hydrotest-NL{2}	1542507	3	11542507	1357	1	-3	1357
+1015+	Gravity{1}	1713	0	0 1713	220	0	0	220
	Thermal 1{1}	1747584	-1	01747584	-126	0	2	126
	Thermal 2{1}	-.1E+07	0	01339291	56	0	0	56
	Thermal 3{1}	-129825	0	0 129825	22	0	0	22
	Wind 1{1}	-150	0	0 150	-1	0	0	1
	Wind 2{1}	150	0	0 150	1	0	0	1
	Wind 3{1}	-31	0	0 31	-57	0	0	57
	Wind 4{1}	31	0	0 31	52	0	0	52
	Pressure 1{1}	38233	-1	0 38233	101	0	3	101
	Pressure 2{1}	2037138	0	02037138	-124	0	0	124
	Pressure 3{1}	1797544	0	01797544	-107	0	0	107
	GT1{1}	1749297	-1	01749297	94	0	2	94
	GT2{1}	-.1E+07	0	01337579	276	0	0	276
	GT3{1}	-128112	0	0 128112	242	0	0	242
	GW1{1}	1563	0	0 1563	219	0	0	219
	GW2{1}	1863	0	0 1863	221	0	0	221
	GW3{1}	1682	0	0 1682	163	0	0	163
	GW4{1}	1744	0	0 1744	272	0	0	272
	GT1P1{1}	1787530	-2	01787530	195	0	5	195
	GT2P2{1}	699559	0	0 699559	152	0	0	152
	GT3P3{1}	1669432	0	01669432	135	0	0	135
	Gravity{2}	3418	0	0 3418	461	0	0	461
	Thermal 3{2}	-133497	0	0 133497	25	0	0	25
	Pressure 1{2}	1658384	3	11658384	871	1	-3	871
	GT3{2}	-130079	0	0 130079	486	1	0	486
	Hydrotest-NL{2}	1528305	3	11528305	1357	1	-3	1357
+1016-	Gravity{1}	1713	0	0 1713	220	0	0	220
	Thermal 1{1}	1747584	-1	01747584	-126	0	2	126
	Thermal 2{1}	-.1E+07	0	01339291	56	0	0	56
	Thermal 3{1}	-129825	0	0 129825	22	0	0	22
	Wind 1{1}	-150	0	0 150	-1	0	0	1
	Wind 2{1}	150	0	0 150	1	0	0	1
	Wind 3{1}	-31	0	0 31	-57	0	0	57
	Wind 4{1}	31	0	0 31	52	0	0	52
	Pressure 1{1}	38233	-1	0 38233	101	0	4	101
	Pressure 2{1}	2037138	0	02037138	-124	0	0	124
	Pressure 3{1}	1797544	0	01797544	-107	0	0	107
	GT1{1}	1749297	-1	01749297	94	0	2	94

	GT2{1}	-.1E+07	0	01337579	276	0	0	276
	GT3{1}	-128112	0	0 128112	242	0	0	242
	GW1{1}	1563	0	0 1563	219	0	0	219
	GW2{1}	1863	0	0 1863	221	0	0	221
	GW3{1}	1682	0	0 1682	163	0	0	163
	GW4{1}	1744	0	0 1744	272	0	0	272
	GT1P1{1}	1787530	-2	01787530	195	0	6	195
	GT2P2{1}	699559	0	0 699559	152	0	0	152
	GT3P3{1}	1669432	0	01669432	135	0	0	135
	Gravity{2}	3418	0	0 3418	461	1	0	461
	Thermal 3{2}	-133497	0	0 133497	25	0	0	25
	Pressure 1{2}	1658384	3	11658384	871	1	-5	871
	GT3{2}	-130079	0	0 130079	486	1	0	486
	Hydrotest-NL{2}	1528305	3	11528305	1357	2	-5	1357
+1016+	Gravity{1}	1738	0	0 1738	220	0	0	220
	Thermal 1{1}	1732977	-1	01732977	-126	0	2	126
	Thermal 2{1}	-.1E+07	0	01333511	56	0	0	56
	Thermal 3{1}	-129437	0	0 129437	22	0	0	22
	Wind 1{1}	-152	0	0 152	-1	0	0	1
	Wind 2{1}	153	0	0 153	1	0	0	1
	Wind 3{1}	-32	0	0 32	-57	0	0	57
	Wind 4{1}	31	0	0 31	52	0	0	52
	Pressure 1{1}	38232	-1	0 38232	101	0	4	101
	Pressure 2{1}	2028942	0	02028942	-124	0	0	124
	Pressure 3{1}	1785835	0	01785835	-107	0	0	107
	GT1{1}	1734715	-1	01734715	94	0	2	94
	GT2{1}	-.1E+07	0	01331773	276	0	0	276
	GT3{1}	-127699	0	0 127699	242	0	0	242
	GW1{1}	1586	0	0 1586	219	0	0	219
	GW2{1}	1891	0	0 1891	221	0	0	221
	GW3{1}	1706	0	0 1706	163	0	0	163
	GW4{1}	1769	0	0 1769	272	0	0	272
	GT1P1{1}	1772947	-2	01772947	195	0	6	195
	GT2P2{1}	697169	0	0 697169	152	0	0	152
	GT3P3{1}	1658137	0	01658137	135	0	0	135
	Gravity{2}	3468	0	0 3468	461	1	0	461
	Thermal 3{2}	-133162	0	0 133162	25	0	0	25
	Pressure 1{2}	1643802	4	11643802	871	1	-5	871
	GT3{2}	-129694	0	0 129694	486	1	0	486
	Hydrotest-NL{2}	1514108	4	11514108	1357	2	-5	1357
+1017-	Gravity{1}	1738	0	0 1738	220	0	0	220
	Thermal 1{1}	1732977	-1	01732977	-126	0	3	126
	Thermal 2{1}	-.1E+07	0	01333511	56	0	0	56
	Thermal 3{1}	-129437	0	0 129437	22	0	0	22
	Wind 1{1}	-152	0	0 152	-1	0	0	1
	Wind 2{1}	153	0	0 153	1	0	0	1
	Wind 3{1}	-32	0	0 32	-57	0	0	57
	Wind 4{1}	31	0	0 31	52	0	0	52
	Pressure 1{1}	38232	-1	0 38232	101	0	5	101
	Pressure 2{1}	2028942	0	02028942	-124	0	0	124
	Pressure 3{1}	1785835	0	01785835	-107	0	0	107
	GT1{1}	1734715	-1	01734715	94	0	3	94
	GT2{1}	-.1E+07	0	01331773	276	0	0	276
	GT3{1}	-127699	0	0 127699	242	0	0	242
	GW1{1}	1586	0	0 1586	219	0	0	219
	GW2{1}	1891	0	0 1891	221	0	0	221
	GW3{1}	1706	0	0 1706	163	0	0	163
	GW4{1}	1769	0	0 1769	272	0	0	272
	GT1P1{1}	1772947	-2	01772947	195	0	7	195
	GT2P2{1}	697169	0	0 697169	152	0	0	152
	GT3P3{1}	1658137	0	01658137	135	0	0	135
	Gravity{2}	3468	0	0 3468	461	1	0	461
	Thermal 3{2}	-133162	0	0 133162	25	0	0	25
	Pressure 1{2}	1643802	4	11643802	871	1	-7	871
	GT3{2}	-129694	0	0 129694	486	1	0	486
	Hydrotest-NL{2}	1514108	4	11514108	1357	2	-7	1357
+1017+	Gravity{1}	1763	0	0 1763	220	0	0	220
	Thermal 1{1}	1718370	-1	01718370	-126	0	3	126
	Thermal 2{1}	-.1E+07	0	01327645	56	0	0	56
	Thermal 3{1}	-129042	0	0 129042	22	0	0	22
	Wind 1{1}	-154	0	0 154	-1	0	0	1
	Wind 2{1}	155	0	0 155	1	0	0	1
	Wind 3{1}	-32	0	0 32	-57	0	0	57
	Wind 4{1}	32	0	0 32	52	0	0	52
	Pressure 1{1}	38231	-1	0 38231	101	0	5	101
	Pressure 2{1}	2020626	0	02020626	-124	0	0	124
	Pressure 3{1}	1773955	0	01773955	-107	0	0	107
	GT1{1}	1720133	-1	01720133	94	0	3	94
	GT2{1}	-.1E+07	0	01325881	276	0	0	276
	GT3{1}	-127279	0	0 127279	242	0	0	242
	GW1{1}	1609	0	0 1609	219	0	0	219
	GW2{1}	1918	0	0 1918	221	0	0	221
	GW3{1}	1731	0	0 1731	163	0	0	163
	GW4{1}	1795	0	0 1795	272	0	0	272
	GT1P1{1}	1758364	-3	01758364	195	0	7	195
	GT2P2{1}	694745	0	0 694745	152	0	0	152
	GT3P3{1}	1646676	0	01646676	135	0	0	135
	Gravity{2}	3519	0	0 3519	461	1	0	461
	Thermal 3{2}	-132822	0	0 132822	25	0	0	25
	Pressure 1{2}	1629221	4	11629221	871	1	-7	871
	GT3{2}	-129304	0	0 129304	486	1	0	486
	Hydrotest-NL{2}	1499917	4	11499917	1357	2	-7	1357
+1018-	Gravity{1}	1763	0	0 1763	220	0	0	220
	Thermal 1{1}	1718370	-1	01718370	-126	0	3	126
	Thermal 2{1}	-.1E+07	0	01327645	56	0	0	56
	Thermal 3{1}	-129042	0	0 129042	22	0	0	22
	Wind 1{1}	-154	0	0 154	-1	0	0	1
	Wind 2{1}	155	0	0 155	1	0	0	1
	Wind 3{1}	-32	0	0 32	-57	0	0	57
	Wind 4{1}	32	0	0 32	52	0	0	52
	Pressure 1{1}	38231	-1	0 38231	101	0	5	101
	Pressure 2{1}	2020626	0	02020626	-124	0	0	124
	Pressure 3{1}	1773955	0	01773955	-107	0	0	107
	GT1{1}	1720133	-1	01720133	94	0	3	94

	GT2{1}	-.1E+07	0	01325881	276	0	0	276
	GT3{1}	-127279	0	0 127279	242	0	0	242
	GW1{1}	1609	0	0 1609	219	0	0	219
	GW2{1}	1918	0	0 1918	221	0	0	221
	GW3{1}	1731	0	0 1731	163	0	0	163
	GW4{1}	1795	0	0 1795	272	1	0	272
	GT1P1{1}	1758364	-3	01758364	195	1	9	195
	GT2P2{1}	694745	0	0 694745	152	0	0	152
	GT3P3{1}	1646676	0	01646676	135	0	0	135
	Gravity{2}	3519	0	0 3519	461	1	0	461
	Thermal 3{2}	-132822	0	0 132822	25	0	0	25
	Pressure 1{2}	1629221	4	11629221	871	2	-9	871
	GT3{2}	-129304	0	0 129304	486	1	0	486
	Hydrotest-NL{2}	1499917	4	11499917	1357	3	-9	1357
+1018+	Gravity{1}	1789	0	0 1789	220	0	0	220
	Thermal 1{1}	1703763	-1	01703763	-126	0	3	126
	Thermal 2{1}	-.1E+07	0	01321693	56	0	0	56
	Thermal 3{1}	-128643	0	0 128643	22	0	0	22
	Wind 1{1}	-156	0	0 156	-1	0	0	1
	Wind 2{1}	157	0	0 157	1	0	0	1
	Wind 3{1}	-32	0	0 32	-57	0	0	57
	Wind 4{1}	32	0	0 32	52	0	0	52
	Pressure 1{1}	38230	-1	0 38230	101	0	5	101
	Pressure 2{1}	2012189	0	02012189	-124	0	0	124
	Pressure 3{1}	1761901	0	01761901	-107	0	0	107
	GT1{1}	1705552	-1	01705552	94	0	3	94
	GT2{1}	-.1E+07	0	01319904	276	0	0	276
	GT3{1}	-126853	0	0 126853	242	0	0	242
	GW1{1}	1633	0	0 1633	219	0	0	219
	GW2{1}	1946	0	0 1946	221	0	0	221
	GW3{1}	1757	0	0 1757	163	0	0	163
	GW4{1}	1822	0	0 1822	272	1	0	272
	GT1P1{1}	1743782	-3	01743782	195	1	9	195
	GT2P2{1}	692285	0	0 692285	152	0	0	152
	GT3P3{1}	1635048	0	01635048	135	0	0	135
	Gravity{2}	3570	0	0 3570	461	1	0	461
	Thermal 3{2}	-132478	0	0 132478	25	0	0	25
	Pressure 1{2}	1614640	5	11614640	871	2	-9	871
	GT3{2}	-128907	0	0 128907	486	1	0	486
	Hydrotest-NL{2}	1485732	5	11485732	1357	3	-9	1357
+1019-	Gravity{1}	1789	0	0 1789	220	1	0	220
	Thermal 1{1}	1703763	-1	01703763	-126	0	4	126
	Thermal 2{1}	-.1E+07	0	01321693	56	0	0	56
	Thermal 3{1}	-128643	0	0 128643	22	0	0	22
	Wind 1{1}	-156	0	0 156	-1	0	0	1
	Wind 2{1}	157	0	0 157	1	0	0	1
	Wind 3{1}	-32	0	0 32	-57	0	0	57
	Wind 4{1}	32	0	0 32	52	0	0	52
	Pressure 1{1}	38230	-1	0 38230	101	0	6	101
	Pressure 2{1}	2012189	0	02012189	-124	0	0	124
	Pressure 3{1}	1761901	0	01761901	-107	0	0	107
	GT1{1}	1705552	-1	01705552	94	0	4	94
	GT2{1}	-.1E+07	0	01319904	276	1	0	276
	GT3{1}	-126853	0	0 126853	242	0	0	242
	GW1{1}	1633	0	0 1633	219	0	0	219
	GW2{1}	1946	0	0 1946	221	1	0	221
	GW3{1}	1757	0	0 1757	163	0	0	163
	GW4{1}	1822	0	0 1822	272	1	0	272
	GT1P1{1}	1743782	-3	01743782	195	1	10	195
	GT2P2{1}	692285	0	0 692285	152	0	0	152
	GT3P3{1}	1635048	0	01635048	135	0	0	135
	Gravity{2}	3570	0	0 3570	461	1	0	461
	Thermal 3{2}	-132478	0	0 132478	25	0	0	25
	Pressure 1{2}	1614640	5	11614640	871	2	-11	871
	GT3{2}	-128907	0	0 128907	486	1	0	486
	Hydrotest-NL{2}	1485732	5	11485732	1357	3	-11	1357
+1019+	Gravity{1}	1816	0	0 1816	220	1	0	220
	Thermal 1{1}	1689155	-1	01689155	-126	0	4	126
	Thermal 2{1}	-.1E+07	0	01315655	56	0	0	56
	Thermal 3{1}	-128237	0	0 128237	22	0	0	22
	Wind 1{1}	-159	0	0 159	-1	0	0	1
	Wind 2{1}	159	0	0 159	1	0	0	1
	Wind 3{1}	-33	0	0 33	-57	0	0	57
	Wind 4{1}	33	0	0 33	52	0	0	52
	Pressure 1{1}	38229	-1	0 38229	101	0	6	101
	Pressure 2{1}	2003628	0	02003628	-124	0	0	124
	Pressure 3{1}	1749670	0	01749670	-107	0	0	107
	GT1{1}	1690971	-1	01690971	94	0	4	94
	GT2{1}	-.1E+07	0	01313839	276	1	0	276
	GT3{1}	-126421	0	0 126421	242	0	0	242
	GW1{1}	1657	0	0 1657	219	0	0	219
	GW2{1}	1975	0	0 1975	221	1	0	221
	GW3{1}	1783	0	0 1783	163	0	0	163
	GW4{1}	1848	0	0 1848	272	1	0	272
	GT1P1{1}	1729199	-3	01729199	195	1	10	195
	GT2P2{1}	689789	0	0 689789	152	0	0	152
	GT3P3{1}	1623249	0	01623249	135	0	0	135
	Gravity{2}	3623	0	0 3623	461	1	0	461
	Thermal 3{2}	-132128	0	0 132128	25	0	0	25
	Pressure 1{2}	1600059	5	11600059	871	2	-11	871
	GT3{2}	-128506	0	0 128506	486	1	0	486
	Hydrotest-NL{2}	1471554	5	11471554	1357	3	-11	1357
+1020-	Gravity{1}	1816	0	0 1816	220	1	0	220
	Thermal 1{1}	1689155	-1	01689155	-126	0	5	126
	Thermal 2{1}	-.1E+07	0	01315655	56	0	0	56
	Thermal 3{1}	-128237	0	0 128237	22	0	0	22
	Wind 1{1}	-159	0	0 159	-1	0	0	1
	Wind 2{1}	159	0	0 159	1	0	0	1
	Wind 3{1}	-33	0	0 33	-57	0	0	57
	Wind 4{1}	33	0	0 33	52	0	0	52
	Pressure 1{1}	38229	-1	0 38229	101	0	7	101
	Pressure 2{1}	2003628	0	02003628	-124	0	0	124
	Pressure 3{1}	1749670	0	01749670	-107	0	0	107
	GT1{1}	1690971	-1	01690971	94	0	5	94

	GT2{1}	-.1E+07	0	01313839	276	1	0	276
	GT3{1}	-126421	0	0 126421	242	1	0	242
	GW1{1}	1657	0	0 1657	219	1	0	219
	GW2{1}	1975	0	0 1975	221	1	0	221
	GW3{1}	1783	0	0 1783	163	0	0	163
	GW4{1}	1848	0	0 1848	272	1	0	272
	GT1P1{1}	1729199	-3	01729199	195	1	11	195
	GT2P2{1}	689789	0	0 689789	152	1	0	152
	GT3P3{1}	1623249	0	01623249	135	1	0	135
	Gravity{2}	3623	0	0 3623	461	1	0	461
	Thermal 3{2}	-132128	0	0 132128	25	0	0	25
	Pressure 1{2}	1600059	5	11600059	871	2	-14	871
	GT3{2}	-128506	0	0 128506	486	1	0	486
	Hydrotest-NL{2}	1471554	5	11471554	1357	3	-14	1357
+1020+	Gravity{1}	1842	0	0 1842	220	1	0	220
	Thermal 1{1}	1674547	-1	01674547	-126	0	5	126
	Thermal 2{1}	-.1E+07	0	01309527	56	0	0	56
	Thermal 3{1}	-127825	0	0 127825	22	0	0	22
	Wind 1{1}	-161	0	0 161	-1	0	0	1
	Wind 2{1}	162	0	0 162	1	0	0	1
	Wind 3{1}	-33	0	0 33	-57	0	0	57
	Wind 4{1}	33	0	0 33	52	0	0	52
	Pressure 1{1}	38228	-1	0 38228	101	0	7	101
	Pressure 2{1}	1994941	0	01994941	-124	0	0	124
	Pressure 3{1}	1737260	0	01737260	-107	0	0	107
	GT1{1}	1676389	-1	01676389	94	0	5	94
	GT2{1}	-.1E+07	0	01307685	276	1	0	276
	GT3{1}	-125983	0	0 125983	242	1	0	242
	GW1{1}	1681	0	0 1681	219	1	0	219
	GW2{1}	2004	0	0 2004	221	1	0	221
	GW3{1}	1809	0	0 1809	163	0	0	163
	GW4{1}	1875	0	0 1875	272	1	0	272
	GT1P1{1}	1714617	-3	01714617	195	1	11	195
	GT2P2{1}	687256	0	0 687256	152	1	0	152
	GT3P3{1}	1611277	0	01611277	135	1	0	135
	Gravity{2}	3676	0	0 3676	461	1	0	461
	Thermal 3{2}	-131774	0	0 131774	25	0	0	25
	Pressure 1{2}	1585478	6	11585478	871	2	-14	871
	GT3{2}	-128098	0	0 128098	486	1	0	486
	Hydrotest-NL{2}	1457380	6	11457380	1357	3	-14	1357
+1021-	Gravity{1}	1842	0	0 1842	220	1	0	220
	Thermal 1{1}	1674547	-1	01674547	-126	0	5	126
	Thermal 2{1}	-.1E+07	0	01309527	56	0	0	56
	Thermal 3{1}	-127825	0	0 127825	22	0	0	22
	Wind 1{1}	-161	0	0 161	-1	0	0	1
	Wind 2{1}	162	0	0 162	1	0	0	1
	Wind 3{1}	-33	0	0 33	-57	0	0	57
	Wind 4{1}	33	0	0 33	52	0	0	52
	Pressure 1{1}	38228	-1	0 38228	101	0	7	101
	Pressure 2{1}	1994941	0	01994941	-124	0	0	124
	Pressure 3{1}	1737260	0	01737260	-107	0	0	107
	GT1{1}	1676389	-1	01676389	94	1	5	94
	GT2{1}	-.1E+07	0	01307685	276	1	0	276
	GT3{1}	-125983	0	0 125983	242	1	0	242
	GW1{1}	1681	0	0 1681	219	1	0	219
	GW2{1}	2004	0	0 2004	221	1	0	221
	GW3{1}	1809	0	0 1809	163	1	0	163
	GW4{1}	1875	0	0 1875	272	1	0	272
	GT1P1{1}	1714617	-3	01714617	195	1	13	195
	GT2P2{1}	687256	0	0 687256	152	1	0	152
	GT3P3{1}	1611277	0	01611277	135	1	0	135
	Gravity{2}	3676	0	0 3676	461	1	0	461
	Thermal 3{2}	-131774	0	0 131774	25	0	0	25
	Pressure 1{2}	1585478	6	11585478	871	3	-17	871
	GT3{2}	-128098	0	0 128098	486	1	0	486
	Hydrotest-NL{2}	1457380	6	11457380	1357	4	-17	1358
+1021+	Gravity{1}	1869	0	0 1869	220	1	0	220
	Thermal 1{1}	1659938	-1	01659938	-126	0	5	126
	Thermal 2{1}	-.1E+07	0	01303310	56	0	0	56
	Thermal 3{1}	-127407	0	0 127407	22	0	0	22
	Wind 1{1}	-163	0	0 163	-1	0	0	1
	Wind 2{1}	164	0	0 164	1	0	0	1
	Wind 3{1}	-34	0	0 34	-57	0	0	57
	Wind 4{1}	34	0	0 34	52	0	0	52
	Pressure 1{1}	38227	-1	0 38227	101	0	7	101
	Pressure 2{1}	1986126	0	01986126	-124	0	0	124
	Pressure 3{1}	1724667	0	01724667	-107	0	0	107
	GT1{1}	1661807	-1	01661807	94	1	5	94
	GT2{1}	-.1E+07	0	01301441	276	1	0	276
	GT3{1}	-125538	0	0 125538	242	1	0	242
	GW1{1}	1706	0	0 1706	219	1	0	219
	GW2{1}	2033	0	0 2033	221	1	0	221
	GW3{1}	1835	0	0 1835	163	1	0	163
	GW4{1}	1903	0	0 1903	272	1	0	272
	GT1P1{1}	1700034	-2	01700034	195	1	13	195
	GT2P2{1}	684686	0	0 684686	152	1	0	152
	GT3P3{1}	1599129	0	01599129	135	1	0	135
	Gravity{2}	3730	0	0 3730	461	1	0	461
	Thermal 3{2}	-131414	0	0 131414	25	0	0	25
	Pressure 1{2}	1570896	6	11570896	871	3	-17	871
	GT3{2}	-127684	0	0 127684	486	1	0	486
	Hydrotest-NL{2}	1443212	6	11443212	1357	4	-17	1358
+1022-	Gravity{1}	1869	0	0 1869	220	1	0	220
	Thermal 1{1}	1659938	-1	01659938	-126	0	6	126
	Thermal 2{1}	-.1E+07	0	01303310	56	0	0	56
	Thermal 3{1}	-127407	0	0 127407	22	0	0	22
	Wind 1{1}	-163	0	0 163	-1	0	0	1
	Wind 2{1}	164	0	0 164	1	0	0	1
	Wind 3{1}	-34	0	0 34	-57	0	0	57
	Wind 4{1}	34	0	0 34	52	0	0	52
	Pressure 1{1}	38227	-1	0 38227	101	0	8	101
	Pressure 2{1}	1986126	0	01986126	-124	0	0	124
	Pressure 3{1}	1724667	0	01724667	-107	0	0	107
	GT1{1}	1661807	-1	01661807	94	1	6	94

	GT2{1}	-.1E+07	0	01301441	276	1	0	276
	GT3{1}	-125538	0	0 125538	242	1	0	242
	GW1{1}	1706	0	0 1706	219	1	0	219
	GW2{1}	2033	0	0 2033	221	1	0	221
	GW3{1}	1835	0	0 1835	163	1	0	163
	GW4{1}	1903	0	0 1903	272	1	0	272
	GT1P1{1}	1700034	-2	01700034	195	1	14	195
	GT2P2{1}	684686	0	0 684686	152	1	0	152
	GT3P3{1}	1599129	0	01599129	135	1	0	135
	Gravity{2}	3730	0	0 3730	461	2	0	461
	Thermal 3{2}	-131414	0	0 131414	25	0	0	25
	Pressure 1{2}	1570896	6	11570896	871	3	-20	872
	GT3{2}	-127684	0	0 127684	486	1	0	486
	Hydrotest-NL{2}	1443212	6	11443212	1357	4	-20	1358
+1022+	Gravity{1}	1897	0	0 1897	220	1	0	220
	Thermal 1{1}	1645329	-1	01645329	-126	0	6	126
	Thermal 2{1}	-.1E+07	0	01297002	56	0	0	56
	Thermal 3{1}	-126983	0	0 126983	22	0	0	22
	Wind 1{1}	-166	0	0 166	-1	0	0	1
	Wind 2{1}	167	0	0 167	1	0	0	1
	Wind 3{1}	-34	0	0 34	-57	0	0	57
	Wind 4{1}	34	0	0 34	52	0	0	52
	Pressure 1{1}	38226	-1	0 38226	101	0	8	101
	Pressure 2{1}	1977183	0	01977183	-124	0	0	124
	Pressure 3{1}	1711891	0	01711891	-107	0	0	107
	GT1{1}	1647225	-1	01647225	94	1	6	94
	GT2{1}	-.1E+07	0	01295105	276	1	0	276
	GT3{1}	-125087	0	0 125087	242	1	0	242
	GW1{1}	1731	0	0 1731	219	1	0	219
	GW2{1}	2063	0	0 2063	221	1	0	221
	GW3{1}	1862	0	0 1862	163	1	0	163
	GW4{1}	1931	0	0 1931	272	1	0	272
	GT1P1{1}	1685451	-2	01685451	195	1	14	195
	GT2P2{1}	682078	0	0 682078	152	1	0	152
	GT3P3{1}	1586804	0	01586804	135	1	0	135
	Gravity{2}	3784	0	0 3784	461	2	0	461
	Thermal 3{2}	-131048	0	0 131048	25	0	0	25
	Pressure 1{2}	1556315	7	11556315	871	3	-20	872
	GT3{2}	-127264	0	0 127264	486	1	0	486
	Hydrotest-NL{2}	1429051	7	11429051	1357	4	-20	1358
+1023-	Gravity{1}	1897	0	0 1897	220	1	0	220
	Thermal 1{1}	1645329	-1	01645329	-126	0	7	126
	Thermal 2{1}	-.1E+07	0	01297002	56	0	0	56
	Thermal 3{1}	-126983	0	0 126983	22	0	0	22
	Wind 1{1}	-166	0	0 166	-1	0	0	1
	Wind 2{1}	167	0	0 167	1	0	0	1
	Wind 3{1}	-34	0	0 34	-57	0	0	57
	Wind 4{1}	34	0	0 34	52	0	0	52
	Pressure 1{1}	38226	-1	0 38226	101	0	8	101
	Pressure 2{1}	1977183	0	01977183	-124	0	0	124
	Pressure 3{1}	1711891	0	01711891	-107	0	0	107
	GT1{1}	1647225	-1	01647225	94	1	7	95
	GT2{1}	-.1E+07	0	01295105	276	1	0	276
	GT3{1}	-125087	0	0 125087	242	1	0	242
	GW1{1}	1731	0	0 1731	219	1	0	219
	GW2{1}	2063	0	0 2063	221	1	0	221
	GW3{1}	1862	0	0 1862	163	1	0	163
	GW4{1}	1931	0	0 1931	272	1	0	272
	GT1P1{1}	1685451	-2	01685451	195	1	15	195
	GT2P2{1}	682078	0	0 682078	152	1	0	152
	GT3P3{1}	1586804	0	01586804	135	1	0	135
	Gravity{2}	3784	0	0 3784	461	2	0	461
	Thermal 3{2}	-131048	0	0 131048	25	0	0	25
	Pressure 1{2}	1556315	7	11556315	871	3	-24	872
	GT3{2}	-127264	0	0 127264	486	2	0	486
	Hydrotest-NL{2}	1429051	7	11429051	1357	5	-24	1358
+1023+	Gravity{1}	1924	0	0 1924	220	1	0	220
	Thermal 1{1}	1630720	-1	01630720	-126	0	7	126
	Thermal 2{1}	-.1E+07	0	01290601	56	0	0	56
	Thermal 3{1}	-126553	0	0 126553	22	0	0	22
	Wind 1{1}	-168	0	0 168	-1	0	0	1
	Wind 2{1}	169	0	0 169	1	0	0	1
	Wind 3{1}	-35	0	0 35	-57	0	0	57
	Wind 4{1}	35	0	0 35	52	0	0	52
	Pressure 1{1}	38225	0	0 38225	101	0	8	101
	Pressure 2{1}	1968109	0	01968109	-124	0	0	124
	Pressure 3{1}	1698927	0	01698927	-107	0	0	107
	GT1{1}	1632644	-1	01632644	94	1	7	95
	GT2{1}	-.1E+07	0	01288677	276	1	0	276
	GT3{1}	-124629	0	0 124629	242	1	0	242
	GW1{1}	1756	0	0 1756	219	1	0	219
	GW2{1}	2093	0	0 2093	221	1	0	221
	GW3{1}	1889	0	0 1889	163	1	0	163
	GW4{1}	1959	0	0 1959	272	1	0	272
	GT1P1{1}	1670869	-2	01670869	195	1	15	195
	GT2P2{1}	679433	0	0 679433	152	1	0	152
	GT3P3{1}	1574298	0	01574298	135	1	0	135
	Gravity{2}	3840	0	0 3840	461	2	0	461
	Thermal 3{2}	-130678	0	0 130678	25	0	0	25
	Pressure 1{2}	1541735	7	11541735	871	3	-24	872
	GT3{2}	-126838	0	0 126838	486	2	0	486
	Hydrotest-NL{2}	1414897	7	11414897	1357	5	-24	1358
+1024-	Gravity{1}	1924	0	0 1924	220	1	0	220
	Thermal 1{1}	1630720	-1	01630720	-126	0	7	126
	Thermal 2{1}	-.1E+07	0	01290601	56	0	0	56
	Thermal 3{1}	-126553	0	0 126553	22	0	0	22
	Wind 1{1}	-168	0	0 168	-1	0	0	1
	Wind 2{1}	169	0	0 169	1	0	0	1
	Wind 3{1}	-35	0	0 35	-57	0	0	57
	Wind 4{1}	35	0	0 35	52	0	0	52
	Pressure 1{1}	38225	0	0 38225	101	1	8	101
	Pressure 2{1}	1968109	0	01968109	-124	0	0	124
	Pressure 3{1}	1698927	0	01698927	-107	0	0	107
	GT1{1}	1632644	-1	01632644	94	1	7	95

	GT2{1}	-.1E+07	0	01288677	276	1	0	276
	GT3{1}	-124629	0	0 124629	242	1	0	242
	GW1{1}	1756	0	0 1756	219	1	0	219
	GW2{1}	2093	0	0 2093	221	1	0	221
	GW3{1}	1889	0	0 1889	163	1	0	163
	GW4{1}	1959	0	0 1959	272	1	0	272
	GT1P1{1}	1670869	-2	01670869	195	1	16	195
	GT2P2{1}	679433	0	0 679433	152	1	0	152
	GT3P3{1}	1574298	0	01574298	135	1	0	135
	Gravity{2}	3840	0	0 3840	461	2	0	461
	Thermal 3{2}	-130678	0	0 130678	25	0	0	25
	Pressure 1{2}	1541735	7	11541735	871	4	-27	872
	GT3{2}	-126838	0	0 126838	486	2	0	486
	Hydrotest-NL{2}	1414897	7	11414897	1357	6	-27	1358
+1024+	Gravity{1}	1953	0	0 1953	220	1	0	220
	Thermal 1{1}	1616110	-1	01616110	-126	0	7	126
	Thermal 2{1}	-.1E+07	0	01284106	56	0	0	56
	Thermal 3{1}	-126117	0	0 126117	22	0	0	22
	Wind 1{1}	-171	0	0 171	-1	0	0	1
	Wind 2{1}	171	0	0 171	1	0	0	1
	Wind 3{1}	-35	0	0 35	-57	0	0	57
	Wind 4{1}	35	0	0 35	52	0	0	52
	Pressure 1{1}	38224	0	0 38224	101	1	8	101
	Pressure 2{1}	1958901	0	01958901	-124	0	0	124
	Pressure 3{1}	1685772	0	01685772	-107	0	0	107
	GT1{1}	1618062	-1	01618062	94	1	7	95
	GT2{1}	-.1E+07	0	01282153	276	1	0	276
	GT3{1}	-124164	0	0 124164	242	1	0	242
	GW1{1}	1782	0	0 1782	219	1	0	219
	GW2{1}	2124	0	0 2124	221	1	0	221
	GW3{1}	1917	0	0 1917	163	1	0	163
	GW4{1}	1988	0	0 1988	272	1	0	272
	GT1P1{1}	1656286	-1	01656286	195	1	16	195
	GT2P2{1}	676748	0	0 676748	152	1	0	152
	GT3P3{1}	1561608	0	01561608	135	1	0	135
	Gravity{2}	3896	0	0 3896	461	2	0	461
	Thermal 3{2}	-130302	0	0 130302	25	0	0	25
	Pressure 1{2}	1527153	7	11527153	871	4	-27	872
	GT3{2}	-126406	0	0 126406	486	2	0	486
	Hydrotest-NL{2}	1400747	7	11400747	1357	6	-27	1358
+1025-	Gravity{1}	1953	0	0 1953	220	1	0	220
	Thermal 1{1}	1616110	-1	01616110	-126	0	8	126
	Thermal 2{1}	-.1E+07	0	01284106	56	0	0	56
	Thermal 3{1}	-126117	0	0 126117	22	0	0	22
	Wind 1{1}	-171	0	0 171	-1	0	0	1
	Wind 2{1}	171	0	0 171	1	0	0	1
	Wind 3{1}	-35	0	0 35	-57	0	0	57
	Wind 4{1}	35	0	0 35	52	0	0	52
	Pressure 1{1}	38224	0	0 38224	101	1	8	101
	Pressure 2{1}	1958901	0	01958901	-124	0	0	124
	Pressure 3{1}	1685772	0	01685772	-107	0	1	107
	GT1{1}	1618062	-1	01618062	94	1	8	95
	GT2{1}	-.1E+07	0	01282153	276	1	0	276
	GT3{1}	-124164	0	0 124164	242	1	0	242
	GW1{1}	1782	0	0 1782	219	1	0	219
	GW2{1}	2124	0	0 2124	221	1	0	221
	GW3{1}	1917	0	0 1917	163	1	0	163
	GW4{1}	1988	0	0 1988	272	1	0	272
	GT1P1{1}	1656286	-1	01656286	195	1	16	195
	GT2P2{1}	676748	0	0 676748	152	1	0	152
	GT3P3{1}	1561608	0	01561608	135	1	1	135
	Gravity{2}	3896	0	0 3896	461	2	0	461
	Thermal 3{2}	-130302	0	0 130302	25	0	0	25
	Pressure 1{2}	1527153	7	11527153	871	4	-31	872
	GT3{2}	-126406	0	0 126406	486	2	0	486
	Hydrotest-NL{2}	1400747	7	11400747	1357	6	-31	1358
+1025+	Gravity{1}	1981	0	0 1981	220	1	0	220
	Thermal 1{1}	1601500	-1	01601500	-126	0	8	126
	Thermal 2{1}	-.1E+07	0	01277516	56	0	0	56
	Thermal 3{1}	-125674	0	0 125674	22	0	0	22
	Wind 1{1}	-173	0	0 173	-1	0	0	1
	Wind 2{1}	174	0	0 174	1	0	0	1
	Wind 3{1}	-36	0	0 36	-57	0	0	57
	Wind 4{1}	36	0	0 36	52	0	0	52
	Pressure 1{1}	38223	1	0 38223	101	1	8	101
	Pressure 2{1}	1949559	0	01949559	-124	0	0	124
	Pressure 3{1}	1672425	0	01672425	-107	0	1	107
	GT1{1}	1603481	-1	01603481	94	1	8	95
	GT2{1}	-.1E+07	0	01275535	276	1	0	276
	GT3{1}	-123692	0	0 123692	242	1	0	242
	GW1{1}	1808	0	0 1808	219	1	0	219
	GW2{1}	2155	0	0 2155	221	1	0	221
	GW3{1}	1945	0	0 1945	163	1	0	163
	GW4{1}	2017	0	0 2017	272	1	0	272
	GT1P1{1}	1641704	0	01641704	195	1	16	195
	GT2P2{1}	674024	0	0 674024	152	1	0	152
	GT3P3{1}	1548733	0	01548733	135	1	1	135
	Gravity{2}	3953	0	0 3953	461	2	0	461
	Thermal 3{2}	-129920	0	0 129920	25	0	0	25
	Pressure 1{2}	1512572	7	11512572	871	4	-31	872
	GT3{2}	-125967	0	0 125967	486	2	0	486
	Hydrotest-NL{2}	1386605	7	11386605	1357	6	-31	1358
+1026-	Gravity{1}	1981	0	0 1981	220	1	0	220
	Thermal 1{1}	1601500	-1	01601500	-126	0	9	126
	Thermal 2{1}	-.1E+07	0	01277516	56	0	0	56
	Thermal 3{1}	-125674	0	0 125674	22	0	0	22
	Wind 1{1}	-173	0	0 173	-1	0	0	1
	Wind 2{1}	174	0	0 174	1	0	0	1
	Wind 3{1}	-36	0	0 36	-57	0	0	57
	Wind 4{1}	36	0	0 36	52	0	0	52
	Pressure 1{1}	38223	1	0 38223	101	1	7	101
	Pressure 2{1}	1949559	0	01949559	-124	0	0	124
	Pressure 3{1}	1672425	0	01672425	-107	0	1	107
	GT1{1}	1603481	-1	01603481	94	1	9	95

	GT2{1}	-.1E+07	0	01275535	276	1	0	276
	GT3{1}	-123692	0	0 123692	242	1	0	242
	GW1{1}	1808	0	0 1808	219	1	0	219
	GW2{1}	2155	0	0 2155	221	1	0	221
	GW3{1}	1945	0	0 1945	163	1	0	163
	GW4{1}	2017	0	0 2017	272	1	0	272
	GT1P1{1}	1641704	0	01641704	195	2	16	195
	GT2P2{1}	674024	0	0 674024	152	1	0	152
	GT3P3{1}	1548733	0	01548733	135	1	1	135
	Gravity{2}	3953	0	0 3953	461	3	0	461
	Thermal 3{2}	-129920	0	0 129920	25	0	0	25
	Pressure 1{2}	1512572	7	11512572	871	5	-35	872
	GT3{2}	-125967	0	0 125967	486	2	0	486
	Hydrotest-NL{2}	1386605	7	11386605	1357	7	-34	1358
+1026+	Gravity{1}	2010	0	0 2010	220	1	0	220
	Thermal 1{1}	1586889	-1	01586889	-126	0	9	126
	Thermal 2{1}	-.1E+07	0	01270830	56	0	0	56
	Thermal 3{1}	-125224	0	0 125224	22	0	0	22
	Wind 1{1}	-176	0	0 176	-1	0	0	1
	Wind 2{1}	177	0	0 177	1	0	0	1
	Wind 3{1}	-36	0	0 36	-57	0	0	57
	Wind 4{1}	36	0	0 36	52	0	0	52
	Pressure 1{1}	38222	2	0 38222	101	1	7	101
	Pressure 2{1}	1940080	0	01940080	-124	0	0	124
	Pressure 3{1}	1658883	0	01658883	-107	0	1	107
	GT1{1}	1588900	-1	01588900	94	1	9	95
	GT2{1}	-.1E+07	0	01268820	276	1	0	276
	GT3{1}	-123214	0	0 123214	242	1	0	242
	GW1{1}	1835	0	0 1835	219	1	0	219
	GW2{1}	2187	0	0 2187	221	1	0	221
	GW3{1}	1974	0	0 1974	163	1	0	163
	GW4{1}	2047	0	0 2047	272	1	0	272
	GT1P1{1}	1627122	1	01627122	195	2	16	195
	GT2P2{1}	671260	0	0 671260	152	1	0	152
	GT3P3{1}	1535669	0	01535669	135	1	1	135
	Gravity{2}	4011	0	0 4011	461	3	0	461
	Thermal 3{2}	-129533	0	0 129533	25	0	0	25
	Pressure 1{2}	1497991	7	11497991	871	5	-35	872
	GT3{2}	-125522	0	0 125522	486	2	0	486
	Hydrotest-NL{2}	1372469	7	11372469	1357	7	-34	1358
+1027-	Gravity{1}	2010	0	0 2010	220	1	0	220
	Thermal 1{1}	1586889	-1	01586889	-126	0	9	126
	Thermal 2{1}	-.1E+07	0	01270830	56	0	0	56
	Thermal 3{1}	-125224	0	0 125224	22	0	0	22
	Wind 1{1}	-176	0	0 176	-1	0	0	1
	Wind 2{1}	177	0	0 177	1	0	0	1
	Wind 3{1}	-36	0	0 36	-57	0	0	57
	Wind 4{1}	36	0	0 36	52	0	0	52
	Pressure 1{1}	38222	2	0 38222	101	1	7	101
	Pressure 2{1}	1940080	0	01940080	-124	1	0	124
	Pressure 3{1}	1658883	0	01658883	-107	0	1	107
	GT1{1}	1588900	-1	01588900	94	1	9	95
	GT2{1}	-.1E+07	0	01268820	276	1	0	276
	GT3{1}	-123214	0	0 123214	242	1	0	242
	GW1{1}	1835	0	0 1835	219	1	0	219
	GW2{1}	2187	0	0 2187	221	1	0	221
	GW3{1}	1974	0	0 1974	163	1	0	163
	GW4{1}	2047	0	0 2047	272	1	0	272
	GT1P1{1}	1627122	1	01627122	195	2	15	195
	GT2P2{1}	671260	0	0 671260	152	2	0	152
	GT3P3{1}	1535669	0	01535669	135	1	1	135
	Gravity{2}	4011	0	0 4011	461	3	0	461
	Thermal 3{2}	-129533	0	0 129533	25	-1	0	25
	Pressure 1{2}	1497991	7	11497991	871	5	-38	872
	GT3{2}	-125522	0	0 125522	486	2	0	486
	Hydrotest-NL{2}	1372469	7	11372469	1357	7	-38	1358
+1027+	Gravity{1}	2040	0	0 2040	220	1	0	220
	Thermal 1{1}	1572278	0	01572278	-126	0	9	126
	Thermal 2{1}	-.1E+07	0	01264045	56	0	0	56
	Thermal 3{1}	-124768	0	0 124768	22	0	0	22
	Wind 1{1}	-178	0	0 178	-1	0	0	1
	Wind 2{1}	179	0	0 179	1	0	0	1
	Wind 3{1}	-37	0	0 37	-57	0	0	57
	Wind 4{1}	37	0	0 37	52	0	0	52
	Pressure 1{1}	38221	3	0 38221	101	1	7	101
	Pressure 2{1}	1930461	0	01930461	-124	1	0	124
	Pressure 3{1}	1645141	0	01645141	-107	0	1	107
	GT1{1}	1574318	0	01574318	94	1	9	95
	GT2{1}	-.1E+07	0	01262005	276	1	0	276
	GT3{1}	-122729	0	0 122729	242	1	0	242
	GW1{1}	1862	0	0 1862	219	1	0	219
	GW2{1}	2219	0	0 2219	221	1	0	221
	GW3{1}	2003	0	0 2003	163	1	0	163
	GW4{1}	2077	0	0 2077	272	1	0	272
	GT1P1{1}	1612539	3	01612539	195	2	15	195
	GT2P2{1}	668456	0	0 668456	152	2	0	152
	GT3P3{1}	1522412	0	01522412	135	1	1	135
	Gravity{2}	4070	0	1 4070	461	3	0	461
	Thermal 3{2}	-129141	0	0 129141	25	-1	0	25
	Pressure 1{2}	1483410	7	11483410	871	5	-38	872
	GT3{2}	-125070	0	0 125070	486	2	0	486
	Hydrotest-NL{2}	1358339	7	11358339	1357	7	-38	1358
+1028-	Gravity{1}	2040	0	0 2040	220	1	0	220
	Thermal 1{1}	1572278	0	01572278	-126	0	9	126
	Thermal 2{1}	-.1E+07	0	01264045	56	0	0	56
	Thermal 3{1}	-124768	0	0 124768	22	0	0	22
	Wind 1{1}	-178	0	0 178	-1	0	0	1
	Wind 2{1}	179	0	0 179	1	0	0	1
	Wind 3{1}	-37	0	0 37	-57	0	0	57
	Wind 4{1}	37	0	0 37	52	0	0	52
	Pressure 1{1}	38221	3	0 38221	101	1	5	101
	Pressure 2{1}	1930461	0	01930461	-124	1	0	124
	Pressure 3{1}	1645141	0	01645141	-107	1	1	107
	GT1{1}	1574318	0	01574318	94	1	9	95

	GT2{1}	-.1E+07	0	01262005	276	1	0	276
	GT3{1}	-122729	0	0 122729	242	1	0	242
	GW1{1}	1862	0	0 1862	219	1	0	219
	GW2{1}	2219	0	0 2219	221	2	0	221
	GW3{1}	2003	0	0 2003	163	1	0	163
	GW4{1}	2077	0	0 2077	272	1	0	272
	GT1P1{1}	1612539	3	01612539	195	2	14	195
	GT2P2{1}	668456	0	0 668456	152	2	0	152
	GT3P3{1}	1522412	0	01522412	135	2	1	135
	Gravity{2}	4070	0	1 4070	461	3	0	461
	Thermal 3{2}	-129141	0	0 129141	25	-1	0	25
	Pressure 1{2}	1483410	7	11483410	871	6	-42	872
	GT3{2}	-125070	0	0 125070	486	2	0	486
	Hydrotest-NL{2}	1358339	7	11358339	1357	8	-42	1358
+1028+	Gravity{1}	2070	0	0 2070	220	1	0	220
	Thermal 1{1}	1557666	0	01557666	-126	0	9	126
	Thermal 2{1}	-.1E+07	0	01257161	56	0	0	56
	Thermal 3{1}	-124306	0	0 124306	22	0	0	22
	Wind 1{1}	-181	0	0 181	-1	0	0	1
	Wind 2{1}	182	0	0 182	1	0	0	1
	Wind 3{1}	-38	0	0 38	-57	0	0	57
	Wind 4{1}	37	0	0 37	52	0	0	52
	Pressure 1{1}	38220	4	0 38220	101	1	5	101
	Pressure 2{1}	1920701	0	01920701	-124	1	0	124
	Pressure 3{1}	1631198	0	01631198	-107	1	1	107
	GT1{1}	1559736	0	01559736	94	1	9	95
	GT2{1}	-.1E+07	0	01255091	276	1	0	276
	GT3{1}	-122236	0	0 122236	242	1	0	242
	GW1{1}	1889	0	0 1889	219	1	0	219
	GW2{1}	2251	0	0 2251	221	2	0	221
	GW3{1}	2032	0	0 2032	163	1	0	163
	GW4{1}	2107	0	0 2107	272	1	0	272
	GT1P1{1}	1597956	5	01597956	195	2	14	195
	GT2P2{1}	665610	0	0 665610	152	2	0	152
	GT3P3{1}	1508961	0	01508961	135	2	1	135
	Gravity{2}	4130	0	1 4130	461	3	0	461
	Thermal 3{2}	-128742	0	0 128742	25	-1	0	25
	Pressure 1{2}	1468828	7	11468828	871	6	-42	872
	GT3{2}	-124612	0	0 124612	486	2	0	486
	Hydrotest-NL{2}	1344216	7	11344216	1357	8	-42	1358
+1029-	Gravity{1}	2070	0	0 2070	220	2	0	220
	Thermal 1{1}	1557666	0	01557666	-126	0	9	126
	Thermal 2{1}	-.1E+07	0	01257161	56	0	0	56
	Thermal 3{1}	-124306	0	0 124306	22	0	0	22
	Wind 1{1}	-181	0	0 181	-1	0	0	1
	Wind 2{1}	182	0	0 182	1	0	0	1
	Wind 3{1}	-38	0	0 38	-57	0	0	57
	Wind 4{1}	37	0	0 37	52	0	0	52
	Pressure 1{1}	38220	4	0 38220	101	1	3	101
	Pressure 2{1}	1920701	0	01920701	-124	1	0	124
	Pressure 3{1}	1631198	0	01631198	-107	1	1	107
	GT1{1}	1559736	0	01559736	94	1	9	95
	GT2{1}	-.1E+07	0	01255091	276	1	0	276
	GT3{1}	-122236	0	0 122236	242	1	0	242
	GW1{1}	1889	0	0 1889	219	1	0	219
	GW2{1}	2251	0	0 2251	221	2	0	221
	GW3{1}	2032	0	0 2032	163	2	0	163
	GW4{1}	2107	0	0 2107	272	1	0	272
	GT1P1{1}	1597956	5	01597956	195	2	12	195
	GT2P2{1}	665610	0	0 665610	152	2	0	152
	GT3P3{1}	1508961	0	01508961	135	2	1	135
	Gravity{2}	4130	0	1 4130	461	3	0	461
	Thermal 3{2}	-128742	0	0 128742	25	-1	0	25
	Pressure 1{2}	1468828	7	11468828	871	6	-45	873
	GT3{2}	-124612	0	0 124612	486	3	0	486
	Hydrotest-NL{2}	1344216	7	11344216	1357	9	-45	1358
+1029+	Gravity{1}	2100	0	0 2100	220	2	0	220
	Thermal 1{1}	1543054	1	01543054	-126	0	9	126
	Thermal 2{1}	-.1E+07	0	01250176	56	0	0	56
	Thermal 3{1}	-123836	0	0 123836	22	0	0	22
	Wind 1{1}	-183	0	0 183	-1	0	0	1
	Wind 2{1}	184	0	0 184	1	0	0	1
	Wind 3{1}	-38	0	0 38	-57	0	0	57
	Wind 4{1}	38	0	0 38	52	0	0	52
	Pressure 1{1}	38219	6	0 38219	101	1	3	101
	Pressure 2{1}	1910799	0	01910799	-124	1	0	124
	Pressure 3{1}	1617050	0	01617050	-107	1	1	107
	GT1{1}	1545154	1	01545154	94	1	9	95
	GT2{1}	-.1E+07	0	01248076	276	1	0	276
	GT3{1}	-121736	0	0 121736	242	1	0	242
	GW1{1}	1917	0	0 1917	219	1	0	219
	GW2{1}	2284	0	0 2284	221	2	0	221
	GW3{1}	2062	0	0 2062	163	2	0	163
	GW4{1}	2138	0	0 2138	272	1	0	272
	GT1P1{1}	1583373	7	01583373	195	2	12	195
	GT2P2{1}	662723	0	0 662723	152	2	0	152
	GT3P3{1}	1495314	0	01495314	135	2	1	135
	Gravity{2}	4190	0	1 4190	461	3	0	461
	Thermal 3{2}	-128338	0	0 128338	25	-1	0	25
	Pressure 1{2}	1454248	7	11454248	871	6	-45	873
	GT3{2}	-124147	0	0 124147	486	3	0	486
	Hydrotest-NL{2}	1330100	7	11330100	1357	9	-45	1358
+1030-	Gravity{1}	2100	0	0 2100	220	2	0	220
	Thermal 1{1}	1543054	1	01543054	-126	0	8	126
	Thermal 2{1}	-.1E+07	0	01250176	56	-1	0	56
	Thermal 3{1}	-123836	0	0 123836	22	0	0	22
	Wind 1{1}	-183	0	0 183	-1	0	0	1
	Wind 2{1}	184	0	0 184	1	0	0	1
	Wind 3{1}	-38	0	0 38	-57	0	0	57
	Wind 4{1}	38	0	0 38	52	0	0	52
	Pressure 1{1}	38219	6	0 38219	101	1	0	101
	Pressure 2{1}	1910799	0	01910799	-124	1	0	124
	Pressure 3{1}	1617050	0	01617050	-107	1	1	107
	GT1{1}	1545154	1	01545154	94	1	8	95

	GT2{1}	-.1E+07	0	01248076	276	1	0	276
	GT3{1}	-121736	0	0 121736	242	1	0	242
	GW1{1}	1917	0	0 1917	219	2	0	219
	GW2{1}	2284	0	0 2284	221	2	0	221
	GW3{1}	2062	0	0 2062	163	2	0	163
	GW4{1}	2138	0	0 2138	272	2	0	272
	GT1P1{1}	1583373	7	01583373	195	2	8	195
	GT2P2{1}	662723	0	0 662723	152	2	0	152
	GT3P3{1}	1495314	0	01495314	135	2	1	135
	Gravity{2}	4190	0	1 4190	461	4	0	461
	Thermal 3{2}	-128338	0	0 128338	25	-1	0	25
	Pressure 1{2}	1454248	7	11454248	871	7	-49	873
	GT3{2}	-124147	0	0 124147	486	3	0	486
	Hydrotest-NL{2}	1330100	7	11330100	1357	9	-49	1358
+1030+	Gravity{1}	2131	0	0 2131	220	2	0	220
	Thermal 1{1}	1528442	2	01528442	-126	0	8	126
	Thermal 2{1}	-.1E+07	0	01243089	56	-1	0	56
	Thermal 3{1}	-123360	0	0 123360	22	0	0	22
	Wind 1{1}	-186	0	0 186	-1	0	0	1
	Wind 2{1}	187	0	0 187	1	0	0	1
	Wind 3{1}	-39	0	0 39	-57	0	0	57
	Wind 4{1}	38	0	0 38	52	0	0	52
	Pressure 1{1}	38218	7	0 38218	101	1	0	101
	Pressure 2{1}	1900751	0	01900751	-124	1	0	124
	Pressure 3{1}	1602696	0	01602696	-107	1	1	107
	GT1{1}	1530573	2	01530573	94	1	8	95
	GT2{1}	-.1E+07	0	01240958	276	1	0	276
	GT3{1}	-121229	0	0 121229	242	1	0	242
	GW1{1}	1945	0	0 1945	219	2	0	219
	GW2{1}	2318	0	0 2318	221	2	0	221
	GW3{1}	2092	0	0 2092	163	2	0	163
	GW4{1}	2169	0	0 2169	272	2	0	272
	GT1P1{1}	1568791	9	01568791	195	2	8	195
	GT2P2{1}	659793	0	0 659793	152	2	0	152
	GT3P3{1}	1481467	0	01481467	135	2	1	135
	Gravity{2}	4252	0	0 4252	461	4	0	461
	Thermal 3{2}	-127927	0	0 127927	25	-1	0	25
	Pressure 1{2}	1439667	7	11439667	871	7	-49	873
	GT3{2}	-123676	0	0 123676	486	3	0	486
	Hydrotest-NL{2}	1315991	7	11315991	1357	9	-49	1358
+1031-	Gravity{1}	2131	0	0 2131	220	2	0	220
	Thermal 1{1}	1528442	2	01528442	-126	0	7	126
	Thermal 2{1}	-.1E+07	0	01243089	56	-1	0	56
	Thermal 3{1}	-123360	0	0 123360	22	-1	0	22
	Wind 1{1}	-186	0	0 186	-1	0	0	1
	Wind 2{1}	187	0	0 187	1	0	0	1
	Wind 3{1}	-39	0	0 39	-57	0	0	57
	Wind 4{1}	38	0	0 38	52	0	0	52
	Pressure 1{1}	38218	7	0 38218	101	1	-3	101
	Pressure 2{1}	1900751	0	01900751	-124	1	0	124
	Pressure 3{1}	1602696	0	01602696	-107	1	2	107
	GT1{1}	1530573	2	01530573	94	2	7	95
	GT2{1}	-.1E+07	0	01240958	276	1	0	276
	GT3{1}	-121229	0	0 121229	242	1	0	242
	GW1{1}	1945	0	0 1945	219	2	0	219
	GW2{1}	2318	0	0 2318	221	2	0	221
	GW3{1}	2092	0	0 2092	163	2	0	163
	GW4{1}	2169	0	0 2169	272	2	0	272
	GT1P1{1}	1568791	9	01568791	195	2	4	195
	GT2P2{1}	659793	0	0 659793	152	2	0	152
	GT3P3{1}	1481467	0	01481467	135	2	2	135
	Gravity{2}	4252	0	0 4252	461	4	0	461
	Thermal 3{2}	-127927	0	0 127927	25	-1	0	25
	Pressure 1{2}	1439667	7	11439667	871	7	-52	873
	GT3{2}	-123676	0	0 123676	486	3	0	486
	Hydrotest-NL{2}	1315991	7	11315991	1357	10	-52	1358
+1031+	Gravity{1}	2162	0	0 2162	220	2	0	220
	Thermal 1{1}	1513829	3	01513829	-126	0	7	126
	Thermal 2{1}	-.1E+07	0	01235897	56	-1	0	56
	Thermal 3{1}	-122877	0	0 122877	22	-1	0	22
	Wind 1{1}	-189	0	0 189	-1	0	0	1
	Wind 2{1}	190	0	0 190	1	0	0	1
	Wind 3{1}	-39	0	0 39	-57	0	0	57
	Wind 4{1}	39	0	0 39	52	0	0	52
	Pressure 1{1}	38217	9	0 38217	101	1	-3	101
	Pressure 2{1}	1890556	0	01890556	-124	1	0	124
	Pressure 3{1}	1588130	0	01588130	-107	1	2	107
	GT1{1}	1515991	3	01515991	94	2	7	95
	GT2{1}	-.1E+07	0	01233735	276	1	0	276
	GT3{1}	-120715	0	0 120715	242	1	0	242
	GW1{1}	1973	0	0 1973	219	2	0	219
	GW2{1}	2352	0	0 2352	221	2	0	221
	GW3{1}	2123	0	0 2123	163	2	0	163
	GW4{1}	2201	0	0 2201	272	2	0	272
	GT1P1{1}	1554208	13	01554208	195	2	4	195
	GT2P2{1}	656821	0	0 656821	152	2	0	152
	GT3P3{1}	1467416	0	01467416	135	2	2	135
	Gravity{2}	4314	0	0 4314	461	4	0	461
	Thermal 3{2}	-127511	0	0 127511	25	-1	0	25
	Pressure 1{2}	1425085	6	11425085	871	7	-52	873
	GT3{2}	-123197	0	0 123197	486	3	0	486
	Hydrotest-NL{2}	1301888	6	11301888	1357	10	-52	1358
+1032-	Gravity{1}	2162	0	0 2162	220	2	0	220
	Thermal 1{1}	1513829	3	01513829	-126	0	6	126
	Thermal 2{1}	-.1E+07	0	01235897	56	-1	0	56
	Thermal 3{1}	-122877	0	0 122877	22	-1	0	22
	Wind 1{1}	-189	0	0 189	-1	0	0	1
	Wind 2{1}	190	0	0 190	1	0	0	1
	Wind 3{1}	-39	0	0 39	-57	0	0	57
	Wind 4{1}	39	0	0 39	52	0	0	52
	Pressure 1{1}	38217	9	0 38217	101	1	-8	101
	Pressure 2{1}	1890556	0	01890556	-124	1	0	124
	Pressure 3{1}	1588130	0	01588130	-107	1	2	107
	GT1{1}	1515991	3	01515991	94	2	5	94

	GT2{1}	-.1E+07	0	01233735	276	1	0	276
	GT3{1}	-120715	0	0 120715	242	1	0	242
	GW1{1}	1973	0	0 1973	219	2	0	219
	GW2{1}	2352	0	0 2352	221	2	0	222
	GW3{1}	2123	0	0 2123	163	2	0	163
	GW4{1}	2201	0	0 2201	272	2	0	272
	GT1P1{1}	1554208	13	01554208	195	3	-3	195
	GT2P2{1}	656821	0	0 656821	152	3	0	152
	GT3P3{1}	1467416	0	01467416	135	2	2	135
	Gravity{2}	4314	0	0 4314	461	4	0	461
	Thermal 3{2}	-127511	0	0 127511	25	-1	0	25
	Pressure 1{2}	1425085	6	11425085	871	8	-55	873
	GT3{2}	-123197	0	0 123197	486	3	0	486
	Hydrotest-NL{2}	1301888	6	11301888	1357	10	-55	1359
+1032+	Gravity{1}	2194	0	0 2194	220	2	0	220
	Thermal 1{1}	1499215	5	01499215	-126	0	6	126
	Thermal 2{1}	-.1E+07	0	01228600	56	-1	0	56
	Thermal 3{1}	-122386	0	0 122386	22	-1	0	22
	Wind 1{1}	-192	0	0 192	-1	0	0	1
	Wind 2{1}	193	0	0 193	1	0	0	1
	Wind 3{1}	-40	0	0 40	-57	0	0	57
	Wind 4{1}	40	0	0 40	52	0	0	52
	Pressure 1{1}	38216	11	0 38216	101	1	-8	101
	Pressure 2{1}	1880211	0	01880211	-124	1	0	124
	Pressure 3{1}	1573351	0	01573351	-107	1	2	107
	GT1{1}	1501409	5	01501409	94	2	5	94
	GT2{1}	-.1E+07	0	01226407	276	1	0	276
	GT3{1}	-120193	0	0 120193	242	1	0	242
	GW1{1}	2002	0	0 2002	219	2	0	219
	GW2{1}	2386	0	0 2386	221	2	0	222
	GW3{1}	2154	0	0 2154	163	2	0	163
	GW4{1}	2233	0	0 2233	272	2	0	272
	GT1P1{1}	1539625	16	01539625	195	3	-3	195
	GT2P2{1}	653804	0	0 653804	152	3	0	152
	GT3P3{1}	1453159	0	01453159	135	2	2	135
	Gravity{2}	4377	0	0 4377	461	4	0	461
	Thermal 3{2}	-127089	0	0 127089	25	-1	0	25
	Pressure 1{2}	1410504	6	11410504	871	8	-55	873
	GT3{2}	-122711	0	0 122711	486	3	0	486
	Hydrotest-NL{2}	1287792	6	11287792	1357	10	-55	1359
+1033-	Gravity{1}	2194	0	0 2194	220	2	0	220
	Thermal 1{1}	1499215	5	01499215	-126	0	3	126
	Thermal 2{1}	-.1E+07	0	01228600	56	-1	0	56
	Thermal 3{1}	-122386	0	0 122386	22	-1	0	22
	Wind 1{1}	-192	0	0 192	-1	0	0	1
	Wind 2{1}	193	0	0 193	1	0	0	1
	Wind 3{1}	-40	0	0 40	-57	0	0	57
	Wind 4{1}	40	0	0 40	52	0	0	52
	Pressure 1{1}	38216	11	0 38216	101	1	-14	101
	Pressure 2{1}	1880211	0	01880211	-124	2	0	124
	Pressure 3{1}	1573351	0	01573351	-107	1	2	107
	GT1{1}	1501409	5	01501409	94	2	3	94
	GT2{1}	-.1E+07	0	01226407	276	1	0	276
	GT3{1}	-120193	0	0 120193	242	1	0	242
	GW1{1}	2002	0	0 2002	219	2	0	219
	GW2{1}	2386	0	0 2386	221	2	0	222
	GW3{1}	2154	0	0 2154	163	2	0	163
	GW4{1}	2233	0	0 2233	272	2	0	272
	GT1P1{1}	1539625	16	01539625	195	3	-11	195
	GT2P2{1}	653804	0	0 653804	152	3	0	152
	GT3P3{1}	1453159	0	01453159	135	2	2	135
	Gravity{2}	4377	0	0 4377	461	4	0	461
	Thermal 3{2}	-127089	0	0 127089	25	-1	0	25
	Pressure 1{2}	1410504	6	11410504	871	8	-58	873
	GT3{2}	-122711	0	0 122711	486	3	0	486
	Hydrotest-NL{2}	1287792	6	11287792	1357	11	-58	1359
+1033+	Gravity{1}	2226	0	0 2226	220	2	0	220
	Thermal 1{1}	1484602	6	01484602	-126	0	3	126
	Thermal 2{1}	-.1E+07	0	01221197	56	-1	0	56
	Thermal 3{1}	-121889	0	0 121889	22	-1	0	22
	Wind 1{1}	-194	0	0 194	-1	0	0	1
	Wind 2{1}	195	0	0 195	1	0	0	1
	Wind 3{1}	-40	0	0 40	-57	0	0	57
	Wind 4{1}	40	0	0 40	52	0	0	52
	Pressure 1{1}	38215	14	0 38215	101	1	-14	101
	Pressure 2{1}	1869715	0	11869715	-124	2	0	124
	Pressure 3{1}	1558356	0	01558356	-107	1	2	107
	GT1{1}	1486828	6	01486828	94	2	3	94
	GT2{1}	-.1E+07	0	01218971	276	1	0	276
	GT3{1}	-119663	0	0 119663	242	1	0	242
	GW1{1}	2031	0	0 2031	219	2	0	219
	GW2{1}	2421	0	0 2421	221	2	0	222
	GW3{1}	2186	0	0 2186	163	2	0	163
	GW4{1}	2266	0	0 2266	272	2	0	272
	GT1P1{1}	1525043	20	01525043	195	3	-11	195
	GT2P2{1}	650744	0	0 650744	152	3	0	152
	GT3P3{1}	1438693	0	01438693	135	2	2	135
	Gravity{2}	4442	0	0 4442	461	4	0	461
	Thermal 3{2}	-126660	0	0 126660	25	-1	0	25
	Pressure 1{2}	1395923	5	11395923	871	8	-58	873
	GT3{2}	-122218	0	0 122218	486	3	0	486
	Hydrotest-NL{2}	1273704	6	11273704	1357	11	-58	1359
+1034-	Gravity{1}	2226	0	0 2226	220	2	0	220
	Thermal 1{1}	1484602	6	01484602	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01221197	56	-1	0	56
	Thermal 3{1}	-121889	0	0 121889	22	-1	0	22
	Wind 1{1}	-194	0	0 194	-1	0	0	1
	Wind 2{1}	195	0	0 195	1	0	0	1
	Wind 3{1}	-40	0	0 40	-57	0	0	57
	Wind 4{1}	40	0	0 40	52	0	0	52
	Pressure 1{1}	38215	14	0 38215	101	1	-20	103
	Pressure 2{1}	1869715	0	11869715	-124	2	0	124
	Pressure 3{1}	1558356	0	01558356	-107	1	2	107
	GT1{1}	1486828	6	01486828	94	2	0	94

	GT2{1}	-.1E+07	0	01218971	276	1	0	276
	GT3{1}	-119663	0	0 119663	242	1	0	242
	GW1{1}	2031	0	0 2031	219	2	0	219
	GW2{1}	2421	0	0 2421	221	2	0	222
	GW3{1}	2186	0	0 2186	163	3	0	163
	GW4{1}	2266	0	0 2266	272	2	0	272
	GT1P1{1}	1525043	20	01525043	195	3	-21	196
	GT2P2{1}	650744	0	0 650744	152	3	0	152
	GT3P3{1}	1438693	0	01438693	135	3	2	135
	Gravity{2}	4442	0	0 4442	461	4	0	461
	Thermal 3{2}	-126660	0	0 126660	25	-1	0	25
	Pressure 1{2}	1395923	5	11395923	871	8	-61	873
	GT3{2}	-122218	0	0 122218	486	3	0	486
	Hydrotest-NL{2}	1273704	6	11273704	1357	11	-61	1359
+1034+	Gravity{1}	2259	0	0 2259	220	2	0	220
	Thermal 1{1}	1469988	8	01469988	-126	0	0	126
	Thermal 2{1}	-.1E+07	0	01213685	56	-1	0	56
	Thermal 3{1}	-121384	0	0 121384	22	-1	0	22
	Wind 1{1}	-197	0	0 197	-1	0	0	1
	Wind 2{1}	198	0	0 198	1	0	0	1
	Wind 3{1}	-41	0	0 41	-57	0	0	57
	Wind 4{1}	41	0	0 41	52	0	0	52
	Pressure 1{1}	38214	16	0 38214	101	1	-20	103
	Pressure 2{1}	1859065	0	11859065	-124	2	0	124
	Pressure 3{1}	1543225	0	01543225	-107	1	2	107
	GT1{1}	1472246	8	01472246	94	2	0	94
	GT2{1}	-.1E+07	0	01211426	276	1	0	276
	GT3{1}	-119126	0	0 119126	242	1	0	242
	GW1{1}	2061	0	0 2061	219	2	0	219
	GW2{1}	2457	0	0 2457	221	2	0	222
	GW3{1}	2218	0	0 2218	163	3	0	163
	GW4{1}	2299	0	0 2299	272	2	0	272
	GT1P1{1}	1510460	24	01510460	195	3	-21	196
	GT2P2{1}	647639	0	0 647639	152	3	0	152
	GT3P3{1}	1424099	0	01424099	135	3	2	135
	Gravity{2}	4507	0	0 4507	461	4	0	461
	Thermal 3{2}	-126225	0	0 126225	25	-1	0	25
	Pressure 1{2}	1381342	5	11381342	871	8	-61	873
	GT3{2}	-121718	0	0 121718	486	3	0	486
	Hydrotest-NL{2}	1259624	5	11259624	1357	11	-61	1359
+1035-	Gravity{1}	2259	0	0 2259	220	2	0	220
	Thermal 1{1}	1469988	8	01469988	-126	0	-4	126
	Thermal 2{1}	-.1E+07	0	01213685	56	-1	0	56
	Thermal 3{1}	-121384	0	0 121384	22	-1	0	22
	Wind 1{1}	-197	0	0 197	-1	0	0	1
	Wind 2{1}	198	0	0 198	1	0	0	1
	Wind 3{1}	-41	0	0 41	-57	0	0	57
	Wind 4{1}	41	0	0 41	52	0	0	52
	Pressure 1{1}	38214	16	0 38214	101	1	-29	105
	Pressure 2{1}	1859065	0	11859065	-124	2	1	124
	Pressure 3{1}	1543225	0	01543225	-107	1	2	107
	GT1{1}	1472246	8	01472246	94	2	-4	94
	GT2{1}	-.1E+07	0	01211426	276	1	-1	276
	GT3{1}	-119126	0	0 119126	242	1	0	242
	GW1{1}	2061	0	0 2061	219	2	0	219
	GW2{1}	2457	0	0 2457	221	2	0	222
	GW3{1}	2218	0	0 2218	163	3	0	163
	GW4{1}	2299	0	0 2299	272	2	0	272
	GT1P1{1}	1510460	24	01510460	195	3	-33	198
	GT2P2{1}	647639	0	0 647639	152	3	0	152
	GT3P3{1}	1424099	0	01424099	135	3	2	135
	Gravity{2}	4507	0	0 4507	461	5	0	461
	Thermal 3{2}	-126225	0	0 126225	25	-2	0	25
	Pressure 1{2}	1381342	5	11381342	871	9	-63	874
	GT3{2}	-121718	0	0 121718	486	3	0	486
	Hydrotest-NL{2}	1259624	5	11259624	1357	12	-64	1359
+1035+	Gravity{1}	2292	0	0 2292	220	2	0	220
	Thermal 1{1}	1455373	10	01455373	-126	0	-4	126
	Thermal 2{1}	-.1E+07	0	01206062	56	-1	0	56
	Thermal 3{1}	-120872	0	0 120872	22	-1	0	22
	Wind 1{1}	-200	0	0 200	-1	0	0	1
	Wind 2{1}	201	0	0 201	1	0	0	1
	Wind 3{1}	-42	0	0 42	-57	0	0	57
	Wind 4{1}	41	0	0 41	52	0	0	52
	Pressure 1{1}	38213	19	0 38213	101	1	-29	105
	Pressure 2{1}	1848258	0	11848258	-124	2	1	124
	Pressure 3{1}	1528098	0	01528098	-107	1	2	107
	GT1{1}	1457664	10	01457664	94	2	-4	94
	GT2{1}	-.1E+07	0	01203770	276	1	-1	276
	GT3{1}	-118580	0	0 118580	242	1	0	242
	GW1{1}	2091	0	0 2091	219	2	0	219
	GW2{1}	2493	0	0 2493	221	2	0	222
	GW3{1}	2250	0	0 2250	163	3	0	163
	GW4{1}	2333	0	0 2333	272	2	0	272
	GT1P1{1}	1495877	29	01495877	195	3	-33	198
	GT2P2{1}	644488	0	0 644488	152	3	0	152
	GT3P3{1}	1409518	0	01409518	135	3	2	135
	Gravity{2}	4573	0	0 4573	461	5	0	461
	Thermal 3{2}	-125784	0	0 125784	25	-2	0	25
	Pressure 1{2}	1366760	4	11366760	871	9	-63	874
	GT3{2}	-121211	0	0 121211	486	3	0	486
	Hydrotest-NL{2}	1245549	4	01245549	1357	12	-64	1359
+1036-	Gravity{1}	2292	0	0 2292	220	2	0	220
	Thermal 1{1}	1455373	10	01455373	-126	0	-9	126
	Thermal 2{1}	-.1E+07	0	01206062	56	-1	0	56
	Thermal 3{1}	-120872	0	0 120872	22	-1	0	22
	Wind 1{1}	-200	0	0 200	-1	0	0	1
	Wind 2{1}	201	0	0 201	1	0	0	1
	Wind 3{1}	-42	0	0 42	-57	1	0	57
	Wind 4{1}	41	0	0 41	52	0	0	52
	Pressure 1{1}	38213	19	0 38213	101	1	-38	107
	Pressure 2{1}	1848258	0	11848258	-124	2	1	124
	Pressure 3{1}	1528098	0	01528098	-107	2	3	107
	GT1{1}	1457664	10	01457664	94	2	-9	95

	GT2{1}	-.1E+07	0	01203770	276	1	-1	276
	GT3{1}	-118580	0	0 118580	242	1	0	242
	GW1{1}	2091	0	0 2091	219	2	0	219
	GW2{1}	2493	0	0 2493	221	2	0	222
	GW3{1}	2250	0	0 2250	163	3	0	163
	GW4{1}	2333	0	0 2333	272	2	0	272
	GT1P1{1}	1495877	29	01495877	195	3	-47	201
	GT2P2{1}	644488	0	0 644488	152	3	0	152
	GT3P3{1}	1409518	0	01409518	135	3	2	135
	Gravity{2}	4573	0	0 4573	461	5	0	461
	Thermal 3{2}	-125784	0	0 125784	25	-2	0	25
	Pressure 1{2}	1366760	4	11366760	871	9	-65	874
	GT3{2}	-121211	0	0 121211	486	3	0	486
	Hydrotest-NL{2}	1245549	4	01245549	1357	12	-66	1359
+1036+	Gravity{1}	2325	0	0 2325	220	2	0	220
	Thermal 1{1}	1440757	13	01440757	-126	0	-9	126
	Thermal 2{1}	-.1E+07	0	01198328	56	-1	0	56
	Thermal 3{1}	-120352	0	0 120352	22	-1	0	22
	Wind 1{1}	-203	0	0 203	-1	0	0	1
	Wind 2{1}	204	0	0 204	1	0	0	1
	Wind 3{1}	-42	0	0 42	-57	1	0	57
	Wind 4{1}	42	0	0 42	52	0	0	52
	Pressure 1{1}	38212	22	0 38212	101	1	-38	107
	Pressure 2{1}	1837293	0	11837293	-124	2	1	124
	Pressure 3{1}	1512963	0	01512963	-107	2	3	107
	GT1{1}	1443082	13	01443082	94	2	-9	95
	GT2{1}	-.1E+07	0	01196002	276	1	-1	276
	GT3{1}	-118027	0	0 118027	242	1	0	242
	GW1{1}	2122	0	0 2122	219	2	0	219
	GW2{1}	2529	0	0 2529	221	2	0	222
	GW3{1}	2283	0	0 2283	163	3	0	163
	GW4{1}	2367	0	0 2367	272	2	0	272
	GT1P1{1}	1481294	34	01481294	195	3	-47	201
	GT2P2{1}	641291	0	0 641291	152	3	0	152
	GT3P3{1}	1394937	0	01394937	135	3	2	135
	Gravity{2}	4640	0	0 4640	461	5	0	461
	Thermal 3{2}	-125336	0	0 125336	25	-2	0	25
	Pressure 1{2}	1352179	3	01352179	871	9	-65	874
	GT3{2}	-120696	0	0 120696	486	3	0	486
	Hydrotest-NL{2}	1231483	4	01231483	1357	12	-66	1359
+1037-	Gravity{1}	2325	0	0 2325	220	2	0	220
	Thermal 1{1}	1440757	13	01440757	-126	0	-16	127
	Thermal 2{1}	-.1E+07	0	01198328	56	-1	-1	56
	Thermal 3{1}	-120352	0	0 120352	22	-1	0	22
	Wind 1{1}	-203	0	0 203	-1	0	0	1
	Wind 2{1}	204	0	0 204	1	0	0	1
	Wind 3{1}	-42	0	0 42	-57	1	0	57
	Wind 4{1}	42	0	0 42	52	-1	0	52
	Pressure 1{1}	38212	22	0 38212	101	1	-49	112
	Pressure 2{1}	1837293	0	11837293	-124	3	1	124
	Pressure 3{1}	1512963	0	01512963	-107	2	3	107
	GT1{1}	1443082	13	01443082	94	2	-16	96
	GT2{1}	-.1E+07	0	01196002	276	1	-1	276
	GT3{1}	-118027	0	0 118027	242	1	0	242
	GW1{1}	2122	0	0 2122	219	2	0	219
	GW2{1}	2529	0	0 2529	221	2	0	222
	GW3{1}	2283	0	0 2283	163	3	0	163
	GW4{1}	2367	0	0 2367	272	2	0	272
	GT1P1{1}	1481294	34	01481294	195	3	-65	205
	GT2P2{1}	641291	0	0 641291	152	4	0	152
	GT3P3{1}	1394937	0	01394937	135	3	2	135
	Gravity{2}	4640	0	0 4640	461	5	-1	461
	Thermal 3{2}	-125336	0	0 125336	25	-2	0	25
	Pressure 1{2}	1352179	3	01352179	871	9	-67	874
	GT3{2}	-120696	0	0 120696	486	3	0	486
	Hydrotest-NL{2}	1231483	4	01231483	1357	12	-68	1359
+1037+	Gravity{1}	2359	0	0 2359	220	2	0	220
	Thermal 1{1}	1426142	15	01426142	-126	0	-16	127
	Thermal 2{1}	-.1E+07	0	01190480	56	-1	-1	56
	Thermal 3{1}	-119825	0	0 119825	22	-1	0	22
	Wind 1{1}	-206	0	0 206	-1	0	0	1
	Wind 2{1}	207	0	0 207	1	0	0	1
	Wind 3{1}	-43	0	0 43	-57	1	0	57
	Wind 4{1}	43	0	0 43	52	-1	0	52
	Pressure 1{1}	38211	24	0 38211	101	1	-49	112
	Pressure 2{1}	1826168	0	11826168	-124	3	1	124
	Pressure 3{1}	1497821	0	01497821	-107	2	3	107
	GT1{1}	1428501	15	01428501	94	2	-16	96
	GT2{1}	-.1E+07	0	01188121	276	1	-1	276
	GT3{1}	-117465	0	0 117465	242	1	0	242
	GW1{1}	2153	0	0 2153	219	2	0	219
	GW2{1}	2567	0	0 2567	221	2	0	222
	GW3{1}	2317	0	0 2317	163	3	0	163
	GW4{1}	2402	0	0 2402	272	2	0	272
	GT1P1{1}	1466712	40	01466712	195	3	-65	205
	GT2P2{1}	638047	0	0 638047	152	4	0	152
	GT3P3{1}	1380356	0	01380356	135	3	2	135
	Gravity{2}	4708	0	0 4708	461	5	-1	461
	Thermal 3{2}	-124882	0	0 124882	25	-2	0	25
	Pressure 1{2}	1337598	2	01337598	871	9	-67	874
	GT3{2}	-120174	0	0 120174	486	3	0	486
	Hydrotest-NL{2}	1217424	3	01217424	1357	12	-68	1359
+1038-	Gravity{1}	2359	0	0 2359	220	2	0	220
	Thermal 1{1}	1426142	15	01426142	-126	0	-23	128
	Thermal 2{1}	-.1E+07	0	01190480	56	-1	-1	56
	Thermal 3{1}	-119825	0	0 119825	22	-1	0	22
	Wind 1{1}	-206	0	0 206	-1	0	0	1
	Wind 2{1}	207	0	0 207	1	0	0	1
	Wind 3{1}	-43	0	0 43	-57	1	0	57
	Wind 4{1}	43	0	0 43	52	-1	0	52
	Pressure 1{1}	38211	24	0 38211	101	1	-61	118
	Pressure 2{1}	1826168	0	11826168	-124	3	1	124
	Pressure 3{1}	1497821	0	01497821	-107	2	3	108
	GT1{1}	1428501	15	01428501	94	2	-24	97

	GT2{1}	-.1E+07	0	01188121	276	1	-1	276
	GT3{1}	-117465	0	0 117465	242	1	0	242
	GW1{1}	2153	0	0 2153	219	2	0	219
	GW2{1}	2567	0	0 2567	221	3	0	222
	GW3{1}	2317	0	0 2317	163	3	0	163
	GW4{1}	2402	0	0 2402	272	2	0	272
	GT1P1{1}	1466712	40	01466712	195	3	-85	212
	GT2P2{1}	638047	0	0 638047	152	4	0	152
	GT3P3{1}	1380356	0	01380356	135	3	2	135
	Gravity{2}	4708	0	0 4708	461	5	-1	461
	Thermal 3{2}	-124882	0	0 124882	25	-2	0	25
	Pressure 1{2}	1337598	2	01337598	871	9	-68	874
	GT3{2}	-120174	0	0 120174	486	3	-1	486
	Hydrotest-NL{2}	1217424	3	01217424	1357	12	-69	1359
+1038+	Gravity{1}	2394	0	0 2394	220	2	0	220
	Thermal 1{1}	1411526	18	01411526	-126	0	-23	128
	Thermal 2{1}	-.1E+07	0	01182518	56	-1	-1	56
	Thermal 3{1}	-119290	0	0 119290	22	-1	0	22
	Wind 1{1}	-209	0	0 209	-1	0	0	1
	Wind 2{1}	210	0	0 210	1	0	0	1
	Wind 3{1}	-43	0	0 43	-57	1	0	57
	Wind 4{1}	43	0	0 43	52	-1	0	52
	Pressure 1{1}	38210	27	0 38210	101	1	-61	118
	Pressure 2{1}	1814879	0	11814879	-124	3	1	124
	Pressure 3{1}	1482671	0	01482671	-107	2	3	108
	GT1{1}	1413920	18	01413920	94	2	-24	97
	GT2{1}	-.1E+07	0	01180124	276	1	-1	276
	GT3{1}	-116896	0	0 116896	242	1	0	242
	GW1{1}	2185	0	0 2185	219	2	0	219
	GW2{1}	2604	0	0 2604	221	3	0	222
	GW3{1}	2351	0	0 2351	163	3	0	163
	GW4{1}	2437	0	0 2437	272	2	0	272
	GT1P1{1}	1452130	45	01452130	195	3	-85	212
	GT2P2{1}	634756	0	0 634756	152	4	0	152
	GT3P3{1}	1365775	0	01365775	135	3	2	135
	Gravity{2}	4777	0	0 4777	461	5	-1	461
	Thermal 3{2}	-124421	0	0 124421	25	-2	0	25
	Pressure 1{2}	1323017	1	01323017	871	9	-68	874
	GT3{2}	-119644	0	0 119644	486	3	-1	486
	Hydrotest-NL{2}	1203373	2	01203373	1357	12	-69	1359
+1039-	Gravity{1}	2394	0	0 2394	220	2	0	220
	Thermal 1{1}	1411526	18	01411526	-126	0	-32	130
	Thermal 2{1}	-.1E+07	0	01182518	56	-2	-1	56
	Thermal 3{1}	-119290	0	0 119290	22	-1	0	22
	Wind 1{1}	-209	0	0 209	-1	0	0	1
	Wind 2{1}	210	0	0 210	1	0	0	1
	Wind 3{1}	-43	0	0 43	-57	1	0	57
	Wind 4{1}	43	0	0 43	52	-1	0	52
	Pressure 1{1}	38210	27	0 38210	101	1	-75	125
	Pressure 2{1}	1814879	0	11814879	-124	3	1	124
	Pressure 3{1}	1482671	0	01482671	-107	2	3	108
	GT1{1}	1413920	18	01413920	94	2	-33	100
	GT2{1}	-.1E+07	0	01180124	276	1	-1	276
	GT3{1}	-116896	0	0 116896	242	1	0	242
	GW1{1}	2185	0	0 2185	219	2	0	219
	GW2{1}	2604	0	0 2604	221	3	0	222
	GW3{1}	2351	0	0 2351	163	3	0	163
	GW4{1}	2437	0	0 2437	272	2	0	272
	GT1P1{1}	1452130	45	01452130	195	3	-107	222
	GT2P2{1}	634756	0	0 634756	152	4	0	152
	GT3P3{1}	1365775	0	01365775	135	3	2	135
	Gravity{2}	4777	0	0 4777	461	5	-1	461
	Thermal 3{2}	-124421	0	0 124421	25	-2	0	25
	Pressure 1{2}	1323017	1	01323017	871	9	-69	874
	GT3{2}	-119644	0	0 119644	486	3	-1	486
	Hydrotest-NL{2}	1203373	2	01203373	1357	12	-70	1359
+1039+	Gravity{1}	2429	0	0 2429	220	2	0	220
	Thermal 1{1}	1396908	21	01396908	-126	0	-32	130
	Thermal 2{1}	-.1E+07	0	01174438	56	-2	-1	56
	Thermal 3{1}	-118747	0	0 118747	22	-1	0	22
	Wind 1{1}	-212	0	0 212	-1	0	0	1
	Wind 2{1}	213	0	0 213	1	0	0	1
	Wind 3{1}	-44	0	0 44	-57	1	0	57
	Wind 4{1}	44	0	0 44	52	-1	0	52
	Pressure 1{1}	38209	30	0 38209	101	1	-75	125
	Pressure 2{1}	1803425	0	11803425	-124	3	1	124
	Pressure 3{1}	1467511	0	01467511	-107	2	3	108
	GT1{1}	1399337	21	01399337	94	2	-33	100
	GT2{1}	-.1E+07	0	01172009	276	1	-1	276
	GT3{1}	-116318	0	0 116318	242	1	0	242
	GW1{1}	2217	0	0 2217	219	2	0	219
	GW2{1}	2642	0	0 2642	221	3	0	222
	GW3{1}	2385	0	0 2385	163	3	0	163
	GW4{1}	2473	0	0 2473	272	2	0	272
	GT1P1{1}	1437546	51	01437546	195	3	-107	222
	GT2P2{1}	631416	0	0 631416	152	4	0	152
	GT3P3{1}	1351194	1	01351194	135	3	2	135
	Gravity{2}	4847	0	0 4847	461	5	-1	461
	Thermal 3{2}	-123953	0	0 123953	25	-2	0	25
	Pressure 1{2}	1308436	0	01308436	871	9	-69	874
	GT3{2}	-119106	0	-1 119106	486	3	-1	486
	Hydrotest-NL{2}	1189330	0	-11189330	1357	12	-70	1359
+1040-	Gravity{1}	2429	0	0 2429	220	2	0	220
	Thermal 1{1}	1396908	21	01396908	-126	0	-43	133
	Thermal 2{1}	-.1E+07	0	01174438	56	-2	-1	56
	Thermal 3{1}	-118747	0	0 118747	22	-1	0	22
	Wind 1{1}	-212	0	0 212	-1	0	0	1
	Wind 2{1}	213	0	0 213	1	0	0	1
	Wind 3{1}	-44	0	0 44	-57	1	0	57
	Wind 4{1}	44	0	0 44	52	-1	0	52
	Pressure 1{1}	38209	30	0 38209	101	1	-89	134
	Pressure 2{1}	1803425	0	11803425	-124	3	1	124
	Pressure 3{1}	1467511	0	01467511	-107	2	3	108
	GT1{1}	1399337	21	01399337	94	2	-43	104

	GT2{1}	-.1E+07	0	01172009	276	1	-1	276
	GT3{1}	-116318	0	0 116318	242	1	-1	242
	GW1{1}	2217	0	0 2217	219	2	0	219
	GW2{1}	2642	0	0 2642	221	2	0	222
	GW3{1}	2385	0	0 2385	163	3	0	163
	GW4{1}	2473	0	0 2473	272	1	0	272
	GT1P1{1}	1437546	51	01437546	195	3	-133	236
	GT2P2{1}	631416	0	0 631416	152	4	0	152
	GT3P3{1}	1351194	1	01351194	135	3	2	135
	Gravity{2}	4847	0	0 4847	461	5	-1	461
	Thermal 3{2}	-123953	0	0 123953	25	-2	0	25
	Pressure 1{2}	1308436	0	01308436	871	9	-69	874
	GT3{2}	-119106	0	-1 119106	486	2	-1	486
	Hydrotest-NL{2}	1189330	0	-1189330	1357	11	-70	1359
+1040+	Gravity{1}	2465	0	0 2465	220	2	0	220
	Thermal 1{1}	1382291	24	01382291	-126	0	-43	133
	Thermal 2{1}	-.1E+07	0	01166240	56	-2	-1	56
	Thermal 3{1}	-118196	0	0 118196	22	-1	0	22
	Wind 1{1}	-215	0	0 215	-1	0	0	1
	Wind 2{1}	216	0	0 216	1	0	0	1
	Wind 3{1}	-45	0	0 45	-57	1	0	57
	Wind 4{1}	44	0	0 44	52	-1	0	52
	Pressure 1{1}	38208	32	0 38208	101	1	-89	134
	Pressure 2{1}	1791802	0	11791802	-124	3	1	124
	Pressure 3{1}	1452343	1	01452343	-107	2	3	108
	GT1{1}	1384755	24	01384755	94	2	-43	104
	GT2{1}	-.1E+07	0	-11163775	276	1	-1	276
	GT3{1}	-115731	0	0 115731	242	1	-1	242
	GW1{1}	2249	0	0 2249	219	2	0	219
	GW2{1}	2681	0	0 2681	221	2	0	222
	GW3{1}	2420	0	0 2420	163	3	0	163
	GW4{1}	2509	0	0 2509	272	1	0	272
	GT1P1{1}	1422963	56	01422963	195	3	-133	236
	GT2P2{1}	628027	0	0 628027	152	4	0	152
	GT3P3{1}	1336612	1	01336612	135	3	2	135
	Gravity{2}	4918	0	0 4918	461	5	-1	461
	Thermal 3{2}	-123479	0	0 123479	25	-2	0	25
	Pressure 1{2}	1293854	-2	-11293854	871	9	-69	874
	GT3{2}	-118561	0	-1 118561	486	2	-1	486
	Hydrotest-NL{2}	1175294	-1	-11175294	1357	11	-70	1359
+1041-	Gravity{1}	2465	0	0 2465	220	2	-1	220
	Thermal 1{1}	1382291	24	01382291	-126	0	-55	137
	Thermal 2{1}	-.1E+07	0	01166240	56	-2	-1	56
	Thermal 3{1}	-118196	0	0 118196	22	-1	0	22
	Wind 1{1}	-215	0	0 215	-1	0	0	1
	Wind 2{1}	216	0	0 216	1	0	0	1
	Wind 3{1}	-45	0	0 45	-57	1	0	57
	Wind 4{1}	44	0	0 44	52	-1	0	52
	Pressure 1{1}	38208	32	0 38208	101	1	-105	145
	Pressure 2{1}	1791802	0	11791802	-124	4	2	124
	Pressure 3{1}	1452343	1	01452343	-107	3	2	107
	GT1{1}	1384755	24	01384755	94	2	-56	110
	GT2{1}	-.1E+07	0	-11163775	276	0	-2	276
	GT3{1}	-115731	0	0 115731	242	1	-1	242
	GW1{1}	2249	0	0 2249	219	2	-1	219
	GW2{1}	2681	0	0 2681	221	2	-1	222
	GW3{1}	2420	0	0 2420	163	3	-1	163
	GW4{1}	2509	0	0 2509	272	1	-1	272
	GT1P1{1}	1422963	56	01422963	195	3	-161	253
	GT2P2{1}	628027	0	0 628027	152	4	0	152
	GT3P3{1}	1336612	1	01336612	135	3	2	135
	Gravity{2}	4918	0	0 4918	461	4	-1	461
	Thermal 3{2}	-123479	0	0 123479	25	-3	0	25
	Pressure 1{2}	1293854	-2	-11293854	871	8	-68	874
	GT3{2}	-118561	0	-1 118561	486	2	-1	486
	Hydrotest-NL{2}	1175294	-1	-11175294	1357	10	-69	1359
+1041+	Gravity{1}	2501	0	0 2501	220	2	-1	220
	Thermal 1{1}	1367673	27	01367673	-126	0	-55	137
	Thermal 2{1}	-.1E+07	0	01157922	56	-2	-1	56
	Thermal 3{1}	-117637	0	0 117637	22	-1	0	22
	Wind 1{1}	-218	0	0 218	-1	0	0	1
	Wind 2{1}	220	0	0 220	1	0	0	1
	Wind 3{1}	-45	0	0 45	-57	1	0	57
	Wind 4{1}	45	0	0 45	52	-1	0	52
	Pressure 1{1}	38207	33	0 38207	101	1	-105	145
	Pressure 2{1}	1780010	0	11780010	-124	4	2	124
	Pressure 3{1}	1437167	1	01437167	-107	3	2	107
	GT1{1}	1370174	27	01370174	94	2	-56	110
	GT2{1}	-.1E+07	0	-11155421	276	0	-2	276
	GT3{1}	-115136	0	0 115136	242	1	-1	242
	GW1{1}	2282	0	0 2282	219	2	-1	219
	GW2{1}	2720	0	0 2720	221	2	-1	222
	GW3{1}	2455	0	0 2455	163	3	-1	163
	GW4{1}	2546	0	-1 2546	272	1	-1	272
	GT1P1{1}	1408381	61	01408381	195	3	-161	253
	GT2P2{1}	624589	0	0 624589	152	4	0	152
	GT3P3{1}	1322031	1	01322031	135	3	2	135
	Gravity{2}	4990	0	-1 4990	461	4	-1	461
	Thermal 3{2}	-122997	0	0 122997	25	-3	0	25
	Pressure 1{2}	1279273	-3	-11279273	871	8	-68	874
	GT3{2}	-118007	0	-1 118007	486	2	-1	486
	Hydrotest-NL{2}	1161266	-3	-21161266	1357	10	-69	1359
+1042-	Gravity{1}	2501	0	0 2501	220	2	-1	220
	Thermal 1{1}	1367673	27	01367673	-126	0	-69	143
	Thermal 2{1}	-.1E+07	0	01157922	56	-2	-1	56
	Thermal 3{1}	-117637	0	0 117637	22	-1	0	22
	Wind 1{1}	-218	0	0 218	-1	0	0	1
	Wind 2{1}	220	0	0 220	1	0	0	1
	Wind 3{1}	-45	0	0 45	-57	1	0	57
	Wind 4{1}	45	0	0 45	52	-1	0	52
	Pressure 1{1}	38207	33	0 38207	101	1	-122	158
	Pressure 2{1}	1780010	0	11780010	-124	4	2	124
	Pressure 3{1}	1437167	1	01437167	-107	3	2	107
	GT1{1}	1370174	27	01370174	94	2	-69	117

	GT2{1}	-.1E+07	0	-11155421	276	0	-2	276
	GT3{1}	-115136	0	0 115136	242	0	-1	242
	GW1{1}	2282	0	0 2282	219	2	-1	219
	GW2{1}	2720	0	0 2720	221	2	-1	222
	GW3{1}	2455	0	0 2455	163	3	-1	163
	GW4{1}	2546	0	-1 2546	272	1	-1	272
	GT1P1{1}	1408381	61	01408381	195	3	-191	273
	GT2P2{1}	624589	0	0 624589	152	4	0	152
	GT3P3{1}	1322031	1	01322031	135	3	1	135
	Gravity{2}	4990	0	-1 4990	461	4	-1	461
	Thermal 3{2}	-122997	0	0 122997	25	-3	0	25
	Pressure 1{2}	1279273	-3	-11279273	871	8	-66	874
	GT3{2}	-118007	0	-1 118007	486	2	-1	486
	Hydrotest-NL{2}	1161266	-3	-21161266	1357	9	-68	1359
+1042+	Gravity{1}	2537	0	0 2537	220	2	-1	220
	Thermal 1{1}	1353055	30	01353055	-126	0	-69	143
	Thermal 2{1}	-.1E+07	0	01149482	56	-2	-1	56
	Thermal 3{1}	-117069	0	0 117069	22	-1	0	22
	Wind 1{1}	-222	0	0 222	-1	0	0	1
	Wind 2{1}	223	0	0 223	1	0	0	1
	Wind 3{1}	-46	0	0 46	-57	1	0	57
	Wind 4{1}	46	0	0 46	52	-1	0	52
	Pressure 1{1}	38206	34	0 38206	101	1	-122	158
	Pressure 2{1}	1768045	0	11768045	-124	4	2	124
	Pressure 3{1}	1421983	1	01421983	-107	3	2	107
	GT1{1}	1355593	30	01355593	94	2	-69	117
	GT2{1}	-.1E+07	0	-11146945	276	0	-2	276
	GT3{1}	-114532	0	-1 114532	242	0	-1	242
	GW1{1}	2316	0	0 2316	219	2	-1	219
	GW2{1}	2760	0	0 2760	221	2	-1	222
	GW3{1}	2491	0	0 2491	163	3	-1	163
	GW4{1}	2583	0	-1 2583	272	1	-1	272
	GT1P1{1}	1393798	64	01393798	195	3	-191	273
	GT2P2{1}	621100	0	0 621100	152	4	0	152
	GT3P3{1}	1307451	2	01307451	135	3	1	135
	Gravity{2}	5063	0	-1 5063	461	4	-1	461
	Thermal 3{2}	-122508	0	0 122508	25	-3	0	25
	Pressure 1{2}	1264693	-5	-21264693	871	8	-66	874
	GT3{2}	-117445	0	-1 117445	486	2	-1	486
	Hydrotest-NL{2}	1147247	-5	-31147247	1357	9	-68	1359
+1043-	Gravity{1}	2537	0	0 2537	220	2	-1	220
	Thermal 1{1}	1353055	30	01353055	-126	0	-84	151
	Thermal 2{1}	-.1E+07	0	01149482	56	-2	-1	56
	Thermal 3{1}	-117069	0	0 117069	22	-2	0	22
	Wind 1{1}	-222	0	0 222	-1	0	0	1
	Wind 2{1}	223	0	0 223	1	0	0	1
	Wind 3{1}	-46	0	0 46	-57	1	0	57
	Wind 4{1}	46	0	0 46	52	-1	0	52
	Pressure 1{1}	38206	34	0 38206	101	0	-139	171
	Pressure 2{1}	1768045	0	11768045	-124	4	2	124
	Pressure 3{1}	1421983	1	01421983	-107	3	1	107
	GT1{1}	1355593	30	01355593	94	2	-85	127
	GT2{1}	-.1E+07	0	-11146945	276	0	-2	276
	GT3{1}	-114532	0	-1 114532	242	0	-1	242
	GW1{1}	2316	0	0 2316	219	2	-1	219
	GW2{1}	2760	0	0 2760	221	2	-1	222
	GW3{1}	2491	0	0 2491	163	3	-1	163
	GW4{1}	2583	0	-1 2583	272	1	-1	272
	GT1P1{1}	1393798	64	01393798	195	2	-223	296
	GT2P2{1}	621100	0	0 621100	152	4	0	152
	GT3P3{1}	1307451	2	01307451	135	3	0	135
	Gravity{2}	5063	0	-1 5063	461	4	-1	461
	Thermal 3{2}	-122508	0	0 122508	25	-3	0	25
	Pressure 1{2}	1264693	-5	-21264693	871	7	-64	874
	GT3{2}	-117445	0	-1 117445	486	1	-2	486
	Hydrotest-NL{2}	1147247	-5	-31147247	1357	8	-66	1359
+1043+	Gravity{1}	2575	0	-1 2575	220	2	-1	220
	Thermal 1{1}	1338436	33	01338436	-126	0	-84	151
	Thermal 2{1}	-.1E+07	0	01140918	56	-2	-1	56
	Thermal 3{1}	-116494	0	0 116494	22	-2	0	22
	Wind 1{1}	-225	0	0 225	-1	0	0	1
	Wind 2{1}	226	0	0 226	1	0	0	1
	Wind 3{1}	-47	0	0 47	-57	1	0	57
	Wind 4{1}	46	0	0 46	52	-1	0	52
	Pressure 1{1}	38205	34	0 38205	101	0	-139	171
	Pressure 2{1}	1755904	0	11755904	-124	4	2	124
	Pressure 3{1}	1406789	2	01406789	-107	3	1	107
	GT1{1}	1341011	33	01341011	94	2	-85	127
	GT2{1}	-.1E+07	0	-11138343	276	0	-2	276
	GT3{1}	-113919	0	-1 113919	242	0	-1	242
	GW1{1}	2350	0	-1 2350	219	2	-1	219
	GW2{1}	2801	0	-1 2801	221	2	-1	222
	GW3{1}	2528	0	0 2528	163	3	-1	163
	GW4{1}	2621	0	-1 2621	272	1	-1	272
	GT1P1{1}	1379216	67	-11379216	195	2	-223	296
	GT2P2{1}	617560	0	0 617560	152	4	0	152
	GT3P3{1}	1292869	2	01292869	135	3	0	135
	Gravity{2}	5137	0	-1 5137	461	4	-1	461
	Thermal 3{2}	-122013	0	0 122013	25	-3	0	25
	Pressure 1{2}	1250111	-7	-21250111	871	7	-64	874
	GT3{2}	-116875	0	-1 116875	486	1	-2	486
	Hydrotest-NL{2}	1133236	-7	-31133236	1357	8	-66	1359
+1044-	Gravity{1}	2575	0	-1 2575	220	2	-1	220
	Thermal 1{1}	1338436	33	01338436	-126	0	-101	161
	Thermal 2{1}	-.1E+07	0	01140918	56	-2	-1	56
	Thermal 3{1}	-116494	0	0 116494	22	-2	0	22
	Wind 1{1}	-225	0	0 225	-1	0	0	1
	Wind 2{1}	226	0	0 226	1	0	0	1
	Wind 3{1}	-47	0	0 47	-57	2	0	57
	Wind 4{1}	46	0	0 46	52	-1	0	52
	Pressure 1{1}	38205	34	0 38205	101	0	-156	185
	Pressure 2{1}	1755904	0	11755904	-124	4	2	124
	Pressure 3{1}	1406789	2	01406789	-107	3	0	107
	GT1{1}	1341011	33	01341011	94	2	-101	138

	GT2{1}	-.1E+07	0	-11138343	276	-1	-2	276
	GT3{1}	-113919	0	-1 113919	242	0	-1	242
	GW1{1}	2350	0	-1 2350	219	1	-1	219
	GW2{1}	2801	0	-1 2801	221	2	-1	221
	GW3{1}	2528	0	0 2528	163	3	-1	163
	GW4{1}	2621	0	-1 2621	272	0	-1	272
	GT1P1{1}	1379216	67	-11379216	195	2	-257	322
	GT2P2{1}	617560	0	0 617560	152	4	0	152
	GT3P3{1}	1292869	2	01292869	135	3	-1	135
	Gravity{2}	5137	0	-1 5137	461	3	-1	461
	Thermal 3{2}	-122013	0	0 122013	25	-3	-1	25
	Pressure 1{2}	1250111	-7	-21250111	871	6	-60	873
	GT3{2}	-116875	0	-1 116875	486	0	-2	486
	Hydrotest-NL{2}	1133236	-7	-31133236	1357	6	-62	1359
+1044+	Gravity{1}	2612	0	-1 2612	220	2	-1	220
	Thermal 1{1}	1323816	35	01323816	-126	0	-101	161
	Thermal 2{1}	-.1E+07	0	01132229	56	-2	-1	56
	Thermal 3{1}	-115910	0	0 115910	22	-2	0	22
	Wind 1{1}	-228	0	0 228	-1	0	0	1
	Wind 2{1}	229	0	0 229	1	0	0	1
	Wind 3{1}	-47	0	0 47	-57	2	0	57
	Wind 4{1}	47	0	0 47	52	-1	0	52
	Pressure 1{1}	38204	32	0 38204	101	0	-156	185
	Pressure 2{1}	1743584	0	11743584	-124	4	2	124
	Pressure 3{1}	1391585	3	01391585	-107	3	0	107
	GT1{1}	1326429	35	01326429	94	2	-101	138
	GT2{1}	-.1E+07	0	-11129616	276	-1	-2	276
	GT3{1}	-113298	0	-1 113298	242	0	-1	242
	GW1{1}	2384	0	-1 2384	219	1	-1	219
	GW2{1}	2842	0	-1 2842	221	2	-1	221
	GW3{1}	2565	0	0 2565	163	3	-1	163
	GW4{1}	2660	0	-1 2660	272	0	-1	272
	GT1P1{1}	1364632	67	-11364632	195	2	-257	322
	GT2P2{1}	613968	0	0 613968	152	4	0	152
	GT3P3{1}	1278288	3	01278288	135	3	-1	135
	Gravity{2}	5213	0	-1 5213	461	3	-1	461
	Thermal 3{2}	-121510	0	0 121510	25	-3	-1	25
	Pressure 1{2}	1235530	-10	-31235530	871	6	-60	873
	GT3{2}	-116297	0	-2 116297	486	0	-2	486
	Hydrotest-NL{2}	1119233	-9	-41119233	1357	6	-62	1359
+1045-	Gravity{1}	2612	0	-1 2612	220	1	-1	220
	Thermal 1{1}	1323816	35	01323816	-126	0	-118	173
	Thermal 2{1}	-.1E+07	0	01132229	56	-2	-2	56
	Thermal 3{1}	-115910	0	0 115910	22	-2	0	22
	Wind 1{1}	-228	0	0 228	-1	0	0	1
	Wind 2{1}	229	0	0 229	1	0	0	1
	Wind 3{1}	-47	0	0 47	-57	2	0	57
	Wind 4{1}	47	0	0 47	52	-2	0	52
	Pressure 1{1}	38204	32	0 38204	101	0	-172	199
	Pressure 2{1}	1743584	0	11743584	-124	5	3	124
	Pressure 3{1}	1391585	3	01391585	-107	3	-1	108
	GT1{1}	1326429	35	01326429	94	2	-119	152
	GT2{1}	-.1E+07	0	-11129616	276	-1	-2	276
	GT3{1}	-113298	0	-1 113298	242	0	-1	242
	GW1{1}	2384	0	-1 2384	219	1	-1	219
	GW2{1}	2842	0	-1 2842	221	1	-1	221
	GW3{1}	2565	0	0 2565	163	3	-1	163
	GW4{1}	2660	0	-1 2660	272	0	-1	272
	GT1P1{1}	1364632	67	-11364632	195	2	-290	350
	GT2P2{1}	613968	0	0 613968	152	3	0	152
	GT3P3{1}	1278288	3	01278288	135	3	-2	135
	Gravity{2}	5213	0	-1 5213	461	3	-1	461
	Thermal 3{2}	-121510	0	0 121510	25	-3	-1	25
	Pressure 1{2}	1235530	-10	-31235530	871	5	-55	873
	GT3{2}	-116297	0	-2 116297	486	0	-2	486
	Hydrotest-NL{2}	1119233	-9	-41119233	1357	4	-58	1359
+1045+	Gravity{1}	2651	0	-1 2651	220	1	-1	220
	Thermal 1{1}	1309196	37	01309196	-126	0	-118	173
	Thermal 2{1}	-.1E+07	0	01123412	56	-2	-2	56
	Thermal 3{1}	-115318	0	0 115318	22	-2	0	22
	Wind 1{1}	-232	0	0 232	-1	0	0	1
	Wind 2{1}	233	0	0 233	1	0	0	1
	Wind 3{1}	-48	0	0 48	-57	2	0	57
	Wind 4{1}	48	0	0 48	52	-2	0	52
	Pressure 1{1}	38203	29	-1 38203	101	0	-172	199
	Pressure 2{1}	1731085	0	01731085	-124	5	3	124
	Pressure 3{1}	1376374	3	01376374	-107	3	-1	108
	GT1{1}	1311847	37	-11311847	94	2	-119	152
	GT2{1}	-.1E+07	0	-11120761	276	-1	-2	276
	GT3{1}	-112667	0	-1 112667	242	0	-1	242
	GW1{1}	2419	0	-1 2419	219	1	-1	219
	GW2{1}	2883	0	-1 2883	221	1	-1	221
	GW3{1}	2603	0	-1 2603	163	3	-1	163
	GW4{1}	2699	0	-1 2699	272	0	-1	272
	GT1P1{1}	1350050	66	-11350050	195	2	-290	350
	GT2P2{1}	610324	0	-1 610324	152	3	0	152
	GT3P3{1}	1263707	3	-11263707	135	3	-2	135
	Gravity{2}	5289	0	-2 5289	461	3	-1	461
	Thermal 3{2}	-120999	0	0 120999	25	-3	-1	25
	Pressure 1{2}	1220949	-12	-31220949	871	5	-55	873
	GT3{2}	-115710	0	-2 115710	486	0	-2	486
	Hydrotest-NL{2}	1105239	-12	-51105239	1357	4	-58	1359
+1046-	Gravity{1}	2651	0	-1 2651	220	1	-1	220
	Thermal 1{1}	1309196	37	01309196	-126	0	-137	186
	Thermal 2{1}	-.1E+07	0	01123412	56	-2	-2	56
	Thermal 3{1}	-115318	0	0 115318	22	-2	-1	22
	Wind 1{1}	-232	0	0 232	-1	0	0	1
	Wind 2{1}	233	0	0 233	1	0	0	1
	Wind 3{1}	-48	0	0 48	-57	2	0	57
	Wind 4{1}	48	0	0 48	52	-2	0	52
	Pressure 1{1}	38203	29	-1 38203	101	0	-186	211
	Pressure 2{1}	1731085	0	01731085	-124	5	3	124
	Pressure 3{1}	1376374	3	01376374	-107	3	-3	108
	GT1{1}	1311847	37	-11311847	94	1	-138	167

	GT2{1}	-.1E+07	0	-11120761	276	-2	-2	276
	GT3{1}	-112667	0	-1 112667	242	-1	-1	242
	GW1{1}	2419	0	-1 2419	219	1	-1	219
	GW2{1}	2883	0	-1 2883	221	1	-1	221
	GW3{1}	2603	0	-1 2603	163	3	-1	163
	GW4{1}	2699	0	-1 2699	272	-1	-1	272
	GT1P1{1}	1350050	66	-11350050	195	1	-323	377
	GT2P2{1}	610324	0	-1 610324	152	3	0	152
	GT3P3{1}	1263707	3	-11263707	135	2	-4	135
	Gravity{2}	5289	0	-2 5289	461	2	-1	461
	Thermal 3{2}	-120999	0	0 120999	25	-3	-1	25
	Pressure 1{2}	1220949	-12	-31220949	871	3	-49	873
	GT3{2}	-115710	0	-2 115710	486	-1	-2	486
	Hydrotest-NL{2}	1105239	-12	-51105239	1357	2	-52	1358
+1046+	Gravity{1}	2690	0	-1 2690	220	1	-1	220
	Thermal 1{1}	1294576	38	01294576	-126	0	-137	186
	Thermal 2{1}	-.1E+07	0	01114466	56	-2	-2	56
	Thermal 3{1}	-114716	0	0 114716	22	-2	-1	22
	Wind 1{1}	-235	0	0 235	-1	0	0	1
	Wind 2{1}	236	0	0 236	1	0	0	1
	Wind 3{1}	-49	0	0 49	-57	2	0	57
	Wind 4{1}	49	0	0 49	52	-2	0	52
	Pressure 1{1}	38202	23	-1 38202	101	0	-186	211
	Pressure 2{1}	1718403	0	01718403	-124	5	3	124
	Pressure 3{1}	1361153	4	01361153	-107	3	-3	108
	GT1{1}	1297266	38	-11297266	94	1	-138	167
	GT2{1}	-.1E+07	0	-11111777	276	-2	-2	276
	GT3{1}	-112027	0	-1 112027	242	-1	-1	242
	GW1{1}	2455	0	-1 2455	219	1	-1	219
	GW2{1}	2926	0	-1 2926	221	1	-1	221
	GW3{1}	2641	0	-1 2641	163	3	-1	163
	GW4{1}	2738	0	-1 2738	272	-1	-1	272
	GT1P1{1}	1335468	61	-11335468	195	1	-323	377
	GT2P2{1}	606626	0	-1 606626	152	3	0	152
	GT3P3{1}	1249126	4	-11249126	135	2	-4	135
	Gravity{2}	5367	0	-2 5367	461	2	-1	461
	Thermal 3{2}	-120481	1	0 120481	25	-3	-1	25
	Pressure 1{2}	1206368	-15	-41206368	871	3	-49	873
	GT3{2}	-115115	0	-2 115115	486	-1	-2	486
	Hydrotest-NL{2}	1091253	-15	-61091253	1357	2	-52	1358
+1047-	Gravity{1}	2690	0	-1 2690	220	0	-1	220
	Thermal 1{1}	1294576	38	01294576	-126	1	-156	200
	Thermal 2{1}	-.1E+07	0	01114466	56	-3	-2	56
	Thermal 3{1}	-114716	0	0 114716	22	-2	-1	22
	Wind 1{1}	-235	0	0 235	-1	0	0	1
	Wind 2{1}	236	0	0 236	1	0	0	1
	Wind 3{1}	-49	0	0 49	-57	2	0	57
	Wind 4{1}	49	0	0 49	52	-2	0	52
	Pressure 1{1}	38202	23	-1 38202	101	-1	-197	222
	Pressure 2{1}	1718403	0	01718403	-124	5	3	124
	Pressure 3{1}	1361153	4	01361153	-107	3	-5	108
	GT1{1}	1297266	38	-11297266	94	1	-156	183
	GT2{1}	-.1E+07	0	-11111777	276	-2	-2	276
	GT3{1}	-112027	0	-1 112027	242	-1	-1	242
	GW1{1}	2455	0	-1 2455	219	0	-1	219
	GW2{1}	2926	0	-1 2926	221	1	-1	221
	GW3{1}	2641	0	-1 2641	163	2	-1	163
	GW4{1}	2738	0	-1 2738	272	-1	-1	272
	GT1P1{1}	1335468	61	-11335468	195	0	-354	404
	GT2P2{1}	606626	0	-1 606626	152	3	0	152
	GT3P3{1}	1249126	4	-11249126	135	2	-6	135
	Gravity{2}	5367	0	-2 5367	461	1	-1	461
	Thermal 3{2}	-120481	1	0 120481	25	-3	-1	25
	Pressure 1{2}	1206368	-15	-41206368	871	1	-42	872
	GT3{2}	-115115	0	-2 115115	486	-2	-3	486
	Hydrotest-NL{2}	1091253	-15	-61091253	1357	-1	-44	1358
+1047+	Gravity{1}	2729	0	-1 2729	220	0	-1	220
	Thermal 1{1}	1279955	37	01279955	-126	1	-156	200
	Thermal 2{1}	-.1E+07	0	01105389	56	-3	-2	56
	Thermal 3{1}	-114106	0	0 114106	22	-2	-1	22
	Wind 1{1}	-238	0	0 238	-1	0	0	1
	Wind 2{1}	240	0	0 240	1	0	0	1
	Wind 3{1}	-50	0	0 50	-57	2	0	57
	Wind 4{1}	49	0	0 49	52	-2	0	52
	Pressure 1{1}	38201	15	-1 38201	101	-1	-197	222
	Pressure 2{1}	1705534	0	01705534	-124	5	3	124
	Pressure 3{1}	1345922	5	01345922	-107	3	-5	108
	GT1{1}	1282684	37	-11282684	94	1	-156	183
	GT2{1}	-.1E+07	0	-11102660	276	-2	-2	276
	GT3{1}	-111377	0	-1 111377	242	-1	-1	242
	GW1{1}	2491	0	-1 2491	219	0	-1	219
	GW2{1}	2969	0	-1 2969	221	1	-1	221
	GW3{1}	2680	0	-1 2680	163	2	-1	163
	GW4{1}	2778	0	-1 2778	272	-1	-1	272
	GT1P1{1}	1320884	53	-21320884	195	0	-354	404
	GT2P2{1}	602874	0	-1 602874	152	3	0	152
	GT3P3{1}	1234545	5	-11234545	135	2	-6	135
	Gravity{2}	5445	0	-2 5445	461	1	-1	461
	Thermal 3{2}	-119956	1	0 119956	25	-3	-1	25
	Pressure 1{2}	1191786	-18	-51191786	871	1	-42	872
	GT3{2}	-114510	0	-2 114510	486	-2	-3	486
	Hydrotest-NL{2}	1077276	-18	-71077276	1357	-1	-44	1358
+1048-	Gravity{1}	2729	0	-1 2729	220	0	-1	220
	Thermal 1{1}	1279955	37	01279955	-126	1	-174	215
	Thermal 2{1}	-.1E+07	0	01105389	56	-3	-2	56
	Thermal 3{1}	-114106	0	0 114106	22	-2	-1	22
	Wind 1{1}	-238	0	0 238	-1	0	0	1
	Wind 2{1}	240	0	0 240	1	0	0	1
	Wind 3{1}	-50	0	0 50	-57	2	0	57
	Wind 4{1}	49	0	0 49	52	-2	0	52
	Pressure 1{1}	38201	15	-1 38201	101	-1	-205	228
	Pressure 2{1}	1705534	0	01705534	-124	5	3	124
	Pressure 3{1}	1345922	5	01345922	-107	4	-7	108
	GT1{1}	1282684	37	-11282684	94	0	-175	199

	GT2{1}	-.1E+07	0	-11102660	276	-3	-2	276
	GT3{1}	-111377	0	-1 111377	242	-2	-2	242
	GW1{1}	2491	0	-1 2491	219	-1	-1	219
	GW2{1}	2969	0	-1 2969	221	0	-1	221
	GW3{1}	2680	0	-1 2680	163	2	-1	163
	GW4{1}	2778	0	-1 2778	272	-2	-1	272
	GT1P1{1}	1320884	53	-21320884	195	0	-380	427
	GT2P2{1}	602874	0	-1 602874	152	2	0	152
	GT3P3{1}	1234545	5	-11234545	135	2	-9	135
	Gravity{2}	5445	0	-2 5445	461	-1	-1	461
	Thermal 3{2}	-119956	1	0 119956	25	-3	-2	25
	Pressure 1{2}	1191786	-18	-51191786	871	-1	-32	872
	GT3{2}	-114510	0	-2 114510	486	-4	-3	486
	Hydrotest-NL{2}	1077276	-18	-71077276	1357	-5	-35	1358
+1048+	Gravity{1}	2769	0	-1 2769	220	0	-1	220
	Thermal 1{1}	1265333	35	01265333	-126	1	-174	215
	Thermal 2{1}	-.1E+07	0	01096178	56	-3	-2	56
	Thermal 3{1}	-113487	0	0 113487	22	-2	-1	22
	Wind 1{1}	-242	0	0 242	-1	0	0	1
	Wind 2{1}	243	0	0 243	1	0	0	1
	Wind 3{1}	-50	0	0 50	-57	2	0	57
	Wind 4{1}	50	0	0 50	52	-2	0	52
	Pressure 1{1}	38200	5	-1 38200	101	-1	-205	228
	Pressure 2{1}	1692476	0	01692476	-124	5	3	124
	Pressure 3{1}	1330682	6	01330682	-107	4	-7	108
	GT1{1}	1268102	35	-11268102	94	0	-175	199
	GT2{1}	-.1E+07	0	-11093409	276	-3	-2	276
	GT3{1}	-110718	0	-1 110718	242	-2	-2	242
	GW1{1}	2527	0	-1 2527	219	-1	-1	219
	GW2{1}	3012	0	-1 3012	221	0	-1	221
	GW3{1}	2719	0	-1 2719	163	2	-1	163
	GW4{1}	2819	0	-2 2819	272	-2	-1	272
	GT1P1{1}	1306301	40	-21306301	195	0	-380	427
	GT2P2{1}	599067	0	-1 599067	152	2	0	152
	GT3P3{1}	1219963	6	-11219963	135	2	-9	135
	Gravity{2}	5525	0	-3 5525	461	-1	-1	461
	Thermal 3{2}	-119423	1	0 119423	25	-3	-2	25
	Pressure 1{2}	1177205	-22	-51177205	871	-1	-32	872
	GT3{2}	-113897	0	-3 113897	486	-4	-3	486
	Hydrotest-NL{2}	1063307	-22	-81063307	1357	-5	-35	1358
+1049-	Gravity{1}	2769	0	-1 2769	220	-1	-1	220
	Thermal 1{1}	1265333	35	01265333	-126	1	-192	230
	Thermal 2{1}	-.1E+07	0	01096178	56	-3	-2	56
	Thermal 3{1}	-113487	0	0 113487	22	-2	-1	22
	Wind 1{1}	-242	0	0 242	-1	0	0	1
	Wind 2{1}	243	0	0 243	1	0	0	1
	Wind 3{1}	-50	0	0 50	-57	2	0	57
	Wind 4{1}	50	0	0 50	52	-2	0	52
	Pressure 1{1}	38200	5	-1 38200	101	-1	-207	231
	Pressure 2{1}	1692476	0	01692476	-124	5	3	124
	Pressure 3{1}	1330682	6	01330682	-107	4	-10	108
	GT1{1}	1268102	35	-11268102	94	0	-193	215
	GT2{1}	-.1E+07	0	-11093409	276	-4	-2	276
	GT3{1}	-110718	0	-1 110718	242	-3	-2	242
	GW1{1}	2527	0	-1 2527	219	-1	-1	219
	GW2{1}	3012	0	-1 3012	221	-1	-1	221
	GW3{1}	2719	0	-1 2719	163	1	-1	163
	GW4{1}	2819	0	-2 2819	272	-3	-1	272
	GT1P1{1}	1306301	40	-21306301	195	-1	-400	445
	GT2P2{1}	599067	0	-1 599067	152	2	0	152
	GT3P3{1}	1219963	6	-11219963	135	1	-12	135
	Gravity{2}	5525	0	-3 5525	461	-2	-1	461
	Thermal 3{2}	-119423	1	0 119423	25	-3	-2	25
	Pressure 1{2}	1177205	-22	-51177205	871	-4	-22	872
	GT3{2}	-113897	0	-3 113897	486	-5	-3	486
	Hydrotest-NL{2}	1063307	-22	-81063307	1357	-9	-25	1358
+1049+	Gravity{1}	2810	0	-2 2810	220	-1	-1	220
	Thermal 1{1}	1250711	32	01250711	-126	1	-192	230
	Thermal 2{1}	-.1E+07	0	01086833	56	-3	-2	56
	Thermal 3{1}	-112859	0	0 112859	22	-2	-1	22
	Wind 1{1}	-245	0	0 245	-1	0	0	1
	Wind 2{1}	247	0	0 247	1	0	0	1
	Wind 3{1}	-51	0	0 51	-57	2	0	57
	Wind 4{1}	51	0	0 51	52	-2	0	52
	Pressure 1{1}	38199	-10	-1 38199	101	-1	-207	231
	Pressure 2{1}	1679227	0	01679227	-124	5	3	124
	Pressure 3{1}	1315432	7	01315432	-107	4	-10	108
	GT1{1}	1253520	31	-11253520	94	0	-193	215
	GT2{1}	-.1E+07	0	-21084023	276	-4	-2	276
	GT3{1}	-110050	0	-1 110050	242	-3	-2	242
	GW1{1}	2564	0	-2 2564	219	-1	-1	219
	GW2{1}	3056	0	-2 3056	221	-1	-1	221
	GW3{1}	2759	0	-1 2759	163	1	-1	163
	GW4{1}	2860	0	-2 2860	272	-3	-1	272
	GT1P1{1}	1291719	22	-21291719	195	-1	-400	445
	GT2P2{1}	595204	0	-2 595204	152	2	0	152
	GT3P3{1}	1205383	7	-11205383	135	1	-12	135
	Gravity{2}	5606	-1	-3 5606	461	-2	-1	461
	Thermal 3{2}	-118882	1	0 118882	25	-3	-2	25
	Pressure 1{2}	1162624	-26	-61162624	871	-4	-22	872
	GT3{2}	-113275	0	-3 113275	486	-5	-3	486
	Hydrotest-NL{2}	1049348	-25	-91049348	1357	-9	-25	1358
+1050-	Gravity{1}	2810	0	-2 2810	220	-2	-1	220
	Thermal 1{1}	1250711	32	01250711	-126	1	-208	243
	Thermal 2{1}	-.1E+07	0	01086833	56	-3	-2	56
	Thermal 3{1}	-112859	0	0 112859	22	-2	-1	22
	Wind 1{1}	-245	0	0 245	-1	0	0	1
	Wind 2{1}	247	0	0 247	1	0	0	1
	Wind 3{1}	-51	0	0 51	-57	2	0	57
	Wind 4{1}	51	0	0 51	52	-2	0	52
	Pressure 1{1}	38199	-10	-1 38199	101	-2	-203	226
	Pressure 2{1}	1679227	0	01679227	-124	5	3	124
	Pressure 3{1}	1315432	7	01315432	-107	4	-13	108
	GT1{1}	1253520	31	-11253520	94	-1	-208	229

	GT2{1}	-.1E+07	0	-21084023	276	-4	-2	276
	GT3{1}	-110050	0	-1 110050	242	-3	-2	242
	GW1{1}	2564	0	-2 2564	219	-2	-1	219
	GW2{1}	3056	0	-2 3056	221	-2	0	221
	GW3{1}	2759	0	-1 2759	163	1	-1	163
	GW4{1}	2860	0	-2 2860	272	-4	-1	272
	GT1P1{1}	1291719	22	-21291719	195	-2	-411	455
	GT2P2{1}	595204	0	-2 595204	152	1	0	152
	GT3P3{1}	1205383	7	-11205383	135	0	-15	136
	Gravity{2}	5606	-1	-3 5606	461	-4	-1	461
	Thermal 3{2}	-118882	1	0 118882	25	-3	-2	25
	Pressure 1{2}	1162624	-26	-61162624	871	-7	-9	871
	GT3{2}	-113275	0	-3 113275	486	-6	-3	486
	Hydrotest-NL{2}	1049348	-25	-91049348	1357	-13	-12	1358
+1050+	Gravity{1}	2851	0	-2 2851	220	-2	-1	220
	Thermal 1{1}	1236088	25	01236088	-126	1	-208	243
	Thermal 2{1}	-.1E+07	0	01077351	56	-3	-2	56
	Thermal 3{1}	-112222	0	0 112222	22	-2	-1	22
	Wind 1{1}	-249	0	0 249	-1	0	0	1
	Wind 2{1}	250	0	0 250	1	0	0	1
	Wind 3{1}	-52	0	0 52	-57	2	0	57
	Wind 4{1}	51	0	0 51	52	-2	0	52
	Pressure 1{1}	38197	-28	-1 38197	101	-2	-203	226
	Pressure 2{1}	1665785	1	01665785	-124	5	3	124
	Pressure 3{1}	1300173	7	01300173	-107	4	-13	108
	GT1{1}	1238939	25	-11238939	94	-1	-208	229
	GT2{1}	-.1E+07	-1	-21074500	276	-4	-2	276
	GT3{1}	-109371	0	-2 109371	242	-3	-2	242
	GW1{1}	2602	0	-2 2602	219	-2	-1	219
	GW2{1}	3101	0	-2 3101	221	-2	0	221
	GW3{1}	2799	0	-2 2799	163	1	-1	163
	GW4{1}	2902	0	-2 2902	272	-4	-1	272
	GT1P1{1}	1277136	-3	-21277136	195	-2	-411	455
	GT2P2{1}	591285	0	-2 591285	152	1	0	152
	GT3P3{1}	1190802	7	-21190802	135	0	-15	136
	Gravity{2}	5689	-1	-4 5689	461	-4	-1	461
	Thermal 3{2}	-118333	1	0 118333	25	-3	-2	25
	Pressure 1{2}	1148043	-30	-71148043	871	-7	-9	871
	GT3{2}	-112644	0	-3 112644	486	-6	-3	486
	Hydrotest-NL{2}	1035399	-30	-111035399	1357	-13	-12	1358
+1051-	Gravity{1}	2851	0	-2 2851	220	-3	0	220
	Thermal 1{1}	1236088	25	01236088	-126	1	-221	254
	Thermal 2{1}	-.1E+07	0	01077351	56	-3	-1	56
	Thermal 3{1}	-112222	0	0 112222	22	-2	-1	22
	Wind 1{1}	-249	0	0 249	-1	0	0	1
	Wind 2{1}	250	0	0 250	1	0	0	1
	Wind 3{1}	-52	0	0 52	-57	3	0	57
	Wind 4{1}	51	0	0 51	52	-2	0	52
	Pressure 1{1}	38197	-28	-1 38197	101	-2	-189	214
	Pressure 2{1}	1665785	1	01665785	-124	5	2	124
	Pressure 3{1}	1300173	7	01300173	-107	4	-17	109
	GT1{1}	1238939	25	-11238939	94	-1	-221	240
	GT2{1}	-.1E+07	-1	-21074500	276	-5	-2	276
	GT3{1}	-109371	0	-2 109371	242	-4	-2	242
	GW1{1}	2602	0	-2 2602	219	-3	0	219
	GW2{1}	3101	0	-2 3101	221	-3	0	222
	GW3{1}	2799	0	-2 2799	163	0	0	163
	GW4{1}	2902	0	-2 2902	272	-5	0	272
	GT1P1{1}	1277136	-3	-21277136	195	-4	-410	454
	GT2P2{1}	591285	0	-2 591285	152	0	0	152
	GT3P3{1}	1190802	7	-21190802	135	-1	-19	136
	Gravity{2}	5689	-1	-4 5689	461	-6	0	461
	Thermal 3{2}	-118333	1	0 118333	25	-2	-3	25
	Pressure 1{2}	1148043	-30	-71148043	871	-11	6	871
	GT3{2}	-112644	0	-3 112644	486	-8	-3	486
	Hydrotest-NL{2}	1035399	-30	-111035399	1357	-19	3	1358
+1051+	Gravity{1}	2893	0	-2 2893	220	-3	0	220
	Thermal 1{1}	1221464	16	11221464	-126	1	-221	254
	Thermal 2{1}	-.1E+07	-1	01067729	56	-3	-1	56
	Thermal 3{1}	-111575	0	0 111575	22	-2	-1	22
	Wind 1{1}	-253	0	0 253	-1	0	0	1
	Wind 2{1}	254	0	0 254	1	0	0	1
	Wind 3{1}	-52	0	0 52	-57	3	0	57
	Wind 4{1}	52	0	0 52	52	-2	0	52
	Pressure 1{1}	38196	-50	-1 38196	101	-2	-189	214
	Pressure 2{1}	1652144	1	01652144	-124	5	2	124
	Pressure 3{1}	1284903	8	01284903	-107	4	-17	109
	GT1{1}	1224357	16	-21224357	94	-1	-221	240
	GT2{1}	-.1E+07	-1	-21064837	276	-5	-2	276
	GT3{1}	-108683	0	-2 108683	242	-4	-2	242
	GW1{1}	2640	0	-2 2640	219	-3	0	219
	GW2{1}	3147	0	-2 3147	221	-3	0	222
	GW3{1}	2840	0	-2 2840	163	0	0	163
	GW4{1}	2945	0	-2 2945	272	-5	0	272
	GT1P1{1}	1262553	-34	-31262553	195	-4	-410	454
	GT2P2{1}	587307	0	-2 587307	152	0	0	152
	GT3P3{1}	1176221	8	-21176221	135	-1	-19	136
	Gravity{2}	5772	-1	-4 5772	461	-6	0	461
	Thermal 3{2}	-117776	1	1 117776	25	-2	-3	25
	Pressure 1{2}	1133461	-34	-81133461	871	-11	6	871
	GT3{2}	-112004	0	-4 112004	486	-8	-3	486
	Hydrotest-NL{2}	1021458	-34	-121021458	1357	-19	3	1358
+1052-	Gravity{1}	2893	0	-2 2893	220	-4	0	220
	Thermal 1{1}	1221464	16	11221464	-126	2	-229	261
	Thermal 2{1}	-.1E+07	-1	01067729	56	-2	-1	56
	Thermal 3{1}	-111575	0	0 111575	22	-1	-1	22
	Wind 1{1}	-253	0	0 253	-1	0	0	1
	Wind 2{1}	254	0	0 254	1	0	0	1
	Wind 3{1}	-52	0	0 52	-57	3	0	57
	Wind 4{1}	52	0	0 52	52	-2	0	52
	Pressure 1{1}	38196	-50	-1 38196	101	-3	-164	192
	Pressure 2{1}	1652144	1	01652144	-124	5	2	124
	Pressure 3{1}	1284903	8	01284903	-107	3	-21	110
	GT1{1}	1224357	16	-21224357	94	-2	-229	248

	GT2{1}	-.1E+07	-1	-21064837	276	-6	-1	276
	GT3{1}	-108683	0	-2 108683	242	-5	-2	242
	GW1{1}	2640	0	-2 2640	219	-4	0	219
	GW2{1}	3147	0	-2 3147	221	-4	0	222
	GW3{1}	2840	0	-2 2840	163	-1	0	163
	GW4{1}	2945	0	-2 2945	272	-6	0	272
	GT1P1{1}	1262553	-34	-31262553	195	-5	-393	438
	GT2P2{1}	587307	0	-2 587307	152	-1	0	152
	GT3P3{1}	1176221	8	-21176221	135	-2	-23	137
	Gravity{2}	5772	-1	-4 5772	461	-8	0	461
	Thermal 3{2}	-117776	1	1 117776	25	-2	-3	25
	Pressure 1{2}	1133461	-34	-81133461	871	-15	23	872
	GT3{2}	-112004	0	-4 112004	486	-10	-3	486
	Hydrotest-NL{2}	1021458	-34	-121021458	1357	-25	20	1358
+1052+	Gravity{1}	2935	-1	-2 2935	220	-4	0	220
	Thermal 1{1}	1206840	4	11206840	-126	2	-229	261
	Thermal 2{1}	-.1E+07	-1	01057967	56	-2	-1	56
	Thermal 3{1}	-110919	0	0 110919	22	-1	-1	22
	Wind 1{1}	-256	0	0 256	-1	0	0	1
	Wind 2{1}	258	0	0 258	1	0	0	1
	Wind 3{1}	-53	0	0 53	-57	3	0	57
	Wind 4{1}	53	0	0 53	52	-2	0	52
	Pressure 1{1}	38195	-77	-1 38195	101	-3	-164	192
	Pressure 2{1}	1638304	2	01638304	-124	5	2	124
	Pressure 3{1}	1269624	9	01269624	-107	3	-21	110
	GT1{1}	1209775	4	-21209775	94	-2	-229	248
	GT2{1}	-.1E+07	-2	-21055032	276	-6	-1	276
	GT3{1}	-107984	0	-2 107984	242	-5	-2	242
	GW1{1}	2679	-1	-2 2679	219	-4	0	219
	GW2{1}	3193	-1	-2 3193	221	-4	0	222
	GW3{1}	2882	-1	-2 2882	163	-1	0	163
	GW4{1}	2988	-1	-3 2988	272	-6	0	272
	GT1P1{1}	1247971	-74	-31247971	195	-5	-393	438
	GT2P2{1}	583272	0	-3 583272	152	-1	0	152
	GT3P3{1}	1161640	9	-21161640	135	-2	-23	137
	Gravity{2}	5857	-1	-5 5857	461	-8	0	461
	Thermal 3{2}	-117211	1	1 117211	25	-2	-3	25
	Pressure 1{2}	1118881	-39	-91118881	871	-15	23	872
	GT3{2}	-111354	-1	-4 111354	486	-10	-3	486
	Hydrotest-NL{2}	1007526	-39	-131007526	1357	-25	20	1358
+1053-	Gravity{1}	2935	-1	-2 2935	220	-5	0	220
	Thermal 1{1}	1206840	4	11206840	-126	2	-231	263
	Thermal 2{1}	-.1E+07	-1	01057967	56	-2	-1	56
	Thermal 3{1}	-110919	0	0 110919	22	-1	-2	22
	Wind 1{1}	-256	0	0 256	-1	0	0	1
	Wind 2{1}	258	0	0 258	1	0	0	1
	Wind 3{1}	-53	0	0 53	-57	3	0	57
	Wind 4{1}	53	0	0 53	52	-2	0	52
	Pressure 1{1}	38195	-77	-1 38195	101	-4	-125	161
	Pressure 2{1}	1638304	2	01638304	-124	5	1	124
	Pressure 3{1}	1269624	9	01269624	-107	3	-26	111
	GT1{1}	1209775	4	-21209775	94	-3	-231	249
	GT2{1}	-.1E+07	-2	-21055032	276	-7	0	276
	GT3{1}	-107984	0	-2 107984	242	-6	-1	242
	GW1{1}	2679	-1	-2 2679	219	-5	0	219
	GW2{1}	3193	-1	-2 3193	221	-5	0	222
	GW3{1}	2882	-1	-2 2882	163	-2	0	163
	GW4{1}	2988	-1	-3 2988	272	-7	0	272
	GT1P1{1}	1247971	-74	-31247971	195	-7	-356	406
	GT2P2{1}	583272	0	-3 583272	152	-3	0	152
	GT3P3{1}	1161640	9	-21161640	135	-3	-27	138
	Gravity{2}	5857	-1	-5 5857	461	-10	1	461
	Thermal 3{2}	-117211	1	1 117211	25	-2	-3	25
	Pressure 1{2}	1118881	-39	-91118881	871	-19	42	873
	GT3{2}	-111354	-1	-4 111354	486	-12	-3	486
	Hydrotest-NL{2}	1007526	-39	-131007526	1357	-32	40	1358
+1053+	Gravity{1}	2978	-1	-3 2978	220	-5	0	220
	Thermal 1{1}	1192216	-12	11192216	-126	2	-231	263
	Thermal 2{1}	-.1E+07	-1	01048062	56	-2	-1	56
	Thermal 3{1}	-110254	0	0 110254	22	-1	-2	22
	Wind 1{1}	-260	0	0 260	-1	0	0	1
	Wind 2{1}	261	0	0 261	1	0	0	1
	Wind 3{1}	-54	0	0 54	-57	3	0	57
	Wind 4{1}	54	0	0 54	52	-2	0	52
	Pressure 1{1}	38194	-110	-1 38194	101	-4	-125	161
	Pressure 2{1}	1624261	2	-11624261	-124	5	1	124
	Pressure 3{1}	1254335	10	01254335	-107	3	-26	111
	GT1{1}	1195194	-13	-21195194	94	-3	-231	249
	GT2{1}	-.1E+07	-2	-21045084	276	-7	0	276
	GT3{1}	-107276	-1	-2 107276	242	-6	-1	242
	GW1{1}	2718	-1	-3 2718	219	-5	0	219
	GW2{1}	3240	-1	-3 3240	221	-5	0	222
	GW3{1}	2924	-1	-2 2924	163	-2	0	163
	GW4{1}	3032	-1	-3 3032	272	-7	0	272
	GT1P1{1}	1233388	-122	-31233388	195	-7	-356	406
	GT2P2{1}	579178	0	-3 579178	152	-3	0	152
	GT3P3{1}	1147059	10	-31147059	135	-3	-27	138
	Gravity{2}	5942	-2	-5 5942	461	-10	1	461
	Thermal 3{2}	-116637	1	1 116637	25	-2	-3	25
	Pressure 1{2}	1104300	-44	-101104300	871	-19	42	873
	GT3{2}	-110695	-1	-5 110695	486	-12	-3	486
	Hydrotest-NL{2}	993605	-44	-15 993605	1357	-32	40	1358
+1054-	Gravity{1}	2978	-1	-3 2978	220	-6	1	220
	Thermal 1{1}	1192216	-12	11192216	-126	2	-225	258
	Thermal 2{1}	-.1E+07	-1	01048062	56	-2	0	56
	Thermal 3{1}	-110254	0	0 110254	22	-1	-2	22
	Wind 1{1}	-260	0	0 260	-1	0	0	1
	Wind 2{1}	261	0	0 261	1	0	0	1
	Wind 3{1}	-54	0	0 54	-57	3	0	57
	Wind 4{1}	54	0	0 54	52	-3	0	52
	Pressure 1{1}	38194	-110	-1 38194	101	-4	-70	123
	Pressure 2{1}	1624261	2	-11624261	-124	4	0	124
	Pressure 3{1}	1254335	10	01254335	-107	3	-31	112
	GT1{1}	1195194	-13	-21195194	94	-4	-225	244

	GT2{1}	-.1E+07	-2	-21045084	276	-8	1	276
	GT3{1}	-107276	-1	-2 107276	242	-7	-1	242
	GW1{1}	2718	-1	-3 2718	219	-6	0	219
	GW2{1}	3240	-1	-3 3240	221	-6	1	222
	GW3{1}	2924	-1	-2 2924	163	-3	1	163
	GW4{1}	3032	-1	-3 3032	272	-9	1	272
	GT1P1{1}	1233388	-122	-31233388	195	-8	-295	353
	GT2P2{1}	579178	0	-3 579178	152	-4	0	152
	GT3P3{1}	1147059	10	-31147059	135	-4	-32	139
	Gravity{2}	5942	-2	-5 5942	461	-13	1	462
	Thermal 3{2}	-116637	1	1 116637	25	-1	-4	25
	Pressure 1{2}	1104300	-44	-101104300	871	-25	64	874
	GT3{2}	-110695	-1	-5 110695	486	-14	-2	486
	Hydrotest-NL{2}	993605	-44	-15 993605	1357	-39	62	1359
+1054+	Gravity{1}	3022	-1	-3 3022	220	-6	1	220
	Thermal 1{1}	1177590	-32	11177590	-126	2	-225	258
	Thermal 2{1}	-.1E+07	-2	01038011	56	-2	0	56
	Thermal 3{1}	-109578	0	1 109578	22	-1	-2	22
	Wind 1{1}	-264	0	0 264	-1	0	0	1
	Wind 2{1}	265	0	0 265	1	0	0	1
	Wind 3{1}	-55	0	0 55	-57	3	0	57
	Wind 4{1}	55	0	0 55	52	-3	0	52
	Pressure 1{1}	38193	-147	-2 38194	101	-4	-70	123
	Pressure 2{1}	1610012	3	-11610012	-124	4	0	124
	Pressure 3{1}	1239034	11	-11239034	-107	3	-31	112
	GT1{1}	1180612	-33	-21180612	94	-4	-225	244
	GT2{1}	-.1E+07	-3	-21034989	276	-8	1	276
	GT3{1}	-106557	-1	-2 106557	242	-7	-1	242
	GW1{1}	2758	-1	-3 2758	219	-6	0	219
	GW2{1}	3287	-1	-3 3287	221	-6	1	222
	GW3{1}	2967	-1	-3 2967	163	-3	1	163
	GW4{1}	3076	-1	-3 3076	272	-9	1	272
	GT1P1{1}	1218805	-181	-41218805	195	-8	-295	353
	GT2P2{1}	575023	0	-3 575023	152	-4	0	152
	GT3P3{1}	1132477	10	-31132477	135	-4	-32	139
	Gravity{2}	6030	-2	-6 6030	461	-13	1	462
	Thermal 3{2}	-116055	1	1 116055	25	-1	-4	25
	Pressure 1{2}	1089718	-49	-111089718	871	-25	64	874
	GT3{2}	-110026	-1	-5 110026	486	-14	-2	486
	Hydrotest-NL{2}	979692	-50	-16 979692	1357	-39	62	1359
+1055-	Gravity{1}	3022	-1	-3 3022	220	-8	1	220
	Thermal 1{1}	1177590	-32	11177590	-126	2	-209	244
	Thermal 2{1}	-.1E+07	-2	01038011	56	-2	1	56
	Thermal 3{1}	-109578	0	1 109578	22	-1	-2	22
	Wind 1{1}	-264	0	0 264	-1	0	0	1
	Wind 2{1}	265	0	0 265	1	0	0	1
	Wind 3{1}	-55	0	0 55	-57	3	0	57
	Wind 4{1}	55	0	0 55	52	-3	0	52
	Pressure 1{1}	38193	-147	-2 38194	101	-5	3	101
	Pressure 2{1}	1610012	3	-11610012	-124	4	-1	124
	Pressure 3{1}	1239034	11	-11239034	-107	3	-36	113
	GT1{1}	1180612	-33	-21180612	94	-5	-208	228
	GT2{1}	-.1E+07	-3	-21034989	276	-10	2	276
	GT3{1}	-106557	-1	-2 106557	242	-8	-1	243
	GW1{1}	2758	-1	-3 2758	219	-8	1	219
	GW2{1}	3287	-1	-3 3287	221	-8	1	222
	GW3{1}	2967	-1	-3 2967	163	-5	1	163
	GW4{1}	3076	-1	-3 3076	272	-10	1	272
	GT1P1{1}	1218805	-181	-41218805	195	-10	-205	283
	GT2P2{1}	575023	0	-3 575023	152	-6	0	152
	GT3P3{1}	1132477	10	-31132477	135	-6	-37	140
	Gravity{2}	6030	-2	-6 6030	461	-16	2	462
	Thermal 3{2}	-116055	1	1 116055	25	-1	-4	25
	Pressure 1{2}	1089718	-49	-111089718	871	-30	88	876
	GT3{2}	-110026	-1	-5 110026	486	-17	-1	486
	Hydrotest-NL{2}	979692	-50	-16 979692	1357	-47	87	1361
+1055+	Gravity{1}	3066	-1	-3 3066	220	-8	1	220
	Thermal 1{1}	1162964	-57	11162964	-126	2	-209	244
	Thermal 2{1}	-.1E+07	-2	11027812	56	-2	1	56
	Thermal 3{1}	-108893	0	1 108893	22	-1	-2	22
	Wind 1{1}	-268	0	0 268	-1	0	0	1
	Wind 2{1}	269	0	0 269	1	0	0	1
	Wind 3{1}	-56	0	0 56	-57	3	0	57
	Wind 4{1}	55	0	0 55	52	-3	0	52
	Pressure 1{1}	38192	-191	-2 38193	101	-5	3	101
	Pressure 2{1}	1595553	3	-11595553	-124	4	-1	124
	Pressure 3{1}	1223723	11	-11223723	-107	3	-36	113
	GT1{1}	1166030	-59	-31166030	94	-5	-208	228
	GT2{1}	-.1E+07	-3	-31024746	276	-10	2	276
	GT3{1}	-105827	-1	-3 105827	242	-8	-1	243
	GW1{1}	2798	-1	-3 2798	219	-8	1	219
	GW2{1}	3335	-1	-3 3335	221	-8	1	222
	GW3{1}	3010	-1	-3 3010	163	-5	1	163
	GW4{1}	3121	-1	-3 3121	272	-10	1	272
	GT1P1{1}	1204222	-250	-41204222	195	-10	-205	283
	GT2P2{1}	570807	0	-4 570807	152	-6	0	152
	GT3P3{1}	1117896	10	-31117896	135	-6	-37	140
	Gravity{2}	6118	-2	-7 6118	461	-16	2	462
	Thermal 3{2}	-115465	0	1 115465	25	-1	-4	25
	Pressure 1{2}	1075137	-54	-131075137	871	-30	88	876
	GT3{2}	-109347	-2	-5 109347	486	-17	-1	486
	Hydrotest-NL{2}	965790	-56	-18 965790	1357	-47	87	1361
+1056-	Gravity{1}	3066	-1	-3 3066	220	-9	2	220
	Thermal 1{1}	1162964	-57	11162964	-126	3	-180	220
	Thermal 2{1}	-.1E+07	-2	11027812	56	-1	2	56
	Thermal 3{1}	-108893	0	1 108893	22	0	-2	22
	Wind 1{1}	-268	0	0 268	-1	0	0	1
	Wind 2{1}	269	0	0 269	1	0	0	1
	Wind 3{1}	-56	0	0 56	-57	3	0	57
	Wind 4{1}	55	0	0 55	52	-3	0	52
	Pressure 1{1}	38192	-191	-2 38193	101	-6	99	141
	Pressure 2{1}	1595553	3	-11595553	-124	3	-3	124
	Pressure 3{1}	1223723	11	-11223723	-107	2	-42	115
	GT1{1}	1166030	-59	-31166030	94	-7	-179	202

	GT2{1}	-.1E+07	-3	-31024746	276	-11	3	276
	GT3{1}	-105827	-1	-3 105827	242	-10	0	243
	GW1{1}	2798	-1	-3 2798	219	-9	2	219
	GW2{1}	3335	-1	-3 3335	221	-9	2	222
	GW3{1}	3010	-1	-3 3010	163	-6	2	163
	GW4{1}	3121	-1	-3 3121	272	-12	2	273
	GT1P1{1}	1204222	-250	-41204222	195	-12	-80	211
	GT2P2{1}	570807	0	-4 570807	152	-8	0	152
	GT3P3{1}	1117896	10	-31117896	135	-8	-42	142
	Gravity{2}	6118	-2	-7 6118	461	-19	4	462
	Thermal 3{2}	-115465	0	1 115465	25	0	-4	25
	Pressure 1{2}	1075137	-54	-131075137	871	-37	116	880
	GT3{2}	-109347	-2	-5 109347	486	-20	-1	486
	Hydrotest-NL{2}	965790	-56	-18 965790	1357	-56	115	1363
+1056+	Gravity{1}	3111	-1	-4 3111	220	-9	2	220
	Thermal 1{1}	1148337	-88	11148337	-126	3	-180	220
	Thermal 2{1}	-.1E+07	-3	11017465	56	-1	2	56
	Thermal 3{1}	-108198	0	1 108198	22	0	-2	22
	Wind 1{1}	-272	0	0 272	-1	0	0	1
	Wind 2{1}	273	0	0 273	1	0	0	1
	Wind 3{1}	-56	0	0 56	-57	3	0	57
	Wind 4{1}	56	0	0 56	52	-3	0	52
	Pressure 1{1}	38191	-241	-2 38192	101	-6	99	141
	Pressure 2{1}	1580884	4	-21580884	-124	3	-3	124
	Pressure 3{1}	1208402	12	-11208402	-107	2	-42	115
	GT1{1}	1151448	-89	-31151448	94	-7	-179	202
	GT2{1}	-.1E+07	-4	-31014354	276	-11	3	276
	GT3{1}	-105087	-1	-3 105087	242	-10	0	243
	GW1{1}	2839	-1	-3 2839	219	-9	2	219
	GW2{1}	3384	-1	-4 3384	221	-9	2	222
	GW3{1}	3055	-1	-4 3055	163	-6	2	163
	GW4{1}	3167	-1	-3 3167	272	-12	2	273
	GT1P1{1}	1189639	-330	-51189639	195	-12	-80	211
	GT2P2{1}	566530	0	-4 566530	152	-8	0	152
	GT3P3{1}	1103315	10	-41103315	135	-8	-42	142
	Gravity{2}	6208	-3	-7 6208	461	-19	4	462
	Thermal 3{2}	-114866	0	2 114866	25	0	-4	25
	Pressure 1{2}	1060556	-60	-141060556	871	-37	116	880
	GT3{2}	-108658	-2	-6 108658	486	-20	-1	486
	Hydrotest-NL{2}	951897	-62	-20 951897	1357	-56	115	1363
+1057-	Gravity{1}	3111	-1	-4 3111	220	-11	2	220
	Thermal 1{1}	1148337	-88	11148337	-126	3	-136	185
	Thermal 2{1}	-.1E+07	-3	11017465	56	-1	3	56
	Thermal 3{1}	-108198	0	1 108198	22	0	-2	22
	Wind 1{1}	-272	0	0 272	-1	0	0	1
	Wind 2{1}	273	0	0 273	1	0	0	1
	Wind 3{1}	-56	0	0 56	-57	3	0	57
	Wind 4{1}	56	0	0 56	52	-3	0	52
	Pressure 1{1}	38191	-241	-2 38192	101	-7	219	241
	Pressure 2{1}	1580884	4	-21580884	-124	2	-5	124
	Pressure 3{1}	1208402	12	-11208402	-107	2	-48	118
	GT1{1}	1151448	-89	-31151448	94	-8	-134	164
	GT2{1}	-.1E+07	-4	-31014354	276	-12	5	276
	GT3{1}	-105087	-1	-3 105087	242	-11	0	243
	GW1{1}	2839	-1	-3 2839	219	-11	2	219
	GW2{1}	3384	-1	-4 3384	221	-11	2	222
	GW3{1}	3055	-1	-4 3055	163	-8	2	163
	GW4{1}	3167	-1	-3 3167	272	-14	2	273
	GT1P1{1}	1189639	-330	-51189639	195	-15	85	213
	GT2P2{1}	566530	0	-4 566530	152	-10	0	152
	GT3P3{1}	1103315	10	-41103315	135	-9	-48	143
	Gravity{2}	6208	-3	-7 6208	461	-23	5	462
	Thermal 3{2}	-114866	0	2 114866	25	1	-4	25
	Pressure 1{2}	1060556	-60	-141060556	871	-44	146	884
	GT3{2}	-108658	-2	-6 108658	486	-22	1	487
	Hydrotest-NL{2}	951897	-62	-20 951897	1357	-66	146	1367
+1057+	Gravity{1}	3157	-2	-4 3157	220	-11	2	220
	Thermal 1{1}	1133710	-124	11133710	-126	3	-136	185
	Thermal 2{1}	-.1E+07	-3	11006965	56	-1	3	56
	Thermal 3{1}	-107492	0	1 107492	22	0	-2	22
	Wind 1{1}	-276	0	0 276	-1	0	0	1
	Wind 2{1}	277	0	0 277	1	0	0	1
	Wind 3{1}	-57	0	0 57	-57	3	0	57
	Wind 4{1}	57	0	0 57	52	-3	0	52
	Pressure 1{1}	38190	-296	-2 38191	101	-7	219	241
	Pressure 2{1}	1565999	5	-21565999	-124	2	-5	124
	Pressure 3{1}	1193070	12	-11193070	-107	2	-48	118
	GT1{1}	1136867	-126	-31136867	94	-8	-134	164
	GT2{1}	-.1E+07	-5	-31003809	276	-12	5	276
	GT3{1}	-104335	-2	-3 104335	242	-11	0	243
	GW1{1}	2881	-2	-4 2881	219	-11	2	219
	GW2{1}	3434	-2	-4 3434	221	-11	2	222
	GW3{1}	3099	-2	-4 3099	163	-8	2	163
	GW4{1}	3214	-2	-4 3214	272	-14	2	273
	GT1P1{1}	1175057	-422	-51175057	195	-15	85	213
	GT2P2{1}	562190	0	-5 562190	152	-10	0	152
	GT3P3{1}	1088735	10	-41088735	135	-9	-48	143
	Gravity{2}	6299	-3	-8 6299	461	-23	5	462
	Thermal 3{2}	-114258	0	2 114258	25	1	-4	25
	Pressure 1{2}	1045975	-66	-151045975	871	-44	146	884
	GT3{2}	-107959	-3	-6 107959	486	-22	1	487
	Hydrotest-NL{2}	938015	-69	-21 938015	1357	-66	146	1367
+1058-	Gravity{1}	3157	-2	-4 3157	220	-13	3	221
	Thermal 1{1}	1133710	-124	11133710	-126	3	-74	146
	Thermal 2{1}	-.1E+07	-3	11006965	56	-1	5	56
	Thermal 3{1}	-107492	0	1 107492	22	0	-2	22
	Wind 1{1}	-276	0	0 276	-1	0	0	1
	Wind 2{1}	277	0	0 277	1	0	0	1
	Wind 3{1}	-57	0	0 57	-57	3	0	57
	Wind 4{1}	57	0	0 57	52	-3	0	52
	Pressure 1{1}	38190	-296	-2 38191	101	-8	367	381
	Pressure 2{1}	1565999	5	-21565999	-124	1	-8	124
	Pressure 3{1}	1193070	12	-11193070	-107	1	-54	120
	GT1{1}	1136867	-126	-31136867	94	-10	-71	118

	GT2{1}	-1.1E+07	-5	-31003809	276	-13	8	276
	GT3{1}	-104335	-2	-3 104335	242	-13	1	243
	GW1{1}	2881	-2	-4 2881	219	-13	3	219
	GW2{1}	3434	-2	-4 3434	221	-13	3	222
	GW3{1}	3099	-2	-4 3099	163	-10	3	163
	GW4{1}	3214	-2	-4 3214	272	-15	3	273
	GT1P1{1}	1175057	-422	-51175057	195	-17	296	355
	GT2P2{1}	562190	0	-5 562190	152	-12	0	153
	GT3P3{1}	1088735	10	-41088735	135	-12	-52	145
	Gravity{2}	6299	-3	-8 6299	461	-27	7	462
	Thermal 3{2}	-114258	0	2 114258	25	2	-4	25
	Pressure 1{2}	1045975	-66	-151045975	871	-51	179	891
	GT3{2}	-107959	-3	-6 107959	486	-26	2	487
	Hydrotest-NL{2}	938015	-69	-21 938015	1357	-77	181	1372
+1058+	Gravity{1}	3203	-2	-4 3203	220	-13	3	221
	Thermal 1{1}	1119082	-167	11119082	-126	3	-74	146
	Thermal 2{1}	-996312	-4	1 996312	56	-1	5	56
	Thermal 3{1}	-106776	0	1 106776	22	0	-2	22
	Wind 1{1}	-280	0	0 280	-1	0	0	1
	Wind 2{1}	281	0	0 281	1	0	0	1
	Wind 3{1}	-58	0	0 58	-57	3	0	57
	Wind 4{1}	58	0	0 58	52	-3	0	52
	Pressure 1{1}	38189	-356	-2 38191	101	-8	367	381
	Pressure 2{1}	1550895	6	-21550895	-124	1	-8	124
	Pressure 3{1}	1177726	11	-21177726	-107	1	-54	120
	GT1{1}	1122285	-169	-31122285	94	-10	-71	118
	GT2{1}	-993109	-5	-3 993109	276	-13	8	276
	GT3{1}	-103573	-2	-3 103573	242	-13	1	243
	GW1{1}	2923	-2	-4 2923	219	-13	3	219
	GW2{1}	3484	-2	-4 3484	221	-13	3	222
	GW3{1}	3145	-2	-4 3145	163	-10	3	163
	GW4{1}	3261	-2	-4 3261	272	-15	3	273
	GT1P1{1}	1160474	-525	-51160474	195	-17	296	355
	GT2P2{1}	557787	0	-5 557787	152	-12	0	153
	GT3P3{1}	1074153	9	-51074153	135	-12	-52	145
	Gravity{2}	6391	-4	-9 6391	461	-27	7	462
	Thermal 3{2}	-113641	0	2 113641	25	2	-4	25
	Pressure 1{2}	1031393	-72	-161031393	871	-51	179	891
	GT3{2}	-107250	-4	-7 107250	486	-26	2	487
	Hydrotest-NL{2}	924143	-76	-23 924143	1357	-77	181	1372
+1059-	Gravity{1}	3203	-2	-4 3203	220	-15	4	221
	Thermal 1{1}	1119082	-167	11119082	-126	4	10	126
	Thermal 2{1}	-996312	-4	1 996312	56	0	6	56
	Thermal 3{1}	-106776	0	1 106776	22	1	-2	22
	Wind 1{1}	-280	0	0 280	-1	0	0	1
	Wind 2{1}	281	0	0 281	1	0	0	1
	Wind 3{1}	-58	0	0 58	-57	3	0	57
	Wind 4{1}	58	0	0 58	52	-2	0	52
	Pressure 1{1}	38189	-356	-2 38191	101	-9	545	554
	Pressure 2{1}	1550895	6	-21550895	-124	0	-11	124
	Pressure 3{1}	1177726	11	-21177726	-107	0	-59	123
	GT1{1}	1122285	-169	-31122285	94	-11	14	96
	GT2{1}	-993109	-5	-3 993109	276	-15	10	277
	GT3{1}	-103573	-2	-3 103573	242	-14	2	243
	GW1{1}	2923	-2	-4 2923	219	-15	4	219
	GW2{1}	3484	-2	-4 3484	221	-15	4	222
	GW3{1}	3145	-2	-4 3145	163	-12	4	163
	GW4{1}	3261	-2	-4 3261	272	-17	4	273
	GT1P1{1}	1160474	-525	-51160474	195	-20	559	592
	GT2P2{1}	557787	0	-5 557787	152	-15	0	153
	GT3P3{1}	1074153	9	-51074153	135	-14	-57	147
	Gravity{2}	6391	-4	-9 6391	461	-31	8	462
	Thermal 3{2}	-113641	0	2 113641	25	3	-4	25
	Pressure 1{2}	1031393	-72	-161031393	871	-59	215	899
	GT3{2}	-107250	-4	-7 107250	486	-29	4	487
	Hydrotest-NL{2}	924143	-76	-23 924143	1357	-88	219	1378
+1059+	Gravity{1}	3250	-2	-4 3250	220	-15	4	221
	Thermal 1{1}	1104453	-216	11104453	-126	4	10	126
	Thermal 2{1}	-985502	-4	1 985502	56	0	6	56
	Thermal 3{1}	-106050	-1	1 106050	22	1	-2	22
	Wind 1{1}	-284	0	0 284	-1	0	0	1
	Wind 2{1}	285	0	0 285	1	0	0	1
	Wind 3{1}	-59	0	0 59	-57	3	0	57
	Wind 4{1}	59	0	0 59	52	-2	0	52
	Pressure 1{1}	38188	-421	-2 38190	101	-9	545	554
	Pressure 2{1}	1535570	7	-31535570	-124	0	-11	124
	Pressure 3{1}	1162371	10	-21162371	-107	0	-59	123
	GT1{1}	1107703	-218	-41107703	94	-11	14	96
	GT2{1}	-982252	-6	-3 982252	276	-15	10	277
	GT3{1}	-102800	-3	-3 102800	242	-14	2	243
	GW1{1}	2966	-2	-4 2966	219	-15	4	219
	GW2{1}	3535	-2	-5 3535	221	-15	4	222
	GW3{1}	3191	-2	-5 3191	163	-12	4	163
	GW4{1}	3309	-2	-4 3309	272	-17	4	273
	GT1P1{1}	1145890	-639	-61145891	195	-20	559	592
	GT2P2{1}	553318	1	-6 553318	152	-15	0	153
	GT3P3{1}	1059572	7	-51059572	135	-14	-57	147
	Gravity{2}	6485	-4	-9 6485	461	-31	8	462
	Thermal 3{2}	-113016	-1	2 113016	25	3	-4	25
	Pressure 1{2}	1016812	-79	-171016812	871	-59	215	899
	GT3{2}	-106531	-5	-7 106531	486	-29	4	487
	Hydrotest-NL{2}	910281	-83	-24 910281	1357	-88	219	1378
+1060-	Gravity{1}	3250	-2	-4 3250	220	-17	5	221
	Thermal 1{1}	1104453	-216	11104453	-126	4	118	172
	Thermal 2{1}	-985502	-4	1 985502	56	1	8	56
	Thermal 3{1}	-106050	-1	1 106050	22	2	-1	22
	Wind 1{1}	-284	0	0 284	-1	1	0	2
	Wind 2{1}	285	0	0 285	1	-1	0	1
	Wind 3{1}	-59	0	0 59	-57	2	0	57
	Wind 4{1}	59	0	0 59	52	-2	0	52
	Pressure 1{1}	38188	-421	-2 38190	101	-10	756	762
	Pressure 2{1}	1535570	7	-31535570	-124	-1	-14	125
	Pressure 3{1}	1162371	10	-21162371	-107	-1	-64	125
	GT1{1}	1107703	-218	-41107703	94	-13	123	155

	GT2{1}	-982252	-6	-3	982252	276	-16	14	277
	GT3{1}	-102800	-3	-3	102800	242	-16	4	243
	GW1{1}	2966	-2	-4	2966	219	-17	5	219
	GW2{1}	3535	-2	-5	3535	221	-18	5	222
	GW3{1}	3191	-2	-5	3191	163	-15	5	164
	GW4{1}	3309	-2	-4	3309	272	-19	5	273
	GT1P1{1}	1145890	-639	-611	145891	195	-23	878	900
	GT2P2{1}	553318	1	-6	553318	152	-18	0	153
	GT3P3{1}	1059572	7	-510	59572	135	-16	-60	149
	Gravity{2}	6485	-4	-9	6485	461	-36	10	463
	Thermal 3{2}	-113016	-1	2	113016	25	4	-4	25
	Pressure 1{2}	1016812	-79	-1710	16812	871	-68	254	910
	GT3{2}	-106531	-5	-7	106531	486	-32	7	487
	Hydrotest-NL{2}	910281	-83	-24	910281	1357	-100	261	1386
+1060+	Gravity{1}	3298	-2	-5	3298	220	-17	5	221
	Thermal 1{1}	1089824	-272	1108	9824	-126	4	118	172
	Thermal 2{1}	-974534	-5	2	974534	56	1	8	56
	Thermal 3{1}	-105313	-1	1	105313	22	2	-1	22
	Wind 1{1}	-288	0	0	288	-1	1	0	2
	Wind 2{1}	290	0	0	290	1	-1	0	1
	Wind 3{1}	-60	0	-1	60	-57	2	0	57
	Wind 4{1}	59	0	0	59	52	-2	0	52
	Pressure 1{1}	38187	-490	-2	38190	101	-10	756	762
	Pressure 2{1}	1520021	8	-315	20021	-124	-1	-14	125
	Pressure 3{1}	1147006	8	-211	47006	-107	-1	-64	125
	GT1{1}	1093121	-274	-410	93121	94	-13	123	155
	GT2{1}	-971237	-7	-3	971237	276	-16	14	277
	GT3{1}	-102015	-3	-3	102015	242	-16	4	243
	GW1{1}	3009	-2	-4	3009	219	-17	5	219
	GW2{1}	3587	-2	-5	3587	221	-18	5	222
	GW3{1}	3238	-2	-5	3238	163	-15	5	164
	GW4{1}	3357	-2	-4	3357	272	-19	5	273
	GT1P1{1}	1131308	-764	-611	31308	195	-23	878	900
	GT2P2{1}	548785	1	-6	548785	152	-18	0	153
	GT3P3{1}	1044991	5	-610	44991	135	-16	-60	149
	Gravity{2}	6580	-5	-10	6580	461	-36	10	463
	Thermal 3{2}	-112381	-1	3	112381	25	4	-4	25
	Pressure 1{2}	1002231	-85	-1910	02231	871	-68	254	910
	GT3{2}	-105801	-6	-7	105801	486	-32	7	487
	Hydrotest-NL{2}	896430	-91	-26	896430	1357	-100	261	1386
+1061-	Gravity{1}	3298	-2	-5	3298	220	-20	6	221
	Thermal 1{1}	1089824	-272	1108	9824	-126	4	253	283
	Thermal 2{1}	-974534	-5	2	974534	56	2	11	57
	Thermal 3{1}	-105313	-1	1	105313	22	2	-1	22
	Wind 1{1}	-288	0	0	288	-1	1	0	2
	Wind 2{1}	290	0	0	290	1	-1	0	2
	Wind 3{1}	-60	0	-1	60	-57	2	0	57
	Wind 4{1}	59	0	0	59	52	-2	0	52
	Pressure 1{1}	38187	-490	-2	38190	101	-11	1001	1006
	Pressure 2{1}	1520021	8	-315	20021	-124	-3	-18	125
	Pressure 3{1}	1147006	8	-211	47006	-107	-2	-68	127
	GT1{1}	1093121	-274	-410	93121	94	-15	260	277
	GT2{1}	-971237	-7	-3	971237	276	-18	17	277
	GT3{1}	-102015	-3	-3	102015	242	-17	5	243
	GW1{1}	3009	-2	-4	3009	219	-19	6	220
	GW2{1}	3587	-2	-5	3587	221	-20	6	223
	GW3{1}	3238	-2	-5	3238	163	-17	6	164
	GW4{1}	3357	-2	-4	3357	272	-22	6	273
	GT1P1{1}	1131308	-764	-611	31308	195	-26	1260	1275
	GT2P2{1}	548785	1	-6	548785	152	-21	-1	154
	GT3P3{1}	1044991	5	-610	44991	135	-19	-63	150
	Gravity{2}	6580	-5	-10	6580	461	-41	13	463
	Thermal 3{2}	-112381	-1	3	112381	25	5	-3	25
	Pressure 1{2}	1002231	-85	-1910	02231	871	-77	297	924
	GT3{2}	-105801	-6	-7	105801	486	-36	9	487
	Hydrotest-NL{2}	896430	-91	-26	896430	1357	-113	306	1396
+1061+	Gravity{1}	3346	-3	-5	3346	220	-20	6	221
	Thermal 1{1}	1075194	-333	1107	5194	-126	4	253	283
	Thermal 2{1}	-963405	-5	2	963405	56	2	11	57
	Thermal 3{1}	-104565	-1	2	104565	22	2	-1	22
	Wind 1{1}	-292	0	0	292	-1	1	0	2
	Wind 2{1}	294	0	0	294	1	-1	0	2
	Wind 3{1}	-61	0	-1	61	-57	2	0	57
	Wind 4{1}	60	0	1	60	52	-2	0	52
	Pressure 1{1}	38186	-561	-2	38190	101	-11	1001	1006
	Pressure 2{1}	1504244	9	-415	04244	-124	-3	-18	125
	Pressure 3{1}	1131629	5	-311	31629	-107	-2	-68	127
	GT1{1}	1078540	-336	-410	78540	94	-15	260	277
	GT2{1}	-960059	-8	-3	960059	276	-18	17	277
	GT3{1}	-101219	-4	-3	101219	242	-17	5	243
	GW1{1}	3054	-3	-5	3054	219	-19	6	220
	GW2{1}	3640	-3	-5	3640	221	-20	6	223
	GW3{1}	3285	-3	-6	3285	163	-17	6	164
	GW4{1}	3406	-3	-4	3406	272	-22	6	273
	GT1P1{1}	1116725	-897	-711	16726	195	-26	1260	1275
	GT2P2{1}	544185	1	-7	544185	152	-21	-1	154
	GT3P3{1}	1030410	1	-610	30410	135	-19	-63	150
	Gravity{2}	6676	-5	-10	6676	461	-41	13	463
	Thermal 3{2}	-111736	-2	3	111736	25	5	-3	25
	Pressure 1{2}	987650	-92	-20	987650	871	-77	297	924
	GT3{2}	-105060	-7	-7	105060	486	-36	9	487
	Hydrotest-NL{2}	882590	-98	-27	882590	1357	-113	306	1396
+1062-	Gravity{1}	3346	-3	-5	3346	220	-22	8	221
	Thermal 1{1}	1075194	-333	1107	5194	-126	5	420	438
	Thermal 2{1}	-963405	-5	2	963405	56	3	14	57
	Thermal 3{1}	-104565	-1	2	104565	22	3	0	22
	Wind 1{1}	-292	0	0	292	-1	1	0	2
	Wind 2{1}	294	0	0	294	1	-1	0	2
	Wind 3{1}	-61	0	-1	61	-57	2	0	57
	Wind 4{1}	60	0	1	60	52	-2	0	52
	Pressure 1{1}	38186	-561	-2	38190	101	-12	1281	1285
	Pressure 2{1}	1504244	9	-415	04244	-124	-5	-22	126
	Pressure 3{1}	1131629	5	-311	31629	-107	-3	-71	129
	GT1{1}	1078540	-336	-410	78540	94	-17	428	438

	GT2{1}	-960059	-8	-3	960059	276	-19	21	277
	GT3{1}	-101219	-4	-3	101219	242	-19	7	243
	GW1{1}	3054	-3	-5	3054	219	-21	8	220
	GW2{1}	3640	-3	-5	3640	221	-23	8	223
	GW3{1}	3285	-3	-6	3285	163	-20	8	164
	GW4{1}	3406	-3	-4	3406	272	-24	8	273
	GT1P1{1}	1116725	-897	-7	1116726	195	-30	1709	1720
	GT2P2{1}	544185	1	-7	544185	152	-24	-1	154
	GT3P3{1}	1030410	1	-6	1030410	135	-22	-64	151
	Gravity{2}	6676	-5	-10	6676	461	-46	15	464
	Thermal 3{2}	-111736	-2	3	111736	25	7	-2	26
	Pressure 1{2}	987650	-92	-20	987650	871	-87	342	940
	GT3{2}	-105060	-7	-7	105060	486	-39	13	488
	Hydrotest-NL{2}	882590	-98	-27	882590	1357	-127	355	1409
+1062+	Gravity{1}	3395	-3	-5	3395	220	-22	8	221
	Thermal 1{1}	1060563	-401	-11	1060563	-126	5	420	438
	Thermal 2{1}	-952113	-6	2	952113	56	3	14	57
	Thermal 3{1}	-103806	-2	2	103806	22	3	0	22
	Wind 1{1}	-297	0	0	297	-1	1	0	2
	Wind 2{1}	298	0	0	298	1	-1	0	2
	Wind 3{1}	-62	0	-1	62	-57	2	0	57
	Wind 4{1}	61	0	1	61	52	-2	0	52
	Pressure 1{1}	38185	-631	-2	38190	101	-12	1281	1285
	Pressure 2{1}	1488235	10	-4	1488235	-124	-5	-22	126
	Pressure 3{1}	1116239	1	-3	1116239	-107	-3	-71	129
	GT1{1}	1063958	-404	-5	1063958	94	-17	428	438
	GT2{1}	-948718	-9	-3	948718	276	-19	21	277
	GT3{1}	-100411	-4	-3	100411	242	-19	7	243
	GW1{1}	3098	-3	-5	3098	219	-21	8	220
	GW2{1}	3693	-3	-6	3693	221	-23	8	223
	GW3{1}	3333	-3	-6	3333	163	-20	8	164
	GW4{1}	3456	-3	-4	3456	272	-24	8	273
	GT1P1{1}	1102142	-1035	-7	1102143	195	-30	1709	1720
	GT2P2{1}	539517	1	-7	539517	152	-24	-1	154
	GT3P3{1}	1015828	-3	-6	1015828	135	-22	-64	151
	Gravity{2}	6774	-5	-11	6774	461	-46	15	464
	Thermal 3{2}	-111083	-2	3	111083	25	7	-2	26
	Pressure 1{2}	973068	-98	-21	973068	871	-87	342	940
	GT3{2}	-104308	-8	-8	104308	486	-39	13	488
	Hydrotest-NL{2}	868760	-106	-28	868760	1357	-127	355	1409
+1063-	Gravity{1}	3395	-3	-5	3395	220	-25	9	222
	Thermal 1{1}	1060563	-401	-11	1060563	-126	5	620	633
	Thermal 2{1}	-952113	-6	2	952113	56	4	17	58
	Thermal 3{1}	-103806	-2	2	103806	22	4	0	23
	Wind 1{1}	-297	0	0	297	-1	1	0	2
	Wind 2{1}	298	0	0	298	1	-1	0	2
	Wind 3{1}	-62	0	-1	62	-57	1	0	57
	Wind 4{1}	61	0	1	61	52	-1	0	52
	Pressure 1{1}	38185	-631	-2	38190	101	-14	1597	1600
	Pressure 2{1}	1488235	10	-4	1488235	-124	-7	-27	127
	Pressure 3{1}	1116239	1	-3	1116239	-107	-5	-72	129
	GT1{1}	1063958	-404	-5	1063958	94	-20	629	637
	GT2{1}	-948718	-9	-3	948718	276	-21	26	278
	GT3{1}	-100411	-4	-3	100411	242	-21	9	243
	GW1{1}	3098	-3	-5	3098	219	-24	9	220
	GW2{1}	3693	-3	-6	3693	221	-26	9	223
	GW3{1}	3333	-3	-6	3333	163	-23	9	165
	GW4{1}	3456	-3	-4	3456	272	-26	9	274
	GT1P1{1}	1102142	-1035	-7	1102143	195	-33	2226	2235
	GT2P2{1}	539517	1	-7	539517	152	-28	-2	155
	GT3P3{1}	1015828	-3	-6	1015828	135	-25	-62	151
	Gravity{2}	6774	-5	-11	6774	461	-52	18	465
	Thermal 3{2}	-111083	-2	3	111083	25	9	-1	26
	Pressure 1{2}	973068	-98	-21	973068	871	-98	392	960
	GT3{2}	-104308	-8	-8	104308	486	-43	17	488
	Hydrotest-NL{2}	868760	-106	-28	868760	1357	-141	408	1424
+1063+	Gravity{1}	3445	-3	-5	3445	220	-25	9	222
	Thermal 1{1}	1045931	-474	-11	1045931	-126	5	620	633
	Thermal 2{1}	-940655	-7	2	940655	56	4	17	58
	Thermal 3{1}	-103036	-2	2	103036	22	4	0	23
	Wind 1{1}	-301	0	0	301	-1	1	0	2
	Wind 2{1}	302	0	0	302	1	-1	0	2
	Wind 3{1}	-63	0	-1	63	-57	1	0	57
	Wind 4{1}	62	0	1	62	52	-1	0	52
	Pressure 1{1}	38184	-700	-3	38190	101	-14	1597	1600
	Pressure 2{1}	1471991	11	-5	1471991	-124	-7	-27	127
	Pressure 3{1}	1100838	-3	-3	1100838	-107	-5	-72	129
	GT1{1}	1049375	-477	-5	1049376	94	-20	629	637
	GT2{1}	-937210	-9	-3	937210	276	-21	26	278
	GT3{1}	-99591	-5	-3	99591	242	-21	9	243
	GW1{1}	3144	-3	-5	3144	219	-24	9	220
	GW2{1}	3747	-3	-6	3747	221	-26	9	223
	GW3{1}	3382	-3	-7	3382	163	-23	9	165
	GW4{1}	3507	-3	-5	3507	272	-26	9	274
	GT1P1{1}	1087559	-1176	-7	1087560	195	-33	2226	2235
	GT2P2{1}	534781	1	-8	534781	152	-28	-2	155
	GT3P3{1}	1001247	-8	-7	1001247	135	-25	-62	151
	Gravity{2}	6873	-6	-11	6873	461	-52	18	465
	Thermal 3{2}	-110419	-3	4	110419	25	9	-1	26
	Pressure 1{2}	958487	-105	-22	958487	871	-98	392	960
	GT3{2}	-103546	-9	-8	103546	486	-43	17	488
	Hydrotest-NL{2}	854941	-114	-29	854941	1357	-141	408	1424
+1064-	Gravity{1}	3445	-3	-5	3445	220	-27	10	222
	Thermal 1{1}	1045931	-474	-11	1045931	-126	5	857	867
	Thermal 2{1}	-940655	-7	2	940655	56	5	20	59
	Thermal 3{1}	-103036	-2	2	103036	22	5	1	23
	Wind 1{1}	-301	0	0	301	-1	1	0	2
	Wind 2{1}	302	0	0	302	1	-1	0	2
	Wind 3{1}	-63	0	-1	63	-57	1	0	57
	Wind 4{1}	62	0	1	62	52	-1	0	52
	Pressure 1{1}	38184	-700	-3	38190	101	-15	1947	1949
	Pressure 2{1}	1471991	11	-5	1471991	-124	-10	-32	128
	Pressure 3{1}	1100838	-3	-3	1100838	-107	-7	-70	128
	GT1{1}	1049375	-477	-5	1049376	94	-22	868	873

	GT2{1}	-937210	-9	-3	937210	276	-22	30	278
	GT3{1}	-99591	-5	-3	99591	242	-22	12	244
	GW1{1}	3144	-3	-5	3144	219	-26	10	221
	GW2{1}	3747	-3	-6	3747	221	-29	10	224
	GW3{1}	3382	-3	-7	3382	163	-27	10	165
	GW4{1}	3507	-3	-5	3507	272	-28	10	274
	GT1P1{1}	1087559	-1176	-7	1087560	195	-37	2814	2821
	GT2P2{1}	534781	1	-8	534781	152	-32	-2	156
	GT3P3{1}	1001247	-8	-7	1001247	135	-29	-58	150
	Gravity{2}	6873	-6	-11	6873	461	-57	21	465
	Thermal 3{2}	-110419	-3	4	110419	25	10	0	27
	Pressure 1{2}	958487	-105	-22	958487	871	-109	444	984
	GT3{2}	-103546	-9	-8	103546	486	-47	21	489
	Hydrotest-NL{2}	854941	-114	-29	854941	1357	-156	465	1443
+1064+	Gravity{1}	3495	-3	-6	3495	220	-27	10	222
	Thermal 1{1}	1031299	-551	-7	1031299	-126	5	857	867
	Thermal 2{1}	-929030	-7	3	929030	56	5	20	59
	Thermal 3{1}	-102255	-2	2	102255	22	5	1	23
	Wind 1{1}	-305	0	0	305	-1	1	0	2
	Wind 2{1}	307	0	0	307	1	-1	0	2
	Wind 3{1}	-63	0	-1	63	-57	1	0	57
	Wind 4{1}	63	0	1	63	52	-1	0	52
	Pressure 1{1}	38182	-762	-3	38190	101	-15	1947	1949
	Pressure 2{1}	1455510	11	-5	1455510	-124	-10	-32	128
	Pressure 3{1}	1085426	-10	-4	1085426	-107	-7	-70	128
	GT1{1}	1034794	-554	-5	1034794	94	-22	868	873
	GT2{1}	-925535	-10	-3	925535	276	-22	30	278
	GT3{1}	-98759	-5	-3	98759	242	-22	12	244
	GW1{1}	3190	-3	-5	3190	219	-26	10	221
	GW2{1}	3802	-3	-6	3802	221	-29	10	224
	GW3{1}	3432	-3	-7	3432	163	-27	10	165
	GW4{1}	3558	-3	-5	3558	272	-28	10	274
	GT1P1{1}	1072976	-1316	-8	1072977	195	-37	2814	2821
	GT2P2{1}	529975	1	-8	529975	152	-32	-2	156
	GT3P3{1}	986666	-15	-7	986666	135	-29	-58	150
	Gravity{2}	6974	-6	-12	6974	461	-57	21	465
	Thermal 3{2}	-109746	-4	4	109746	25	10	0	27
	Pressure 1{2}	943906	-111	-22	943906	871	-109	444	984
	GT3{2}	-102772	-10	-8	102772	486	-47	21	489
	Hydrotest-NL{2}	841134	-121	-30	841134	1357	-156	465	1443
+1065-	Gravity{1}	3495	-3	-6	3495	220	-30	12	223
	Thermal 1{1}	1031299	-551	-7	1031299	-126	6	1133	1140
	Thermal 2{1}	-929030	-7	3	929030	56	6	23	61
	Thermal 3{1}	-102255	-2	2	102255	22	6	3	23
	Wind 1{1}	-305	0	0	305	-1	2	0	2
	Wind 2{1}	307	0	0	307	1	-1	0	2
	Wind 3{1}	-63	0	-1	63	-57	0	0	57
	Wind 4{1}	63	0	1	63	52	0	0	52
	Pressure 1{1}	38182	-762	-3	38190	101	-16	2328	2330
	Pressure 2{1}	1455510	11	-5	1455510	-124	-12	-38	130
	Pressure 3{1}	1085426	-10	-4	1085426	-107	-9	-65	126
	GT1{1}	1034794	-554	-5	1034794	94	-24	1145	1149
	GT2{1}	-925535	-10	-3	925535	276	-24	35	279
	GT3{1}	-98759	-5	-3	98759	242	-24	15	244
	GW1{1}	3190	-3	-5	3190	219	-29	12	221
	GW2{1}	3802	-3	-6	3802	221	-32	12	224
	GW3{1}	3432	-3	-7	3432	163	-30	12	166
	GW4{1}	3558	-3	-5	3558	272	-31	12	274
	GT1P1{1}	1072976	-1316	-8	1072977	195	-41	3472	3478
	GT2P2{1}	529975	1	-8	529975	152	-36	-3	156
	GT3P3{1}	986666	-15	-7	986666	135	-32	-50	148
	Gravity{2}	6974	-6	-12	6974	461	-63	23	466
	Thermal 3{2}	-109746	-4	4	109746	25	13	3	28
	Pressure 1{2}	943906	-111	-22	943906	871	-120	500	1012
	GT3{2}	-102772	-10	-8	102772	486	-51	26	489
	Hydrotest-NL{2}	841134	-121	-30	841134	1357	-171	526	1466
+1065+	Gravity{1}	3546	-3	-6	3546	220	-30	12	223
	Thermal 1{1}	1016666	-629	-7	1016666	-126	6	1133	1140
	Thermal 2{1}	-917234	-7	3	917234	56	6	23	61
	Thermal 3{1}	-101462	-3	3	101462	22	6	3	23
	Wind 1{1}	-310	0	0	310	-1	2	0	2
	Wind 2{1}	311	0	0	311	1	-1	0	2
	Wind 3{1}	-64	0	-2	64	-57	0	0	57
	Wind 4{1}	64	0	1	64	52	0	0	52
	Pressure 1{1}	38181	-814	-3	38190	101	-16	2328	2330
	Pressure 2{1}	1438787	12	-6	1438787	-124	-12	-38	130
	Pressure 3{1}	1070001	-18	-4	1070001	-107	-9	-65	126
	GT1{1}	1020213	-632	-5	1020213	94	-24	1145	1149
	GT2{1}	-913687	-10	-3	913687	276	-24	35	279
	GT3{1}	-97915	-6	-3	97915	242	-24	15	244
	GW1{1}	3237	-3	-5	3237	219	-29	12	221
	GW2{1}	3858	-3	-6	3858	221	-32	12	224
	GW3{1}	3482	-3	-7	3482	163	-30	12	166
	GW4{1}	3610	-3	-4	3610	272	-31	12	274
	GT1P1{1}	1058394	-1447	-8	1058395	195	-41	3472	3478
	GT2P2{1}	525099	1	-9	525099	152	-36	-3	156
	GT3P3{1}	972085	-23	-8	972085	135	-32	-50	148
	Gravity{2}	7077	-6	-12	7077	461	-63	23	466
	Thermal 3{2}	-109063	-5	5	109063	25	13	3	28
	Pressure 1{2}	929325	-118	-23	929325	871	-120	500	1012
	GT3{2}	-101987	-11	-7	101987	486	-51	26	489
	Hydrotest-NL{2}	827338	-128	-30	827338	1357	-171	526	1466
+1066-	Gravity{1}	3546	-3	-6	3546	220	-33	14	223
	Thermal 1{1}	1016666	-629	-7	1016666	-126	6	1447	1453
	Thermal 2{1}	-917234	-7	3	917234	56	8	27	62
	Thermal 3{1}	-101462	-3	3	101462	22	8	4	24
	Wind 1{1}	-310	0	0	310	-1	2	0	2
	Wind 2{1}	311	0	0	311	1	-2	0	2
	Wind 3{1}	-64	0	-2	64	-57	-1	0	57
	Wind 4{1}	64	0	1	64	52	0	0	52
	Pressure 1{1}	38181	-814	-3	38190	101	-17	2735	2737
	Pressure 2{1}	1438787	12	-6	1438787	-124	-15	-44	132
	Pressure 3{1}	1070001	-18	-4	1070001	-107	-11	-56	122
	GT1{1}	1020213	-632	-5	1020213	94	-27	1461	1464

	GT2{1}	-913687	-10	-3	913687	276	-25	40	280
	GT3{1}	-97915	-6	-3	97915	242	-26	18	244
	GW1{1}	3237	-3	-5	3237	219	-31	14	221
	GW2{1}	3858	-3	-6	3858	221	-35	13	225
	GW3{1}	3482	-3	-7	3482	163	-34	14	167
	GW4{1}	3610	-3	-4	3610	272	-33	14	275
	GT1P1{1}	1058394	-1447	-81058395	195	-44	4196	4200	
	GT2P2{1}	525099	1	-9	525099	152	-41	-4	158
	GT3P3{1}	972085	-23	-8	972085	135	-36	-39	145
	Gravity{2}	7077	-6	-12	7077	461	-69	26	467
	Thermal 3{2}	-109063	-5	5	109063	25	15	5	29
	Pressure 1{2}	929325	-118	-23	929325	871	-131	558	1043
	GT3{2}	-101987	-11	-7	101987	486	-55	31	490
	Hydrotest-NL{2}	827338	-128	-30	827338	1357	-186	590	1492
+1066+	Gravity{1}	3598	-3	-6	3598	220	-33	14	223
	Thermal 1{1}	1002032	-708	11002032	-126	6	1447	1453	
	Thermal 2{1}	-905265	-7	3	905265	56	8	27	62
	Thermal 3{1}	-100657	-3	3	100657	22	8	4	24
	Wind 1{1}	-314	0	0	314	-1	2	0	2
	Wind 2{1}	316	0	0	316	1	-2	0	2
	Wind 3{1}	-65	0	-2	65	-57	-1	0	57
	Wind 4{1}	65	0	2	65	52	0	0	52
	Pressure 1{1}	38180	-852	-2	38190	101	-17	2735	2737
	Pressure 2{1}	1421818	12	-71421818	-124	-15	-44	132	
	Pressure 3{1}	1054563	-27	-51054563	-107	-11	-56	122	
	GT1{1}	1005630	-711	-51005631	94	-27	1461	1464	
	GT2{1}	-901666	-10	-2	901666	276	-25	40	280
	GT3{1}	-97059	-6	-3	97059	242	-26	18	244
	GW1{1}	3284	-3	-5	3284	219	-31	14	221
	GW2{1}	3914	-3	-6	3914	221	-35	13	225
	GW3{1}	3533	-3	-8	3533	163	-34	14	167
	GW4{1}	3663	-3	-4	3663	272	-33	14	275
	GT1P1{1}	1043811	-1563	-81043812	195	-44	4196	4200	
	GT2P2{1}	520152	2	-9	520152	152	-41	-4	158
	GT3P3{1}	957504	-33	-8	957504	135	-36	-39	145
	Gravity{2}	7180	-5	-12	7180	461	-69	26	467
	Thermal 3{2}	-108371	-6	5	108371	25	15	5	29
	Pressure 1{2}	914743	-123	-23	914743	871	-131	558	1043
	GT3{2}	-101190	-12	-7	101190	486	-55	31	490
	Hydrotest-NL{2}	813553	-135	-30	813553	1357	-186	590	1492
+1067-	Gravity{1}	3598	-3	-6	3598	220	-36	15	224
	Thermal 1{1}	1002032	-708	11002032	-126	6	1801	1806	
	Thermal 2{1}	-905265	-7	3	905265	56	10	31	64
	Thermal 3{1}	-100657	-3	3	100657	22	9	6	25
	Wind 1{1}	-314	0	0	314	-1	2	0	2
	Wind 2{1}	316	0	0	316	1	-2	0	2
	Wind 3{1}	-65	0	-2	65	-57	-2	0	57
	Wind 4{1}	65	0	2	65	52	1	0	52
	Pressure 1{1}	38180	-852	-2	38190	101	-19	3160	3162
	Pressure 2{1}	1421818	12	-71421818	-124	-19	-50	135	
	Pressure 3{1}	1054563	-27	-51054563	-107	-13	-43	116	
	GT1{1}	1005630	-711	-51005631	94	-30	1816	1819	
	GT2{1}	-901666	-10	-2	901666	276	-26	46	281
	GT3{1}	-97059	-6	-3	97059	242	-27	21	245
	GW1{1}	3284	-3	-5	3284	219	-34	15	222
	GW2{1}	3914	-3	-6	3914	221	-38	15	225
	GW3{1}	3533	-3	-8	3533	163	-38	15	168
	GW4{1}	3663	-3	-4	3663	272	-35	15	275
	GT1P1{1}	1043811	-1563	-81043812	195	-48	4977	4981	
	GT2P2{1}	520152	2	-9	520152	152	-45	-4	159
	GT3P3{1}	957504	-33	-8	957504	135	-40	-22	142
	Gravity{2}	7180	-5	-12	7180	461	-76	29	468
	Thermal 3{2}	-108371	-6	5	108371	25	17	8	31
	Pressure 1{2}	914743	-123	-23	914743	871	-143	620	1079
	GT3{2}	-101190	-12	-7	101190	486	-58	37	491
	Hydrotest-NL{2}	813553	-135	-30	813553	1357	-201	657	1521
+1067+	Gravity{1}	3651	-3	-6	3651	220	-36	15	224
	Thermal 1{1}	987397	-784	0	987397	-126	6	1801	1806
	Thermal 2{1}	-893120	-7	4	893120	56	10	31	64
	Thermal 3{1}	-99841	-4	3	99841	22	9	6	25
	Wind 1{1}	-319	0	1	319	-1	2	0	2
	Wind 2{1}	321	0	-1	321	1	-2	0	2
	Wind 3{1}	-66	0	-2	66	-57	-2	0	57
	Wind 4{1}	66	0	2	66	52	1	0	52
	Pressure 1{1}	38179	-868	-2	38189	101	-19	3160	3162
	Pressure 2{1}	1404600	12	-71404600	-124	-19	-50	135	
	Pressure 3{1}	1039113	-38	-51039113	-107	-13	-43	116	
	GT1{1}	991048	-787	-5	991048	94	-30	1816	1819
	GT2{1}	-889468	-10	-2	889468	276	-26	46	281
	GT3{1}	-96190	-7	-3	96190	242	-27	21	245
	GW1{1}	3332	-3	-5	3332	219	-34	15	222
	GW2{1}	3972	-3	-6	3972	221	-38	15	225
	GW3{1}	3585	-3	-8	3585	163	-38	15	168
	GW4{1}	3717	-3	-4	3717	272	-35	15	275
	GT1P1{1}	1029227	-1655	-81029229	195	-48	4977	4981	
	GT2P2{1}	515131	2	-9	515131	152	-45	-4	159
	GT3P3{1}	942922	-45	-8	942922	135	-40	-22	142
	Gravity{2}	7286	-5	-12	7286	461	-76	29	468
	Thermal 3{2}	-107667	-8	5	107667	25	17	8	31
	Pressure 1{2}	900162	-129	-23	900162	871	-143	620	1079
	GT3{2}	-100382	-12	-7	100382	486	-58	37	491
	Hydrotest-NL{2}	799780	-141	-30	799780	1357	-201	657	1521
+1068-	Gravity{1}	3651	-3	-6	3651	220	-39	16	224
	Thermal 1{1}	987397	-784	0	987397	-126	7	2193	2197
	Thermal 2{1}	-893120	-7	4	893120	56	12	34	67
	Thermal 3{1}	-99841	-4	3	99841	22	10	8	26
	Wind 1{1}	-319	0	1	319	-1	2	0	3
	Wind 2{1}	321	0	-1	321	1	-2	0	3
	Wind 3{1}	-66	0	-2	66	-57	-3	0	57
	Wind 4{1}	66	0	2	66	52	2	0	52
	Pressure 1{1}	38179	-868	-2	38189	101	-20	3595	3596
	Pressure 2{1}	1404600	12	-71404600	-124	-23	-56	138	
	Pressure 3{1}	1039113	-38	-51039113	-107	-16	-24	111	
	GT1{1}	991048	-787	-5	991048	94	-32	2210	2212

	GT2{1}	-889468	-10	-2	889468	276	-27	51	282
	GT3{1}	-96190	-7	-3	96190	242	-28	24	245
	GW1{1}	3332	-3	-5	3332	219	-37	17	222
	GW2{1}	3972	-3	-6	3972	221	-41	16	226
	GW3{1}	3585	-3	-8	3585	163	-42	16	169
	GW4{1}	3717	-3	-4	3717	272	-37	16	275
	GT1P1{1}	1029227	-1655	-81029229	195	-52	5804	5808	
	GT2P2{1}	515131	2	-9	515131	152	-50	-5	160
	GT3P3{1}	942922	-45	-8	942922	135	-44	0	142
	Gravity{2}	7286	-5	-12	7286	461	-82	31	470
	Thermal 3{2}	-107667	-8	5	107667	25	20	12	34
	Pressure 1{2}	900162	-129	-23	900162	871	-154	685	1119
	GT3{2}	-100382	-12	-7	100382	486	-62	43	492
	Hydrotest-NL{2}	799780	-141	-30	799780	1357	-216	728	1555
+1068+	Gravity{1}	3705	-2	-6	3705	220	-39	16	224
	Thermal 1{1}	972762	-853	0	972762	-126	7	2193	2197
	Thermal 2{1}	-880797	-7	4	880797	56	12	34	67
	Thermal 3{1}	-99013	-5	3	99013	22	10	8	26
	Wind 1{1}	-324	0	1	324	-1	2	0	3
	Wind 2{1}	325	0	-1	325	1	-2	0	3
	Wind 3{1}	-67	0	-2	67	-57	-3	0	57
	Wind 4{1}	67	0	2	67	52	2	0	52
	Pressure 1{1}	38178	-857	-2	38188	101	-20	3595	3596
	Pressure 2{1}	1387131	11	-81387131	-124	-23	-56	138	
	Pressure 3{1}	1023650	-51	-61023650	-107	-16	-24	111	
	GT1{1}	976467	-855	-5	976467	94	-32	2210	2212
	GT2{1}	-877093	-9	-2	877093	276	-27	51	282
	GT3{1}	-95308	-7	-3	95308	242	-28	24	245
	GW1{1}	3381	-3	-5	3381	219	-37	17	222
	GW2{1}	4030	-2	-6	4030	221	-41	16	226
	GW3{1}	3638	-2	-8	3638	163	-42	16	169
	GW4{1}	3772	-2	-4	3772	272	-37	16	275
	GT1P1{1}	1014645	-1712	-81014646	195	-52	5804	5808	
	GT2P2{1}	510038	2	-10	510038	152	-50	-5	160
	GT3P3{1}	928342	-58	-8	928342	135	-44	0	142
	Gravity{2}	7392	-4	-12	7392	461	-82	31	470
	Thermal 3{2}	-106954	-9	6	106954	25	20	12	34
	Pressure 1{2}	885581	-134	-23	885581	871	-154	685	1119
	GT3{2}	-99562	-13	-6	99562	486	-62	43	492
	Hydrotest-NL{2}	786019	-147	-29	786019	1357	-216	728	1555
+1069-	Gravity{1}	3705	-2	-6	3705	220	-42	18	225
	Thermal 1{1}	972762	-853	0	972762	-126	7	2620	2623
	Thermal 2{1}	-880797	-7	4	880797	56	14	38	69
	Thermal 3{1}	-99013	-5	3	99013	22	12	10	27
	Wind 1{1}	-324	0	1	324	-1	3	0	3
	Wind 2{1}	325	0	-1	325	1	-3	0	3
	Wind 3{1}	-67	0	-2	67	-57	-4	0	57
	Wind 4{1}	67	0	2	67	52	3	0	52
	Pressure 1{1}	38178	-857	-2	38188	101	-21	4023	4024
	Pressure 2{1}	1387131	11	-81387131	-124	-27	-61	141	
	Pressure 3{1}	1023650	-51	-61023650	-107	-19	2	109	
	GT1{1}	976467	-855	-5	976467	94	-35	2637	2639
	GT2{1}	-877093	-9	-2	877093	276	-28	55	283
	GT3{1}	-95308	-7	-3	95308	242	-30	28	246
	GW1{1}	3381	-3	-5	3381	219	-39	18	223
	GW2{1}	4030	-2	-6	4030	221	-44	17	227
	GW3{1}	3638	-2	-8	3638	163	-46	18	170
	GW4{1}	3772	-2	-4	3772	272	-39	18	276
	GT1P1{1}	1014645	-1712	-81014646	195	-56	6660	6663	
	GT2P2{1}	510038	2	-10	510038	152	-55	-6	162
	GT3P3{1}	928342	-58	-8	928342	135	-48	30	146
	Gravity{2}	7392	-4	-12	7392	461	-88	33	471
	Thermal 3{2}	-106954	-9	6	106954	25	23	17	38
	Pressure 1{2}	885581	-134	-23	885581	871	-166	751	1162
	GT3{2}	-99562	-13	-6	99562	486	-65	50	493
	Hydrotest-NL{2}	786019	-147	-29	786019	1357	-230	801	1593
+1069+	Gravity{1}	3759	-2	-6	3759	220	-42	18	225
	Thermal 1{1}	958126	-910	0	958127	-126	7	2620	2623
	Thermal 2{1}	-868294	-6	4	868294	56	14	38	69
	Thermal 3{1}	-98173	-5	3	98173	22	12	10	27
	Wind 1{1}	-328	0	1	328	-1	3	0	3
	Wind 2{1}	330	0	-1	330	1	-3	0	3
	Wind 3{1}	-68	0	-3	68	-57	-4	0	57
	Wind 4{1}	68	0	2	68	52	3	0	52
	Pressure 1{1}	38177	-810	-2	38186	101	-21	4023	4024
	Pressure 2{1}	1369405	10	-91369405	-124	-27	-61	141	
	Pressure 3{1}	1008175	-66	-61008175	-107	-19	2	109	
	GT1{1}	961885	-912	-5	961886	94	-35	2637	2639
	GT2{1}	-864535	-8	-1	864535	276	-28	55	283
	GT3{1}	-94414	-7	-2	94414	242	-30	28	246
	GW1{1}	3431	-2	-5	3431	219	-39	18	223
	GW2{1}	4089	-1	-6	4089	221	-44	17	227
	GW3{1}	3691	-2	-8	3691	163	-46	18	170
	GW4{1}	3827	-2	-3	3827	272	-39	18	276
	GT1P1{1}	1000062	-1722	-71000064	195	-56	6660	6663	
	GT2P2{1}	504870	2	-10	504870	152	-55	-6	162
	GT3P3{1}	913761	-73	-8	913761	135	-48	30	146
	Gravity{2}	7501	-2	-12	7501	461	-88	33	471
	Thermal 3{2}	-106230	-10	6	106230	25	23	17	38
	Pressure 1{2}	871000	-138	-22	871000	871	-166	751	1162
	GT3{2}	-98730	-13	-6	98730	486	-65	50	493
	Hydrotest-NL{2}	772270	-151	-27	772270	1357	-230	801	1593
+1070-	Gravity{1}	3759	-2	-6	3759	220	-45	18	225
	Thermal 1{1}	958126	-910	0	958127	-126	7	3075	3077
	Thermal 2{1}	-868294	-6	4	868294	56	16	41	71
	Thermal 3{1}	-98173	-5	3	98173	22	14	13	29
	Wind 1{1}	-328	0	1	328	-1	3	0	3
	Wind 2{1}	330	0	-1	330	1	-3	0	3
	Wind 3{1}	-68	0	-3	68	-57	-5	0	57
	Wind 4{1}	68	0	2	68	52	4	0	52
	Pressure 1{1}	38177	-810	-2	38186	101	-22	4428	4429
	Pressure 2{1}	1369405	10	-91369405	-124	-31	-66	144	
	Pressure 3{1}	1008175	-66	-61008175	-107	-22	35	115	
	GT1{1}	961885	-912	-5	961886	94	-38	3093	3095

	GT2{1}	-864535	-8	-1	864535	276	-29	59	284
	GT3{1}	-94414	-7	-2	94414	242	-31	31	246
	GW1{1}	3431	-2	-5	3431	219	-42	19	223
	GW2{1}	4089	-1	-6	4089	221	-47	18	227
	GW3{1}	3691	-2	-8	3691	163	-50	18	171
	GW4{1}	3827	-2	-3	3827	272	-40	18	276
	GT1P1{1}	1000062	-1722	-7	1000064	195	-60	7522	7524
	GT2P2{1}	504870	2	-10	504870	152	-60	-7	164
	GT3P3{1}	913761	-73	-8	913761	135	-52	66	159
	Gravity{2}	7501	-2	-12	7501	461	-94	34	472
	Thermal 3{2}	-106230	-10	6	106230	25	26	22	42
	Pressure 1{2}	871000	-138	-22	871000	871	-177	821	1210
	GT3{2}	-98730	-13	-6	98730	486	-67	56	494
	Hydrotest-NL{2}	772270	-151	-27	772270	1357	-244	876	1634
+1070+	Gravity{1}	3814	-1	-5	3814	220	-45	18	225
	Thermal 1{1}	943489	-951	0	943489	-126	7	3075	3077
	Thermal 2{1}	-855607	-5	5	855607	56	16	41	71
	Thermal 3{1}	-97320	-6	4	97320	22	14	13	29
	Wind 1{1}	-333	0	1	333	-1	3	0	3
	Wind 2{1}	335	0	-1	335	1	-3	0	3
	Wind 3{1}	-69	0	-3	69	-57	-5	0	57
	Wind 4{1}	69	0	3	69	52	4	0	52
	Pressure 1{1}	38176	-720	-2	38183	101	-22	4428	4429
	Pressure 2{1}	1351419	8	-9	1351419	-124	-31	-66	144
	Pressure 3{1}	992686	-84	-7	992686	-107	-22	35	115
	GT1{1}	947303	-951	-5	947303	94	-38	3093	3095
	GT2{1}	-851793	-6	0	851793	276	-29	59	284
	GT3{1}	-93506	-7	-2	93506	242	-31	31	246
	GW1{1}	3481	-1	-5	3481	219	-42	19	223
	GW2{1}	4149	-1	-6	4149	221	-47	18	227
	GW3{1}	3745	-1	-8	3745	163	-50	18	171
	GW4{1}	3883	-1	-3	3883	272	-40	18	276
	GT1P1{1}	985479	-1671	-7	985480	195	-60	7522	7524
	GT2P2{1}	499626	2	-10	499626	152	-60	-7	164
	GT3P3{1}	899179	-90	-8	899179	135	-52	66	159
	Gravity{2}	7611	-1	-11	7611	461	-94	34	472
	Thermal 3{2}	-105496	-12	7	105496	25	26	22	42
	Pressure 1{2}	856418	-141	-21	856418	871	-177	821	1210
	GT3{2}	-97885	-12	-5	97885	486	-67	56	494
	Hydrotest-NL{2}	758533	-154	-25	758533	1357	-244	876	1634
+1071-	Gravity{1}	3814	-1	-5	3814	220	-47	19	226
	Thermal 1{1}	943489	-951	0	943489	-126	7	3550	3552
	Thermal 2{1}	-855607	-5	5	855607	56	18	43	73
	Thermal 3{1}	-97320	-6	4	97320	22	16	16	31
	Wind 1{1}	-333	0	1	333	-1	3	1	3
	Wind 2{1}	335	0	-1	335	1	-3	-1	3
	Wind 3{1}	-69	0	-3	69	-57	-7	0	58
	Wind 4{1}	69	0	3	69	52	6	0	52
	Pressure 1{1}	38176	-720	-2	38183	101	-23	4788	4789
	Pressure 2{1}	1351419	8	-9	1351419	-124	-36	-70	147
	Pressure 3{1}	992686	-84	-7	992686	-107	-25	77	134
	GT1{1}	947303	-951	-5	947303	94	-41	3569	3570
	GT2{1}	-851793	-6	0	851793	276	-29	62	284
	GT3{1}	-93506	-7	-2	93506	242	-32	35	247
	GW1{1}	3481	-1	-5	3481	219	-44	19	224
	GW2{1}	4149	-1	-6	4149	221	-50	18	228
	GW3{1}	3745	-1	-8	3745	163	-54	19	173
	GW4{1}	3883	-1	-3	3883	272	-42	19	276
	GT1P1{1}	985479	-1671	-7	985480	195	-63	8357	8360
	GT2P2{1}	499626	2	-10	499626	152	-65	-8	166
	GT3P3{1}	899179	-90	-8	899179	135	-57	111	184
	Gravity{2}	7611	-1	-11	7611	461	-99	34	473
	Thermal 3{2}	-105496	-12	7	105496	25	29	28	47
	Pressure 1{2}	856418	-141	-21	856418	871	-187	891	1260
	GT3{2}	-97885	-12	-5	97885	486	-70	62	495
	Hydrotest-NL{2}	758533	-154	-25	758533	1357	-257	953	1679
+1071+	Gravity{1}	3870	0	-5	3870	220	-47	19	226
	Thermal 1{1}	928851	-967	0	928851	-126	7	3550	3552
	Thermal 2{1}	-842735	-3	5	842735	56	18	43	73
	Thermal 3{1}	-96455	-6	4	96455	22	16	16	31
	Wind 1{1}	-338	0	1	338	-1	3	1	3
	Wind 2{1}	340	0	-1	340	1	-3	-1	3
	Wind 3{1}	-70	0	-3	70	-57	-7	0	58
	Wind 4{1}	70	0	3	70	52	6	0	52
	Pressure 1{1}	38175	-575	-1	38179	101	-23	4788	4789
	Pressure 2{1}	1333169	5	-10	1333169	-124	-36	-70	147
	Pressure 3{1}	977183	-103	-7	977183	-107	-25	77	134
	GT1{1}	932721	-967	-5	932721	94	-41	3569	3570
	GT2{1}	-838864	-3	0	838864	276	-29	62	284
	GT3{1}	-92585	-6	-1	92585	242	-32	35	247
	GW1{1}	3532	0	-4	3532	219	-44	19	224
	GW2{1}	4210	1	-5	4210	221	-50	18	228
	GW3{1}	3800	0	-8	3800	163	-54	19	173
	GW4{1}	3940	0	-2	3940	272	-42	19	276
	GT1P1{1}	970895	-1542	-6	970897	195	-63	8357	8360
	GT2P2{1}	494304	2	-10	494304	152	-65	-8	166
	GT3P3{1}	884598	-109	-8	884598	135	-57	111	184
	Gravity{2}	7722	2	-10	7722	461	-99	34	473
	Thermal 3{2}	-104751	-13	7	104751	25	29	28	47
	Pressure 1{2}	841837	-144	-19	841837	871	-187	891	1260
	GT3{2}	-97028	-11	-3	97028	486	-70	62	495
	Hydrotest-NL{2}	744808	-155	-22	744808	1357	-257	953	1679
+1072-	Gravity{1}	3870	0	-5	3870	220	-50	19	226
	Thermal 1{1}	928851	-967	0	928851	-126	7	4034	4036
	Thermal 2{1}	-842735	-3	5	842735	56	21	45	75
	Thermal 3{1}	-96455	-6	4	96455	22	18	19	34
	Wind 1{1}	-338	0	1	338	-1	3	1	4
	Wind 2{1}	340	0	-1	340	1	-3	-1	4
	Wind 3{1}	-70	0	-3	70	-57	-8	0	58
	Wind 4{1}	70	0	3	70	52	7	0	53
	Pressure 1{1}	38175	-575	-1	38179	101	-24	5076	5077
	Pressure 2{1}	1333169	5	-10	1333169	-124	-41	-73	149
	Pressure 3{1}	977183	-103	-7	977183	-107	-29	128	170
	GT1{1}	932721	-967	-5	932721	94	-43	4052	4054

	GT2{1}	-838864	-3	0	838864	276	-29	64	285
	GT3{1}	-92585	-6	-1	92585	242	-32	38	247
	GW1{1}	3532	0	-4	3532	219	-46	19	224
	GW2{1}	4210	1	-5	4210	221	-53	18	228
	GW3{1}	3800	0	-8	3800	163	-58	19	174
	GW4{1}	3940	0	-2	3940	272	-43	19	276
	GT1P1{1}	970895	-1542	-6	970897	195	-67	9128	9130
	GT2P2{1}	494304	2	-10	494304	152	-70	-9	168
	GT3P3{1}	884598	-109	-8	884598	135	-61	166	222
	Gravity{2}	7722	2	-10	7722	461	-104	33	474
	Thermal 3{2}	-104751	-13	7	104751	25	33	34	53
	Pressure 1{2}	841837	-144	-19	841837	871	-197	963	1314
	GT3{2}	-97028	-11	-3	97028	486	-71	68	496
	Hydrotest-NL{2}	744808	-155	-22	744808	1357	-268	1031	1725
+1072+	Gravity{1}	3927	2	-4	3927	220	-50	19	226
	Thermal 1{1}	914212	-953	0	914213	-126	7	4034	4036
	Thermal 2{1}	-829673	-1	5	829673	56	21	45	75
	Thermal 3{1}	-95578	-7	4	95578	22	18	19	34
	Wind 1{1}	-343	0	1	343	-1	3	1	4
	Wind 2{1}	345	0	-1	345	1	-3	-1	4
	Wind 3{1}	-71	0	-4	71	-57	-8	0	58
	Wind 4{1}	71	0	3	71	52	7	0	53
	Pressure 1{1}	38174	-366	-1	38175	101	-24	5076	5077
	Pressure 2{1}	1314652	1	-111	1314652	-124	-41	-73	149
	Pressure 3{1}	961668	-124	-8	961668	-107	-29	128	170
	GT1{1}	918139	-951	-5	918140	94	-43	4052	4054
	GT2{1}	-825747	1	1	825747	276	-29	64	285
	GT3{1}	-91651	-5	0	91651	242	-32	38	247
	GW1{1}	3584	2	-4	3584	219	-46	19	224
	GW2{1}	4272	2	-5	4272	221	-53	18	228
	GW3{1}	3856	2	-8	3856	163	-58	19	174
	GW4{1}	3998	2	-1	3998	272	-43	19	276
	GT1P1{1}	956313	-1317	-6	956314	195	-67	9128	9130
	GT2P2{1}	488906	2	-10	488906	152	-70	-9	168
	GT3P3{1}	870017	-129	-8	870017	135	-61	166	222
	Gravity{2}	7836	5	-9	7836	461	-104	33	474
	Thermal 3{2}	-103995	-15	7	103995	25	33	34	53
	Pressure 1{2}	827256	-145	-17	827256	871	-197	963	1314
	GT3{2}	-96159	-10	-2	96159	486	-71	68	496
	Hydrotest-NL{2}	731097	-155	-19	731097	1357	-268	1031	1725
+1073-	Gravity{1}	3927	2	-4	3927	220	-52	18	227
	Thermal 1{1}	914212	-953	0	914213	-126	6	4510	4512
	Thermal 2{1}	-829673	-1	5	829673	56	24	45	76
	Thermal 3{1}	-95578	-7	4	95578	22	20	22	37
	Wind 1{1}	-343	0	1	343	-1	4	1	4
	Wind 2{1}	345	0	-1	345	1	-4	-1	4
	Wind 3{1}	-71	0	-4	71	-57	-10	0	58
	Wind 4{1}	71	0	3	71	52	9	0	53
	Pressure 1{1}	38174	-366	-1	38175	101	-24	5258	5259
	Pressure 2{1}	1314652	1	-111	1314652	-124	-46	-73	151
	Pressure 3{1}	961668	-124	-8	961668	-107	-32	190	221
	GT1{1}	918139	-951	-5	918140	94	-45	4528	4529
	GT2{1}	-825747	1	1	825747	276	-28	63	284
	GT3{1}	-91651	-5	0	91651	242	-32	40	248
	GW1{1}	3584	2	-4	3584	219	-48	19	225
	GW2{1}	4272	2	-5	4272	221	-56	17	229
	GW3{1}	3856	2	-8	3856	163	-62	18	175
	GW4{1}	3998	2	-1	3998	272	-43	18	276
	GT1P1{1}	956313	-1317	-6	956314	195	-69	9786	9789
	GT2P2{1}	488906	2	-10	488906	152	-74	-10	170
	GT3P3{1}	870017	-129	-8	870017	135	-65	230	274
	Gravity{2}	7836	5	-9	7836	461	-109	31	475
	Thermal 3{2}	-103995	-15	7	103995	25	36	42	61
	Pressure 1{2}	827256	-145	-17	827256	871	-205	1036	1369
	GT3{2}	-96159	-10	-2	96159	486	-72	73	497
	Hydrotest-NL{2}	731097	-155	-19	731097	1357	-277	1108	1774
+1073+	Gravity{1}	3984	4	-3	3984	220	-52	18	227
	Thermal 1{1}	899573	-898	-1	899574	-126	6	4510	4512
	Thermal 2{1}	-816421	2	6	816421	56	24	45	76
	Thermal 3{1}	-94687	-7	4	94687	22	20	22	37
	Wind 1{1}	-348	0	1	348	-1	4	1	4
	Wind 2{1}	350	0	-1	350	1	-4	-1	4
	Wind 3{1}	-72	0	-4	72	-57	-10	0	58
	Wind 4{1}	72	0	4	72	52	9	0	53
	Pressure 1{1}	38173	-80	0	38173	101	-24	5258	5259
	Pressure 2{1}	1295864	-4	-111	1295864	-124	-46	-73	151
	Pressure 3{1}	946139	-146	-8	946139	-107	-32	190	221
	GT1{1}	903558	-894	-4	903558	94	-45	4528	4529
	GT2{1}	-812437	6	2	812437	276	-28	63	284
	GT3{1}	-90703	-4	1	90703	242	-32	40	248
	GW1{1}	3636	3	-3	3636	219	-48	19	225
	GW2{1}	4334	4	-4	4334	221	-56	17	229
	GW3{1}	3912	4	-8	3912	163	-62	18	175
	GW4{1}	4056	4	0	4056	272	-43	18	276
	GT1P1{1}	941730	-975	-5	941731	195	-69	9786	9789
	GT2P2{1}	483428	2	-9	483428	152	-74	-10	170
	GT3P3{1}	855436	-150	-7	855436	135	-65	230	274
	Gravity{2}	7950	9	-7	7950	461	-109	31	475
	Thermal 3{2}	-103227	-16	7	103227	25	36	42	61
	Pressure 1{2}	812675	-142	-14	812675	871	-205	1036	1369
	GT3{2}	-95277	-7	0	95277	486	-72	73	497
	Hydrotest-NL{2}	717398	-149	-14	717398	1357	-277	1108	1774
+1074-	Gravity{1}	3984	4	-3	3984	220	-54	16	227
	Thermal 1{1}	899573	-898	-1	899574	-126	6	4959	4961
	Thermal 2{1}	-816421	2	6	816421	56	27	44	76
	Thermal 3{1}	-94687	-7	4	94687	22	22	26	41
	Wind 1{1}	-348	0	1	348	-1	4	1	4
	Wind 2{1}	350	0	-1	350	1	-4	-1	4
	Wind 3{1}	-72	0	-4	72	-57	-12	0	59
	Wind 4{1}	72	0	4	72	52	11	0	53
	Pressure 1{1}	38173	-80	0	38173	101	-24	5299	5300
	Pressure 2{1}	1295864	-4	-111	1295864	-124	-52	-71	152
	Pressure 3{1}	946139	-146	-8	946139	-107	-36	263	286
	GT1{1}	903558	-894	-4	903558	94	-47	4975	4976

	GT2{1}	-812437	6	2	812437	276	-27	60	284
	GT3{1}	-90703	-4	1	90703	242	-32	42	248
	GW1{1}	3636	3	-3	3636	219	-49	17	225
	GW2{1}	4334	4	-4	4334	221	-58	15	229
	GW3{1}	3912	4	-8	3912	163	-66	16	176
	GW4{1}	4056	4	0	4056	272	-43	16	276
	GT1P1{1}	941730	-975	-5	941731	195	-72	10274	10276
	GT2P2{1}	483428	2	-9	483428	152	-79	-11	172
	GT3P3{1}	855436	-150	-7	855436	135	-68	305	340
	Gravity{2}	7950	9	-7	7950	461	-112	27	476
	Thermal 3{2}	-103227	-16	7	103227	25	40	50	68
	Pressure 1{2}	812675	-142	-14	812675	871	-212	1107	1424
	GT3{2}	-95277	-7	0	95277	486	-72	76	497
	Hydrotest-NL{2}	717398	-149	-14	717398	1357	-284	1183	1823
+1074+	Gravity{1}	4043	6	-3	4043	220	-54	16	227
	Thermal 1{1}	884933	-794	-1	884933	-126	6	4959	4961
	Thermal 2{1}	-802973	6	6	802973	56	27	44	76
	Thermal 3{1}	-93783	-8	4	93783	22	22	26	41
	Wind 1{1}	-353	0	1	353	-1	4	1	4
	Wind 2{1}	355	0	-1	355	1	-4	-1	4
	Wind 3{1}	-73	0	-4	73	-57	-12	0	59
	Wind 4{1}	73	0	4	73	52	11	0	53
	Pressure 1{1}	38171	293	0	38173	101	-24	5299	5300
	Pressure 2{1}	1276800	-11	-121276800	-124	-52	-71	152	152
	Pressure 3{1}	930595	-170	-8	930595	-107	-36	263	286
	GT1{1}	888976	-788	-4	888976	94	-47	4975	4976
	GT2{1}	-798931	12	3	798931	276	-27	60	284
	GT3{1}	-89740	-2	2	89740	242	-32	42	248
	GW1{1}	3690	6	-2	3690	219	-49	17	225
	GW2{1}	4398	6	-3	4398	221	-58	15	229
	GW3{1}	3969	6	-7	3969	163	-66	16	176
	GW4{1}	4116	6	1	4116	272	-43	16	276
	GT1P1{1}	927147	-495	-3	927147	195	-72	10274	10276
	GT2P2{1}	477869	1	-8	477869	152	-79	-11	172
	GT3P3{1}	840855	-171	-7	840855	135	-68	305	340
	Gravity{2}	8067	13	-5	8067	461	-112	27	476
	Thermal 3{2}	-102449	-17	7	102449	25	40	50	68
	Pressure 1{2}	798093	-123	-10	798093	871	-212	1107	1424
	GT3{2}	-94382	-3	2	94382	486	-72	76	497
	Hydrotest-NL{2}	703711	-126	-8	703711	1357	-284	1183	1823
+1075-	Gravity{1}	4043	6	-3	4043	220	-55	13	227
	Thermal 1{1}	884933	-794	-1	884933	-126	6	5356	5358
	Thermal 2{1}	-802973	6	6	802973	56	30	41	75
	Thermal 3{1}	-93783	-8	4	93783	22	24	30	44
	Wind 1{1}	-353	0	1	353	-1	4	1	5
	Wind 2{1}	355	0	-1	355	1	-4	-1	5
	Wind 3{1}	-73	0	-4	73	-57	-15	0	59
	Wind 4{1}	73	0	4	73	52	13	0	54
	Pressure 1{1}	38171	293	0	38173	101	-24	5152	5153
	Pressure 2{1}	1276800	-11	-121276800	-124	-58	-65	152	152
	Pressure 3{1}	930595	-170	-8	930595	-107	-41	348	366
	GT1{1}	888976	-788	-4	888976	94	-49	5369	5370
	GT2{1}	-798931	12	3	798931	276	-25	54	282
	GT3{1}	-89740	-2	2	89740	242	-31	43	248
	GW1{1}	3690	6	-2	3690	219	-50	14	225
	GW2{1}	4398	6	-3	4398	221	-59	12	230
	GW3{1}	3969	6	-7	3969	163	-69	13	177
	GW4{1}	4116	6	1	4116	272	-42	13	276
	GT1P1{1}	927147	-495	-3	927147	195	-73	10521	10523
	GT2P2{1}	477869	1	-8	477869	152	-83	-11	174
	GT3P3{1}	840855	-171	-7	840855	135	-71	391	420
	Gravity{2}	8067	13	-5	8067	461	-115	20	476
	Thermal 3{2}	-102449	-17	7	102449	25	44	58	77
	Pressure 1{2}	798093	-123	-10	798093	871	-217	1168	1473
	GT3{2}	-94382	-3	2	94382	486	-71	78	497
	Hydrotest-NL{2}	703711	-126	-8	703711	1357	-288	1246	1865
+1075+	Gravity{1}	4102	9	-1	4102	220	-55	13	227
	Thermal 1{1}	870292	-629	-1	870292	-126	6	5356	5358
	Thermal 2{1}	-789329	11	6	789329	56	30	41	75
	Thermal 3{1}	-92866	-8	4	92866	22	24	30	44
	Wind 1{1}	-358	0	1	358	-1	4	1	5
	Wind 2{1}	360	0	-1	360	1	-4	-1	5
	Wind 3{1}	-74	0	-5	75	-57	-15	0	59
	Wind 4{1}	74	0	4	74	52	13	0	54
	Pressure 1{1}	38170	766	1	38178	101	-24	5152	5153
	Pressure 2{1}	1257456	-19	-121257456	-124	-58	-65	152	152
	Pressure 3{1}	915038	-194	-9	915038	-107	-41	348	366
	GT1{1}	874394	-620	-3	874394	94	-49	5369	5370
	GT2{1}	-785227	20	5	785227	276	-25	54	282
	GT3{1}	-88764	1	3	88764	242	-31	43	248
	GW1{1}	3744	8	-1	3744	219	-50	14	225
	GW2{1}	4462	9	-2	4462	221	-59	12	230
	GW3{1}	4028	9	-6	4028	163	-69	13	177
	GW4{1}	4176	9	3	4176	272	-42	13	276
	GT1P1{1}	912564	146	-2	912564	195	-73	10521	10523
	GT2P2{1}	472229	1	-8	472229	152	-83	-11	174
	GT3P3{1}	826274	-193	-6	826274	135	-71	391	420
	Gravity{2}	8185	19	-3	8185	461	-115	20	476
	Thermal 3{2}	-101659	-18	8	101659	25	44	58	77
	Pressure 1{2}	783512	-85	-6	783512	871	-217	1168	1473
	GT3{2}	-93474	1	5	93474	486	-71	78	497
	Hydrotest-NL{2}	690039	-83	-1	690039	1357	-288	1246	1865
+1076-	Gravity{1}	4102	9	-1	4102	220	-56	8	227
	Thermal 1{1}	870292	-629	-1	870292	-126	5	5670	5672
	Thermal 2{1}	-789329	11	6	789329	56	33	35	74
	Thermal 3{1}	-92866	-8	4	92866	22	26	34	48
	Wind 1{1}	-358	0	1	358	-1	5	1	5
	Wind 2{1}	360	0	-1	360	1	-5	-1	5
	Wind 3{1}	-74	0	-5	75	-57	-17	0	60
	Wind 4{1}	74	0	4	74	52	15	0	54
	Pressure 1{1}	38170	766	1	38178	101	-24	4769	4771
	Pressure 2{1}	1257456	-19	-121257456	-124	-64	-56	150	150
	Pressure 3{1}	915038	-194	-9	915038	-107	-45	445	460
	GT1{1}	874394	-620	-3	874394	94	-51	5679	5680

	GT2{1}	-785227	20	5	785227	276	-23	44	280
	GT3{1}	-88764	1	3	88764	242	-29	42	248
	GW1{1}	3744	8	-1	3744	219	-51	10	225
	GW2{1}	4462	9	-2	4462	221	-60	7	230
	GW3{1}	4028	9	-6	4028	163	-72	9	178
	GW4{1}	4176	9	3	4176	272	-41	8	275
	GT1P1{1}	912564	146	-2	912564	195	-74	10448	10450
	GT2P2{1}	472229	1	-8	472229	152	-87	-12	176
	GT3P3{1}	826274	-193	-6	826274	135	-74	487	511
	Gravity{2}	8185	19	-3	8185	461	-116	10	476
	Thermal 3{2}	-101659	-18	8	101659	25	47	67	86
	Pressure 1{2}	783512	-85	-6	783512	871	-220	1210	1508
	GT3{2}	-93474	1	5	93474	486	-69	77	497
	Hydrotest-NL{2}	690039	-83	-1	690039	1357	-289	1288	1893
+1076+	Gravity{1}	4162	12	0	4162	220	-56	8	227
	Thermal 1{1}	855650	-391	-2	855650	-126	5	5670	5672
	Thermal 2{1}	-775485	17	6	775485	56	33	35	74
	Thermal 3{1}	-91936	-7	4	91936	22	26	34	48
	Wind 1{1}	-364	0	1	364	-1	5	1	5
	Wind 2{1}	365	0	-1	365	1	-5	-1	5
	Wind 3{1}	-76	0	-5	76	-57	-17	0	60
	Wind 4{1}	75	0	5	75	52	15	0	54
	Pressure 1{1}	38169	1351	2	38193	101	-24	4769	4771
	Pressure 2{1}	1237830	-29	-131237830	-124	-64	-56	150	
	Pressure 3{1}	899467	-219	-9	899467	-107	-45	445	460
	GT1{1}	859812	-379	-2	859813	94	-51	5679	5680
	GT2{1}	-771323	29	6	771323	276	-23	44	280
	GT3{1}	-87774	5	4	87774	242	-29	42	248
	GW1{1}	3799	12	1	3799	219	-51	10	225
	GW2{1}	4528	12	-1	4528	221	-60	7	230
	GW3{1}	4087	12	-5	4087	163	-72	9	178
	GW4{1}	4237	12	5	4237	272	-41	8	275
	GT1P1{1}	897982	973	0	897982	195	-74	10448	10450
	GT2P2{1}	466507	0	-6	466507	152	-87	-12	176
	GT3P3{1}	811693	-214	-5	811693	135	-74	487	511
	Gravity{2}	8305	25	0	8305	461	-116	10	476
	Thermal 3{2}	-100858	-18	7	100858	25	47	67	86
	Pressure 1{2}	768931	-24	0	768931	871	-220	1210	1508
	GT3{2}	-92552	8	7	92552	486	-69	77	497
	Hydrotest-NL{2}	676379	-17	7	676379	1357	-289	1288	1893
+1077-	Gravity{1}	4162	12	0	4162	220	-56	2	227
	Thermal 1{1}	855650	-391	-2	855650	-126	4	5866	5867
	Thermal 2{1}	-775485	17	6	775485	56	36	27	72
	Thermal 3{1}	-91936	-7	4	91936	22	28	37	52
	Wind 1{1}	-364	0	1	364	-1	5	2	5
	Wind 2{1}	365	0	-1	365	1	-5	-2	5
	Wind 3{1}	-76	0	-5	76	-57	-20	0	60
	Wind 4{1}	75	0	5	75	52	17	0	55
	Pressure 1{1}	38169	1351	2	38193	101	-23	4094	4095
	Pressure 2{1}	1237830	-29	-131237830	-124	-71	-41	148	
	Pressure 3{1}	899467	-219	-9	899467	-107	-49	554	567
	GT1{1}	859812	-379	-2	859813	94	-52	5868	5869
	GT2{1}	-771323	29	6	771323	276	-19	29	278
	GT3{1}	-87774	5	4	87774	242	-27	40	247
	GW1{1}	3799	12	1	3799	219	-51	4	225
	GW2{1}	4528	12	-1	4528	221	-61	1	230
	GW3{1}	4087	12	-5	4087	163	-75	3	179
	GW4{1}	4237	12	5	4237	272	-38	2	275
	GT1P1{1}	897982	973	0	897982	195	-74	9962	9964
	GT2P2{1}	466507	0	-6	466507	152	-90	-12	177
	GT3P3{1}	811693	-214	-5	811693	135	-77	594	614
	Gravity{2}	8305	25	0	8305	461	-116	-2	476
	Thermal 3{2}	-100858	-18	7	100858	25	51	76	95
	Pressure 1{2}	768931	-24	0	768931	871	-220	1223	1517
	GT3{2}	-92552	8	7	92552	486	-65	73	496
	Hydrotest-NL{2}	676379	-17	7	676379	1357	-285	1296	1898
+1077+	Gravity{1}	4223	16	2	4223	220	-56	2	227
	Thermal 1{1}	841007	-67	-2	841007	-126	4	5866	5867
	Thermal 2{1}	-761438	25	7	761438	56	36	27	72
	Thermal 3{1}	-90992	-7	4	90992	22	28	37	52
	Wind 1{1}	-369	0	1	369	-1	5	2	5
	Wind 2{1}	371	0	-1	371	1	-5	-2	5
	Wind 3{1}	-77	0	-6	77	-57	-20	0	60
	Wind 4{1}	76	0	5	76	52	17	0	55
	Pressure 1{1}	38168	2060	3	38224	101	-23	4094	4095
	Pressure 2{1}	1217914	-41	-131217914	-124	-71	-41	148	
	Pressure 3{1}	883880	-242	-9	883880	-107	-49	554	567
	GT1{1}	845230	-51	-1	845230	94	-52	5868	5869
	GT2{1}	-757214	40	8	757214	276	-19	29	278
	GT3{1}	-86769	9	6	86769	242	-27	40	247
	GW1{1}	3854	15	2	3854	219	-51	4	225
	GW2{1}	4594	16	1	4594	221	-61	1	230
	GW3{1}	4147	16	-4	4147	163	-75	3	179
	GW4{1}	4299	16	7	4300	272	-38	2	275
	GT1P1{1}	883398	2009	2	883401	195	-74	9962	9964
	GT2P2{1}	460700	-1	-5	460700	152	-90	-12	177
	GT3P3{1}	797112	-233	-3	797112	135	-77	594	614
	Gravity{2}	8427	33	3	8427	461	-116	-2	476
	Thermal 3{2}	-100044	-17	7	100044	25	51	76	95
	Pressure 1{2}	754350	61	6	754350	871	-220	1223	1517
	GT3{2}	-91617	15	11	91617	486	-65	73	496
	Hydrotest-NL{2}	662733	76	17	662733	1357	-285	1296	1898
+1078-	Gravity{1}	4223	16	2	4223	220	-55	-5	227
	Thermal 1{1}	841007	-67	-2	841007	-126	3	5899	5901
	Thermal 2{1}	-761438	25	7	761438	56	39	14	70
	Thermal 3{1}	-90992	-7	4	90992	22	31	41	56
	Wind 1{1}	-369	0	1	369	-1	5	2	6
	Wind 2{1}	371	0	-1	371	1	-5	-2	6
	Wind 3{1}	-77	0	-6	77	-57	-22	0	61
	Wind 4{1}	76	0	5	76	52	20	0	56
	Pressure 1{1}	38168	2060	3	38224	101	-21	3064	3065
	Pressure 2{1}	1217914	-41	-131217914	-124	-77	-21	147	
	Pressure 3{1}	883880	-242	-9	883880	-107	-54	676	686
	GT1{1}	845230	-51	-1	845230	94	-52	5894	5895

	GT2{1}	-757214	40	8	757214	276	-15	9	276
	GT3{1}	-86769	9	6	86769	242	-24	35	246
	GW1{1}	3854	15	2	3854	219	-49	-3	224
	GW2{1}	4594	16	1	4594	221	-60	-7	230
	GW3{1}	4147	16	-4	4147	163	-77	-5	180
	GW4{1}	4299	16	7	4300	272	-35	-6	275
	GT1P1{1}	883398	2009	2	883401	195	-73	8958	8960
	GT2P2{1}	460700	-1	-5	460700	152	-93	-12	179
	GT3P3{1}	797112	-233	-3	797112	135	-78	711	728
	Gravity{2}	8427	33	3	8427	461	-115	-19	476
	Thermal 3{2}	-100044	-17	7	100044	25	55	84	104
	Pressure 1{2}	754350	61	6	754350	871	-217	1192	1493
	GT3{2}	-91617	15	11	91617	486	-60	66	494
	Hydrotest-NL{2}	662733	76	17	662733	1357	-277	1258	1871
+1078+	Gravity{1}	4285	20	3	4285	220	-55	-5	227
	Thermal 1{1}	826363	355	-3	826363	-126	3	5899	5901
	Thermal 2{1}	-747184	33	7	747184	56	39	14	70
	Thermal 3{1}	-90034	-6	4	90034	22	31	41	56
	Wind 1{1}	-374	0	1	374	-1	5	2	6
	Wind 2{1}	376	0	-1	376	1	-5	-2	6
	Wind 3{1}	-78	0	-6	78	-57	-22	0	61
	Wind 4{1}	77	0	5	78	52	20	0	56
	Pressure 1{1}	38167	2903	4	38277	101	-21	3064	3065
	Pressure 2{1}	1197707	-55	-1311	977707	-124	-77	-21	147
	Pressure 3{1}	868279	-264	-9	868279	-107	-54	676	686
	GT1{1}	830648	375	1	830648	94	-52	5894	5895
	GT2{1}	-742899	53	10	742899	276	-15	9	276
	GT3{1}	-85749	14	8	85749	242	-24	35	246
	GW1{1}	3911	20	4	3911	219	-49	-3	224
	GW2{1}	4661	20	3	4662	221	-60	-7	230
	GW3{1}	4207	20	-3	4208	163	-77	-5	180
	GW4{1}	4363	20	9	4363	272	-35	-6	275
	GT1P1{1}	868815	3278	5	868821	195	-73	8958	8960
	GT2P2{1}	454808	-2	-3	454808	152	-93	-12	179
	GT3P3{1}	782530	-249	-1	782530	135	-78	711	728
	Gravity{2}	8551	41	7	8551	461	-115	-19	476
	Thermal 3{2}	-99219	-16	7	99219	25	55	84	104
	Pressure 1{2}	739768	173	14	739768	871	-217	1192	1493
	GT3{2}	-90669	25	14	90669	486	-60	66	494
	Hydrotest-NL{2}	649100	198	28	649100	1357	-277	1258	1871
+1079-	Gravity{1}	4285	20	3	4285	220	-53	-15	227
	Thermal 1{1}	826363	355	-3	826363	-126	2	5722	5723
	Thermal 2{1}	-747184	33	7	747184	56	43	-2	70
	Thermal 3{1}	-90034	-6	4	90034	22	33	44	59
	Wind 1{1}	-374	0	1	374	-1	6	2	6
	Wind 2{1}	376	0	-1	376	1	-6	-2	6
	Wind 3{1}	-78	0	-6	78	-57	-25	0	63
	Wind 4{1}	77	0	5	78	52	22	0	57
	Pressure 1{1}	38167	2903	4	38277	101	-19	1612	1616
	Pressure 2{1}	1197707	-55	-1311	977707	-124	-84	7	150
	Pressure 3{1}	868279	-264	-9	868279	-107	-59	807	817
	GT1{1}	830648	375	1	830648	94	-51	5706	5707
	GT2{1}	-742899	53	10	742899	276	-10	-17	277
	GT3{1}	-85749	14	8	85749	242	-20	28	245
	GW1{1}	3911	20	4	3911	219	-48	-13	224
	GW2{1}	4661	20	3	4662	221	-59	-18	230
	GW3{1}	4207	20	-3	4208	163	-78	-15	181
	GW4{1}	4363	20	9	4363	272	-31	-16	274
	GT1P1{1}	868815	3278	5	868821	195	-71	7319	7322
	GT2P2{1}	454808	-2	-3	454808	152	-94	-11	179
	GT3P3{1}	782530	-249	-1	782530	135	-79	836	850
	Gravity{2}	8551	41	7	8551	461	-111	-39	476
	Thermal 3{2}	-99219	-16	7	99219	25	58	92	112
	Pressure 1{2}	739768	173	14	739768	871	-210	1106	1423
	GT3{2}	-90669	25	14	90669	486	-53	53	492
	Hydrotest-NL{2}	649100	198	28	649100	1357	-263	1159	1804
+1079+	Gravity{1}	4348	25	6	4348	220	-53	-15	227
	Thermal 1{1}	811718	889	-3	811719	-126	2	5722	5723
	Thermal 2{1}	-732722	43	7	732722	56	43	-2	70
	Thermal 3{1}	-89062	-4	4	89062	22	33	44	59
	Wind 1{1}	-380	0	0	380	-1	6	2	6
	Wind 2{1}	382	0	0	382	1	-6	-2	6
	Wind 3{1}	-79	0	-6	79	-57	-25	0	63
	Wind 4{1}	78	0	6	79	52	22	0	57
	Pressure 1{1}	38166	3887	5	38363	101	-19	1612	1616
	Pressure 2{1}	1177247	-70	-1311	77247	-124	-84	7	150
	Pressure 3{1}	852664	-282	-9	852664	-107	-59	807	817
	GT1{1}	816066	914	2	816067	94	-51	5706	5707
	GT2{1}	-728374	67	12	728374	276	-10	-17	277
	GT3{1}	-84714	21	10	84714	242	-20	28	245
	GW1{1}	3968	24	6	3968	219	-48	-13	224
	GW2{1}	4730	25	5	4730	221	-59	-18	230
	GW3{1}	4269	25	-1	4269	163	-78	-15	181
	GW4{1}	4426	25	11	4427	272	-31	-16	274
	GT1P1{1}	854232	4801	8	854246	195	-71	7319	7322
	GT2P2{1}	448873	-3	-1	448873	152	-94	-11	179
	GT3P3{1}	767950	-261	1	767950	135	-79	836	850
	Gravity{2}	8676	50	12	8676	461	-111	-39	476
	Thermal 3{2}	-98382	-14	7	98382	25	58	92	112
	Pressure 1{2}	725187	316	22	725187	871	-210	1106	1423
	GT3{2}	-89706	36	18	89706	486	-53	53	492
	Hydrotest-NL{2}	635481	352	41	635481	1357	-263	1159	1804
+1080-	Gravity{1}	4348	25	6	4348	220	-50	-28	227
	Thermal 1{1}	811718	889	-3	811719	-126	0	5277	5279
	Thermal 2{1}	-732722	43	7	732722	56	46	-23	76
	Thermal 3{1}	-89062	-4	4	89062	22	35	46	62
	Wind 1{1}	-380	0	0	380	-1	6	2	6
	Wind 2{1}	382	0	0	382	1	-6	-2	6
	Wind 3{1}	-79	0	-6	79	-57	-28	0	64
	Wind 4{1}	78	0	6	79	52	25	0	58
	Pressure 1{1}	38166	3887	5	38363	101	-17	-331	346
	Pressure 2{1}	1177247	-70	-1311	77247	-124	-90	42	159
	Pressure 3{1}	852664	-282	-9	852664	-107	-63	948	957
	GT1{1}	816066	914	2	816067	94	-50	5249	5250

	GT2{1}	-728374	67	12	728374	276	-4	-51	281
	GT3{1}	-84714	21	10	84714	242	-15	18	244
	GW1{1}	3968	24	6	3968	219	-44	-26	225
	GW2{1}	4730	25	5	4730	221	-56	-30	230
	GW3{1}	4269	25	-1	4269	163	-79	-27	183
	GW4{1}	4426	25	11	4427	272	-25	-28	275
	GT1P1{1}	854232	4801	8	854246	195	-67	4918	4922
	GT2P2{1}	448873	-3	-1	448873	152	-95	-9	179
	GT3P3{1}	767950	-261	1	767950	135	-79	966	979
	Gravity{2}	8676	50	12	8676	461	-105	-64	478
	Thermal 3{2}	-98382	-14	7	98382	25	62	100	120
	Pressure 1{2}	725187	316	22	725187	871	-199	948	1303
	GT3{2}	-89706	36	18	89706	486	-44	35	489
	Hydrotest-NL{2}	635481	352	41	635481	1357	-243	983	1693
+1080+	Gravity{1}	4412	30	8	4412	220	-50	-28	227
	Thermal 1{1}	797073	1550	-4	797075	-126	0	5277	5279
	Thermal 2{1}	-718162	53	6	718162	56	46	-23	76
	Thermal 3{1}	-88076	-2	4	88076	22	35	46	62
	Wind 1{1}	-385	0	0	385	-1	6	2	6
	Wind 2{1}	387	0	0	387	1	-6	-2	6
	Wind 3{1}	-80	0	-7	80	-57	-28	0	64
	Wind 4{1}	80	0	6	80	52	25	0	58
	Pressure 1{1}	38165	5019	7	38493	101	-17	-331	346
	Pressure 2{1}	1156601	-88	-131156601	-124	-90	42	159	
	Pressure 3{1}	837033	-294	-9	837033	-107	-63	948	957
	GT1{1}	801485	1580	4	801486	94	-50	5249	5250
	GT2{1}	-713750	84	14	713750	276	-4	-51	281
	GT3{1}	-83664	28	12	83664	242	-15	18	244
	GW1{1}	4026	30	8	4027	219	-44	-26	225
	GW2{1}	4799	30	8	4799	221	-56	-30	230
	GW3{1}	4332	30	1	4332	163	-79	-27	183
	GW4{1}	4491	30	14	4492	272	-25	-28	275
	GT1P1{1}	839650	6598	11	839675	195	-67	4918	4922
	GT2P2{1}	442851	-5	2	442851	152	-95	-9	179
	GT3P3{1}	753369	-266	3	753369	135	-79	966	979
	Gravity{2}	8803	60	17	8803	461	-105	-64	478
	Thermal 3{2}	-97533	-11	6	97533	25	62	100	120
	Pressure 1{2}	710606	492	32	710606	871	-199	948	1303
	GT3{2}	-88729	50	23	88729	486	-44	35	489
	Hydrotest-NL{2}	621877	542	55	621877	1357	-243	983	1693
+1081-	Gravity{1}	4412	30	8	4412	220	-46	-43	229
	Thermal 1{1}	797073	1550	-4	797075	-126	-2	4502	4504
	Thermal 2{1}	-718162	53	6	718162	56	49	-50	90
	Thermal 3{1}	-88076	-2	4	88076	22	37	47	63
	Wind 1{1}	-385	0	0	385	-1	6	2	7
	Wind 2{1}	387	0	0	387	1	-6	-2	7
	Wind 3{1}	-80	0	-7	80	-57	-32	0	65
	Wind 4{1}	80	0	6	80	52	28	0	59
	Pressure 1{1}	38165	5019	7	38493	101	-13	-2841	2842
	Pressure 2{1}	1156601	-88	-131156601	-124	-97	86	179	
	Pressure 3{1}	837033	-294	-9	837033	-107	-68	1096	1103
	GT1{1}	801485	1580	4	801486	94	-48	4459	4461
	GT2{1}	-713750	84	14	713750	276	3	-93	291
	GT3{1}	-83664	28	12	83664	242	-9	4	243
	GW1{1}	4026	30	8	4027	219	-40	-40	226
	GW2{1}	4799	30	8	4799	221	-52	-45	232
	GW3{1}	4332	30	1	4332	163	-78	-42	186
	GW4{1}	4491	30	14	4492	272	-18	-43	276
	GT1P1{1}	839650	6598	11	839675	195	-62	1619	1632
	GT2P2{1}	442851	-5	2	442851	152	-94	-7	179
	GT3P3{1}	753369	-266	3	753369	135	-77	1099	1110
	Gravity{2}	8803	60	17	8803	461	-97	-95	481
	Thermal 3{2}	-97533	-11	6	97533	25	65	105	126
	Pressure 1{2}	710606	492	32	710606	871	-183	702	1134
	GT3{2}	-88729	50	23	88729	486	-32	10	487
	Hydrotest-NL{2}	621877	542	55	621877	1357	-215	712	1548
+1081+	Gravity{1}	4476	36	11	4477	220	-46	-43	229
	Thermal 1{1}	782426	2348	-4	782430	-126	-2	4502	4504
	Thermal 2{1}	-703645	66	6	703645	56	49	-50	90
	Thermal 3{1}	-87075	1	4	87075	22	37	47	63
	Wind 1{1}	-391	0	0	391	-1	6	2	7
	Wind 2{1}	393	0	0	393	1	-6	-2	7
	Wind 3{1}	-81	0	-7	82	-57	-32	0	65
	Wind 4{1}	81	0	6	81	52	28	0	59
	Pressure 1{1}	38163	6299	8	38680	101	-13	-2841	2842
	Pressure 2{1}	1135865	-108	-121135865	-124	-97	86	179	
	Pressure 3{1}	821386	-300	-9	821386	-107	-68	1096	1103
	GT1{1}	786903	2384	7	786906	94	-48	4459	4461
	GT2{1}	-699169	102	17	699169	276	3	-93	291
	GT3{1}	-82599	37	14	82599	242	-9	4	243
	GW1{1}	4085	36	11	4086	219	-40	-40	226
	GW2{1}	4870	36	11	4870	221	-52	-45	232
	GW3{1}	4395	36	4	4395	163	-78	-42	186
	GW4{1}	4557	36	17	4557	272	-18	-43	276
	GT1P1{1}	825066	8683	15	825112	195	-62	1619	1632
	GT2P2{1}	436696	-6	5	436696	152	-94	-7	179
	GT3P3{1}	738787	-263	6	738787	135	-77	1099	1110
	Gravity{2}	8932	71	23	8933	461	-97	-95	481
	Thermal 3{2}	-96671	-6	5	96671	25	65	105	126
	Pressure 1{2}	696025	703	43	696025	871	-183	702	1134
	GT3{2}	-87738	65	28	87738	486	-32	10	487
	Hydrotest-NL{2}	608286	769	71	608287	1357	-215	712	1548
+1082-	Gravity{1}	4476	36	11	4477	220	-41	-61	232
	Thermal 1{1}	782426	2348	-4	782430	-126	-4	3328	3331
	Thermal 2{1}	-703645	66	6	703645	56	52	-83	113
	Thermal 3{1}	-87075	1	4	87075	22	39	46	64
	Wind 1{1}	-391	0	0	391	-1	6	3	7
	Wind 2{1}	393	0	0	393	1	-6	-3	7
	Wind 3{1}	-81	0	-7	82	-57	-35	0	67
	Wind 4{1}	81	0	6	81	52	31	0	61
	Pressure 1{1}	38163	6299	8	38680	101	-9	-5990	5991
	Pressure 2{1}	1135865	-108	-121135865	-124	-103	140	213	
	Pressure 3{1}	821386	-300	-9	821386	-107	-72	1246	1252
	GT1{1}	786903	2384	7	786906	94	-45	3267	3269

	GT2{1}	-699169	102	17	699169	276	11	-144	311
	GT3{1}	-82599	37	14	82599	242	-2	-15	243
	GW1{1}	4085	36	11	4086	219	-35	-58	229
	GW2{1}	4870	36	11	4870	221	-47	-63	235
	GW3{1}	4395	36	4	4395	163	-76	-60	190
	GW4{1}	4557	36	17	4557	272	-10	-61	279
	GT1P1{1}	825066	8683	15	825112	195	-54	-2723	2730
	GT2P2{1}	436696	-6	5	436696	152	-91	-4	178
	GT3P3{1}	738787	-263	6	738787	135	-74	1231	1240
	Gravity{2}	8932	71	23	8933	461	-86	-130	487
	Thermal 3{2}	-96671	-6	5	96671	25	67	108	130
	Pressure 1{2}	696025	703	43	696025	871	-162	350	953
	GT3{2}	-87738	65	28	87738	486	-18	-22	487
	Hydrotest-NL{2}	608286	769	71	608287	1357	-180	328	1408
+1082+	Gravity{1}	4542	42	14	4542	220	-41	-61	232
	Thermal 1{1}	767778	3296	-5	767785	-126	-4	3328	3331
	Thermal 2{1}	-689130	79	6	689130	56	52	-83	113
	Thermal 3{1}	-86060	5	3	86060	22	39	46	64
	Wind 1{1}	-397	0	0	397	-1	6	3	7
	Wind 2{1}	399	0	0	399	1	-6	-3	7
	Wind 3{1}	-82	0	-7	83	-57	-35	0	67
	Wind 4{1}	82	0	6	82	52	31	0	61
	Pressure 1{1}	38162	7724	10	38936	101	-9	-5990	5991
	Pressure 2{1}	1115039	-130	-111115039	-124	-103	140	213	
	Pressure 3{1}	805724	-296	-8	805724	-107	-72	1246	1252
	GT1{1}	772320	3338	9	772328	94	-45	3267	3269
	GT2{1}	-684587	121	20	684587	276	11	-144	311
	GT3{1}	-81518	47	17	81518	242	-2	-15	243
	GW1{1}	4145	42	14	4146	219	-35	-58	229
	GW2{1}	4941	42	14	4941	221	-47	-63	235
	GW3{1}	4460	42	7	4460	163	-76	-60	190
	GW4{1}	4624	42	20	4624	272	-10	-61	279
	GT1P1{1}	810483	11062	19	810558	195	-54	-2723	2730
	GT2P2{1}	430452	-9	8	430452	152	-91	-4	178
	GT3P3{1}	724206	-249	9	724206	135	-74	1231	1240
	Gravity{2}	9063	83	29	9064	461	-86	-130	487
	Thermal 3{2}	-95796	0	4	95796	25	67	108	130
	Pressure 1{2}	681443	952	55	681444	871	-162	350	953
	GT3{2}	-86733	83	33	86733	486	-18	-22	487
	Hydrotest-NL{2}	594710	1035	89	594711	1357	-180	328	1408
+1083-	Gravity{1}	4542	42	14	4542	220	-34	-82	237
	Thermal 1{1}	767778	3296	-5	767785	-126	-7	1680	1685
	Thermal 2{1}	-689130	79	6	689130	56	55	-122	145
	Thermal 3{1}	-86060	5	3	86060	22	40	44	63
	Wind 1{1}	-397	0	0	397	-1	6	3	7
	Wind 2{1}	399	0	0	399	1	-6	-3	7
	Wind 3{1}	-82	0	-7	83	-57	-39	1	69
	Wind 4{1}	82	0	6	82	52	34	-1	62
	Pressure 1{1}	38162	7724	10	38936	101	-4	-9853	9853
	Pressure 2{1}	1115039	-130	-111115039	-124	-108	205	263	
	Pressure 3{1}	805724	-296	-8	805724	-107	-76	1394	1400
	GT1{1}	772320	3338	9	772328	94	-40	1598	1602
	GT2{1}	-684587	121	20	684587	276	21	-204	344
	GT3{1}	-81518	47	17	81518	242	6	-38	245
	GW1{1}	4145	42	14	4146	219	-28	-79	234
	GW2{1}	4941	42	14	4941	221	-40	-85	240
	GW3{1}	4460	42	7	4460	163	-72	-81	196
	GW4{1}	4624	42	20	4624	272	1	-82	284
	GT1P1{1}	810483	11062	19	810558	195	-45	-8254	8257
	GT2P2{1}	430452	-9	8	430452	152	-87	0	175
	GT3P3{1}	724206	-249	9	724206	135	-70	1355	1364
	Gravity{2}	9063	83	29	9064	461	-71	-172	497
	Thermal 3{2}	-95796	0	4	95796	25	69	108	131
	Pressure 1{2}	681443	952	55	681444	871	-134	-126	891
	GT3{2}	-86733	83	33	86733	486	-2	-64	490
	Hydrotest-NL{2}	594710	1035	89	594711	1357	-135	-190	1377
+1083+	Gravity{1}	4609	48	17	4609	220	-34	-82	237
	Thermal 1{1}	753130	4403	-6	753143	-126	-7	1680	1685
	Thermal 2{1}	-674615	93	5	674615	56	55	-122	145
	Thermal 3{1}	-85030	10	2	85030	22	40	44	63
	Wind 1{1}	-403	0	0	403	-1	6	3	7
	Wind 2{1}	405	0	0	405	1	-6	-3	7
	Wind 3{1}	-84	0	-7	84	-57	-39	1	69
	Wind 4{1}	83	0	7	83	52	34	-1	62
	Pressure 1{1}	38161	9284	12	39274	101	-4	-9853	9853
	Pressure 2{1}	1094123	-153	-101094123	-124	-108	205	263	
	Pressure 3{1}	790046	-280	-7	790046	-107	-76	1394	1400
	GT1{1}	757739	4451	12	757752	94	-40	1598	1602
	GT2{1}	-670007	142	23	670007	276	21	-204	344
	GT3{1}	-80421	58	20	80421	242	6	-38	245
	GW1{1}	4206	48	17	4206	219	-28	-79	234
	GW2{1}	5013	48	18	5014	221	-40	-85	240
	GW3{1}	4525	48	10	4525	163	-72	-81	196
	GW4{1}	4692	48	24	4692	272	1	-82	284
	GT1P1{1}	795900	13735	24	796019	195	-45	-8254	8257
	GT2P2{1}	424116	-11	12	424116	152	-87	0	175
	GT3P3{1}	709625	-222	13	709625	135	-70	1355	1364
	Gravity{2}	9196	95	37	9197	461	-71	-172	497
	Thermal 3{2}	-94908	8	3	94908	25	69	108	131
	Pressure 1{2}	666862	1239	69	666863	871	-134	-126	891
	GT3{2}	-85712	103	40	85712	486	-2	-64	490
	Hydrotest-NL{2}	581150	1342	109	581151	1357	-135	-190	1377
+1084-	Gravity{1}	4609	48	17	4609	220	-25	-106	246
	Thermal 1{1}	753130	4403	-6	753143	-126	-9	-521	536
	Thermal 2{1}	-674615	93	5	674615	56	58	-169	187
	Thermal 3{1}	-85030	10	2	85030	22	41	39	61
	Wind 1{1}	-403	0	0	403	-1	6	3	7
	Wind 2{1}	405	0	0	405	1	-6	-3	7
	Wind 3{1}	-84	0	-7	84	-57	-42	1	71
	Wind 4{1}	83	0	7	83	52	38	-1	64
	Pressure 1{1}	38161	9284	12	39274	101	2	-14494	14495
	Pressure 2{1}	1094123	-153	-101094123	-124	-114	281	328	
	Pressure 3{1}	790046	-280	-7	790046	-107	-80	1533	1539
	GT1{1}	757739	4451	12	757752	94	-35	-627	635

	GT2{1}	-670007	142	23	670007	276	33	-275	391
	GT3{1}	-80421	58	20	80421	242	16	-67	252
	GW1{1}	4206	48	17	4206	219	-19	-103	243
	GW2{1}	5013	48	18	5014	221	-31	-109	249
	GW3{1}	4525	48	10	4525	163	-67	-106	205
	GW4{1}	4692	48	24	4692	272	13	-107	293
	GT1P1{1}	795900	13735	24	796019	195	-33	-15121	15123
	GT2P2{1}	424116	-11	12	424116	152	-81	6	172
	GT3P3{1}	709625	-222	13	709625	135	-63	1466	1474
	Gravity{2}	9196	95	37	9197	461	-53	-219	513
	Thermal 3{2}	-94908	8	3	94908	25	71	104	128
	Pressure 1{2}	666862	1239	69	666863	871	-99	-746	1151
	GT3{2}	-85712	103	40	85712	486	18	-115	500
	Hydrotest-NL{2}	581150	1342	109	581151	1357	-81	-861	1609
+1084+	Gravity{1}	4676	55	21	4677	220	-25	-106	246
	Thermal 1{1}	738481	5673	-6	738503	-126	-9	-521	536
	Thermal 2{1}	-660102	108	4	660102	56	58	-169	187
	Thermal 3{1}	-83985	15	2	83985	22	41	39	61
	Wind 1{1}	-408	0	0	408	-1	6	3	7
	Wind 2{1}	411	0	0	411	1	-6	-3	7
	Wind 3{1}	-85	0	-7	85	-57	-42	1	71
	Wind 4{1}	84	0	7	85	52	38	-1	64
	Pressure 1{1}	38160	10960	14	39703	101	2	-14494	14495
	Pressure 2{1}	1073113	-177	-91073113	-124	-114	281	328	
	Pressure 3{1}	774352	-248	-6	774353	-107	-80	1533	1539
	GT1{1}	743157	5728	15	743179	94	-35	-627	635
	GT2{1}	-655426	163	26	655426	276	33	-275	391
	GT3{1}	-79308	70	23	79308	242	16	-67	252
	GW1{1}	4268	55	21	4268	219	-19	-103	243
	GW2{1}	5087	55	22	5087	221	-31	-109	249
	GW3{1}	4591	55	14	4592	163	-67	-106	205
	GW4{1}	4761	55	28	4761	272	13	-107	293
	GT1P1{1}	781317	16688	29	781496	195	-33	-15121	15123
	GT2P2{1}	417687	-14	17	417687	152	-81	6	172
	GT3P3{1}	695044	-178	17	695044	135	-63	1466	1474
	Gravity{2}	9331	106	45	9332	461	-53	-219	513
	Thermal 3{2}	-94008	18	1	94008	25	71	104	128
	Pressure 1{2}	652281	1565	85	652283	871	-99	-746	1151
	GT3{2}	-84677	125	46	84677	486	18	-115	500
	Hydrotest-NL{2}	567604	1690	131	567607	1357	-81	-861	1609
+1085-	Gravity{1}	4676	55	21	4677	220	-14	-134	258
	Thermal 1{1}	738481	5673	-6	738503	-126	-13	-3358	3360
	Thermal 2{1}	-660102	108	4	660102	56	60	-223	238
	Thermal 3{1}	-83985	15	2	83985	22	42	31	57
	Wind 1{1}	-408	0	0	408	-1	6	3	7
	Wind 2{1}	411	0	0	411	1	-6	-3	7
	Wind 3{1}	-85	0	-7	85	-57	-46	1	73
	Wind 4{1}	84	0	7	85	52	41	-1	66
	Pressure 1{1}	38160	10960	14	39703	101	9	-19975	19975
	Pressure 2{1}	1073113	-177	-91073113	-124	-118	370	407	
	Pressure 3{1}	774352	-248	-6	774353	-107	-83	1657	1663
	GT1{1}	743157	5728	15	743179	94	-27	-3491	3493
	GT2{1}	-655426	163	26	655426	276	45	-357	453
	GT3{1}	-79308	70	23	79308	242	28	-102	265
	GW1{1}	4268	55	21	4268	219	-8	-131	255
	GW2{1}	5087	55	22	5087	221	-20	-136	261
	GW3{1}	4591	55	14	4592	163	-60	-133	219
	GW4{1}	4761	55	28	4761	272	27	-134	305
	GT1P1{1}	781317	16688	29	781496	195	-19	-23466	23467
	GT2P2{1}	417687	-14	17	417687	152	-73	13	169
	GT3P3{1}	695044	-178	17	695044	135	-55	1555	1562
	Gravity{2}	9331	106	45	9332	461	-30	-272	536
	Thermal 3{2}	-94008	18	1	94008	25	71	95	121
	Pressure 1{2}	652281	1565	85	652283	871	-57	-1528	1760
	GT3{2}	-84677	125	46	84677	486	41	-177	519
	Hydrotest-NL{2}	567604	1690	131	567607	1357	-16	-1706	2180
+1085+	Gravity{1}	4745	61	26	4745	220	-14	-134	258
	Thermal 1{1}	723830	7110	-7	723865	-126	-13	-3358	3360
	Thermal 2{1}	-645589	124	3	645589	56	60	-223	238
	Thermal 3{1}	-82924	22	1	82924	22	42	31	57
	Wind 1{1}	-414	1	0	414	-1	6	3	7
	Wind 2{1}	417	-1	0	417	1	-6	-3	7
	Wind 3{1}	-86	0	-7	86	-57	-46	1	73
	Wind 4{1}	86	0	7	86	52	41	-1	66
	Pressure 1{1}	38159	12724	16	40225	101	9	-19975	19975
	Pressure 2{1}	1052009	-202	-71052009	-124	-118	370	407	
	Pressure 3{1}	758642	-197	-5	758642	-107	-83	1657	1663
	GT1{1}	728575	7171	18	728610	94	-27	-3491	3493
	GT2{1}	-640844	185	29	640845	276	45	-357	453
	GT3{1}	-78179	83	26	78179	242	28	-102	265
	GW1{1}	4330	62	25	4331	219	-8	-131	255
	GW2{1}	5161	61	26	5162	221	-20	-136	261
	GW3{1}	4659	61	18	4659	163	-60	-133	219
	GW4{1}	4830	61	32	4831	272	27	-134	305
	GT1P1{1}	766734	19895	35	766992	195	-19	-23466	23467
	GT2P2{1}	411164	-17	22	411164	152	-73	13	169
	GT3P3{1}	680463	-114	21	680463	135	-55	1555	1562
	Gravity{2}	9468	118	54	9469	461	-30	-272	536
	Thermal 3{2}	-93094	31	-1	93094	25	71	95	121
	Pressure 1{2}	637699	1929	101	637702	871	-57	-1528	1760
	GT3{2}	-83627	148	53	83627	486	41	-177	519
	Hydrotest-NL{2}	554073	2078	155	554077	1357	-16	-1706	2180
+1086-	Gravity{1}	4745	61	26	4745	220	-2	-164	275
	Thermal 1{1}	723830	7110	-7	723865	-126	-16	-6913	6914
	Thermal 2{1}	-645589	124	3	645589	56	61	-285	297
	Thermal 3{1}	-82924	22	1	82924	22	42	20	52
	Wind 1{1}	-414	1	0	414	-1	6	2	6
	Wind 2{1}	417	-1	0	417	1	-6	-2	6
	Wind 3{1}	-86	0	-7	86	-57	-49	1	76
	Wind 4{1}	86	0	7	86	52	44	-1	68
	Pressure 1{1}	38159	12724	16	40225	101	17	-26337	26337
	Pressure 2{1}	1052009	-202	-71052009	-124	-121	471	502	
	Pressure 3{1}	758642	-197	-5	758642	-107	-85	1756	1761
	GT1{1}	728575	7171	18	728610	94	-18	-7077	7077

	GT2{1}	-640844	185	29	640845	276	60	-449	531
	GT3{1}	-78179	83	26	78179	242	41	-144	285
	GW1{1}	4330	62	25	4331	219	4	-162	272
	GW2{1}	5161	61	26	5162	221	-7	-166	277
	GW3{1}	4659	61	18	4659	163	-51	-164	236
	GW4{1}	4830	61	32	4831	272	43	-165	321
	GT1P1{1}	766734	19895	35	766992	195	-1	-33414	33414
	GT2P2{1}	411164	-17	22	411164	152	-61	22	166
	GT3P3{1}	680463	-114	21	680463	135	-44	1612	1618
	Gravity{2}	9468	118	54	9469	461	-3	-331	568
	Thermal 3{2}	-93094	31	-1	93094	25	71	79	109
	Pressure 1{2}	637699	1929	101	637702	871	-6	-2493	2641
	GT3{2}	-83627	148	53	83627	486	68	-251	551
	Hydrotest-NL{2}	554073	2078	155	554077	1357	62	-2744	3062
+1086+	Gravity{1}	4814	67	30	4815	220	-2	-164	275
	Thermal 1{1}	709178	8707	-8	709232	-126	-16	-6913	6914
	Thermal 2{1}	-631077	139	2	631077	56	61	-285	297
	Thermal 3{1}	-81848	30	0	81848	22	42	20	52
	Wind 1{1}	-421	1	-1	421	-1	6	2	6
	Wind 2{1}	423	-1	1	423	1	-6	-2	6
	Wind 3{1}	-87	0	-7	88	-57	-49	1	76
	Wind 4{1}	87	0	7	87	52	44	-1	68
	Pressure 1{1}	38158	14536	19	40833	101	17	-26337	26337
	Pressure 2{1}	1030808	-227	-41030809	-124	-121	471	502	
	Pressure 3{1}	742914	-124	-3	742914	-107	-85	1756	1761
	GT1{1}	713993	8774	22	714047	94	-18	-7077	7077
	GT2{1}	-626263	206	32	626263	276	60	-449	531
	GT3{1}	-77033	97	30	77034	242	41	-144	285
	GW1{1}	4394	68	30	4394	219	4	-162	272
	GW2{1}	5237	66	31	5238	221	-7	-166	277
	GW3{1}	4727	67	23	4728	163	-51	-164	236
	GW4{1}	4901	67	37	4902	272	43	-165	321
	GT1P1{1}	752150	23311	41	752512	195	-1	-33414	33414
	GT2P2{1}	404545	-21	28	404545	152	-61	22	166
	GT3P3{1}	665881	-27	26	665881	135	-44	1612	1618
	Gravity{2}	9607	128	63	9608	461	-3	-331	568
	Thermal 3{2}	-92167	46	-3	92167	25	71	79	109
	Pressure 1{2}	623118	2328	120	623122	871	-6	-2493	2641
	GT3{2}	-82561	174	61	82561	486	68	-251	551
	Hydrotest-NL{2}	540557	2502	180	540563	1357	62	-2744	3062
+1087-	Gravity{1}	4814	67	30	4815	220	14	-198	296
	Thermal 1{1}	709178	8707	-8	709232	-126	-20	-11266	11267
	Thermal 2{1}	-631077	139	2	631077	56	62	-355	365
	Thermal 3{1}	-81848	30	0	81848	22	42	5	48
	Wind 1{1}	-421	1	-1	421	-1	5	2	6
	Wind 2{1}	423	-1	1	423	1	-5	-2	6
	Wind 3{1}	-87	0	-7	88	-57	-53	1	78
	Wind 4{1}	87	0	7	87	52	48	-1	71
	Pressure 1{1}	38158	14536	19	40833	101	26	-33605	33605
	Pressure 2{1}	1030808	-227	-41030809	-124	-124	585	610	
	Pressure 3{1}	742914	-124	-3	742914	-107	-87	1818	1823
	GT1{1}	713993	8774	22	714047	94	-7	-11464	11464
	GT2{1}	-626263	206	32	626263	276	76	-553	622
	GT3{1}	-77033	97	30	77034	242	56	-193	315
	GW1{1}	4394	68	30	4394	219	19	-196	294
	GW2{1}	5237	66	31	5238	221	8	-199	298
	GW3{1}	4727	67	23	4728	163	-39	-197	259
	GW4{1}	4901	67	37	4902	272	61	-198	342
	GT1P1{1}	752150	23311	41	752512	195	19	-45069	45070
	GT2P2{1}	404545	-21	28	404545	152	-48	32	163
	GT3P3{1}	665881	-27	26	665881	135	-31	1625	1631
	Gravity{2}	9607	128	63	9608	461	28	-395	608
	Thermal 3{2}	-92167	46	-3	92167	25	70	56	93
	Pressure 1{2}	623118	2328	120	623122	871	54	-3657	3760
	GT3{2}	-82561	174	61	82561	486	98	-338	600
	Hydrotest-NL{2}	540557	2502	180	540563	1357	152	-3995	4223
+1087+	Gravity{1}	4885	72	35	4886	220	14	-198	296
	Thermal 1{1}	694526	10453	-9	694605	-126	-20	-11266	11267
	Thermal 2{1}	-616567	154	1	616567	56	62	-355	365
	Thermal 3{1}	-80756	40	-2	80756	22	42	5	48
	Wind 1{1}	-427	1	-1	427	-1	5	2	6
	Wind 2{1}	429	-1	1	429	1	-5	-2	6
	Wind 3{1}	-89	0	-7	89	-57	-53	1	78
	Wind 4{1}	88	0	6	88	52	48	-1	71
	Pressure 1{1}	38157	16343	21	41509	101	26	-33605	33605
	Pressure 2{1}	1009512	-251	-21009512	-124	-124	585	610	
	Pressure 3{1}	727171	-25	-1	727171	-107	-87	1818	1823
	GT1{1}	699411	10526	26	699490	94	-7	-11464	11464
	GT2{1}	-611682	226	36	611682	276	76	-553	622
	GT3{1}	-75871	112	34	75871	242	56	-193	315
	GW1{1}	4458	73	34	4459	219	19	-196	294
	GW2{1}	5314	71	36	5315	221	8	-199	298
	GW3{1}	4796	72	29	4797	163	-39	-197	259
	GW4{1}	4973	72	42	4974	272	61	-198	342
	GT1P1{1}	737568	26868	47	738057	195	19	-45069	45070
	GT2P2{1}	397830	-24	34	397830	152	-48	32	163
	GT3P3{1}	651300	87	32	651300	135	-31	1625	1631
	Gravity{2}	9747	136	74	9749	461	28	-395	608
	Thermal 3{2}	-91227	64	-5	91227	25	70	56	93
	Pressure 1{2}	608537	2758	140	608543	871	54	-3657	3760
	GT3{2}	-81479	200	69	81480	486	98	-338	600
	Hydrotest-NL{2}	527058	2958	208	527066	1357	152	-3995	4223
+1088-	Gravity{1}	4885	72	35	4886	220	31	-234	323
	Thermal 1{1}	694526	10453	-9	694605	-126	-25	-16493	16493
	Thermal 2{1}	-616567	154	1	616567	56	63	-432	440
	Thermal 3{1}	-80756	40	-2	80756	22	41	-15	49
	Wind 1{1}	-427	1	-1	427	-1	5	1	5
	Wind 2{1}	429	-1	1	429	1	-5	-1	5
	Wind 3{1}	-89	0	-7	89	-57	-56	1	80
	Wind 4{1}	88	0	6	88	52	51	-1	73
	Pressure 1{1}	38157	16343	21	41509	101	36	-41776	41776
	Pressure 2{1}	1009512	-251	-21009512	-124	-124	710	731	
	Pressure 3{1}	727171	-25	-1	727171	-107	-88	1831	1836
	GT1{1}	699411	10526	26	699490	94	6	-16726	16727

	GT2{1}	-611682	226	36	611682	276	94	-666	727
	GT3{1}	-75871	112	34	75871	242	72	-248	355
	GW1{1}	4458	73	34	4459	219	36	-233	321
	GW2{1}	5314	71	36	5315	221	26	-235	324
	GW3{1}	4796	72	29	4797	163	-25	-233	286
	GW4{1}	4973	72	42	4974	272	82	-234	368
	GT1P1{1}	737568	26868	47	738057	195	43	-58503	58503
	GT2P2{1}	397830	-24	34	397830	152	-30	44	161
	GT3P3{1}	651300	87	32	651300	135	-15	1582	1588
	Gravity{2}	9747	136	74	9749	461	65	-463	657
	Thermal 3{2}	-91227	64	-5	91227	25	67	24	76
	Pressure 1{2}	608537	2758	140	608543	871	123	-5036	5112
	GT3{2}	-81479	200	69	81480	486	132	-438	668
	Hydrotest-NL{2}	527058	2958	208	527066	1357	256	-5474	5646
+1088+	Gravity{1}	4957	76	41	4957	220	31	-234	323
	Thermal 1{1}	679873	12327	-10	679985	-126	-25	-16493	16493
	Thermal 2{1}	-602058	168	-1	602058	56	63	-432	440
	Thermal 3{1}	-79648	50	-3	79648	22	41	-15	49
	Wind 1{1}	-433	2	-1	433	-1	5	1	5
	Wind 2{1}	435	-2	1	435	1	-5	-1	5
	Wind 3{1}	-90	0	-6	90	-57	-56	1	80
	Wind 4{1}	89	0	6	90	52	51	-1	73
	Pressure 1{1}	38155	18074	24	42220	101	36	-41776	41776
	Pressure 2{1}	988117	-272	2	988117	-124	-124	710	731
	Pressure 3{1}	711411	105	1	711411	-107	-88	1831	1836
	GT1{1}	684830	12404	31	684942	94	6	-16726	16727
	GT2{1}	-597102	244	40	597102	276	94	-666	727
	GT3{1}	-74691	127	37	74692	242	72	-248	355
	GW1{1}	4524	78	39	4524	219	36	-233	321
	GW2{1}	5392	75	42	5393	221	26	-235	324
	GW3{1}	4867	76	34	4867	163	-25	-233	286
	GW4{1}	5046	76	47	5047	272	82	-234	368
	GT1P1{1}	722985	30478	55	723627	195	43	-58503	58503
	GT2P2{1}	391016	-28	41	391016	152	-30	44	161
	GT3P3{1}	636719	231	38	636719	135	-15	1582	1588
	Gravity{2}	9890	142	85	9892	461	65	-463	657
	Thermal 3{2}	-90272	85	-8	90272	25	67	24	76
	Pressure 1{2}	593956	3211	161	593965	871	123	-5036	5112
	GT3{2}	-80382	227	77	80382	486	132	-438	668
	Hydrotest-NL{2}	513574	3437	238	513585	1357	256	-5474	5646
+1089-	Gravity{1}	4957	76	41	4957	220	52	-272	354
	Thermal 1{1}	679873	12327	-10	679985	-126	-30	-22657	22657
	Thermal 2{1}	-602058	168	-1	602058	56	62	-516	523
	Thermal 3{1}	-79648	50	-3	79648	22	40	-40	60
	Wind 1{1}	-433	2	-1	433	-1	4	0	4
	Wind 2{1}	435	-2	1	435	1	-4	0	4
	Wind 3{1}	-90	0	-6	90	-57	-59	0	83
	Wind 4{1}	89	0	6	90	52	54	0	75
	Pressure 1{1}	38155	18074	24	42220	101	48	-50814	50814
	Pressure 2{1}	988117	-272	2	988117	-124	-124	846	864
	Pressure 3{1}	711411	105	1	711411	-107	-87	1778	1784
	GT1{1}	684830	12404	31	684942	94	22	-22928	22929
	GT2{1}	-597102	244	40	597102	276	114	-788	842
	GT3{1}	-74691	127	37	74692	242	91	-312	405
	GW1{1}	4524	78	39	4524	219	56	-271	353
	GW2{1}	5392	75	42	5393	221	47	-272	354
	GW3{1}	4867	76	34	4867	163	-8	-271	317
	GW4{1}	5046	76	47	5047	272	105	-272	399
	GT1P1{1}	722985	30478	55	723627	195	70	-73742	73742
	GT2P2{1}	391016	-28	41	391016	152	-10	58	163
	GT3P3{1}	636719	231	38	636719	135	4	1467	1473
	Gravity{2}	9890	142	85	9892	461	108	-534	714
	Thermal 3{2}	-90272	85	-8	90272	25	63	-18	70
	Pressure 1{2}	593956	3211	161	593965	871	204	-6641	6701
	GT3{2}	-80382	227	77	80382	486	171	-552	755
	Hydrotest-NL{2}	513574	3437	238	513585	1357	375	-7193	7330
+1089+	Gravity{1}	5029	78	46	5030	220	52	-272	354
	Thermal 1{1}	665218	14297	-11	665372	-126	-30	-22657	22657
	Thermal 2{1}	-587549	179	-3	587550	56	62	-516	523
	Thermal 3{1}	-78524	62	-5	78524	22	40	-40	60
	Wind 1{1}	-439	2	-2	439	-1	4	0	4
	Wind 2{1}	442	-2	2	442	1	-4	0	4
	Wind 3{1}	-91	0	-6	91	-57	-59	0	83
	Wind 4{1}	91	0	5	91	52	54	0	75
	Pressure 1{1}	38154	19644	27	42914	101	48	-50814	50814
	Pressure 2{1}	966622	-290	6	966622	-124	-124	846	864
	Pressure 3{1}	695632	269	4	695633	-107	-87	1778	1784
	GT1{1}	670247	14376	36	670401	94	22	-22928	22929
	GT2{1}	-582520	258	43	582520	276	114	-788	842
	GT3{1}	-73495	141	41	73495	242	91	-312	405
	GW1{1}	4590	81	45	4591	219	56	-271	353
	GW2{1}	5471	76	48	5472	221	47	-272	354
	GW3{1}	4938	79	41	4939	163	-8	-271	317
	GW4{1}	5120	78	52	5121	272	105	-272	399
	GT1P1{1}	708402	34020	63	709218	195	70	-73742	73742
	GT2P2{1}	384102	-33	49	384102	152	-10	58	163
	GT3P3{1}	622138	410	45	622138	135	4	1467	1473
	Gravity{2}	10035	144	97	10037	461	108	-534	714
	Thermal 3{2}	-89304	109	-11	89304	25	63	-18	70
	Pressure 1{2}	579374	3677	184	579386	871	204	-6641	6701
	GT3{2}	-79269	253	86	79269	486	171	-552	755
	Hydrotest-NL{2}	500106	3930	270	500121	1357	375	-7193	7330
+1090-	Gravity{1}	5029	78	46	5030	220	75	-311	388
	Thermal 1{1}	665218	14297	-11	665372	-126	-35	-29805	29806
	Thermal 2{1}	-587549	179	-3	587550	56	61	-605	611
	Thermal 3{1}	-78524	62	-5	78524	22	37	-71	83
	Wind 1{1}	-439	2	-2	439	-1	3	-1	4
	Wind 2{1}	442	-2	2	442	1	-3	1	4
	Wind 3{1}	-91	0	-6	91	-57	-62	0	85
	Wind 4{1}	91	0	5	91	52	56	0	77
	Pressure 1{1}	38154	19644	27	42914	101	62	-60636	60636
	Pressure 2{1}	966622	-290	6	966622	-124	-121	991	1006
	Pressure 3{1}	695632	269	4	695633	-107	-85	1644	1650
	GT1{1}	670247	14376	36	670401	94	40	-30116	30117

	GT2{1}	-582520	258	43	582520	276	135	-917	967
	GT3{1}	-73495	141	41	73495	242	112	-382	466
	GW1{1}	4590	81	45	4591	219	78	-312	389
	GW2{1}	5471	76	48	5472	221	71	-310	388
	GW3{1}	4938	79	41	4939	163	12	-311	351
	GW4{1}	5120	78	52	5121	272	131	-311	434
	GT1P1{1}	708402	34020	63	709218	195	101	-90752	90752
	GT2P2{1}	384102	-33	49	384102	152	15	75	170
	GT3P3{1}	622138	410	45	622138	135	27	1262	1269
	Gravity{2}	10035	144	97	10037	461	157	-606	777
	Thermal 3{2}	-89304	109	-11	89304	25	57	-72	96
	Pressure 1{2}	579374	3677	184	579386	871	296	-8480	8530
	GT3{2}	-79269	253	86	79269	486	214	-678	861
	Hydrotest-NL{2}	500106	3930	270	500121	1357	510	-9158	9272
+1090+	Gravity{1}	5103	79	53	5104	220	75	-311	388
	Thermal 1{1}	650562	16317	-12	650767	-126	-35	-29805	29806
	Thermal 2{1}	-573042	187	-5	573042	56	61	-605	611
	Thermal 3{1}	-77383	76	-7	77383	22	37	-71	83
	Wind 1{1}	-446	3	-2	446	-1	3	-1	4
	Wind 2{1}	448	-3	2	448	1	-3	1	4
	Wind 3{1}	-93	0	-5	93	-57	-62	0	85
	Wind 4{1}	92	0	5	92	52	56	0	77
	Pressure 1{1}	38153	20944	30	43524	101	62	-60636	60636
	Pressure 2{1}	945025	-302	10	945025	-124	-121	991	1006
	Pressure 3{1}	679836	472	7	679837	-107	-85	1644	1650
	GT1{1}	655665	16396	41	655870	94	40	-30116	30117
	GT2{1}	-567939	265	47	567939	276	135	-917	967
	GT3{1}	-72280	154	46	72280	242	112	-382	466
	GW1{1}	4657	81	51	4658	219	78	-312	389
	GW2{1}	5551	76	55	5552	221	71	-310	388
	GW3{1}	5010	79	48	5011	163	12	-311	351
	GW4{1}	5195	78	57	5196	272	131	-311	434
	GT1P1{1}	693818	37340	71	694822	195	101	-90752	90752
	GT2P2{1}	377086	-37	57	377086	152	15	75	170
	GT3P3{1}	607556	626	52	607557	135	27	1262	1269
	Gravity{2}	10183	142	110	10184	461	157	-606	777
	Thermal 3{2}	-88321	136	-15	88321	25	57	-72	96
	Pressure 1{2}	564793	4143	208	564808	871	296	-8480	8530
	GT3{2}	-78139	277	95	78139	486	214	-678	861
	Hydrotest-NL{2}	486654	4421	304	486674	1357	510	-9158	9272
+1091-	Gravity{1}	5103	79	53	5104	220	101	-350	426
	Thermal 1{1}	650562	16317	-12	650767	-126	-41	-37964	37965
	Thermal 2{1}	-573042	187	-5	573042	56	58	-699	704
	Thermal 3{1}	-77383	76	-7	77383	22	34	-109	116
	Wind 1{1}	-446	3	-2	446	-1	2	-2	3
	Wind 2{1}	448	-3	2	448	1	-2	2	3
	Wind 3{1}	-93	0	-5	93	-57	-65	0	86
	Wind 4{1}	92	0	5	92	52	59	0	79
	Pressure 1{1}	38153	20944	30	43524	101	77	-71108	71108
	Pressure 2{1}	945025	-302	10	945025	-124	-116	1142	1155
	Pressure 3{1}	679836	472	7	679837	-107	-82	1408	1414
	GT1{1}	655665	16396	41	655870	94	60	-38315	38315
	GT2{1}	-567939	265	47	567939	276	159	-1049	1097
	GT3{1}	-72280	154	46	72280	242	135	-459	536
	GW1{1}	4657	81	51	4658	219	103	-352	428
	GW2{1}	5551	76	55	5552	221	99	-348	424
	GW3{1}	5010	79	48	5011	163	36	-350	388
	GW4{1}	5195	78	57	5196	272	160	-351	472
	GT1P1{1}	693818	37340	71	694822	195	137	-109423	109423
	GT2P2{1}	377086	-37	57	377086	152	43	93	184
	GT3P3{1}	607556	626	52	607557	135	53	949	960
	Gravity{2}	10183	142	110	10184	461	212	-677	846
	Thermal 3{2}	-88321	136	-15	88321	25	50	-140	151
	Pressure 1{2}	564793	4143	208	564808	871	400	-10551	10595
	GT3{2}	-78139	277	95	78139	486	262	-817	986
	Hydrotest-NL{2}	486654	4421	304	486674	1357	662	-11368	11468
+1091+	Gravity{1}	5178	76	59	5179	220	101	-350	426
	Thermal 1{1}	635906	18327	-13	636170	-126	-41	-37964	37965
	Thermal 2{1}	-558536	190	-8	558536	56	58	-699	704
	Thermal 3{1}	-76226	90	-9	76226	22	34	-109	116
	Wind 1{1}	-452	3	-3	452	-1	2	-2	3
	Wind 2{1}	455	-3	2	455	1	-2	2	3
	Wind 3{1}	-94	0	-4	94	-57	-65	0	86
	Wind 4{1}	93	0	4	94	52	59	0	79
	Pressure 1{1}	38152	21846	33	43964	101	77	-71108	71108
	Pressure 2{1}	923326	-306	15	923326	-124	-116	1142	1155
	Pressure 3{1}	664023	718	10	664024	-107	-82	1408	1414
	GT1{1}	641083	18403	47	641347	94	60	-38315	38315
	GT2{1}	-553358	266	51	553358	276	159	-1049	1097
	GT3{1}	-71048	166	50	71048	242	135	-459	536
	GW1{1}	4726	79	57	4727	219	103	-352	428
	GW2{1}	5633	72	62	5633	221	99	-348	424
	GW3{1}	5084	76	55	5085	163	36	-350	388
	GW4{1}	5271	75	63	5272	272	160	-351	472
	GT1P1{1}	679235	40249	79	680427	195	137	-109423	109423
	GT2P2{1}	369968	-41	66	369968	152	43	93	184
	GT3P3{1}	592976	884	60	592976	135	53	949	960
	Gravity{2}	10332	133	124	10333	461	212	-677	846
	Thermal 3{2}	-87324	165	-19	87324	25	50	-140	151
	Pressure 1{2}	550212	4592	234	550231	871	400	-10551	10595
	GT3{2}	-76992	299	105	76993	486	262	-817	986
	Hydrotest-NL{2}	473219	4890	339	473245	1357	662	-11368	11468
+1092-	Gravity{1}	5178	76	59	5179	220	131	-388	465
	Thermal 1{1}	635906	18327	-13	636170	-126	-47	-47127	47127
	Thermal 2{1}	-558536	190	-8	558536	56	54	-794	798
	Thermal 3{1}	-76226	90	-9	76226	22	29	-154	158
	Wind 1{1}	-452	3	-3	452	-1	1	-4	4
	Wind 2{1}	455	-3	2	455	1	-1	4	4
	Wind 3{1}	-94	0	-4	94	-57	-67	0	88
	Wind 4{1}	93	0	4	94	52	61	0	80
	Pressure 1{1}	38152	21846	33	43964	101	93	-82030	82031
	Pressure 2{1}	923326	-306	15	923326	-124	-108	1295	1306
	Pressure 3{1}	664023	718	10	664024	-107	-77	1049	1057
	GT1{1}	641083	18403	47	641347	94	83	-47515	47516

	GT2{1}	-553358	266	51	553358	276	185	-1182	1228
	GT3{1}	-71048	166	50	71048	242	160	-542	615
	GW1{1}	4726	79	57	4727	219	132	-392	468
	GW2{1}	5633	72	62	5633	221	130	-384	462
	GW3{1}	5084	76	55	5085	163	64	-388	426
	GW4{1}	5271	75	63	5272	272	191	-388	511
	GT1P1{1}	679235	40249	79	680427	195	176	-129546	129546
	GT2P2{1}	369968	-41	66	369968	152	76	113	205
	GT3P3{1}	592976	884	60	592976	135	83	507	531
	Gravity{2}	10332	133	124	10333	461	274	-743	917
	Thermal 3{2}	-87324	165	-19	87324	25	40	-223	228
	Pressure 1{2}	550212	4592	234	550231	871	517	-12847	12887
	GT3{2}	-76992	299	105	76993	486	314	-966	1126
	Hydrotest-NL{2}	473219	4890	339	473245	1357	831	-13814	13905
+1092+	Gravity{1}	5254	69	66	5255	220	131	-388	465
	Thermal 1{1}	621248	20248	-13	621578	-126	-47	-47127	47127
	Thermal 2{1}	-544031	187	-11	544031	56	54	-794	798
	Thermal 3{1}	-75051	105	-12	75052	22	29	-154	158
	Wind 1{1}	-459	4	-3	459	-1	1	-4	4
	Wind 2{1}	461	-4	3	461	1	-1	4	4
	Wind 3{1}	-95	1	-3	95	-57	-67	0	88
	Wind 4{1}	95	-1	3	95	52	61	0	80
	Pressure 1{1}	38151	22199	36	44139	101	93	-82030	82031
	Pressure 2{1}	901523	-300	21	901523	-124	-108	1295	1306
	Pressure 3{1}	648192	1010	14	648193	-107	-77	1049	1057
	GT1{1}	626502	20317	53	626831	94	83	-47515	47516
	GT2{1}	-538777	256	55	538777	276	185	-1182	1228
	GT3{1}	-69798	174	54	69798	242	160	-542	615
	GW1{1}	4795	73	63	4796	219	132	-392	468
	GW2{1}	5715	65	69	5716	221	130	-384	462
	GW3{1}	5158	70	63	5159	163	64	-388	426
	GW4{1}	5349	69	69	5349	272	191	-388	511
	GT1P1{1}	664653	42515	89	666011	195	176	-129546	129546
	GT2P2{1}	362746	-44	76	362746	152	76	113	205
	GT3P3{1}	578395	1185	69	578396	135	83	507	531
	Gravity{2}	10483	117	138	10485	461	274	-743	917
	Thermal 3{2}	-86313	198	-24	86313	25	40	-223	228
	Pressure 1{2}	535631	5001	261	535654	871	517	-12847	12887
	GT3{2}	-75829	315	114	75830	486	314	-966	1126
	Hydrotest-NL{2}	459801	5316	375	459832	1357	831	-13814	13905
+1093-	Gravity{1}	5254	69	66	5255	220	164	-423	504
	Thermal 1{1}	621248	20248	-13	621578	-126	-54	-57251	57252
	Thermal 2{1}	-544031	187	-11	544031	56	49	-888	891
	Thermal 3{1}	-75051	105	-12	75052	22	23	-206	209
	Wind 1{1}	-459	4	-3	459	-1	0	-6	6
	Wind 2{1}	461	-4	3	461	1	0	6	6
	Wind 3{1}	-95	1	-3	95	-57	-68	0	89
	Wind 4{1}	95	-1	3	95	52	62	0	81
	Pressure 1{1}	38151	22199	36	44139	101	111	-93130	93130
	Pressure 2{1}	901523	-300	21	901523	-124	-98	1446	1454
	Pressure 3{1}	648192	1010	14	648193	-107	-70	543	558
	GT1{1}	626502	20317	53	626831	94	110	-57674	57674
	GT2{1}	-538777	256	55	538777	276	212	-1310	1356
	GT3{1}	-69798	174	54	69798	242	187	-629	700
	GW1{1}	4795	73	63	4796	219	163	-429	508
	GW2{1}	5715	65	69	5716	221	164	-417	500
	GW3{1}	5158	70	63	5159	163	96	-423	463
	GW4{1}	5349	69	69	5349	272	226	-422	551
	GT1P1{1}	664653	42515	89	666011	195	221	-150804	150804
	GT2P2{1}	362746	-44	76	362746	152	114	135	234
	GT3P3{1}	578395	1185	69	578396	135	117	-86	198
	Gravity{2}	10483	117	138	10485	461	343	-802	987
	Thermal 3{2}	-86313	198	-24	86313	25	28	-322	324
	Pressure 1{2}	535631	5001	261	535654	871	648	-15348	15386
	GT3{2}	-75829	315	114	75830	486	371	-1124	1280
	Hydrotest-NL{2}	459801	5316	375	459832	1357	1019	-16471	16559
+1093+	Gravity{1}	5331	58	73	5332	220	164	-423	504
	Thermal 1{1}	606589	21982	-14	606987	-126	-54	-57251	57252
	Thermal 2{1}	-529527	176	-14	529527	56	49	-888	891
	Thermal 3{1}	-73860	121	-15	73860	22	23	-206	209
	Wind 1{1}	-466	5	-4	466	-1	0	-6	6
	Wind 2{1}	468	-5	3	468	1	0	6	6
	Wind 3{1}	-97	1	-1	97	-57	-68	0	89
	Wind 4{1}	96	-1	2	96	52	62	0	81
	Pressure 1{1}	38150	21824	39	43951	101	111	-93130	93130
	Pressure 2{1}	879612	-281	28	879612	-124	-98	1446	1454
	Pressure 3{1}	632342	1352	19	632344	-107	-70	543	558
	GT1{1}	611920	22039	59	612316	94	110	-57674	57674
	GT2{1}	-524196	234	59	524196	276	212	-1310	1356
	GT3{1}	-68529	179	58	68529	242	187	-629	700
	GW1{1}	4865	63	69	4866	219	163	-429	508
	GW2{1}	5799	53	76	5800	221	164	-417	500
	GW3{1}	5234	59	72	5235	163	96	-423	463
	GW4{1}	5427	57	74	5428	272	226	-422	551
	GT1P1{1}	650069	43863	98	651547	195	221	-150804	150804
	GT2P2{1}	355417	-47	86	355417	152	114	135	234
	GT3P3{1}	563813	1531	77	563815	135	117	-86	198
	Gravity{2}	10637	92	153	10639	461	343	-802	987
	Thermal 3{2}	-85286	233	-29	85287	25	28	-322	324
	Pressure 1{2}	521049	5343	289	521076	871	648	-15348	15386
	GT3{2}	-74649	325	124	74650	486	371	-1124	1280
	Hydrotest-NL{2}	446400	5668	413	446436	1357	1019	-16471	16559
+1094-	Gravity{1}	5331	58	73	5332	220	200	-452	541
	Thermal 1{1}	606589	21982	-14	606987	-126	-61	-68243	68243
	Thermal 2{1}	-529527	176	-14	529527	56	41	-976	978
	Thermal 3{1}	-73860	121	-15	73860	22	16	-267	268
	Wind 1{1}	-466	5	-4	466	-1	-2	-8	9
	Wind 2{1}	468	-5	3	468	1	2	9	9
	Wind 3{1}	-97	1	-1	97	-57	-69	-1	89
	Wind 4{1}	96	-1	2	96	52	63	1	82
	Pressure 1{1}	38150	21824	39	43951	101	131	-104042	104042
	Pressure 2{1}	879612	-281	28	879612	-124	-84	1586	1593
	Pressure 3{1}	632342	1352	19	632344	-107	-60	-132	181
	GT1{1}	611920	22039	59	612316	94	139	-68694	68694

	GT2{1}	-524196	234	59	524196	276	241	-1427	1474
	GT3{1}	-68529	179	58	68529	242	216	-718	788
	GW1{1}	4865	63	69	4866	219	198	-460	547
	GW2{1}	5799	53	76	5800	221	202	-443	535
	GW3{1}	5234	59	72	5235	163	132	-452	498
	GW4{1}	5427	57	74	5428	272	263	-451	589
	GT1P1{1}	650069	43863	98	651547	195	270	-172736	172737
	GT2P2{1}	355417	-47	86	355417	152	157	159	271
	GT3P3{1}	563813	1531	77	563815	135	156	-851	876
	Gravity{2}	10637	92	153	10639	461	419	-848	1052
	Thermal 3{2}	-85286	233	-29	85287	25	14	-438	439
	Pressure 1{2}	521049	5343	289	521076	871	792	-18019	18058
	GT3{2}	-74649	325	124	74650	486	433	-1286	1442
	Hydrotest-NL{2}	446400	5668	413	446436	1357	1225	-19305	19392
+1094+	Gravity{1}	5409	41	80	5410	220	200	-452	541
	Thermal 1{1}	591928	23407	-15	592391	-126	-61	-68243	68243
	Thermal 2{1}	-515023	156	-18	515023	56	41	-976	978
	Thermal 3{1}	-72651	137	-18	72651	22	16	-267	268
	Wind 1{1}	-472	6	-4	473	-1	-2	-8	9
	Wind 2{1}	475	-6	4	475	1	2	9	9
	Wind 3{1}	-98	1	1	98	-57	-69	-1	89
	Wind 4{1}	98	-1	0	98	52	63	1	82
	Pressure 1{1}	38148	20519	42	43317	101	131	-104042	104042
	Pressure 2{1}	857595	-246	35	857595	-124	-84	1586	1593
	Pressure 3{1}	616473	1744	24	616476	-107	-60	-132	181
	GT1{1}	597337	23449	65	597797	94	139	-68694	68694
	GT2{1}	-509614	197	62	509614	276	241	-1427	1474
	GT3{1}	-67242	178	63	67242	242	216	-718	788
	GW1{1}	4936	47	76	4937	219	198	-460	547
	GW2{1}	5884	35	84	5885	221	202	-443	535
	GW3{1}	5311	42	81	5312	163	132	-452	498
	GW4{1}	5507	40	80	5507	272	263	-451	589
	GT1P1{1}	635486	43968	108	637005	195	270	-172736	172737
	GT2P2{1}	347981	-49	97	347981	152	157	159	271
	GT3P3{1}	549232	1922	87	549235	135	156	-851	876
	Gravity{2}	10793	56	168	10794	461	419	-848	1052
	Thermal 3{2}	-84245	269	-35	84245	25	14	-438	439
	Pressure 1{2}	506467	5586	317	506498	871	792	-18019	18058
	GT3{2}	-73452	325	133	73453	486	433	-1286	1442
	Hydrotest-NL{2}	433016	5911	451	433056	1357	1225	-19305	19392
+1095-	Gravity{1}	5409	41	80	5410	220	240	-472	574
	Thermal 1{1}	591928	23407	-15	592391	-126	-69	-79947	79947
	Thermal 2{1}	-515023	156	-18	515023	56	32	-1054	1056
	Thermal 3{1}	-72651	137	-18	72651	22	7	-335	336
	Wind 1{1}	-472	6	-4	473	-1	-4	-11	12
	Wind 2{1}	475	-6	4	475	1	4	11	12
	Wind 3{1}	-98	1	1	98	-57	-68	-1	89
	Wind 4{1}	98	-1	0	98	52	63	1	82
	Pressure 1{1}	38148	20519	42	43317	101	152	-114302	114302
	Pressure 2{1}	857595	-246	35	857595	-124	-66	1709	1715
	Pressure 3{1}	616473	1744	24	616476	-107	-48	-1005	1011
	GT1{1}	597337	23449	65	597797	94	172	-80419	80419
	GT2{1}	-509614	197	62	509614	276	272	-1526	1574
	GT3{1}	-67242	178	63	67242	242	247	-808	879
	GW1{1}	4936	47	76	4937	219	236	-484	581
	GW2{1}	5884	35	84	5885	221	244	-461	567
	GW3{1}	5311	42	81	5312	163	172	-473	529
	GW4{1}	5507	40	80	5507	272	303	-471	623
	GT1P1{1}	635486	43968	108	637005	195	324	-194721	194721
	GT2P2{1}	347981	-49	97	347981	152	206	184	315
	GT3P3{1}	549232	1922	87	549235	135	199	-1812	1828
	Gravity{2}	10793	56	168	10794	461	503	-876	1111
	Thermal 3{2}	-84245	269	-35	84245	25	-4	-573	573
	Pressure 1{2}	506467	5586	317	506498	871	951	-20812	20852
	GT3{2}	-73452	325	133	73453	486	500	-1449	1608
	Hydrotest-NL{2}	433016	5911	451	433056	1357	1451	-22261	22349
+1095+	Gravity{1}	5488	18	88	5489	220	240	-472	574
	Thermal 1{1}	577267	24380	-16	577782	-126	-69	-79947	79947
	Thermal 2{1}	-500522	123	-22	500522	56	32	-1054	1056
	Thermal 3{1}	-71424	153	-21	71424	22	7	-335	336
	Wind 1{1}	-479	7	-5	479	-1	-4	-11	12
	Wind 2{1}	482	-7	5	482	1	4	11	12
	Wind 3{1}	-100	1	3	100	-57	-68	-1	89
	Wind 4{1}	99	-1	-2	99	52	63	1	82
	Pressure 1{1}	38147	18058	46	42206	101	152	-114302	114302
	Pressure 2{1}	835469	-191	43	835469	-124	-66	1709	1715
	Pressure 3{1}	600587	2188	30	600591	-107	-48	-1005	1011
	GT1{1}	582756	24398	72	583266	94	172	-80419	80419
	GT2{1}	-495033	141	65	495034	276	272	-1526	1574
	GT3{1}	-65936	171	67	65936	242	247	-808	879
	GW1{1}	5009	25	83	5010	219	236	-484	581
	GW2{1}	5970	11	92	5971	221	244	-461	567
	GW3{1}	5389	19	90	5389	163	172	-473	529
	GW4{1}	5587	17	86	5588	272	303	-471	623
	GT1P1{1}	620903	42457	118	622353	195	324	-194721	194721
	GT2P2{1}	340436	-50	108	340436	152	206	184	315
	GT3P3{1}	534651	2358	97	534656	135	199	-1812	1828
	Gravity{2}	10951	7	184	10953	461	503	-876	1111
	Thermal 3{2}	-83188	306	-41	83188	25	-4	-573	573
	Pressure 1{2}	491886	5691	347	491919	871	951	-20812	20852
	GT3{2}	-72237	313	143	72237	486	500	-1449	1608
	Hydrotest-NL{2}	419650	6004	490	419693	1357	1451	-22261	22349
+1096-	Gravity{1}	5488	18	88	5489	220	284	-481	601
	Thermal 1{1}	577267	24380	-16	577782	-126	-76	-92136	92136
	Thermal 2{1}	-500522	123	-22	500522	56	21	-1115	1117
	Thermal 3{1}	-71424	153	-21	71424	22	-3	-412	412
	Wind 1{1}	-479	7	-5	479	-1	-7	-15	16
	Wind 2{1}	482	-7	5	482	1	7	15	16
	Wind 3{1}	-100	1	3	100	-57	-67	-1	88
	Wind 4{1}	99	-1	-2	99	52	62	1	81
	Pressure 1{1}	38147	18058	46	42206	101	175	-123331	123331
	Pressure 2{1}	835469	-191	43	835469	-124	-45	1805	1810
	Pressure 3{1}	600587	2188	30	600591	-107	-33	-2098	2101
	GT1{1}	582756	24398	72	583266	94	207	-92617	92617

	GT2{1}	-495033	141	65	495034	276	305	-1597	1649
	GT3{1}	-65936	171	67	65936	242	281	-893	967
	GW1{1}	5009	25	83	5010	219	277	-496	609
	GW2{1}	5970	11	92	5971	221	291	-466	592
	GW3{1}	5389	19	90	5389	163	217	-483	554
	GW4{1}	5587	17	86	5588	272	346	-480	651
	GT1P1{1}	620903	42457	118	622353	195	382	-215948	215948
	GT2P2{1}	340436	-50	108	340436	152	260	209	367
	GT3P3{1}	534651	2358	97	534656	135	248	-2991	3004
	Gravity{2}	10951	7	184	10953	461	595	-879	1158
	Thermal 3{2}	-83188	306	-41	83188	25	-24	-726	727
	Pressure 1{2}	491886	5691	347	491919	871	1124	-23658	23700
	GT3{2}	-72237	313	143	72237	486	571	-1605	1772
	Hydrotest-NL{2}	419650	6004	490	419693	1357	1695	-25263	25356
+1096+	Gravity{1}	5569	-13	95	5570	220	284	-481	601
	Thermal 1{1}	562605	24729	-16	563148	-126	-76	-92136	92136
	Thermal 2{1}	-486022	76	-27	486022	56	21	-1115	1117
	Thermal 3{1}	-70179	167	-25	70179	22	-3	-412	412
	Wind 1{1}	-486	8	-5	487	-1	-7	-15	16
	Wind 2{1}	489	-8	5	489	1	7	15	16
	Wind 3{1}	-101	1	5	101	-57	-67	-1	88
	Wind 4{1}	100	-1	-4	101	52	62	1	81
	Pressure 1{1}	38146	14981	49	40983	101	175	-123331	123331
	Pressure 2{1}	813233	-113	52	813233	-124	-45	1805	1810
	Pressure 3{1}	584681	2681	36	584687	-107	-33	-2098	2101
	GT1{1}	568174	24716	79	568711	94	207	-92617	92617
	GT2{1}	-480453	64	68	480453	276	305	-1597	1649
	GT3{1}	-64611	155	70	64611	242	281	-893	967
	GW1{1}	5082	-5	90	5083	219	277	-496	609
	GW2{1}	6058	-20	100	6059	221	291	-466	592
	GW3{1}	5468	-11	100	5469	163	217	-483	554
	GW4{1}	5669	-14	91	5670	272	346	-480	651
	GT1P1{1}	606320	39698	127	607618	195	382	-215948	215948
	GT2P2{1}	332780	-49	120	332780	152	260	209	367
	GT3P3{1}	520070	2836	107	520078	135	248	-2991	3004
	Gravity{2}	11112	-57	199	11114	461	595	-879	1158
	Thermal 3{2}	-82116	343	-47	82116	25	-24	-726	727
	Pressure 1{2}	477305	5680	376	477339	871	1124	-23658	23700
	GT3{2}	-71004	286	152	71005	486	571	-1605	1772
	Hydrotest-NL{2}	406302	5966	528	406346	1357	1695	-25263	25356
+1097-	Gravity{1}	5569	-13	95	5570	220	331	-475	620
	Thermal 1{1}	562605	24729	-16	563148	-126	-85	-104501	104501
	Thermal 2{1}	-486022	76	-27	486022	56	7	-1153	1155
	Thermal 3{1}	-70179	167	-25	70179	22	-16	-495	496
	Wind 1{1}	-486	8	-5	487	-1	-9	-19	21
	Wind 2{1}	489	-8	5	489	1	9	19	21
	Wind 3{1}	-101	1	5	101	-57	-64	-2	86
	Wind 4{1}	100	-1	-4	101	52	60	2	79
	Pressure 1{1}	38146	14981	49	40983	101	199	-130822	130822
	Pressure 2{1}	813233	-113	52	813233	-124	-19	1862	1866
	Pressure 3{1}	584681	2681	36	584687	-107	-15	-3439	3441
	GT1{1}	568174	24716	79	568711	94	247	-104976	104976
	GT2{1}	-480453	64	68	480453	276	339	-1628	1686
	GT3{1}	-64611	155	70	64611	242	316	-970	1049
	GW1{1}	5082	-5	90	5083	219	322	-494	629
	GW2{1}	6058	-20	100	6059	221	341	-456	611
	GW3{1}	5468	-11	100	5469	163	267	-477	571
	GW4{1}	5669	-14	91	5670	272	391	-473	672
	GT1P1{1}	606320	39698	127	607618	195	446	-235797	235798
	GT2P2{1}	332780	-49	120	332780	152	320	233	424
	GT3P3{1}	520070	2836	107	520078	135	301	-4409	4421
	Gravity{2}	11112	-57	199	11114	461	695	-850	1191
	Thermal 3{2}	-82116	343	-47	82116	25	-48	-898	899
	Pressure 1{2}	477305	5680	376	477339	871	1312	-26498	26545
	GT3{2}	-71004	286	152	71005	486	647	-1748	1926
	Hydrotest-NL{2}	406302	5966	528	406346	1357	1959	-28246	28346
+1097+	Gravity{1}	5650	-52	102	5652	220	331	-475	620
	Thermal 1{1}	547941	24255	-17	548478	-126	-85	-104501	104501
	Thermal 2{1}	-471522	12	-32	471522	56	7	-1153	1155
	Thermal 3{1}	-68916	180	-29	68916	22	-16	-495	496
	Wind 1{1}	-494	9	-6	494	-1	-9	-19	21
	Wind 2{1}	496	-9	6	496	1	9	19	21
	Wind 3{1}	-103	1	8	103	-57	-64	-2	86
	Wind 4{1}	102	-1	-6	102	52	60	2	79
	Pressure 1{1}	38145	12606	52	40174	101	199	-130822	130822
	Pressure 2{1}	790884	-7	62	790884	-124	-19	1862	1866
	Pressure 3{1}	568754	3221	43	568763	-107	-15	-3439	3441
	GT1{1}	553592	24203	86	554120	94	247	-104976	104976
	GT2{1}	-465871	-39	70	465871	276	339	-1628	1686
	GT3{1}	-63266	128	74	63266	242	316	-970	1049
	GW1{1}	5157	-43	96	5158	219	322	-494	629
	GW2{1}	6147	-60	108	6148	221	341	-456	611
	GW3{1}	5548	-50	110	5549	163	267	-477	571
	GW4{1}	5752	-53	96	5753	272	391	-473	672
	GT1P1{1}	591736	36809	137	592880	195	446	-235797	235798
	GT2P2{1}	325012	-47	133	325012	152	320	233	424
	GT3P3{1}	505488	3349	117	505500	135	301	-4409	4421
	Gravity{2}	11275	-138	215	11278	461	695	-850	1191
	Thermal 3{2}	-81028	378	-54	81028	25	-48	-898	899
	Pressure 1{2}	462724	5651	405	462758	871	1312	-26498	26545
	GT3{2}	-69753	240	160	69753	486	647	-1748	1926
	Hydrotest-NL{2}	392971	5891	565	393015	1357	1959	-28246	28346
+1098-	Gravity{1}	5650	-52	102	5652	220	383	-449	630
	Thermal 1{1}	547941	24255	-17	548478	-126	-93	-116628	116628
	Thermal 2{1}	-471522	12	-32	471522	56	-9	-1160	1161
	Thermal 3{1}	-68916	180	-29	68916	22	-30	-585	586
	Wind 1{1}	-494	9	-6	494	-1	-12	-23	26
	Wind 2{1}	496	-9	6	496	1	12	23	26
	Wind 3{1}	-103	1	8	103	-57	-60	-3	83
	Wind 4{1}	102	-1	-6	102	52	57	3	77
	Pressure 1{1}	38145	12606	52	40174	101	225	-137125	137125
	Pressure 2{1}	790884	-7	62	790884	-124	13	1865	1869
	Pressure 3{1}	568754	3221	43	568763	-107	7	-5050	5051
	GT1{1}	553592	24203	86	554120	94	290	-117077	117078

	GT2{1}	-465871	-39	70	465871	276	374	-1609	1675
	GT3{1}	-63266	128	74	63266	242	353	-1034	1119
	GW1{1}	5157	-43	96	5158	219	370	-472	639
	GW2{1}	6147	-60	108	6148	221	395	-426	622
	GW3{1}	5548	-50	110	5549	163	323	-452	579
	GW4{1}	5752	-53	96	5753	272	439	-446	683
	GT1P1{1}	591736	36809	137	592880	195	515	-254202	254203
	GT2P2{1}	325012	-47	133	325012	152	387	256	488
	GT3P3{1}	505488	3349	117	505500	135	359	-6084	6096
	Gravity{2}	11275	-138	215	11278	461	802	-781	1211
	Thermal 3{2}	-81028	378	-54	81028	25	-75	-1087	1089
	Pressure 1{2}	462724	5651	405	462758	871	1515	-29323	29375
	GT3{2}	-69753	240	160	69753	486	727	-1868	2063
	Hydrotest-NL{2}	392971	5891	565	393015	1357	2242	-31191	31301
+1098+	Gravity{1}	5733	-101	110	5735	220	383	-449	630
	Thermal 1{1}	533276	22731	-17	533760	-126	-93	-116628	116628
	Thermal 2{1}	-457023	-71	-38	457023	56	-9	-1160	1161
	Thermal 3{1}	-67635	189	-33	67635	22	-30	-585	586
	Wind 1{1}	-501	9	-7	501	-1	-12	-23	26
	Wind 2{1}	503	-9	7	504	1	12	23	26
	Wind 3{1}	-104	2	11	105	-57	-60	-3	83
	Wind 4{1}	103	-2	-9	104	52	57	3	77
	Pressure 1{1}	38144	11008	54	39700	101	225	-137125	137125
	Pressure 2{1}	768420	131	73	768420	-124	13	1865	1869
	Pressure 3{1}	552808	3801	51	552821	-107	7	-5050	5051
	GT1{1}	539009	22630	93	539484	94	290	-117077	117078
	GT2{1}	-451290	-172	72	451290	276	374	-1609	1675
	GT3{1}	-61901	88	77	61901	242	353	-1034	1119
	GW1{1}	5232	-91	103	5234	219	370	-472	639
	GW2{1}	6237	-110	116	6239	221	395	-426	622
	GW3{1}	5629	-99	121	5631	163	323	-452	579
	GW4{1}	5837	-102	100	5838	272	439	-446	683
	GT1P1{1}	577153	33638	147	578132	195	515	-254202	254203
	GT2P2{1}	317130	-41	145	317130	152	387	256	488
	GT3P3{1}	490907	3890	127	490922	135	359	-6084	6096
	Gravity{2}	11440	-238	230	11445	461	802	-781	1211
	Thermal 3{2}	-79924	409	-62	79925	25	-75	-1087	1089
	Pressure 1{2}	448142	5595	434	448177	871	1515	-29323	29375
	GT3{2}	-68484	171	168	68484	486	727	-1868	2063
	Hydrotest-NL{2}	379658	5766	601	379703	1357	2242	-31191	31301
+1099-	Gravity{1}	5733	-101	110	5735	220	437	-399	631
	Thermal 1{1}	533276	22731	-17	533760	-126	-102	-127994	127994
	Thermal 2{1}	-457023	-71	-38	457023	56	-27	-1124	1126
	Thermal 3{1}	-67635	189	-33	67635	22	-46	-680	681
	Wind 1{1}	-501	9	-7	501	-1	-16	-28	32
	Wind 2{1}	503	-9	7	504	1	16	28	32
	Wind 3{1}	-104	2	11	105	-57	-54	-3	79
	Wind 4{1}	103	-2	-9	104	52	52	3	74
	Pressure 1{1}	38144	11008	54	39700	101	252	-142629	142629
	Pressure 2{1}	768420	131	73	768420	-124	49	1800	1805
	Pressure 3{1}	552808	3801	51	552821	-107	32	-6951	6951
	GT1{1}	539009	22630	93	539484	94	336	-128393	128393
	GT2{1}	-451290	-172	72	451290	276	410	-1523	1601
	GT3{1}	-61901	88	77	61901	242	391	-1078	1172
	GW1{1}	5232	-91	103	5234	219	422	-426	638
	GW2{1}	6237	-110	116	6239	221	453	-371	626
	GW3{1}	5629	-99	121	5631	163	383	-402	579
	GW4{1}	5837	-102	100	5838	272	490	-395	686
	GT1P1{1}	577153	33638	147	578132	195	588	-271022	271022
	GT2P2{1}	317130	-41	145	317130	152	459	277	557
	GT3P3{1}	490907	3890	127	490922	135	423	-8029	8041
	Gravity{2}	11440	-238	230	11445	461	917	-663	1222
	Thermal 3{2}	-79924	409	-62	79925	25	-106	-1291	1296
	Pressure 1{2}	448142	5595	434	448177	871	1732	-32121	32179
	GT3{2}	-68484	171	168	68484	486	811	-1954	2170
	Hydrotest-NL{2}	379658	5766	601	379703	1357	2543	-34075	34196
+1099+	Gravity{1}	5817	-161	116	5821	220	437	-399	631
	Thermal 1{1}	518610	20270	-17	519006	-126	-102	-127994	127994
	Thermal 2{1}	-442526	-176	-44	442526	56	-27	-1124	1126
	Thermal 3{1}	-66334	195	-37	66335	22	-46	-680	681
	Wind 1{1}	-508	10	-8	508	-1	-16	-28	32
	Wind 2{1}	511	-10	7	511	1	16	28	32
	Wind 3{1}	-106	2	15	107	-57	-54	-3	79
	Wind 4{1}	105	-2	-12	106	52	52	3	74
	Pressure 1{1}	38143	10021	57	39437	101	252	-142629	142629
	Pressure 2{1}	745842	304	85	745842	-124	49	1800	1805
	Pressure 3{1}	536843	4412	59	536861	-107	32	-6951	6951
	GT1{1}	524428	20109	99	524813	94	336	-128393	128393
	GT2{1}	-436709	-337	73	436709	276	410	-1523	1601
	GT3{1}	-60517	34	79	60517	242	391	-1078	1172
	GW1{1}	5309	-151	109	5312	219	422	-426	638
	GW2{1}	6328	-171	124	6332	221	453	-371	626
	GW3{1}	5712	-159	131	5715	163	383	-402	579
	GW4{1}	5922	-163	104	5925	272	490	-395	686
	GT1P1{1}	562570	30130	156	563376	195	588	-271022	271022
	GT2P2{1}	309133	-33	158	309133	152	459	277	557
	GT3P3{1}	476326	4445	138	476347	135	423	-8029	8041
	Gravity{2}	11608	-358	244	11616	461	917	-663	1222
	Thermal 3{2}	-78803	434	-70	78805	25	-106	-1291	1296
	Pressure 1{2}	433561	5505	461	433596	871	1732	-32121	32179
	GT3{2}	-67196	76	174	67196	486	811	-1954	2170
	Hydrotest-NL{2}	366365	5581	635	366408	1357	2543	-34075	34196
+1100-	Gravity{1}	5817	-161	116	5821	220	496	-318	629
	Thermal 1{1}	518610	20270	-17	519006	-126	-110	-138128	138128
	Thermal 2{1}	-442526	-176	-44	442526	56	-49	-1036	1039
	Thermal 3{1}	-66334	195	-37	66335	22	-65	-777	780
	Wind 1{1}	-508	10	-8	508	-1	-19	-33	38
	Wind 2{1}	511	-10	7	511	1	19	33	38
	Wind 3{1}	-106	2	15	107	-57	-47	-4	74
	Wind 4{1}	105	-2	-12	106	52	46	4	70
	Pressure 1{1}	38143	10021	57	39437	101	281	-147639	147639
	Pressure 2{1}	745842	304	85	745842	-124	91	1648	1655
	Pressure 3{1}	536843	4412	59	536861	-107	61	-9156	9157
	GT1{1}	524428	20109	99	524813	94	386	-138446	138447

	GT2{1}	-436709	-337	73	436709	276	446	-1354	1453
	GT3{1}	-60517	34	79	60517	242	431	-1095	1201
	GW1{1}	5309	-151	109	5312	219	476	-351	631
	GW2{1}	6328	-171	124	6332	221	515	-285	629
	GW3{1}	5712	-159	131	5715	163	449	-323	576
	GW4{1}	5922	-163	104	5925	272	541	-314	683
	GT1P1{1}	562570	30130	156	563376	195	666	-286085	286086
	GT2P2{1}	309133	-33	158	309133	152	538	293	631
	GT3P3{1}	476326	4445	138	476347	135	492	-10251	10264
	Gravity{2}	11608	-358	244	11616	461	1039	-484	1235
	Thermal 3{2}	-78803	434	-70	78805	25	-141	-1508	1515
	Pressure 1{2}	433561	5505	461	433596	871	1962	-34873	34939
	GT3{2}	-67196	76	174	67196	486	898	-1991	2238
	Hydrotest-NL{2}	366365	5581	635	366408	1357	2860	-36865	37000
+1100+	Gravity{1}	5903	-233	123	5908	220	496	-318	629
	Thermal 1{1}	503943	17601	-17	504251	-126	-110	-138128	138128
	Thermal 2{1}	-428031	-306	-50	428031	56	-49	-1036	1039
	Thermal 3{1}	-65015	194	-42	65015	22	-65	-777	780
	Wind 1{1}	-516	11	-8	516	-1	-19	-33	38
	Wind 2{1}	518	-11	8	518	1	19	33	38
	Wind 3{1}	-107	2	19	109	-57	-47	-4	74
	Wind 4{1}	106	-2	-16	108	52	46	4	70
	Pressure 1{1}	38141	8864	59	39158	101	281	-147639	147639
	Pressure 2{1}	723147	518	97	723148	-124	91	1648	1655
	Pressure 3{1}	520858	5038	68	520882	-107	61	-9156	9157
	GT1{1}	509846	17368	106	510142	94	386	-138446	138447
	GT2{1}	-422128	-539	73	422129	276	446	-1354	1453
	GT3{1}	-59112	-38	81	59112	242	431	-1095	1201
	GW1{1}	5387	-222	115	5393	219	476	-351	631
	GW2{1}	6421	-243	131	6427	221	515	-285	629
	GW3{1}	5796	-231	142	5802	163	449	-323	576
	GW4{1}	6009	-235	107	6015	272	541	-314	683
	GT1P1{1}	547987	26232	165	548615	195	666	-286085	286086
	GT2P2{1}	301019	-20	170	301019	152	538	293	631
	GT3P3{1}	461745	5000	148	461772	135	492	-10251	10264
	Gravity{2}	11778	-501	258	11791	461	1039	-484	1235
	Thermal 3{2}	-77667	450	-78	77668	25	-141	-1508	1515
	Pressure 1{2}	418980	5376	486	419015	871	1962	-34873	34939
	GT3{2}	-65889	-51	179	65889	486	898	-1991	2238
	Hydrotest-NL{2}	353091	5325	665	353132	1357	2860	-36865	37000
+1101-	Gravity{1}	5903	-233	123	5908	220	557	-202	632
	Thermal 1{1}	503943	17601	-17	504251	-126	-119	-146929	146929
	Thermal 2{1}	-428031	-306	-50	428031	56	-74	-883	888
	Thermal 3{1}	-65015	194	-42	65015	22	-86	-874	879
	Wind 1{1}	-516	11	-8	516	-1	-24	-38	45
	Wind 2{1}	518	-11	8	518	1	23	38	45
	Wind 3{1}	-107	2	19	109	-57	-38	-5	69
	Wind 4{1}	106	-2	-16	108	52	38	5	65
	Pressure 1{1}	38141	8864	59	39158	101	310	-152071	152072
	Pressure 2{1}	723147	518	97	723148	-124	140	1389	1401
	Pressure 3{1}	520858	5038	68	520882	-107	95	-11675	11676
	GT1{1}	509846	17368	106	510142	94	438	-147131	147131
	GT2{1}	-422128	-539	73	422129	276	483	-1085	1219
	GT3{1}	-59112	-38	81	59112	242	471	-1076	1199
	GW1{1}	5387	-222	115	5393	219	533	-240	625
	GW2{1}	6421	-243	131	6427	221	581	-164	643
	GW3{1}	5796	-231	142	5802	163	520	-207	583
	GW4{1}	6009	-235	107	6015	272	595	-197	683
	GT1P1{1}	547987	26232	165	548615	195	749	-299202	299203
	GT2P2{1}	301019	-20	170	301019	152	623	304	710
	GT3P3{1}	461745	5000	148	461772	135	566	-12751	12764
	Gravity{2}	11778	-501	258	11791	461	1168	-233	1277
	Thermal 3{2}	-77667	450	-78	77668	25	-180	-1733	1742
	Pressure 1{2}	418980	5376	486	419015	871	2205	-37561	37636
	GT3{2}	-65889	-51	179	65889	486	988	-1966	2253
	Hydrotest-NL{2}	353091	5325	665	353132	1357	3193	-39527	39679
+1101+	Gravity{1}	5989	-317	129	5999	220	557	-202	632
	Thermal 1{1}	489274	14766	-17	489497	-126	-119	-146929	146929
	Thermal 2{1}	-413536	-463	-57	413536	56	-74	-883	888
	Thermal 3{1}	-63676	187	-47	63677	22	-86	-874	879
	Wind 1{1}	-523	11	-9	523	-1	-24	-38	45
	Wind 2{1}	526	-11	9	526	1	23	38	45
	Wind 3{1}	-109	2	23	111	-57	-38	-5	69
	Wind 4{1}	108	-2	-20	110	52	38	5	65
	Pressure 1{1}	38140	7436	60	38858	101	310	-152071	152072
	Pressure 2{1}	700332	777	111	700333	-124	140	1389	1401
	Pressure 3{1}	504851	5662	77	504882	-107	95	-11675	11676
	GT1{1}	495264	14449	112	495474	94	438	-147131	147131
	GT2{1}	-407547	-780	72	407548	276	483	-1085	1219
	GT3{1}	-57687	-130	81	57687	242	471	-1076	1199
	GW1{1}	5466	-306	120	5476	219	533	-240	625
	GW2{1}	6515	-328	138	6525	221	581	-164	643
	GW3{1}	5880	-315	152	5891	163	520	-207	583
	GW4{1}	6097	-319	109	6107	272	595	-197	683
	GT1P1{1}	533404	21885	172	533853	195	749	-299202	299203
	GT2P2{1}	292785	-4	183	292785	152	623	304	710
	GT3P3{1}	447164	5532	158	447198	135	566	-12751	12764
	Gravity{2}	11951	-667	270	11972	461	1168	-233	1277
	Thermal 3{2}	-76514	454	-87	76515	25	-180	-1733	1742
	Pressure 1{2}	404398	5200	509	404432	871	2205	-37561	37636
	GT3{2}	-64563	-214	182	64564	486	988	-1966	2253
	Hydrotest-NL{2}	339835	4987	692	339873	1357	3193	-39527	39679
+1102-	Gravity{1}	5989	-317	129	5999	220	621	-44	661
	Thermal 1{1}	489274	14766	-17	489497	-126	-127	-154312	154312
	Thermal 2{1}	-413536	-463	-57	413536	56	-103	-651	662
	Thermal 3{1}	-63676	187	-47	63677	22	-110	-967	974
	Wind 1{1}	-523	11	-9	523	-1	-28	-44	52
	Wind 2{1}	526	-11	9	526	1	28	44	52
	Wind 3{1}	-109	2	23	111	-57	-26	-6	63
	Wind 4{1}	108	-2	-20	110	52	28	6	59
	Pressure 1{1}	38140	7436	60	38858	101	340	-155789	155790
	Pressure 2{1}	700332	777	111	700333	-124	195	1000	1027
	Pressure 3{1}	504851	5662	77	504882	-107	134	-14506	14507
	GT1{1}	495264	14449	112	495474	94	494	-154355	154356

	GT2{1}	-407547	-780	72	407548	276	519	-695	910
	GT3{1}	-57687	-130	81	57687	242	512	-1011	1159
	GW1{1}	5466	-306	120	5476	219	593	-87	638
	GW2{1}	6515	-328	138	6525	221	649	0	686
	GW3{1}	5880	-315	152	5891	163	596	-50	619
	GW4{1}	6097	-319	109	6107	272	649	-37	705
	GT1P1{1}	533404	21885	172	533853	195	835	-310145	310146
	GT2P2{1}	292785	-4	183	292785	152	714	305	792
	GT3P3{1}	447164	5532	158	447198	135	646	-15517	15531
	Gravity{2}	11951	-667	270	11972	461	1302	100	1385
	Thermal 3{2}	-76514	454	-87	76515	25	-224	-1960	1973
	Pressure 1{2}	404398	5200	509	404432	871	2460	-40162	40246
	GT3{2}	-64563	-214	182	64564	486	1079	-1859	2204
	Hydrotest-NL{2}	339835	4987	692	339873	1357	3539	-42021	42191
+1102+	Gravity{1}	6077	-414	134	6093	220	621	-44	661
	Thermal 1{1}	474605	11736	-16	474750	-126	-127	-154312	154312
	Thermal 2{1}	-399043	-650	-64	399044	56	-103	-651	662
	Thermal 3{1}	-62318	170	-52	62318	22	-110	-967	974
	Wind 1{1}	-531	11	-10	531	-1	-28	-44	52
	Wind 2{1}	534	-11	10	534	1	28	44	52
	Wind 3{1}	-110	2	28	114	-57	-26	-6	63
	Wind 4{1}	110	-2	-24	112	52	28	6	59
	Pressure 1{1}	38139	5706	61	38563	101	340	-155789	155790
	Pressure 2{1}	677397	1083	125	677398	-124	195	1000	1027
	Pressure 3{1}	488824	6259	87	488864	-107	134	-14506	14507
	GT1{1}	480682	11322	118	480815	94	494	-154355	154356
	GT2{1}	-392966	-1064	70	392968	276	519	-695	910
	GT3{1}	-56241	-245	81	56241	242	512	-1011	1159
	GW1{1}	5546	-403	124	5562	219	593	-87	638
	GW2{1}	6611	-426	143	6626	221	649	0	686
	GW3{1}	5967	-412	162	5983	163	596	-50	619
	GW4{1}	6187	-417	109	6202	272	649	-37	705
	GT1P1{1}	518821	17027	179	519100	195	835	-310145	310146
	GT2P2{1}	284431	18	194	284431	152	714	305	792
	GT3P3{1}	432583	6014	168	432625	135	646	-15517	15531
	Gravity{2}	12126	-858	280	12159	461	1302	100	1385
	Thermal 3{2}	-75344	442	-96	75345	25	-224	-1960	1973
	Pressure 1{2}	389817	4970	529	389849	871	2460	-40162	40246
	GT3{2}	-63218	-416	184	63219	486	1079	-1859	2204
	Hydrotest-NL{2}	326600	4553	712	326632	1357	3539	-42021	42191
+1103-	Gravity{1}	6077	-414	134	6093	220	688	164	741
	Thermal 1{1}	474605	11736	-16	474750	-126	-135	-160179	160180
	Thermal 2{1}	-399043	-650	-64	399044	56	-135	-326	357
	Thermal 3{1}	-62318	170	-52	62318	22	-136	-1052	1061
	Wind 1{1}	-531	11	-10	531	-1	-33	-49	59
	Wind 2{1}	534	-11	10	534	1	33	49	59
	Wind 3{1}	-110	2	28	114	-57	-12	-8	59
	Wind 4{1}	110	-2	-24	112	52	16	8	55
	Pressure 1{1}	38139	5706	61	38563	101	371	-158642	158642
	Pressure 2{1}	677397	1083	125	677398	-124	258	459	541
	Pressure 3{1}	488824	6259	87	488864	-107	177	-17635	17637
	GT1{1}	480682	11322	118	480815	94	553	-160016	160017
	GT2{1}	-392966	-1064	70	392968	276	554	-163	640
	GT3{1}	-56241	-245	81	56241	242	552	-889	1074
	GW1{1}	5546	-403	124	5562	219	655	114	700
	GW2{1}	6611	-426	143	6626	221	721	213	784
	GW3{1}	5967	-412	162	5983	163	677	156	713
	GW4{1}	6187	-417	109	6202	272	704	171	774
	GT1P1{1}	518821	17027	179	519100	195	924	-318658	318659
	GT2P2{1}	284431	18	194	284431	152	811	296	877
	GT3P3{1}	432583	6014	168	432625	135	730	-18524	18539
	Gravity{2}	12126	-858	280	12159	461	1442	530	1604
	Thermal 3{2}	-75344	442	-96	75345	25	-272	-2181	2198
	Pressure 1{2}	389817	4970	529	389849	871	2724	-42646	42742
	GT3{2}	-63218	-416	184	63219	486	1170	-1651	2081
	Hydrotest-NL{2}	326600	4553	712	326632	1357	3895	-44297	44489
+1103+	Gravity{1}	6166	-525	137	6190	220	688	164	741
	Thermal 1{1}	459934	8480	-15	460012	-126	-135	-160179	160180
	Thermal 2{1}	-384551	-868	-71	384552	56	-135	-326	357
	Thermal 3{1}	-60940	141	-58	60940	22	-136	-1052	1061
	Wind 1{1}	-539	11	-11	539	-1	-33	-49	59
	Wind 2{1}	541	-11	11	542	1	33	49	59
	Wind 3{1}	-112	2	34	117	-57	-12	-8	59
	Wind 4{1}	111	-2	-29	115	52	16	8	55
	Pressure 1{1}	38138	3641	61	38311	101	371	-158642	158642
	Pressure 2{1}	654340	1439	140	654342	-124	258	459	541
	Pressure 3{1}	472776	6800	97	472824	-107	177	-17635	17637
	GT1{1}	466100	7955	123	466168	94	553	-160016	160017
	GT2{1}	-378385	-1393	66	378388	276	554	-163	640
	GT3{1}	-54774	-384	80	54775	242	552	-889	1074
	GW1{1}	5627	-515	127	5652	219	655	114	700
	GW2{1}	6707	-536	148	6730	221	721	213	784
	GW3{1}	6054	-523	171	6079	163	677	156	713
	GW4{1}	6277	-528	108	6300	272	704	171	774
	GT1P1{1}	504238	11596	184	504371	195	924	-318658	318659
	GT2P2{1}	275955	46	206	275955	152	811	296	877
	GT3P3{1}	418002	6416	177	418051	135	730	-18524	18539
	Gravity{2}	12304	-1074	288	12354	461	1442	530	1604
	Thermal 3{2}	-74156	410	-106	74158	25	-272	-2181	2198
	Pressure 1{2}	375236	4677	544	375266	871	2724	-42646	42742
	GT3{2}	-61853	-664	182	61856	486	1170	-1651	2081
	Hydrotest-NL{2}	313384	4013	727	313410	1357	3895	-44297	44489
+1104-	Gravity{1}	6166	-525	137	6190	220	757	426	896
	Thermal 1{1}	459934	8480	-15	460012	-126	-142	-164420	164420
	Thermal 2{1}	-384551	-868	-71	384552	56	-170	107	209
	Thermal 3{1}	-60940	141	-58	60940	22	-165	-1123	1135
	Wind 1{1}	-539	11	-11	539	-1	-38	-55	67
	Wind 2{1}	541	-11	11	542	1	38	55	67
	Wind 3{1}	-112	2	34	117	-57	5	-9	58
	Wind 4{1}	111	-2	-29	115	52	1	9	53
	Pressure 1{1}	38138	3641	61	38311	101	401	-160462	160463
	Pressure 2{1}	654340	1439	140	654342	-124	328	-260	436
	Pressure 3{1}	472776	6800	97	472824	-107	226	-21035	21037
	GT1{1}	466100	7955	123	466168	94	615	-163993	163994

	GT2{1}	-378385	-1393	66	378388	276	587	534	840
	GT3{1}	-54774	-384	80	54775	242	592	-697	946
	GW1{1}	5627	-515	127	5652	219	718	372	838
	GW2{1}	6707	-536	148	6730	221	795	481	955
	GW3{1}	6054	-523	171	6079	163	762	418	884
	GW4{1}	6277	-528	108	6300	272	758	435	915
	GT1P1{1}	504238	11596	184	504371	195	1016	-324456	324457
	GT2P2{1}	275955	46	206	275955	152	914	273	966
	GT3P3{1}	418002	6416	177	418051	135	818	-21732	21748
	Gravity{2}	12304	-1074	288	12354	461	1586	1067	1967
	Thermal 3{2}	-74156	410	-106	74158	25	-325	-2386	2408
	Pressure 1{2}	375236	4677	544	375266	871	2996	-44985	45093
	GT3{2}	-61853	-664	182	61856	486	1262	-1319	1889
	Hydrotest-NL{2}	313384	4013	727	313410	1357	4258	-46304	46519
+1104+	Gravity{1}	6256	-650	140	6292	220	757	426	896
	Thermal 1{1}	445261	4964	-13	445289	-126	-142	-164420	164420
	Thermal 2{1}	-370060	-1118	-79	370062	56	-170	107	209
	Thermal 3{1}	-59541	99	-63	59541	22	-165	-1123	1135
	Wind 1{1}	-547	10	-12	547	-1	-38	-55	67
	Wind 2{1}	549	-10	11	550	1	38	55	67
	Wind 3{1}	-114	2	40	120	-57	5	-9	58
	Wind 4{1}	113	-2	-35	118	52	1	9	53
	Pressure 1{1}	38137	1210	61	38156	101	401	-160462	160463
	Pressure 2{1}	631157	1848	155	631160	-124	328	-260	436
	Pressure 3{1}	456705	7246	108	456763	-107	226	-21035	21037
	GT1{1}	451518	4314	127	451539	94	615	-163993	163994
	GT2{1}	-363804	-1768	61	363808	276	587	534	840
	GT3{1}	-53285	-551	77	53288	242	592	-697	946
	GW1{1}	5710	-640	129	5747	219	718	372	838
	GW2{1}	6806	-660	152	6839	221	795	481	955
	GW3{1}	6143	-647	180	6180	163	762	418	884
	GW4{1}	6369	-652	105	6404	272	758	435	915
	GT1P1{1}	489654	5524	187	489686	195	1016	-324456	324457
	GT2P2{1}	267354	80	216	267354	152	914	273	966
	GT3P3{1}	403420	6696	185	403476	135	818	-21732	21748
	Gravity{2}	12484	-1314	294	12556	461	1586	1067	1967
	Thermal 3{2}	-72952	353	-115	72953	25	-325	-2386	2408
	Pressure 1{2}	360655	4312	554	360681	871	2996	-44985	45093
	GT3{2}	-60468	-960	178	60475	486	1262	-1319	1889
	Hydrotest-NL{2}	300187	3352	733	300207	1357	4258	-46304	46519
+1105-	Gravity{1}	6256	-650	140	6292	220	827	751	1139
	Thermal 1{1}	445261	4964	-13	445289	-126	-149	-166902	166902
	Thermal 2{1}	-370060	-1118	-79	370062	56	-210	667	701
	Thermal 3{1}	-59541	99	-63	59541	22	-196	-1173	1189
	Wind 1{1}	-547	10	-12	547	-1	-44	-59	74
	Wind 2{1}	549	-10	11	550	1	44	60	74
	Wind 3{1}	-114	2	40	120	-57	25	-10	63
	Wind 4{1}	113	-2	-35	118	52	-16	10	56
	Pressure 1{1}	38137	1210	61	38156	101	432	-161067	161068
	Pressure 2{1}	631157	1848	155	631160	-124	405	-1184	1258
	Pressure 3{1}	456705	7246	108	456763	-107	280	-24659	24661
	GT1{1}	451518	4314	127	451539	94	678	-166150	166152
	GT2{1}	-363804	-1768	61	363808	276	617	1418	1571
	GT3{1}	-53285	-551	77	53288	242	631	-421	796
	GW1{1}	5710	-640	129	5747	219	783	692	1067
	GW2{1}	6806	-660	152	6839	221	871	811	1211
	GW3{1}	6143	-647	180	6180	163	852	741	1141
	GW4{1}	6369	-652	105	6404	272	811	761	1145
	GT1P1{1}	489654	5524	187	489686	195	1110	-327217	327219
	GT2P2{1}	267354	80	216	267354	152	1022	233	1060
	GT3P3{1}	403420	6696	185	403476	135	910	-25080	25097
	Gravity{2}	12484	-1314	294	12556	461	1733	1723	2487
	Thermal 3{2}	-72952	353	-115	72953	25	-382	-2562	2591
	Pressure 1{2}	360655	4312	554	360681	871	3273	-47141	47262
	GT3{2}	-60468	-960	178	60475	486	1351	-839	1663
	Hydrotest-NL{2}	300187	3352	733	300207	1357	4624	-47980	48221
+1105+	Gravity{1}	6348	-787	141	6398	220	827	751	1139
	Thermal 1{1}	430587	1153	-11	430589	-126	-149	-166902	166902
	Thermal 2{1}	-355571	-1401	-87	355573	56	-210	667	701
	Thermal 3{1}	-58122	41	-69	58122	22	-196	-1173	1189
	Wind 1{1}	-555	8	-12	555	-1	-44	-59	74
	Wind 2{1}	557	-8	12	558	1	44	60	74
	Wind 3{1}	-115	2	46	124	-57	25	-10	63
	Wind 4{1}	115	-2	-40	121	52	-16	10	56
	Pressure 1{1}	38135	-1621	59	38170	101	432	-161067	161068
	Pressure 2{1}	607849	2309	171	607853	-124	405	-1184	1258
	Pressure 3{1}	440613	7554	119	440678	-107	280	-24659	24661
	GT1{1}	436936	367	130	436936	94	678	-166150	166152
	GT2{1}	-349222	-2188	54	349229	276	617	1418	1571
	GT3{1}	-51774	-746	72	51779	242	631	-421	796
	GW1{1}	5794	-779	129	5847	219	783	692	1067
	GW2{1}	6906	-795	153	6953	221	871	811	1211
	GW3{1}	6233	-784	187	6285	163	852	741	1141
	GW4{1}	6463	-789	101	6512	272	811	761	1145
	GT1P1{1}	475071	-1255	189	475073	195	1110	-327217	327219
	GT2P2{1}	258626	121	225	258626	152	1022	233	1060
	GT3P3{1}	388839	6808	191	388898	135	910	-25080	25097
	Gravity{2}	12667	-1575	296	12768	461	1733	1723	2487
	Thermal 3{2}	-71729	266	-125	71730	25	-382	-2562	2591
	Pressure 1{2}	346073	3868	558	346095	871	3273	-47141	47262
	GT3{2}	-59062	-1309	171	59077	486	1351	-839	1663
	Hydrotest-NL{2}	287011	2559	729	287023	1357	4624	-47980	48221
+1106-	Gravity{1}	6348	-787	141	6398	220	897	1145	1471
	Thermal 1{1}	430587	1153	-11	430589	-126	-155	-167478	167478
	Thermal 2{1}	-355571	-1401	-87	355573	56	-254	1367	1391
	Thermal 3{1}	-58122	41	-69	58122	22	-231	-1193	1215
	Wind 1{1}	-555	8	-12	555	-1	-50	-64	81
	Wind 2{1}	557	-8	12	558	1	50	64	81
	Wind 3{1}	-115	2	46	124	-57	48	-11	76
	Wind 4{1}	115	-2	-40	121	52	-37	11	65
	Pressure 1{1}	38135	-1621	59	38170	101	461	-160257	160257
	Pressure 2{1}	607849	2309	171	607853	-124	491	-2339	2393
	Pressure 3{1}	440613	7554	119	440678	-107	340	-28436	28438
	GT1{1}	436936	367	130	436936	94	743	-166334	166335

	GT2{1}	-349222	-2188	54	349229	276	644	2512	2608
	GT3{1}	-51774	-746	72	51779	242	667	-48	711
	GW1{1}	5794	-779	129	5847	219	847	1081	1391
	GW2{1}	6906	-795	153	6953	221	948	1209	1552
	GW3{1}	6233	-784	187	6285	163	946	1134	1485
	GW4{1}	6463	-789	101	6512	272	861	1156	1467
	GT1P1{1}	475071	-1255	189	475073	195	1204	-326590	326592
	GT2P2{1}	258626	121	225	258626	152	1135	173	1158
	GT3P3{1}	388839	6808	191	388898	135	1006	-28484	28502
	Gravity{2}	12667	-1575	296	12768	461	1881	2511	3171
	Thermal 3{2}	-71729	266	-125	71730	25	-445	-2695	2732
	Pressure 1{2}	346073	3868	558	346095	871	3553	-49075	49211
	GT3{2}	-59062	-1309	171	59077	486	1436	-184	1527
	Hydrotest-NL{2}	287011	2559	729	287023	1357	4989	-49259	49529
+1106+	Gravity{1}	6441	-935	140	6510	220	997	1145	1471
	Thermal 1{1}	415913	-2987	-9	415923	-126	-155	-167478	167478
	Thermal 2{1}	-341083	-1715	-96	341087	56	-254	1367	1391
	Thermal 3{1}	-56682	-36	-75	56682	22	-231	-1193	1215
	Wind 1{1}	-563	6	-13	563	-1	-50	-64	81
	Wind 2{1}	566	-6	13	566	1	50	64	81
	Wind 3{1}	-117	2	53	128	-57	48	-11	76
	Wind 4{1}	116	-2	-46	125	52	-37	11	65
	Pressure 1{1}	38134	-4885	56	38446	101	461	-160257	160257
	Pressure 2{1}	584413	2820	187	584420	-124	491	-2339	2393
	Pressure 3{1}	424499	7671	131	424568	-107	340	-28436	28438
	GT1{1}	422354	-3922	131	422372	94	743	-166334	166335
	GT2{1}	-334642	-2650	44	334652	276	644	2512	2608
	GT3{1}	-50241	-972	65	50250	242	667	-48	711
	GW1{1}	5879	-929	127	5953	219	847	1081	1391
	GW2{1}	7007	-941	153	7071	221	948	1209	1552
	GW3{1}	6324	-933	193	6396	163	946	1134	1485
	GW4{1}	6558	-938	94	6625	272	861	1156	1467
	GT1P1{1}	460488	-8807	187	460572	195	1204	-326590	326592
	GT2P2{1}	249772	170	232	249772	152	1135	173	1158
	GT3P3{1}	374258	6699	196	374318	135	1006	-28484	28502
	Gravity{2}	12853	-1856	294	12989	461	1881	2511	3171
	Thermal 3{2}	-70489	143	-134	70489	25	-445	-2695	2732
	Pressure 1{2}	331492	3333	555	331509	871	3553	-49075	49211
	GT3{2}	-57636	-1712	160	57662	486	1436	-184	1527
	Hydrotest-NL{2}	273856	1621	714	273862	1357	4989	-49259	49529
+1107-	Gravity{1}	6441	-935	140	6510	220	968	1612	1893
	Thermal 1{1}	415913	-2987	-9	415923	-126	-159	-165985	165985
	Thermal 2{1}	-341083	-1715	-96	341087	56	-301	2224	2245
	Thermal 3{1}	-56682	-36	-75	56682	22	-268	-1175	1205
	Wind 1{1}	-563	6	-13	563	-1	-57	-67	88
	Wind 2{1}	566	-6	13	566	1	57	67	88
	Wind 3{1}	-117	2	53	128	-57	75	-12	95
	Wind 4{1}	116	-2	-46	125	52	-60	12	80
	Pressure 1{1}	38134	-4885	56	38446	101	489	-157814	157815
	Pressure 2{1}	584413	2820	187	584420	-124	584	-3749	3796
	Pressure 3{1}	424499	7671	131	424568	-107	405	-32271	32274
	GT1{1}	422354	-3922	131	422372	94	809	-164373	164375
	GT2{1}	-334642	-2650	44	334652	276	666	3837	3904
	GT3{1}	-50241	-972	65	50250	242	699	437	860
	GW1{1}	5879	-929	127	5953	219	911	1546	1807
	GW2{1}	7007	-941	153	7071	221	1024	1679	1979
	GW3{1}	6324	-933	193	6396	163	1042	1600	1916
	GW4{1}	6558	-938	94	6625	272	908	1625	1881
	GT1P1{1}	460488	-8807	187	460572	195	1298	-322187	322190
	GT2P2{1}	249772	170	232	249772	152	1251	88	1263
	GT3P3{1}	374258	6699	196	374318	135	1104	-31834	31853
	Gravity{2}	12853	-1856	294	12989	461	2028	3439	4019
	Thermal 3{2}	-70489	143	-134	70489	25	-512	-2767	2814
	Pressure 1{2}	331492	3333	555	331509	871	3830	-50741	50893
	GT3{2}	-57636	-1712	160	57662	486	1516	672	1728
	Hydrotest-NL{2}	273856	1621	714	273862	1357	5346	-50069	50372
+1107+	Gravity{1}	6536	-1093	137	6628	220	968	1612	1893
	Thermal 1{1}	401236	-7493	-6	401306	-126	-159	-165985	165985
	Thermal 2{1}	-326597	-2059	-104	326603	56	-301	2224	2245
	Thermal 3{1}	-55221	-135	-80	55222	22	-268	-1175	1205
	Wind 1{1}	-571	3	-14	571	-1	-57	-67	88
	Wind 2{1}	574	-3	14	574	1	57	67	88
	Wind 3{1}	-119	2	60	133	-57	75	-12	95
	Wind 4{1}	118	-2	-53	129	52	-60	12	80
	Pressure 1{1}	38133	-8614	52	39094	101	489	-157814	157815
	Pressure 2{1}	560848	3379	204	560858	-124	584	-3749	3796
	Pressure 3{1}	408363	7535	143	408432	-107	405	-32271	32274
	GT1{1}	407772	-8586	131	407863	94	809	-164373	164375
	GT2{1}	-320061	-3151	33	320076	276	666	3837	3904
	GT3{1}	-48686	-1228	57	48701	242	699	437	860
	GW1{1}	5965	-1090	123	6065	219	911	1546	1807
	GW2{1}	7110	-1095	151	7195	221	1024	1679	1979
	GW3{1}	6417	-1090	197	6512	163	1042	1600	1916
	GW4{1}	6654	-1095	84	6744	272	908	1625	1881
	GT1P1{1}	445905	-17200	183	446237	195	1298	-322187	322190
	GT2P2{1}	240787	227	237	240787	152	1251	88	1263
	GT3P3{1}	359677	6307	199	359733	135	1104	-31834	31853
	Gravity{2}	13041	-2150	287	13220	461	2028	3439	4019
	Thermal 3{2}	-69230	-21	-143	69231	25	-512	-2767	2814
	Pressure 1{2}	316911	2698	543	316923	871	3830	-50741	50893
	GT3{2}	-56189	-2171	144	56231	486	1516	672	1728
	Hydrotest-NL{2}	260722	527	687	260723	1357	5346	-50069	50372
+1108-	Gravity{1}	6536	-1093	137	6628	220	1036	2159	2405
	Thermal 1{1}	401236	-7493	-6	401306	-126	-162	-162238	162238
	Thermal 2{1}	-326597	-2059	-104	326603	56	-353	3254	3273
	Thermal 3{1}	-55221	-135	-80	55222	22	-308	-1107	1150
	Wind 1{1}	-571	3	-14	571	-1	-64	-68	93
	Wind 2{1}	574	-3	14	574	1	63	68	93
	Wind 3{1}	-119	2	60	133	-57	105	-14	120
	Wind 4{1}	118	-2	-53	129	52	-86	13	102
	Pressure 1{1}	38133	-8614	52	39094	101	515	-153507	153508
	Pressure 2{1}	560848	3379	204	560858	-124	686	-5438	5483
	Pressure 3{1}	408363	7535	143	408432	-107	476	-36039	36042
	GT1{1}	407772	-8586	131	407863	94	874	-160080	160082

	GT2{1}	-320061	-3151	33	320076	276	683	5412	5462
	GT3{1}	-48686	-1228	57	48701	242	728	1051	1301
	GW1{1}	5965	-1090	123	6065	219	972	2091	2316
	GW2{1}	7110	-1095	151	7195	221	1099	2227	2493
	GW3{1}	6417	-1090	197	6512	163	1141	2145	2435
	GW4{1}	6654	-1095	84	6744	272	950	2172	2386
	GT1P1{1}	445905	-17200	183	446237	195	1389	-313587	313590
	GT2P2{1}	240787	227	237	240787	152	1369	-26	1378
	GT3P3{1}	359677	6307	199	359733	135	1204	-34987	35008
	Gravity{2}	13041	-2150	287	13220	461	2172	4514	5030
	Thermal 3{2}	-69230	-21	-143	69231	25	-583	-2756	2817
	Pressure 1{2}	316911	2698	543	316923	871	4101	-52090	52259
	GT3{2}	-56189	-2171	144	56231	486	1588	1758	2418
	Hydrotest-NL{2}	260722	527	687	260723	1357	5689	-50332	50671
+1108+	Gravity{1}	6632	-1256	131	6751	220	1036	2159	2405
	Thermal 1{1}	386558	-12404	-2	386757	-126	-162	-162238	162238
	Thermal 2{1}	-312111	-2427	-112	312120	56	-353	3254	3273
	Thermal 3{1}	-53739	-258	-86	53740	22	-308	-1107	1150
	Wind 1{1}	-579	-2	-14	579	-1	-64	-68	93
	Wind 2{1}	582	2	14	582	1	63	68	93
	Wind 3{1}	-120	2	68	138	-57	105	-14	120
	Wind 4{1}	120	-2	-60	134	52	-86	13	102
	Pressure 1{1}	38132	-12842	46	40236	101	515	-153507	153508
	Pressure 2{1}	537149	3976	221	537164	-124	686	-5438	5483
	Pressure 3{1}	392203	7076	154	392267	-107	476	-36039	36042
	GT1{1}	393190	-13660	129	393427	94	874	-160080	160082
	GT2{1}	-305479	-3683	19	305502	276	683	5412	5462
	GT3{1}	-47108	-1514	46	47132	242	728	1051	1301
	GW1{1}	6052	-1258	117	6183	219	972	2091	2316
	GW2{1}	7214	-1254	146	7324	221	1099	2227	2493
	GW3{1}	6511	-1254	199	6634	163	1141	2145	2435
	GW4{1}	6751	-1258	71	6868	272	950	2172	2386
	GT1P1{1}	431322	-26501	175	432135	195	1389	-313587	313590
	GT2P2{1}	231670	293	240	231670	152	1369	-26	1378
	GT3P3{1}	345096	5561	200	345140	135	1204	-34987	35008
	Gravity{2}	13232	-2452	275	13460	461	2172	4514	5030
	Thermal 3{2}	-67953	-234	-152	67954	25	-583	-2756	2817
	Pressure 1{2}	302329	1953	520	302336	871	4101	-52090	52259
	GT3{2}	-54721	-2686	124	54787	486	1588	1758	2418
	Hydrotest-NL{2}	247608	-733	644	247610	1357	5689	-50332	50671
+1109-	Gravity{1}	6632	-1256	131	6751	220	1102	2787	3005
	Thermal 1{1}	386558	-12404	-2	386757	-126	-163	-156036	156036
	Thermal 2{1}	-312111	-2427	-112	312120	56	-410	4467	4486
	Thermal 3{1}	-53739	-258	-86	53740	22	-351	-978	1040
	Wind 1{1}	-579	-2	-14	579	-1	-71	-67	98
	Wind 2{1}	582	2	14	582	1	70	67	98
	Wind 3{1}	-120	2	68	138	-57	139	-14	151
	Wind 4{1}	120	-2	-60	134	52	-116	14	128
	Pressure 1{1}	38132	-12842	46	40236	101	538	-147086	147087
	Pressure 2{1}	537149	3976	221	537164	-124	797	-7426	7470
	Pressure 3{1}	392203	7076	154	392267	-107	553	-39576	39580
	GT1{1}	393190	-13660	129	393427	94	939	-153250	153252
	GT2{1}	-305479	-3683	19	305502	276	692	7254	7292
	GT3{1}	-47108	-1514	46	47132	242	751	1808	1973
	GW1{1}	6052	-1258	117	6183	219	1031	2720	2917
	GW2{1}	7214	-1254	146	7324	221	1172	2854	3093
	GW3{1}	6511	-1254	199	6634	163	1241	2772	3042
	GW4{1}	6751	-1258	71	6868	272	986	2801	2982
	GT1P1{1}	431322	-26501	175	432135	195	1477	-300336	300340
	GT2P2{1}	231670	293	240	231670	152	1489	-172	1507
	GT3P3{1}	345096	5561	200	345140	135	1304	-37768	37791
	Gravity{2}	13232	-2452	275	13460	461	2309	5740	6204
	Thermal 3{2}	-67953	-234	-152	67954	25	-659	-2639	2720
	Pressure 1{2}	302329	1953	520	302336	871	4362	-53066	53253
	GT3{2}	-54721	-2686	124	54787	486	1650	3101	3546
	Hydrotest-NL{2}	247608	-733	644	247610	1357	6011	-49966	50344
+1109+	Gravity{1}	6729	-1421	123	6878	220	1102	2787	3005
	Thermal 1{1}	371879	-17756	2	372302	-126	-163	-156036	156036
	Thermal 2{1}	-297627	-2815	-121	297640	56	-410	4467	4486
	Thermal 3{1}	-52235	-409	-91	52237	22	-351	-978	1040
	Wind 1{1}	-588	-7	-15	588	-1	-71	-67	98
	Wind 2{1}	591	7	15	591	1	70	67	98
	Wind 3{1}	-122	1	76	144	-57	139	-14	151
	Wind 4{1}	121	-1	-67	139	52	-116	14	128
	Pressure 1{1}	38131	-17599	39	41996	101	538	-147086	147087
	Pressure 2{1}	513317	4603	237	513338	-124	797	-7426	7470
	Pressure 3{1}	376020	6215	166	376072	-107	553	-39576	39580
	GT1{1}	378607	-19177	125	379093	94	939	-153250	153252
	GT2{1}	-290898	-4235	2	290929	276	692	7254	7292
	GT3{1}	-45506	-1829	32	45543	242	751	1808	1973
	GW1{1}	6141	-1428	108	6306	219	1031	2720	2917
	GW2{1}	7320	-1414	138	7456	221	1172	2854	3093
	GW3{1}	6607	-1420	199	6760	163	1241	2772	3042
	GW4{1}	6850	-1422	56	6996	272	986	2801	2982
	GT1P1{1}	416738	-36776	164	418357	195	1477	-300336	300340
	GT2P2{1}	222420	367	239	222420	152	1489	-172	1507
	GT3P3{1}	330514	4385	198	330543	135	1304	-37768	37791
	Gravity{2}	13427	-2751	258	13708	461	2309	5740	6204
	Thermal 3{2}	-66658	-502	-160	66660	25	-659	-2639	2720
	Pressure 1{2}	287747	1086	486	287750	871	4362	-53066	53253
	GT3{2}	-53231	-3253	98	53331	486	1650	3101	3546
	Hydrotest-NL{2}	234516	-2166	584	234527	1357	6011	-49966	50344
+1110-	Gravity{1}	6729	-1421	123	6878	220	1163	3497	3692
	Thermal 1{1}	371879	-17756	2	372302	-126	-162	-147158	147158
	Thermal 2{1}	-297627	-2815	-121	297640	56	-470	5875	5894
	Thermal 3{1}	-52235	-409	-91	52237	22	-397	-774	870
	Wind 1{1}	-588	-7	-15	588	-1	-78	-64	101
	Wind 2{1}	591	7	15	591	1	78	64	101
	Wind 3{1}	-122	1	76	144	-57	177	-15	187
	Wind 4{1}	121	-1	-67	139	52	-150	15	159
	Pressure 1{1}	38131	-17599	39	41996	101	558	-138286	138288
	Pressure 2{1}	513317	4603	237	513338	-124	915	-9728	9771
	Pressure 3{1}	376020	6215	166	376072	-107	636	-42684	42689
	GT1{1}	378607	-19177	125	379093	94	1001	-143661	143664

	GT2{1}	-290898	-4235	2	290929	276	693	9372	9401
	GT3{1}	-45506	-1829	32	45543	242	767	2723	2839
	GW1{1}	6141	-1428	108	6306	219	1085	3433	3607
	GW2{1}	7320	-1414	138	7456	221	1241	3561	3778
	GW3{1}	6607	-1420	199	6760	163	1340	3482	3735
	GW4{1}	6850	-1422	56	6996	272	1013	3512	3665
	GT1P1{1}	416738	-36776	164	418357	195	1559	-281947	281952
	GT2P2{1}	222420	367	239	222420	152	1608	-356	1654
	GT3P3{1}	330514	4385	198	330543	135	1403	-39961	39986
	Gravity{2}	13427	-2751	258	13708	461	2438	7115	7535
	Thermal 3{2}	-66658	-502	-160	66660	25	-739	-2388	2500
	Pressure 1{2}	287747	1086	486	287750	871	4605	-53610	53814
	GT3{2}	-53231	-3253	98	53331	486	1699	4727	5046
	Hydrotest-NL{2}	234516	-2166	584	234527	1357	6303	-48883	49306
+1110+	Gravity{1}	6827	-1581	111	7009	220	1163	3497	3692
	Thermal 1{1}	357198	-23587	7	357976	-126	-162	-147158	147158
	Thermal 2{1}	-283145	-3212	-129	283163	56	-470	5875	5894
	Thermal 3{1}	-50709	-588	-95	50712	22	-397	-774	870
	Wind 1{1}	-596	-14	-15	597	-1	-78	-64	101
	Wind 2{1}	599	14	15	600	1	78	64	101
	Wind 3{1}	-124	0	85	150	-57	177	-15	187
	Wind 4{1}	123	0	-75	144	52	-150	15	159
	Pressure 1{1}	38129	-22917	29	44487	101	558	-138286	138288
	Pressure 2{1}	489351	5243	253	489379	-124	915	-9728	9771
	Pressure 3{1}	359815	4865	177	359848	-107	636	-42684	42689
	GT1{1}	364026	-25169	118	364895	94	1001	-143661	143664
	GT2{1}	-276317	-4793	-18	276359	276	693	9372	9401
	GT3{1}	-43881	-2169	16	43935	242	767	2723	2839
	GW1{1}	6231	-1595	96	6433	219	1085	3433	3607
	GW2{1}	7427	-1567	126	7592	221	1241	3561	3778
	GW3{1}	6704	-1581	196	6890	163	1340	3482	3735
	GW4{1}	6951	-1582	36	7128	272	1013	3512	3665
	GT1P1{1}	402155	-48086	148	405020	195	1559	-281947	281952
	GT2P2{1}	213034	450	235	213035	152	1608	-356	1654
	GT3P3{1}	315933	2695	192	315945	135	1403	-39961	39986
	Gravity{2}	13623	-3036	233	13959	461	2438	7115	7535
	Thermal 3{2}	-65343	-830	-167	65349	25	-739	-2388	2500
	Pressure 1{2}	273166	88	439	273167	871	4605	-53610	53814
	GT3{2}	-51720	-3866	66	51864	486	1699	4727	5046
	Hydrotest-NL{2}	221447	-3778	505	221479	1357	6303	-48883	49306
+1111-	Gravity{1}	6827	-1581	111	7009	220	1219	4288	4463
	Thermal 1{1}	357198	-23587	7	357976	-126	-158	-135365	135365
	Thermal 2{1}	-283145	-3212	-129	283163	56	-534	7481	7500
	Thermal 3{1}	-50709	-588	-95	50712	22	-444	-480	654
	Wind 1{1}	-596	-14	-15	597	-1	-86	-57	103
	Wind 2{1}	599	14	15	600	1	85	57	103
	Wind 3{1}	-124	0	85	150	-57	219	-15	227
	Wind 4{1}	123	0	-75	144	52	-187	15	195
	Pressure 1{1}	38129	-22917	29	44487	101	572	-126829	126830
	Pressure 2{1}	489351	5243	253	489379	-124	1041	-12349	12394
	Pressure 3{1}	359815	4865	177	359848	-107	725	-45116	45122
	GT1{1}	364026	-25169	118	364895	94	1061	-131077	131082
	GT2{1}	-276317	-4793	-18	276359	276	685	11768	11791
	GT3{1}	-43881	-2169	16	43935	242	774	3808	3893
	GW1{1}	6231	-1595	96	6433	219	1133	4231	4386
	GW2{1}	7427	-1567	126	7592	221	1304	4345	4542
	GW3{1}	6704	-1581	196	6890	163	1438	4272	4511
	GW4{1}	6951	-1582	36	7128	272	1031	4303	4433
	GT1P1{1}	402155	-48086	148	405020	195	1633	-257906	257911
	GT2P2{1}	213034	450	235	213035	152	1726	-581	1827
	GT3P3{1}	315933	2695	192	315945	135	1499	-41308	41336
	Gravity{2}	13623	-3036	233	13959	461	2554	8633	9015
	Thermal 3{2}	-65343	-830	-167	65349	25	-823	-1973	2138
	Pressure 1{2}	273166	88	439	273167	871	4824	-53653	53877
	GT3{2}	-51720	-3866	66	51864	486	1731	6660	6898
	Hydrotest-NL{2}	221447	-3778	505	221479	1357	6556	-46994	47468
+1111+	Gravity{1}	6928	-1731	95	7141	220	1219	4288	4463
	Thermal 1{1}	342516	-29935	13	343822	-126	-158	-135365	135365
	Thermal 2{1}	-268664	-3607	-136	268688	56	-534	7481	7500
	Thermal 3{1}	-49160	-799	-100	49167	22	-444	-480	654
	Wind 1{1}	-605	-22	-15	606	-1	-86	-57	103
	Wind 2{1}	608	22	15	609	1	85	57	103
	Wind 3{1}	-126	-1	93	157	-57	219	-15	227
	Wind 4{1}	125	1	-83	150	52	-187	15	195
	Pressure 1{1}	38128	-28825	18	47798	101	572	-126829	126830
	Pressure 2{1}	465247	5878	268	465284	-124	1041	-12349	12394
	Pressure 3{1}	343585	2931	187	343598	-107	725	-45116	45122
	GT1{1}	349444	-31666	109	350876	94	1061	-131077	131082
	GT2{1}	-261736	-5337	-41	261791	276	685	11768	11791
	GT3{1}	-42233	-2530	-4	42309	242	774	3808	3893
	GW1{1}	6322	-1753	80	6561	219	1133	4231	4386
	GW2{1}	7536	-1708	111	7728	221	1304	4345	4542
	GW3{1}	6802	-1731	189	7021	163	1438	4272	4511
	GW4{1}	7053	-1730	12	7262	272	1031	4303	4433
	GT1P1{1}	387572	-60491	127	392264	195	1633	-257906	257911
	GT2P2{1}	203511	540	227	203512	152	1726	-581	1827
	GT3P3{1}	301352	402	183	301353	135	1499	-41308	41336
	Gravity{2}	13823	-3292	200	14211	461	2554	8633	9015
	Thermal 3{2}	-64009	-1225	-173	64021	25	-823	-1973	2138
	Pressure 1{2}	258585	-1054	377	258588	871	4824	-53653	53877
	GT3{2}	-50186	-4517	27	50389	486	1731	6660	6898
	Hydrotest-NL{2}	208399	-5571	404	208474	1357	6556	-46994	47468
+1112-	Gravity{1}	6928	-1731	95	7141	220	1266	5153	5311
	Thermal 1{1}	342516	-29935	13	343822	-126	-151	-120397	120397
	Thermal 2{1}	-268664	-3607	-136	268688	56	-602	9284	9304
	Thermal 3{1}	-49160	-799	-100	49167	22	-494	-80	501
	Wind 1{1}	-605	-22	-15	606	-1	-94	-45	104
	Wind 2{1}	608	22	15	609	1	93	46	104
	Wind 3{1}	-126	-1	93	157	-57	266	-15	272
	Wind 4{1}	125	1	-83	150	52	-229	15	235
	Pressure 1{1}	38128	-28825	18	47798	101	581	-112416	112417
	Pressure 2{1}	465247	5878	268	465284	-124	1175	-15288	15333
	Pressure 3{1}	343585	2931	187	343598	-107	818	-46582	46589
	GT1{1}	349444	-31666	109	350876	94	1115	-115244	115249

	GT2{1}	-261736	-5337	-41	261791	276	664	14437	14455
	GT3{1}	-42233	-2530	-4	42309	242	772	5073	5137
	GW1{1}	6322	-1753	80	6561	219	1173	5108	5245
	GW2{1}	7536	-1708	111	7728	221	1359	5199	5378
	GW3{1}	6802	-1731	189	7021	163	1532	5138	5364
	GW4{1}	7053	-1730	12	7262	272	1037	5168	5278
	GT1P1{1}	387572	-60491	127	392264	195	1696	-227660	227666
	GT2P2{1}	203511	540	227	203512	152	1840	-851	2032
	GT3P3{1}	301352	402	183	301353	135	1591	-41509	41540
	Gravity{2}	13823	-3292	200	14211	461	2654	10279	10627
	Thermal 3{2}	-64009	-1225	-173	64021	25	-909	-1361	1637
	Pressure 1{2}	258585	-1054	377	258588	871	5013	-53127	53370
	GT3{2}	-50186	-4517	27	50389	486	1745	8918	9100
	Hydrotest-NL{2}	208399	-5571	404	208474	1357	6758	-44208	44742
+1112+	Gravity{1}	7029	-1859	76	7271	220	1266	5153	5311
	Thermal 1{1}	327832	-36836	20	329895	-126	-151	-120397	120397
	Thermal 2{1}	-254184	-3984	-143	254215	56	-602	9284	9304
	Thermal 3{1}	-47589	-1043	-103	47601	22	-494	-80	501
	Wind 1{1}	-614	-32	-15	615	-1	-94	-45	104
	Wind 2{1}	617	33	15	618	1	93	46	104
	Wind 3{1}	-128	-2	102	164	-57	266	-15	272
	Wind 4{1}	127	2	-91	156	52	-229	15	235
	Pressure 1{1}	38127	-35349	4	51993	101	581	-112416	112417
	Pressure 2{1}	441002	6481	281	441050	-124	1175	-15288	15333
	Pressure 3{1}	327331	617	197	327331	-107	818	-46582	46589
	GT1{1}	334862	-38696	96	337090	94	1115	-115244	115249
	GT2{1}	-247155	-5843	-67	247224	276	664	14437	14455
	GT3{1}	-40560	-2902	-28	40664	242	772	5073	5137
	GW1{1}	6415	-1892	60	6688	219	1173	5108	5245
	GW2{1}	7646	-1827	91	7862	221	1359	5199	5378
	GW3{1}	6902	-1861	178	7150	163	1532	5138	5364
	GW4{1}	7156	-1857	-16	7393	272	1037	5168	5278
	GT1P1{1}	372988	-74045	100	380267	195	1696	-227660	227666
	GT2P2{1}	193847	637	214	193849	152	1840	-851	2032
	GT3P3{1}	286771	-2285	170	286780	135	1591	-41509	41540
	Gravity{2}	14026	-3502	158	14457	461	2654	10279	10627
	Thermal 3{2}	-62656	-1691	-178	62679	25	-909	-1361	1637
	Pressure 1{2}	244004	-2349	299	244015	871	5013	-53127	53370
	GT3{2}	-48630	-5193	-19	48906	486	1745	8918	9100
	Hydrotest-NL{2}	195374	-7542	280	195519	1357	6758	-44208	44742
+1113-	Gravity{1}	7029	-1859	76	7271	220	1304	6083	6225
	Thermal 1{1}	327832	-36836	20	329895	-126	-141	-101978	101979
	Thermal 2{1}	-254184	-3984	-143	254215	56	-674	11276	11296
	Thermal 3{1}	-47589	-1043	-103	47601	22	-546	441	702
	Wind 1{1}	-614	-32	-15	615	-1	-102	-29	106
	Wind 2{1}	617	33	15	618	1	101	29	105
	Wind 3{1}	-128	-2	102	164	-57	317	-14	323
	Wind 4{1}	127	2	-91	156	52	-275	14	280
	Pressure 1{1}	38127	-35349	4	51993	101	583	-94741	94742
	Pressure 2{1}	441002	6481	281	441050	-124	1316	-18528	18575
	Pressure 3{1}	327331	617	197	327331	-107	917	-46890	46899
	GT1{1}	334862	-38696	96	337090	94	1163	-95896	95903
	GT2{1}	-247155	-5843	-67	247224	276	631	17359	17372
	GT3{1}	-40560	-2902	-28	40664	242	758	6524	6572
	GW1{1}	6415	-1892	60	6688	219	1203	6053	6176
	GW2{1}	7646	-1827	91	7862	221	1405	6112	6275
	GW3{1}	6902	-1861	178	7150	163	1621	6069	6284
	GW4{1}	7156	-1857	-16	7393	272	1030	6097	6189
	GT1P1{1}	372988	-74045	100	380267	195	1746	-190636	190644
	GT2P2{1}	193847	637	214	193849	152	1947	-1169	2276
	GT3P3{1}	286771	-2285	170	286780	135	1675	-40367	40402
	Gravity{2}	14026	-3502	158	14457	461	2733	12030	12345
	Thermal 3{2}	-62656	-1691	-178	62679	25	-998	-515	1124
	Pressure 1{2}	244004	-2349	299	244015	871	5163	-51952	52215
	GT3{2}	-48630	-5193	-19	48906	486	1735	11515	11655
	Hydrotest-NL{2}	195374	-7542	280	195519	1357	6898	-40437	41044
+1113+	Gravity{1}	7132	-1957	51	7396	220	1304	6083	6225
	Thermal 1{1}	313147	-44326	28	316269	-126	-141	-101978	101979
	Thermal 2{1}	-239706	-4324	-149	239745	56	-674	11276	11296
	Thermal 3{1}	-45995	-1320	-106	46014	22	-546	441	702
	Wind 1{1}	-623	-44	-15	625	-1	-102	-29	106
	Wind 2{1}	626	44	15	628	1	101	29	105
	Wind 3{1}	-129	-3	112	171	-57	317	-14	323
	Wind 4{1}	129	3	-100	163	52	-275	14	280
	Pressure 1{1}	38126	-42514	-12	57105	101	583	-94741	94742
	Pressure 2{1}	416616	7020	293	416675	-124	1316	-18528	18575
	Pressure 3{1}	311052	-1684	206	311056	-107	917	-46890	46899
	GT1{1}	320279	-46283	79	323606	94	1163	-95896	95903
	GT2{1}	-232573	-6281	-98	232658	276	631	17359	17372
	GT3{1}	-38863	-3277	-55	39001	242	758	6524	6572
	GW1{1}	6509	-2001	36	6810	219	1203	6053	6176
	GW2{1}	7758	-1912	66	7991	221	1405	6112	6275
	GW3{1}	7003	-1960	163	7274	163	1621	6069	6284
	GW4{1}	7261	-1953	-49	7519	272	1030	6097	6189
	GT1P1{1}	358405	-88797	67	369241	195	1746	-190636	190644
	GT2P2{1}	184042	739	196	184044	152	1947	-1169	2276
	GT3P3{1}	272189	-4961	151	272234	135	1675	-40367	40402
	Gravity{2}	14231	-3642	107	14690	461	2733	12030	12345
	Thermal 3{2}	-61282	-2233	-180	61323	25	-998	-515	1124
	Pressure 1{2}	229422	-3810	202	229454	871	5163	-51952	52215
	GT3{2}	-47051	-5875	-73	47416	486	1735	11515	11655
	Hydrotest-NL{2}	182371	-9685	129	182628	1357	6898	-40437	41044
+1114-	Gravity{1}	7132	-1957	51	7396	220	1330	7061	7188
	Thermal 1{1}	313147	-44326	28	316269	-126	-127	-79814	79815
	Thermal 2{1}	-239706	-4324	-149	239745	56	-748	13438	13459
	Thermal 3{1}	-45995	-1320	-106	46014	22	-599	1101	1253
	Wind 1{1}	-623	-44	-15	625	-1	-109	-7	109
	Wind 2{1}	626	44	15	628	1	108	7	109
	Wind 3{1}	-129	-3	112	171	-57	373	-12	378
	Wind 4{1}	129	3	-100	163	52	-324	12	329
	Pressure 1{1}	38126	-42514	-12	57105	101	577	-73483	73485
	Pressure 2{1}	416616	7020	293	416675	-124	1463	-22038	22087
	Pressure 3{1}	311052	-1684	206	311056	-107	1020	-46048	46060
	GT1{1}	320279	-46283	79	323606	94	1202	-72753	72763

	GT2{1}	-232573	-6281	-98	232658	276	582	20499	20510
	GT3{1}	-38863	-3277	-55	39001	242	731	8162	8198
	GW1{1}	6509	-2001	36	6810	219	1221	7054	7162
	GW2{1}	7758	-1912	66	7991	221	1438	7068	7216
	GW3{1}	7003	-1960	163	7274	163	1703	7049	7253
	GW4{1}	7261	-1953	-49	7519	272	1005	7073	7149
	GT1P1{1}	358405	-88797	67	369241	195	1779	-146236	146247
	GT2P2{1}	184042	739	196	184044	152	2044	-1539	2563
	GT3P3{1}	272189	-4961	151	272234	135	1751	-37886	37927
	Gravity{2}	14231	-3642	107	14690	461	2787	13851	14136
	Thermal 3{2}	-61282	-2233	-180	61323	25	-1088	601	1244
	Pressure 1{2}	229422	-3810	202	229454	871	5264	-50047	50330
	GT3{2}	-47051	-5875	-73	47416	486	1699	14452	14560
	Hydrotest-NL{2}	182371	-9685	129	182628	1357	6962	-35595	36294
+1114+	Gravity{1}	7237	-2010	21	7511	220	1330	7061	7188
	Thermal 1{1}	298461	-52439	37	303032	-126	-127	-79814	79815
	Thermal 2{1}	-225229	-4604	-154	225276	56	-748	13438	13459
	Thermal 3{1}	-44377	-1630	-107	44407	22	-599	1101	1253
	Wind 1{1}	-632	-58	-15	635	-1	-109	-7	109
	Wind 2{1}	635	58	15	638	1	108	7	109
	Wind 3{1}	-131	-5	121	178	-57	373	-12	378
	Wind 4{1}	131	5	-108	170	52	-324	12	329
	Pressure 1{1}	38124	-50339	-31	63146	101	577	-73483	73485
	Pressure 2{1}	392087	7457	303	392158	-124	1463	-22038	22087
	Pressure 3{1}	294749	-4080	213	294777	-107	1020	-46048	46060
	GT1{1}	305697	-54448	58	310508	94	1202	-72753	72763
	GT2{1}	-217993	-6614	-132	218093	276	582	20499	20510
	GT3{1}	-37141	-3640	-86	37319	242	731	8162	8198
	GW1{1}	6605	-2067	7	6921	219	1221	7054	7162
	GW2{1}	7872	-1951	36	8111	221	1438	7068	7216
	GW3{1}	7105	-2015	142	7387	163	1703	7049	7253
	GW4{1}	7367	-2004	-87	7636	272	1005	7073	7149
	GT1P1{1}	343822	-104787	27	359435	195	1779	-146236	146247
	GT2P2{1}	174094	844	171	174096	152	2044	-1539	2563
	GT3P3{1}	257608	-7720	127	257724	135	1751	-37886	37927
	Gravity{2}	14440	-3687	45	14903	461	2787	13851	14136
	Thermal 3{2}	-59889	-2852	-181	59957	25	-1088	601	1244
	Pressure 1{2}	214841	-5447	85	214910	871	5264	-50047	50330
	GT3{2}	-45449	-6539	-136	45917	486	1699	14452	14560
	Hydrotest-NL{2}	169392	-11986	-51	169816	1357	6962	-35595	36294
+1115-	Gravity{1}	7237	-2010	21	7511	220	1340	8066	8179
	Thermal 1{1}	298461	-52439	37	303032	-126	-109	-53597	53597
	Thermal 2{1}	-225229	-4604	-154	225276	56	-825	15740	15762
	Thermal 3{1}	-44377	-1630	-107	44407	22	-652	1916	2024
	Wind 1{1}	-632	-58	-15	635	-1	-117	22	119
	Wind 2{1}	635	58	15	638	1	116	-22	118
	Wind 3{1}	-131	-5	121	178	-57	433	-10	437
	Wind 4{1}	131	5	-108	170	52	-379	9	382
	Pressure 1{1}	38124	-50339	-31	63146	101	562	-48315	48319
	Pressure 2{1}	392087	7457	303	392158	-124	1614	-25767	25817
	Pressure 3{1}	294749	-4080	213	294777	-107	1126	-44008	44023
	GT1{1}	305697	-54448	58	310508	94	1231	-45531	45548
	GT2{1}	-217993	-6614	-132	218093	276	516	23806	23813
	GT3{1}	-37141	-3640	-86	37319	242	688	9982	10008
	GW1{1}	6605	-2067	7	6921	219	1224	8087	8182
	GW2{1}	7872	-1951	36	8111	221	1456	8044	8178
	GW3{1}	7105	-2015	142	7387	163	1774	8056	8251
	GW4{1}	7367	-2004	-87	7636	272	962	8075	8137
	GT1P1{1}	343822	-104787	27	359435	195	1793	-93847	93864
	GT2P2{1}	174094	844	171	174096	152	2130	-1961	2899
	GT3P3{1}	257608	-7720	127	257724	135	1815	-34027	34075
	Gravity{2}	14440	-3687	45	14903	461	2809	15695	15951
	Thermal 3{2}	-59889	-2852	-181	59957	25	-1179	2027	2345
	Pressure 1{2}	214841	-5447	85	214910	871	5306	-47323	47628
	GT3{2}	-45449	-6539	-136	45917	486	1631	17722	17803
	Hydrotest-NL{2}	169392	-11986	-51	169816	1357	6937	-29602	30434
+1115+	Gravity{1}	7343	-2003	-14	7611	220	1340	8066	8179
	Thermal 1{1}	283773	-61205	46	290298	-126	-109	-53597	53597
	Thermal 2{1}	-210755	-4794	-157	210809	56	-825	15740	15762
	Thermal 3{1}	-42736	-1972	-107	42782	22	-652	1916	2024
	Wind 1{1}	-641	-74	-14	646	-1	-117	22	119
	Wind 2{1}	645	74	14	649	1	116	-22	118
	Wind 3{1}	-133	-8	130	186	-57	433	-10	437
	Wind 4{1}	132	8	-116	177	52	-379	9	382
	Pressure 1{1}	38123	-58840	-53	70111	101	562	-48315	48319
	Pressure 2{1}	367412	7745	311	367493	-124	1614	-25767	25817
	Pressure 3{1}	278421	-6595	218	278499	-107	1126	-44008	44023
	GT1{1}	291116	-63208	32	297898	94	1231	-45531	45548
	GT2{1}	-203412	-6797	-171	203525	276	516	23806	23813
	GT3{1}	-35393	-3975	-121	35616	242	688	9982	10008
	GW1{1}	6701	-2076	-28	7016	219	1224	8087	8182
	GW2{1}	7988	-1929	0	8217	221	1456	8044	8178
	GW3{1}	7210	-2011	116	7486	163	1774	8056	8251
	GW4{1}	7475	-1995	-130	7738	272	962	8075	8137
	GT1P1{1}	329239	-122048	-21	351132	195	1793	-93847	93864
	GT2P2{1}	164000	948	140	164003	152	2130	-1961	2899
	GT3P3{1}	243027	-10570	97	243257	135	1815	-34027	34075
	Gravity{2}	14652	-3608	-29	15090	461	2809	15695	15951
	Thermal 3{2}	-58475	-3549	-179	58583	25	-1179	2027	2345
	Pressure 1{2}	200260	-7270	-55	200392	871	5306	-47323	47628
	GT3{2}	-43823	-7157	-208	44404	486	1631	17722	17803
	Hydrotest-NL{2}	156437	-14427	-263	157101	1357	6937	-29602	30434
A01 -	Gravity{1}	7343	-2003	-14	7611	220	1334	9067	9167
	Thermal 1{1}	283773	-61205	46	290298	-126	-86	-22994	22994
	Thermal 2{1}	-210755	-4794	-157	210809	56	-903	18137	18160
	Thermal 3{1}	-42736	-1972	-107	42782	22	-706	2902	2986
	Wind 1{1}	-641	-74	-14	646	-1	-124	59	137
	Wind 2{1}	645	74	14	649	1	123	-59	136
	Wind 3{1}	-133	-8	130	186	-57	498	-6	501
	Wind 4{1}	132	8	-116	177	52	-437	6	440
	Pressure 1{1}	38123	-58840	-53	70111	101	535	-18894	18902
	Pressure 2{1}	367412	7745	311	367493	-124	1769	-29639	29692
	Pressure 3{1}	278421	-6595	218	278499	-107	1236	-40711	40730
	GT1{1}	291116	-63208	32	297898	94	1247	-13926	13983

		GT2{1}	-203412	-6797	-171	203525	276	430	27205	27209
		GT3{1}	-35393	-3975	-121	35616	242	628	11969	11988
		GW1{1}	6701	-2076	-28	7016	219	1210	9126	9208
		GW2{1}	7988	-1929	0	8217	221	1456	9009	9128
		GW3{1}	7210	-2011	116	7486	163	1832	9061	9246
		GW4{1}	7475	-1995	-130	7738	272	897	9073	9121
		GT1P1{1}	329239	-122048	-21	351132	195	1783	-32821	32870
		GT2P2{1}	164000	948	140	164003	152	2200	-2435	3285
		GT3P3{1}	243027	-10570	97	243257	135	1863	-28742	28802
		Gravity{2}	14652	-3608	-29	15090	461	2795	17499	17726
		Thermal 3{2}	-58475	-3549	-179	58583	25	-1268	3802	4008
		Pressure 1{2}	200260	-7270	-55	200392	871	5279	-43688	44015
		GT3{2}	-43823	-7157	-208	44404	486	1527	21300	21360
		Hydrotest-NL{2}	156437	-14427	-263	157101	1357	6805	-22388	23439
A01	+	Gravity{1}	7445	-1927	-53	7690	220	1334	9067	9167
		Thermal 1{1}	269869	-70123	56	278831	-126	-86	-22994	22994
		Thermal 2{1}	-197056	-4863	-159	197116	56	-903	18137	18160
		Thermal 3{1}	-41161	-2320	-106	41226	22	-706	2902	2986
		Wind 1{1}	-650	-90	-13	657	-1	-124	59	137
		Wind 2{1}	654	90	13	660	1	123	-59	136
		Wind 3{1}	-135	-10	138	193	-57	498	-6	501
		Wind 4{1}	134	10	-124	183	52	-437	6	440
		Pressure 1{1}	38122	-67515	-77	77535	101	535	-18894	18902
		Pressure 2{1}	343911	7832	315	344000	-124	1769	-29639	29692
		Pressure 3{1}	262942	-9108	221	263100	-107	1236	-40711	40730
		GT1{1}	277314	-72050	4	286521	94	1247	-13926	13983
		GT2{1}	-189611	-6790	-212	189733	276	430	27205	27209
		GT3{1}	-33716	-4247	-159	33983	242	628	11969	11988
		GW1{1}	6794	-2017	-66	7088	219	1210	9126	9208
		GW2{1}	8098	-1837	-40	8304	221	1456	9009	9128
		GW3{1}	7310	-1937	85	7562	163	1832	9061	9246
		GW4{1}	7579	-1917	-177	7820	272	897	9073	9121
		GT1P1{1}	315436	-139566	-73	344932	195	1783	-32821	32870
		GT2P2{1}	154300	1042	103	154303	152	2200	-2435	3285
		GT3P3{1}	229226	-13355	62	229615	135	1863	-28742	28802
		Gravity{2}	14855	-3389	-111	15237	461	2795	17499	17726
		Thermal 3{2}	-57118	-4276	-174	57278	25	-1268	3802	4008
		Pressure 1{2}	186459	-9174	-209	186684	871	5279	-43688	44015
		GT3{2}	-42263	-7666	-285	42953	486	1527	21300	21360
		Hydrotest-NL{2}	144196	-16840	-494	145177	1357	6805	-22388	23439
+1	-	Gravity{1}	7445	-1927	-53	7690	220	1310	9928	10016
		Thermal 1{1}	269869	-70123	56	278831	-126	-61	8315	8316
		Thermal 2{1}	-197056	-4863	-159	197116	56	-974	20309	20332
		Thermal 3{1}	-41161	-2320	-106	41226	22	-753	3938	4009
		Wind 1{1}	-650	-90	-13	657	-1	-130	99	163
		Wind 2{1}	654	90	13	660	1	128	-99	162
		Wind 3{1}	-135	-10	138	193	-57	560	-1	563
		Wind 4{1}	134	10	-124	183	52	-492	1	495
		Pressure 1{1}	38122	-67515	-77	77535	101	501	11250	11261
		Pressure 2{1}	343911	7832	315	344000	-124	1910	-33136	33191
		Pressure 3{1}	262942	-9108	221	263100	-107	1334	-36644	36669
		GT1{1}	277314	-72050	4	286521	94	1249	18242	18285
		GT2{1}	-189611	-6790	-212	189733	276	336	30236	30239
		GT3{1}	-33716	-4247	-159	33983	242	557	13865	13879
		GW1{1}	6794	-2017	-66	7088	219	1180	10026	10098
		GW2{1}	8098	-1837	-40	8304	221	1438	9829	9936
		GW3{1}	7310	-1937	85	7562	163	1870	9926	10102
		GW4{1}	7579	-1917	-177	7820	272	818	9929	9966
		GT1P1{1}	315436	-139566	-73	344932	195	1750	29492	29544
		GT2P2{1}	154300	1042	103	154303	152	2246	-2900	3671
		GT3P3{1}	229226	-13355	62	229615	135	1891	-22779	22858
		Gravity{2}	14855	-3389	-111	15237	461	2746	19012	19215
		Thermal 3{2}	-57118	-4276	-174	57278	25	-1346	5711	5867
		Pressure 1{2}	186459	-9174	-209	186684	871	5185	-39593	39940
		GT3{2}	-42263	-7666	-285	42953	486	1400	24723	24767
		Hydrotest-NL{2}	144196	-16840	-494	145177	1357	6585	-14870	16319
+1	+	Gravity{1}	7542	-1777	-95	7749	220	1310	9928	10016
		Thermal 1{1}	256751	-79122	67	268666	-126	-61	8315	8316
		Thermal 2{1}	-184133	-4797	-159	184195	56	-974	20309	20332
		Thermal 3{1}	-39654	-2668	-104	39744	22	-753	3938	4009
		Wind 1{1}	-659	-107	-12	668	-1	-130	99	163
		Wind 2{1}	662	108	12	671	1	128	-99	162
		Wind 3{1}	-137	-13	145	200	-57	560	-1	563
		Wind 4{1}	136	13	-131	189	52	-492	1	495
		Pressure 1{1}	38121	-75846	-102	84887	101	501	11250	11261
		Pressure 2{1}	321625	7697	315	321717	-124	1910	-33136	33191
		Pressure 3{1}	248318	-11626	222	248590	-107	1334	-36644	36669
		GT1{1}	264293	-80898	-28	276397	94	1249	18242	18285
		GT2{1}	-176591	-6574	-254	176713	276	336	30236	30239
		GT3{1}	-32112	-4445	-198	32419	242	557	13865	13879
		GW1{1}	6883	-1884	-107	7137	219	1180	10026	10098
		GW2{1}	8204	-1669	-83	8373	221	1438	9829	9936
		GW3{1}	7405	-1790	51	7619	163	1870	9926	10102
		GW4{1}	7678	-1764	-226	7881	272	818	9929	9966
		GT1P1{1}	302414	-156744	-130	340621	195	1750	29492	29544
		GT2P2{1}	145034	1124	61	145038	152	2246	-2900	3671
		GT3P3{1}	216206	-16071	24	216803	135	1891	-22779	22858
		Gravity{2}	15049	-3023	-199	15351	461	2746	19012	19215
		Thermal 3{2}	-55820	-5019	-167	56046	25	-1346	5711	5867
		Pressure 1{2}	173438	-11140	-376	173796	871	5185	-39593	39940
		GT3{2}	-40771	-8042	-366	41558	486	1400	24723	24767
		Hydrotest-NL{2}	132668	-19182	-742	134049	1357	6585	-14870	16319
+2	-	Gravity{1}	7542	-1777	-95	7749	220	1268	10721	10798
		Thermal 1{1}	256751	-79122	67	268666	-126	-31	43640	43640
		Thermal 2{1}	-184133	-4797	-159	184195	56	-1045	22450	22475
		Thermal 3{1}	-39654	-2668	-104	39744	22	-800	5129	5191
		Wind 1{1}	-659	-107	-12	668	-1	-135	147	199
		Wind 2{1}	662	108	12	671	1	134	-147	199
		Wind 3{1}	-137	-13	145	200	-57	625	5	627
		Wind 4{1}	136	13	-131	189	52	-551	-5	553
		Pressure 1{1}	38121	-75846	-102	84887	101	455	45113	45115
		Pressure 2{1}	321625	7697	315	321717	-124	2051	-36573	36630
		Pressure 3{1}	248318	-11626	222	248590	-107	1433	-31453	31486
		GT1{1}	264293	-80898	-28	276397	94	1237	54361	54375

		GT2{1}	-176591	-6574	-254	176713	276	222	33171	33173
		GT3{1}	-32112	-4445	-198	32419	242	468	15850	15858
		GW1{1}	6883	-1884	-107	7137	219	1133	10867	10929
		GW2{1}	8204	-1669	-83	8373	221	1401	10574	10669
		GW3{1}	7405	-1790	51	7619	163	1892	10726	10892
		GW4{1}	7678	-1764	-226	7881	272	717	10716	10744
		GT1P1{1}	302414	-156744	-130	340621	195	1692	99474	99489
		GT2P2{1}	145034	1124	61	145038	152	2273	-3401	4094
		GT3P3{1}	216206	-16071	24	216803	135	1902	-15604	15720
		Gravity{2}	15049	-3023	-199	15351	461	2657	20361	20539
		Thermal 3{2}	-55820	-5019	-167	56046	25	-1421	7952	8078
		Pressure 1{2}	173438	-11140	-376	173796	871	5018	-34619	34992
		GT3{2}	-40771	-8042	-366	41558	486	1236	28313	28345
		Hydrotest-NL{2}	132668	-19182	-742	134049	1357	6254	-6306	8984
+2	+	Gravity{1}	7641	-1535	-143	7795	220	1268	10721	10798
		Thermal 1{1}	243631	-88696	78	259274	-126	-31	43640	43640
		Thermal 2{1}	-171211	-4572	-157	171272	56	-1045	22450	22475
		Thermal 3{1}	-38128	-3028	-99	38248	22	-800	5129	5191
		Wind 1{1}	-667	-125	-10	679	-1	-135	147	199
		Wind 2{1}	671	126	10	683	1	134	-147	199
		Wind 3{1}	-139	-16	152	207	-57	625	5	627
		Wind 4{1}	138	16	-138	195	52	-551	-5	553
		Pressure 1{1}	38120	-83608	-130	91889	101	455	45113	45115
		Pressure 2{1}	299218	7300	312	299307	-124	2051	-36573	36630
		Pressure 3{1}	233673	-14311	220	234111	-107	1433	-31453	31486
		GT1{1}	251272	-90231	-64	266982	94	1237	54361	54375
		GT2{1}	-163571	-6107	-300	163685	276	222	33171	33173
		GT3{1}	-30487	-4563	-242	30828	242	468	15850	15858
		GW1{1}	6973	-1660	-153	7170	219	1133	10867	10929
		GW2{1}	8312	-1409	-133	8431	221	1401	10574	10669
		GW3{1}	7502	-1551	10	7661	163	1892	10726	10892
		GW4{1}	7779	-1519	-280	7930	272	717	10716	10744
		GT1P1{1}	289392	-173840	-194	337591	195	1692	99474	99489
		GT2P2{1}	135647	1193	12	135653	152	2273	-3401	4094
		GT3P3{1}	203186	-18874	-22	204061	135	1902	-15604	15720
		Gravity{2}	15246	-2471	-299	15448	461	2657	20361	20539
		Thermal 3{2}	-54505	-5809	-157	54814	25	-1421	7952	8078
		Pressure 1{2}	160418	-13275	-565	160967	871	5018	-34619	34992
		GT3{2}	-39259	-8280	-456	40125	486	1236	28313	28345
		Hydrotest-NL{2}	121159	-21556	-1021	123066	1357	6254	-6306	8984
+3	-	Gravity{1}	7641	-1535	-143	7795	220	1204	11406	11472
		Thermal 1{1}	243631	-88696	78	259274	-126	4	83241	83241
		Thermal 2{1}	-171211	-4572	-157	171272	56	-1115	24491	24517
		Thermal 3{1}	-38128	-3028	-99	38248	22	-844	6481	6536
		Wind 1{1}	-667	-125	-10	679	-1	-139	202	246
		Wind 2{1}	671	126	10	683	1	138	-203	246
		Wind 3{1}	-139	-16	152	207	-57	693	12	695
		Wind 4{1}	138	16	-138	195	52	-612	-12	614
		Pressure 1{1}	38120	-83608	-130	91889	101	397	82442	82443
		Pressure 2{1}	299218	7300	312	299307	-124	2190	-39832	39892
		Pressure 3{1}	233673	-14311	220	234111	-107	1532	-25064	25111
		GT1{1}	251272	-90231	-64	266982	94	1208	94647	94655
		GT2{1}	-163571	-6107	-300	163685	276	89	35898	35899
		GT3{1}	-30487	-4563	-242	30828	242	360	17887	17892
		GW1{1}	6973	-1660	-153	7170	219	1064	11609	11659
		GW2{1}	8312	-1409	-133	8431	221	1342	11203	11285
		GW3{1}	7502	-1551	10	7661	163	1897	11418	11576
		GW4{1}	7779	-1519	-280	7930	272	592	11394	11413
		GT1P1{1}	289392	-173840	-194	337591	195	1605	177089	177096
		GT2P2{1}	135647	1193	12	135653	152	2279	-3934	4549
		GT3P3{1}	203186	-18874	-22	204061	135	1892	-7177	7423
		Gravity{2}	15246	-2471	-299	15448	461	2523	21465	21617
		Thermal 3{2}	-54505	-5809	-157	54814	25	-1491	10546	10650
		Pressure 1{2}	160418	-13275	-565	160967	871	4766	-28692	29098
		GT3{2}	-39259	-8280	-456	40125	486	1032	32010	32031
		Hydrotest-NL{2}	121159	-21556	-1021	123066	1357	5798	3318	6817
+3	+	Gravity{1}	7741	-1184	-196	7833	220	1204	11406	11472
		Thermal 1{1}	230510	-98858	91	250814	-126	4	83241	83241
		Thermal 2{1}	-158291	-4153	-153	158346	56	-1115	24491	24517
		Thermal 3{1}	-36582	-3394	-93	36739	22	-844	6481	6536
		Wind 1{1}	-676	-145	-8	692	-1	-139	202	246
		Wind 2{1}	680	146	8	695	1	138	-203	246
		Wind 3{1}	-140	-20	159	213	-57	693	12	695
		Wind 4{1}	140	20	-144	201	52	-612	-12	614
		Pressure 1{1}	38119	-90893	-161	98562	101	397	82442	82443
		Pressure 2{1}	276688	6584	305	276767	-124	2190	-39832	39892
		Pressure 3{1}	219007	-17188	216	219680	-107	1532	-25064	25111
		GT1{1}	238251	-100042	-106	258403	94	1208	94647	94655
		GT2{1}	-150550	-5337	-350	150645	276	89	35898	35899
		GT3{1}	-28841	-4578	-290	29203	242	360	17887	17892
		GW1{1}	7065	-1329	-205	7191	219	1064	11609	11659
		GW2{1}	8420	-1039	-188	8486	221	1342	11203	11285
		GW3{1}	7600	-1204	-38	7695	163	1897	11418	11576
		GW4{1}	7880	-1165	-340	7973	272	592	11394	11413
		GT1P1{1}	276370	-190935	-266	335911	195	1605	177089	177096
		GT2P2{1}	126138	1246	-44	126144	152	2279	-3934	4549
		GT3P3{1}	190166	-21766	-74	191407	135	1892	-7177	7423
		Gravity{2}	15446	-1702	-412	15545	461	2523	21465	21617
		Thermal 3{2}	-53173	-6635	-144	53586	25	-1491	10546	10650
		Pressure 1{2}	147398	-15586	-777	148221	871	4766	-28692	29098
		GT3{2}	-37728	-8336	-555	38642	486	1032	32010	32031
		Hydrotest-NL{2}	109670	-23922	-1332	112257	1357	5798	3318	6817
A02 N-		Gravity{1}	7741	-1184	-196	7833	220	1116	11935	11989
		Thermal 1{1}	230510	-98858	91	250814	-126	45	127379	127379
		Thermal 2{1}	-158291	-4153	-153	158346	56	-1184	26346	26372
		Thermal 3{1}	-36582	-3394	-93	36739	22	-886	7996	8045
		Wind 1{1}	-676	-145	-8	692	-1	-143	267	303
		Wind 2{1}	680	146	8	695	1	142	-268	304
		Wind 3{1}	-140	-20	159	213	-57	764	21	766
		Wind 4{1}	140	20	-144	201	52	-676	-21	679
		Pressure 1{1}	38119	-90893	-161	98562	101	326	123023	123023
		Pressure 2{1}	276688	6584	305	276767	-124	2326	-42771	42835
		Pressure 3{1}	219007	-17188	216	219680	-107	1628	-17390	17466
		GT1{1}	238251	-100042	-106	258403	94	1161	139313	139318

		GT2{1}	-150550	-5337	-350	150645	276	-68	38281	38282
		GT3{1}	-28841	-4578	-290	29203	242	231	19931	19934
		GW1{1}	7065	-1329	-205	7191	219	973	12202	12243
		GW2{1}	8420	-1039	-188	8486	221	1258	11667	11736
		GW3{1}	7600	-1204	-38	7695	163	1880	11955	12103
		GW4{1}	7880	-1165	-340	7973	272	440	11914	11925
		GT1P1{1}	276370	-190935	-266	335911	195	1487	262336	262341
		GT2P2{1}	126138	1246	-44	126144	152	2259	-4491	5029
		GT3P3{1}	190166	-21766	-74	191407	135	1859	2541	3151
		Gravity{2}	15446	-1702	-412	15545	461	2339	22225	22352
		Thermal 3{2}	-53173	-6635	-144	53586	25	-1555	13508	13597
		Pressure 1{2}	147398	-15586	-777	148221	871	4419	-21733	22195
		GT3{2}	-37728	-8336	-555	38642	486	785	35732	35744
		Hydrotest-NL{2}	109670	-23922	-1332	112257	1357	5203	13999	14996
A02	N+	Gravity{1}	7848	-848	-240	7897	220	1116	11935	11989
		Thermal 1{1}	220961	-106260	100	245184	-126	45	127379	127379
		Thermal 2{1}	-148743	-4315	-149	148806	56	-1184	26346	26372
		Thermal 3{1}	-35423	-3689	-88	35615	22	-886	7996	8045
		Wind 1{1}	-683	-160	-7	701	-1	-143	267	303
		Wind 2{1}	686	160	7	705	1	142	-268	304
		Wind 3{1}	-142	-22	163	217	-57	764	21	766
		Wind 4{1}	141	22	-148	205	52	-676	-21	679
		Pressure 1{1}	38250	-96082	-185	103416	101	326	123023	123023
		Pressure 2{1}	259933	6598	297	260017	-124	2326	-42771	42835
		Pressure 3{1}	208208	-19506	210	209120	-107	1628	-17390	17466
		GT1{1}	228809	-107107	-139	252638	94	1161	139313	139318
		GT2{1}	-140895	-5163	-389	140990	276	-68	38281	38282
		GT3{1}	-27575	-4537	-327	27948	242	231	19931	19934
		GW1{1}	7166	-1007	-246	7240	219	973	12202	12243
		GW2{1}	8534	-687	-233	8565	221	1258	11667	11736
		GW3{1}	7706	-870	-77	7756	163	1880	11955	12103
		GW4{1}	7989	-826	-387	8041	272	440	11914	11925
		GT1P1{1}	267060	-203189	-324	335569	195	1487	262336	262341
		GT2P2{1}	119038	1436	-91	119047	152	2259	-4491	5029
		GT3P3{1}	180633	-24044	-117	182226	135	1859	2541	3151
		Gravity{2}	15664	-980	-502	15703	461	2339	22225	22352
		Thermal 3{2}	-52171	-7281	-131	52676	25	-1555	13508	13597
		Pressure 1{2}	137830	-17395	-948	138927	871	4419	-21733	22195
		GT3{2}	-36506	-8260	-633	37434	486	785	35732	35744
		Hydrotest-NL{2}	101324	-25655	-1581	104534	1357	5203	13999	14996
+1	-	Gravity{1}	7848	-848	-240	7897	224	1066	12243	12291
		Thermal 1{1}	220961	-106260	100	245184	-127	66	153484	153484
		Thermal 2{1}	-148743	-4315	-149	148806	58	-1215	24817	24847
		Thermal 3{1}	-35423	-3689	-88	35615	24	-904	8195	8245
		Wind 1{1}	-683	-160	-7	701	-1	-145	290	324
		Wind 2{1}	686	160	7	705	1	143	-291	324
		Wind 3{1}	-142	-22	163	217	-60	798	23	801
		Wind 4{1}	141	22	-148	205	55	-708	-23	710
		Pressure 1{1}	38250	-96082	-185	103416	104	287	143976	143977
		Pressure 2{1}	259933	6598	297	260017	-129	2389	-39901	39973
		Pressure 3{1}	208208	-19506	210	209119	-111	1673	-9846	9988
		GT1{1}	228809	-107107	-139	252638	97	1131	165727	165731
		GT2{1}	-140895	-5163	-389	140990	282	-150	37060	37062
		GT3{1}	-27575	-4537	-327	27948	248	161	20438	20440
		GW1{1}	7166	-1007	-246	7240	223	921	12533	12569
		GW2{1}	8534	-687	-233	8565	225	1209	11952	12015
		GW3{1}	7706	-870	-77	7756	164	1864	12266	12408
		GW4{1}	7989	-826	-387	8041	279	358	12220	12228
		GT1P1{1}	267060	-203189	-324	335569	200	1418	309703	309707
		GT2P2{1}	119038	1436	-91	119047	154	2240	-2841	3621
		GT3P3{1}	180633	-24044	-117	182226	137	1834	10592	10750
		Gravity{2}	15664	-980	-502	15703	470	2233	22689	22803
		Thermal 3{2}	-52171	-7281	-131	52676	27	-1583	14192	14280
		Pressure 1{2}	137830	-17395	-948	138927	887	4218	-15791	16369
		GT3{2}	-36506	-8260	-633	37434	496	651	36881	36890
		Hydrotest-NL{2}	101324	-25655	-1581	104534	1383	4869	21089	21688
+1	+	Gravity{1}	7788	-597	-267	7816	224	1066	12243	12291
		Thermal 1{1}	214716	-108500	106	240572	-127	66	153484	153484
		Thermal 2{1}	-142555	-4848	-145	142637	58	-1215	24817	24847
		Thermal 3{1}	-34641	-3962	-83	34866	24	-904	8195	8245
		Wind 1{1}	-686	-168	-5	707	-1	-145	290	324
		Wind 2{1}	690	169	5	710	1	143	-291	324
		Wind 3{1}	-143	-24	164	219	-60	798	23	801
		Wind 4{1}	142	24	-149	207	55	-708	-23	710
		Pressure 1{1}	38699	-99141	-201	106426	104	287	143976	143977
		Pressure 2{1}	248973	7579	289	249089	-129	2389	-39901	39973
		Pressure 3{1}	200806	-19082	204	201711	-111	1673	-9846	9988
		GT1{1}	222504	-109097	-162	247810	97	1131	165727	165731
		GT2{1}	-134767	-5445	-412	134877	282	-150	37060	37062
		GT3{1}	-26852	-4559	-350	27239	248	161	20438	20440
		GW1{1}	7102	-765	-273	7148	223	921	12533	12569
		GW2{1}	8478	-428	-262	8493	225	1209	11952	12015
		GW3{1}	7646	-621	-103	7671	164	1864	12266	12408
		GW4{1}	7930	-573	-417	7961	279	358	12220	12228
		GT1P1{1}	261203	-208237	-363	334051	200	1418	309703	309707
		GT2P2{1}	114207	2134	-123	114227	154	2240	-2841	3621
		GT3P3{1}	173954	-23641	-146	175553	137	1834	10592	10750
		Gravity{2}	15531	-451	-561	15548	470	2233	22689	22803
		Thermal 3{2}	-51478	-7763	-122	52060	27	-1583	14192	14280
		Pressure 1{2}	131485	-17533	-1059	132653	887	4218	-15791	16369
		GT3{2}	-35947	-8214	-682	36880	496	651	36881	36890
		Hydrotest-NL{2}	95538	-25746	-1741	98962	1383	4869	21089	21688
A02	F-	Gravity{1}	7788	-597	-267	7816	237	1010	12747	12789
		Thermal 1{1}	214716	-108500	106	240572	-133	88	186375	186375
		Thermal 2{1}	-142555	-4848	-145	142637	65	-1245	18856	18897
		Thermal 3{1}	-34641	-3962	-83	34867	28	-921	7321	7379
		Wind 1{1}	-686	-168	-5	707	-1	-146	291	325
		Wind 2{1}	690	169	5	710	1	144	-292	326
		Wind 3{1}	-143	-24	164	219	-68	832	21	835
		Wind 4{1}	142	24	-149	207	62	-738	-21	741
		Pressure 1{1}	38699	-99141	-201	106426	113	245	166338	166338
		Pressure 2{1}	248973	7579	289	249089	-143	2449	-29306	29408
		Pressure 3{1}	200806	-19082	204	201711	-121	1715	3902	4264
		GT1{1}	222504	-109097	-162	247810	104	1098	199121	199124

		GT2{1}	-134767	-5445	-412	134877	302	-235	31602	31605
		GT3{1}	-26852	-4559	-350	27239	265	89	20068	20070
		GW1{1}	7102	-765	-273	7148	236	865	13038	13068
		GW2{1}	8478	-428	-262	8493	238	1155	12455	12510
		GW3{1}	7646	-621	-103	7671	169	1842	12768	12901
		GW4{1}	7930	-573	-417	7961	299	272	12726	12732
		GT1P1{1}	261203	-208237	-363	334051	218	1343	365459	365461
		GT2P2{1}	114207	2134	-123	114227	160	2214	2297	3194
		GT3P3{1}	173954	-23641	-146	175553	144	1804	23970	24038
		Gravity{2}	15531	-451	-561	15548	497	2118	23541	23641
		Thermal 3{2}	-51478	-7763	-122	52060	33	-1608	13280	13377
		Pressure 1{2}	131485	-17533	-1059	132653	939	3999	-5749	7066
		GT3{2}	-35947	-8214	-682	36880	530	510	36821	36828
		Hydrotest-NL{2}	95538	-25746	-1741	98962	1468	4509	31072	31431
A02	F+	Gravity{1}	7476	-153	-305	7484	237	1010	12747	12789
		Thermal 1{1}	199483	-94682	108	220813	-133	88	186375	186375
		Thermal 2{1}	-132555	-4869	-133	132644	65	-1245	18856	18897
		Thermal 3{1}	-33307	-4482	-72	33607	28	-921	7321	7379
		Wind 1{1}	-692	-180	-3	715	-1	-146	291	325
		Wind 2{1}	696	180	3	719	1	144	-292	326
		Wind 3{1}	-144	-26	163	219	-68	832	21	835
		Wind 4{1}	143	26	-149	208	62	-738	-21	741
		Pressure 1{1}	34889	-87559	-223	94254	113	245	166338	166338
		Pressure 2{1}	230940	9087	265	231119	-143	2449	-29306	29408
		Pressure 3{1}	186985	-12988	186	187435	-121	1715	3902	4264
		GT1{1}	206959	-94835	-198	227653	104	1098	199121	199124
		GT2{1}	-125079	-5023	-438	125180	302	-235	31602	31605
		GT3{1}	-25831	-4635	-378	26247	265	89	20068	20070
		GW1{1}	6784	-333	-309	6799	236	865	13038	13068
		GW2{1}	8171	27	-302	8177	238	1155	12455	12510
		GW3{1}	7332	-180	-142	7336	169	1842	12768	12901
		GW4{1}	7619	-127	-454	7633	299	272	12726	12732
		GT1P1{1}	241848	-182394	-421	302916	218	1343	365459	365461
		GT2P2{1}	105861	4064	-173	105939	160	2214	2297	3194
		GT3P3{1}	161153	-17623	-192	162114	144	1804	23970	24038
		Gravity{2}	14865	458	-640	14886	497	2118	23541	23641
		Thermal 3{2}	-50285	-8564	-101	51009	33	-1608	13280	13377
		Pressure 1{2}	119303	-11856	-1209	119897	939	3999	-5749	7066
		GT3{2}	-35420	-8106	-741	36343	530	510	36821	36828
		Hydrotest-NL{2}	83884	-19962	-1951	86248	1468	4509	31072	31431
+1	-	Gravity{1}	7476	-153	-305	7484	281	873	13890	13920
		Thermal 1{1}	199483	-94682	108	220813	-148	136	257552	257552
		Thermal 2{1}	-132555	-4869	-133	132644	84	-1305	1996	2386
		Thermal 3{1}	-33307	-4482	-72	33607	38	-954	4548	4647
		Wind 1{1}	-692	-180	-3	715	-1	-147	272	309
		Wind 2{1}	696	180	3	719	1	146	-273	310
		Wind 3{1}	-144	-26	163	219	-91	905	12	910
		Wind 4{1}	143	26	-149	208	83	-805	-12	809
		Pressure 1{1}	34889	-87559	-223	94254	145	145	210666	210666
		Pressure 2{1}	230940	9087	265	231119	-181	2568	-203	2582
		Pressure 3{1}	186985	-12988	186	187435	-148	1798	36601	36645
		GT1{1}	206959	-94835	-198	227653	133	1009	271441	271443
		GT2{1}	-125079	-5023	-438	125180	365	-432	15886	15896
		GT3{1}	-25831	-4635	-378	26247	319	-81	18438	18441
		GW1{1}	6784	-333	-309	6799	280	726	14162	14183
		GW2{1}	8171	27	-302	8177	282	1019	13617	13658
		GW3{1}	7332	-180	-142	7336	190	1778	13902	14017
		GW4{1}	7619	-127	-454	7633	364	68	13877	13882
		GT1P1{1}	241848	-182394	-421	302916	278	1154	482108	482109
		GT2P2{1}	105861	4064	-173	105939	185	2136	15682	15828
		GT3P3{1}	161153	-17623	-192	162114	172	1718	55039	55066
		Gravity{2}	14865	458	-640	14886	589	1830	25471	25543
		Thermal 3{2}	-50285	-8564	-101	51009	47	-1653	9901	10038
		Pressure 1{2}	119303	-11856	-1209	119897	1112	3456	16717	17107
		GT3{2}	-35420	-8106	-741	36343	636	177	35371	35377
		Hydrotest-NL{2}	83884	-19962	-1951	86248	1749	3633	52088	52244
+1	+	Gravity{1}	7002	743	-341	7050	281	873	13890	13920
		Thermal 1{1}	176057	-68419	97	188884	-148	136	257552	257552
		Thermal 2{1}	-118708	-4860	-104	118807	84	-1305	1996	2386
		Thermal 3{1}	-31466	-5098	-51	31877	38	-954	4548	4647
		Wind 1{1}	-701	-191	1	727	-1	-147	272	309
		Wind 2{1}	705	192	-1	731	1	146	-273	310
		Wind 3{1}	-145	-30	152	212	-91	905	12	910
		Wind 4{1}	144	30	-139	203	83	-805	-12	809
		Pressure 1{1}	27436	-64270	-245	69881	145	145	210666	210666
		Pressure 2{1}	205851	10902	207	206140	-181	2568	-203	2582
		Pressure 3{1}	167486	-4131	142	167537	-148	1798	36601	36645
		GT1{1}	183059	-67676	-243	195169	133	1009	271441	271443
		GT2{1}	-111706	-4117	-445	111783	365	-432	15886	15896
		GT3{1}	-24464	-4355	-392	24852	319	-81	18438	18441
		GW1{1}	6301	551	-340	6334	280	726	14162	14183
		GW2{1}	7707	935	-341	7771	282	1019	13617	13658
		GW3{1}	6857	713	-189	6896	190	1778	13902	14017
		GW4{1}	7146	772	-479	7204	364	68	13877	13882
		GT1P1{1}	210495	-131946	-489	248431	278	1154	482108	482109
		GT2P2{1}	94145	6785	-238	94389	185	2136	15682	15828
		GT3P3{1}	143021	-8486	-250	143273	172	1718	55039	55066
		Gravity{2}	13876	2254	-714	14076	589	1830	25471	25543
		Thermal 3{2}	-48660	-9494	-63	49577	47	-1653	9901	10038
		Pressure 1{2}	101979	-2828	-1348	102027	1112	3456	16717	17107
		GT3{2}	-34784	-7240	-777	35538	636	177	35371	35377
		Hydrotest-NL{2}	67195	-10068	-2125	67978	1749	3633	52088	52244
+2	-	Gravity{1}	7002	743	-341	7050	330	720	14562	14584
		Thermal 1{1}	176057	-68419	97	188884	-162	180	313570	313570
		Thermal 2{1}	-118708	-4860	-104	118807	99	-1352	-12879	12950
		Thermal 3{1}	-31466	-5098	-51	31877	46	-977	2316	2514
		Wind 1{1}	-701	-191	1	727	-1	-147	257	296
		Wind 2{1}	705	192	-1	731	1	145	-258	297
		Wind 3{1}	-145	-30	152	212	-113	973	5	980
		Wind 4{1}	144	30	-139	203	103	-867	-5	874
		Pressure 1{1}	27436	-64270	-245	69881	181	35	243467	243467
		Pressure 2{1}	205851	10902	207	206140	-211	2661	24480	24625
		Pressure 3{1}	167486	-4131	142	167537	-168	1862	62521	62549
		GT1{1}	183059	-67676	-243	195169	168	900	328133	328134

		GT2{1}	-111706	-4117	-445	111783	429	-631	1684	1849
		GT3{1}	-24464	-4355	-392	24852	375	-257	16878	16884
		GW1{1}	6301	551	-340	6334	329	573	14820	14835
		GW2{1}	7707	935	-341	7771	331	866	14304	14334
		GW3{1}	6857	713	-189	6896	217	1694	14567	14667
		GW4{1}	7146	772	-479	7204	433	-147	14557	14565
		GT1P1{1}	210495	-131946	-489	248431	348	935	571600	571600
		GT2P2{1}	94145	6785	-238	94389	219	2029	26163	26243
		GT3P3{1}	143021	-8486	-250	143273	207	1606	79399	79416
		Gravity{2}	13876	2254	-714	14076	692	1510	26452	26504
		Thermal 3{2}	-48660	-9494	-63	49577	56	-1682	7172	7367
		Pressure 1{2}	101979	-2828	-1348	102027	1306	2851	32640	32790
		GT3{2}	-34784	-7240	-777	35538	748	-172	33624	33633
		Hydrotest-NL{2}	67195	-10068	-2125	67978	2054	2679	66264	66350
+2	+	Gravity{1}	6411	2010	-354	6728	330	720	14562	14584
		Thermal 1{1}	153378	-44494	70	159701	-162	180	313570	313570
		Thermal 2{1}	-104777	-5119	-62	104902	99	-1352	-12879	12950
		Thermal 3{1}	-29656	-5544	-22	30169	46	-977	2316	2514
		Wind 1{1}	-712	-199	5	739	-1	-147	257	296
		Wind 2{1}	716	199	-5	743	1	145	-258	297
		Wind 3{1}	-147	-33	129	198	-113	973	5	980
		Wind 4{1}	146	33	-119	191	103	-867	-5	874
		Pressure 1{1}	21006	-44180	-258	48920	181	35	243467	243467
		Pressure 2{1}	180679	12498	119	181111	-211	2661	24480	24625
		Pressure 3{1}	148385	3400	74	148424	-168	1862	62521	62549
		GT1{1}	159789	-42484	-285	165340	168	900	328133	328134
		GT2{1}	-98366	-3110	-416	98416	429	-631	1684	1849
		GT3{1}	-23245	-3534	-376	23515	375	-257	16878	16884
		GW1{1}	5699	1811	-349	5990	329	573	14820	14835
		GW2{1}	7127	2209	-359	7470	331	866	14304	14334
		GW3{1}	6264	1977	-225	6572	217	1694	14567	14667
		GW4{1}	6557	2042	-473	6884	433	-147	14557	14565
		GT1P1{1}	180794	-86664	-542	200493	348	935	571600	571600
		GT2P2{1}	82314	9389	-297	82848	219	2029	26163	26243
		GT3P3{1}	125141	-134	-302	125141	207	1606	79399	79416
		Gravity{2}	12663	4755	-742	13547	692	1510	26452	26504
		Thermal 3{2}	-47097	-10163	-13	48181	56	-1682	7172	7367
		Pressure 1{2}	85388	3906	-1402	85489	1306	2851	32640	32790
		GT3{2}	-34434	-5408	-755	34864	748	-172	33624	33633
		Hydrotest-NL{2}	50954	-1501	-2157	51022	2054	2679	66264	66350
+3	-	Gravity{1}	6411	2010	-354	6728	381	561	14581	14597
		Thermal 1{1}	153378	-44494	70	159701	-172	211	355587	355587
		Thermal 2{1}	-104777	-5119	-62	104902	108	-1379	-25635	25672
		Thermal 3{1}	-29656	-5544	-22	30169	49	-987	544	1128
		Wind 1{1}	-712	-199	5	739	-1	-145	244	284
		Wind 2{1}	716	199	-5	743	1	143	-245	284
		Wind 3{1}	-147	-33	129	198	-132	1031	-2	1040
		Wind 4{1}	146	33	-119	191	120	-921	1	929
		Pressure 1{1}	21006	-44180	-258	48920	218	-81	266323	266323
		Pressure 2{1}	180679	12498	119	181111	-228	2714	44829	44911
		Pressure 3{1}	148385	3400	74	148424	-179	1895	82315	82337
		GT1{1}	159789	-42484	-285	165340	209	772	370168	370169
		GT2{1}	-98366	-3110	-416	98416	489	-818	-11054	11095
		GT3{1}	-23245	-3534	-376	23515	430	-425	15125	15137
		GW1{1}	5699	1811	-349	5990	379	417	14825	14836
		GW2{1}	7127	2209	-359	7470	382	704	14336	14358
		GW3{1}	6264	1977	-225	6572	249	1593	14579	14668
		GW4{1}	6557	2042	-473	6884	501	-360	14583	14596
		GT1P1{1}	180794	-86664	-542	200493	426	691	636491	636492
		GT2P2{1}	82314	9389	-297	82848	261	1896	33775	33829
		GT3P3{1}	125141	-134	-302	125141	251	1470	97440	97452
		Gravity{2}	12663	4755	-742	13547	798	1176	26137	26175
		Thermal 3{2}	-47097	-10163	-13	48181	58	-1687	4968	5247
		Pressure 1{2}	85388	3906	-1402	85489	1508	2221	43155	43238
		GT3{2}	-34434	-5408	-755	34864	856	-511	31105	31121
		Hydrotest-NL{2}	50954	-1501	-2157	51022	2364	1710	74260	74317
+3	+	Gravity{1}	5694	3674	-347	6785	381	561	14581	14597
		Thermal 1{1}	131256	-22315	25	133140	-172	211	355587	355587
		Thermal 2{1}	-90752	-5675	-4	90929	108	-1379	-25635	25672
		Thermal 3{1}	-27875	-5816	16	28475	49	-987	544	1128
		Wind 1{1}	-725	-200	10	752	-1	-145	244	284
		Wind 2{1}	728	201	-10	756	1	143	-245	284
		Wind 3{1}	-149	-36	94	180	-132	1031	-2	1040
		Wind 4{1}	148	36	-88	176	120	-921	1	929
		Pressure 1{1}	15454	-26834	-260	30967	218	-81	266323	266323
		Pressure 2{1}	155406	13931	0	156029	-228	2714	44829	44911
		Pressure 3{1}	129641	9734	-19	130006	-179	1895	82315	82337
		GT1{1}	136950	-18641	-322	138213	209	772	370168	370169
		GT2{1}	-85058	-2001	-351	85082	489	-818	-11054	11095
		GT3{1}	-22181	-2141	-331	22287	430	-425	15125	15137
		GW1{1}	4969	3474	-337	6072	379	417	14825	14836
		GW2{1}	6422	3876	-357	7509	382	704	14336	14358
		GW3{1}	5545	3639	-252	6637	249	1593	14579	14668
		GW4{1}	5842	3710	-435	6934	501	-360	14583	14596
		GT1P1{1}	152404	-45475	-582	159045	426	691	636491	636492
		GT2P2{1}	70348	11930	-351	71353	261	1896	33775	33829
		GT3P3{1}	107460	7593	-350	107728	251	1470	97440	97452
		Gravity{2}	11212	8010	-727	13798	798	1176	26137	26175
		Thermal 3{2}	-45600	-10559	51	46807	58	-1687	4968	5247
		Pressure 1{2}	69507	8423	-1373	70029	1508	2221	43155	43238
		GT3{2}	-34388	-2549	-676	34489	856	-511	31105	31121
		Hydrotest-NL{2}	35119	5874	-2048	35666	2364	1710	74260	74317
A03	-	Gravity{1}	5694	3674	-347	6785	431	405	13749	13762
		Thermal 1{1}	131256	-22315	25	133140	-176	222	384467	384467
		Thermal 2{1}	-90752	-5675	-4	90929	109	-1381	-36127	36153
		Thermal 3{1}	-27875	-5816	16	28475	46	-979	-850	1298
		Wind 1{1}	-725	-200	10	752	-3	-140	230	269
		Wind 2{1}	728	201	-10	756	3	139	-231	269
		Wind 3{1}	-149	-36	94	180	-145	1074	-7	1084
		Wind 4{1}	148	36	-88	176	133	-960	7	970
		Pressure 1{1}	15454	-26834	-260	30967	255	-198	280593	280593
		Pressure 2{1}	155406	13931	0	156029	-228	2715	60903	60964
		Pressure 3{1}	129641	9734	-19	130006	-176	1887	96572	96591
		GT1{1}	136950	-18641	-322	138213	255	628	398216	398217

		GT2{1}	-85058	-2001	-351	85082	540	-976	-22377	22405
		GT3{1}	-22181	-2141	-331	22287	477	-574	12899	12921
		GW1{1}	4969	3474	-337	6072	428	265	13980	13989
		GW2{1}	6422	3876	-357	7509	433	544	13519	13536
		GW3{1}	5545	3639	-252	6637	285	1479	13742	13825
		GW4{1}	5842	3710	-435	6934	564	-555	13756	13779
		GT1P1{1}	152404	-45475	-582	159045	510	430	678809	678809
		GT2P2{1}	70348	11930	-351	71353	312	1739	38526	38567
		GT3P3{1}	107460	7593	-350	107728	301	1313	109472	109480
		Gravity{2}	11212	8010	-727	13798	903	850	24151	24183
		Thermal 3{2}	-45600	-10559	51	46807	51	-1664	3157	3569
		Pressure 1{2}	69507	8423	-1373	70029	1705	1605	49360	49416
		GT3{2}	-34388	-2549	-676	34489	954	-814	27308	27337
		Hydrotest-NL{2}	35119	5874	-2048	35666	2658	791	76668	76719
A03	+	Gravity{1}	4893	5636	-320	7470	431	405	13749	13762
		Thermal 1{1}	110665	-2361	-34	110691	-176	222	384467	384467
		Thermal 2{1}	-77399	-6497	64	77671	109	-1381	-36127	36153
		Thermal 3{1}	-26219	-5915	60	26878	46	-979	-850	1298
		Wind 1{1}	-738	-197	16	764	-3	-140	230	269
		Wind 2{1}	742	198	-16	768	3	139	-231	269
		Wind 3{1}	-150	-39	50	163	-145	1074	-7	1084
		Wind 4{1}	150	38	-49	162	133	-960	7	970
		Pressure 1{1}	10867	-12506	-252	16570	255	-198	280593	280593
		Pressure 2{1}	131389	15186	-141	132264	-228	2715	60903	60964
		Pressure 3{1}	112200	14773	-130	113169	-176	1887	96572	96591
		GT1{1}	115558	3275	-354	115605	255	628	398216	398217
		GT2{1}	-72506	-861	-257	72511	540	-976	-22377	22405
		GT3{1}	-21326	-280	-261	21330	477	-574	12899	12921
		GW1{1}	4155	5439	-305	6851	428	265	13980	13989
		GW2{1}	5635	5834	-336	8118	433	544	13519	13536
		GW3{1}	4743	5597	-270	7341	285	1479	13742	13825
		GW4{1}	5042	5674	-369	7600	564	-555	13756	13779
		GT1P1{1}	126426	-9231	-606	126764	510	430	678809	678809
		GT2P2{1}	58883	14325	-398	60602	312	1739	38526	38567
		GT3P3{1}	90874	14493	-391	92023	301	1313	109472	109480
		Gravity{2}	9608	11819	-672	15247	903	850	24151	24183
		Thermal 3{2}	-44246	-10680	124	45517	51	-1664	3157	3569
		Pressure 1{2}	55115	10750	-1268	56168	1705	1605	49360	49416
		GT3{2}	-34638	1140	-548	34661	954	-814	27308	27337
		Hydrotest-NL{2}	20477	11890	-1816	23748	2658	791	76668	76719
+1	-	Gravity{1}	4893	5636	-320	7470	472	277	12121	12134
		Thermal 1{1}	110665	-2361	-34	110691	-171	209	399576	399576
		Thermal 2{1}	-77399	-6497	64	77671	101	-1356	-43435	43456
		Thermal 3{1}	-26219	-5915	60	26878	39	-956	-1840	2074
		Wind 1{1}	-738	-197	16	764	-5	-134	214	253
		Wind 2{1}	742	198	-16	768	5	133	-215	253
		Wind 3{1}	-150	-39	50	163	-152	1094	-11	1104
		Wind 4{1}	150	38	-49	162	139	-980	10	990
		Pressure 1{1}	10867	-12506	-252	16570	287	-298	286986	286986
		Pressure 2{1}	131389	15186	-141	132264	-210	2658	71647	71696
		Pressure 3{1}	112200	14773	-130	113169	-159	1835	105025	105041
		GT1{1}	115558	3275	-354	115605	300	486	411698	411698
		GT2{1}	-72506	-861	-257	72511	572	-1079	-31314	31337
		GT3{1}	-21326	-280	-261	21330	510	-678	10282	10317
		GW1{1}	4155	5439	-305	6851	467	144	12336	12346
		GW2{1}	5635	5834	-336	8118	476	410	11906	11923
		GW3{1}	4743	5597	-270	7341	320	1371	12111	12192
		GW4{1}	5042	5674	-369	7600	611	-703	12132	12168
		GT1P1{1}	126426	-9231	-606	126764	588	188	698684	698684
		GT2P2{1}	58883	14325	-398	60602	363	1580	40333	40366
		GT3P3{1}	90874	14493	-391	92023	351	1156	115306	115313
		Gravity{2}	9608	11819	-672	15247	989	581	20653	20685
		Thermal 3{2}	-44246	-10680	124	45517	35	-1615	1765	2393
		Pressure 1{2}	55115	10750	-1268	56168	1867	1098	52115	52160
		GT3{2}	-34638	1140	-548	34661	1024	-1034	22419	22466
		Hydrotest-NL{2}	20477	11890	-1816	23748	2891	64	74533	74589
+1	+	Gravity{1}	4020	7857	-278	8830	472	277	12121	12134
		Thermal 1{1}	91380	16072	-103	92783	-171	209	399576	399576
		Thermal 2{1}	-64724	-7564	141	65165	101	-1356	-43435	43456
		Thermal 3{1}	-24683	-5868	109	25371	39	-956	-1840	2074
		Wind 1{1}	-753	-189	22	777	-5	-134	214	253
		Wind 2{1}	757	190	-21	781	5	133	-215	253
		Wind 3{1}	-152	-41	-2	157	-152	1094	-11	1104
		Wind 4{1}	151	41	-3	157	139	-980	10	990
		Pressure 1{1}	7019	-484	-237	7040	287	-298	286986	286986
		Pressure 2{1}	108642	16359	-302	109867	-210	2658	71647	71696
		Pressure 3{1}	95974	18802	-256	97799	-159	1835	105025	105041
		GT1{1}	95401	23928	-381	98356	300	486	411698	411698
		GT2{1}	-60704	292	-137	60705	572	-1079	-31314	31337
		GT3{1}	-20663	1988	-169	20759	510	-678	10282	10317
		GW1{1}	3267	7668	-257	8339	467	144	12336	12346
		GW2{1}	4777	8046	-300	9362	476	410	11906	11923
		GW3{1}	3868	7815	-280	8725	320	1371	12111	12192
		GW4{1}	4171	7897	-281	8936	611	-703	12132	12168
		GT1P1{1}	102420	23444	-618	105071	588	188	698684	698684
		GT2P2{1}	47938	16651	-439	50750	363	1580	40333	40366
		GT3P3{1}	75311	20790	-426	78129	351	1156	115306	115313
		Gravity{2}	7874	16111	-583	17942	989	581	20653	20685
		Thermal 3{2}	-43027	-10559	204	44305	35	-1615	1765	2393
		Pressure 1{2}	42093	11257	-1101	43586	1867	1098	52115	52160
		GT3{2}	-35153	5552	-379	35591	1024	-1034	22419	22466
		Hydrotest-NL{2}	6940	16810	-1480	18246	2891	64	74533	74589
+2	-	Gravity{1}	4020	7857	-278	8830	507	166	9493	9508
		Thermal 1{1}	91380	16072	-103	92783	-158	167	404844	404844
		Thermal 2{1}	-64724	-7564	141	65165	83	-1299	-48694	48711
		Thermal 3{1}	-24683	-5868	109	25371	25	-912	-2652	2805
		Wind 1{1}	-753	-189	22	777	-8	-125	194	231
		Wind 2{1}	757	190	-21	781	8	124	-194	231
		Wind 3{1}	-152	-41	-2	157	-152	1093	-14	1104
		Wind 4{1}	151	41	-3	157	139	-981	13	991
		Pressure 1{1}	7019	-484	-237	7040	318	-393	288078	288078
		Pressure 2{1}	108642	16359	-302	109867	-171	2538	79009	79050
		Pressure 3{1}	95974	18802	-256	97799	-126	1732	109789	109802
		GT1{1}	95401	23928	-381	98356	349	333	414338	414338

		GT2{1}	-60704	292	-137	60705	590	-1133	-39201	39221
		GT3{1}	-20663	1988	-169	20759	532	-746	6841	6902
		GW1{1}	3267	7668	-257	8339	500	41	9687	9700
		GW2{1}	4777	8046	-300	9362	515	290	9299	9318
		GW3{1}	3868	7815	-280	8725	356	1259	9480	9569
		GW4{1}	4171	7897	-281	8936	647	-815	9507	9564
		GT1P1{1}	102420	23444	-618	105071	667	-60	702416	702416
		GT2P2{1}	47938	16651	-439	50750	419	1404	39809	39836
		GT3P3{1}	75311	20790	-426	78129	406	986	116630	116635
		Gravity{2}	7874	16111	-583	17942	1063	348	15216	15258
		Thermal 3{2}	-43027	-10559	204	44305	9	-1533	482	1607
		Pressure 1{2}	42093	11257	-1101	43586	2008	657	53000	53042
		GT3{2}	-35153	5552	-379	35591	1072	-1185	15698	15779
		Hydrotest-NL{2}	6940	16810	-1480	18246	3080	-528	68698	68769
+2	+	Gravity{1}	3028	10454	-219	10886	507	166	9493	9508
		Thermal 1{1}	72035	34690	-187	79953	-158	167	404844	404844
		Thermal 2{1}	-51953	-8936	231	52716	83	-1299	-48694	48711
		Thermal 3{1}	-23169	-5688	165	23857	25	-912	-2652	2805
		Wind 1{1}	-769	-176	28	790	-8	-125	194	231
		Wind 2{1}	773	177	-28	794	8	124	-194	231
		Wind 3{1}	-154	-44	-64	172	-152	1093	-14	1104
		Wind 4{1}	153	43	53	167	139	-981	13	991
		Pressure 1{1}	3504	10499	-213	11070	318	-393	288078	288078
		Pressure 2{1}	85753	17577	-488	87537	-171	2538	79009	79050
		Pressure 3{1}	79901	22286	-403	82951	-126	1732	109789	109802
		GT1{1}	75063	45144	-406	87593	349	333	414338	414338
		GT2{1}	-48925	1518	11	48948	590	-1133	-39201	39221
		GT3{1}	-20141	4766	-54	20697	532	-746	6841	6902
		GW1{1}	2258	10279	-191	10526	500	41	9687	9700
		GW2{1}	3801	10631	-247	11293	515	290	9299	9318
		GW3{1}	2874	10411	-283	10804	356	1259	9480	9569
		GW4{1}	3181	10498	-167	10970	647	-815	9507	9564
		GT1P1{1}	78566	55643	-619	96277	667	-60	702416	702416
		GT2P2{1}	36828	19095	-477	41487	419	1404	39809	39836
		GT3P3{1}	59760	27052	-458	65599	406	986	116630	116635
		Gravity{2}	5916	21111	-460	21929	1063	348	15216	15258
		Thermal 3{2}	-41864	-10211	296	43092	9	-1533	482	1607
		Pressure 1{2}	29566	10217	-869	31294	2008	657	53000	53042
		GT3{2}	-35948	10899	-164	37565	1072	-1185	15698	15779
		Hydrotest-NL{2}	-6382	21116	-1032	22084	3080	-528	68698	68769
+3	-	Gravity{1}	3028	10454	-219	10886	535	78	5699	5725
		Thermal 1{1}	72035	34690	-187	79953	-134	93	400189	400189
		Thermal 2{1}	-51953	-8936	231	52716	53	-1207	-51769	51783
		Thermal 3{1}	-23169	-5688	165	23857	4	-846	-3342	3448
		Wind 1{1}	-769	-176	28	790	-11	-114	165	201
		Wind 2{1}	773	177	-28	794	11	113	-166	201
		Wind 3{1}	-154	-44	-64	172	-143	1068	-16	1077
		Wind 4{1}	153	43	53	167	133	-960	16	969
		Pressure 1{1}	3504	10499	-213	11070	345	-478	284327	284328
		Pressure 2{1}	85753	17577	-488	87537	-109	2342	82955	82988
		Pressure 3{1}	79901	22286	-403	82951	-75	1571	111102	111113
		GT1{1}	75063	45144	-406	87593	401	171	405888	405888
		GT2{1}	-48925	1518	11	48948	589	-1129	-46070	46088
		GT3{1}	-20141	4766	-54	20697	539	-768	2357	2537
		GW1{1}	2258	10279	-191	10526	524	-36	5865	5888
		GW2{1}	3801	10631	-247	11293	546	191	5533	5564
		GW3{1}	2874	10411	-283	10804	392	1146	5683	5811
		GW4{1}	3181	10498	-167	10970	668	-882	5715	5821
		GT1P1{1}	78566	55643	-619	96277	746	-307	690215	690216
		GT2P2{1}	36828	19095	-477	41487	480	1213	36885	36908
		GT3P3{1}	59760	27052	-458	65599	464	803	113459	113462
		Gravity{2}	5916	21111	-460	21929	1122	164	7529	7614
		Thermal 3{2}	-41864	-10211	296	43092	-29	-1415	-793	1622
		Pressure 1{2}	29566	10217	-869	31294	2119	310	52698	52741
		GT3{2}	-35948	10899	-164	37565	1093	-1251	6737	6939
		Hydrotest-NL{2}	-6382	21116	-1032	22084	3212	-941	59435	59529
+3	+	Gravity{1}	1911	13444	-144	13580	535	78	5699	5725
		Thermal 1{1}	52461	54020	-284	75302	-134	93	400189	400189
		Thermal 2{1}	-39078	-10633	334	40501	53	-1207	-51769	51783
		Thermal 3{1}	-21675	-5379	229	22334	4	-846	-3342	3448
		Wind 1{1}	-788	-157	35	804	-11	-114	165	201
		Wind 2{1}	792	158	-35	808	11	113	-166	201
		Wind 3{1}	-155	-46	-136	212	-143	1068	-16	1077
		Wind 4{1}	155	46	118	200	133	-960	16	969
		Pressure 1{1}	203	20809	-180	20811	345	-478	284327	284328
		Pressure 2{1}	62702	18900	-703	65492	-109	2342	82955	82988
		Pressure 3{1}	63934	25370	-572	68786	-75	1571	111102	111113
		GT1{1}	54372	67464	-428	86648	401	171	405888	405888
		GT2{1}	-37167	2811	190	37274	589	-1129	-46070	46088
		GT3{1}	-19764	8065	85	21347	539	-768	2357	2537
		GW1{1}	1123	13287	-108	13335	524	-36	5865	5888
		GW2{1}	2702	13602	-179	13869	546	191	5533	5564
		GW3{1}	1755	13398	-280	13515	392	1146	5683	5811
		GW4{1}	2065	13490	-26	13647	668	-882	5715	5821
		GT1P1{1}	54575	88273	-608	103783	746	-307	690215	690216
		GT2P2{1}	25534	21711	-513	33521	480	1213	36885	36908
		GT3P3{1}	44169	33435	-486	55399	464	803	113459	113462
		Gravity{2}	3724	26843	-302	27102	1122	164	7529	7614
		Thermal 3{2}	-40755	-9636	400	41881	-29	-1415	-793	1622
		Pressure 1{2}	17513	7697	-570	19138	2119	310	52698	52741
		GT3{2}	-37031	17207	98	40833	1093	-1251	6737	6939
		Hydrotest-NL{2}	-19518	24905	-471	31645	3212	-941	59435	59529
+4	-	Gravity{1}	1911	13444	-144	13580	554	21	566	792
		Thermal 1{1}	52461	54020	-284	75302	-98	-21	385296	385296
		Thermal 2{1}	-39078	-10633	334	40501	10	-1074	-52518	52529
		Thermal 3{1}	-21675	-5379	229	22334	-26	-754	-3965	4037
		Wind 1{1}	-788	-157	35	804	-16	-100	127	163
		Wind 2{1}	792	158	-35	808	16	99	-128	162
		Wind 3{1}	-155	-46	-136	212	-126	1013	-18	1021
		Wind 4{1}	155	46	118	200	118	-913	17	921
		Pressure 1{1}	203	20809	-180	20811	368	-550	276029	276030
		Pressure 2{1}	62702	18900	-703	65492	-19	2061	83420	83446
		Pressure 3{1}	63934	25370	-572	68786	-2	1342	109137	109146
		GT1{1}	54372	67464	-428	86648	456	0	385862	385862

		GT2{1}	-37167	2811	190	37274	564	-1053	-51952	51966
		GT3{1}	-19764	8065	85	21347	528	-734	-3399	3517
		GW1{1}	1123	13287	-108	13335	538	-79	694	881
		GW2{1}	2702	13602	-179	13869	569	119	438	728
		GW3{1}	1755	13398	-280	13515	428	1034	549	1246
		GW4{1}	2065	13490	-26	13647	671	-892	583	1260
		GT1P1{1}	54575	88273	-608	103783	824	-550	661891	661892
		GT2P2{1}	25534	21711	-513	33521	546	1008	31469	31489
		GT3P3{1}	44169	33435	-486	55399	527	608	105738	105741
		Gravity{2}	3724	26843	-302	27102	1161	43	-2731	2968
		Thermal 3{2}	-40755	-9636	400	41881	-80	-1255	-2155	2495
		Pressure 1{2}	17513	7697	-570	19138	2192	82	51860	51907
		GT3{2}	-37031	17207	98	40833	1081	-1211	-4886	5148
		Hydrotest-NL{2}	-19518	24905	-471	31645	3273	-1129	46974	47102
+4	+	Gravity{1}	666	16837	-52	16850	554	21	566	792
		Thermal 1{1}	32492	74582	-396	81354	-98	-21	385296	385296
		Thermal 2{1}	-26096	-12672	450	29013	10	-1074	-52518	52529
		Thermal 3{1}	-20200	-4944	301	20799	-26	-754	-3965	4037
		Wind 1{1}	-808	-133	44	820	-16	-100	127	163
		Wind 2{1}	812	134	-43	824	16	99	-128	162
		Wind 3{1}	-157	-48	-219	274	-126	1013	-18	1021
		Wind 4{1}	156	48	192	252	118	-913	17	921
		Pressure 1{1}	-2998	30810	-139	30956	368	-550	276029	276030
		Pressure 2{1}	39467	20387	-944	44432	-19	2061	83420	83446
		Pressure 3{1}	48026	28200	-762	55698	-2	1342	109137	109146
		GT1{1}	33158	91420	-447	97248	456	0	385862	385862
		GT2{1}	-25430	4166	398	25772	564	-1053	-51952	51966
		GT3{1}	-19535	11893	249	22872	528	-734	-3399	3517
		GW1{1}	-142	16704	-8	16705	538	-79	694	881
		GW2{1}	1478	16971	-95	17036	569	119	438	728
		GW3{1}	509	16789	-271	16799	428	1034	549	1246
		GW4{1}	822	16885	140	16906	671	-892	583	1260
		GT1P1{1}	30159	122229	-587	125897	824	-550	661891	661892
		GT2P2{1}	14037	24552	-546	28287	546	1008	31469	31489
		GT3P3{1}	28491	40093	-512	49188	527	608	105738	105741
		Gravity{2}	1295	33326	-108	33351	1161	43	-2731	2968
		Thermal 3{2}	-39701	-8834	516	40675	-80	-1255	-2155	2495
		Pressure 1{2}	5816	4064	-205	7098	2192	82	51860	51907
		GT3{2}	-38406	24493	408	45553	1081	-1211	-4886	5148
		Hydrotest-NL{2}	-32590	28557	203	43332	3273	-1129	46974	47102
A04		Gravity{1}	0	18670	0	18670	560	0	-6084	6109
		Thermal 1{1}	22334	85402	-456	88275	-47	-179	359622	359622
		Thermal 2{1}	-19567	-13808	513	23954	-47	-894	-50790	50798
		Thermal 3{1}	-19469	-4687	340	20028	-64	-634	-4573	4617
		Wind 1{1}	-818	-119	48	828	-21	-82	77	115
		Wind 2{1}	822	120	-47	832	21	81	-77	114
		Wind 3{1}	-158	-50	-265	312	-98	926	-18	931
		Wind 4{1}	157	49	233	285	93	-836	18	841
		Pressure 1{1}	-4594	35795	-116	36089	386	-606	263322	263323
		Pressure 2{1}	27754	21154	-1075	34913	102	1683	80318	80335
		Pressure 3{1}	40080	29566	-864	49813	96	1037	104005	104010
		GT1{1}	22334	104072	-456	106443	513	-179	353538	353539
		GT2{1}	-19567	4862	513	20169	513	-894	-56873	56883
		GT3{1}	-19469	13983	340	23973	496	-634	-10657	10687
		GW1{1}	-818	18551	48	18569	539	-82	-6006	6031
		GW2{1}	822	18790	-47	18808	582	81	-6161	6189
		GW3{1}	-158	18620	-265	18623	463	926	-6102	6189
		GW4{1}	157	18719	233	18721	654	-836	-6066	6158
		GT1P1{1}	17740	139867	-572	140989	899	-785	616860	616861
		GT2P2{1}	8187	26016	-562	27279	615	790	23444	23466
		GT3P3{1}	20611	43550	-524	48184	592	403	93348	93351
		Gravity{2}	0	36820	0	36820	1175	0	-15896	15939
		Thermal 3{2}	-39192	-8357	578	40077	-146	-1048	-3703	3851
		Pressure 1{2}	0	2146	0	2146	2218	0	50979	51027
		GT3{2}	-39192	28463	578	48441	1028	-1048	-19599	19654
		Hydrotest-NL{2}	-39192	30609	578	49732	3247	-1048	31380	31565
A05	N	Gravity{1}	0	-1742	0	1742	560	0	-38213	38217
		Thermal 1{1}	22334	85402	-456	88275	507	-1910	62559	62590
		Thermal 2{1}	-19567	-13808	513	23954	-670	1052	-22143	22178
		Thermal 3{1}	-19469	-4687	340	20028	-477	655	-10432	10464
		Wind 1{1}	-818	-119	48	828	-79	99	-464	481
		Wind 2{1}	822	120	-47	832	79	-99	466	483
		Wind 3{1}	-158	-50	-265	312	224	-79	-22	238
		Wind 4{1}	157	49	233	285	-189	47	22	196
		Pressure 1{1}	-4594	35795	-116	36089	527	-1047	121860	121865
		Pressure 2{1}	27754	21154	-1075	34913	1408	-2396	33730	33845
		Pressure 3{1}	40080	29566	-864	49813	1146	-2243	40455	40534
		GT1{1}	22334	83660	-456	86591	1067	-1910	24346	24445
		GT2{1}	-19567	-15550	513	24999	-109	1052	-60356	60365
		GT3{1}	-19469	-6429	340	20506	84	655	-48645	48650
		GW1{1}	-818	-1862	48	2034	481	99	-38677	38680
		GW2{1}	822	-1622	-47	1820	639	-99	-37747	37752
		GW3{1}	-158	-1792	-265	1819	784	-79	-38234	38242
		GW4{1}	157	-1693	233	1716	371	47	-38191	38193
		GT1P1{1}	17740	119455	-572	120766	1594	-2957	146206	146245
		GT2P2{1}	8187	5603	-562	9937	1298	-1344	-26626	26691
		GT3P3{1}	20611	23137	-524	30991	1229	-1588	-8190	8432
		Gravity{2}	0	-6644	0	6644	1175	0	-73171	73181
		Thermal 3{2}	-39192	-8357	578	40077	-849	1147	-19588	19639
		Pressure 1{2}	0	2146	0	2146	2218	0	42833	42891
		GT3{2}	-39192	-15001	578	41969	326	1147	-92759	92766
		Hydrotest-NL{2}	-39192	-12855	578	41251	2544	1147	-49925	50003
A05	F	Gravity{1}	0	-3918	0	3918	560	0	-37026	37030
		Thermal 1{1}	22334	85402	-456	88275	536	-2101	28316	28399
		Thermal 2{1}	-19567	-13808	513	23954	-703	1266	-17648	17707
		Thermal 3{1}	-19469	-4687	340	20028	-499	797	-9744	9789
		Wind 1{1}	-818	-119	48	828	-82	119	-468	490
		Wind 2{1}	822	120	-47	832	82	-118	470	491
		Wind 3{1}	-158	-50	-265	312	241	-190	-11	307
		Wind 4{1}	157	49	233	285	-205	144	12	250
		Pressure 1{1}	-4594	35795	-116	36089	534	-1095	106596	106603
		Pressure 2{1}	27754	21154	-1075	34913	1478	-2846	26699	26890
		Pressure 3{1}	40080	29566	-864	49813	1202	-2604	30711	30845
		GT1{1}	22334	81484	-456	84491	1097	-2101	-8710	9027

	GT2{1}	-19567	-17726	513	26407	-143	1266	-54674	54689
	GT3{1}	-19469	-8605	340	21288	62	797	-46770	46776
	GW1{1}	-818	-4037	48	4120	478	119	-37494	37497
	GW2{1}	822	-3798	-47	3886	642	-118	-36556	36562
	GW3{1}	-158	-3968	-265	3980	801	-190	-37037	37046
	GW4{1}	157	-3869	233	3879	356	144	-37014	37016
	GT1P1{1}	17740	117279	-572	118615	1631	-3197	97886	97952
	GT2P2{1}	8187	3428	-562	8893	1335	-1580	-27975	28052
	GT3P3{1}	20611	20962	-524	29402	1264	-1807	-16058	16209
	Gravity{2}	0	-11276	0	11276	1175	0	-69418	69428
	Thermal 3{2}	-39192	-8357	578	40077	-886	1388	-18651	18724
	Pressure 1{2}	0	2146	0	2146	2218	0	41936	41995
	GT3{2}	-39192	-19633	578	43839	288	1388	-88069	88081
	Hydrotest-NL{2}	-39192	-17488	578	42921	2507	1388	-46133	46222
A06	Gravity{1}	0	-10504	0	10504	560	0	-27754	27759
	Thermal 1{1}	22334	85402	-456	88275	536	-2688	-81502	81548
	Thermal 2{1}	-19567	-13808	513	23954	-703	1925	107	2052
	Thermal 3{1}	-19469	-4687	340	20028	-499	1234	-3717	3948
	Wind 1{1}	-818	-119	48	828	-82	181	-314	372
	Wind 2{1}	822	120	-47	832	82	-179	315	372
	Wind 3{1}	-158	-50	-265	312	241	-530	53	585
	Wind 4{1}	157	49	233	285	-205	443	-52	491
	Pressure 1{1}	-4594	35795	-116	36089	534	-1245	60568	60583
	Pressure 2{1}	27754	21154	-1075	34913	1478	-4228	-503	4507
	Pressure 3{1}	40080	29566	-864	49813	1202	-3715	-7308	8286
	GT1{1}	22334	74898	-456	78159	1097	-2688	-109256	109294
	GT2{1}	-19567	-24311	513	31212	-143	1925	-27646	27714
	GT3{1}	-19469	-15190	340	24696	62	1234	-31471	31495
	GW1{1}	-818	-10623	48	10654	478	181	-28068	28073
	GW2{1}	822	-10384	-47	10416	642	-179	-27438	27446
	GW3{1}	-158	-10553	-265	10558	801	-530	-27701	27717
	GW4{1}	157	-10454	233	10458	356	443	-27805	27811
	GT1P1{1}	17740	110693	-572	112107	1631	-3932	-48688	48874
	GT2P2{1}	8187	-3158	-562	8793	1335	-2302	-28149	28275
	GT3P3{1}	20611	14376	-524	25135	1264	-2481	-38779	38879
	Gravity{2}	0	-25299	0	25299	1175	0	-45902	45917
	Thermal 3{2}	-39192	-8357	578	40077	-886	2132	-7905	8235
	Pressure 1{2}	0	2146	0	2146	2218	0	39177	39240
	GT3{2}	-39192	-33656	578	51663	288	2132	-53807	53850
	Hydrotest-NL{2}	-39192	-31510	578	50292	2507	2132	-14630	14995
A07 -	Gravity{1}	0	-18186	0	18186	560	0	-6236	6262
	Thermal 1{1}	22334	85402	-456	88275	536	-3372	-209606	209633
	Thermal 2{1}	-19567	-13808	513	23954	-703	2694	20819	21004
	Thermal 3{1}	-19469	-4687	340	20028	-499	1743	3313	3776
	Wind 1{1}	-818	-119	48	828	-82	252	-136	298
	Wind 2{1}	822	120	-47	832	82	-251	135	296
	Wind 3{1}	-158	-50	-265	312	241	-927	127	966
	Wind 4{1}	157	49	233	285	-205	792	-126	827
	Pressure 1{1}	-4594	35795	-116	36089	534	-1419	6875	7040
	Pressure 2{1}	27754	21154	-1075	34913	1478	-5840	-32233	32791
	Pressure 3{1}	40080	29566	-864	49813	1202	-5011	-51658	51914
	GT1{1}	22334	67216	-456	70831	1097	-3372	-215842	215871
	GT2{1}	-19567	-31994	513	37506	-143	2694	14583	14830
	GT3{1}	-19469	-22872	340	30038	62	1743	-2924	3404
	GW1{1}	-818	-18305	48	18323	478	252	-6372	6395
	GW2{1}	822	-18066	-47	18085	642	-251	-6101	6140
	GW3{1}	-158	-18235	-265	18238	801	-927	-6109	6231
	GW4{1}	157	-18137	233	18139	356	792	-6362	6421
	GT1P1{1}	17740	103011	-572	104529	1631	-4791	-208967	209028
	GT2P2{1}	8187	-10840	-562	13596	1335	-3146	-17651	17979
	GT3P3{1}	20611	6694	-524	21677	1264	-3268	-54581	54694
	Gravity{2}	0	-41656	0	41656	1175	0	4315	4472
	Thermal 3{2}	-39192	-8357	578	40077	-886	2999	4631	5588
	Pressure 1{2}	0	2146	0	2146	2218	0	35958	36027
	GT3{2}	-39192	-50013	578	63543	288	2999	8945	9439
	Hydrotest-NL{2}	-39192	-47868	578	61868	2507	2999	44904	45074
A07 +	Gravity{1}	0	-34644	0	34644	560	0	-6236	6262
	Thermal 1{1}	22334	85402	-456	88275	536	-3372	-209606	209633
	Thermal 2{1}	-19567	-13808	513	23954	-703	2694	20819	21004
	Thermal 3{1}	-19469	-4687	340	20028	-499	1743	3313	3776
	Wind 1{1}	-818	-119	48	828	-82	252	-136	298
	Wind 2{1}	822	120	-47	832	82	-251	135	296
	Wind 3{1}	-158	-50	-265	312	241	-927	127	966
	Wind 4{1}	157	49	233	285	-205	792	-126	827
	Pressure 1{1}	-4594	35795	-116	36089	534	-1419	6875	7040
	Pressure 2{1}	27754	21154	-1075	34913	1478	-5840	-32233	32791
	Pressure 3{1}	40080	29566	-864	49813	1202	-5011	-51658	51914
	GT1{1}	22334	50758	-456	55456	1097	-3372	-215842	215871
	GT2{1}	-19567	-48452	513	52256	-143	2694	14583	14830
	GT3{1}	-19469	-39331	340	43887	62	1743	-2924	3404
	GW1{1}	-818	-34763	48	34773	478	252	-6372	6395
	GW2{1}	822	-34524	-47	34534	642	-251	-6101	6140
	GW3{1}	-158	-34694	-265	34695	801	-927	-6109	6231
	GW4{1}	157	-34595	233	34596	356	792	-6362	6421
	GT1P1{1}	17740	86553	-572	88354	1631	-4791	-208967	209028
	GT2P2{1}	8187	-27298	-562	28505	1335	-3146	-17651	17979
	GT3P3{1}	20611	-9764	-524	22813	1264	-3268	-54581	54694
	Gravity{2}	0	-58115	0	58115	1175	0	4315	4472
	Thermal 3{2}	-39192	-8357	578	40077	-886	2999	4631	5588
	Pressure 1{2}	0	2146	0	2146	2218	0	35958	36027
	GT3{2}	-39192	-66472	578	77168	288	2999	8945	9439
	Hydrotest-NL{2}	-39192	-64326	578	75327	2507	2999	44904	45074
A08 -	Gravity{1}	0	-47960	0	47960	560	0	101149	101150
	Thermal 1{1}	22334	85402	-456	88275	536	-4557	-431651	431676
	Thermal 2{1}	-19567	-13808	513	23954	-703	4027	56719	56866
	Thermal 3{1}	-19469	-4687	340	20028	-499	2626	15498	15727
	Wind 1{1}	-818	-119	48	828	-82	377	174	423
	Wind 2{1}	822	120	-47	832	82	-374	-177	422
	Wind 3{1}	-158	-50	-265	312	241	-1615	256	1653
	Wind 4{1}	157	49	233	285	-205	1397	-254	1434
	Pressure 1{1}	-4594	35795	-116	36089	534	-1721	-86192	86211
	Pressure 2{1}	27754	21154	-1075	34913	1478	-8634	-87233	87672
	Pressure 3{1}	40080	29566	-864	49813	1202	-7258	-128530	128741
	GT1{1}	22334	37442	-456	43600	1097	-4557	-330503	330536

	GT2{1}	-19567	-61768	513	64795	-143	4027	157868	157920
	GT3{1}	-19469	-52646	340	56132	62	2626	116647	116676
	GW1{1}	-818	-48079	48	48086	478	377	101323	101325
	GW2{1}	822	-47840	-47	47847	642	-374	100972	100975
	GW3{1}	-158	-48009	-265	48010	801	-1615	101405	101421
	GW4{1}	157	-47911	233	47911	356	1397	100895	100905
	GT1P1{1}	17740	73237	-572	75358	1631	-6279	-416695	416745
	GT2P2{1}	8187	-40614	-562	41435	1335	-4607	70635	70798
	GT3P3{1}	20611	-23080	-524	30948	1264	-4632	-11884	12817
	Gravity{2}	0	-86468	0	86468	1175	0	192272	192276
	Thermal 3{2}	-39192	-8357	578	40077	-886	4502	26359	26755
	Pressure 1{2}	0	2146	0	2146	2218	0	30379	30460
	GT3{2}	-39192	-94825	578	102606	288	4502	218631	218678
	Hydrotest-NL{2}	-39192	-92679	578	100627	2507	4502	249010	249064
A08 +	Gravity{1}	0	-73908	0	73908	560	0	101149	101150
	Thermal 1{1}	22334	85402	-456	88275	536	-4557	-431651	431676
	Thermal 2{1}	-19567	-13808	513	23954	-703	4027	56719	56866
	Thermal 3{1}	-19469	-4687	340	20028	-499	2626	15498	15727
	Wind 1{1}	-818	-119	48	828	-82	377	174	423
	Wind 2{1}	822	120	-47	832	82	-374	-177	422
	Wind 3{1}	-158	-50	-265	312	241	-1615	256	1653
	Wind 4{1}	157	49	233	285	-205	1397	-254	1434
	Pressure 1{1}	-4594	35795	-116	36089	534	-1721	-86192	86211
	Pressure 2{1}	27754	21154	-1075	34913	1478	-8634	-87233	87672
	Pressure 3{1}	40080	29566	-864	49813	1202	-7258	-128530	128741
	GT1{1}	22334	11494	-456	25123	1097	-4557	-330503	330536
	GT2{1}	-19567	-87716	513	89873	-143	4027	157868	157920
	GT3{1}	-19469	-78594	340	80971	62	2626	116647	116676
	GW1{1}	-818	-74027	48	74031	478	377	101323	101325
	GW2{1}	822	-73788	-47	73792	642	-374	100972	100975
	GW3{1}	-158	-73957	-265	73958	801	-1615	101405	101421
	GW4{1}	157	-73858	233	73859	356	1397	100895	100905
	GT1P1{1}	17740	47289	-572	50511	1631	-6279	-416695	416745
	GT2P2{1}	8187	-66562	-562	67066	1335	-4607	70635	70798
	GT3P3{1}	20611	-49028	-524	53187	1264	-4632	-11884	12817
	Gravity{2}	0	-112416	0	112416	1175	0	192272	192276
	Thermal 3{2}	-39192	-8357	578	40077	-886	4502	26359	26755
	Pressure 1{2}	0	2146	0	2146	2218	0	30379	30460
	GT3{2}	-39192	-120773	578	126974	288	4502	218631	218678
	Hydrotest-NL{2}	-39192	-118627	578	124935	2507	4502	249010	249064
A08 M-	Gravity{1}	0	-97630	0	97630	560	0	199183	199184
	Thermal 1{1}	22334	85402	-456	88275	536	-5079	-529266	529291
	Thermal 2{1}	-19567	-13808	513	23954	-703	4612	72502	72652
	Thermal 3{1}	-19469	-4687	340	20028	-499	3014	20855	21077
	Wind 1{1}	-818	-119	48	828	-82	431	311	538
	Wind 2{1}	822	120	-47	832	82	-428	-314	537
	Wind 3{1}	-158	-50	-265	312	241	-1918	313	1958
	Wind 4{1}	157	49	233	285	-205	1662	-310	1703
	Pressure 1{1}	-4594	35795	-116	36089	534	-1854	-127106	127121
	Pressure 2{1}	27754	21154	-1075	34913	1478	-9862	-111412	111857
	Pressure 3{1}	40080	29566	-864	49813	1202	-8245	-162325	162538
	GT1{1}	22334	-12228	-456	25467	1097	-5079	-330083	330124
	GT2{1}	-19567	-111438	513	113144	-143	4612	271685	271724
	GT3{1}	-19469	-102317	340	104153	62	3014	220037	220058
	GW1{1}	-818	-97749	48	97753	478	431	199493	199494
	GW2{1}	822	-97510	-47	97514	642	-428	198869	198870
	GW3{1}	-158	-97680	-265	97680	801	-1918	199496	199507
	GW4{1}	157	-97581	233	97581	356	1662	198873	198880
	GT1P1{1}	17740	23567	-572	29503	1631	-6933	-457189	457245
	GT2P2{1}	8187	-90284	-562	90656	1335	-5250	160273	160364
	GT3P3{1}	20611	-72750	-524	75615	1264	-5231	57713	57963
	Gravity{2}	0	-142748	0	142748	1175	0	338099	338101
	Thermal 3{2}	-39192	-8357	578	40077	-886	5163	35911	36291
	Pressure 1{2}	0	2146	0	2146	2218	0	27927	28015
	GT3{2}	-39192	-151106	578	156107	288	5163	374010	374045
	Hydrotest-NL{2}	-39192	-148960	578	154030	2507	5163	401936	401977
A08 M+	Gravity{1}	0	95815	0	95815	560	0	199183	199184
	Thermal 1{1}	22334	-108043	-456	110328	536	-5079	-529266	529291
	Thermal 2{1}	-19567	15213	513	24791	-703	4612	72502	72652
	Thermal 3{1}	-19469	4249	340	19930	-499	3014	20855	21077
	Wind 1{1}	-818	-323	48	881	-82	431	311	538
	Wind 2{1}	822	322	-47	884	82	-428	-314	537
	Wind 3{1}	-158	183	-265	358	241	-1918	313	1958
	Wind 4{1}	157	-179	233	333	-205	1662	-310	1703
	Pressure 1{1}	-4594	35795	-116	36089	534	-1854	-127106	127121
	Pressure 2{1}	27754	-22958	-1075	36035	1478	-9862	-111412	111857
	Pressure 3{1}	40080	-33819	-864	52448	1202	-8245	-162325	162538
	GT1{1}	22334	-12228	-456	25467	1097	-5079	-330083	330124
	GT2{1}	-19567	111028	513	112740	-143	4612	271685	271724
	GT3{1}	-19469	100064	340	101941	62	3014	220037	220058
	GW1{1}	-818	95492	48	95495	478	431	199493	199494
	GW2{1}	822	96137	-47	96140	642	-428	198869	198870
	GW3{1}	-158	95998	-265	95998	801	-1918	199496	199507
	GW4{1}	157	95635	233	95636	356	1662	198873	198880
	GT1P1{1}	17740	23567	-572	29503	1631	-6933	-457189	457245
	GT2P2{1}	8187	88070	-562	88451	1335	-5250	160273	160364
	GT3P3{1}	20611	66245	-524	69380	1264	-5231	57713	57963
	Gravity{2}	0	145793	0	145793	1175	0	338099	338101
	Thermal 3{2}	-39192	7266	578	39864	-886	5163	35911	36291
	Pressure 1{2}	0	2146	0	2146	2218	0	27927	28015
	GT3{2}	-39192	153059	578	157998	288	5163	374010	374045
	Hydrotest-NL{2}	-39192	155205	578	160078	2507	5163	401936	401977
A09 -	Gravity{1}	0	72093	0	72093	560	0	103224	103225
	Thermal 1{1}	22334	-108043	-456	110328	536	-5600	-405773	405812
	Thermal 2{1}	-19567	15213	513	24791	-703	5198	55113	55362
	Thermal 3{1}	-19469	4249	340	19930	-499	3402	15998	16363
	Wind 1{1}	-818	-323	48	881	-82	486	680	840
	Wind 2{1}	822	322	-47	884	82	-482	-682	839
	Wind 3{1}	-158	183	-265	358	241	-2220	104	2236
	Wind 4{1}	157	-179	233	333	-205	1928	-105	1942
	Pressure 1{1}	-4594	35795	-116	36089	534	-1987	-168020	168033
	Pressure 2{1}	27754	-22958	-1075	36035	1478	-11091	-85170	85902
	Pressure 3{1}	40080	-33819	-864	52448	1202	-9233	-123670	124020
	GT1{1}	22334	-35950	-456	42326	1097	-5600	-302549	302603

	GT2{1}	-19567	87306	513	89473	-143	5198	158336	158422
	GT3{1}	-19469	76342	340	78786	62	3402	119222	119270
	GW1{1}	-818	71770	48	71774	478	486	103903	103905
	GW2{1}	822	72414	-47	72419	642	-482	102542	102545
	GW3{1}	-158	72275	-265	72276	801	-2220	103328	103355
	GW4{1}	157	71913	233	71914	356	1928	103119	103137
	GT1P1{1}	17740	-155	-572	17750	1631	-7587	-470569	470633
	GT2P2{1}	8187	64347	-562	64869	1335	-5893	73166	73415
	GT3P3{1}	20611	42523	-524	47258	1264	-5831	-4449	7442
	Gravity{2}	0	115460	0	115460	1175	0	188793	188796
	Thermal 3{2}	-39192	7266	578	39864	-886	5824	27606	28227
	Pressure 1{2}	0	2146	0	2146	2218	0	25474	25570
	GT3{2}	-39192	122726	578	128833	288	5824	216398	216477
	Hydrotest-NL{2}	-39192	124872	578	130879	2507	5824	241872	241955
A09 +	Gravity{1}	0	46145	0	46145	560	0	103224	103225
	Thermal 1{1}	22334	-108043	-456	110328	536	-5600	-405773	405812
	Thermal 2{1}	-19567	15213	513	24791	-703	5198	55113	55362
	Thermal 3{1}	-19469	4249	340	19930	-499	3402	15998	16363
	Wind 1{1}	-818	-323	48	881	-82	486	680	840
	Wind 2{1}	822	322	-47	884	82	-482	-682	839
	Wind 3{1}	-158	183	-265	358	241	-2220	104	2236
	Wind 4{1}	157	-179	233	333	-205	1928	-105	1942
	Pressure 1{1}	-4594	35795	-116	36089	534	-1987	-168020	168033
	Pressure 2{1}	27754	-22958	-1075	36035	1478	-11091	-85170	85902
	Pressure 3{1}	40080	-33819	-864	52448	1202	-9233	-123670	124020
	GT1{1}	22334	-61898	-456	65806	1097	-5600	-302549	302603
	GT2{1}	-19567	61358	513	64404	-143	5198	158336	158422
	GT3{1}	-19469	50394	340	54025	62	3402	119222	119270
	GW1{1}	-818	45822	48	45829	478	486	103903	103905
	GW2{1}	822	46467	-47	46474	642	-482	102542	102545
	GW3{1}	-158	46327	-265	46328	801	-2220	103328	103355
	GW4{1}	157	45965	233	45966	356	1928	103119	103137
	GT1P1{1}	17740	-26103	-572	31566	1631	-7587	-470569	470633
	GT2P2{1}	8187	38399	-562	39266	1335	-5893	73166	73415
	GT3P3{1}	20611	16575	-524	26454	1264	-5831	-4449	7442
	Gravity{2}	0	89512	0	89512	1175	0	188793	188796
	Thermal 3{2}	-39192	7266	578	39864	-886	5824	27606	28227
	Pressure 1{2}	0	2146	0	2146	2218	0	25474	25570
	GT3{2}	-39192	96778	578	104414	288	5824	216398	216477
	Hydrotest-NL{2}	-39192	98924	578	106406	2507	5824	241872	241955
A10 -	Gravity{1}	0	29260	0	29260	560	0	-21074	21081
	Thermal 1{1}	22334	-108043	-456	110328	536	-7104	-49576	50085
	Thermal 2{1}	-19567	15213	513	24791	-703	6888	4957	8515
	Thermal 3{1}	-19469	4249	340	19930	-499	4521	1990	4965
	Wind 1{1}	-818	-323	48	881	-82	644	1744	1861
	Wind 2{1}	822	322	-47	884	82	-639	-1743	1859
	Wind 3{1}	-158	183	-265	358	241	-3093	-498	3142
	Wind 4{1}	157	-179	233	333	-205	2695	487	2746
	Pressure 1{1}	-4594	35795	-116	36089	534	-2370	-286029	286040
	Pressure 2{1}	27754	-22958	-1075	36035	1478	-14634	-9481	17499
	Pressure 3{1}	40080	-33819	-864	52448	1202	-12081	-12177	17195
	GT1{1}	22334	-78783	-456	81889	1097	-7104	-70650	71015
	GT2{1}	-19567	44474	513	48591	-143	6888	-16117	17527
	GT3{1}	-19469	33509	340	38756	62	4521	-19084	19613
	GW1{1}	-818	28937	48	28949	478	644	-19329	19346
	GW2{1}	822	29582	-47	29594	642	-639	-22817	22835
	GW3{1}	-158	29443	-265	29445	801	-3093	-21572	21807
	GW4{1}	157	29081	233	29082	356	2695	-20587	20766
	GT1P1{1}	17740	-42988	-572	46508	1631	-9473	-356680	356809
	GT2P2{1}	8187	21515	-562	23027	1335	-7746	-25597	26777
	GT3P3{1}	20611	-309	-524	20620	1264	-7560	-31261	32187
	Gravity{2}	0	53560	0	53560	1175	0	-47047	47062
	Thermal 3{2}	-39192	7266	578	39864	-886	7730	3650	8594
	Pressure 1{2}	0	2146	0	2146	2218	0	18400	18533
	GT3{2}	-39192	60826	578	72362	288	7730	-43397	44081
	Hydrotest-NL{2}	-39192	62972	578	74175	2507	7730	-24997	26285
A10 +	Gravity{1}	-2547	7636	-20	8049	-798	5893	-11580	13018
	Thermal 1{1}	21171	-107202	239	109272	3524	-4233	-51431	51725
	Thermal 2{1}	-17754	15128	-227	23326	-2046	2612	3767	5020
	Thermal 3{1}	-17763	4244	-65	18263	-1466	548	520	1650
	Wind 1{1}	812	-226	56	844	54	-316	-1676	1707
	Wind 2{1}	-805	225	-55	838	-56	315	1675	1705
	Wind 3{1}	17	-676	23	677	-1979	-3115	-960	3814
	Wind 4{1}	-36	677	21	678	2047	2761	964	3570
	Pressure 1{1}	-10247	34232	35	35733	-2926	10764	-269237	269468
	Pressure 2{1}	21289	-22863	409	31243	3979	596	-4223	5833
	Pressure 3{1}	33906	-33603	273	47737	3774	2427	-7553	8785
	GT1{1}	18624	-99566	220	101293	2725	1660	-63011	63092
	GT2{1}	-20301	22763	-247	30502	-2844	8505	-7813	11894
	GT3{1}	-20311	11880	-84	23530	-2265	6442	-11060	12998
	GW1{1}	-1735	7410	36	7611	-744	5578	-13257	14401
	GW2{1}	-3352	7860	-75	8546	-854	6208	-9905	11721
	GW3{1}	-2530	6959	3	7405	-2778	2778	-12540	13141
	GW4{1}	-2583	8313	1	8705	1249	8655	-10616	13753
	GT1P1{1}	8376	-65334	255	65869	-201	12424	-332248	332480
	GT2P2{1}	988	-100	163	1006	1135	9101	-12036	15132
	GT3P3{1}	13595	-21723	188	25627	1509	8869	-18612	20672
	Gravity{2}	-5340	7589	-42	9280	-1556	12363	-27207	29924
	Thermal 3{2}	-35767	7260	43	36496	-2708	-245	651	2796
	Pressure 1{2}	-3132	1643	-39	3537	571	7333	20458	21740
	GT3{2}	-41106	14850	1	43706	-4264	12118	-26556	29500
	Hydrotest-NL{2}	-44238	16493	-38	47212	-3693	19451	-6097	20716
A11 -	Gravity{1}	-2547	1490	-20	2951	-798	5870	-17055	18055
	Thermal 1{1}	21171	-107202	239	109272	3524	-3946	77211	77392
	Thermal 2{1}	-17754	15128	-227	23326	-2046	2339	-14386	14718
	Thermal 3{1}	-17763	4244	-65	18263	-1466	471	-4572	4825
	Wind 1{1}	812	-226	56	844	54	-249	-1406	1429
	Wind 2{1}	-805	225	-55	838	-56	248	1405	1428
	Wind 3{1}	17	-676	23	677	-1979	-3088	-149	3671
	Wind 4{1}	-36	677	21	678	2047	2786	152	3461
	Pressure 1{1}	-10247	34232	35	35733	-2926	10806	-310316	310517
	Pressure 2{1}	21289	-22863	409	31243	3979	1087	23213	23577
	Pressure 3{1}	33906	-33603	273	47737	3774	2754	32770	33102
	GT1{1}	18624	-105712	220	107340	2725	1924	60156	60248

	GT2{1}	-20301	16617	-247	26236	-2844	8209	-31441	32619
	GT3{1}	-20311	5734	-84	21105	-2265	6341	-21628	22651
	GW1{1}	-1735	1264	36	2147	-744	5621	-18461	19312
	GW2{1}	-3352	1715	-75	3766	-854	6118	-15650	16825
	GW3{1}	-2530	814	3	2657	-2778	2782	-17204	17648
	GW4{1}	-2583	2167	1	3372	1249	8656	-16903	19032
	GT1P1{1}	8376	-71479	255	71969	-201	12730	-250160	250483
	GT2P2{1}	988	-6246	163	6326	1135	9296	-8228	12466
	GT3P3{1}	13595	-27869	188	31009	1509	9095	11143	14462
	Gravity{2}	-5340	-5496	-42	7663	-1556	12312	-28463	31050
	Thermal 3{2}	-35767	7260	43	36496	-2708	-193	-8062	8507
	Pressure 1{2}	-3132	1643	-39	3537	571	7286	18487	19880
	GT3{2}	-41106	1764	1	41144	-4264	12119	-36524	38718
	Hydrotest-NL{2}	-44238	3407	-38	44369	-3693	19405	-18037	26749
A11 +	Gravity{1}	-2547	-24458	-20	24590	-798	5870	-17055	18055
	Thermal 1{1}	21171	-107202	239	109272	3524	-3946	77211	77392
	Thermal 2{1}	-17754	15128	-227	23326	-2046	2339	-14386	14718
	Thermal 3{1}	-17763	4244	-65	18263	-1466	471	-4572	4825
	Wind 1{1}	812	-226	56	844	54	-249	-1406	1429
	Wind 2{1}	-805	225	-55	838	-56	248	1405	1428
	Wind 3{1}	17	-676	23	677	-1979	-3088	-149	3671
	Wind 4{1}	-36	677	21	678	2047	2786	152	3461
	Pressure 1{1}	-10247	34232	35	35733	-2926	10806	-310316	310517
	Pressure 2{1}	21289	-22863	409	31243	3979	1087	23213	23577
	Pressure 3{1}	33906	-33603	273	47737	3774	2754	32770	33102
	GT1{1}	18624	-131660	220	132971	2725	1924	60156	60248
	GT2{1}	-20301	-9331	-247	22344	-2844	8209	-31441	32619
	GT3{1}	-20311	-20214	-84	28655	-2265	6341	-21628	22651
	GW1{1}	-1735	-24684	36	24745	-744	5621	-18461	19312
	GW2{1}	-3352	-24233	-75	24464	-854	6118	-15650	16825
	GW3{1}	-2530	-25134	3	25261	-2778	2782	-17204	17648
	GW4{1}	-2583	-23781	1	23921	1249	8656	-16903	19032
	GT1P1{1}	8376	-97427	255	97787	-201	12730	-250160	250483
	GT2P2{1}	988	-32194	163	32210	1135	9296	-8228	12466
	GT3P3{1}	13595	-53817	188	55508	1509	9095	11143	14462
	Gravity{2}	-5340	-31444	-42	31895	-1556	12312	-28463	31050
	Thermal 3{2}	-35767	7260	43	36496	-2708	-193	-8062	8507
	Pressure 1{2}	-3132	1643	-39	3537	571	7286	18487	19880
	GT3{2}	-41106	-24184	1	47693	-4264	12119	-36524	38718
	Hydrotest-NL{2}	-44238	-22541	-38	49650	-3693	19405	-18037	26749
A11 M-	Gravity{1}	-2547	-48180	-20	48248	-798	5848	24458	25160
	Thermal 1{1}	21171	-107202	239	109272	3524	-3672	199743	199808
	Thermal 2{1}	-17754	15128	-227	23326	-2046	2079	-31676	31811
	Thermal 3{1}	-17763	4244	-65	18263	-1466	396	-9423	9545
	Wind 1{1}	812	-226	56	844	54	-185	-1148	1164
	Wind 2{1}	-805	225	-55	838	-56	185	1149	1165
	Wind 3{1}	17	-676	23	677	-1979	-3062	624	3699
	Wind 4{1}	-36	677	21	678	2047	2810	-622	3532
	Pressure 1{1}	-10247	34232	35	35733	-2926	10846	-349443	349624
	Pressure 2{1}	21289	-22863	409	31243	3979	1555	49346	49531
	Pressure 3{1}	33906	-33603	273	47737	3774	3066	71178	71344
	GT1{1}	18624	-155382	220	156494	2725	2175	224201	224228
	GT2{1}	-20301	-33053	-247	38790	-2844	7927	-7219	11092
	GT3{1}	-20311	-43936	-84	48404	-2265	6244	15034	16436
	GW1{1}	-1735	-48406	36	48437	-744	5662	23310	23999
	GW2{1}	-3352	-47956	-75	48073	-854	6033	25606	26321
	GW3{1}	-2530	-48857	3	48922	-2778	2786	25082	25388
	GW4{1}	-2583	-47503	1	47574	1249	8658	23836	25390
	GT1P1{1}	8376	-121150	255	121439	-201	13021	-125242	125918
	GT2P2{1}	988	-55916	163	55925	1135	9482	42127	43196
	GT3P3{1}	13595	-77539	188	78722	1509	9310	86213	86727
	Gravity{2}	-5340	-61777	-42	62008	-1556	12264	24814	27723
	Thermal 3{2}	-35767	7260	43	36496	-2708	-144	-16360	16584
	Pressure 1{2}	-3132	1643	-39	3537	571	7242	16610	18129
	GT3{2}	-41106	-54517	1	68278	-4264	12120	8454	15379
	Hydrotest-NL{2}	-44238	-52874	-38	68940	-3693	19361	25063	31885
A11 M+	Gravity{1}	-2547	46212	-20	46282	-798	5848	24458	25160
	Thermal 1{1}	21171	48328	239	52762	3524	-3672	199743	199808
	Thermal 2{1}	-17754	-7689	-227	19349	-2046	2079	-31676	31811
	Thermal 3{1}	-17763	-2314	-65	17914	-1466	396	-9423	9545
	Wind 1{1}	812	-371	56	894	54	-185	-1148	1164
	Wind 2{1}	-805	371	-55	888	-56	185	1149	1165
	Wind 3{1}	17	60	23	67	-1979	-3062	624	3699
	Wind 4{1}	-36	-61	21	74	2047	2810	-622	3532
	Pressure 1{1}	-10247	-84619	35	85237	-2926	10846	-349443	349624
	Pressure 2{1}	21289	11919	409	24402	3979	1555	49346	49531
	Pressure 3{1}	33906	17205	273	38022	3774	3066	71178	71344
	GT1{1}	18624	94540	220	96357	2725	2175	224201	224228
	GT2{1}	-20301	38523	-247	43545	-2844	7927	-7219	11092
	GT3{1}	-20311	43898	-84	48369	-2265	6244	15034	16436
	GW1{1}	-1735	45841	36	45874	-744	5662	23310	23999
	GW2{1}	-3352	46583	-75	46704	-854	6033	25606	26321
	GW3{1}	-2530	46272	3	46342	-2778	2786	25082	25388
	GW4{1}	-2583	46151	1	46223	1249	8658	23836	25390
	GT1P1{1}	8376	9921	255	12987	-201	13021	-125242	125918
	GT2P2{1}	988	50442	163	50452	1135	9482	42127	43196
	GT3P3{1}	13595	61103	188	62597	1509	9310	86213	86727
	Gravity{2}	-5340	53163	-42	53431	-1556	12264	24814	27723
	Thermal 3{2}	-35767	-4034	43	35993	-2708	-144	-16360	16584
	Pressure 1{2}	-3132	1643	-39	3537	571	7242	16610	18129
	GT3{2}	-41106	49130	1	64058	-4264	12120	8454	15379
	Hydrotest-NL{2}	-44238	50772	-38	67341	-3693	19361	25063	31885
A12 -	Gravity{1}	-2547	22490	-20	22634	-798	5825	-14806	15930
	Thermal 1{1}	21171	48328	239	52762	3524	-3399	144504	144587
	Thermal 2{1}	-17754	-7689	-227	19349	-2046	1820	-22888	23051
	Thermal 3{1}	-17763	-2314	-65	17914	-1466	322	-6778	6943
	Wind 1{1}	812	-371	56	894	54	-122	-724	736
	Wind 2{1}	-805	371	-55	888	-56	122	725	737
	Wind 3{1}	17	60	23	67	-1979	-3036	555	3666
	Wind 4{1}	-36	-61	21	74	2047	2834	-552	3539
	Pressure 1{1}	-10247	-84619	35	85237	-2926	10886	-252724	252975
	Pressure 2{1}	21289	11919	409	24402	3979	2023	35722	36000
	Pressure 3{1}	33906	17205	273	38022	3774	3377	51513	51762
	GT1{1}	18624	70818	220	73226	2725	2427	129699	129750

		GT2{1}	-20301	14800	-247	25125	-2844	7645	-37693	38566
		GT3{1}	-20311	20176	-84	28629	-2265	6148	-21584	22556
		GW1{1}	-1735	22119	36	22187	-744	5704	-15530	16561
		GW2{1}	-3352	22861	-75	23105	-854	5947	-14081	15309
		GW3{1}	-2530	22550	3	22692	-2778	2790	-14250	14784
		GW4{1}	-2583	22428	1	22577	1249	8659	-15357	17675
		GT1P1{1}	8376	-13801	255	16146	-201	13313	-123025	123743
		GT2P2{1}	988	26720	163	26738	1135	9668	-1971	9932
		GT3P3{1}	13595	37380	188	39776	1509	9525	29929	31445
		Gravity{2}	-5340	22830	-42	23447	-1556	12216	-18617	22321
		Thermal 3{2}	-35767	-4034	43	35993	-2708	-95	-11750	12058
		Pressure 1{2}	-3132	1643	-39	3537	571	7197	14732	16406
		GT3{2}	-41106	18797	1	45200	-4264	12120	-30367	32973
		Hydrotest-NL{2}	-44238	20439	-38	48732	-3693	19317	-15634	25124
A12	+	Gravity{1}	-2547	-3458	-20	4295	-798	5825	-14806	15930
		Thermal 1{1}	21171	48328	239	52762	3524	-3399	144504	144587
		Thermal 2{1}	-17754	-7689	-227	19349	-2046	1820	-22888	23051
		Thermal 3{1}	-17763	-2314	-65	17914	-1466	322	-6778	6943
		Wind 1{1}	812	-371	56	894	54	-122	-724	736
		Wind 2{1}	-805	371	-55	888	-56	122	725	737
		Wind 3{1}	17	60	23	67	-1979	-3036	555	3666
		Wind 4{1}	-36	-61	21	74	2047	2834	-552	3539
		Pressure 1{1}	-10247	-84619	35	85237	-2926	10886	-252724	252975
		Pressure 2{1}	21289	11919	409	24402	3979	2023	35722	36000
		Pressure 3{1}	33906	17205	273	38022	3774	3377	51513	51762
		GT1{1}	18624	44870	220	48582	2725	2427	129699	129750
		GT2{1}	-20301	-11148	-247	23162	-2844	7645	-37693	38566
		GT3{1}	-20311	-5772	-84	21115	-2265	6148	-21584	22556
		GW1{1}	-1735	-3829	36	4204	-744	5704	-15530	16561
		GW2{1}	-3352	-3087	-75	4558	-854	5947	-14081	15309
		GW3{1}	-2530	-3398	3	4236	-2778	2790	-14250	14784
		GW4{1}	-2583	-3520	1	4366	1249	8659	-15357	17675
		GT1P1{1}	8376	-39749	255	40623	-201	13313	-123025	123743
		GT2P2{1}	988	772	163	1264	1135	9668	-1971	9932
		GT3P3{1}	13595	11432	188	17764	1509	9525	29929	31445
		Gravity{2}	-5340	-3118	-42	6183	-1556	12216	-18617	22321
		Thermal 3{2}	-35767	-4034	43	35993	-2708	-95	-11750	12058
		Pressure 1{2}	-3132	1643	-39	3537	571	7197	14732	16406
		GT3{2}	-41106	-7151	1	41724	-4264	12120	-30367	32973
		Hydrotest-NL{2}	-44238	-5508	-38	44580	-3693	19317	-15634	25124
A13	-	Gravity{1}	-2547	-20343	-20	20501	-798	5761	24428	25110
		Thermal 1{1}	21171	48328	239	52762	3524	-2609	-14823	15458
		Thermal 2{1}	-17754	-7689	-227	19349	-2046	1071	2463	3376
		Thermal 3{1}	-17763	-2314	-65	17914	-1466	109	850	1698
		Wind 1{1}	812	-371	56	894	54	62	499	505
		Wind 2{1}	-805	371	-55	888	-56	-61	-498	505
		Wind 3{1}	17	60	23	67	-1979	-2960	356	3579
		Wind 4{1}	-36	-61	21	74	2047	2902	-350	3569
		Pressure 1{1}	-10247	-84619	35	85237	-2926	11002	26248	28611
		Pressure 2{1}	21289	11919	409	24402	3979	3372	-3573	6323
		Pressure 3{1}	33906	17205	273	38022	3774	4276	-5207	7723
		GT1{1}	18624	27985	220	33616	2725	3152	9604	10469
		GT2{1}	-20301	-28032	-247	34612	-2844	6832	26891	27890
		GT3{1}	-20311	-22656	-84	30428	-2265	5870	25278	26049
		GW1{1}	-1735	-20713	36	20786	-744	5823	24926	25608
		GW2{1}	-3352	-19972	-75	20251	-854	5700	23929	24614
		GW3{1}	-2530	-20282	3	20439	-2778	2801	24784	25096
		GW4{1}	-2583	-20404	1	20567	1249	8663	24078	25619
		GT1P1{1}	8376	-56634	255	57250	-201	14153	35853	38546
		GT2P2{1}	988	-16113	163	16144	1135	10204	23317	25477
		GT3P3{1}	13595	-5452	188	14649	1509	10146	20071	22540
		Gravity{2}	-5340	-39069	-42	39432	-1556	12077	50924	52359
		Thermal 3{2}	-35767	-4034	43	35993	-2708	46	1548	3120
		Pressure 1{2}	-3132	1643	-39	3537	571	7069	9317	11709
		GT3{2}	-41106	-43103	1	59561	-4264	12123	52472	54023
		Hydrotest-NL{2}	-44238	-41460	-38	60630	-3693	19191	61789	64806
A13	+	Gravity{1}	-2547	-46291	-20	46361	-798	5761	24428	25110
		Thermal 1{1}	21171	48328	239	52762	3524	-2609	-14823	15458
		Thermal 2{1}	-17754	-7689	-227	19349	-2046	1071	2463	3376
		Thermal 3{1}	-17763	-2314	-65	17914	-1466	109	850	1698
		Wind 1{1}	812	-371	56	894	54	62	499	505
		Wind 2{1}	-805	371	-55	888	-56	-61	-498	505
		Wind 3{1}	17	60	23	67	-1979	-2960	356	3579
		Wind 4{1}	-36	-61	21	74	2047	2902	-350	3569
		Pressure 1{1}	-10247	-84619	35	85237	-2926	11002	26248	28611
		Pressure 2{1}	21289	11919	409	24402	3979	3372	-3573	6323
		Pressure 3{1}	33906	17205	273	38022	3774	4276	-5207	7723
		GT1{1}	18624	2037	220	18736	2725	3152	9604	10469
		GT2{1}	-20301	-53980	-247	57672	-2844	6832	26891	27890
		GT3{1}	-20311	-48604	-84	52677	-2265	5870	25278	26049
		GW1{1}	-1735	-46661	36	46694	-744	5823	24926	25608
		GW2{1}	-3352	-45920	-75	46042	-854	5700	23929	24614
		GW3{1}	-2530	-46230	3	46299	-2778	2801	24784	25096
		GW4{1}	-2583	-46352	1	46424	1249	8663	24078	25619
		GT1P1{1}	8376	-82581	255	83006	-201	14153	35853	38546
		GT2P2{1}	988	-42061	163	42073	1135	10204	23317	25477
		GT3P3{1}	13595	-31400	188	34217	1509	10146	20071	22540
		Gravity{2}	-5340	-65017	-42	65236	-1556	12077	50924	52359
		Thermal 3{2}	-35767	-4034	43	35993	-2708	46	1548	3120
		Pressure 1{2}	-3132	1643	-39	3537	571	7069	9317	11709
		GT3{2}	-41106	-69051	1	80360	-4264	12123	52472	54023
		Hydrotest-NL{2}	-44238	-67408	-38	80628	-3693	19191	61789	64806
A13	M-	Gravity{1}	-2547	-70013	-20	70059	-798	5739	90895	91080
		Thermal 1{1}	21171	48328	239	52762	3524	-2336	-70062	70189
		Thermal 2{1}	-17754	-7689	-227	19349	-2046	811	11252	11465
		Thermal 3{1}	-17763	-2314	-65	17914	-1466	35	3495	3790
		Wind 1{1}	812	-371	56	894	54	126	922	933
		Wind 2{1}	-805	371	-55	888	-56	-125	-922	932
		Wind 3{1}	17	60	23	67	-1979	-2934	287	3551
		Wind 4{1}	-36	-61	21	74	2047	2926	-280	3582
		Pressure 1{1}	-10247	-84619	35	85237	-2926	11042	122967	123497
		Pressure 2{1}	21289	11919	409	24402	3979	3840	-17197	18064
		Pressure 3{1}	33906	17205	273	38022	3774	4588	-24872	25571
		GT1{1}	18624	-21685	220	28586	2725	3403	20833	21284

	GT2{1}	-20301	-77702	-247	80311	-2844	6549	102147	102396
	GT3{1}	-20311	-72327	-84	75124	-2265	5773	94390	94593
	GW1{1}	-1735	-70384	36	70405	-744	5864	91818	92008
	GW2{1}	-3352	-69642	-75	69723	-854	5614	89973	90152
	GW3{1}	-2530	-69953	3	69998	-2778	2804	91183	91268
	GW4{1}	-2583	-70074	1	70122	1249	8664	90616	91037
	GT1P1{1}	8376	-106304	255	106634	-201	14445	143801	144525
	GT2P2{1}	988	-65783	163	65791	1135	10389	84950	85590
	GT3P3{1}	13595	-55122	188	56774	1509	10361	69518	70303
	Gravity{2}	-5340	-95350	-42	95499	-1556	12028	142574	143089
	Thermal 3{2}	-35767	-4034	43	35993	-2708	95	6159	6728
	Pressure 1{2}	-3132	1643	-39	3537	571	7024	7439	10247
	GT3{2}	-41106	-99384	1	107549	-4264	12124	148732	149287
	Hydrotest-NL{2}	-44238	-97741	-38	107286	-3693	19148	156171	157384
A13 M+	Gravity{1}	-2547	76936	-20	76978	-798	5739	90895	91080
	Thermal 1{1}	21171	-13353	239	25031	3524	-2336	-70062	70189
	Thermal 2{1}	-17754	1757	-227	17842	-2046	811	11252	11465
	Thermal 3{1}	-17763	253	-65	17765	-1466	35	3495	3790
	Wind 1{1}	812	-408	56	910	54	126	922	933
	Wind 2{1}	-805	407	-55	904	-56	-125	-922	932
	Wind 3{1}	17	401	23	402	-1979	-2934	287	3551
	Wind 4{1}	-36	-399	21	401	2047	2926	-280	3582
	Pressure 1{1}	-10247	23399	35	25545	-2926	11042	122967	123497
	Pressure 2{1}	21289	-3029	409	21508	3979	3840	-17197	18064
	Pressure 3{1}	33906	-4567	273	34213	3774	4588	-24872	25571
	GT1{1}	18624	63583	220	66254	2725	3403	20833	21284
	GT2{1}	-20301	78693	-247	81270	-2844	6549	102147	102396
	GT3{1}	-20311	77189	-84	79817	-2265	5773	94390	94593
	GW1{1}	-1735	76528	36	76547	-744	5864	91818	92008
	GW2{1}	-3352	77343	-75	77416	-854	5614	89973	90152
	GW3{1}	-2530	77337	3	77378	-2778	2804	91183	91268
	GW4{1}	-2583	76537	1	76581	1249	8664	90616	91037
	GT1P1{1}	8376	86982	255	87385	-201	14445	143801	144525
	GT2P2{1}	988	75664	163	75671	1135	10389	84950	85590
	GT3P3{1}	13595	72622	188	73884	1509	10361	69518	70303
	Gravity{2}	-5340	113174	-42	113300	-1556	12028	142574	143089
	Thermal 3{2}	-35767	327	43	35768	-2708	95	6159	6728
	Pressure 1{2}	-3132	1643	-39	3537	571	7024	7439	10247
	GT3{2}	-41106	113500	1	120715	-4264	12124	148732	149287
	Hydrotest-NL{2}	-44238	115143	-38	123349	-3693	19148	156171	157384
A14 -	Gravity{1}	-2547	53214	-20	53275	-798	5716	16515	17494
	Thermal 1{1}	21171	-13353	239	25031	3524	-2062	-54799	54951
	Thermal 2{1}	-17754	1757	-227	17842	-2046	551	9244	9484
	Thermal 3{1}	-17763	253	-65	17765	-1466	-39	3205	3525
	Wind 1{1}	812	-408	56	910	54	189	1389	1403
	Wind 2{1}	-805	407	-55	904	-56	-188	-1388	1402
	Wind 3{1}	17	401	23	402	-1979	-2908	-171	3522
	Wind 4{1}	-36	-399	21	401	2047	2949	176	3595
	Pressure 1{1}	-10247	23399	35	25545	-2926	11082	96222	96903
	Pressure 2{1}	21289	-3029	409	21508	3979	4308	-13735	14935
	Pressure 3{1}	33906	-4567	273	34213	3774	4900	-19651	20601
	GT1{1}	18624	39860	220	43997	2725	3654	-38285	38555
	GT2{1}	-20301	54970	-247	58600	-2844	6267	25759	26662
	GT3{1}	-20311	53467	-84	57195	-2265	5677	19720	20645
	GW1{1}	-1735	52805	36	52834	-744	5906	17904	18867
	GW2{1}	-3352	53621	-75	53726	-854	5528	15126	16128
	GW3{1}	-2530	53614	3	53674	-2778	2808	16344	16814
	GW4{1}	-2583	52815	1	52878	1249	8666	16691	18848
	GT1P1{1}	8376	63259	255	63812	-201	14736	57938	59783
	GT2P2{1}	988	51942	163	51951	1135	10575	12023	16052
	GT3P3{1}	13595	48899	188	50754	1509	10577	69	10684
	Gravity{2}	-5340	82841	-42	83013	-1556	11980	30551	32853
	Thermal 3{2}	-35767	327	43	35768	-2708	144	5785	6389
	Pressure 1{2}	-3132	1643	-39	3537	571	6979	5562	8943
	GT3{2}	-41106	83167	1	92772	-4264	12124	36336	38543
	Hydrotest-NL{2}	-44238	84810	-38	95654	-3693	19104	41898	46196
A14 +	Gravity{1}	-2547	27266	-20	27384	-798	5716	16515	17494
	Thermal 1{1}	21171	-13353	239	25031	3524	-2062	-54799	54951
	Thermal 2{1}	-17754	1757	-227	17842	-2046	551	9244	9484
	Thermal 3{1}	-17763	253	-65	17765	-1466	-39	3205	3525
	Wind 1{1}	812	-408	56	910	54	189	1389	1403
	Wind 2{1}	-805	407	-55	904	-56	-188	-1388	1402
	Wind 3{1}	17	401	23	402	-1979	-2908	-171	3522
	Wind 4{1}	-36	-399	21	401	2047	2949	176	3595
	Pressure 1{1}	-10247	23399	35	25545	-2926	11082	96222	96903
	Pressure 2{1}	21289	-3029	409	21508	3979	4308	-13735	14935
	Pressure 3{1}	33906	-4567	273	34213	3774	4900	-19651	20601
	GT1{1}	18624	13912	220	23247	2725	3654	-38285	38555
	GT2{1}	-20301	29022	-247	35419	-2844	6267	25759	26662
	GT3{1}	-20311	27519	-84	34203	-2265	5677	19720	20645
	GW1{1}	-1735	26857	36	26914	-744	5906	17904	18867
	GW2{1}	-3352	27673	-75	27876	-854	5528	15126	16128
	GW3{1}	-2530	27666	3	27782	-2778	2808	16344	16814
	GW4{1}	-2583	26867	1	26991	1249	8666	16691	18848
	GT1P1{1}	8376	37312	255	38241	-201	14736	57938	59783
	GT2P2{1}	988	25994	163	26013	1135	10575	12023	16052
	GT3P3{1}	13595	22951	188	26677	1509	10577	69	10684
	Gravity{2}	-5340	56893	-42	57143	-1556	11980	30551	32853
	Thermal 3{2}	-35767	327	43	35768	-2708	144	5785	6389
	Pressure 1{2}	-3132	1643	-39	3537	571	6979	5562	8943
	GT3{2}	-41106	57219	1	70454	-4264	12124	36336	38543
	Hydrotest-NL{2}	-44238	58862	-38	73633	-3693	19104	41898	46196
A15 -	Gravity{1}	-2547	22161	-20	22307	-798	5697	-8120	9951
	Thermal 1{1}	21171	-13353	239	25031	3524	-1823	-41489	41678
	Thermal 2{1}	-17754	1757	-227	17842	-2046	325	7493	7774
	Thermal 3{1}	-17763	253	-65	17765	-1466	-104	2953	3299
	Wind 1{1}	812	-408	56	910	54	245	1796	1813
	Wind 2{1}	-805	407	-55	904	-56	-243	-1794	1812
	Wind 3{1}	17	401	23	402	-1979	-2885	-570	3545
	Wind 4{1}	-36	-399	21	401	2047	2970	574	3653
	Pressure 1{1}	-10247	23399	35	25545	-2926	11117	72898	73799
	Pressure 2{1}	21289	-3029	409	21508	3979	4716	-10717	12366
	Pressure 3{1}	33906	-4567	273	34213	3774	5172	-15098	16399
	GT1{1}	18624	8807	220	20602	2725	3873	-49608	49834

		GT2{1}	-20301	23917	-247	31373	-2844	6021	-627	6689
		GT3{1}	-20311	22414	-84	30247	-2265	5593	-5167	7944
		GW1{1}	-1735	21752	36	21822	-744	5942	-6324	8709
		GW2{1}	-3352	22568	-75	22816	-854	5453	-9914	11347
		GW3{1}	-2530	22561	3	22703	-2778	2811	-8690	9546
		GW4{1}	-2583	21762	1	21915	1249	8667	-7546	11559
		GT1P1{1}	8376	32206	255	33279	-201	14991	23290	27698
		GT2P2{1}	988	20889	163	20913	1135	10737	-11343	15660
		GT3P3{1}	13595	17846	188	22436	1509	10764	-20265	22996
		Gravity{2}	-5340	46023	-42	46331	-1556	11938	-20742	23983
		Thermal 3{2}	-35767	327	43	35768	-2708	187	5460	6097
		Pressure 1{2}	-3132	1643	-39	3537	571	6941	3924	7994
		GT3{2}	-41106	46349	1	61952	-4264	12125	-15282	19969
		Hydrotest-NL{2}	-44238	47992	-38	65271	-3693	19066	-11358	22498
A15	+	Gravity{1}	0	1526	0	1526	0	0	-15632	15632
		Thermal 1{1}	18435	-14336	-314	23355	0	4243	-38060	38296
		Thermal 2{1}	-15745	2028	310	15878	0	-4077	5272	6664
		Thermal 3{1}	-15855	389	531	15868	0	-4282	909	4378
		Wind 1{1}	2443	-484	144	2494	0	-675	-1506	1651
		Wind 2{1}	-2433	483	-142	2485	0	670	1505	1647
		Wind 3{1}	237	-228	2387	2410	-57	-3722	-617	3774
		Wind 4{1}	-235	223	-2321	2343	57	3769	602	3817
		Pressure 1{1}	-4145	24821	210	25166	0	-2678	65822	65876
		Pressure 2{1}	20196	-3513	-609	20508	0	6944	-9290	11598
		Pressure 3{1}	32706	-5100	-809	33111	0	7675	-13517	15545
		GT1{1}	18435	-12810	-314	22450	0	4243	-53692	53859
		GT2{1}	-15745	3554	310	16144	0	-4077	-10360	11134
		GT3{1}	-15855	1916	531	15979	0	-4282	-14723	15333
		GW1{1}	2443	1042	144	2660	0	-675	-17138	17151
		GW2{1}	-2433	2009	-142	3159	0	670	-14127	14143
		GW3{1}	237	1298	2387	2728	-57	-3722	-16249	16670
		GW4{1}	-235	1749	-2321	2915	57	3769	-15030	15496
		GT1P1{1}	14290	12012	-105	18668	0	1564	12130	12230
		GT2P2{1}	4451	41	-299	4462	0	2867	-19650	19858
		GT3P3{1}	16852	-3184	-278	17152	0	3393	-28241	28444
		Gravity{2}	0	2017	0	2017	0	0	-36594	36594
		Thermal 3{2}	-31809	566	1348	31843	0	-8439	1239	8530
		Pressure 1{2}	0	1562	0	1562	0	0	1404	1404
		GT3{2}	-31809	2583	1348	31942	0	-8439	-35355	36348
		Hydrotest-NL{2}	-31809	4145	1348	32106	0	-8439	-33951	34984
A16		Gravity{1}	0	-11790	0	11790	0	0	-2289	2289
		Thermal 1{1}	18435	-14336	-314	23355	0	3425	-787	3515
		Thermal 2{1}	-15745	2028	310	15878	0	-3271	0	3271
		Thermal 3{1}	-15855	389	531	15868	0	-2901	-104	2902
		Wind 1{1}	2443	-484	144	2494	0	-302	-248	391
		Wind 2{1}	-2433	483	-142	2485	0	300	248	390
		Wind 3{1}	237	-228	2387	2410	-57	2485	-24	2486
		Wind 4{1}	-235	223	-2321	2343	57	-2265	23	2266
		Pressure 1{1}	-4145	24821	210	25166	0	-2133	1286	2491
		Pressure 2{1}	20196	-3513	-609	20508	0	5361	-157	5364
		Pressure 3{1}	32706	-5100	-809	33111	0	5572	-258	5578
		GT1{1}	18435	-26125	-314	31976	0	3425	-3076	4604
		GT2{1}	-15745	-9762	310	18528	0	-3271	-2289	3993
		GT3{1}	-15855	-11400	531	19535	0	-2901	-2393	3761
		GW1{1}	2443	-12273	144	12515	0	-302	-2538	2556
		GW2{1}	-2433	-11306	-142	11566	0	300	-2041	2063
		GW3{1}	237	-12018	2387	12255	-57	2485	-2314	3396
		GW4{1}	-235	-11567	-2321	11800	57	-2265	-2267	3205
		GT1P1{1}	14290	-1304	-105	14350	0	1292	-1790	2208
		GT2P2{1}	4451	-13275	-299	14004	0	2090	-2446	3218
		GT3P3{1}	16852	-16500	-278	23586	0	2672	-2652	3764
		Gravity{2}	0	-26336	0	26336	0	0	-4979	4979
		Thermal 3{2}	-31809	566	1348	31843	0	-4936	-232	4941
		Pressure 1{2}	0	1562	0	1562	0	0	-2657	2657
		GT3{2}	-31809	-25770	1348	40960	0	-4936	-5211	7177
		Hydrotest-NL{2}	-31809	-24208	1348	39996	0	-4936	-7868	9288
A17	-	Gravity{1}	0	-18191	0	18191	0	0	16449	16449
		Thermal 1{1}	18435	-14336	-314	23355	0	3033	17133	17399
		Thermal 2{1}	-15745	2028	310	15878	0	-2884	-2534	3839
		Thermal 3{1}	-15855	389	531	15868	0	-2236	-591	2313
		Wind 1{1}	2443	-484	144	2494	0	-123	356	377
		Wind 2{1}	-2433	483	-142	2485	0	123	-356	377
		Wind 3{1}	237	-228	2387	2410	-57	5469	261	5476
		Wind 4{1}	-235	223	-2321	2343	57	-5166	-256	5173
		Pressure 1{1}	-4145	24821	210	25166	0	-1871	-29740	29799
		Pressure 2{1}	20196	-3513	-609	20508	0	4601	4234	6252
		Pressure 3{1}	32706	-5100	-809	33111	0	4561	6116	7630
		GT1{1}	18435	-32527	-314	37389	0	3033	33581	33718
		GT2{1}	-15745	-16164	310	22567	0	-2884	13914	14210
		GT3{1}	-15855	-17802	531	23844	0	-2236	15858	16015
		GW1{1}	2443	-18675	144	18835	0	-123	16805	16806
		GW2{1}	-2433	-17708	-142	17875	0	123	16093	16093
		GW3{1}	237	-18419	2387	18575	-57	5469	16709	17582
		GW4{1}	-235	-17969	-2321	18119	57	-5166	16193	16997
		GT1P1{1}	14290	-7706	-105	16236	0	1161	3841	4013
		GT2P2{1}	4451	-19676	-299	20176	0	1717	18148	18229
		GT3P3{1}	16852	-22902	-278	28435	0	2325	21974	22097
		Gravity{2}	0	-39967	0	39967	0	0	36460	36460
		Thermal 3{2}	-31809	566	1348	31843	0	-3251	-939	3384
		Pressure 1{2}	0	1562	0	1562	0	0	-4610	4610
		GT3{2}	-31809	-39402	1348	50657	0	-3251	35522	35670
		Hydrotest-NL{2}	-31809	-37840	1348	49452	0	-3251	30912	31082
A17	+	Gravity{1}	0	15093	0	15093	0	0	16449	16449
		Thermal 1{1}	13128	5436	-241	14211	0	3033	17133	17399
		Thermal 2{1}	-12697	-804	252	12725	0	-2884	-2534	3839
		Thermal 3{1}	-12615	-187	309	12620	0	-2236	-591	2313
		Wind 1{1}	1793	113	23	1797	0	-123	356	377
		Wind 2{1}	-1803	-113	-23	1807	0	123	-356	377
		Wind 3{1}	181	83	-371	421	-57	5469	261	5476
		Wind 4{1}	-178	-81	331	384	57	-5166	-256	5173
		Pressure 1{1}	-718	-9436	149	9465	0	-1871	-29740	29799
		Pressure 2{1}	13604	1343	-457	13678	0	4601	4234	6252
		Pressure 3{1}	25483	1941	-512	25562	0	4561	6116	7630
		GT1{1}	13128	20529	-241	24369	0	3033	33581	33718

	GT2{1}	-12697	14289	252	19117	0	-2884	13914	14210
	GT3{1}	-12615	14906	309	19530	0	-2236	15858	16015
	GW1{1}	1793	15206	23	15312	0	-123	16805	16806
	GW2{1}	-1803	14980	-23	15089	0	123	16093	16093
	GW3{1}	181	15176	-371	15182	-57	5469	16709	17582
	GW4{1}	-178	15012	331	15017	57	-5166	16193	16997
	GT1P1{1}	12410	11093	-92	16646	0	1161	3841	4013
	GT2P2{1}	907	15632	-205	15660	0	1717	18148	18229
	GT3P3{1}	12868	16847	-203	21200	0	2325	21974	22097
	Gravity{2}	0	32583	0	32583	0	0	36460	36460
	Thermal 3{2}	-24695	-298	566	24703	0	-3251	-939	3384
	Pressure 1{2}	0	-251	0	251	0	0	-4610	4610
	GT3{2}	-24695	32285	566	40651	0	-3251	35522	35670
	Hydrotest-NL{2}	-24695	32034	566	40452	0	-3251	30912	31082
A18	Gravity{1}	0	8692	0	8692	0	0	1583	1583
	Thermal 1{1}	13128	5436	-241	14211	0	2731	10338	10692
	Thermal 2{1}	-12697	-804	252	12725	0	-2569	-1529	2990
	Thermal 3{1}	-12615	-187	309	12620	0	-1850	-357	1884
	Wind 1{1}	1793	113	23	1797	0	-94	215	235
	Wind 2{1}	-1803	-113	-23	1807	0	94	-215	234
	Wind 3{1}	181	83	-371	421	-57	5005	157	5008
	Wind 4{1}	-178	-81	331	384	57	-4753	-154	4756
	Pressure 1{1}	-718	-9436	149	9465	0	-1684	-17945	18024
	Pressure 2{1}	13604	1343	-457	13678	0	4030	2555	4771
	Pressure 3{1}	25483	1941	-512	25562	0	3920	3691	5384
	GT1{1}	13128	14128	-241	19287	0	2731	11921	12230
	GT2{1}	-12697	7887	252	14950	0	-2569	54	2570
	GT3{1}	-12615	8504	309	15217	0	-1850	1227	2220
	GW1{1}	1793	8805	23	8985	0	-94	1798	1801
	GW2{1}	-1803	8579	-23	8766	0	94	1368	1372
	GW3{1}	181	8774	-371	8784	-57	5005	1740	5300
	GW4{1}	-178	8610	331	8619	57	-4753	1429	4963
	GT1P1{1}	12410	4691	-92	13267	0	1046	-6024	6114
	GT2P2{1}	907	9231	-205	9277	0	1461	2609	2990
	GT3P3{1}	12868	10445	-203	16575	0	2071	4917	5335
	Gravity{2}	0	18952	0	18952	0	0	4251	4251
	Thermal 3{2}	-24695	-298	566	24703	0	-2544	-567	2606
	Pressure 1{2}	0	-251	0	251	0	0	-4296	4296
	GT3{2}	-24695	18654	566	30954	0	-2544	3684	4477
	Hydrotest-NL{2}	-24695	18403	566	30803	0	-2544	-611	2617
A19 -	Gravity{1}	0	-3856	0	3856	0	0	-4340	4340
	Thermal 1{1}	13128	5436	-241	14211	0	2139	-2981	3669
	Thermal 2{1}	-12697	-804	252	12725	0	-1953	441	2002
	Thermal 3{1}	-12615	-187	309	12620	0	-1092	103	1097
	Wind 1{1}	1793	113	23	1797	0	-37	-62	72
	Wind 2{1}	-1803	-113	-23	1807	0	37	62	72
	Wind 3{1}	181	83	-371	421	-57	4096	-45	4097
	Wind 4{1}	-178	-81	331	384	57	-3942	44	3943
	Pressure 1{1}	-718	-9436	149	9465	0	-1319	5175	5340
	Pressure 2{1}	13604	1343	-457	13678	0	2911	-737	3003
	Pressure 3{1}	25483	1941	-512	25562	0	2665	-1064	2870
	GT1{1}	13128	1580	-241	13225	0	2139	-7321	7628
	GT2{1}	-12697	-4660	252	13528	0	-1953	-3899	4361
	GT3{1}	-12615	-4043	309	13251	0	-1092	-4238	4376
	GW1{1}	1793	-3743	23	4150	0	-37	-4402	4402
	GW2{1}	-1803	-3969	-23	4359	0	37	-4279	4279
	GW3{1}	181	-3773	-371	3796	-57	4096	-4386	6001
	GW4{1}	-178	-3937	331	3955	57	-3942	-4296	5831
	GT1P1{1}	12410	-7856	-92	14688	0	821	-2147	2298
	GT2P2{1}	907	-3317	-205	3445	0	958	-4636	4734
	GT3P3{1}	12868	-2103	-203	13041	0	1573	-5302	5530
	Gravity{2}	0	-7765	0	7765	0	0	-9453	9453
	Thermal 3{2}	-24695	-298	566	24703	0	-1158	163	1170
	Pressure 1{2}	0	-251	0	251	0	0	-3680	3680
	GT3{2}	-24695	-8063	566	25984	0	-1158	-9290	9362
	Hydrotest-NL{2}	-24695	-8314	566	26063	0	-1158	-12970	13022
A19 +	Gravity{1}	0	-29804	0	29804	0	0	-4340	4340
	Thermal 1{1}	13128	5436	-241	14211	0	2139	-2981	3669
	Thermal 2{1}	-12697	-804	252	12725	0	-1953	441	2002
	Thermal 3{1}	-12615	-187	309	12620	0	-1092	103	1097
	Wind 1{1}	1793	113	23	1797	0	-37	-62	72
	Wind 2{1}	-1803	-113	-23	1807	0	37	62	72
	Wind 3{1}	181	83	-371	421	-57	4096	-45	4097
	Wind 4{1}	-178	-81	331	384	57	-3942	44	3943
	Pressure 1{1}	-718	-9436	149	9465	0	-1319	5175	5340
	Pressure 2{1}	13604	1343	-457	13678	0	2911	-737	3003
	Pressure 3{1}	25483	1941	-512	25562	0	2665	-1064	2870
	GT1{1}	13128	-24368	-241	27680	0	2139	-7321	7628
	GT2{1}	-12697	-30608	252	33138	0	-1953	-3899	4361
	GT3{1}	-12615	-29991	309	32538	0	-1092	-4238	4376
	GW1{1}	1793	-29691	23	29745	0	-37	-4402	4402
	GW2{1}	-1803	-29917	-23	29971	0	37	-4279	4279
	GW3{1}	181	-29721	-371	29724	-57	4096	-4386	6001
	GW4{1}	-178	-29885	331	29887	57	-3942	-4296	5831
	GT1P1{1}	12410	-33804	-92	36010	0	821	-2147	2298
	GT2P2{1}	907	-29265	-205	29280	0	958	-4636	4734
	GT3P3{1}	12868	-28051	-203	30862	0	1573	-5302	5530
	Gravity{2}	0	-33713	0	33713	0	0	-9453	9453
	Thermal 3{2}	-24695	-298	566	24703	0	-1158	163	1170
	Pressure 1{2}	0	-251	0	251	0	0	-3680	3680
	GT3{2}	-24695	-34011	566	42035	0	-1158	-9290	9362
	Hydrotest-NL{2}	-24695	-34262	566	42238	0	-1158	-12970	13022
A19 M-	Gravity{1}	0	-53526	0	53526	0	0	43283	43283
	Thermal 1{1}	13128	5436	-241	14211	0	1863	-9195	9381
	Thermal 2{1}	-12697	-804	252	12725	0	-1665	1360	2150
	Thermal 3{1}	-12615	-187	309	12620	0	-739	317	804
	Wind 1{1}	1793	113	23	1797	0	-10	-191	191
	Wind 2{1}	-1803	-113	-23	1807	0	10	191	191
	Wind 3{1}	181	83	-371	421	-57	3672	-140	3675
	Wind 4{1}	-178	-81	331	384	57	-3564	137	3568
	Pressure 1{1}	-718	-9436	149	9465	0	-1148	15961	16002
	Pressure 2{1}	13604	1343	-457	13678	0	2390	-2272	3297
	Pressure 3{1}	25483	1941	-512	25562	0	2080	-3283	3886
	GT1{1}	13128	-48090	-241	49850	0	1863	34088	34139

	GT2{1}	-12697	-54330	252	55795	0	-1665	44643	44674
	GT3{1}	-12615	-53714	309	55176	0	-739	43600	43606
	GW1{1}	1793	-53413	23	53443	0	-10	43092	43092
	GW2{1}	-1803	-53639	-23	53670	0	10	43474	43474
	GW3{1}	181	-53444	-371	53445	-57	3672	43143	43299
	GW4{1}	-178	-53607	331	53609	57	-3564	43420	43566
	GT1P1{1}	12410	-57527	-92	58850	0	715	50049	50054
	GT2P2{1}	907	-52987	-205	52995	0	724	42371	42377
	GT3P3{1}	12868	-51773	-203	53349	0	1341	40318	40340
	Gravity{2}	0	-64046	0	64046	0	0	46416	46416
	Thermal 3{2}	-24695	-298	566	24703	0	-512	504	718
	Pressure 1{2}	0	-251	0	251	0	0	-3393	3393
	GT3{2}	-24695	-64344	566	68922	0	-512	46920	46923
	Hydrotest-NL{2}	-24695	-64595	566	69157	0	-512	43527	43530
A19 M+	Gravity{1}	0	24896	0	24896	0	0	43283	43283
	Thermal 1{1}	13128	-4126	-241	13763	0	1863	-9195	9381
	Thermal 2{1}	-12697	610	252	12714	0	-1665	1360	2150
	Thermal 3{1}	-12615	142	309	12619	0	-739	317	804
	Wind 1{1}	1793	-85	23	1795	0	-10	-191	191
	Wind 2{1}	-1803	85	-23	1805	0	10	191	191
	Wind 3{1}	181	-63	-371	418	-57	3672	-140	3675
	Wind 4{1}	-178	62	331	381	57	-3564	137	3568
	Pressure 1{1}	-718	7162	149	7199	0	-1148	15961	16002
	Pressure 2{1}	13604	-1020	-457	13650	0	2390	-2272	3297
	Pressure 3{1}	25483	-1473	-512	25531	0	2080	-3283	3886
	GT1{1}	13128	20771	-241	24573	0	1863	34088	34139
	GT2{1}	-12697	25507	252	28493	0	-1665	44643	44674
	GT3{1}	-12615	25039	309	28039	0	-739	43600	43606
	GW1{1}	1793	24812	23	24876	0	-10	43092	43092
	GW2{1}	-1803	24981	-23	25046	0	10	43474	43474
	GW3{1}	181	24834	-371	24837	-57	3672	43143	43299
	GW4{1}	-178	24958	331	24961	57	-3564	43420	43566
	GT1P1{1}	12410	27932	-92	30565	0	715	50049	50054
	GT2P2{1}	907	24487	-205	24505	0	724	42371	42377
	GT3P3{1}	12868	23566	-203	26851	0	1341	40318	40340
	Gravity{2}	0	1259	0	1259	0	0	46416	46416
	Thermal 3{2}	-24695	226	566	24702	0	-512	504	718
	Pressure 1{2}	0	-251	0	251	0	0	-3393	3393
	GT3{2}	-24695	1486	566	24746	0	-512	46920	46923
	Hydrotest-NL{2}	-24695	1234	566	24732	0	-512	43527	43530
A20 -	Gravity{1}	0	1174	0	1174	0	0	28384	28384
	Thermal 1{1}	13128	-4126	-241	13763	0	1587	-4479	4752
	Thermal 2{1}	-12697	610	252	12714	0	-1378	663	1529
	Thermal 3{1}	-12615	142	309	12619	0	-386	154	415
	Wind 1{1}	1793	-85	23	1795	0	16	-94	95
	Wind 2{1}	-1803	85	-23	1805	0	-17	94	95
	Wind 3{1}	181	-63	-371	418	-57	3248	-68	3249
	Wind 4{1}	-178	62	331	381	57	-3186	67	3188
	Pressure 1{1}	-718	7162	149	7199	0	-977	7775	7836
	Pressure 2{1}	13604	-1020	-457	13650	0	1868	-1107	2171
	Pressure 3{1}	25483	-1473	-512	25531	0	1494	-1599	2188
	GT1{1}	13128	-2952	-241	13458	0	1587	23905	23958
	GT2{1}	-12697	1784	252	12824	0	-1378	29046	29079
	GT3{1}	-12615	1316	309	12687	0	-386	28538	28541
	GW1{1}	1793	1089	23	2098	0	16	28290	28290
	GW2{1}	-1803	1259	-23	2199	0	-17	28478	28478
	GW3{1}	181	1111	-371	1185	-57	3248	28316	28501
	GW4{1}	-178	1236	331	1291	57	-3186	28451	28629
	GT1P1{1}	12410	4210	-92	13105	0	610	31680	31685
	GT2P2{1}	907	765	-205	1204	0	490	27940	27944
	GT3P3{1}	12868	-157	-203	12871	0	1108	26939	26962
	Gravity{2}	0	-29074	0	29074	0	0	62312	62312
	Thermal 3{2}	-24695	226	566	24702	0	135	245	280
	Pressure 1{2}	0	-251	0	251	0	0	-3106	3106
	GT3{2}	-24695	-28847	566	37978	0	135	62557	62558
	Hydrotest-NL{2}	-24695	-29099	566	38169	0	135	59451	59451
A20 +	Gravity{1}	0	-24774	0	24774	0	0	28384	28384
	Thermal 1{1}	13128	-4126	-241	13763	0	1587	-4479	4752
	Thermal 2{1}	-12697	610	252	12714	0	-1378	663	1529
	Thermal 3{1}	-12615	142	309	12619	0	-386	154	415
	Wind 1{1}	1793	-85	23	1795	0	16	-94	95
	Wind 2{1}	-1803	85	-23	1805	0	-17	94	95
	Wind 3{1}	181	-63	-371	418	-57	3248	-68	3249
	Wind 4{1}	-178	62	331	381	57	-3186	67	3188
	Pressure 1{1}	-718	7162	149	7199	0	-977	7775	7836
	Pressure 2{1}	13604	-1020	-457	13650	0	1868	-1107	2171
	Pressure 3{1}	25483	-1473	-512	25531	0	1494	-1599	2188
	GT1{1}	13128	-28900	-241	31743	0	1587	23905	23958
	GT2{1}	-12697	-24164	252	27298	0	-1378	29046	29079
	GT3{1}	-12615	-24632	309	27676	0	-386	28538	28541
	GW1{1}	1793	-24859	23	24923	0	16	28290	28290
	GW2{1}	-1803	-24689	-23	24755	0	-17	28478	28478
	GW3{1}	181	-24837	-371	24840	-57	3248	28316	28501
	GW4{1}	-178	-24712	331	24715	57	-3186	28451	28629
	GT1P1{1}	12410	-21738	-92	25031	0	610	31680	31685
	GT2P2{1}	907	-25183	-205	25200	0	490	27940	27944
	GT3P3{1}	12868	-26105	-203	29105	0	1108	26939	26962
	Gravity{2}	0	-55021	0	55021	0	0	62312	62312
	Thermal 3{2}	-24695	226	566	24702	0	135	245	280
	Pressure 1{2}	0	-251	0	251	0	0	-3106	3106
	GT3{2}	-24695	-54795	566	60106	0	135	62557	62558
	Hydrotest-NL{2}	-24695	-55046	566	60335	0	135	59451	59451
A21	Gravity{1}	0	-25559	0	25559	0	0	24528	24528
	Thermal 1{1}	13128	-4126	-241	13763	0	1624	-5111	5363
	Thermal 2{1}	-12697	610	252	12714	0	-1416	756	1606
	Thermal 3{1}	-12615	142	309	12619	0	-433	176	467
	Wind 1{1}	1793	-85	23	1795	0	13	-107	108
	Wind 2{1}	-1803	85	-23	1805	0	-13	107	108
	Wind 3{1}	181	-63	-371	418	-57	3304	-78	3306
	Wind 4{1}	-178	62	331	381	57	-3237	76	3238
	Pressure 1{1}	-718	7162	149	7199	0	-1000	8872	8928
	Pressure 2{1}	13604	-1020	-457	13650	0	1938	-1263	2313
	Pressure 3{1}	25483	-1473	-512	25531	0	1572	-1825	2409
	GT1{1}	13128	-29684	-241	32459	0	1624	19417	19485

GT2{1}	-12697	-24948	252	27994	0	-1416	25284	25324
GT3{1}	-12615	-25416	309	28376	0	-433	24705	24708
GW1{1}	1793	-25643	23	25706	0	13	24421	24421
GW2{1}	-1803	-25474	-23	25538	0	-13	24635	24635
GW3{1}	181	-25621	-371	25625	-57	3304	24451	24673
GW4{1}	-178	-25497	331	25500	57	-3237	24605	24817
GT1P1{1}	12410	-22522	-92	25715	0	624	28289	28296
GT2P2{1}	907	-25968	-205	25984	0	521	24021	24027
GT3P3{1}	12868	-26889	-203	29810	0	1140	22880	22908
Gravity{2}	0	-56692	0	56692	0	0	53755	53755
Thermal 3{2}	-24695	226	566	24702	0	48	280	284
Pressure 1{2}	0	-251	0	251	0	0	-3145	3145
GT3{2}	-24695	-56466	566	61633	0	48	54035	54035
Hydrotest-NL{2}	-24695	-56717	566	61863	0	48	50890	50890

*** Segment A end *** Line # AKABP-36"-PL-012-X70-CL900_UG

*** Segment B begin *** Line # AKAB-A-100

A21	Gravity{1}	0	-25559	0	25559	0	0	24528	24528
	Thermal 1{1}	13128	-4126	-241	13763	0	1624	-5111	5363
	Thermal 2{1}	-12697	610	252	12714	0	-1416	756	1606
	Thermal 3{1}	-12615	142	309	12619	0	-433	176	467
	Wind 1{1}	1793	-85	23	1795	0	13	-107	108
	Wind 2{1}	-1803	85	-23	1805	0	-13	107	108
	Wind 3{1}	181	-63	-371	418	-57	3304	-78	3306
	Wind 4{1}	-178	62	331	381	57	-3237	76	3238
	Pressure 1{1}	-718	7162	149	7199	0	-1000	8872	8928
	Pressure 2{1}	13604	-1020	-457	13650	0	1938	-1263	2313
	Pressure 3{1}	25483	-1473	-512	25531	0	1572	-1825	2409
	GT1{1}	13128	-29684	-241	32459	0	1624	19417	19485
	GT2{1}	-12697	-24948	252	27994	0	-1416	25284	25324
	GT3{1}	-12615	-25416	309	28376	0	-433	24705	24708
	GW1{1}	1793	-25643	23	25706	0	13	24421	24421
	GW2{1}	-1803	-25474	-23	25538	0	-13	24635	24635
	GW3{1}	181	-25621	-371	25625	-57	3304	24451	24673
	GW4{1}	-178	-25497	331	25500	57	-3237	24605	24817
	GT1P1{1}	12410	-22522	-92	25715	0	624	28289	28296
	GT2P2{1}	907	-25968	-205	25984	0	521	24021	24027
	GT3P3{1}	12868	-26889	-203	29810	0	1140	22880	22908
	Gravity{2}	0	-56692	0	56692	0	0	53755	53755
	Thermal 3{2}	-24695	226	566	24702	0	48	280	284
	Pressure 1{2}	0	-251	0	251	0	0	-3145	3145
	GT3{2}	-24695	-56466	566	61633	0	48	54035	54035
	Hydrotest-NL{2}	-24695	-56717	566	61863	0	48	50890	50890

B01 -	Gravity{1}	0	-32216	0	32216	0	0	62082	62082
	Thermal 1{1}	13128	-4126	-241	13763	0	1311	253	1335
	Thermal 2{1}	-12697	610	252	12714	0	-1089	-37	1090
	Thermal 3{1}	-12615	142	309	12619	0	-31	-9	32
	Wind 1{1}	1793	-85	23	1795	0	43	3	43
	Wind 2{1}	-1803	85	-23	1805	0	-43	-3	44
	Wind 3{1}	181	-63	8	191	-57	3069	4	3069
	Wind 4{1}	-178	62	-49	195	57	-3054	-4	3054
	Pressure 1{1}	-718	7162	149	7199	0	-806	-439	918
	Pressure 2{1}	13604	-1020	-457	13650	0	1344	62	1346
	Pressure 3{1}	25483	-1473	-512	25531	0	906	90	911
	GT1{1}	13128	-36342	-241	38641	0	1311	62335	62349
	GT2{1}	-12697	-31606	252	34062	0	-1089	62045	62054
	GT3{1}	-12615	-32074	309	34467	0	-31	62073	62073
	GW1{1}	1793	-32301	23	32351	0	43	62085	62085
	GW2{1}	-1803	-32132	-23	32182	0	-43	62079	62079
	GW3{1}	181	-32279	8	32280	-57	3069	62086	62162
	GW4{1}	-178	-32155	-49	32155	57	-3054	62078	62153
	GT1P1{1}	12410	-29180	-92	31710	0	505	61896	61898
	GT2P2{1}	907	-32626	-205	32639	0	255	62107	62108
	GT3P3{1}	12868	-33547	-203	35931	0	875	62164	62170
	Gravity{2}	0	-70869	0	70869	0	0	136669	136669
	Thermal 3{2}	-24695	226	566	24702	0	783	-14	783
	Pressure 1{2}	0	-251	0	251	0	0	-2818	2818
	GT3{2}	-24695	-70642	566	74837	0	783	136655	136658
	Hydrotest-NL{2}	-24695	-70894	566	75074	0	783	133837	133840

B01 +	Gravity{1}	0	35389	0	35389	0	0	62082	62082
	Thermal 1{1}	5951	23	-117	5952	0	1311	253	1335
	Thermal 2{1}	-5970	-3	97	5970	0	-1089	-37	1090
	Thermal 3{1}	-5919	-1	3	5919	0	-31	-9	32
	Wind 1{1}	679	-5	-4	679	0	43	3	43
	Wind 2{1}	-684	5	4	684	0	-43	-3	44
	Wind 3{1}	77	0	-2005	2007	-57	3069	4	3069
	Wind 4{1}	-76	0	2004	2006	57	-3054	-4	3054
	Pressure 1{1}	4	-39	72	82	0	-806	-439	918
	Pressure 2{1}	43	6	-120	128	0	1344	62	1346
	Pressure 3{1}	11880	8	-81	11880	0	906	90	911
	GT1{1}	5951	35412	-117	35908	0	1311	62335	62349
	GT2{1}	-5970	35386	97	35886	0	-1089	62045	62054
	GT3{1}	-5919	35388	3	35880	0	-31	62073	62073
	GW1{1}	679	35384	-4	35391	0	43	62085	62085
	GW2{1}	-684	35394	4	35401	0	-43	62079	62079
	GW3{1}	77	35390	-2005	35446	-57	3069	62086	62162
	GW4{1}	-76	35389	2004	35446	57	-3054	62078	62153
	GT1P1{1}	5954	35373	-45	35870	0	505	61896	61898
	GT2P2{1}	-5926	35391	-23	35884	0	255	62107	62108
	GT3P3{1}	5961	35396	-78	35895	0	875	62164	62170
	Gravity{2}	0	76153	0	76153	0	0	136669	136669
	Thermal 3{2}	-10051	-1	-70	10052	0	783	-14	783
	Pressure 1{2}	0	-251	0	251	0	0	-2818	2818
	GT3{2}	-10051	76152	-70	76813	0	783	136655	136658
	Hydrotest-NL{2}	-10051	75901	-70	76564	0	783	133837	133840

B02 -	Gravity{1}	0	28219	0	28219	0	0	17556	17556
	Thermal 1{1}	5951	23	-117	5952	0	1147	221	1168
	Thermal 2{1}	-5970	-3	97	5970	0	-953	-33	954
	Thermal 3{1}	-5919	-1	3	5919	0	-27	-8	28
	Wind 1{1}	679	-5	-4	679	0	37	10	39
	Wind 2{1}	-684	5	4	684	0	-38	-10	39
	Wind 3{1}	77	0	-1597	1599	-57	547	3	550
	Wind 4{1}	-76	0	1595	1597	57	-534	-3	537

		Pressure 1{1}	4	-39	72	82	0	-705	-384	803
		Pressure 2{1}	43	6	-120	128	0	1177	55	1178
		Pressure 3{1}	11880	8	-81	11880	0	793	79	797
		GT1{1}	5951	28242	-117	28862	0	1147	17777	17814
		GT2{1}	-5970	28216	97	28841	0	-953	17523	17549
		GT3{1}	-5919	28218	3	28832	0	-27	17549	17549
		GW1{1}	679	28214	-4	28223	0	37	17566	17566
		GW2{1}	-684	28224	4	28232	0	-38	17546	17546
		GW3{1}	77	28220	-1597	28265	-57	547	17560	17568
		GW4{1}	-76	28219	1595	28264	57	-534	17553	17561
		GT1P1{1}	5954	28203	-45	28824	0	442	17393	17399
		GT2P2{1}	-5926	28221	-23	28837	0	223	17578	17580
		GT3P3{1}	5961	28226	-78	28849	0	766	17628	17644
		Gravity{2}	0	60887	0	60887	0	0	40741	40741
		Thermal 3{2}	-10051	-1	-70	10052	0	685	-12	686
		Pressure 1{2}	0	-251	0	251	0	0	-2466	2466
		GT3{2}	-10051	60885	-70	61709	0	685	40729	40735
		Hydrotest-NL{2}	-10051	60634	-70	61462	0	685	38263	38269
B02	+	Gravity{1}	0	27378	0	27378	0	0	17556	17556
		Thermal 1{1}	5951	23	-117	5952	0	1147	221	1168
		Thermal 2{1}	-5970	-3	97	5970	0	-953	-33	954
		Thermal 3{1}	-5919	-1	3	5919	0	-27	-8	28
		Wind 1{1}	724	-5	-4	724	0	37	-6	38
		Wind 2{1}	-729	5	4	729	0	-38	6	38
		Wind 3{1}	77	0	-1552	1554	-41	547	3	549
		Wind 4{1}	-76	0	1551	1553	41	-534	-3	536
		Pressure 1{1}	4	-39	72	82	0	-705	-384	803
		Pressure 2{1}	43	6	-120	128	0	1177	55	1178
		Pressure 3{1}	11880	8	-81	11880	0	793	79	797
		GT1{1}	5951	27400	-117	28039	0	1147	17777	17814
		GT2{1}	-5970	27374	97	28018	0	-953	17523	17549
		GT3{1}	-5919	27377	3	28009	0	-27	17549	17549
		GW1{1}	724	27373	-4	27382	0	37	17551	17551
		GW2{1}	-729	27382	4	27392	0	-38	17562	17562
		GW3{1}	77	27378	-1552	27422	-41	547	17560	17568
		GW4{1}	-76	27377	1551	27421	41	-534	17553	17561
		GT1P1{1}	5954	27361	-45	28001	0	442	17393	17399
		GT2P2{1}	-5926	27380	-23	28014	0	223	17578	17580
		GT3P3{1}	5961	27385	-78	28026	0	766	17628	17644
		Gravity{2}	0	60010	0	60010	0	0	40741	40741
		Thermal 3{2}	-10051	-1	-70	10052	0	685	-12	686
		Pressure 1{2}	0	-251	0	251	0	0	-2466	2466
		GT3{2}	-10051	60009	-70	60845	0	685	40729	40735
		Hydrotest-NL{2}	-10051	59758	-70	60597	0	685	38263	38269
B03		Gravity{1}	0	6892	0	6892	0	0	-50983	50983
		Thermal 1{1}	5951	23	-117	5952	0	680	131	692
		Thermal 2{1}	-5970	-3	97	5970	0	-565	-19	565
		Thermal 3{1}	-5919	-1	3	5919	0	-16	-5	17
		Wind 1{1}	724	-5	-4	724	0	22	13	26
		Wind 2{1}	-729	5	4	729	0	-23	-13	26
		Wind 3{1}	77	0	-384	392	-41	-3326	2	3326
		Wind 4{1}	-76	0	383	391	41	3334	-2	3334
		Pressure 1{1}	4	-39	72	82	0	-418	-228	476
		Pressure 2{1}	43	6	-120	128	0	697	32	698
		Pressure 3{1}	11880	8	-81	11880	0	470	47	472
		GT1{1}	5951	6914	-117	9123	0	680	-50852	50856
		GT2{1}	-5970	6889	97	9116	0	-565	-51002	51005
		GT3{1}	-5919	6891	3	9084	0	-16	-50987	50987
		GW1{1}	724	6887	-4	6925	0	22	-50969	50969
		GW2{1}	-729	6897	4	6935	0	-23	-50996	50996
		GW3{1}	77	6892	-384	6903	-41	-3326	-50981	51089
		GW4{1}	-76	6892	383	6903	41	3334	-50985	51094
		GT1P1{1}	5954	6875	-45	9095	0	262	-51079	51080
		GT2P2{1}	-5926	6894	-23	9091	0	132	-50970	50970
		GT3P3{1}	5961	6899	-78	9118	0	454	-50941	50943
		Gravity{2}	0	16390	0	16390	0	0	-112061	112061
		Thermal 3{2}	-10051	-1	-70	10052	0	406	-7	406
		Pressure 1{2}	0	-251	0	251	0	0	-1462	1462
		GT3{2}	-10051	16389	-70	19226	0	406	-112068	112069
		Hydrotest-NL{2}	-10051	16138	-70	19012	0	406	-113530	113531
B04		Gravity{1}	0	3523	0	3523	0	0	-54212	54212
		Thermal 1{1}	5951	23	-117	5952	0	607	117	619
		Thermal 2{1}	-5970	-3	97	5970	0	-505	-17	505
		Thermal 3{1}	-5919	-1	3	5919	0	-14	-4	15
		Wind 1{1}	724	-5	-4	724	0	20	16	26
		Wind 2{1}	-729	5	4	729	0	-20	-16	26
		Wind 3{1}	77	0	-203	218	-41	-3508	2	3509
		Wind 4{1}	-76	0	202	216	41	3515	-2	3515
		Pressure 1{1}	4	-39	72	82	0	-374	-203	425
		Pressure 2{1}	43	6	-120	128	0	623	29	624
		Pressure 3{1}	11880	8	-81	11880	0	420	42	422
		GT1{1}	5951	3546	-117	6928	0	607	-54094	54098
		GT2{1}	-5970	3520	97	6931	0	-505	-54229	54231
		GT3{1}	-5919	3522	3	6888	0	-14	-54216	54216
		GW1{1}	724	3518	-4	3592	0	20	-54195	54195
		GW2{1}	-729	3528	4	3602	0	-20	-54228	54228
		GW3{1}	77	3523	-203	3530	-41	-3508	-54210	54323
		GW4{1}	-76	3523	202	3529	41	3515	-54213	54327
		GT1P1{1}	5954	3507	-45	6910	0	234	-54298	54298
		GT2P2{1}	-5926	3525	-23	6896	0	118	-54200	54200
		GT3P3{1}	5961	3530	-78	6929	0	406	-54174	54175
		Gravity{2}	0	8993	0	8993	0	0	-119930	119930
		Thermal 3{2}	-10051	-1	-70	10052	0	363	-6	363
		Pressure 1{2}	0	-251	0	251	0	0	-1306	1306
		GT3{2}	-10051	8991	-70	13486	0	363	-119936	119937
		Hydrotest-NL{2}	-10051	8740	-70	13320	0	363	-121242	121243
B05	-	Gravity{1}	0	76	0	76	0	0	-55291	55291
		Thermal 1{1}	5951	23	-117	5952	0	537	104	547
		Thermal 2{1}	-5970	-3	97	5970	0	-447	-15	447
		Thermal 3{1}	-5919	-1	3	5919	0	-13	-4	13
		Wind 1{1}	724	-5	-4	724	0	18	19	26
		Wind 2{1}	-729	5	4	729	0	-18	-19	26
		Wind 3{1}	77	0	-9	78	-41	-3572	2	3572
		Wind 4{1}	-76	0	8	76	41	3578	-2	3578

		Pressure 1{1}	4	-39	72	82	0	-330	-180	376
		Pressure 2{1}	43	6	-120	128	0	551	26	552
		Pressure 3{1}	11880	8	-81	11880	0	372	37	373
		GT1{1}	5951	98	-117	5953	0	537	-55188	55190
		GT2{1}	-5970	73	97	5971	0	-447	-55307	55308
		GT3{1}	-5919	75	3	5919	0	-13	-55295	55295
		GW1{1}	724	71	-4	727	0	18	-55272	55272
		GW2{1}	-729	81	4	733	0	-18	-55311	55311
		GW3{1}	77	76	-9	109	-41	-3572	-55290	55405
		GW4{1}	-76	76	8	107	41	3578	-55293	55408
		GT1P1{1}	5954	59	-45	5955	0	207	-55367	55368
		GT2P2{1}	-5926	78	-23	5927	0	105	-55281	55281
		GT3P3{1}	5961	83	-78	5962	0	359	-55258	55259
		Gravity{2}	0	1217	0	1217	0	0	-122992	122992
		Thermal 3{2}	-10051	-1	-70	10052	0	321	-6	321
		Pressure 1{2}	0	-251	0	251	0	0	-1155	1155
		GT3{2}	-10051	1216	-70	10125	0	321	-122998	122999
		Hydrotest-NL{2}	-10051	965	-70	10098	0	321	-124154	124154
B05	+	Gravity{1}	0	-4766	0	4766	0	0	-55291	55291
		Thermal 1{1}	5951	23	-117	5952	0	537	104	547
		Thermal 2{1}	-5970	-3	97	5970	0	-447	-15	447
		Thermal 3{1}	-5919	-1	3	5919	0	-13	-4	13
		Wind 1{1}	797	-5	-4	797	0	18	-6	19
		Wind 2{1}	-802	5	4	802	0	-18	6	19
		Wind 3{1}	77	0	65	101	-16	-3572	2	3572
		Wind 4{1}	-76	0	-66	101	16	3578	-2	3578
		Pressure 1{1}	4	-39	72	82	0	-330	-180	376
		Pressure 2{1}	43	6	-120	128	0	551	26	552
		Pressure 3{1}	11880	8	-81	11880	0	372	37	373
		GT1{1}	5951	-4743	-117	7611	0	537	-55188	55190
		GT2{1}	-5970	-4769	97	7641	0	-447	-55307	55308
		GT3{1}	-5919	-4767	3	7600	0	-13	-55295	55295
		GW1{1}	797	-4771	-4	4837	0	18	-55298	55298
		GW2{1}	-802	-4761	4	4828	0	-18	-55285	55285
		GW3{1}	77	-4765	65	4767	-16	-3572	-55290	55405
		GW4{1}	-76	-4766	-66	4767	16	3578	-55293	55408
		GT1P1{1}	5954	-4782	-45	7637	0	207	-55367	55368
		GT2P2{1}	-5926	-4764	-23	7604	0	105	-55281	55281
		GT3P3{1}	5961	-4759	-78	7628	0	359	-55258	55259
		Gravity{2}	0	-4008	0	4008	0	0	-122992	122992
		Thermal 3{2}	-10051	-1	-70	10052	0	321	-6	321
		Pressure 1{2}	0	-251	0	251	0	0	-1155	1155
		GT3{2}	-10051	-4009	-70	10822	0	321	-122998	122999
		Hydrotest-NL{2}	-10051	-4260	-70	10917	0	321	-124154	124154
B06	-	Gravity{1}	0	-21428	0	21428	0	0	-17311	17311
		Thermal 1{1}	5951	23	-117	5952	0	199	38	202
		Thermal 2{1}	-5970	-3	97	5970	0	-165	-6	165
		Thermal 3{1}	-5919	-1	3	5919	0	-5	-1	5
		Wind 1{1}	797	-5	-4	797	0	6	7	10
		Wind 2{1}	-802	5	4	802	0	-7	-7	10
		Wind 3{1}	77	0	1005	1008	-16	-2020	1	2020
		Wind 4{1}	-76	0	-1007	1010	16	2022	-1	2022
		Pressure 1{1}	4	-39	72	82	0	-122	-66	139
		Pressure 2{1}	43	6	-120	128	0	204	9	204
		Pressure 3{1}	11880	8	-81	11880	0	137	14	138
		GT1{1}	5951	-21405	-117	22217	0	199	-17272	17274
		GT2{1}	-5970	-21431	97	22247	0	-165	-17316	17317
		GT3{1}	-5919	-21428	3	22231	0	-5	-17312	17312
		GW1{1}	797	-21432	-4	21447	0	6	-17303	17303
		GW2{1}	-802	-21423	4	21438	0	-7	-17318	17318
		GW3{1}	77	-21427	1005	21451	-16	-2020	-17310	17428
		GW4{1}	-76	-21428	-1007	21452	16	2022	-17311	17429
		GT1P1{1}	5954	-21444	-45	22256	0	76	-17339	17339
		GT2P2{1}	-5926	-21425	-23	22230	0	39	-17307	17307
		GT3P3{1}	5961	-21420	-78	22235	0	133	-17298	17299
		Gravity{2}	0	-41590	0	41590	0	0	-56875	56875
		Thermal 3{2}	-10051	-1	-70	10052	0	119	-2	119
		Pressure 1{2}	0	-251	0	251	0	0	-427	427
		GT3{2}	-10051	-41591	-70	42789	0	119	-56877	56878
		Hydrotest-NL{2}	-10051	-41842	-70	43033	0	119	-57304	57305
B06	+	Gravity{1}	0	-22269	0	22269	0	0	-17311	17311
		Thermal 1{1}	5951	23	-117	5952	0	199	38	202
		Thermal 2{1}	-5970	-3	97	5970	0	-165	-6	165
		Thermal 3{1}	-5919	-1	3	5919	0	-5	-1	5
		Wind 1{1}	842	-5	-4	842	0	6	-8	10
		Wind 2{1}	-847	5	4	847	0	-7	8	10
		Wind 3{1}	77	0	1050	1053	0	-2020	1	2020
		Wind 4{1}	-76	0	-1051	1054	0	2022	-1	2022
		Pressure 1{1}	4	-39	72	82	0	-122	-66	139
		Pressure 2{1}	43	6	-120	128	0	204	9	204
		Pressure 3{1}	11880	8	-81	11880	0	137	14	138
		GT1{1}	5951	-22247	-117	23029	0	199	-17272	17274
		GT2{1}	-5970	-22273	97	23059	0	-165	-17316	17317
		GT3{1}	-5919	-22270	3	23043	0	-5	-17312	17312
		GW1{1}	842	-22274	-4	22290	0	6	-17319	17319
		GW2{1}	-847	-22264	4	22280	0	-7	-17303	17303
		GW3{1}	77	-22269	1050	22294	0	-2020	-17310	17428
		GW4{1}	-76	-22270	-1051	22294	0	2022	-17311	17429
		GT1P1{1}	5954	-22286	-45	23068	0	76	-17339	17339
		GT2P2{1}	-5926	-22267	-23	23042	0	39	-17307	17307
		GT3P3{1}	5961	-22262	-78	23046	0	133	-17298	17299
		Gravity{2}	0	-42466	0	42466	0	0	-56875	56875
		Thermal 3{2}	-10051	-1	-70	10052	0	119	-2	119
		Pressure 1{2}	0	-251	0	251	0	0	-427	427
		GT3{2}	-10051	-42467	-70	43641	0	119	-56877	56878
		Hydrotest-NL{2}	-10051	-42718	-70	43885	0	119	-57304	57305
B07	-	Gravity{1}	0	-32036	0	32036	0	0	28849	28849
		Thermal 1{1}	5951	23	-117	5952	0	0	0	0
		Thermal 2{1}	-5970	-3	97	5970	0	0	0	0
		Thermal 3{1}	-5919	-1	3	5919	0	0	0	0
		Wind 1{1}	842	-5	-4	842	0	0	0	0
		Wind 2{1}	-847	5	4	847	0	0	0	0
		Wind 3{1}	77	0	1601	1603	0	234	0	234
		Wind 4{1}	-76	0	-1603	1605	0	-234	0	234

[illegible]

Wind 1{1}	0	0	0	0	0	0	0	0
Wind 2{1}	0	0	0	0	0	0	0	0
Wind 3{1}	0	0	0	0	0	0	0	0
Wind 4{1}	0	0	0	0	0	0	0	0
Pressure 1{1}	0	0	0	0	0	0	0	0
Pressure 2{1}	0	0	0	0	0	0	0	0
Pressure 3{1}	0	0	0	0	0	0	0	0
GT1{1}	0	3416	0	3416	0	0	0	0
GT2{1}	0	3416	0	3416	0	0	0	0
GT3{1}	0	3416	0	3416	0	0	0	0
GW1{1}	0	3416	0	3416	0	0	0	0
GW2{1}	0	3416	0	3416	0	0	0	0
GW3{1}	0	3416	0	3416	0	0	0	0
GW4{1}	0	3416	0	3416	0	0	0	0
GT1P1{1}	0	3416	0	3416	0	0	0	0
GT2P2{1}	0	3416	0	3416	0	0	0	0
GT3P3{1}	0	3416	0	3416	0	0	0	0
Gravity{2}	0	3416	0	3416	0	0	0	0
Thermal 3{2}	0	0	0	0	0	0	0	0
Pressure 1{2}	0	0	0	0	0	0	0	0
GT3{2}	0	3416	0	3416	0	0	0	0
Hydrotest-NL{2}	0	3416	0	3416	0	0	0	0

*** Segment C end *** Line # AKAB-A-100_N9

*** Segment F begin *** Line # AKABP-36"-PL-012-X70-CL900_B

A15	Gravity{1}	-2547	20634	-20	20791	-798	5697	7512	9462
	Thermal 1{1}	2736	982	554	2959	3524	-6066	-3429	7808
	Thermal 2{1}	-2009	-271	-537	2098	-2046	4402	2221	5338
	Thermal 3{1}	-1909	-136	-596	2004	-1466	4178	2044	4877
	Wind 1{1}	-1631	76	-88	1635	54	920	3302	3428
	Wind 2{1}	1628	-76	87	1632	-56	-914	-3299	3424
	Wind 3{1}	-220	629	-2365	2457	-1922	837	47	2097
	Wind 4{1}	198	-622	2341	2431	1990	-798	-28	2145
	Pressure 1{1}	-6103	-1422	-175	6269	-2926	13795	7076	15778
	Pressure 2{1}	1093	484	1018	1570	3979	-2228	-1427	4779
	Pressure 3{1}	1200	532	1082	1701	3774	-2504	-1581	4797
	GT1{1}	189	21617	534	21624	2725	-369	4084	4923
	GT2{1}	-4557	20364	-557	20875	-2844	10098	9734	14311
	GT3{1}	-4456	20498	-616	20986	-2265	9875	9557	13927
	GW1{1}	-4178	20710	-107	21128	-744	6617	10814	12700
	GW2{1}	-919	20559	67	20579	-854	4783	4213	6431
	GW3{1}	-2767	21263	-2384	21575	-2721	6534	7560	10356
	GW4{1}	-2349	20013	2322	20284	1192	4898	7484	9024
	GT1P1{1}	-5914	20195	360	21046	-201	13426	11160	17460
	GT2P2{1}	-3463	20848	461	21138	1135	7870	8307	11499
	GT3P3{1}	-3256	21030	466	21286	1509	7371	7976	10965
	Gravity{2}	-5340	44006	-42	44329	-1556	11938	15852	19906
	Thermal 3{2}	-3958	-239	-1305	4174	-2708	8626	4221	9978
	Pressure 1{2}	-3132	81	-39	3133	571	6941	2520	7406
	GT3{2}	-9297	43767	-1347	44764	-4264	20565	20073	29052
	Hydrotest-NL{2}	-12429	43847	-1386	45596	-3693	27505	22593	35785
F01 N	Gravity{1}	-2547	13319	-20	13560	-770	5697	3874	6932
	Thermal 1{1}	2736	982	554	2959	2733	-6066	480	6670
	Thermal 2{1}	-2009	-271	-537	2098	-1279	4402	-649	4629
	Thermal 3{1}	-1909	-136	-596	2004	-615	4178	-682	4278
	Wind 1{1}	-1200	76	-88	1205	180	920	1280	1587
	Wind 2{1}	1197	-76	87	1202	-180	-914	-1281	1584
	Wind 3{1}	-220	629	-1933	2045	1147	837	-266	1445
	Wind 4{1}	198	-622	1910	2019	-1046	-798	256	1341
	Pressure 1{1}	-6103	-1422	-175	6269	-2677	13795	-1641	14148
	Pressure 2{1}	1093	484	1018	1570	2525	-2228	135	3370
	Pressure 3{1}	1200	532	1082	1701	2228	-2504	133	3355
	GT1{1}	189	14301	534	14313	1962	-369	4354	4790
	GT2{1}	-4557	13048	-557	13832	-2049	10098	3225	10797
	GT3{1}	-4456	13183	-616	13929	-1385	9875	3192	10470
	GW1{1}	-3747	13395	-107	13909	-591	6617	5154	8408
	GW2{1}	-1350	13243	67	13312	-950	4783	2593	5523
	GW3{1}	-2767	13948	-1953	14353	377	6534	3608	7473
	GW4{1}	-2349	12697	1891	13051	-1817	4898	4130	6659
	GT1P1{1}	-5914	12879	360	14177	-715	13426	2713	13716
	GT2P2{1}	-3463	13532	461	13976	476	7870	3360	8571
	GT3P3{1}	-3256	13715	466	14104	843	7371	3325	8130
	Gravity{2}	-5340	28429	-42	28926	-1496	11938	8225	14574
	Thermal 3{2}	-3958	-239	-1305	4174	-845	8626	-1432	8785
	Pressure 1{2}	-3132	81	-39	3133	627	6941	-1953	7237
	GT3{2}	-9297	28190	-1347	29714	-2340	20565	6792	21783
	Hydrotest-NL{2}	-12429	28271	-1386	30913	-1713	27505	4839	27980
F01 F	Gravity{1}	-2547	2285	-20	3422	-9377	2203	380	9640
	Thermal 1{1}	2736	982	554	2959	626	-2313	4233	4864
	Thermal 2{1}	-2009	-271	-537	2098	-171	1646	-3405	3786
	Thermal 3{1}	-1909	-136	-596	2004	390	1560	-3300	3671
	Wind 1{1}	-510	76	-88	523	196	-123	-22	233
	Wind 2{1}	507	-76	87	520	-195	126	16	233
	Wind 3{1}	-220	629	-1494	1636	2718	536	-567	2827
	Wind 4{1}	198	-622	1471	1609	-2595	-526	528	2700
	Pressure 1{1}	-6103	-1422	-175	6269	-487	5425	-10012	11397
	Pressure 2{1}	1093	484	1018	1570	465	-729	1634	1849
	Pressure 3{1}	1200	532	1082	1701	15	-858	1778	1975
	GT1{1}	189	3267	534	3316	-8752	-110	4613	9893
	GT2{1}	-4557	2014	-557	5013	-9548	3849	-3025	10729
	GT3{1}	-4456	2149	-616	4985	-8987	3763	-2920	10171
	GW1{1}	-3057	2360	-107	3864	-9181	2080	359	9420
	GW2{1}	-2040	2209	67	3008	-9572	2329	397	9859
	GW3{1}	-2767	2914	-1514	4294	-6659	2739	-187	7203
	GW4{1}	-2349	1663	1452	3223	-11972	1677	908	12123
	GT1P1{1}	-5914	1845	360	6205	-9239	5315	-5399	11948
	GT2P2{1}	-3463	2498	461	4295	-9083	3120	-1390	9704
	GT3P3{1}	-3256	2681	466	4244	-8972	2905	-1142	9499
	Gravity{2}	-5340	4934	-42	7271	-19916	4614	901	20463
	Thermal 3{2}	-3958	-239	-1305	4174	1273	3198	-6861	7676
	Pressure 1{2}	-3132	81	-39	3133	570	2645	-6249	6810
	GT3{2}	-9297	4695	-1347	10502	-18643	7812	-5960	21074
	Hydrotest-NL{2}	-12429	4776	-1386	13387	-18073	10457	-12209	24188

F02 N	Gravity{1}	-2547	-3128	-20	4034	-8932	-489	380	8953
	Thermal 1{1}	2736	982	554	2959	-413	578	4233	4292
	Thermal 2{1}	-2009	-271	-537	2098	116	-478	-3405	3440
	Thermal 3{1}	-1909	-136	-596	2004	534	-457	-3300	3374
	Wind 1{1}	-163	76	-88	200	116	-479	-22	494
	Wind 2{1}	160	-76	87	197	-115	478	16	492
	Wind 3{1}	-220	629	-1494	1636	2053	304	-567	2152
	Wind 4{1}	198	-622	1471	1609	-1938	-316	528	2034
	Pressure 1{1}	-6103	-1422	-175	6269	1016	-1025	-10012	10115
	Pressure 2{1}	1093	484	1018	1570	-46	427	1634	1690
	Pressure 3{1}	1200	532	1082	1701	-548	409	1778	1905
	GT1{1}	189	-2145	534	2219	-9345	90	4613	10421
	GT2{1}	-4557	-3398	-557	5712	-8816	-967	-3025	9371
	GT3{1}	-4456	-3264	-616	5558	-8398	-946	-2920	8941
	GW1{1}	-2710	-3052	-107	4083	-8815	-968	359	8876
	GW2{1}	-2387	-3203	67	3995	-9047	-10	397	9055
	GW3{1}	-2767	-2499	-1514	4024	-6879	-185	-187	6884
	GW4{1}	-2349	-3749	1452	4656	-10870	-805	908	10938
	GT1P1{1}	-5914	-3567	360	6916	-8329	-935	-5399	9969
	GT2P2{1}	-3463	-2914	461	4550	-8862	-540	-1390	8987
	GT3P3{1}	-3256	-2732	466	4276	-8945	-536	-1142	9034
	Gravity{2}	-5340	-6590	-42	8482	-19041	-1029	901	19090
	Thermal 3{2}	-3958	-239	-1305	4174	1525	-984	-6861	7097
	Pressure 1{2}	-3132	81	-39	3133	485	-665	-6249	6303
	GT3{2}	-9297	-6829	-1347	11614	-17516	-2013	-5960	18611
	Hydrotest-NL{2}	-12429	-6748	-1386	14211	-17031	-2678	-12209	21125
F02 F	Gravity{1}	-2547	-14162	-20	14389	831	-3982	3874	5618
	Thermal 1{1}	2736	982	554	2959	-1001	4331	480	4471
	Thermal 2{1}	-2009	-271	-537	2098	-249	-3234	-649	3308
	Thermal 3{1}	-1909	-136	-596	2004	-97	-3075	-682	3151
	Wind 1{1}	526	76	-88	539	-108	-359	-400	548
	Wind 2{1}	-529	-76	87	542	108	354	399	544
	Wind 3{1}	-220	629	-1055	1248	-475	3	-266	545
	Wind 4{1}	198	-622	1032	1221	549	-44	256	607
	Pressure 1{1}	-6103	-1422	-175	6269	2727	-9395	-1641	9920
	Pressure 2{1}	1093	484	1018	1570	686	1926	135	2049
	Pressure 3{1}	1200	532	1082	1701	206	2055	133	2069
	GT1{1}	189	-13179	534	13191	-170	349	4354	4371
	GT2{1}	-4557	-14433	-557	15145	581	-7217	3225	7926
	GT3{1}	-4456	-14298	-616	14989	734	-7057	3192	7780
	GW1{1}	-2021	-14086	-107	14231	723	-4342	3474	5607
	GW2{1}	-3077	-14237	67	14566	939	-3628	4273	5683
	GW3{1}	-2767	-13533	-1075	13855	355	-3980	3608	5383
	GW4{1}	-2349	-14783	1013	15003	1380	-4027	4130	5931
	GT1P1{1}	-5914	-14601	360	15758	2557	-9046	2713	9784
	GT2P2{1}	-3463	-13949	461	14379	1267	-5290	3360	6394
	GT3P3{1}	-3256	-13766	466	14153	940	-5003	3325	6080
	Gravity{2}	-5340	-30085	-42	30555	1650	-8353	8225	11838
	Thermal 3{2}	-3958	-239	-1305	4174	64	-6412	-1432	6571
	Pressure 1{2}	-3132	81	-39	3133	321	-4960	-1953	5341
	GT3{2}	-9297	-30324	-1347	31746	1714	-14765	6792	16343
	Hydrotest-NL{2}	-12429	-30243	-1386	32727	2035	-19725	4839	20412
F03 N	Gravity{1}	-2547	-14453	-20	14675	830	-3982	4019	5718
	Thermal 1{1}	2736	982	554	2959	-969	4331	324	4450
	Thermal 2{1}	-2009	-271	-537	2098	-280	-3234	-535	3290
	Thermal 3{1}	-1909	-136	-596	2004	-130	-3075	-574	3131
	Wind 1{1}	544	76	-88	556	-113	-359	-430	572
	Wind 2{1}	-547	-76	87	559	113	354	429	568
	Wind 3{1}	-220	629	-1038	1233	-535	3	-254	592
	Wind 4{1}	198	-622	1014	1206	607	-44	244	656
	Pressure 1{1}	-6103	-1422	-175	6269	2717	-9395	-1294	9866
	Pressure 2{1}	1093	484	1018	1570	744	1926	73	2066
	Pressure 3{1}	1200	532	1082	1701	267	2055	65	2073
	GT1{1}	189	-13470	534	13482	-140	349	4343	4359
	GT2{1}	-4557	-14723	-557	15422	550	-7217	3484	8032
	GT3{1}	-4456	-14589	-616	15267	699	-7057	3445	7884
	GW1{1}	-2003	-14377	-107	14516	717	-4342	3588	5678
	GW2{1}	-3094	-14528	67	14854	943	-3628	4448	5817
	GW3{1}	-2767	-13824	-1057	14138	295	-3980	3765	5486
	GW4{1}	-2349	-15074	995	15288	1437	-4027	4263	6038
	GT1P1{1}	-5914	-14892	360	16028	2577	-9046	3048	9888
	GT2P2{1}	-3463	-14239	461	14662	1293	-5290	3557	6505
	GT3P3{1}	-3256	-14057	466	14436	966	-5003	3510	6187
	Gravity{2}	-5340	-30704	-42	31165	1648	-8353	8528	12051
	Thermal 3{2}	-3958	-239	-1305	4174	-10	-6412	-1208	6525
	Pressure 1{2}	-3132	81	-39	3133	319	-4960	-1776	5278
	GT3{2}	-9297	-30943	-1347	32338	1638	-14765	7320	16562
	Hydrotest-NL{2}	-12429	-30863	-1386	33300	1956	-19725	5545	20583
F03 F	Gravity{1}	-2547	-25487	-20	25614	803	-3956	-21946	22314
	Thermal 1{1}	2736	982	554	2959	-210	3572	-2081	4139
	Thermal 2{1}	-2009	-271	-537	2098	-1017	-2498	1850	3270
	Thermal 3{1}	-1909	-136	-596	2004	-948	-2257	1857	3073
	Wind 1{1}	958	76	-88	965	-233	-239	-1279	1322
	Wind 2{1}	-961	-76	87	968	232	235	1282	1324
	Wind 3{1}	-220	629	-388	771	-1634	859	910	2058
	Wind 4{1}	198	-622	365	748	1675	-869	-880	2082
	Pressure 1{1}	-6103	-1422	-175	6269	2478	-9156	5125	10781
	Pressure 2{1}	1093	484	1018	1570	2140	530	-763	2333
	Pressure 3{1}	1200	532	1082	1701	1751	571	-851	2029
	GT1{1}	189	-24504	534	24511	593	-384	-24027	24037
	GT2{1}	-4557	-25758	-557	26164	-214	-6453	-20096	21108
	GT3{1}	-4456	-25623	-616	26015	-146	-6213	-20088	21028
	GW1{1}	-1589	-25411	-107	25461	570	-4195	-23225	23608
	GW2{1}	-3508	-25563	67	25802	1035	-3720	-20664	21021
	GW3{1}	-2767	-24858	-407	25015	-831	-3097	-21036	21279
	GW4{1}	-2349	-26108	345	26216	2478	-4824	-22826	23462
	GT1P1{1}	-5914	-25926	360	26595	3071	-9540	-18901	21394
	GT2P2{1}	-3463	-25274	461	25514	1926	-5923	-20859	21769
	GT3P3{1}	-3256	-25091	466	25306	1605	-5642	-20939	21745
	Gravity{2}	-5340	-54199	-42	54462	1590	-8295	-46778	47534
	Thermal 3{2}	-3958	-239	-1305	4174	-1800	-4623	3893	6306
	Pressure 1{2}	-3132	81	-39	3133	265	-4907	2630	5574
	GT3{2}	-9297	-54438	-1347	55243	-210	-12918	-42885	44789
	Hydrotest-NL{2}	-12429	-54358	-1386	55778	55	-17825	-40254	44024

F04 -	Gravity{1}	-2547	-26656	-20	26778	803	-3951	-27901	28190
	Thermal 1{1}	2736	982	554	2959	-210	3445	-1857	3919
	Thermal 2{1}	-2009	-271	-537	2098	-1017	-2375	1788	3142
	Thermal 3{1}	-1909	-136	-596	2004	-948	-2121	1826	2955
	Wind 1{1}	958	76	-88	965	-233	-219	-1262	1302
	Wind 2{1}	-961	-76	87	968	232	216	1265	1304
	Wind 3{1}	-220	629	-321	739	-1634	940	1053	2159
	Wind 4{1}	198	-622	298	717	1675	-944	-1022	2177
	Pressure 1{1}	-6103	-1422	-175	6269	2478	-9116	4801	10597
	Pressure 2{1}	1093	484	1018	1570	2140	298	-652	2257
	Pressure 3{1}	1200	532	1082	1701	1751	324	-729	1924
	GT1{1}	189	-25674	534	25680	593	-506	-29757	29767
	GT2{1}	-4557	-26927	-557	27316	-214	-6326	-26113	26869
	GT3{1}	-4456	-26793	-616	27168	-146	-6072	-26074	26772
	GW1{1}	-1589	-26581	-107	26629	570	-4170	-29162	29465
	GW2{1}	-3508	-26732	67	26962	1035	-3736	-26636	26916
	GW3{1}	-2767	-26028	-341	26177	-831	-3012	-26847	27028
	GW4{1}	-2349	-27278	279	27380	2478	-4895	-28923	29439
	GT1P1{1}	-5914	-27096	360	27736	3071	-9622	-24957	26923
	GT2P2{1}	-3463	-26443	461	26673	1926	-6028	-26765	27503
	GT3P3{1}	-3256	-26261	466	26466	1605	-5748	-26803	27460
	Gravity{2}	-5340	-56690	-42	56941	1590	-8286	-59441	60037
	Thermal 3{2}	-3958	-239	-1305	4174	-1800	-4325	3838	6056
	Pressure 1{2}	-3132	81	-39	3133	265	-4898	2649	5574
	GT3{2}	-9297	-56929	-1347	57699	-210	-12610	-55603	57015
	Hydrotest-NL{2}	-12429	-56848	-1386	58208	55	-17508	-52954	55773
F04 +	Gravity{1}	-2547	-52604	-20	52666	803	-3951	-27901	28190
	Thermal 1{1}	2736	982	554	2959	-210	3445	-1857	3919
	Thermal 2{1}	-2009	-271	-537	2098	-1017	-2375	1788	3142
	Thermal 3{1}	-1909	-136	-596	2004	-948	-2121	1826	2955
	Wind 1{1}	958	76	-88	965	-233	-219	-1262	1302
	Wind 2{1}	-961	-76	87	968	232	216	1265	1304
	Wind 3{1}	-220	629	-321	739	-1634	940	1053	2159
	Wind 4{1}	198	-622	298	717	1675	-944	-1022	2177
	Pressure 1{1}	-6103	-1422	-175	6269	2478	-9116	4801	10597
	Pressure 2{1}	1093	484	1018	1570	2140	298	-652	2257
	Pressure 3{1}	1200	532	1082	1701	1751	324	-729	1924
	GT1{1}	189	-51622	534	51625	593	-506	-29757	29767
	GT2{1}	-4557	-52875	-557	53074	-214	-6326	-26113	26869
	GT3{1}	-4456	-52741	-616	52932	-146	-6072	-26074	26772
	GW1{1}	-1589	-52529	-107	52553	570	-4170	-29162	29465
	GW2{1}	-3508	-52680	67	52797	1035	-3736	-26636	26916
	GW3{1}	-2767	-51976	-341	52050	-831	-3012	-26847	27028
	GW4{1}	-2349	-53226	279	53278	2478	-4895	-28923	29439
	GT1P1{1}	-5914	-53044	360	53374	3071	-9622	-24957	26923
	GT2P2{1}	-3463	-52391	461	52508	1926	-6028	-26765	27503
	GT3P3{1}	-3256	-52208	466	52312	1605	-5748	-26803	27460
	Gravity{2}	-5340	-82638	-42	82810	1590	-8286	-59441	60037
	Thermal 3{2}	-3958	-239	-1305	4174	-1800	-4325	3838	6056
	Pressure 1{2}	-3132	81	-39	3133	265	-4898	2649	5574
	GT3{2}	-9297	-82877	-1347	83408	-210	-12610	-55603	57015
	Hydrotest-NL{2}	-12429	-82796	-1386	83735	55	-17508	-52954	55773
F04 M-	Gravity{1}	-2547	-76327	-20	76369	803	-3929	-101585	101664
	Thermal 1{1}	2736	982	554	2959	-210	2812	-734	2914
	Thermal 2{1}	-2009	-271	-537	2098	-1017	-1761	1478	2514
	Thermal 3{1}	-1909	-136	-596	2004	-948	-1440	1670	2400
	Wind 1{1}	958	76	-88	965	-233	-119	-1175	1204
	Wind 2{1}	-961	-76	87	968	232	116	1178	1207
	Wind 3{1}	-220	629	12	666	-1634	1116	1772	2656
	Wind 4{1}	198	-622	-35	653	1675	-1094	-1733	2647
	Pressure 1{1}	-6103	-1422	-175	6269	2478	-8917	3175	9784
	Pressure 2{1}	1093	484	1018	1570	2140	-866	-99	2311
	Pressure 3{1}	1200	532	1082	1701	1751	-912	-121	1978
	GT1{1}	189	-75344	534	75346	593	-1117	-102319	102326
	GT2{1}	-4557	-76598	-557	76735	-214	-5690	-100107	100268
	GT3{1}	-4456	-76463	-616	76595	-146	-5368	-99914	100059
	GW1{1}	-1589	-76251	-107	76268	570	-4047	-102760	102842
	GW2{1}	-3508	-76403	67	76483	1035	-3812	-100407	100484
	GW3{1}	-2767	-75698	-7	75749	-831	-2813	-99813	99856
	GW4{1}	-2349	-76948	-55	76984	2478	-5023	-103318	103469
	GT1P1{1}	-5914	-76766	360	76995	3071	-10033	-99143	99697
	GT2P2{1}	-3463	-76114	461	76194	1926	-6556	-100206	100439
	GT3P3{1}	-3256	-75931	466	76002	1605	-6281	-100035	100245
	Gravity{2}	-5340	-112971	-42	113097	1590	-8237	-171231	171437
	Thermal 3{2}	-3958	-239	-1305	4174	-1800	-2834	3565	4897
	Pressure 1{2}	-3132	81	-39	3133	265	-4853	2741	5580
	GT3{2}	-9297	-113210	-1347	113599	-210	-11071	-167667	168032
	Hydrotest-NL{2}	-12429	-113129	-1386	113818	55	-15924	-164926	165693
F04 M+	Gravity{1}	-2547	61195	-20	61248	803	-3929	-101585	101664
	Thermal 1{1}	2736	-574	554	2850	-210	2812	-734	2914
	Thermal 2{1}	-2009	-482	-537	2135	-1017	-1761	1478	2514
	Thermal 3{1}	-1909	-608	-596	2090	-948	-1440	1670	2400
	Wind 1{1}	958	433	-88	1055	-233	-119	-1175	1204
	Wind 2{1}	-961	-434	87	1058	232	116	1178	1207
	Wind 3{1}	-220	-70	12	231	-1634	1116	1772	2656
	Wind 4{1}	198	67	-35	212	1675	-1094	-1733	2647
	Pressure 1{1}	-6103	3310	-175	6945	2478	-8917	3175	9784
	Pressure 2{1}	1093	1001	1018	1798	2140	-866	-99	2311
	Pressure 3{1}	1200	831	1082	1817	1751	-912	-121	1978
	GT1{1}	189	60620	534	60623	593	-1117	-102319	102326
	GT2{1}	-4557	60712	-557	60885	-214	-5690	-100107	100268
	GT3{1}	-4456	60586	-616	60753	-146	-5368	-99914	100059
	GW1{1}	-1589	61628	-107	61648	570	-4047	-102760	102842
	GW2{1}	-3508	60760	67	60862	1035	-3812	-100407	100484
	GW3{1}	-2767	61124	-7	61187	-831	-2813	-99813	99856
	GW4{1}	-2349	61261	-55	61306	2478	-5023	-103318	103469
	GT1P1{1}	-5914	63930	360	64204	3071	-10033	-99143	99697
	GT2P2{1}	-3463	61713	461	61812	1926	-6556	-100206	100439
	GT3P3{1}	-3256	61417	466	61505	1605	-6281	-100035	100245
	Gravity{2}	-5340	80706	-42	80882	1590	-8237	-171231	171437
	Thermal 3{2}	-3958	-1274	-1305	4357	-1800	-2834	3565	4897
	Pressure 1{2}	-3132	81	-39	3133	265	-4853	2741	5580
	GT3{2}	-9297	79432	-1347	79986	-210	-11071	-167667	168032
	Hydrotest-NL{2}	-12429	79513	-1386	80490	55	-15924	-164926	165693

F05	-	Gravity{1}	-2547	37472	-20	37559	803	-3906	-45197	45372
		Thermal 1{1}	2736	-574	554	2850	-210	2179	-1390	2594
		Thermal 2{1}	-2009	-482	-537	2135	-1017	-1147	927	1791
		Thermal 3{1}	-1909	-608	-596	2090	-948	-758	975	1557
		Wind 1{1}	958	433	-88	1055	-233	-18	-680	719
		Wind 2{1}	-961	-434	87	1058	232	17	682	721
		Wind 3{1}	-220	-70	346	416	-1634	911	1692	2522
		Wind 4{1}	198	67	-369	424	1675	-863	-1656	2509
		Pressure 1{1}	-6103	3310	-175	6945	2478	-8717	6959	11426
		Pressure 2{1}	1093	1001	1018	1798	2140	-2029	1045	3129
		Pressure 3{1}	1200	831	1082	1817	1751	-2149	829	2893
		GT1{1}	189	36898	534	36902	593	-1727	-46587	46623
		GT2{1}	-4557	36990	-557	37273	-214	-5053	-44270	44558
		GT3{1}	-4456	36864	-616	37137	-146	-4665	-44222	44467
		GW1{1}	-1589	37905	-107	37939	570	-3925	-45877	46048
		GW2{1}	-3508	37038	67	37204	1035	-3889	-44515	44696
		GW3{1}	-2767	37402	327	37505	-831	-2995	-43505	43616
		GW4{1}	-2349	37539	-389	37614	2478	-4770	-46853	47160
		GT1P1{1}	-5914	40208	360	40642	3071	-10444	-39628	41097
		GT2P2{1}	-3463	37991	461	38151	1926	-7083	-43225	43843
		GT3P3{1}	-3256	37695	466	37838	1605	-6813	-43392	43953
		Gravity{2}	-5340	50373	-42	50655	1590	-8189	-96320	96680
		Thermal 3{2}	-3958	-1274	-1305	4357	-1800	-1342	2109	3080
		Pressure 1{2}	-3132	81	-39	3133	265	-4809	2833	5587
		GT3{2}	-9297	49099	-1347	49990	-210	-9532	-94211	94692
		Hydrotest-NL{2}	-12429	49180	-1386	50745	55	-14340	-91378	92496
F05	+	Gravity{1}	-2547	11524	-20	11802	803	-3906	-45197	45372
		Thermal 1{1}	2736	-574	554	2850	-210	2179	-1390	2594
		Thermal 2{1}	-2009	-482	-537	2135	-1017	-1147	927	1791
		Thermal 3{1}	-1909	-608	-596	2090	-948	-758	975	1557
		Wind 1{1}	958	433	-88	1055	-233	-18	-680	719
		Wind 2{1}	-961	-434	87	1058	232	17	682	721
		Wind 3{1}	-220	-70	346	416	-1634	911	1692	2522
		Wind 4{1}	198	67	-369	424	1675	-863	-1656	2509
		Pressure 1{1}	-6103	3310	-175	6945	2478	-8717	6959	11426
		Pressure 2{1}	1093	1001	1018	1798	2140	-2029	1045	3129
		Pressure 3{1}	1200	831	1082	1817	1751	-2149	829	2893
		GT1{1}	189	10950	534	10964	593	-1727	-46587	46623
		GT2{1}	-4557	11042	-557	11958	-214	-5053	-44270	44558
		GT3{1}	-4456	10916	-616	11806	-146	-4665	-44222	44467
		GW1{1}	-1589	11957	-107	12063	570	-3925	-45877	46048
		GW2{1}	-3508	11090	67	11632	1035	-3889	-44515	44696
		GW3{1}	-2767	11454	327	11788	-831	-2995	-43505	43616
		GW4{1}	-2349	11591	-389	11833	2478	-4770	-46853	47160
		GT1P1{1}	-5914	14260	360	15442	3071	-10444	-39628	41097
		GT2P2{1}	-3463	12043	461	12540	1926	-7083	-43225	43843
		GT3P3{1}	-3256	11747	466	12199	1605	-6813	-43392	43953
		Gravity{2}	-5340	24425	-42	25002	1590	-8189	-96320	96680
		Thermal 3{2}	-3958	-1274	-1305	4357	-1800	-1342	2109	3080
		Pressure 1{2}	-3132	81	-39	3133	265	-4809	2833	5587
		GT3{2}	-9297	23151	-1347	24985	-210	-9532	-94211	94692
		Hydrotest-NL{2}	-12429	23232	-1386	26384	55	-14340	-91378	92496
F06	-	Gravity{1}	-2547	-8962	-20	9316	803	-3828	-40071	40262
		Thermal 1{1}	2736	-574	554	2850	-210	-36	-3688	3694
		Thermal 2{1}	-2009	-482	-537	2135	-1017	1002	-1003	1744
		Thermal 3{1}	-1909	-608	-596	2090	-948	1627	-1458	2382
		Wind 1{1}	958	433	-88	1055	-233	333	1052	1128
		Wind 2{1}	-961	-434	87	1058	232	-329	-1054	1129
		Wind 3{1}	-220	-70	1514	1531	-1634	-2809	1410	3542
		Wind 4{1}	198	67	-1537	1551	1675	2949	-1389	3665
		Pressure 1{1}	-6103	3310	-175	6945	2478	-8019	20199	21873
		Pressure 2{1}	1093	1001	1018	1798	2140	-6101	5050	8204
		Pressure 3{1}	1200	831	1082	1817	1751	-6476	4154	7890
		GT1{1}	189	-9536	534	9553	593	-3864	-43759	43934
		GT2{1}	-4557	-9444	-557	10501	-214	-2827	-41074	41172
		GT3{1}	-4456	-9570	-616	10574	-146	-2201	-41530	41588
		GW1{1}	-1589	-8528	-107	8676	570	-3495	-39019	39180
		GW2{1}	-3508	-9396	67	10029	1035	-4158	-41126	41348
		GW3{1}	-2767	-9032	1494	9564	-831	-6637	-38661	39236
		GW4{1}	-2349	-8895	-1556	9330	2478	-879	-41460	41544
		GT1P1{1}	-5914	-6226	360	8594	3071	-11883	-23561	26566
		GT2P2{1}	-3463	-8443	461	9137	1926	-8928	-36024	37164
		GT3P3{1}	-3256	-8739	466	9337	1605	-8677	-37376	38404
		Gravity{2}	-5340	-19195	-42	19924	1590	-8021	-85859	86248
		Thermal 3{2}	-3958	-1274	-1305	4357	-1800	3876	-2987	5214
		Pressure 1{2}	-3132	81	-39	3133	265	-4653	3156	5628
		GT3{2}	-9297	-20469	-1347	22522	-210	-4144	-88846	88943
		Hydrotest-NL{2}	-12429	-20388	-1386	23918	55	-8797	-85690	86141
F06	+	Gravity{1}	-2547	28635	-20	28748	803	-3828	-40071	40262
		Thermal 1{1}	-1164	841	695	1595	-210	-36	-3688	3694
		Thermal 2{1}	1813	-86	-740	1960	-1017	1002	-1003	1744
		Thermal 3{1}	1706	-5	-404	1753	-948	1627	-1458	2382
		Wind 1{1}	-959	97	8	964	-233	333	1052	1128
		Wind 2{1}	961	-97	-8	966	232	-329	-1054	1129
		Wind 3{1}	175	-859	-1925	2115	-1634	-2809	1410	3542
		Wind 4{1}	-194	856	2001	2185	1675	2949	-1389	3665
		Pressure 1{1}	-5653	-1563	151	5867	2478	-8019	20199	21873
		Pressure 2{1}	-6465	95	1484	6633	2140	-6101	5050	8204
		Pressure 3{1}	-6174	216	1137	6282	1751	-6476	4154	7890
		GT1{1}	-3711	29476	676	29716	593	-3864	-43759	43934
		GT2{1}	-734	28549	-759	28568	-214	-2827	-41074	41172
		GT3{1}	-842	28630	-424	28645	-146	-2201	-41530	41588
		GW1{1}	-3506	28732	-12	28945	570	-3495	-39019	39180
		GW2{1}	-1586	28537	-28	28581	1035	-4158	-41126	41348
		GW3{1}	-2372	27776	-1944	27945	-831	-6637	-38661	39236
		GW4{1}	-2741	29491	1981	29684	2478	-879	-41460	41544
		GT1P1{1}	-9364	27913	827	29454	3071	-11883	-23561	26566
		GT2P2{1}	-7199	28644	725	29544	1926	-8928	-36024	37164
		GT3P3{1}	-7016	28846	713	29695	1605	-8677	-37376	38404
		Gravity{2}	-5340	61046	-42	61279	1590	-8021	-85859	86248
		Thermal 3{2}	3426	-6	-535	3467	-1800	3876	-2987	5214
		Pressure 1{2}	-3132	-503	-39	3172	265	-4653	3156	5628
		GT3{2}	-1914	61040	-577	61072	-210	-4144	-88846	88943
		Hydrotest-NL{2}	-5046	60537	-616	60750	55	-8797	-85690	86141

F07 N	Gravity{1}	-2547	24497	-20	24629	803	-3813	-18606	19010
	Thermal 1{1}	-1164	841	695	1595	-210	-598	-3008	3074
	Thermal 2{1}	1813	-86	-740	1960	-1017	1599	-1072	2177
	Thermal 3{1}	1706	-5	-404	1753	-948	1954	-1462	2618
	Wind 1{1}	-959	97	8	964	-233	327	1131	1200
	Wind 2{1}	961	-97	-8	966	232	-323	-1133	1201
	Wind 3{1}	175	-859	-1689	1903	-1634	-1349	716	2236
	Wind 4{1}	-194	856	1765	1971	1675	1428	-697	2308
	Pressure 1{1}	-5653	-1563	151	5867	2478	-8141	18936	20761
	Pressure 2{1}	-6465	95	1484	6633	2140	-7300	5127	9174
	Pressure 3{1}	-6174	216	1137	6282	1751	-7394	4328	8745
	GT1{1}	-3711	25338	676	25617	593	-4410	-21615	22068
	GT2{1}	-734	24411	-759	24434	-214	-2213	-19679	19804
	GT3{1}	-842	24492	-424	24510	-146	-1859	-20069	20155
	GW1{1}	-3506	24594	-12	24843	570	-3486	-17476	17829
	GW2{1}	-1586	24399	-28	24451	1035	-4135	-19739	20194
	GW3{1}	-2372	23638	-1709	23818	-831	-5161	-17890	18638
	GW4{1}	-2741	25353	1745	25560	2478	-2385	-19303	19607
	GT1P1{1}	-9364	23775	827	25566	3071	-12551	-2678	13196
	GT2P2{1}	-7199	24506	725	25552	1926	-9514	-14551	17492
	GT3P3{1}	-7016	24708	713	25694	1605	-9253	-15741	18329
	Gravity{2}	-5340	52234	-42	52507	1590	-7986	-40094	40913
	Thermal 3{2}	3426	-6	-535	3467	-1800	4309	-2991	5546
	Pressure 1{2}	-3132	-503	-39	3172	265	-4621	2749	5384
	GT3{2}	-1914	52228	-577	52267	-210	-3678	-43085	43243
	Hydrotest-NL{2}	-5046	51725	-616	51974	55	-8299	-40336	41181
F07 F	Gravity{1}	-2547	13462	-20	13701	830	-3786	6000	7143
	Thermal 1{1}	-1164	841	695	1595	-1164	-1552	-3451	3958
	Thermal 2{1}	1813	-86	-740	1960	-2	2614	1297	2918
	Thermal 3{1}	1706	-5	-404	1753	-394	2508	870	2684
	Wind 1{1}	-545	97	8	554	-244	316	310	505
	Wind 2{1}	548	-97	-8	556	243	-312	-309	502
	Wind 3{1}	175	-859	-1039	1360	115	644	-221	691
	Wind 4{1}	-194	856	1115	1419	-179	-669	212	724
	Pressure 1{1}	-5653	-1563	151	5867	2270	-8349	9039	12512
	Pressure 2{1}	-6465	95	1484	6633	105	-9336	-3609	10010
	Pressure 3{1}	-6174	216	1137	6282	192	-8953	-3844	9745
	GT1{1}	-3711	14304	676	14793	-334	-5337	2550	5924
	GT2{1}	-734	13377	-759	13418	828	-1172	7297	7437
	GT3{1}	-842	13457	-424	13490	436	-1277	6870	7002
	GW1{1}	-3092	13560	-12	13908	586	-3470	6310	7225
	GW2{1}	-1999	13365	-28	13514	1072	-4098	5691	7094
	GW3{1}	-2372	12604	-1059	12868	945	-3141	5779	6645
	GW4{1}	-2741	14319	1096	14620	651	-4455	6212	7672
	GT1P1{1}	-9364	12741	827	15833	1936	-13686	11589	18037
	GT2P2{1}	-7199	13472	725	15292	932	-10508	3688	11175
	GT3P3{1}	-7016	13673	713	15385	628	-10231	3026	10687
	Gravity{2}	-5340	28739	-42	29231	1648	-7929	12516	14908
	Thermal 3{2}	3426	-6	-535	3467	-1066	5043	1699	5427
	Pressure 1{2}	-3132	-503	-39	3172	319	-4568	-2237	5096
	GT3{2}	-1914	28734	-577	28803	582	-2886	14216	14517
	Hydrotest-NL{2}	-5046	28230	-616	28684	901	-7453	11979	14137
F08 N	Gravity{1}	-2547	13172	-20	13416	831	-3786	5856	7022
	Thermal 1{1}	-1164	841	695	1595	-1203	-1552	-3517	4028
	Thermal 2{1}	1813	-86	-740	1960	40	2614	1400	2965
	Thermal 3{1}	1706	-5	-404	1753	-371	2508	967	2714
	Wind 1{1}	-528	97	8	536	-244	316	280	487
	Wind 2{1}	530	-97	-8	539	243	-312	-278	484
	Wind 3{1}	175	-859	-1022	1346	174	644	-211	700
	Wind 4{1}	-194	856	1097	1406	-241	-669	201	739
	Pressure 1{1}	-5653	-1563	151	5867	2262	-8349	8718	12281
	Pressure 2{1}	-6465	95	1484	6633	20	-9336	-3977	10148
	Pressure 3{1}	-6174	216	1137	6282	127	-8953	-4195	9888
	GT1{1}	-3711	14013	676	14512	-373	-5337	2339	5839
	GT2{1}	-734	13086	-759	13128	871	-1172	7255	7401
	GT3{1}	-842	13166	-424	13200	460	-1277	6822	6956
	GW1{1}	-3075	13269	-12	13620	586	-3470	6135	7073
	GW2{1}	-2017	13074	-28	13229	1074	-4098	5577	7003
	GW3{1}	-2372	12313	-1041	12582	1005	-3141	5644	6537
	GW4{1}	-2741	14028	1078	14334	589	-4455	6057	7542
	GT1P1{1}	-9364	12450	827	15600	1889	-13686	11057	17695
	GT2P2{1}	-7199	13181	725	15036	891	-10508	3279	11043
	GT3P3{1}	-7016	13382	713	15127	587	-10231	2628	10579
	Gravity{2}	-5340	28120	-42	28623	1650	-7929	12213	14654
	Thermal 3{2}	3426	-6	-535	3467	-1035	5043	1894	5485
	Pressure 1{2}	-3132	-503	-39	3172	321	-4568	-2414	5176
	GT3{2}	-1914	28114	-577	28185	615	-2886	14107	14412
	Hydrotest-NL{2}	-5046	27611	-616	28075	936	-7453	11693	13898
F08 F	Gravity{1}	-2547	2137	-20	3325	9289	-292	2362	9589
	Thermal 1{1}	-1164	841	695	1595	-1003	45	-5113	5210
	Thermal 2{1}	1813	-86	-740	1960	937	127	3887	4000
	Thermal 3{1}	1706	-5	-404	1753	177	169	3306	3315
	Wind 1{1}	162	97	8	189	-122	437	-100	465
	Wind 2{1}	-160	-97	-8	187	121	-437	105	465
	Wind 3{1}	175	-859	-583	1053	178	404	29	442
	Wind 4{1}	-194	856	658	1098	-353	-404	-64	540
	Pressure 1{1}	-5653	-1563	151	5867	-89	-595	964	1136
	Pressure 2{1}	-6465	95	1484	6633	-1885	-469	-12843	12989
	Pressure 3{1}	-6174	216	1137	6282	-1136	-485	-12663	12723
	GT1{1}	-3711	2979	676	4806	8285	-248	-2751	8734
	GT2{1}	-734	2051	-759	2307	10225	-165	6249	11985
	GT3{1}	-842	2132	-424	2331	9466	-123	5668	11034
	GW1{1}	-2385	2235	-12	3268	9167	145	2262	9443
	GW2{1}	-2707	2040	-28	3389	9410	-729	2467	9755
	GW3{1}	-2372	1278	-602	2761	9467	112	2391	9765
	GW4{1}	-2741	2994	639	4109	8935	-696	2298	9252
	GT1P1{1}	-9364	1416	827	9506	8196	-842	-1787	8431
	GT2P2{1}	-7199	2147	725	7547	8341	-634	-6595	10652
	GT3P3{1}	-7016	2348	713	7432	8330	-608	-6995	10894
	Gravity{2}	-5340	4625	-42	7065	19762	-605	4889	20367
	Thermal 3{2}	3426	-6	-535	3467	-309	344	6593	6609
	Pressure 1{2}	-3132	-503	-39	3172	-316	-272	-6710	6723
	GT3{2}	-1914	4619	-577	5033	19453	-260	11482	22590
	Hydrotest-NL{2}	-5046	4116	-616	6541	19137	-532	4772	19730

F09 N	Gravity{1}	-2547	-3275	-20	4149	8688	2400	2362	9317
	Thermal 1{1}	-1164	841	695	1595	-114	1274	-5113	5270
	Thermal 2{1}	1813	-86	-740	1960	846	-1789	3887	4362
	Thermal 3{1}	1706	-5	-404	1753	172	-1634	3306	3692
	Wind 1{1}	509	97	8	518	-19	82	-100	131
	Wind 2{1}	-507	-97	-8	516	18	-85	105	136
	Wind 3{1}	175	-859	-583	1053	-729	218	29	762
	Wind 4{1}	-194	856	658	1098	552	-199	-64	590
	Pressure 1{1}	-5653	-1563	151	5867	-1741	5379	964	5736
	Pressure 2{1}	-6465	95	1484	6633	-1784	6363	-12843	14444
	Pressure 3{1}	-6174	216	1137	6282	-907	6040	-12663	14059
	GT1{1}	-3711	-2434	676	4489	8573	3674	-2751	9725
	GT2{1}	-734	-3361	-759	3523	9534	611	6249	11415
	GT3{1}	-842	-3280	-424	3413	8859	766	5668	10545
	GW1{1}	-2038	-3178	-12	3775	8669	2482	2262	9296
	GW2{1}	-3054	-3372	-28	4550	8706	2315	2467	9340
	GW3{1}	-2372	-4134	-602	4804	7958	2618	2391	8713
	GW4{1}	-2741	-2419	639	3711	9239	2201	2298	9772
	GT1P1{1}	-9364	-3996	827	10215	6832	9053	-1787	11482
	GT2P2{1}	-7199	-3266	725	7938	7749	6973	-6595	12336
	GT3P3{1}	-7016	-3064	713	7689	7952	6806	-6995	12589
	Gravity{2}	-5340	-6899	-42	8724	18561	5039	4889	19844
	Thermal 3{2}	3426	-6	-535	3467	-315	-3276	6593	7368
	Pressure 1{2}	-3132	-503	-39	3172	-848	3037	-6710	7414
	GT3{2}	-1914	-6905	-577	7189	18245	1763	11482	21629
	Hydrotest-NL{2}	-5046	-7408	-616	8985	17398	4800	4772	18668

F09 F	Gravity{1}	-2547	-14309	-20	14534	-1331	5893	5856	8414
	Thermal 1{1}	-1164	841	695	1595	1994	2870	-3517	4958
	Thermal 2{1}	1813	-86	-740	1960	-286	-4276	1400	4508
	Thermal 3{1}	1706	-5	-404	1753	-390	-3973	967	4108
	Wind 1{1}	1199	97	8	1203	125	-960	-1401	1703
	Wind 2{1}	-1196	-97	-8	1200	-126	954	1402	1700
	Wind 3{1}	175	-859	-144	888	-2323	-22	-211	2333
	Wind 4{1}	-194	856	219	905	2246	66	201	2256
	Pressure 1{1}	-5653	-1563	151	5867	-3677	13133	8718	16186
	Pressure 2{1}	-6465	95	1484	6633	382	15230	-3977	15745
	Pressure 3{1}	-6174	216	1137	6282	948	14508	-4195	15132
	GT1{1}	-3711	-13468	676	13986	663	8764	2339	9095
	GT2{1}	-734	-14395	-759	14434	-1617	1617	7255	7607
	GT3{1}	-842	-14314	-424	14345	-1721	1920	6822	7293
	GW1{1}	-1348	-14212	-12	14276	-1205	4934	4455	6756
	GW2{1}	-3743	-14406	-28	14885	-1457	6847	7257	10083
	GW3{1}	-2372	-15168	-163	15353	-3654	5871	5644	8926
	GW4{1}	-2741	-13453	200	13730	916	5960	6057	8546
	GT1P1{1}	-9364	-15031	827	17728	-3014	21897	11057	24715
	GT2P2{1}	-7199	-14300	725	16026	-1236	16847	3279	17208
	GT3P3{1}	-7016	-14098	713	15763	-773	16429	2628	16655
	Gravity{2}	-5340	-30394	-42	30860	-2670	12363	12213	17582
	Thermal 3{2}	3426	-6	-535	3467	-1058	-7975	1894	8265
	Pressure 1{2}	-3132	-503	-39	3172	-1591	7333	-2414	7883
	GT3{2}	-1914	-30400	-577	30465	-3728	4388	14107	15237
	Hydrotest-NL{2}	-5046	-30903	-616	31318	-5319	11721	11693	17389

A10	Gravity{1}	-2547	-21625	-20	21774	-1359	5893	9494	11257
	Thermal 1{1}	-1164	841	695	1595	2987	2870	-1854	4539
	Thermal 2{1}	1813	-86	-740	1960	-1343	-4276	-1190	4637
	Thermal 3{1}	1706	-5	-404	1753	-967	-3973	-1469	4345
	Wind 1{1}	1630	97	8	1633	137	-960	-3421	3556
	Wind 2{1}	-1627	-97	-8	1630	-138	954	3418	3552
	Wind 3{1}	175	-859	288	923	-2220	-22	-462	2268
	Wind 4{1}	-194	856	-212	903	2252	66	478	2303
	Pressure 1{1}	-5653	-1563	151	5867	-3461	13133	16793	21597
	Pressure 2{1}	-6465	95	1484	6633	2501	15230	5258	16305
	Pressure 3{1}	-6174	216	1137	6282	2572	14508	4624	15443
	GT1{1}	-3711	-20783	676	21123	1628	8764	7639	11739
	GT2{1}	-734	-21710	-759	21736	-2702	1617	8304	8881
	GT3{1}	-842	-21630	-424	21650	-2326	1920	8025	8573
	GW1{1}	-917	-21527	-12	21547	-1222	4934	6073	7919
	GW2{1}	-4175	-21722	-28	22119	-1497	6847	12912	14692
	GW3{1}	-2372	-22483	268	22610	-3579	5871	9032	11351
	GW4{1}	-2741	-20768	-231	20949	893	5960	9972	11651
	GT1P1{1}	-9364	-22346	827	24243	-1832	21897	24432	32860
	GT2P2{1}	-7199	-21615	725	22794	-200	16847	13561	21628
	GT3P3{1}	-7016	-21414	713	22545	245	16429	12649	20735
	Gravity{2}	-5340	-45971	-42	46280	-2730	12363	19841	23536
	Thermal 3{2}	3426	-6	-535	3467	-1822	-7975	-2999	8713
	Pressure 1{2}	-3132	-503	-39	3172	-1647	7333	2059	7793
	GT3{2}	-1914	-45976	-577	46020	-4552	4388	16841	17989
	Hydrotest-NL{2}	-5046	-46480	-616	46757	-6199	11721	18900	23087

*** Segment F end *** Line # AKABP-36"-PL-012-X70-CL900_B

*** Segment G begin *** Line # AKAB-A-100_N4

B02	Gravity{1}	0	842	0	842	0	0	0	0
	Thermal 1{1}	0	0	0	0	0	0	0	0
	Thermal 2{1}	0	0	0	0	0	0	0	0
	Thermal 3{1}	0	0	0	0	0	0	0	0
	Wind 1{1}	-45	0	0	45	0	0	16	16
	Wind 2{1}	45	0	0	45	0	0	-16	16
	Wind 3{1}	0	0	-45	45	-16	0	0	16
	Wind 4{1}	0	0	45	45	16	0	0	16
	Pressure 1{1}	0	0	0	0	0	0	0	0
	Pressure 2{1}	0	0	0	0	0	0	0	0
	Pressure 3{1}	0	0	0	0	0	0	0	0
	GT1{1}	0	842	0	842	0	0	0	0
	GT2{1}	0	842	0	842	0	0	0	0
	GT3{1}	0	842	0	842	0	0	0	0
	GW1{1}	-45	842	0	843	0	0	16	16
	GW2{1}	45	842	0	843	0	0	-16	16
	GW3{1}	0	842	-45	843	-16	0	0	16
	GW4{1}	0	842	45	843	16	0	0	16
	GT1P1{1}	0	842	0	842	0	0	0	0
	GT2P2{1}	0	842	0	842	0	0	0	0
	GT3P3{1}	0	842	0	842	0	0	0	0
	Gravity{2}	0	876	0	876	0	0	0	0
	Thermal 3{2}	0	0	0	0	0	0	0	0

	Pressure 1{2}	0	0	0	0	0	0	0
	GT3{2}	0	876	0	876	0	0	0
	Hydrotest-NL{2}	0	876	0	876	0	0	0
G01	Gravity{1}	0	561	0	561	0	0	0
	Thermal 1{1}	0	0	0	0	0	0	0
	Thermal 2{1}	0	0	0	0	0	0	0
	Thermal 3{1}	0	0	0	0	0	0	0
	Wind 1{1}	0	0	0	0	0	0	0
	Wind 2{1}	0	0	0	0	0	0	0
	Wind 3{1}	0	0	0	0	0	0	0
	Wind 4{1}	0	0	0	0	0	0	0
	Pressure 1{1}	0	0	0	0	0	0	0
	Pressure 2{1}	0	0	0	0	0	0	0
	Pressure 3{1}	0	0	0	0	0	0	0
	GT1{1}	0	561	0	561	0	0	0
	GT2{1}	0	561	0	561	0	0	0
	GT3{1}	0	561	0	561	0	0	0
	GW1{1}	0	561	0	561	0	0	0
	GW2{1}	0	561	0	561	0	0	0
	GW3{1}	0	561	0	561	0	0	0
	GW4{1}	0	561	0	561	0	0	0
	GT1P1{1}	0	561	0	561	0	0	0
	GT2P2{1}	0	561	0	561	0	0	0
	GT3P3{1}	0	561	0	561	0	0	0
	Gravity{2}	0	561	0	561	0	0	0
	Thermal 3{2}	0	0	0	0	0	0	0
	Pressure 1{2}	0	0	0	0	0	0	0
	GT3{2}	0	561	0	561	0	0	0
	Hydrotest-NL{2}	0	561	0	561	0	0	0

*** Segment G end *** Line # AKAB-A-100_N4

*** Segment I begin *** Line # AKAB-A-100_N7

B06	Gravity{1}	0	842	0	842	0	0	0
	Thermal 1{1}	0	0	0	0	0	0	0
	Thermal 2{1}	0	0	0	0	0	0	0
	Thermal 3{1}	0	0	0	0	0	0	0
	Wind 1{1}	-45	0	0	45	0	16	16
	Wind 2{1}	45	0	0	45	0	-16	16
	Wind 3{1}	0	0	-45	45	-16	0	16
	Wind 4{1}	0	0	45	45	16	0	16
	Pressure 1{1}	0	0	0	0	0	0	0
	Pressure 2{1}	0	0	0	0	0	0	0
	Pressure 3{1}	0	0	0	0	0	0	0
	GT1{1}	0	842	0	842	0	0	0
	GT2{1}	0	842	0	842	0	0	0
	GT3{1}	0	842	0	842	0	0	0
	GW1{1}	-45	842	0	843	0	16	16
	GW2{1}	45	842	0	843	0	-16	16
	GW3{1}	0	842	-45	843	-16	0	16
	GW4{1}	0	842	45	843	16	0	16
	GT1P1{1}	0	842	0	842	0	0	0
	GT2P2{1}	0	842	0	842	0	0	0
	GT3P3{1}	0	842	0	842	0	0	0
	Gravity{2}	0	876	0	876	0	0	0
	Thermal 3{2}	0	0	0	0	0	0	0
	Pressure 1{2}	0	0	0	0	0	0	0
	GT3{2}	0	876	0	876	0	0	0
	Hydrotest-NL{2}	0	876	0	876	0	0	0

I01	Gravity{1}	0	561	0	561	0	0	0
	Thermal 1{1}	0	0	0	0	0	0	0
	Thermal 2{1}	0	0	0	0	0	0	0
	Thermal 3{1}	0	0	0	0	0	0	0
	Wind 1{1}	0	0	0	0	0	0	0
	Wind 2{1}	0	0	0	0	0	0	0
	Wind 3{1}	0	0	0	0	0	0	0
	Wind 4{1}	0	0	0	0	0	0	0
	Pressure 1{1}	0	0	0	0	0	0	0
	Pressure 2{1}	0	0	0	0	0	0	0
	Pressure 3{1}	0	0	0	0	0	0	0
	GT1{1}	0	561	0	561	0	0	0
	GT2{1}	0	561	0	561	0	0	0
	GT3{1}	0	561	0	561	0	0	0
	GW1{1}	0	561	0	561	0	0	0
	GW2{1}	0	561	0	561	0	0	0
	GW3{1}	0	561	0	561	0	0	0
	GW4{1}	0	561	0	561	0	0	0
	GT1P1{1}	0	561	0	561	0	0	0
	GT2P2{1}	0	561	0	561	0	0	0
	GT3P3{1}	0	561	0	561	0	0	0
	Gravity{2}	0	561	0	561	0	0	0
	Thermal 3{2}	0	0	0	0	0	0	0
	Pressure 1{2}	0	0	0	0	0	0	0
	GT3{2}	0	561	0	561	0	0	0
	Hydrotest-NL{2}	0	561	0	561	0	0	0

*** Segment I end *** Line # AKAB-A-100_N7

[illegible]

[illegible]

[illegible]

[illegible]

F R E Q U E N C I E S

Mode Number	Freq. (Hertz)	Period (Sec)	Participation Factors			Captured Modal Mass			(Percent)
			X	Y	Z	X	Y	Z	Average
1	3.1501	0.317	-3.2	-0.1	12.4	0.472	0.000	7.068	2.513
2	5.6101	0.178	18.7	-0.4	2.2	15.954	0.008	0.214	5.392
3	6.0219	0.166	9.9	-0.3	1.5	4.464	0.004	0.102	1.524
4	7.6028	0.132	-1.4	0.2	8.5	0.089	0.002	3.268	1.120
Total captured modal mass (%)						20.979	0.015	10.652	10.549
Total system weight =						383105.4 kg			

Note: Participation factors and captured modal mass apply only to Response Spectrum and Earthquake Time History load cases. Captured modal mass for other load types can be found in the analysis summary sub-report.

The modal cut-off frequency was not reached.

R E S U L T S U M M A R Y

Maximum displacements (mm)

Maximum X :	119.42	Point : B08	Load Comb.: GT1P1{1}
Maximum Y :	22.13	Point : A03	Load Comb.: GT1P1{1}
Maximum Z :	4.66	Point : B08	Load Comb.: Hydrotest-NL{2}
Max. total:	119.42	Point : B08	Load Comb.: GT1P1{1}

Maximum rotations (deg)

Maximum X :	-0.04	Point : F09 F	Load Comb.: Hydrotest-NL{2}
Maximum Y :	-0.02	Point : F02 N	Load Comb.: Hydrotest-NL{2}
Maximum Z :	0.13	Point : A01	Load Comb.: GT1P1{1}
Max. total:	0.13	Point : A01	Load Comb.: GT1P1{1}

Maximum restraint forces (N)

Maximum X :	-8221636	Point : A00	Load Comb.: GT1P1{1}
Maximum Y :	-304164	Point : A08 M	Load Comb.: GT3{2}
Maximum Z :	-3538	Point : F06	Load Comb.: Wind 4{1}
Max. total:	8221658	Point : A00	Load Comb.: GT1P1{1}

Maximum restraint moments (N.m)

Maximum X :	-1357	Point : A00	Load Comb.: Hydrotest-NL{2}
Maximum Y :	0	Point : A00	Load Comb.: GT1P1{1}
Maximum Z :	-77344	Point : A00	Load Comb.: Gravity{2}
Max. total:	77356	Point : A00	Load Comb.: Hydrotest-NL{2}

Maximum pipe forces (N)

Maximum X :	8222841	Point : A00	Load Comb.: GT1P1{1}
Maximum Y :	-208237	Point : A02 N	Load Comb.: GT1P1{1}
Maximum Z :	2387	Point : A15	Load Comb.: Wind 3{1}
Max. total:	8222841	Point : A00	Load Comb.: GT1P1{1}

Maximum pipe moments (N.m)

Maximum X :	-19916	Point : F01 F	Load Comb.: Gravity{2}
Maximum Y :	27505	Point : A15	Load Comb.: Hydrotest-NL{2}
Maximum Z :	702416	Point : A03	Load Comb.: GT1P1{1}
Max. total:	702416	Point : A03	Load Comb.: GT1P1{1}

R E S U L T S U M M A R Y

Maximum sustained stress

Point : A03
Stress N/mm2 : 180.12
Allowable N/mm2 : 361.97
Ratio : 0.50
Load combination : GR + Max P{1}

Maximum displacement stress

Point : A02 F
Stress N/mm2 : 60.07
Allowable N/mm2 : 297.64
Ratio : 0.20
Load combination : Amb to T1{1}

Maximum occasional stress

Point : A03
Stress N/mm2 : 180.24
Allowable N/mm2 : 361.97
Ratio : 0.50
Load combination : Sus. + W3{1}

Maximum hoop stress

Point : B04
Stress N/mm2 : 232.83
Allowable N/mm2 : 289.58
Ratio : 0.80
Load combination : Max P{1}

Maximum sustained stress ratio

Point : A03
Stress N/mm2 : 180.12
Allowable N/mm2 : 361.97
Ratio : 0.50
Load combination : GR + Max P{1}

Maximum displacement stress ratio

Point : A02 F
Stress N/mm2 : 60.07
Allowable N/mm2 : 297.64
Ratio : 0.20
Load combination : Amb to T1{1}

Maximum occasional stress ratio

Point : A03
Stress N/mm2 : 180.24
Allowable N/mm2 : 361.97
Ratio : 0.50
Load combination : Sus. + W3{1}

Maximum hoop stress ratio

Point : B04
Stress N/mm2 : 232.83
Allowable N/mm2 : 289.58
Ratio : 0.80
Load combination : Max P{1}

* * * The system satisfies ASME B31.8 (2016) code requirements * * *
* * * for the selected options * * *