

● Duration in Millisekunden

Move:

The image contains four separate screenshots of a POST request interface, each showing a different movement command. Each screenshot includes the URL, method (POST), headers (Headers 9), body (Body), and a 'Send' button.

- mbot / moveset / forward**: Body content:

```
1 {  
2   "direction": "forward",  
3   | "speed": 50  
4 }
```
- mbot / moveset / right**: Body content:

```
1 {  
2   "direction": "right",  
3   | "speed": 20  
4 }
```
- mbot / moveset / left**: Body content:

```
1 {  
2   "direction": "left",  
3   | "speed": 20  
4 }
```
- mbot / moveset / backwards**: Body content:

```
1 {  
2   "direction": "backward",  
3   | "speed": 10  
4 }
```

Track:

The image contains two separate screenshots of a POST request interface, each showing a different track-related command. Each screenshot includes the URL, method (POST), headers (Headers 7), body (Body), and a 'Send' button.

- mbot / start-recording**: Body content:

```
1 {  
2   "track": true  
3 }
```
- mbot / stop-recording**: Body content:

```
1 {  
2   "track": false  
3 }
```

mbot / get-track

GET Send

Params Authorization Headers (6) Body Scripts Settings Cookies

mbot / replay

POST Send

Params Authorization Headers (7) **Body** Scripts Settings Cookies Beautify

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Befehlsreihe:

mbot / execute-map

POST Send

Params Authorization Headers (9) **Body** Scripts Settings Cookies Beautify

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1 {
2   "map": [
3     {
4       "duration": 4553,
5       "direction": "forward",
6       "speed": 10
7     },
8     {
9       "duration": 5300,
10      "direction": "right",
11      "speed": 10
12    },
13    {
14      "duration": 0,
15      "direction": "right",
16      "speed": 0
17    }
18  ]
19 }
```

LED:

mbot / Led

POST Send

Params Authorization Headers (8) **Body** Scripts Settings Cookies Beautify

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1 {
2   "R": 255,
3   "G": 0,
4   "B": 0
5 }
```

Sensors:

mbot / moveset / sensors

GET Send

Params Authorization Headers (6) Body Scripts Settings Cookies

Cartography:

GET <http://10.10.3.27:3500/mobot/cartography>

Params Authorization Headers (7) Body Scripts Settings

Headers (7) 7 hidden

Key	Value
Key	Value

Body Cookies Headers (7) Test Results

{ } JSON ▾ ▷ Preview ⚡ Visualize ▾

```
1 {  
2   "message": "Cartography started"  
3 }
```

POST <http://10.10.3.27:3500/mobot/stopcartography>

Params Authorization Headers (8) Body Scripts Settings

Query Params

Key	Value	Description
Key	Value	Description

Body Cookies Headers (7) Test Results

201 Created • 1.29 s • 3.59 KB • [Raw](#)

{ } JSON ▾ ▷ Preview ⚡ Visualize ▾

```
1 {  
2   "message": "Cartography stopped",  
3   "map_points": [  
4     {  
5       "distance": 62.38,  
6       "rotation": 192,  
7       "to": 2,  
8       "from": 1  
9     },  
10    {  
11      "distance": 47.6,  
12      "rotation": 189,  
13      "to": 3,  
14      "from": 2  
15    }  
16  ]  
17}
```