
D1000 ScreenTape® Page 1 of 17

Filename: 2020-12-31-01_L18_LibPrep_OffspringSamples.D1000

Gel Image




Default image (Contrast 100%), Image is Scaled to view larger Molecular Weight range

Sample Info

Well	Conc. [ng/µl]	Sample Description	Alert	Observations
A1	7.43	Ladder		Ladder
B1	17.7	16		
C1	15.7	17		
D1	15.9	18		
E1	13.2	19		
F1	9.55	20		
Gl	10.4	21		
Hi	7.24	22		
A2	7.15	23		
B2	15.2	24		
C2	13.9	25		
D2	12.6	26		
E2	12.5	27		
F2		28		
G2	9.34	29		
H2		Blank		Marker(s) not detected

D1000 ScreenTape® Page 2 of 17

A1: Ladder



Sample Table


Well	Conc. [ng/µl]	Sample Description	Alert	Observations
A1	7.43	Ladder		Ladder

Peak Table

Size [bp]	Calibrated Conc. [ng/µl]	Assigned Conc. [ng/µl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	6.01	-	370	-		Lower Marker
50	0.842	-	25.9	11.33		
100	0.849	-	13.1	11.43		
200	0.866	-	6.66	11.65		
300	0.898	-	4.61	12.08		
400	0.842	-	3.24	11.33		
500	0.914	-	2.81	12.29		
700	0.945	-	2.08	12.71		
1000	1.28	-	1.97	17.19		
1500	6.50	6.50	6.67	-		Upper Marker

D1000 ScreenTape® Page 3 of 17

B1: 16



Sample Table


Well	Conc. [ng/µl]	Sample Description	Alert	Observations
B1	17.7	16		

Peak Table

Size [bp]	Calibrated Conc. [ng/µl]	Assigned Conc. [ng/µl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	5.62	-	346	-		Lower Marker
272	17.7	-	100	100.00		
1500	6.50	6.50	6.67	-		Upper Marker

D1000 ScreenTape® Page 4 of 17

C1: 17



Sample Table


Well	Conc. [ng/µl]	Sample Description	Alert	Observations
C1	15.7	17		

Peak Table

Size [bp]	Calibrated Conc. [ng/µl]	Assigned Conc. [ng/µl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	4.72	-	290	-		Lower Marker
272	15.7	-	88.9	100.00		
1500	6.50	6.50	6.67	-		Upper Marker

D1000 ScreenTape® Page 5 of 17

D1: 18



Sample Table


Well	Conc. [ng/µl]	Sample Description	Alert	Observations
D1	15.9	18		

Peak Table

Size [bp]	Calibrated Conc. [ng/µl]	Assigned Conc. [ng/µl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	5.96	-	367	-		Lower Marker
267	15.9	-	91.2	100.00		
1500	6.50	6.50	6.67	-		Upper Marker

D1000 ScreenTape® Page 6 of 17

E1: 19



Sample Table


Well	Conc. [ng/µl]	Sample Description	Alert	Observations
E1	13.2	19		

Peak Table

Size [bp]	Calibrated Conc. [ng/µl]	Assigned Conc. [ng/µl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	5.83	-	359	-		Lower Marker
258	13.2	-	79.0	100.00		
1500	6.50	6.50	6.67	-		Upper Marker

D1000 ScreenTape® Page 7 of 17

F1: 20



Sample Table


Well	Conc. [ng/µl]	Sample Description	Alert	Observations
F1	9.55	20		

Peak Table

Size [bp]	Calibrated Conc. [ng/µl]	Assigned Conc. [ng/µl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	5.83	-	359	-		Lower Marker
256	9.55	-	57.4	100.00		
1500	6.50	6.50	6.67	_		Upper Marker

D1000 ScreenTape® Page 8 of 17

G1: 21



Sample Table


Well	Conc. [ng/µl]	Sample Description	Alert	Observations
Gl	10.4	21		

Peak Table

Size [bp]	Calibrated Conc. [ng/µl]	Assigned Conc. [ng/µl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	5.87	-	361	-		Lower Marker
252	10.4	-	63.2	100.00		
1500	6.50	6.50	6.67	-		Upper Marker

D1000 ScreenTape® Page 9 of 17

H1: 22



Sample Table


Well	Conc. [ng/µl]	Sample Description	Alert	Observations
H1	7.24	22		

Peak Table

Size [bp]	Calibrated Conc. [ng/µl]	Assigned Conc. [ng/µl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	6.47	-	398	-		Lower Marker
239	7.24	-	46.6	100.00		
1500	6.50	6.50	6.67	-		Upper Marker

D1000 ScreenTape® Page 10 of 17

A2: 23



Sample Table


Well	Conc. [ng/µl]	Sample Description	Alert	Observations
A2	7.15	23		

Peak Table

Size [bp]	Calibrated Conc. [ng/µl]	Assigned Conc. [ng/µl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	6.20	1	382	-		Lower Marker
253	7.01	-	42.7	97.92		
1500	6.50	6.50	6.67	-		Upper Marker
2100	0.149	-	0.109	2.08		

D1000 ScreenTape® Page 11 of 17

B2: 24



Sample Table


Well	Conc. [ng/µl]	Sample Description	Alert	Observations
B2	15.2	24		

Peak Table

Size [bp]	Calibrated Conc. [ng/µl]	Assigned Conc. [ng/µl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	5.78	-	355	-		Lower Marker
273	15.2	-	85.4	100.00		
1500	6.50	6.50	6.67	_		Upper Marker

D1000 ScreenTape® Page 12 of 17

C2: 25



Sample Table


Well	Conc. [ng/µl]	Sample Description	Alert	Observations
C2	13.9	25		

Peak Table

Size [bp]	Calibrated Conc. [ng/µl]	Assigned Conc. [ng/µl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	5.82	-	358	-		Lower Marker
263	13.9	-	80.9	100.00		
1500	6.50	6.50	6.67	-		Upper Marker

D1000 ScreenTape® Page 13 of 17

D2: 26



Sample Table


Well	Conc. [ng/µl]	Sample Description	Alert	Observations
D2	12.6	26		

Peak Table

Size [bp]	Calibrated Conc. [ng/µl]	Assigned Conc. [ng/µl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	6.21	-	382	-		Lower Marker
257	12.6	-	75.8	100.00		
1500	6.50	6.50	6.67	-		Upper Marker

D1000 ScreenTape® Page 14 of 17

E2: 27



Sample Table


Well	Conc. [ng/µl]	Sample Description	Alert	Observations
E2	12.5	27		

Peak Table

Size [bp]	Calibrated Conc. [ng/µl]	Assigned Conc. [ng/µl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	6.12	-	377	-		Lower Marker
270	12.5	-	71.4	100.00		
1500	6.50	6.50	6.67	-		Upper Marker

D1000 ScreenTape® Page 15 of 17

F2: 28



Sample Table


Well	Conc. [ng/µl]	Sample Description	Alert	Observations
F2		28		

Peak Table

Size [bp]	Calibrated Conc. [ng/µl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	6.20	-	381	-		Lower Marker
1500	6.50	6.50	6.67	-		Upper Marker

D1000 ScreenTape® Page 16 of 17

G2: 29



Sample Table

Well	Conc. [ng/µl]	Sample Description	Alert	Observations
G2	9.34	29		

Peak Table

Size [bp]	Calibrated Conc. [ng/µl]	Assigned Conc. [ng/µl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	6.28	-	386	-		Lower Marker
257	9.34	-	55.9	100.00		
1500	6.50	6.50	6.67	-		Upper Marker

D1000 ScreenTape® Page 17 of 17

H2: Blank



Sample Table

Well	Conc. [ng/µl]	Sample Description	Al	ert	Observations
H2		Blank			Marker(s) not detected