

Norovirus, Primary School, Derbyshire, England, 2001

Overview

This dataset describes a norovirus outbreak at a primary school in Derbyshire, England, in 2001. Of 492 children in the school, 186 were absent with gastrointestinal symptoms. The data include individual-level records of illness onset, duration, and school class membership.

Source

O'Neill & Marks (2005). Bayesian model selection and parameter estimation for a norovirus outbreak using a school absenteeism dataset. *Statistics in Medicine* 24(13):2011–24.

Data

The dataset contains 492 rows and 5 columns:

- class: school class of the child
- day_absent: day of absence
- start_illness: day of illness onset
- end_illness: day illness ended
- day_vomiting: day of vomiting

```
using Outbreaks
using DataFrames
df = Outbreaks.norovirus_derbyshire_2001_school()
first(df, 6)
```

	class	day_absent	start_illness	end_illness	day_vomiting
	Int64	Int64	Int64	Int64	Int64
1	1	23	0	0	0
2	1	0	0	0	0
3	1	0	0	0	0
4	1	0	0	0	0
5	1	0	0	0	0
6	1	0	0	0	0

Summary statistics

```
describe(df)
```

	variable	mean	min	median	max	nmissing	eltype
	Symbol	Float64	Int64	Float64	Int64	Int64	DataType
1	class	7.0061	1	7.0	15	0	Int64
2	day_absent	6.91667	0	0.0	23	0	Int64
3	start_illness	2.70935	0	0.0	28	0	Int64
4	end_illness	3.06098	0	0.0	30	0	Int64
5	day_vomiting	0.461382	0	0.0	28	0	Int64